WA 2607
b



FOR OFFICIAL USE.

WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

AND IN

TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND,

1910.

DUBLIN:

PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,

BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON-STREET, DUBLIN; or
WYMAN AND SONS, LTD., FETTER-LANE, LONDON, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

1911.

Price Three Pence

WELLCOME INSTITUTE
LIBRARY
Coll. WelMOmec
Coll.
No.

YEARLY SUMMARY

OF THE

WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

1910.

Births —In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown, there were registered during the year 1910 (52 weeks) 11,397 births—5,886 boys and 5,511 girls—being equal to 1 in 35, or an annual rate of 28·3 per 1,000 of the estimated population.*. The average rate for the preceding ten years was 28·6 per 1,000.

Of the 11,397 births registered in 1910, 9,819, or 32 in every 1,000 of the population, occurred in the city, and 1,578, or only 17 in every 1,000 inhabitants, in the urban districts named above.

Of the 11,397 births in the entire district, 2,801 were registered during the first quarter of the year, 3,032 in the second, 3,021 in the third, and 2,543 in the fourth, the weekly average being 219.

In London the number of births registered during the year 1910 (52 weeks) was 116,225, being equal to an annual rate of 24 in every 1,000 of the estimated population; in Glasgow the number was 22,222, equal to 25 per 1,000; and in Edinburgh it was 7,063, or 20 per 1,000 of the population.

Deaths.—The number of deaths appertaining to the Dublin Registration Area, and registered during the year 1910 was 8,029; this number is equal to one in 50, or 19·9 per 1,000 of the population of the Area, estimated to the middle of the year 1910. The average death-rate for the 10 years 1900-9 was 23·0 per 1,000. Thus the rate for last year is 3·1 below the average—a decrease equivalent to 13·5 per cent.

The total number of deaths registered during the year, namely, 8,504 (4,225 males and 4,279 females), including the deaths of 475 persons who were admitted into public institutions from localities outside the Area, is equal to one in 47, or 21·1 per 1,000 of the estimated population. The average rate for the preceding 10 years was 24·0 per 1,000

* See note (*), page xix.

The rate for the city of Dublin was 21·2 per 1,000 (20·7 on the North side, and 21·7 on the South), and for the suburbs 15·7 per 1,000. The rates for the several districts range from 13·4 for Clontarf and Howth No. 1, part of, to 23·6 for South City No. 3, (Peter street).

Of the 8,504 deaths in the entire district, 2,518 were registered during the first quarter of the year, 2,034 in the second, 1,844 in the third, and 2,108 in the fourth, the weekly average being 164.

In the twenty-one provincial Urban Districts, for which statistics are given in the Weekly Returns, the respective annual death-rates are as follow, ranging from the lowest to the highest:—Sligo, 12·9 per 1,000 of the population*; Armagh, 15·3; Londonderry, 15·9; Ballymena, 16·4; Limerick, 16·7; Dundalk, 16·7; Galway, 17·3; Lurgan, 17·5; Portadown, 17·7; Newry, 18·4; Queenstown, 18·5; Drogheda, 18·6; Belfast, 18·6; Newtownards, 19·1; Cork, 19·3; Tralee, 19·4; Lisburn, 19·7; Wexford, 19·9; Waterford, 20·2; Kilkenny, 20·8; and Clonmel, 21·2.

The number of deaths registered in London during the year 1910 (52 weeks) was 64,861, being equal to an annual rate of 13·3 in every 1,000 of the inhabitants; in Glasgow, 13,395, equal to 15·1 per 1,000; and in Edinburgh, 5,035, or 14·0 in every 1,000 of the estimated population.

Public Institutions.—Of the 8,504 deaths registered in the Dublin Registration Area last year, 3,753, or 44·1 per cent., occurred in public institutions, viz.:—2,021 in the various hospitals, prisons, and lunatic asylums; 773 in the North Dublin Union Workhouse; 925 in the South Dublin Union Workhouse; and 34 (those of persons admitted from the Dublin Registration Area) in the Rathdown Union Workhouse.

Diseases.—*Dublin Registration Area.*—(See Tables III. and IV.)—The records of last year show that the total number of deaths from the principal epidemic diseases† registered in the Dublin Registration Area was 581. This number is equal to a rate of 1·4 per 1,000 of the estimated population, the average rate for the preceding ten years being 1·9 per 1,000.

The following tabular statement shows the mortality from each of the principal epidemic diseases during the year 1910, and the average annual number of deaths for the ten years 1900—1909:—

Principal Epidemic Diseases.	No. of Deaths in 1910.	Average Annual No. of Deaths, 1900–1909.
Small-pox,	—	4
Measles,	20	129
Scarlet Fever,	44	31
Typhus,	5	3
Whooping-cough,	126	142
Diphtheria,	64	52
Pyrexia (origin uncertain),	1	5
Enteric Fever,	48	81
Diarrhœal Diseases,	273	292

Small-pox.—There was no record of mortality from small-pox in the Dublin Registration Area during the year 1910, nor was the existence of the disease reported to any of the Public Health authorities.

* See note (*), page xix.

† Small-pox, measles, scarlet fever, typhus, whooping-cough, diphtheria, *pyrexia* (origin uncertain, enteric fever, and diarrhœal diseases.

Measles.—The deaths from measles numbered 20, the average for the 10 years, 1900—1909, being 129. The 20 deaths are less than the number recorded in any one year of the preceding decade, excepting the year 1901, when only 7 deaths from measles were registered. In the following year, 1902, the highest number of any year in the period, namely, 392 deaths, was registered from this disease. It appears from Table I. that 22 cases of measles were under treatment in Dublin hospitals at the close of the year.

Scarlet Fever.—There was an increase in mortality from scarlet fever from 25 deaths in 1909, to 44 deaths in 1910; the latter figure represents an annual rate of 0·1 per 1,000 of the estimated population of the Area. The average number of deaths from this disease for the preceding decade was 31.

In Table IV. it may be seen that 12 deaths from scarlet fever appertained to the city districts of Dublin North union, 25 to the city districts of Dublin South union, one death to the urban district of Rathmines and Rathgar, and that 6 deaths were of persons admitted from without the Area. Table I. shows that 807 cases of scarlet fever were admitted to Dublin hospitals during the year, 717 were discharged, 39 died, and 122 were under treatment at the close of the year.

Typhus.—The number of deaths from typhus was 5, as against a yearly average for the preceding decade of 3. There were 27 cases treated in hospital during the year; of these, 22 were discharged, and 5 died in hospital. Of the 5 deaths, 4 belonged to the city districts of Dublin North union, and one to the South City.

Whooping-Cough.—With the exception of diarrhœal diseases, the mortality from whooping-cough far exceeds that from any other of the principal epidemic diseases; nevertheless the deaths (in number, 126), are below the average (142), and correspond to an annual rate of 0·3 per 1,000 of the estimated population of the Area. Of the total deaths, 46 appertained to North City districts, 59 to South City districts, and 21 to the urban districts.

Diphtheria.—During the decade deaths from diphtheria ranged from 32 in 1905 to 85 in 1902, the average being 52; in 1910 the deaths (64) exceed the average, and are equal to an annual rate of 0·2 per 1,000 of the population of the Area. Of the total deaths from diphtheria, 21 belong to North Dublin city, 28 to South Dublin city, and 8 to the urban districts, excepting Kingstown, in which no death from diphtheria was recorded. The number of cases admitted to Dublin hospitals during the year was 648, the number discharged was 572, there were 48 deaths in hospitals, and 66 cases were under treatment at the close of the year 1910.

Enteric Fever.—A reference to Table III. shows that in the first year of the decade, 1900-9, the average for which period was 81, there were registered 133 deaths from enteric fever, in the following year 107 deaths were registered, in 1902 a rise to 121 took place, and a steady decline followed this up to the year 1907, when the lowest figure in the series, namely, 38 deaths, was registered. In the following year the deaths numbered 58, in 1909 they rose to 68, but in the period under notice the deaths declined to 48, a figure which represents an annual rate of 0·1 per 1,000 of the population of the Area. Of the total deaths, 21 appertained to the city districts of North Dublin (excepting Coolock and Drumcondra, part of, in which no death from enteric fever was registered); 11 appertained to the city districts of South Dublin; 3 to the urban district of Rathmines and Rathgar; and 4 to the urban district of Pembroke. No death from enteric fever was registered in either of the urban districts of Blackrock or Kingstown. There were 9 deaths in hospitals of persons admitted from without the Area. The death

of one person was attributed to *pyrexia* (origin uncertain). There were 362 cases of enteric fever treated in hospitals during the year; of these 300 were discharged, 26 died, and 36 were under treatment at the close of the year.

Diarrhœal Diseases.—In the aggregate, the deaths attributed to diarrhœal diseases numbered 273, and represent an annual mortality rate of 0·7 per 1,000 of the estimated population of the Area. The average number in the preceding decade was 292. Of the 273 deaths, 245 were those of children under 5 years of age. In the March quarter 39 deaths were registered, in June quarter 26 deaths were registered, in September quarter 146 deaths were registered, and in December quarter 62 deaths were registered. Of the total deaths from diarrhœal diseases, 140 belonged to North Dublin city districts, 98 to South Dublin city districts, 9 to the urban district of Rathmines and Rathgar, 11 to the urban district of Pembroke, and 4 to the urban district of Kingstown.

Influenza.—Deaths from influenza, which in the year 1908 amounted to 176, declined to 102 in 1909, but rose slightly to 104 in the period under review; the latter figure represents an annual rate of 0·3 per 1,000 of the estimated population.

Cerebro-spinal Fever.—Only one death was registered as having been caused by cerebro-spinal fever. In the year 1907, 46 deaths from this disease were registered, in 1908 the number declined to 30, and further declined to 13 in the year 1909.

Pneumonia.—Of 647 deaths from pneumonia (all forms), 71 were from lobar pneumonia, 323 from broncho-pneumonia, 2 from epidemic pneumonia, and 251 from *pneumonia* (not defined). The total is equivalent to a rate of 1·61 per 1,000 of the population, as against an average rate for the preceding decade of 1·65 per 1,000 of the estimated mean population.

Tuberculous Disease.—The table which follows indicates a decrease in the mortality from all forms of tuberculous disease from 3·79 per 1,000 in 1909 to 3·70 per 1,000 in 1910.

TABLE showing the Number of DEATHS from All Forms of Tuberculous Disease and from Tuberculous Phthisis (*Phthisis*) registered in the Dublin Registration Area during each of the 10 years, 1901–1910, with the respective rates per 1,000 of the population represented thereby; also the averages for the years, 1901–9. (See notes (*) and (†) on pages x.-xi.).

Years.	Deaths from all Forms of Tuberculous Disease.		Deaths from Tuberculous Phthisis (*Phthisis*).	
	Number.	Rate per 1,000.	Number.	Rate per 1,000.
1901	1,876	4·99	1,274	3·39
1902	1,736	4·58	1,261	3·27
1903	1,778	4·69	1,218	3·21
1904	1,779	4·69	1,172	3·09
1905	1,724	4·55	1,207	3·18
1906	1,694	4·47	1,152	3·04
1907	1,793	4·59	1,183	3·03
1908	1,742	4·34	1,174	2·93
1909	1,508	3·79	1,049	2·64
Average 1901-9	1,737	4·52	1,188	3·09
1910	1,491	3·70	1,006	2·50

In the foregoing table it is seen that in the first year of the series (1901) there were 1,876 deaths registered from tuberculous disease in all its forms; the subsequent 7 years show a decline from this figure, the number of deaths in the latter period varying from 1,694 in 1906 to 1,793 in 1907. In the year 1909 the deaths declined to 1,508, from 1,742 in 1908 (a noticeable decrease), and in the year under notice a further decline to 1,491 is recorded, showing a decrease of 17, as compared with 1909. The rate represented by the 1,491 deaths is 3·70 per 1,000, as compared with the average rate for the 9 years, 1901-1909, namely, 4·52 per 1,000 of the mean estimated population for these years. The deaths from all forms of tuberculous disease in the Dublin Registration Area constitute 18 per cent. of the deaths from all causes registered, or, in other words, for every 6 deaths registered, one is caused by tuberculous disease. Of the total deaths from tuberculosis, 1,006 were from tuberculous phthisis (*phthisis*), 153 were from tuberculous meningitis, 37 were from tuberculous peritonitis, 25 were from *tabes mesenterica*, 269 were from other forms of the disease, and one death was attributed to *scrofula*. As before stated, the rate from all forms of tuberculous disease for the Area was 3·70 per 1,000; the rate for tuberculous phthisis was 2·50 per 1,000, as compared with 2·64 in 1909, and an average rate for the years 1901-1909 of 3·09 per 1,000. For the city districts of North Dublin union the total rate was 3·55 per 1,000, and the tuberculous phthisis rate was 2·61 per 1,000, the corresponding rates for the city districts of South Dublin union were 4·09 per 1,000, and 2·54 per 1,000; for the urban district of Rathmines and Rathgar 2·08 per 1,000 and 1·48 per 1,000; for Pembroke urban district 2·52 per 1,000 and 1·73 per 1,000; for Blackrock 3·88 per 1,000 and 2·11 per 1,000, and for Kingstown 1·48 per 1,000 and 1·14 per 1,000.

Malignant Disease.—In the aggregate 476 deaths were classified under this heading, namely, 223 from carcinoma, 21 from sarcoma, and 232 from cancer, malignant disease (undefined). The total is equal to an annual rate of 1·18 per 1,000 of the estimated population of the Area.

Premature Births.—The deaths of 219 infants were attributed to prematurity.

Diseases of the Brain and Nervous System.—In this group the deaths numbered 536, and equal a rate of 1·33 per 1,000; among them were 173 deaths from *convulsions*; 172 of the latter figure were deaths of children under 5 years of age.

Diseases of the Heart and Blood Vessels.—The total (1,305) represents an annual mortality rate from these causes of 3·24 per 1,000 of the population estimated to the middle of the year.

Diseases of the Respiratory System.—Of 1,185 deaths, constituting an annual rate of 2·94 per 1,000, 1,064 deaths were caused by bronchitis.

Violence.—Different forms of violence accounted for 220 deaths; of this total 198 were assigned to accident or negligence, 5 to homicide, 16 to suicide, and one to execution. Of the 198 deaths from accidental causes, 56 were by burns, scalds, or explosions, and of this figure 29 were of children under 5 years of age, 28 were by drowning, 22 were by vehicles and horses, 5 were by suffocation in bed, 5 were by poisons or poisonous vapours. Four deaths were stated to have occurred on railways, and 2 in building operations.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated during the **Year** (52 weeks) **ended Saturday, 31st December, 1910,** in the principal Dublin Hospitals in which cases of infectious diseases are received.

DISEASES.	No. of Cases in Hospital at close of previous year.	No. admitted during year.	Dis-charged.	Died.	No. under treatment on above date.
Small-pox, ...	.	.	.	.	.
Measles, ...	17	128	118	5	22
Scarlet Fever, ...	71	807	717	39	122*
Typhus, ...	6	21	22	5	.
Diphtheria, ...	38	648	572	48	66
Enteric Fever, ...	44	318	300	26	36
Pneumonia, ...	29	463	422	49	21

* Exclusive of 21 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

In 255 cases the cause of death was uncertified, there having been no medical attendant during the last illness; of these 255 cases, 125, or 49·0 per cent., were deaths of children under 5 years of age: these 125 deaths form 5·1 per cent. of the total number of deaths of children of that age-period. Of the deaths of 511 infants under one month old registered, there were 61 (or 11·9 per cent.) regarding which the cause was uncertified.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908." as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin ; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District ; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District ; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District ; by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District, up to 12th November, and subsequently by the Executive Sanitary Officer ; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE II.—Showing the NUMBER OF CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the Year (52 weeks) ended 31st December, 1910. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Population in middle of 1910.*	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	310,298	.	—	—	652	20	.	487	1	55	299	533	2	—	—	1	—	956	—	3,006
Rathmines and Rathgar Urban District.	37,047	.	—	—	37	.	.	77	.	.	23	20	2	—	—	—	.	—	—	159
Pembroke Urban District.	28,948	.	37	8	34	.	.	25	2	3	16	11	1	—	79	.	—	4†	—	220
Blackrock Urban District.	9,013	.	—	—	27	.	.	17	.	.	1	.	.	—	—	.	—	—	—	45
Kingstown Urban District.	17,622	.	—	—	7	.	.	12	.	.	4	2	.	—	—	—	—	10	—	35
City of Belfast‡.	391,167		—	—	734	7	.	233	5	15	95	257	16	—	—	(*a*)	—	929	—	2,291

* See note (*) on page xix.
† Notifiable as from 1st July.
‡ The Registrar of Belfast Urban, No. 4, reports that one death from beri-beri was registered during the week ended 23rd April.
(*a*) Notifiable as from 1st December, for a period of 12 months.

[TABLE

TABLE III.—DUBLIN REGISTRATION AREA.*—CAUSES OF DEATH in

NUMBER OF DEATHS

NAMES OF DISEASES.	1900 (52 weeks).	1901 (52 weeks).	1902 (53† weeks).	1903 (52 weeks).	1904 (52 weeks).	1905 (52 weeks).	1906 (52 weeks).	1907 (52 weeks).	1908 (53† weeks).	1909 (52 weeks).
GENERAL DISEASES§:—										
Small-pox, ...	.	.	.	36	.	.	.	.	.	.
Measles, ...	75	7	392	49	191	97	56	154	150	121
Scarlet Fever, ...	22	31	76	63	26	24	13	14	19	25
Typhus, ...	2	3	8	2	1	.	4	8	2	3
Whooping-cough, ...	137	235	59	129	239	48	101	228	91	156
Diphtheria, ...	54	54	85	60	35	32	40	47	49	60
Pyrexia‡ (origin uncertain), ...	6	10	4	3	4	8	4	4	2	4
Enteric Fever, ...	133	107	121	94	74	64	54	38	58	68
Diarrhœal Diseases, ...	365	390	237	151	339	284	417	205	325	212
Pneumonia, ...	606	606	620	522	619	553	622	770	663	746
Tuberculous Disease. Phthisis, ...	1,348	1,274	1,261	1,218	1,172	1,207	1,152	1,183	1,174	1,049
Tuberculous Disease. Other Forms, ...	726	602	475	560	607	517	542	610	568	459
Other General Diseases, ...	1,158	1,062	998	1,109	1,128	1,073	1,104	1,217	1,232	1,199
Total, ...	4,632	4,381	4,336	3,996	4,435	3,907	4,109	4,478	4,333	4,102
LOCAL DISEASES:—										
Diseases of: Nervous System, ... / Heart and Blood Vessels,	1,894	1,996	961 / 1,073	809 / 1,365	720 / 1,290	723 / 1,258	687 / 1,315	656 / 1,371	619 / 1,341	541 / 1,311
Organs of Special Sense, ...	6	9	10	7	11	10	6	9	6	14
Respiratory System (exclusive of Pneumonia).	1,456	1,254	1,339	1,183	1,168	1,008	1,093	1,291	1,184	1,179
Digestive System, ...	453	427	554	515	553	561	601	521	576	546
Lymphatic System, &c., ...	13	14	14	22	20	12	22	22	13	10
Urinary System, ...	223	260	276	261	283	241	288	307	271	295
Generative System, ...	18	21	20	19	22	12	18	17	23	24
Accidents of Childbirth, ...	23	24	40	26	21	21	26	27	23	27
Diseases of Locomotor System,	15	20	29	14	10	5	11	20	14	14
Diseases of Integumentary§ „	30	37	31	22	14	16	15	16	18	14
Total, ...	4,131	4,062	4,347	4,243	4,112	3,867	4,082	4,257	4,088	3,975
Other Specified Diseases, ...	.	.	.	.	.	.	.	.	.	.
DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	989	877	823	591	519	443	463	480	427	494
VIOLENT DEATHS, ...	235	251	221	217	198	208	203	232	222	179
Deaths from all causes, ...	9,987	9,571	9,727	9,047	9,264	8,425	8,857	9,447	9,070	8,750
Annual Death Rate per 1,000 of Pop.,*	26·5	25·4	25·3	23·9	24·4	22·2	23·4	24·2	22·6	22·0
Mean Temperature of the Air (Fahr.), ...	.	47·7	47·9	47·7	48·1	48·4	48·3	47·7	48·8	47·5
Rainfall in inches, ...	37·21	25·79	26·97	32·48	22·62	24·46	23·59	27·80	24·41	26·42

* The figures given for 1900 are for the Dublin Registration Area as then constituted; those for 1901–1910 for

† The numbers for the years 1902 and 1908 embrace the returns for 53 weeks. This arrangement is occasionally

‡ Formerly described as

§ Deaths from Carbuncle, Cellulitis, Phlegmon, and Lupus which for the years 1900-1901 were included in "Diseases

the years 1900–1910, with the Ratio of the Deaths to the Population.

Registered. Yearly Average. 1900–09	1910. Total (52 weeks)	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Annual rate for each cause per 10,000 Persons living. Yearly Average, 1900–09.	1910. (52 weeks)	Names of Diseases.
								General Diseases§:—
4	.	.	.	.	.	0·1	.	Small-pox.
129	20	4	2	6	8	3·4	0·5	Measles.
31	44	7	5	16	16	0·8	1·1	Scarlet Fever.
3	5	1	3	.	1	0·1	0·1	Typhus.
142	126	29	23	22	52	3·7	3·1	Whooping-cough.
52	64	13	4	23	24	1·4	1·6	Diphtheria.
5	1	1	.	.	.	0·1	0·0	*Pyrexia*‡ (origin uncertain).
81	48	12	11	11	14	2·1	1·2	Enteric Fever.
292	273	39	26	146	62	7·6	6·8	Diarrhœal Diseases.
633	647	227	148	88	184	16·5	16·1	Pneumonia.
1,204	1,006	283	274	217	232	31·4	25·0	Phthisis, } Tuberculous Disease.
567	485	123	150	110	102	14·8	12·0	Other Forms, } Tuberculous Disease.
1,128	1,196	349	281	261	305	29·5	29·7	Other General Diseases.
4,271	3,915	1,088	927	900	1,000	111·5	97·2	Total.
								Local Diseases:
1,993	536	169	137	114	116	52·0	13·3	Nervous System.
	1,305	376	334	280	315		32·4	Heart and Blood Vessels.
9	9	6	1	.	2	0·2	0·2	Organs of Special Sense.
1,216	1,185	460	265	152	308	31·7	29·4	Respiratory System (exclusive of Pneumonia).
531	539	145	130	138	126	13·9	13·4	Digestive System.
16	14	2	2	4	6	0·4	0·3	Lymphatic System, &c.
270	279	73	56	81	69	7·1	6·9	Urinary System.
19	22	7	3	7	5	0·5	0·6	Generative System.
26	18	6	6	1	5	0·7	0·5	Accidents of Childbirth.
15	10	2	1	4	3	0·4	0·2	Diseases of Locomotor System.
21	16	8	2	1	5	0·5	0·4	Diseases of Integumentary§ „
4,116	3,933	1,254	937	782	960	107·4	97·6	Total.
.	.	.	.	.	.	.	.	Other Specified Diseases.
611	436	129	110	99	98	15·9	10·8	Deaths from Ill-defined and Unspecified Causes.
216	220	47	60	63	50	5·7	5·5	Violent Deaths
9,214	8,504	2,518	2,034	1,844	2,108	240·5	211·1	**Deaths from all causes.**
24·0	21·1	25·0	20·2	18·3	20·9	.	.	Annual Death Rate per 1,000 of Population.
.	47·8	40·9	50·2	55·9	44·1	.	.	Mean Temperature of the Air (Fahr.)
27·18	31·33	6·53	10·05	5·35	9·40	.	.	Rainfall in inches.

the area as at present existing. The rates are calculated on the population estimated to the middle of the respective years. necessary in order that the annual series may correspond with the calendar year.
"Simple Continued Fever."
of the Integumentary System," have been tabulated among the "General Diseases" for the years 1902-1910.

TABLE IV.—Showing for the **Year 1910** (52 weeks) the number of DEATHS of Residents of of the Population of the respective Districts represented thereby, and by the Deaths from Deaths at certain age-periods, and the number of Uncertified Deaths; *the Deaths in Public Institutions*

YEAR 1909 (52 WEEKS)

REGISTRARS' DISTRICTS, &c.	POPULATION, ESTIMATED TO MIDDLE OF 1910.*	ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS		TOTAL DEATHS.	DEATHS.								
		FROM ALL CAUSES.	FROM DISEASES IN COLS. 11-19.		Infants under 1 year of Age.	1 and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	Persons aged 60 years and upwards.	CAUSED BY		
											Small-pox.	Measles.	Scarlet Fever.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
North City.													
NORTH CITY, No 1, E.,	29,908	20·2	1·3	603	140	61	38	96	103	165	.	1	4
,, 1, W.,	39,974	22·3	1·9	891	186	91	58	131	194	231	.	1	2
,, 2,	30,744	22·8	1·7	702	167	73	39	86	166	171	.	.	2
,, 3,	33,559	21·8	1·7	731	153	82	50	115	135	196	.	.	3
CLONTARF AND HOWTH, No. 1, part of,	5,381	13·4	1·1	72	11	2	5	11	16	27	.	.	.
COOLOCK AND DRUMCONDRA, part of,	11,622	14·8	0·4	172	20	9	9	36	33	65	.	.	1
FINGLAS AND GLASNEVIN, part of,	7,693	16·0	1·3	123	23	7	11	20	21	41	.	.	.
South City.													
SOUTH CITY, No. 1,	41,476	22·2	1·4	920	207	103	55	113	172	270	.	7	8
,, 2,	21,754	21·3	1·1	464	90	60	29	63	106	116	.	1	1
,, 3,	43,227	23·6	1·9	1,021	235	118	54	141	197	276	.	5	8
,, 4,	35,881	21·0	1·8	753	160	72	47	98	169	207	.	3	7
NEW KILMAINHAM,	9,079	13·7	1·0	124	25	10	9	20	36	24	.	1	1
Urban Districts.													
RATHMINES AND RATHGAR,	37,047	15·2	0·7	563	75	37	28	58	101	264	.	.	1
PEMBROKE,	28,948	15·0	0·7	435	74	29	42	49	71	170	.	1	.
BLACKROCK,	9,013	17·1	0·7	154	15	9	15	19	32	64	.	.	.
KINGSTOWN,	17,622	17·1	0·5	301	32	13	8	32	62	154	.	.	.
Total City, North,	158,881	20·7	1·6	3,294	700	325	210	495	668	896	.	2	12
Total City, South,	151,417	21·7	1·6	3,282	717	363	194	435	680	893	.	17	25
Total City, North & South,	310,298	21·2	1·6	6,576	1417	688	404	930	1348	1789	.	19	37
Total Urban Districts,	92,630	15·7	0·7	1,453	196	88	93	158	266	652	.	1	1
Total Registration Area,	402,928	19·9	1·4	8,029	1613	776	497	1088	1614	2441	.	20	38
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above),				475	34	18	60	151	117	95	.	.	6

* See note (*) on page xix.

the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the Rate per 1,000 the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the *being assigned to the Districts from which the deceased were admitted.*

ENDED 31ST DECEMBER, 1910.

DEATHS. CAUSED BY													REGISTRARS' DISTRICTS, &c.
Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia* † (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Number of Uncertified Deaths.	
(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	
													North City.
.	13	1	.	2	19	49	78	16	28	87	25	26	NORTH CITY, No. 1, E.
1	16	6	.	8	41	73	113	42	40	151	22	26	„ 1, W.
1	6	3	.	2	39	49	76	41	31	121	18	10	„ 2.
2	9	8	1	6	29	59	96	40	38	83	12	18	„ 3.
.	.	1	.	1	4	3	8	.	7	4	4	5	CLONTARF AND HOWTH, No. 1, part of.
.	1	1	.	.	2	16	24	5	9	15	5	4	COOLOCK AND DRUMCONDRA, part of.
.	1	1	.	2	6	9	19	6	4	9	3	7	FINGLAS AND GLASNEVIN, part of.
													South City.
.	18	7	.	2	18	51	105	56	38	174	20	22	SOUTH CITY, No. 1.
.	3	4	.	2	12	34	66	35	17	83	13	18	„ 2
.	24	10	.	2	32	96	115	92	43	152	18	34	„ 3.
1	14	7	.	2	32	59	83	42	51	112	19	27	„ 4.
.	.	.	.	3	4	10	15	10	10	10	5	4	NEW KILMAINHAM.
													Urban Districts.
.	10	4	.	3	9	39	55	22	32	54	13	31	RATHMINES AND RATHGAR.
.	3	2	.	4	11	32	50	23	35	59	14	10	PEMBROKE.
.	4	2	.	.	.	9	19	16	9	14	3	6	BLACKROCK.
.	4	.	.	.	4	36	20	6	23	30	8	7	KINGSTOWN.
4	46	21	1	21	140	258	414	150	157	470	89	96	**North.** } **Total**
1	59	28	.	11	98	250	384	235	159	531	75	105	**South.** } **City.**
5	105	49	1	32	238	508	798	385	316	1,001	164	201	**North & South.**
.	21	8	.	7	24	116	144	67	99	157	38	54	**Total Urban Districts.**
5	126	57	1	39	262	624	942	452	415	1,158	202	255	**Total Registration Area.**
.	.	7	.	9	11	23	64	33	61	27	18	.	

* See note (†) on page iv.

† Formerly described as "Simple Continued Fever."

AGES.—Of the 8,504 deaths registered during the year, 2,441, or 29 per cent., were of children under five years of age, and 2,536, or 30 per cent., were of persons aged 60 years and upwards, including those of 1,391 persons aged 70 years and upwards, of whom 53 were stated to have been nonagenarians, and one (a female) was stated to have been aged 105 years.

The deaths of infants under one year old were equal to 145 for every 1,000 births registered, against 143 in the preceding year, and 149 in 1908.

TABLE V.—Showing, by certain Age-Periods, the Population of the Dublin Registration Area* in 1901, the Number of Deaths registered in each of the years 1900–1910, and the proportion which the Deaths at each age-period bear to the estimated Population at the same age.

YEARS, &c.		AGES.							
		ALL AGES.	Under 20 years.			20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
			Under 5 years.	5 and under 20.	Total.				
CENSUS POPULATION IN 1901,		375,350	38,157	106,723	144,880	135,683	68,610	24,273	1,904
NUMBER of DEATHS *Registered.*	Year 1900,	9,987	2,885	765	3,650	1,627	2,111	2,119	480
	„ 1901,	9,571	2,750	751	3,501	1,548	1,988	2,084	450
	„ 1902,†	9,727	3,192	762	3,954	1,582	1,924	1,857	410
	„ 1903,	9,047	2,563	648	3,211	1,522	1,950	1,962	402
	„ 1904,	9,264	3,023	654	3,677	1,445	1,808	1,927	407
	„ 1905,	8,425	2,426	640	3,066	1,372	1,733	1,851	403
	„ 1906,	8,857	2,497	626	3,123	1,380	1,934	2,046	374
	„ 1907,	9,447	2,935	669	3,604	1,410	1,910	2,117	406
	„ 1908,†	9,070	2,768	576	3,344	1,358	1,932	2,032	404
	„ 1909,	8,750	2,620	561	3,181	1,318	1,763	2,109	379
	Yearly average, 1900–1909,	9,214	2,766	665	3,431	1,456	1,905	2,010	412
	Year 1910,	8,504	2,441	557	2,998	1,239	1,731	2,124	412
	1st Quarter, 1910,	2,518	722	149	871	333	488	679	147
	2nd „ „	2,034	477	147	624	347	430	543	90
	3rd „ „	1,844	606	134	740	251	379	410	64
	4th „ „	2,108	636	127	763	308	434	492	111
NUMBER of DEATHS at each AGE-PERIOD to every 1,000 of the Estimated Population* at SAME AGE.	Year 1900,	26·5	72·4	7·0	24·4	12·6	30·0	82·8	245·3
	„ 1901,	25·4	71·9	7·0	24·1	11·4	28·9	85·7	235·8
	„ 1902,†	25·3	81·5	7·0	26·6	11·4	27·3	74·5	209·9
	„ 1903,	23·9	66·5	6·0	22·0	11·1	28·1	80·1	209·2
	„ 1904,	24·4	78·5	6·1	25·1	10·5	26·1	78·6	211·8
	„ 1905,	22·2	63·0	5·9	21·0	10·0	25·0	75·5	209·7
	„ 1906,	23·4	64·8	5·8	21·3	10·1	27·9	83·5	194·6
	„ 1907,	24·2	73·9	6·0	23·9	10·0	26·7	83·8	204·8
	„ 1908,†	22·6	67·9	5·1	21·6	9·4	26·4	78·4	198·6
	„ 1909,	22·0	64·7	5·0	20·7	9·2	24·2	81·9	187·5
	Yearly average, 1900–1909,	24·0	70·5	6·1	23·1	10·6	27·1	80·5	210·7
	Year 1910,	21·1	59·6	4·9	19·3	8·5	23·5	81·5	201·6

OCCUPATIONS.—Table VII. on pages xvi.–xvii. exhibits the occupations or social position of the persons whose deaths were registered during the year, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to a rate of 15·4 per 1,000 of the persons in that class according to the Census of 1901; in the "Middle Class" the death-rate was 15·8 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 15·9; and in the "General Service Class" it was 21·9. The number of the living in each of the several classes and orders of occupations in 1901 is shown by age-periods in the following Table.

* See note (*), page x.–xi. † See note (†), page x.–xi.

TABLE VI.—Showing by AGES, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the INHABITANTS of the Dublin Registration Area in 1901.

CLASS.	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	AGES. Under 5 years.	5 and under 15.	15 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
	ALL PERSONS,	375,350	38,157	67,552	39,171	135,683	68,610	24,273	1,904
	CLASSES.								
	Families of the—								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	937	2,136	1,322	5,665	4,490	2,532	354
II.	MIDDLE CLASS,	87,188	7,418	14,383	9,936	33,875	15,662	5,460	454
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	12,336	21,973	11,462	37,921	20,434	5,920	377
IV.	GENERAL SERVICE CLASS,	154,279	17,205	28,768	16,320	57,135	26,398	7,989	464
V.	INMATES OF WORKHOUSES,	6,024	261	292	131	1,087	1,626	2,372	255
I.	PROFESSIONAL AND INDEPENDENT CLASS.								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers; and Heads of Public Departments,	7,799	541	997	548	2,654	2,196	793	70
	2. Merchants and Manufacturers, Higher Class,	1,277	139	268	18	325	322	116	9
	3. Persons of Rank and Property, not otherwise described,	8,360	257	871	676	2,686	1,972	1,623	275
II.	MIDDLE CLASS.								
	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	822	1,509	822	2,461	1,658	412	28
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	22,016	2,849	5,110	1,330	6,494	4,995	1,181	57
	6. Clerks and Commercial Assistants,	30,432	2,477	3,842	5,170	14,637	3,630	663	13
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	27,028	1,270	3,922	2,614	10,283	5,379	3,204	356
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	1,364	2,151	940	3,627	1,512	271	9
	9. Building and Furnishing Trades,	29,801	4,037	6,963	2,619	9,373	5,452	1,289	68
	10. Clothing Trades,	23,260	1,359	2,995	3,338	9,277	4,484	1,700	107
	11. Food Supply Trades,	9,242	1,279	2,023	742	3,300	1,565	320	13
	12. Other Trades and Callings ranking with Trades,	30,352	3,472	6,258	3,151	9,923	5,623	1,770	155
	13. Petty Shopkeepers,	7,894	825	1,583	672	2,421	1,798	570	25
IV.	GENERAL SERVICE CLASS.								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	1,376	2,217	2,238	5,068	1,655	836	35
	15. Domestic Servants,	36,603	916	2,256	5,873	18,887	6,290	2,203	178
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	2,250	3,385	838	5,084	2,416	407	10
	17. Hawkers, Porters, Labourers, &c.,	89,861	12,663	20,910	7,371	28,096	16,037	4,543	241
V.	INMATES OF WORKHOUSES.								
	18. Workhouse Inmates,	6,024	261	292	131	1,087	1,626	2,372	255

TABLE VII.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL Year (52 weeks) **ending Saturday, 31st December, 1910**; the Annual Death Rate the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, YEAR							
			Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES.					
					Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
	ALL PERSONS,	375,350	22·7	8,504	2,441	557	1,239	1,731	2,124	412
	CLASSES.									
	Deaths in Families of the—									
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	15·4	269	14	4	25	51	122	53
II.	MIDDLE CLASS,	87,188	15·8	1,375	206	106	236	284	396	147
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	15·9	1,751	474	141	258	387	427	64
IV.	GENERAL SERVICE CLASS,	154,279	21·9	3,377	1,437	242	494	549	587	68
V.	INMATES OF WORKHOUSES,	6,024	—	1,732	310	64	226	460	592	80
I.	PROFESSIONAL AND INDEPENDENT CLASS.									
	1. Clerical, Medical, Legal, and other Professions: Naval and Military Officers, and Heads of Public Departments,	7,799	26·2	204	12	3	21	44	89	35
	2. Merchants and Manufacturers, Higher Class,	1,277	3·1	4	.	.	.	.	2	2
	3. Persons of Rank and Property, not otherwise described,	8,360	7·3	61	2	1	4	7	31	16
II.	MIDDLE CLASS.									
	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	16·6	128	11	8	16	30	47	16
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	22,016	16·3	359	59	11	50	91	115	33
	6. Clerks and Commercial Assistants,	30,432	12·5	380	97	41	107	63	60	12
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	27,028	18·8	508	39	46	63	100	174	86
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.									
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	16·2	160	62	3	31	36	24	4
	9. Building and Furnishing Trades,	29,801	15·2	452	158	39	64	88	91	12
	10. Clothing Trades,	23,260	10·9	254	58	22	43	51	75	5
	11. Food Supply Trades,	9,242	14·5	134	47	10	20	24	27	6
	12. Other Trades and Callings ranking with Trades,	30,352	21·4	649	122	58	90	167	180	32
	13. Petty Shopkeepers,	7,894	12·9	102	27	9	10	21	30	5
IV.	GENERAL SERVICE CLASS.									
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	18·0	241	70	12	38	44	63	14
	15. Domestic Servants,	36,603	7·5	275	59	13	70	60	64	9
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	24·7	355	140	25	56	61	66	7
	17. Hawkers, Porters, Labourers, &c.,	89,861	27·9	2,506	1,168	192	330	384	394	38
V.	INMATES OF WORKHOUSES.									
	18. Workhouse Inmates,	6,024	—	1,732	310	64	226	460	592	80

POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and

(52 WEEKS) ENDING SATURDAY, 31ST DECEMBER, 1910.

CAUSES OF DEATH.																		CLASS AND ORDER.
Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.	Number of Uncertified Deaths.	
(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	
.	20	44	5	126	64	1	48	273	581	647	1,006	485	476	173	1,185	220	3,731	255	
.	.	.	.	1	.	.	.	3	4	25	19	7	29	.	21	8	156	2	I.
.	1	3	2	6	9	.	18	22	61	100	154	57	114	21	100	31	737	28	II.
.	1	12	1	31	19	1	8	47	120	158	209	90	101	35	257	36	745	71	III.
.	18	29	2	86	35	.	21	145	336	303	336	212	138	114	442	132	1,364	154	IV.
.	.	.	.	2	1	.	1	56	60	61	288	119	94	3	365	13	729	.	V.
																			I.
.	.	.	.	1	.	.	.	3	4		12	6	20	.	14	4	122	2	1
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	2
.	.	.	.	.	.	.	.	.	.	3	7	1	9	.	5	4	32	.	3
																			II.
.	.	.	.	.	.	.	2	1	3	5	11	4	14	1	11	2	77	3	4
.	.	.	.	1	2	.	4	4	11	26	24	13	33	7	26	7	212	5	5
.	1	2	2	3	6	.		10	29	41	78	19	18	9	21	7	158	10	6
.	.	1	.	2	1	.	7	7	18	28	41	21	49	4	42	15	290	10	7
																			III.
.	.	1	.	2	3	.	.	4	10	16	22	4	8	3	18	6	73	3	8
.	.	4	.	13	8	.	.	16	41	51	56	33	21	10	60	14	166	18	9
.	1	1	.	4	4	.	2	5	17	25	35	14	13	2	43	1	104	6	10
.	.	2	1	4	.	1	.	3	11	12	10	9	11	6	13	4	58	6	11
.	.	4	.	7	3	.	5	12	31	49	78	26	46	12	110	11	286	34	12
.	.	.	.	1	1	.	1	7	10	5	8	4	2	2	13	.	58	4	13
																			IV.
.	.	6	.	.	1	.	1	4	12	12	21	12	16	5	26	7	130	13	14
.	.	.	1	3	1	.	1	10	16	19	51	8	22	8	25	10	116	6	15
.	3	2	.	18	6	.	1	11	41	39	35	22	12	10	47	9	140	18	16
.	15	21	1	65	27	.	18	120	267	233	229	170	88	91	344	106	978	117	17
																			V.
.	.	.	.	2	1	.	1	56	60	61	288	119	94	3	365	13	729	.	18

* Formerly described as "Simple Continued Fever."

PROVINCIAL URBAN DISTRICTS.—(See Tables VIII. and IX.)—The respective death-rates represented by the deaths from the principal epidemic diseases* registered during the year in the twenty-one urban districts included in the Weekly Returns are as follow, ranging in order from the lowest to the highest:—

Clonmel, 0·3 per 1,000 of the population; Kilkenny, 0·4; Newry, 0·5; Queenstown, 0·5; Sligo, 0·6; Armagh, 0·7; Limerick, 0·8; Galway, 0·8; Cork, 0·9; Wexford, 0·9; Dundalk, 1·0; Tralee, 1·2; Londonderry, 1·4; Ballymena, 1·5; Lisburn, 1·5; Waterford, 1·8; Drogheda, 2·0; Newtownards, 2·3; Portadown, 2·6; Lurgan, 2·6; and Belfast, 2·7.

Small-pox.—No death from small-pox was recorded in any of the 21 urban districts during the year.

Measles.—There were 504 deaths from measles in Belfast, equal to an annual mortality rate of 1·3 per 1,000 of the population of Belfast estimated to the middle of the year. There were 28 deaths in Lurgan, equal to a rate of 2·4 per 1,000, 19 in Londonderry, equal to a rate of 0·4 per 1,000, 10 in Portadown, 4 in Armagh, 3 in Ballymena, and 2 in each of Waterford, Lisburn, Newtownards, and Queenstown.

Scarlet Fever.—In Belfast 18 deaths were registered, in each of Cork and Dundalk 2 deaths, and in each of Londonderry and Lurgan one death.

Typhus.—Of 11 deaths from typhus, one appertained to Belfast, 6 to Waterford, and 2 to each of Galway and Dundalk.

Whooping-cough caused 259 deaths in Belfast equal to an annual rate of 0·7 per 1,000, 21 deaths in Drogheda, 17 in Limerick, 10 in each of Lisburn and Newtownards, 8 in each of Londonderry and Tralee, 7 in Cork, 6 in Waterford, 5 in Portadown, 4 in Ballymena, 2 in each of Galway and Wexford, and one death in each of Dundalk and Kilkenny.

Diphtheria.—Deaths were recorded as follows:—For Belfast 27, for Cork 11, for Londonderry 3, for Limerick 4, for Waterford one, for Galway 2, for Dundalk 6, for Lisburn one, for Wexford one, for Ballymena 2, for Kilkenny one, for Portadown 3 and for Newtownards 2.

Enteric Fever.—There were 18 deaths from this cause in Belfast, in Cork 13, in each of Limerick, Galway, Drogheda, Sligo and Portadown 2 deaths, and in each of Londonderry, Waterford, Dundalk and Queenstown one death. *There were 5 deaths attributed to pyrexia (origin uncertain) appertaining to Belfast.*

Diarrhœal Diseases.—Of a total of 401 deaths from diarrhœal diseases 241 appertained to Belfast, 33 to Cork, 31 to Waterford, 29 to Londonderry, and 7 deaths each to Limerick, Wexford, Ballymena, and Newtownards.

Cerebro-spinal Fever.—Three deaths from cerebro-spinal fever were recorded for Belfast during the year 1910, one having been registered during the first quarter of the year, and 2 in the last quarter. In the year 1909 the deaths from this cause numbered 20.

Phthisis (*Tuberculous Phthisis*).—The number of deaths from phthisis registered in the twenty-one Town Districts amounted to 1,600, being less than the number registered in 1909 by 95 deaths. The total is equal to an annual rate of 2·1 per 1,000 of the aggregate population of the twenty-one Urban Districts. The deaths in Belfast (825) represent a rate of 2·1 per 1,000 of the estimated population. In the twenty other Urban Districts the deaths (775) represent an annual rate of 2·2 per 1,000 of the aggregate population of these Areas. The death-rate for phthisis in the Dublin Registration Area (exclusive of deaths in public institutions of persons admitted from outside the Area) is equal to 2·3 per 1,000 of the estimated population.

* See note (†) on page iv.

TABLE VIII.—BIRTHS and DEATHS Registered during the **Year 1910** (52 weeks) in the Dublin Registration Area, and in each of the undermentioned Twenty-one Urban Districts (exclusive of Deaths in Public Institutions of persons admitted from other localities), with the number of Deaths from some of the principal causes: also the number of Uncertified Deaths.

TOWNS AND DISTRICTS.	Census Statistics of Districts.* Population. Total.	Persons to an Acre.	Annual Rate per 1,000 persons represented by: Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	REGISTRATION—YEAR 1910 (52 WEEKS). Numbers Registered. BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexiat (origin uncertain)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·2	27·6	18·9	1·8	31803	21780	4,200	6,218	.	596	62	16	487	121	6	84	663	1,587	2,542	1,138	1,036	2,971	446	707	6,720	854
DUBLIN REGISTRATION AREA: TOTAL,	402,928	29·3	28·3	19·9	1·4	11397	8029‡	1,613	2,441	.	20	38	5	126	57	1	39	262	624	942	452	415	1,158	202	229	3,278	255
CITY OF DUBLIN,	310,298	39·2	31·6	21·2	1·6	9,819	6,576	1,417	1,789	.	19	37	5	105	49	1	32	238	508	798	385	316	1,001	164	187	2,867	201
Urban Districts. RATHMINES & RATHGAR,	37,047	21·6	16·3	15·2	0·7	604	563	75	264	.	.	1	.	10	4	.	3	9	39	55	22	32	54	13	13	166	31
Urban Districts. PEMBROKE,	28,948	18·2	18·8	15·0	0·7	543	435	74	170	.	1	.	.	3	2	.	4	11	32	50	23	35	59	14	16	144	10
Urban Districts. BLACKROCK,	9,013	8·3	14·4	17·1	0·7	130	154	15	64	.	.	.	.	4	2	.	.	.	9	19	16	9	14	3	4	28	6
Urban Districts. KINGSTOWN,	17,622	12·1	17·1	17·1	0·5	301	301	32	154	.	.	.	.	4	.	.	.	4	36	20	6	23	30	8	9	73	7
URBAN DISTRICTS. BELFAST,	391,167	26·6	27·8	18·6	2·7	10888	§7,284	1,558	1,580	.	504	18	1	259	27	5	18	241	622	825	367	320	916	152	310	1,716	88
CORK,	76,122	33·6	25·8	19·3	0·9	1,965	1,469	189	489	.	.	2	.	7	11	.	13	33	71	233	75	73	165	25	50	630	77
LONDONDERRY,	43,477	20·1	26·0	15·9	1·4	1,129	692	125	191	.	19	1	.	8	3	.	1	29	43	90	43	45	117	3	15	68	22
LIMERICK,	38,151	18·1	26·3	16·7	0·8	1,003	636	125	176	.	.	.	.	17	4	.	2	7	20	87	22	19	127	2	12	219	85
WATERFORD,	26,769	18·7	27·8	20·2	1·8	744	540	92	191	.	2	.	6	6	1	.	1	31	22	61	35	25	61	6	24	182	56
GALWAY,	13,426	2·5	26·5	17·3	0·8	356	232	38	83	.	.	.	2	2	2	.	2	3	10	26	8	5	21	8	4	73	38
DUNDALK,	13,076	9·4	26·5	16·7	1·0	346	219	26	76	.	.	2	2	1	6	.	1	1	15	18	9	12	22	6	5	44	22
DROGHEDA,	12,760	8·6	22·2	18·6	2·0	283	237	32	100	.	.	.	.	21	.	.	2	2	13	17	5	15	30	2	6	51	23
NEWRY,	12,405	17·8	22·9	18·4	0·5	284	228	26	99	.	.	.	.	.	.	.	.	6	12	24	7	18	49	2	5	45	10
LURGAN,	11,782	13·8	29·5	17·5	2·6	347	206	31	68	.	28	1	.	.	.	.	.	2	7	26	15	13	26	5	5	33	17
LISBURN,	11,461	10·1	26·7	19·7	1·5	306	226	32	86	.	2	.	.	10	1	.	.	4	15	18	11	13	25	10	10	37	4
WEXFORD,	11,168	23·2	29·8	19·9	0·9	333	222	43	83	.	.	.	.	2	1	.	.	7	10	21	16	9	44	5	3	31	18
BALLYMENA,	10,886	8·9	28·3	16·4	1·5	308	178	33	63	.	3	.	.	4	2	.	.	7	16	24	10	7	8	5	2	20	25
SLIGO,	10,870	3·7	24·5	12·9	0·6	266	140	20	64	.	.	.	.	.	.	.	2	4	6	10	8	11	14	.	5	49	18
KILKENNY,	10,609	11·5	27·9	20·8	0·4	296	221	41	91	.	.	.	.	1	1	.	.	2	9	23	2	3	70	.	1	66	12
CLONMEL,	10,167	7·8	22·9	21·2	0·3	233	215	34	74	.	.	.	.	.	.	.	.	3	17	19	14	8	37	.	3	77	25
PORTADOWN,	10,092	13·2	32·8	17·7	2·6	331	179	36	49	.	10	.	.	5	3	.	2	6	10	17	9	5	5	3	5	.	10
TRALEE,	9,867	16·6	32·3	19·4	1·2	319	191	37	50	.	.	.	.	8	.	.	.	4	18	22	8	7	13	1	2	40	5
NEWTOWNARDS,	9,110	18·9	31·6	19·1	2·3	288	174	37	63	.	2	.	.	10	2	.	.	7	11	14	5	6	29	5	6	30	11
QUEENSTOWN,	7,909	14·4	26·8	18·5	0·5	212	146	17	57	.	2	.	.	.	.	.	1	1	15	15	14	4	19	.	1	9	7
ARMAGH,	7,588	22·2	22·3	15·3	0·7	169	116	15	44	.	4	.	.	.	.	.	.	1	1	10	3	3	15	4	4	22	26

*The population given for the Dublin Registration Area and its component parts, and the cities of Belfast and Londonderry, is that estimated to the middle of the year 1910; that for each of the other districts is the Population according to the Census of 1901.

‡Including one death from cerebro-spinal fever.

† Formerly described as "simple continued fever."

§ Including 3 deaths from cerebro-spinal fever.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Year** (52 weeks) **ended 31st December, 1910,** Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the Population according to the Census of 1901 represented by the Deaths from All Causes and from the principal Epidemic Diseases; the Number of Deaths at certain AGE-PERIODS: the Number of Deaths from some of the Principal CAUSES: the Number of UNCERTIFIED DEATHS, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from		DEATHS.																									
			All Causes.	Diseases in Cols. 12-20.	Total No. of Deaths.	AGES AT DEATH.						DEATHS FROM																		
						Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease.		Cancer, Malignant Disease.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
																					Phthisis.	Other Forms.							
COLS.	(1.)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																														
BELFAST URBAN, No. 1 DISTRICT,		449			366	70	48	89	55	78	81	.	14	.	.	18	2	.	.	15	25	59	12	14	33	10	22	110	5
,, 2 ,,		1,378			870	152	132	79	132	178	206	.	57	4	.	12	4	1	4	52	48	108	28	35	122	18	38	197	12
,, 3 ,,		1,488			949	196	168	93	140	160	197	.	82	8	.	41	3	1	.	48	110	108	51	39	17	18	34	175	16
,, 4 ,,		1,295			717	195	97	49	93	125	158	.	46	2	.	25	.	.	.	9	41	82	29	29	82	16	27	309	10
,, 5 ,,		505			429	119	68	27	60	80	80	.	27	.	.	20	2	.	1	4	33	27	36	19	45	15	16	146	3
,, 6 ,,		742			566	88	47	38	78	128	197	.	22	.	.	18	8	3	2	15	48	51	39	46	75	16	23	121	3
,, 7 ,,		59			32	8	3	2	6	4	9	.	.	.	.	2	.	.	.	3	.	6	.	.	3	.	4	4	.
,, 8 ,,	349,180	128			108	22	19	11	17	15	19	.	6	.	.	8	.	.	.	3	5	13	4	3	17	3	4	17	1
,, 9 ,,		615			482	87	70	49	71	101	104	.	41	.	.	7	3	.	7	14	59	59	24	25	58	11	13	118	8
,, 10 ,,		884			514	125	87	44	82	84	92	.	46	2	.	14	1	.	1	15	48	83	26	15	61	9	22	72	9
,, 11 ,,		1,081			600	122	89	46	110	105	128	.	81	3	.	10	3	.	2	24	57	84	30	25	79	19	31	122	6
,, 12 ,,		1,950			749	181	154	58	99	150	107	.	60	1	.	39	1	.	.	15	56	63	42	27	153	15	40	141	2
,, 13 ,,		510			261	49	24	28	37	58	75	.	12	1	.	12	1	.	1	5	18	25	4	16	33	1	15	28	4
,, 14 ,,		5			4	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
,, 15† ,,		599			642	147	141	45	75	109	125	.	60	2	1	43	4	.	.	19	84	57	47	27	57	6	21	156	9
Total, .	—	10,888	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		7,284‡	1558	1132	594	1055	1365	1580	.	504	18	1	259	47	5	18	241	622	825	367	320	916	152	310	1,716	88
City of Cork.																														
CORK URBAN, No. 1 DISTRICT,	12,867	290	19·7	0·6	253	30	9	14	40	50	110	.	.	.	.	1	1	.	1	5	16	42	2	15	16	1	5	137	7
,, 2 ,,	10,701	325	17·3	2·1	185	27	24	15	36	42	41	.	.	2	.	.	7	.	7	6	10	27	12	9	17	1	5	65	16
,, 3 ,,	9,978	279	15·3	0·6	153	20	10	14	28	31	50	.	.	.	.	1	1	.	1	3	2	28	9	6	44	3	9	45	5
,, 4 ,,	8,666	213	18·9	0·9	164	27	15	7	28	32	55	.	.	.	.	1	.	.	.	7	4	28	9	12	21	6	11	54	6
,, 5 ,,	6,592	155	22·0	0·2	145	21	5	9	26	29	55	.	.	.	.	1	.	.	.	.	6	26	13	4	11	3	3	66	4
,, 6 ,,	10,702	277	22·9	0·5	245	25	18	25	42	59	76	.	.	.	.	.	.	.	2	3	14	32	18	12	16	2	8	111	20
,, 7 ,,	16,616	*426	19·5	1·0	324	39	29	28	60	71	102	.	.	.	.	3	2	.	2	9	19	55	12	15	40	9	9	152	19
Total, . .	76,122	1,965	19·3	0·9	1,469	189	110	107	260	314	489	.	.	2	.	7	11	.	13	33	71	238	75	73	165	25	50	630	77

* Formerly described as Simple Continued Fever.

† New district formed as from 1st Jan., 1910 and the boundaries of Nos. 1, 4 & 6 districts altered; the population of each of these districts, as at present constituted, is not available.

‡ See note (‡) on page xix.

GENERAL REGISTER OFFICE,
Charlemont House, Dublin,
1st February, 1911.

WILLIAM J. THOMPSON,
Registrar-General.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.
30127). Wt P. 2. 375. 1. 1911. G. III. Sch. .

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 8TH JANUARY, 1910. [No. 1.

General Register Office, Charlemont House, Dublin, 10th January, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending				Average Rate for 4 weeks.	TOWNS, &c.	Week ending				Average Rate for 4 weeks.
	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.			Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	
22 Town Districts.	**21·7**	**18·2**	**25·4**	**19·7**	**21·3**	Limerick, . .	15·0	16·4	21·9	21·9	18·8
						Lisburn, . . .	40·9	13·6	36·4	27·3	29·5
Armagh, . .	34·4	6·9	20·6	13·7	18·9	Londonderry, . .	18·1	18·1	21·7	20·4	19·6
Ballymena, . . .	19·2	33·5	43·1	23·9	29·9	Lurgan, . . .	13·3	26·6	13·3	8·9	15·5
Belfast, ...	23·9	19·4	25·9	19·7	22·2	Newry, . . .	21·0	12·6	37·8	29·4	25·2
Clonmel, . . .	25·6	. .	15·4	10·3	12·8	Newtownards, .	17·2	11·4	28·6	22·9	20·0
Cork, ...	23·3	11·6	28·8	18·5	20·6	Portadown, . .	25·8	31·0	31·0	20·7	27·1
Drogheda, . . .	36·8	20·4	20·4	4·1	20·4	Queenstown, . .	6·6	13·2	.	19·8	9·9
Dublin Reg. Area, .	19·4	19·6	25·9	21·1	21·5	Sligo, ...	14·4	4·8	43·2	24·0	21·6
Dundalk, . . .	16·0	8·0	8·0	12·0	11·0	Tralee, . . .	26·4	15·9	15·9	31·7	22·5
Galway, . . .	23·3	23·3	27·2	7·8	20·4	Waterford, . . .	33·1	13·6	11·7	11·7	17·5
Kilkenny, . . .	9·8	9·8	39·3	19·7	19·7	Wexford, . . .	18·7	23·3	23·3	9·3	18·7

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·6 per 1,000, the rates varying from 0·0 in twelve of the districts to 5·7 in Newtownards, the 4 deaths from all causes for that district including one from whooping-cough. Among the 148 deaths from all causes for Belfast are 12 from whooping-cough, one from diphtheria, and 2 deaths each from enteric fever and diarrhœal diseases; of the 27 deaths from all causes for Cork one is from diphtheria and one from enteric fever; the 16 deaths from all causes for Limerick include 2 from whooping-cough; among the 4 deaths from all causes for Portadown one is from enteric fever; and of the 6 deaths from all causes for Tralee there is one death from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 236—115 boys and 121 girls—and the deaths to 174—78 males and 96 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 22·5 in every 1,000 of the population; omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, the rate was 21·1 per 1,000.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*), Table II. ‡ See columns 10–18 of Table II.

The total deaths included 2 from measles, one death from typhus, 3 deaths from whooping-cough, one death from diphtheria, and 2 deaths from diarrhœal diseases of children under 5 years of age ; there was also registered one death from *gastro-enteritis* at this age-period. In each of the three preceding weeks, deaths from measles were one, 0, and 0 ; deaths from typhus were 0, 0, and 0 ; deaths from whooping-cough were 2, 2, and one ; deaths from diphtheria were 2, 0, and one ; and deaths from diarrhœal diseases were one, 0, and 4. There were 2 deaths from influenza which in the three preceding weeks had caused one, 6, and 4 deaths respectively.

There were 4 deaths from lobar pneumonia, 11 from broncho-pneumonia, and 7 from *pneumonia* (not defined).

Deaths from all forms of tuberculous disease, which in the three preceding weeks were 21, 18, and 21 respectively, increased to 29 in the week under notice, the latter figure including 24 deaths from tuberculous phthisis (*phthisis*), 2 from tuberculous meningitis, one from tuberculous peritonitis, and 2 deaths from other forms of the disease.

Carcinoma was the cause of 3 deaths, and 5 deaths were attributed to cancer (undefined).

There were 2 deaths of prematurely born infants registered.

Among 13 deaths from diseases of the brain and nervous system was the death of one child aged one year from *convulsions*.

Twenty-nine deaths were recorded from diseases of the heart and blood-vessels, and bronchitis accounted for the deaths of 17 persons.

Of 3 deaths attributed to accident or negligence, one was by suffocation and one by poisoning (cyanide of potassium).

There was one death of a man by legal hanging.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the death of one child one year of age, and the deaths of 2 persons aged 60 years and upwards.

Forty-nine of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 7 were under one month old) and 47 were aged 60 years and upwards, including 24 persons aged 70 and upwards, of whom 9 were octogenarians, and one (a female) was stated to have been aged 99 years.

Seventy-five of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 5 took place in the North Dublin Union Workhouse, 17 in the South Dublin Union Workhouse, and 3 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·1 per 1,000 ; the rate in the City was 22·7 (North City Districts, 22·0; South, 23·4) and in the Suburbs, 15·8.

The deaths from certain epidemic diseases* in the entire area equal an annual rate of 1·2 per 1,000 inhabitants, the rate for the City being 1·5 (2·3 in the North City Districts, and 0·7 in the South), and for the Suburbs, 0·0.

No. 1 North City District, East (Clarence-street, North).—The deaths (18) are equal to an annual rate of 31·4 per 1,000. Measles and influenza each caused one death, broncho-pneumonia, and *pneumonia* (not defined) each caused 2 deaths, and there were 3 deaths from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (12) are equal to an annual rate of 15·7 per 1,000. Whooping-cough and epidemic enteritis each caused one death, there was one death from broncho-pneumonia, there were 3 deaths from tuberculous phthisis (*phthisis*), and 2 deaths from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 25·4 per 1,000. and include one from typhus, 2 from whooping-cough, one from broncho-pneumonia, one from *phthisis*, and 2 from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (11) represent an annual rate of 17·1 per 1,000. There was one death from *diarrhœa*, broncho-pneumonia caused 2 deaths, and tuberculous disease 3 deaths.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·4 per 1,000 inhabitants: Coolock and Drumcondra, part of, 17·9, and Finglas and Glasnevin, part of, 33·9. Among the 4 deaths from all causes for Coolock and Drumcondra, part of, one is from broncho-pneumonia : and of the 5 deaths from all causes for Finglas and Glasnevin, part of, one is from *phthisis*.

No. 1 South City District (South Earl-street).—The deaths (13) represent an annual rate of 16·3 per 1,000. The deaths included one from measles, one from *phthisis*, and 3 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 16·8 per 1,000. Tuberculous disease caused 4 deaths, and bronchitis caused 2 deaths.

No. 3 South City District (Peter-street).—The deaths (25) are equal to an annual rate of 30·2 per 1,000. There was one death from diphtheria, there were 3 deaths from pneumonia (all forms), 5 deaths from tuberculous disease, 2 deaths from diseases of the respiratory system, and one death by suffocation.

No. 4 South City District (Grand Canal-street).—The deaths (19) are equivalent to an annual rate of 27·6 per 1,000. Lobar pneumonia and broncho-pneumonia each caused 2 deaths, there were 4 deaths from tuberculous phthisis (*phthisis*), one from bronchitis, and one death attributed to neglect at birth.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 23·0 per 1,000. Phthisis and tuberculous meningitis each caused one death.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar 15·5 ; Pembroke, 10·8 : Blackrock, 0·0 : and Kingstown, 32·5. There was no death from any of the principal epidemic diseases tabulated for these districts. The 11 deaths from all causes for Rathmines and Rathgar include one death each from influenza, *pneumonia* (not defined), and *phthisis*, 2 deaths from diseases of the respiratory system, and one death by poison ; of the 6 deaths from all causes for Pembroke one is from *phthisis*, and 2 are from diseases of the respiratory system ; and among the 11 deaths from all causes for Kingstown 5 are from pneumonia (all forms), 2 from *phthisis*, and one from bronchitis.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin: Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District: Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by Dr. R. A O'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District: and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 8th January, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Dec. 18,	.	—	—	8	1	.	7	.	.	6	12	1	—	—	.	—	11	—	46
	Dec. 25,	.	—	—	16	.	.	7	.	1	2	6	.	—	—	.	—	4	—	36
	Jan. 1,	.	—	—	5	2	.	8	.	1	12	5	.	—	—	.	—	4	—	37
	Jan. 8,	.	—	—	5	.	.	5	.	1	7	15	.	—	—	.	—	33	—	66
Rathmines and Rathgar Urban District.	Dec. 18,	.	—	—	3	.	.	1	.	.	1	1	.	—	—	—	—	—	—	6
	Dec. 25,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	Jan. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Jan. 8,	.	—	—	3	.	.	1	.	.	1	.	.	—	—	—	—	—	—	5
Pembroke Urban District.	Dec. 18,	.	.	.	1	.	.	.	.	.	.	.	.	—	.	.	—	—	—	1
	Dec. 25,	.	3	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	—	3
	Jan. 1,	.	1	.	.	.	.	1	.	.	.	.	.	—	2	.	—	—	—	4
	Jan. 8,	.	7	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	—	7
Blackrock Urban District.	Dec. 18,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	Dec. 25,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Jan. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Jan. 8,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Dec. 18,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Dec. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Jan. 1,	.	—	—	.	.	.	.	.	.	.	2	.	—	—	—	—	.	—	2
	Jan. 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	1
City of Belfast.	Dec. 18,	.	—	—	11	.	.	3	.	1	1	9	.	—	—	.	—	27	—	52
	Dec. 25,	.	—	—	10	.	.	3	1	.	5	5	1	—	—	.	—	6	—	31
	Jan. 1,	.	—	—	13	.	.	1	.	.	.	9	.	—	—	.	—	15	—	38
	Jan. 8,	.	—	—	19	.	.	1	.	.	4	6	.	—	—	.	—	29	—	59

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 8th January, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Nine cases of measles were admitted to hospital during the week, 5 were discharged, there was one death, and 20 cases remained under treatment at the close of the wek

Seven cases of scarlet fever were admitted to hospital, 15 were discharged, and 63* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 97, 78, and 71, respectively.

One case of typhus was discharged from hospital during the week, there was one death, and 4 cases remained under treatment in hospital at its close.

Six cases of diphtheria were admitted to hospital, 8 were discharged, and 36 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 38, 37, and 38, respectively.

Nine cases of enteric fever were admitted to hospital during the week, 9 were discharged, and 44 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 14 cases of pneumonia were admitted to hospital, 16 were discharged, there was one death, and 26 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 14·2) was equal to an average annual death-rate of 14·8 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 20·4 per 1,000, the rate for Glasgow being 20·7 and for Edinburgh 19·6.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 8th January. From this Report it appears that of a total of 54 cases notified, 21 were scarlet fever, 13 diphtheria, 9 phthisis, 7 erysipelas, and one puerperal fever. Among the 397 cases of infectious diseases in hospital at the close of the week were 198 cases of scarlet fever, 88 of measles. 48 of phthisis, 35 of diphtheria, 11 of erysipelas, 9 of whooping-cough. 2 of cerebro-spinal fever, one of chicken-pox, one of enteric fever, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 8th January, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS	Census Statistics of Districts. POPULATION. Total.(a)	Persons to an Acre.	REGISTRATION—Week ending Saturday, 8th January, 1910. Annual Rate per 1,000 persons represented by DEATHS.	BIRTHS.	DEATHS. Numbers Registered. BIRTHS. Total Number.	Under 1 year of Age.	At 60 years & upwards.	DEATHS. Caused by Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (d) Week ending 8th Jan., 1910. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 1st Jan., 1910. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 25th Dec., 1909. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rain fall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS, . .	1,151,790	20·2	31·2	19·7	1·6	689	435	87	133	.	2	.	1	19	3	.	4	7	44	54	14	12	66	6	12	131	9	.	.	.	.	.	.	.	.	.	.	.	.
DUBLIN REGISTRATION AREA:— TOTAL, c. . .	402,928	29·3	30·5	21·1	1·2	236	163	30	45	.	2	.	1	3	1	.	.	2	22	28	5	6	20	3	4	64	3	e55·5	27·9	45·4	0·12	e55·1	29·9	45·9	0·34	e48·0	8·8	33·5	1·18
CITY OF DUBLIN,	310,298	39·2	34·8	22·7	1·5	207	135	27	35	.	2	.	1	3	1	.	.	2	16	19	5	5	15	2	3	56	3	f56·4 g55·8	34·4 30·0	47·2 45·5	0·10 0·14	f56·2 g55·6	34·6 31·0	47·6 46·2	0·28 0·34	f48·2 g47·4	19·5 12·0	35·8 33·4	1·45 1·38
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	18·3	15·5	.	13	11	2	4	.	.	.	.	.	.	.	.	.	1	1	.	.	2	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	16·2	10·8	.	9	6	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,018	8·3	17·4	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	11·8	32·5	.	4	11	1	5	.	.	.	.	.	.	.	.	.	5	2	.	.	1	.	.	4	.	56·5	38·0	46·4	0·06	57·5	35·0	47·3	0·19	38·0	22·0	30·0	1·29
URBAN DISTRICTS.																																						
BELFAST, .	391,167	26·6	37·1	19·7	2·3	278	148	36	38	.	.	.	.	12	1	.	2	2	12	14	4	2	28	3	6	32	2	54·0	36·0	46·0	0·01	54·0	30·2	43·0	1·09	45·0	19·5	33·8	0·91
CORK, . . .	76,122	33·6	29·5	18·5	1·4	43	27	1	12	.	.	.	.	.	1	.	1	.	2	7	.	1	8	.	2	11	.	52	44	48·2	0·75	52	38	42·5	0·72	51	28	40·6	1·61
LONDONDERRY, .	43,477	20·1	32·4	20·4	1·2	27	17	4	8	.	.	.	.	.	.	.	.	1	3	.	1	1	2	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK, . .	38,151	18·1	24·6	21·9	2·7	18	16	5	3	.	.	.	2	.	.	.	.	.	.	2	1	1	4	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.
WATERFORD, . .	26,769	18·7	15·5	11·7	.	10	6	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY, . .	18,426	2·5	19·4	7·8	3·9	5	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	53	42	48	0·19	52	37	47	0·98	49	16	33·6	0·45
DUNDALK . .	18,076	9·4	19·9	12·0	.	5	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA, . .	12,760	8·6	20·4	4·1	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY, . . .	12,405	17·8	21·0	29·4	.	5	7	1	4	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	2	.	52·4	39·0	47·0	0·18	54·0	32·0	44·9	0·49	43·5	13·5	32·4	1·03
LURGAN, . . .	11,782	13·8	35·4	8·9	.	8	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	52·4	39·0	47·0	0·18	54·0	32·0	44·9	0·49	43·5	13·5	32·4	1·03
LISBURN, . .	11,461	10·1	9·1	27·3	.	2	6	1	3	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	52·4	39·0	47·0	0·18	54·0	32·0	44·9	0·49	43·5	13·5	32·4	1·03
WEXFORD, . .	11,168	23·2	14·0	9·3	.	3	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA, . .	10,886	8·9	23·9	23·9	.	5	5	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.
SLIGO, . . .	10,870	3·7	4·8	24·0	4·8	1	5	1	1	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	3	.	58·9	37·4	46·3	0·39	57·0	29·3	45·3	0·54	44·0	16·5	32·6	1·61
KILKENNY, . .	10,609	11·5	44·2	19·7	.	9	4	.	4	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.	1	.	54	35	45·6	0·12	55	31	45·6	0·41	50	8	31·6	1·09
CLONMEL, . .	10,167	7·8	10·3	10·8	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN, . .	10,092	13·2	36·2	20·7	5·2	7	4	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	52·4	39·0	47·0	0·18	54·0	32·0	44·9	0·49	43·5	13·5	32·4	1·03
TRALEE, . . .	9,867	16·6	42·3	31·7	5·3	8	6	2	.	.	.	.	1	.	.	.	.	.	.	.	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS, .	9,110	18·9	51·5	22·9	5·7	9	4	2	2	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	54	41	46·3	0·20	54	34	44·9	0·50	48	21	35·8	1·15
QUEENSTOWN, . .	7,909	14·4	19·8	19·8	.	3	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	52	44	48·2	0·75	52	38	42·5	0·72	51	28	40·6	1·61
ARMAGH, . .	7,588	22·2	.	13·7	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	52·4	39·0	47·0	0·18	54·0	32·0	44·9	0·49	43·5	13·5	32·4	1·03

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (b) Formerly described as "Simple Continued Fever." (c) Exclusive of 11 deaths of persons (including 2 at 60 years or upwards), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Mr. F. W. Moore, taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 8th January, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN REGISTRATION DISTRICTS IN											URBAN DISTRICTS OF						
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough,	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Diphtheria,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Pneumonia,	4	1	1	2	.	1	.	.	.	3	4	.	1	.	.	5	22	.
Tuberculous Phthisis,	.	3	1	2	.	.	1	1	3	3	4	1	1	1	.	2	23	1
Disease. Other Forms,	.	.	.	1	.	.	.	.	1	2	.	1	.	.	.	.	5	.
Cancer, Malignant Disease,	1	.	.	.	.	.	.	1	.	2	1	.	.	1	.	.	6	2
Other General Diseases,	1	1	2	1	1	.	1	1	.	2	.	.	1	.	.	.	11	2
Total,	7	7	7	7	1	1	2	4	4	13	9	2	3	2	.	7	76	5
B. LOCAL DISEASES:																		
Diseases of Nervous System,	2	.	1	1	1	.	.	1	.	3	1	1	.	.	.	.	11	2
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Heart and Blood Vessels,	3	.	3	2	.	.	2	2	1	4	5	1	1	1	.	2	27	2
Respiratory System,	3	2	2	.	.	.	.	3	2	2	1	.	2	2	.	1	20	.
Digestive System,	1	1	.	.	.	1	1	2	.	2	.	.	3	1	.	.	12	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	2	1	.	1	.	1	.	.	.	.	.	.	.	.	.	1	6	.
Generative System,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	11	4	6	4	1	3	3	8	3	11	8	2	6	4	.	4	78	5
C. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	1	2	.	.	.	.	1	.	.	1	.	1	.	.	.	6	.
E. VIOLENT DEATHS,	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	3	1
Deaths from all Causes	18	12	15	11	2	4	5	13	7	25	19	4	11	6	.	11	163	11
Annual Rate of Mortality from all causes in every 1,000 of the population.	31·4	15·7	25·4	17·1	19·4	17·9	33·9	16·3	16·8	30·2	27·6	23·0	15·5	10·8	.	32·5	21·1	
	22·0							23·4					15·8					
	22·7																	
Ages at Death. Under 1 year,	3	1	5	3	1	2	2	2	.	4	4	.	2	.	.	1	30	.
1 and under 5 years,	5	3	3	.	.	1	.	2	2	1	1	1	.	.	.	.	19	.
5 „ 20 „	.	2	2	3	.	.	1	.	2	.	1	.	.	1	.	.	12	.
20 „ 40 „	.	2	.	2	1	1	1	1	.	1	3	1	3	3	.	3	22	8
40 „ 60 „	4	2	2	1	.	.	.	3	3	6	7	2	2	1	.	2	35	1
60 years and upwards,	6	2	3	2	.	.	1	5	.	13	3	.	4	1	.	5	45	2
Number of Uncertified Deaths,	.	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.	3	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	3	4	4	.	3	1	2	1	7	5	2	2	2	.	1	40	10
Workhouse Hospitals,	2	3	.	.	.	.	.	3	2	6	4	1	.	.	.	3	24	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in corresponding week of the ten years 1900–1909

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Averages in 1st Week of the 10 years, 1900-1909.	In the Week ending Saturday, 8th January, 1910. Deaths of Persons of the Ages of								
	Jan. 6, 1900.	Jan. 5, 1901.	Jan. 4, 1902.	Jan. 10, 1903.	Jan. 9, 1904.	Jan. 7, 1905.	Jan. 6, 1906.	Jan. 5, 1907.	Jan. 4, 1908.	Jan. 9, 1909.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 38·8	° 41·1	° 45·4	° 39·4	° 40·0	° 46·7	° 43·4	° 39·4	° 35·5	° 43·4	° 41·3	° 45·4								
ALL CAUSES.	337	203	223	206	208	192	168	246	199	190	217·2	174	7	23	19	12	30	36	37	10
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli), ...	10	2	.	2	2	3	.	3	.	9	3·1	2	.	.	2	.	.	.	.	.
Scarlet Fever, ...	.	.	.	2	3	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	19	.	2	7	1	.	2	6	1	.	3·8	2	.	.	.	.	.	1	1	.
Whooping-cough, ...	1	13	1	2	9	.	2	7	6	.	4·1	3	.	.	2	1	.	.	.	.
Diphtheria, ...	.	4	3	3	1	.	2	.	1	1	1·5	1	.	1	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	5	3	2	3	6	1	3	.	.	5	2·8	.	.	.	.	.	.	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.), *Diarrhœa*, Dysentery,	2	1	4	.	.	.	.	2	1	.	3·0	1	.	.	1	.	.	.	.	.
				3	3	1	1	7	2	3		1	.	1	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	1	2	.	.	2	1	.	1	1	·8	1	.	1	.	.	.	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
				.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Infective Endocarditis ...	.	.	.	1	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,				1	2	1			1	1		4	.	.	.	.	3	1	.	.
Broncho-	25	11	16	1	6	10	5	13	9	11	17·6	11	.	6	3	.	.	1	1	.
Epidemic				.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Not defined,				9	9	9	7	10	10	9		7	.	1	1	.	.	3	2	.
Erysipelas, ...	.	.	.	.	1	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	.	.	.	.	.	.	.	.	.	1	·1	2	.	.	.	.	2	.	.	.
				.	.	.	.	.	.	.		1	.	.	.	.	.	1	.	.
Other Infective Conditions,	.	.	.	1	.	.	.	1	.	.	·2	1	.	.	.	.	.	.	1	.
Tuberculous Phthisis, "*Phthisis*,"	40	24	30	1	5	11	8	13	11	9	26·0	8	.	.	.	1	1	6	.	.
				22	21	20	13	11	9	12		16	.	.	.	5	8	1	2	.
Tuberculous Meningitis, ...	2	4	2	2	3	3	5	.	.	3	2·4	2	.	1	1	.	.	.	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*, ...	5	5	1	1	1	2	1	.	.	1	2·1	1	.	.	.	1	.	.	.	.
				.	.	3	1	.	.	.		.	.	.	.	.	.	.	.	.
Tuberculous Dis. (other), *Scrofula*, ...	6	4	3	3	7	4	5	6	8	4	5·0	2	.	1	1	.	.	.	.	.
				.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Alcoholism, ...	.	2	3	2	4	1	2	1	.	1	1·6	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	2	.	1	.	.	.	1	.	1	·5	.	.	.	.	.	.	.	.	.
Gout, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carcinoma, ... Sarcoma, ... Cancer (undefined) ...	5	2	11	2	.	6	5	.	1	1	7·6	3	.	.	.	.	1	1	1	.
				.	.	1	.	1	.	.		.	.	.	.	.	.	.	.	.
				4	7	6	2	7	8	7		5	.	.	.	.	3	1	1	.
Diabetes Mellitus, ...	.	.	.	.	.	2	1	.	1	.	·4	.	.	.	.	.	.	.	.	.
Premature Birth, ...	4	5	2	7	4	2	1	7	5	4	4·1	2	2	.	.	.	.	.	.	.

* The figures for the year 1900 are for

† Formerly described as

First Week ending Saturday, 8th January, 1910, with the deaths from each cause in the and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 1st Week of the 10 years 1900-1909.	In the Week ending Saturday, 8th January, 1910.								
	Jan. 6, 1900.	Jan. 5, 1901.	Jan. 4, 1902.	Jan. 10, 1903.	Jan. 9, 1904.	Jan. 7, 1905.	Jan. 6, 1906.	Jan. 5, 1907.	Jan. 4, 1908.	Jan. 9, 1909.		Deaths of Persons of the Ages of								
												All Ages.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 38·8	° 41·1	° 45·4	° 39·4	° 40·0	° 46·7	° 43·4	° 39·4	° 35·5	° 43·4	° 41·3	° 45·4								
Meningitis (not tuberc.)				6	2	5	4	4	1	.		5	.	2	2	.	1	.	.	.
Insanity, G. P. of Insane				2	2	2	2	3	2	6		3	.	.	.	.	2	1	.	.
Epilepsy				2	1	.	1	2	.	.		2	.	.	.	1	.	1	.	.
Convulsions				11	11	9	4	11	9	3		1	.	.	1	.	.	.	.	.
Locomotor Ataxy				.	.	.	.	1	.	1		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord				.	1	1	.	3	.	1		1	.	.	.	.	.	1	.	.
Nervous System (other Dis.)				.	.	2	1	3	.	2		1	.	.	.	.	.	1	.	.
	61	41	47								49·5									
Valv. Dis., Endocarditis				7	.	4	6	2	7	8		7	.	.	.	2	.	3	1	1
Cerebr. Hæm. Thromb.				4	2	2	3	1	8	3		5	.	.	.	.	2	1	2	.
Apoplexy, Hemiplegia				7	9	7	6	9	7	5		1	.	.	.	.	.	.	1	.
Aneurysm				2	.	.	.	1	1	.		.	.	.	.	.	.	.	.	.
Embolism, Thromb. (not cerebral)				1	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Heart and Blood Vessels (other Dis.)				16	15	14	13	20	21	14		16	.	.	.	.	2	4	7	3
Croup (not Spasm. nor Memb.)	2	2	.	.	.	.	.	1	1	.	·6	.	.	.	.	.	.	.	.	.
Bronchitis	80	31	37	15	35	29	24	31	32	26	34·0	17	.	4	4	1	1	.	6	1
Asthma, Emphysema				1	1	.	.	3	.	1			.	.	.	.	.	.	.	.
Pleurisy	3	2	4	.	.	1	1	1	.	1	3·4	1	.	.	.	.	.	1	.	.
Respiratory Dis. (other)				3	4	1	1	2	3	2		2	.	.	.	.	.	1	1	1
Tonsillitis, Quinsy	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.)	2	1	.	2	.	3	1	1	.	2	1·8	1	.	.	.	.	1	.	.	.
Gastro Enteritis				.	1	.	1	2	2	.		1	.	1	.	.	.	.	.	.
Peritonitis (not Puerp.)	1	1	.	.	.	.	1	.	.	.	·3	1	.	.	.	1	.	.	.	.
Cirrhosis of Liver	3	6	3	.	.	1	3	2	2	.	2·5	2	.	.	.	1	1	.	.	.
Liver Dis. (other)				1	2	.	.	2	.	.		.	.	.	.	.	.	.	.	.
Digestive Dis. (other)	6	4	11	6	4	4	7	7	7	7	6·3	8	.	2	.	.	3	.	1	2
Nephritis, Acute				.	4	.	2	3	1	3		1	.	.	.	.	1	.	.	.
Bright's Dis., Albuminuria	6	3	4	4	3	2	2	5	1	7	5·7	4	.	.	.	1	.	3	.	.
Urinary Sys. (other Dis.)				1	.	.	3	2	.	1		1	.	.	.	.	1	.	.	.
Generative Organs Dis.	1	1	.	.	2	.	.	.	1	.	·5	1	.	1	.	.	.	.	.	.
Childbirth (Accid. of)	.	1	5	1	.	.	2	.	1	.	1·0	.	.	.	.	.	.	.	.	.
Old Age	25	11	10	10	3	1	3	8	3	3	7·7	1	.	.	.	.	.	.	.	1
Other Diseases	19	13	12	18	8	10	5	13	8	9	11·5	10	4	1	1	.	2	2	.	
ACCIDENT.																				
By Railways	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles and Horses	.	1	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
In Building Operations	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
In Conflagrations	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	2	1	1	2	.	3	2	4	3	.	1·8	.	.	.	.	.	.	.	.	.
By Drowning	2	.	1	2	1	1	.	.	.	.	·7	.	.	.	.	.	.	.	.	.
By Suffocation in Bed	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	.	.	.	.	.	.	.	.	.		1	.	.	.	.	1	.	.	.
Other Deaths by Accident	.	1	3	2	1	.	2	.	2	.	1·1	2	1	.	.	.	.	1	.	
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Suicide	.	.	1	.	.	2	.	1	.	1	·5	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.		1	.	.	.	1	.	.	.	.

the Registration Area as then constituted.
" Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1909-10—Week ending																									
	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.
No. of weeks in Annual Series,	28	29	30	31	32	33	34	35	36	37	38	39	0	41	42	43	44	45	46	47	48	49	50	51	52	1
BIRTHS registered.	179	216	248	196	222	205	261	208	226	207	215	250	193	184	226	208	220	215	238	196	206	174	216	185	232	236
*Average Births in corresponding week of previous 10 years,** ..	199	201	211	221	193	217	213	206	229	206	199	250	192	185	205	203	210	198	195	181	202	197	190	177	175	227
DEATHS registered, ...	136	115	143	123	113	157	162	149	134	136	157	141	134	127	124	148	145	177	190	172	180	177	158	155	205	174
Annual Death-rate per 1,000, ..	17·8	15·1	18·7	16·1	14·8	20·6	21·2	19·5	17·5	17·8	20·6	18·8	17·5	16·6	16·2	19·4	19·0	23·2	21·9	22·5	23·6	23·2	20·7	20·3	23·8	22·5
*Average Deaths in corresponding week of previous 10 years,**	146	149	152	156	158	164	170	165	169	164	171	168	164	166	173	166	179	182	184	187	190	190	187	195	184	217
AGES, Under 5 years, ...	44	40	46	41	41	58	76	66	88	33	47	85	35	36	41	35	40	45	41	37	42	37	51	44	71	49
5—20 ,, ...	12	4	9	7	7	7	9	8	6	9	8	10	12	6	14	17	10	12	9	8	9	8	10	8	11	12
20—40 ,, ...	21	24	24	17	12	22	22	25	25	26	28	27	20	17	21	33	21	26	28	18	24	25	19	23	19	30
40—60 ,, ...	24	21	32	29	26	30	25	20	28	34	34	27	31	24	25	28	33	33	44	51	47	52	27	34	48	36
60—80 ,, ...	28	23	27	27	23	34	28	26	28	19	33	40	33	38	19	34	33	49	61	52	50	45	39	37	50	37
80 years and upwards, ..	12	3	5	2	4	6	2	4	9	10	7	5	8	6	4	1	8	7	7	6	10	10	12	9	6	10
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.	.	.	2	.	1	1	.	.	2
Measles, ...	2	.	4	1	1	.	.	.	.	.	1	.	.	1	1	.	.	1	.	1	.	1	1	1	3	.
Scarlet Fever, ...	.	.	1	1	.	1	.	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Typhus, ...	.	.	.	.	.	.	.	.	1	2	.	2	3	.	1	1	1	1	2	.	.	2	2	2	1	3
Whooping-cough, ...	.	2	4	4	2	1	5	.	1	2	.	2	3	1	.	.	.	1	2	1	1	.	2	.	1	1
Diphtheria, ...	3	1	1	1	.	1	1	3	1	1	2	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1	.	1	1	1	.	3	2	.
Enteric Fever, ...	2	2	.	1	.	.	1	1	2	2	2	1	.	4	2	3	2	4	2	4	2	4	1	.	4	2
Diarrhœal Diseases, ...	5	4	5	5	9	20	30	20	15	6	6	5	5	3	.	.	1	2	1	2	3	1	1	6	4	2
Influenza, ...	1	.	.	1	.	1	.	.	.	.	.	.	.	5	7	13	8	14	18	16	20	28	19	20	22	22
Pneumonia, ...	7	6	12	9	2	8	3	7	6	8	4	13	11	12	25	27	19	20	20	17	22	17	15	14	15	24
Tuberculous Disease, { Phthisis, ..	14	28	14	15	9	18	19	18	20	22	21	15	17	12	25	27	19	20	20	17	22	17	15	14	15	24
Tuberculous Disease, { Other Forms, ..	2	6	9	5	10	7	15	6	1	8	9	7	5	3	4	9	7	8	6	6	7	8	6	4	6	5
Cancer, Malignant Disease, ..	9	4	9	10	6	10	7	8	9	6	18	7	8	8	3	6	10	8	17	7	11	10	8	6	4	8
Diseases of Heart and Blood Vessels, ...	28	14	25	22	19	20	15	17	20	27	14	28	15	18	19	17	19	33	32	27	31	29	25	21	37	29
Diseases of Respiratory System,	10	12	10	6	9	8	12	8	12	8	18	18	9	13	11	14	15	22	22	32	29	23	26	30	41	20
Violent Deaths, ...	4	6	5	5	8	3	2	7	4	3	2	4	5	1	4	2	3	4	6	4	5	4	4	2	2	4
Number of Uncertified Deaths, ..	2	4	1	4	4	3	4	2	5	2	2	3	1	4	4	6	4	5	4	2	3	4	5	7	10	3
Mean Temperature of the Air (Phœnix Park), ...	59·5	59·4	55·6	58·6	62·4	58·8	56·2	58·7	50·9	49·0	52·0	53·6	53·2	52·5	51·1	40·8	45·0	41·9	37·7	38·4	41·8	39·1	41·4	33·5	45·9	45·4
Average Mean Temperature in corresponding week of previous 10 years, ...	58·9	60·8	59·2	59·2	57·7	57·9	57·1	56·7	55·2	53·9	53·9‡	53·1	51·5	50·2	48·3	47·1	47·6	45·8	43·7	42·4	43·3	43·0	41·3	42·1‡	40·3	41·3
Rainfall in inches, ...	·086	·685	1·267	·090	·105	·785	·248	·516	·589	·000	·065	·988	·896	·772	1·896	·184	·117	·738	·037	·251	1·163	1·202	·207	1·183	·840	·123
Mean Humidity of the Air, complete Saturation 1·0	·86	·78	·85	·82	·83	·78	·85	·82	·84	·85	·92	·98	·83	·84	·86	·81	·88	·88	·80	·84	·87	·90	·82	·86	·88	·89

* See note (•) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 8th January, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 8TH JANUARY, 1910.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 24 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases	Total Cols. 10-18.	Pneumonia.	Tubercular Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS.	375,350	24·2	174	49	12	30	36	37	10	.	2	.	1	3	1	.	.	2	9	22	24	5	8	1	20	4	81	3
	CLASSES. **Deaths in Families of the—**																												
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	12·0	4	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	1	.
II.	MIDDLE CLASS, ...	87,188	20·9	35	6	3	8	7	5	6	.	.	1	.	.	.	.	.	.	.	4	5	2	.	.	3	.	21	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,423	17·0	36	9	3	1	9	14	.	.	1	.	.	1	.	.	.	1	3	3	3	.	3	.	3	.	18	1
IV.	GENERAL SERVICE CLASS, ...	154,279	25·0	74	30	6	19	10	8	1	.	1	.	1	2	1·	.	.	.	5	12	10	1	2	1	10	3	30	2
V.	INMATES OF WORKHOUSES, ...	6,024	—	25	4	.	2	9	8	2	.	.	.	.	.	.	.	.	1	1	2	6	1	1	.	3	.	11	.
I.	PROFESSIONAL AND INDEPENDENT CLASS. 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	4·7	4	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	1	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS. 4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	8	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	23·4	12	4	.	2	2	2	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	2	.
	6. Clerks and Commercial Assistants, ..	30,432	12·0	7	2	1	2	1	.	1	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	25·1	13	.	2	2	4	3	2	.	.	.	.	.	.	.	.	.	.	1	2	.	2	.	2	.	6	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS. 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	26·4	5	1	.	.	1	3	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.	1	.	2	.
	9. Building and Furnishing Trades, ...	29,801	19·2	11	2	2	1	1	5	.	.	.	.	.	.	.	.	.	.	.	1	2	2	1	.	2	.	3	1
	10. Clothing Trades, ...	28,260	9·0	4	3	.	.	1	.	.	.	1	.	.	.	.	.	.	1	2	1	.	.	.	.	.	.	1	.
	11. Food Supply Trades, ...	9,242	11·8	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	20·6	12	1	1	.	5	5	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	9	.
	13. Petty Shopkeepers, ...	7,894	13·2	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS. 14. Army, Police, Postal Delivery, and Prison Services, &c	13,425	19·4	5	2	.	2	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	4	.
	15. Domestic Servants, ...	36,603	7·1	5	.	.	2	1	2	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	1	.	1	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	36·2	10	4	1	1	2	2	.	.	1	.	.	.	.	.	.	.	1	3	.	.	1	.	.	.	4	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	31·3	54	24	5	14	6	4	1	.	.	.	.	2	.	.	.	.	2	9	7	1	1	1	9	3	21	2
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	6,024	—	25	4	.	2	9	8	2	.	.	.	.	.	.	.	.	1	1	2	6	1	1	.	3	.	11	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

DISTRICTS.	1909-10. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	From Diseases in Cols. 5–13.	Total Deaths.	NUMBER OF DEATHS FROM Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of).																				
North City, No. 1 (E.)	Nov. 20,	45·8	3·5	26					1				1	4	4	1	2	1	1	1
	,, 27,	26·4	3·5	15		2								1	2			4		
	Dec. 4,	19·4	1·8	11									1	1	1			3	1	
(*Office*,	,, 11,	30·0	3·5	17		1							1	5	1	2		3		
Clarence-st., Nth.)	,, 18,	24·7	1·8	14		1									3			4		2
	,, 25,	17·6		10										1				3		
Pop. in 1910 (Est.) 29,908.	Jan. 1,	21·2	1·8	12								1		2		1		1		1
	,, 8,	31·4	1·7	18		1								4			1	3		
North City, No. 1 (W.)	Nov. 20,	21·1	1·3	16						1				3		2		2	1	
	,, 27,	26·4	1·3	20									1	3	2			2	1	
	Dec. 4,	21·1		16										3	3	1		4	1	1
(*Office*,	,, 11,	18·2	1·3	10									1	1		1				
Summer-hill.)	,, 18,	14·5		11										2	1			2		
	,, 25,	22·4		17										3	4			3		
Pop. in 1910 (Est.) 39,974.	Jan 1,	30·8		23										3	1		1	4		1
	,, 8,	15·7	2·6	12					1				1	1	3			2		
North City, No. 2.	Nov. 20,	36·0		21										2	4	1	2		1	1
	,, 27,	24·0	1·7	14								1			2			2		
	Dec. 4,	24·0	1·7	14									1	1	2			5	1	
(*Office*,	,, 11,	30·9	5·1	18					1			1	1	4	3			3	1	
Lisburn-street.)	,, 18,	37·7	5·1	22					2				1	1	1	2	2	4	1	
	,, 25,	24·0	1·7	14								1		1	2		1	1		2
Pop. in 1910 (Est.) 30,744.	Jan. 1,	29·2	5·1	17								1	2	3				1		
	,, 8,	25·4	5·1	18				1	2					1	1			2		1
North City, No. 3.	Nov. 20,	15·7		10										2	1					
	,, 27,	28·6	1·6	15									1	2	2	1	2	4		
	Dec. 4,	28·6		15										1	1			2		
(*Office*,	,, 11,	23·6	1·6	15									1	1	3		2			1
Benburb-street.)	,, 18,	17·3	1·6	11						1				1	1			2		
	,, 25,	28·3	1·6	18								1		4	2		1	1	1	
Pop. in 1910 (Est.) 33,559.	Jan. 1,	22·0		14										1	3			2		1
	,, 8,	17·1	1·6	11									1	2	2	1				
South City, No. 1.	Nov. 20,	21·6		17														5		
	,, 27,	22·9	1·3	18			1							1		2		5	1	
	Dec. 4,	19·1	2·5	15						1		1		3	3			2		1
(*Office*,	,, 11,	30·5		24										2	1		2	5	1	
Sth. Earl-street.	,, 18,	19·1	1·3	15			1								1	1	3	1	1	1
	,, 25,	16·5		13										2	1			6		
Pop. in 1910 (Est.) 41,476.	Jan. 1,	34·3	1·3	27					1							1		10		1
	,, 8,	16·3	1·3	13		1									1		1	3		
South City, No. 2.	Nov. 20,	29·1		12										1	3	1	1	2		
	,, 27,	17·0	2·4	7									1	1			1	1		
	Dec. 4,	19·4		8												1		4		
(*Office*,	,, 11,	21·8		9										2	2			2	1	
Castle-street.)	,, 18,	24·2	2·4	10					1					3	2	1		1		
	,, 25,	24·2		10										2	1	1		1		
Pop. in 1910 (Est.) 21,754.	Jan. 1,	48·6		18										2	3			7		1
	,, 8,	16·8		7											2	1		2		
South City, No. 3.	Nov. 20,	31·7		26											5	1	4	5		
	,, 27,	19·5		16										2	1	1		3		
	Dec. 4,	20·7		17										1		1	1	4	1	
(*Office*,	,, 11,	20·7	1·2	17			1							1	4	3		5		1
Peter street.)	,, 18,	18·4		11										3		1		1		1
	,, 25,	20·7		17										2		2	2	6		1
Pop. in 1910 (Est.) 43,227.	Jan. 1,	36·6	2·4	30									2	3	3	2		4	1	2
	,, 8,	36·2	1·2	25						1				3	3	2	2	2	1	
South City, No. 4.	Nov. 20,	26·4	2·9	18					1	1				2	1		1	4	1	
	,, 27,	33·8		23										3	3	2		9		
	Dec. 4,	39·7		27										7	4	1	1			
(*Office*,	,, 11,	27·9		19										6	1			3		
Grand Canal-st.)	,, 18,	20·6		14										3	1		1	3		1
	,, 25,	16·2		11											1	1		5		1
Pop. in 1910 (Est.) 35,851.	Jan. 1,	26·4	1·5	18					1					1			1	2		
	,, 8,	27·6		19										4	4		1	1	1	2

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1909-10. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From ALL CAUSES	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From DISEASES IN COLS. 5-13.	TOTAL DEATHS.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	Nov. 20,	18·5	.	13	.	.	.	.	.	.	.	.	.	.	1	1	2	2	.	.
	„ 27,	15·7	.	11	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	1
	Dec. 4,	22·8	.	16	.	.	.	.	.	.	.	.	.	1	1	1	2	8	1	.
	„ 11,	10·0	1·4	7	.	.	.	.	1	.	.	.	.	.	1	.	1	1	.	1
	„ 18,	17·1	.	12	.	.	.	.	.	.	.	.	.	2	.	.	.	4	.	.
	„ 25,	20·0	2·9	14	.	.	1	.	1	.	.	.	.	.	1	.	1	1	.	2
	Jan. 1,	15·7	1·4	11	.	.	1	.	.	.	.	.	.	.	1	.	.	8	.	1
	„ 8,	15·5	.	11	.	.	.	.	.	.	.	.	.	1	1	.	.	2	1	.
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	Nov. 20,	16·5	.	9	.	.	.	.	.	.	.	.	.	1	.	.	3	1	.	1
	„ 27,	12·8	.	7	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.
	Dec. 4,	20·1	.	11	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	1
	„ 11,	27·4	.	15	.	.	.	.	.	.	.	.	.	3	1	.	2	.	.	.
	„ 18,	22·0	.	12	.	.	.	.	.	.	.	.	.	1	2	.	2	1	.	.
	„ 25,	16·5	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
	Jan. 1,	22·0	.	12	.	.	.	.	.	.	.	.	.	3	.	1	.	3	.	1
	„ 8,	10·8	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	Nov. 20,	5·9	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
	„ 27,	11·8	3·0	4	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	1
	Dec. 4,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	„ 11,	5·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 18,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 25,	35·5	3·0	12	.	.	.	.	1	.	.	.	.	3	.	.	.	1	.	1
	Jan. 1,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 8,	32·5	.	11	.	.	.	.	.	.	.	.	.	5	2	.	.	1	.	.
Belfast. Pop. in 1910 (Est.) 391,167.	Nov. 20,	18·1	0·9	134	.	.	1	.	4	.	.	.	2	17	8	3	7	31	2	.
	„ 27,	22·5	1·1	167	.	.	.	.	7	.	.	.	1	15	8	16	1	42	3	1
	Dec. 4,	19·8	1·3	147	.	.	.	.	6	1	.	.	3	31	11	4	3	41	5	3
	„ 11,	29·4	2·4	218	.	.	.	.	15	.	.	1	2	25	26	11	7	53	5	3
	„ 18,	23·9	1·3	177	.	.	.	.	9	.	.	.	1	28	14	4	5	37	6	2
	„ 25,	19·4	1·5	144	.	.	.	.	10	.	.	.	1	22	17	4	5	39	4	3
	Jan. 1,	25·9	2·0	192	.	.	.	.	13	1	.	.	1	24	13	6	3	41	3	1
	„ 8,	19·7	2·3	148	.	.	.	.	12	1	.	2	2	19	14	4	2	28	3	2
Cork. Pop. (in 1901) 76,122.	Nov. 20,	21·9	0·7	32								1	.	3	3	3	1	4	.	4
	„ 27,	26·0	1·4	38			1					1		2	3	2	1	9	.	2
	Dec. 4,	25·3	1·4	37								1	1	3	5	.	1	7	.	3
	„ 11,	1·5	1·4	27									2	5	4	1	.	3	.	2
	„ 18,	23·3	0·7	34			1						.	2	4	.		5	1	4
	„ 25,	11·6	0·7	17									1	.	4	.	.	5	.	1
	Jan. 1,	28·8	0·7	42								1	.	3	7	3	1	4	.	4
	„ 8,	16·5	1·4	27					1			1	.	2	7	.	1	3	.	.
Londonderry. Pop. in 1910 (Est.) 43,477.	Nov. 20,	28·0	1·2	19									1	1	3			7	.	.
	„ 27,	13·3	.	11										1	1	.	1	2	.	.
	Dec. 4,	23·0	1·2	19									1	.	.	.	2	6	1	.
	„ 11,	19·3	.	16									.	2	3	1	.	2	1	2
	„ 18,	18·1	.	15									.	1	3	1	.	5	.	1
	„ 25,	13·1	1·2	15		1							.	.	1	1	.	5	.	1
	Jan. 1,	21·7	.	18									.	.	1	1	.	7	.	.
	„ 8,	20·4	1·2	17									1	3	.	.	1	2	.	.
Limerick. Pop. (in 1901) 38,151.	Nov. 20,	17·8	.	13										1	2	1	1	1	.	2
	„ 27,	16·4	.	12										.	2	.	1	4	.	1
	Dec. 4,	13·7	2·7	10					2					.	3	1	1	1	.	.
	„ 11,	17·8	.	13										.	1	.	1	3	.	4
	„ 18,	13·0	.	11										1	.	.	.	7	.	2
	„ 25,	16·4	.	12										.	2	1	.	3	.	1
	Jan. 1,	21·9	1·4	16					1					.	1	.	.	5	.	4
	„ 8,	21·9	2·7	16					2					.	2	1	1	4	.	1
Waterford. Pop. (in 1901) 26,769.	Nov. 20,	11·7	.	6										1	.	.	2	.	1	.
	„ 27,	26·3	.	13										1	.	.	3	4	.	.
	Dec. 4,	19·5	1·9	10					1					.	.			3	.	1
	„ 11,	11·7	.	6										.	.	1	.	2	.	2
	„ 18,	33·1	3·9	17					1				1	.	4	.	.	5	1	3
	„ 25,	13·6	.	7										.	.	.	1	2	.	.
	Jan. 1,	11·7	1·9	6					1					.	.	1	.	.	.	1
	„ 8,	11·7	.	6										.	1	.	.	3	.	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 8th January, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-20.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		16			8	1	.	.	.	5	2	.	.	.	.	.	.	.	1*	.	.	1	.	.	1	.	1	2	.
Do. 2 do.		38			17	4	1	3	2	4	3	.	.	.	.	.	.	.	2	1	1	3	.	.	3	.	.	3	.
Do. 3 do.		54			16	7	3	.	1	1	4	.	.	.	.	2	.	.	.	.	2	1	.	.	2	.	.	2	2
Do. 4 do.		30			17	6	1	.	3	3	4	.	.	.	.	3	.	.	.	.	.	.	1	.	4	1	1	9	.
Do. 5 do.		10			9	3	2	.	1	3	.	.	.	.	.	2	.	.	.	.	2	.	1	.	.	1	1	3	.
Do. 6 do.		19			12	.	2	.	2	1	7	.	.	.	.	.	1	.	.	.	1	1	.	1	2	.	.	2	.
Do. 7 do.		.			2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
Do 8 do.	349,180	6			8	1	1	.	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	.	.	.
Do. 9 do.		10			7	1	1	.	.	.	5	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.	.	1	.
Do 10 do.		18			12	2	2	1	2	2	3	.	.	.	.	1	.	.	.	.	1	2	1	.	3	.	.	2	.
Do. 11 do.		25			12	3	2	.	1	1	5	.	.	.	.	1	.	.	.	.	1	.	.	1	3	1	1	2	.
Do. 12 do.		35			14	2	5	1	1	3	2	.	.	.	.	1	.	.	.	1	.	1	.	.	5	.	1	2	.
Do. 13 do.		7			9	3	2	.	1	2	1	.	.	.	.	.	.	.	.	.	1	2	.	.	2	.	1	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15† do.		10			10	2	1	3	1	1	2	.	.	.	.	1	.	.	.	.	.	2	1	1	.	.	.	4	.
Total, . . .	—	278	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		148	36	23	8	17	26	38	.	.	.	.	12	1	.	2	2	12	14	4	2	28	3	6	32	2
City of Cork.																													
CORK URBAN No. 1 DISTRICT, .	12,867	5	20·3	4·1	5	.	.	.	1	.	4	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Do. 2 do. .	10,701	10	19·5	.	4	.	1	.	1	1	1	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	3	.
Do. 3 do. .	9,978	10	15·7	.	3	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	1	.
Do. 4 do. .	8,666	3	30·1	.	5	.	1	.	.	2	2	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	1	.
Do. 5 do. .	6,592	4	39·6	.	5	1	.	.	3	.	1	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	2	.
Do. 6 do. .	10,702	3	4·2	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Do. 7 do. .	16,616	8	12·6	3·1	4	.	.	1	2	.	1	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	2	.
Total, ...	76,122	43	18·5	1·4	27	1	2	2	7	3	12	.	.	.	.	.	1	.	1	.	2	7	.	1	3	.	2	11	.

*Formerly described as Simple Continued Fever. New district formed as from 1st Jan., 1910, and the boundaries of Nos. 1, 4 & 6 districts altered. The population of each of these districts, as at present constituted, is not available.

TABLE IX.—**City of Belfast.**—Comparative Tables of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1909-10—Week ending																								
	July. 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.
No. of weeks in annual Series, ..	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1
BIRTHS registered, ...	192	216	180	221	205	245	182	174	204	181	186	194	208	228	218	202	205	174	180	168	189	190	181	170	215	278
DEATHS registered, ...	83	113	97	108	105	116	129	119	124	93	121	99	95	104	96	116	116	130	134	167	147	218	177	144	192	148
Annual Death rate per 1,000 of estimated Population, ...	11·2	15·2	13·1	14·6	14·2	15·6	17·4	16·1	16·7	12·5	16·3	13·4	12·8	14·0	12·9	15·6	15·6	17·5	18·1	22·5	19·8	29·4	23·9	19·4	25·9	19·7
AGES — Under 1 year, ...	19	28	21	19	26	37	50	48	44	24	35	30	21	24	17	22	28	30	28	41	44	62	41	33	48	36
AGES — 1-5 years, ...	7	15	6	9	5	8	12	6	12	13	13	14	10	8	11	14	11	8	14	27	14	21	18	22	25	23
AGES — 5-20 years, ...	6	6	8	12	13	14	6	6	7	4	11	8	5	9	9	9	7	11	4	11	10	18	13	10	12	8
AGES — 20-40 years, ...	11	22	15	21	22	20	17	18	16	14	15	16	12	23	14	27	22	23	22	20	20	31	22	23	28	17
AGES — 40-60 years, ...	19	22	24	24	21	17	23	21	20	19	17	17	20	15	26	13	19	27	28	31	23	33	33	20	34	26
AGES — 60 years and upwards, ..	21	20	23	23	18	20	21	25	25	19	30	14	27	25	19	31	29	31	38	37	36	53	50	36	45	38
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	2	3	3	5	.	4	4	2	5	7	7	4	3	2	.	5	4	4	4	7	6	15	9	10	13	12
Diphtheria, ...	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	1
*Pyrexia** (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	1	3	.	.	.	.	.	.	.	.	.	2	2	3	.	.	.	2	.	.	.	1	.	.	.	2
Diarrhœal Diseases, ...	5	3	5	7	.	17	28	20	16	15	13	11	11	5	5	3	4	2	2	1	3	2	1	1	1	2
Pneumonia, ...	5	6	8	6	9	6	6	3	5	4	3	6	8	9	5	8	15	13	17	25	31	25	28	22	34	12
Tuberculous Disease — Phthisis, ..	17	11	12	17	13	17	11	9	13	4	17	12	7	11	9	14	6	14	8	8	11	26	14	17	13	14
Tuberculous Disease — Other Forms, ..	2	5	5	3	3	3	5	3	7	4	3	6	2	5	5	10	2	11	3	16	4	11	4	4	6	4
Cancer, Malignant Disease, ..	9	7	7	6	4	5	11	3	7	3	6	6	3	2	4	3	5	7	7	1	3	7	5	5	3	2
Diseases of Respiratory System,	6	13	6	3	11	5	3	3	15	6	15	5	9	10	12	14	21	17	31	42	41	53	37	39	41	28
Violent Deaths, ...	2	4	1	4	3	3	3	2	.	2	1	3	1	2	4	2	3	2	2	3	5	5	6	4	3	3
Number of Uncertified Deaths, ..	.	1	2	1	.	.	.	.	1	.	.	.	1	.	1	1	2	1	.	1	3	3	2	3	1	2

* Formerly described as "Simple Continued Fever.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	Jan. 8,	2,343	1,331	14·2	.	11	5	9	29	2	7
EDINBURGH, ...	360,276	„ 8,	156	135	19·6	.	3	2	.	2	.	2
GLASGOW, ...	884,505	„ 8,	480	351	20·7	.	52	2	5	3	2	7
CALCUTTA, ...	1,009,008	Dec. 4,	.	571	29·4	.	2	.	1	2	89‡	61*
BOMBAY, ...	977,822	„ 7,	503	588	31·3	6	.	.	.	.	53‡	57*
MADRAS, ...	548,974	Nov. 19,	400	360	36·7	.	2	?	?	?	114	48
CAIRO, ...	704,836	„ 18,	580	419	31·0	.	.	.	21†	?	7	87
PARIS, ...	2,760,000	Dec. 25,	967	991	18·9	.	10	1	4†	5	3	23
BRUSSELS, ...	704,975	„ 18,	188	210	15·5	.	2	.	5†	1	.	13
ANTWERP, ...	314,135	„ 18,	97	90	14·9	.	4	.	1†	1	.	10
AMSTERDAM, ...	567,367	„ 18,	246	157	14·4	.	2	.	1†	4	.	3
COPENHAGEN, ...	451,000	„ 18,	237	118	13·6	.	.	2	.	1	1	7
STOCKHOLM, ...	339,582	„ 18,	177	89	13·6	.	.	.	1†	1	.	4
CHRISTIANIA, ...	235,674	„ 25,	94	44	9·7	.	.	1	3†	.	.	.
ST. PETERSBURG, ...	1,573,000	„ 4,	1,475	662	21·9	8	32	33	24	9	8	40*
MOSCOW, ...	1,359,886	Nov. 27,	.	694	26·6	.	19	51	35†	7	12	73
BERLIN, ...	2,118,629	Dec. 4,	800	611	15·0	.	4	19	14†	3	3	31
HAMBURG, ...	872,252	„ 18,	.	264	15·7	.	2	5	11†	.	.	13
BRESLAU, ...	507,787	„ 18,	.	179	18·4	.	4	.	2	1	.	8
MUNICH, ...	566,000	„ 25,	.	226	20·8	.	2	1	1†	1	.	23
VIENNA (with suburbs),	2,064,037	„ 18,	779	651	16·2	.	2	3	7†	1	3	33
BUDA-PESTH, ...	823,215	„ 18,	414	292	18·4	.	2	1	9†	.	3	13
PRAGUE and Fauxbourgs,	494,531	„ 4,	189	183	19·2	.	1	1	3†	.	.	4
TRIESTE, ...	219,777	„ 11,	131	121	28·7	.	2	.	.	.	.	2
ROME, ...	574,666	Sept. 25,	245	140	12·7	.	.	.	1	1	9	22
		Oct. 2,	243	155	14·1	.	1	1	.	1	6	21
VENICE, ...	179,286	Nov. 13,	.	.	.	.	.	.	.	.	.	.
NEW YORK, ..	4,564,792	Dec 11,	2,754	1,432	16·4	.	9	14	45†	5	11	41
PHILADELPHIA, ...	1,565,569	Nov. 27,	.	421	14·0	.	2	2	7†	1	3	19
BOSTON, ...	622,970	Dec. 18,	.	215	18·0	.	1	.	4	2	3	1

* Including 19 deaths from cholera in Calcutta, 4 in Bombay, and one in St. Petersburg.
† Including deaths from croup.
‡ Exclusive of 5 deaths from plague in Calcutta and 6 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 8th January, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain) *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	.	.	.	1		.	2	.	.	.	.	3
" " 1, West,	.	.	.	.	.	.	.	2	1	.	.	2	5
" " 2,	.	.	.	.	1	.	.	.	1	.	.	4	6
" " 3,	.	1	.	.	.	.	1	1	4	.	.	7	14
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), .	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, . . .	.	1	.	.	1	.	.	1	4	.	.	15	22
" " 2, ...	.	.	.	.	1	.	.	.	3	.	.	3	7
" " 3, ...	.	3	.	.	.	.	.	1	1	.	.	2	7
" " 4, . . .	.	.	.	.	1	.	.	.	.	.	.	.	1
New Kilmainham, ...	.	.	.	.	.	.	.	.	1	.	.	.	1
Total, ...	.	5	.	.	5	.	1	7	15	.	.	33	66

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 8th January, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 8th January.			
	Dec. 18.	Dec. 25.	Jan. 1.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox, . . .	.	.	.	.	.	.	.
Measles, . . .	13	18	17	9	5	1	20
Scarlet Fever, . .	97	78	71	7	15	.	63*
Typhus, . .	5	6	6	.	1	1	4
Diphtheria, . .	38	37	38	6	8	.	36
Enteric Fever, . .	47	40	44	9	9	.	44
Pneumonia, . . .	43	31	29	14	16	1	26

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.Sc., F.R.MET.SOC., reports as follows on the weather during the week ended 8th January, 1910:—

"Singularly mild, open weather prevailed throughout the whole of western and northern Europe during the greater part of this week. In the British Isles also, as well as in France and Germany, the precipitation was very small, and what did take place was almost entirely in the form of rain. The curious point about the mild weather was that it prevailed even within the central area of an anticyclone of considerable intensity and staying power, the barometer rising on Friday morning to 30·69 inches at Munich, while the isobar of 30·6 inches embraced nearly all Germany and the Low Countries and touched the coasts of Kent, Essex, and Suffolk. The warm weather was carried over Europe by a southwesterly wind determined by a steep gradient between Iceland and Central Europe. On Sunday morning the barometer ranged from 28·64 inches at Isafjord, in the N.W. of Iceland, to 30·52 inches at Munich. Before dawn on this day the thermometer rose to 56·4° in Dublin—the maximum for the week. By Tuesday morning the Continental anticyclone had spread northwestwards so as to cover England, Wales and Ireland. The wind consequently fell light and became variable, and temperature fell so that a vapour fog developed in Dublin. For the next three days temperature was very unsteady, rising as a breeze from S.W. sprang up and falling again as calm and fog succeeded to wind. On Friday night a decided fall of the barometer began, and Saturday, while warm, was unsettled, with squally S.W. wind, and rain at times after midday. At 4 p.m. the barometer read 29·660 inches—it then jumped upwards with strong squalls from W. and a downpour of rain and hail. The evening was fine. In Dublin the mean height of the barometer was 30·268 inches, pressure rising to 30·469 inches at 9 p.m. of Thursday (wind, W.) and falling to 29·660 inches at 4 p.m. of Saturday (wind, S.W.). The corrected mean temperature was 47·2°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 46·1°. On Sunday the screened thermometers rose to 56·4°, on Friday they fell to 34·4°. S.W. winds, or calms prevailed. Rain and hail fell on Saturday to the amount of ·095 inch."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·100 inches. The highest reading (30·303) was on Thursday at 9 p.m., air calm, and the lowest (29·556) on Saturday at 9 p.m., wind S.W.

The mean temperature for the week was 45·4°, being 4·1° above the average for the corresponding period of the 10 years, 1900–1909. The temperature was highest on Sunday, on which day the thermometer registered 55·5°, and was lowest on Friday, the mercury having fallen to 27·9°. The mean of the Dry Bulb for the week was 44·3° and of the Wet Bulb 42·9°. The mean humidity of the air was ·89, complete saturation being represented by 1·0. The rainfall during the week measured 0·123 inch.

At Greenwich the mean temperature for the week was 43·2°, the maximum 55·3°, and the minimum 36·7°; at Glasgow the maximum was 55·0°, the minimum 34·0°, and the mean 45·0°; and at Edinburgh the maximum was 55·1°, the minimum 39·1°, and the mean 45·5°. The rainfall at Greenwich measured 0·05 in., at Glasgow 0·63 in., and at Edinburgh 0·23 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY.	BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, January 2,	30·035	55·5	51·1	53·3	53·0	51·0	·87	·6	0·0	·008	S.W.	S.W.
Monday, „ 3,	30·126	52·1	45·2	48·7	48·6	46·7	·87	·7	1·2	000	S.W.	S.W.
Tuesday, „ 4,	30·189	51·3	35·0	43·2	44·3	42·9	·91	·6	0·1	·000	Calm.	Calm.
Wednesday, „ 5,	30·230	51·0	37·9	44·5	41·5	41·2	·98	·3	4·2	·000	Calm.	Calm.
Thursday, „ 6,	30·294	48·0	33·9	41·0	38·7	37·5	·94	·0	4·2	·000	Calm.	Calm.
Friday, „ 7,	30·183	50·2	27·9	39·1	37·9	36·8	·83	·5	6·5	·000	S.W.	S.W.
Saturday, „ 8,	29·645	52·2	43·9	48·1	46·4	44·2	·84	·5	0·0	·115	S.	S.W.
Mean, . . .	30·100	51·5	39·3	45·4	44·3	42·9	·89	·5	Total 16·2	Total ·123	Prevailing Wind, S.W.	

Sunday—Day overcast and drizzle; night overcast. *Monday*—Day cloudy; night cloudy. *Tuesday*—Day overcast; night cloudy. *Wednesday*—Day cloudy; night cloudy. *Thursday*—Day cloudy; night clear. *Friday*—Fine bright day; night cloudy. *Saturday*—Day overcast, light and heavy rain; night cloudy, light rain a.m.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, January 8th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperatures in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
	°	°	°	°	°	°	hrs	ins.
Sunday, January 2.	55·3	44·3	44·1	56·8	52·0	54·4	—	—
Monday, „ 3,	50·8	45·3	44·3	53·0	45·0	49·0	0·7	—
Tuesday, „ 4,	42·2	44·8	44·7	53·0	39·0	46·0	0·2	—
Wednesday, „ 5,	42·2	44·7	44·9	51·0	42·0	46·5	2·8	—
Thursday, „ 6	38·0	44·0	45·0	47·3	38·0	42·7	0·3	—
Friday, „ 7,	34·2	42·6	45·0	47·7	33·1	40·4	—	·085
Saturday, „ 8,	50·6	41·8	45·0	54·9	44·3	49·6	—	—
Weekly Mean, . . .	44·8	43·9	44·7	52·0	41·9	46·9	Total 4·0	Total ·085

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

(27639.) Wt. P. 345. 375. 11. 1909. G. III. Sch. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 15TH JANUARY, 1910. [No. 2.

General Register Office, Charlemont House, Dublin, 17th January, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Average Rate for 4 weeks.
22 Town Districts.	**18·2**	**25·4**	**19·7**	**22·3**	**21·4**	Limerick, . .	16·4	21·9	21·9	30·1	22·6
						Lisburn, . . .	13·6	36·4	27·3	45·5	30·7
Armagh, . .	6·9	20·6	13·7	20·6	15·5	Londonderry, . .	18·1	21·7	20·4	22·8	20·8
Ballymena, . . .	33·5	43·1	23·9	9·6	27·5	Lurgan, . . .	26·6	13·3	8·9	22·1	17·7
Belfast, ...	19·4	25·9	19·7	22·7	21·9	Newry, . . .	12·6	37·8	29·4	12·6	23·1
Clonmel, ...	.	15·4	10·3	.	6·4	Newtownards, .	11·4	28·6	22·9	11·4	18·6
Cork, ...	11·6	28·8	18·5	23·3	20·6	Portadown, . .	31·0	31·0	20·7	15·5	24·5
Drogheda, . . .	20·4	20·4	4·1	24·5	17·4	Queenstown, . .	13·2	.	19·8	6·6	9·9
Dublin Reg. Area, .	19·6	25·9	21·1	22·1	22·2	Sligo, ...	4·8	43·2	24·0	9·6	20·4
Dundalk, . . .	8·0	8·0	12·0	23·9	13·0	Tralee, . . .	15·9	15·9	31·7	42·3	26·4
Galway, . . .	23·3	27·2	7·8	19·4	19·4	Waterford, . . .	13·6	11·7	11·7	23·4	15·1
Kilkenny, . . .	9·8	39·3	19·7	14·7	20·9	Wexford, . . .	23·3	23·3	9·3	23·3	19·8

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·3 per 1,000, the rates varying from 0·0 in sixteen of the districts to 5·7 in Newtownards, the 2 deaths recorded for that district including one from whooping-cough. Among the 170 deaths from all causes for Belfast are 13 from whooping-cough; the 34 deaths from all causes for Cork include one from scarlet fever; of the 12 deaths from all causes for Waterford 2 are from whooping-cough; and the 8 deaths from all causes for Tralee include one from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 243—125 boys and 118 girls—and the deaths to 177—79 males and 98 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 22·9 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, the rate was 22·1 per 1,000. During the two weeks, ending with Saturday last, the death-rate averaged 22·7, and was 6·4 below the mean rate for the corresponding portions of the ten years 1900–9.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*), Table II. ‡ See columns 10–18 of Table II.

The deaths from all causes included 5 from whooping-cough, one from enteric fever, and 4 deaths of children under 5 years of age from diarrhœal diseases (there were also 3 deaths at this age from enteritis). In each of the three preceding weeks, deaths from whooping-cough were 2, one, and 3; deaths from enteric fever were 3, 2, and 0; and deaths from diarrhœal diseases were 0, 4, and 2. There were 3 deaths from influenza which had caused 6, 4, and 2 deaths, respectively, in the three preceding weeks.

Seven deaths from broncho-pneumonia, and the same number from *pneumonia* (not defined) were registered.

The deaths from all forms of tuberculous disease, amounted to 25, and include 19 deaths from tuberculous phthisis (*phthisis*), 3 deaths from tuberculous meningitis, one from tuberculous peritonitis, and 2 deaths from other forms of the disease. In each of the three weeks preceding, tuberculous disease accounted for 18, 21, and 29 deaths.

Of 7 deaths from malignant disease 2 were from carcinoma, and 5 were attributed to cancer, malignant disease, (undefined).

Prematurity was the registered cause of death of 5 infants.

Diseases of the brain and nervous system caused 14 deaths; this figure includes 5 deaths of infants under one year of age from *convulsions*.

There were 31 deaths from diseases of the heart and blood vessels, and the deaths from bronchitis numbered 31.

Of 4 deaths attributed to accident or negligence, 2 were by burns, and one was by drowning.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 infants under one year of age, and the deaths of 2 persons aged 60 years and upwards.

Fifty-seven of the persons whose deaths were registered during the week were under 5 years of age (44 being infants under one year, of whom 12 were under one month old) and 59 were aged 60 years and upwards, including 33 persons aged 70 and upwards, of whom 9 were octogenarians, and one (a female) was stated to have been aged 90 years.

Fifty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 16 took place in the North Dublin Union Workhouse, and 15 in the South Dublin Union Workhouse,

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 22·1 per 1,000; the rate in the City was 24·2 (North City Districts, 23·6; South, 24·8) and in the Suburbs, 15·2.

The deaths from certain epidemic diseases* in the entire area equal an annual rate of 1·3 per 1,000 inhabitants, the rate for the City being 1·3 (2·0 in the North City Districts, and 0·7 in the South), and for the Suburbs, 1·1

No. 1 *North City District, East* (Clarence-street, North).—The deaths (19) are equal to an annual rate of 33·1 per 1,000, and included 2 from whooping cough, one from influenza, 2 from *pneumonia* (not defined), 2 from tuberculous disease, 3 from bronchitis, and one accidental death.

No. 1 *North City District, West* (Summer-hill).—The deaths (23) are equal to an annual rate of 30·0 per 1,000 There were 2 deaths from broncho-pneumonia, one from *pneumonia* (not defined), one from tuberculous peritonitis, and 8 from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (8) are equivalent to an annual rate of 13·6 per 1,000. Of the 8 deaths 4 were caused by bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (12) represent an annual rate of 18·6 per 1,000. Whooping-cough, broncho-pneumonia, and tuberculous phthisis, each caused one death, and there were 2 deaths from diseases of the respiratory system.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 38·8 per 1,000 inhabitants; Coolock and Drumcondra, part of, 9·0, and Finglas and Glasnevin, part of, 27·1. Of the 4 deaths from all causes for Clontarf and Howth No. 1, part of, one was caused by enteric fever and one by tuberculous phthisis; and the 4 deaths from all causes for Finglas and Glasnevin, part of, include 2 from epidemic enteritis and one from broncho-pneumonia.

No. 1 *South City District* (South Earl-street).—The deaths (17) represent an annual rate of 21·4 per 1,000. *Diarrhœa* and broncho-pneumonia each caused one death, there were 5 deaths from tuberculous disease, also 5 deaths from bronchitis, and one accidental death.

No. 2 *South City District* (Castle-street).—The deaths (16) are equal to an annual rate of 38·4 per 1,000. The deaths included one from *diarrhœa*, 4 from tuberculous phthisis and one from tuberculous meningitis, 3 from diseases of the respiratory system, and one death by drowning.

No. 3 *South City District* (Peter-street).—The deaths (18) are equal to an annual rate of 21·7 per 1,000. Tuberculous disease caused 6 deaths, bronchitis 3 deaths, and there was one death by accidental burning.

No. 4 *South City District* (Grand Canal-street).—The deaths (17) are equivalent to an annual rate of 24·7 per 1,000. Broncho-pneumonia, *pneumonia* (not defined) and tuberculous phthisis each caused one death, and there were 3 deaths from bronchitis.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 23·0 per 1,000. No death from the principal epidemic diseases, tuberculous disease or respiratory disease was registered for this district.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar 15·5; Pembroke, 5·4; Blackrock, 17·4; and Kingstown, 29·6. The deaths from the principal epidemic diseases tabulated for these districts include one from whooping-cough for Rathmines and Rathgar, and one from whooping-cough for Kingstown. Among the 11 deaths from all causes for Rathmines and Rathgar are one death from influenza and one death each from broncho-pneumonia, *pneumonia* (not defined), and bronchitis; of the 3 deaths from all causes for Pembroke one is from influenza and one from *pneumonia* (not defined); the 3 deaths from all causes for Blackrock include one from tuberculous phthisis and one from bronchitis; and of the 10 deaths from all causes for Kingstown one is from *phthisis*.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin: Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 15th January, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Dec. 25,	.	—	—	16	.	.	7	.	1	2	6	.	—	—	.	—	4	—	36
	Jan. 1,	.	—	—	5	2	.	8	.	1	12	5	.	—	—	.	—	4	—	37
	Jan. 8,	.	—	—	5	.	.	5	.	1	7	15	.	—	—	.	—	33	—	66
	Jan. 15,	.	—	—	5	.	.	5	.	.	5	14	.	—	—	.	—	7	—	36
Rathmines and Rathgar Urban District.	Dec. 25,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	Jan. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Jan. 8,	.	—	—	3	.	.	1	.	.	1	.	.	—	—	—	—	—	—	5
	Jan. 15,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	—	—	—	—	3
Pembroke Urban District.	Dec. 25,	.	3	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	—	3
	Jan. 1,	.	1	.	.	.	.	1	.	.	.	.	.	—	2	.	—	—	—	4
	Jan. 8,	.	7	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	—	7
	Jan. 15,	.	.	.	2	.	.	.	.	.	.	.	.	—	.	.	—	—	—	2
Blackrock Urban District.	Dec. 25,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Jan. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Jan. 8,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Jan. 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Dec 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Jan. 1,	.	—	—	.	.	.	.	.	.	.	2	.	—	—	—	—	.	—	2
	Jan. 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	1
	Jan. 15,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	1	—	2
City of Belfast.	Dec. 25,	.	—	—	10	.	.	3	1	.	5	5	1	—	—	.	—	6	—	31
	Jan. 1,	.	—	—	13	.	.	1	.	.	.	9	.	—	—	.	—	15	—	38
	Jan. 8,	.	—	—	19	.	.	1	.	.	4	6	.	—	—	.	—	29	—	59
	Jan. 15,	.	—	—	20	.	.	2	.	.	.	5	.	—	—	—	—	19	—	46

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 15th January, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Two cases of measles were admitted to hospital during the week, 8 were discharged, and 14 cases remained under treatment at the close of the week.

Nine cases of scarlet fever were admitted to hospital, 2 were discharged, and 70* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 78, 71, and 63, respectively.

Two cases of typhus were discharged from hospital during the week, and 2 cases remained under treatment at its close.

Six cases of diphtheria were admitted to hospital, 7 were discharged, there were 2 deaths, and 33 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 37, 38, and 36, respectively.

Six cases of enteric fever were admitted to hospital during the week, 9 were discharged, and 41 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, 9 were discharged, and 25 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 14·6) was equal to an average annual death-rate of 14·9 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·7 per 1,000, the rate for Glasgow being 16·3 and for Edinburgh 15·5.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 15th January. From this Report it appears that of a total of 43 cases notified, 22 were scarlet fever, 10 phthisis, 7 diphtheria, and 4 erysipelas. Among the 388 cases of infectious diseases in hospital at the close of the week were 181 cases of scarlet fever, 98 of measles, 51 of phthisis, 32 of diphtheria, 9 of whooping-cough, 7 of erysipelas, 2 of chicken-pox one of cerebro-spinal fever, one of enteric fever, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 15th January, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 15TH JANUARY, 1910.																						METEOROLOGY. (d)											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																			WEEK ENDING 15TH JAN., 1910.				WEEK ENDING 8TH JAN., 1910.				WEEK ENDING 1ST JAN., 1910.			
	POPULATION.			DEATHS.		BIRTHS.	DEATHS.																		Air Temperature				Air Temperature				Air Temperature			
	Total. (a)	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10–18.		Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rain fall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·2	26·9	22·8	1·3	595	492	110	156	.	.	1	.	22	.	.	1	4	44	45	22	22	94	18	22	127	21	ɔ	ɔ	ɔ	.	ɔ	ɔ	ɔ	.	ɔ	ɔ	ɔ	.
																												.	.	.	.	.	.	.	.	.	.	.	.
DUBLIN REGISTRATION AREA:— TOTAL, c.	402,928	29·3	31·4	22·1	1·3	243	171	44	57	.	.	.	.	5	.	.	1	4	13	18	6	7	33	4	2	53	8	e54·9	31·0	42·1	0·99	e55·5	27·9	45·4	0·12	e55·1	29·9	45·9	0·34
CITY of DUBLIN.	310,298	39·2	36·8	24·2	1·3	216	144	40	42	.	.	.	.	3	.	.	1	4	10	16	6	6	31	4	2	49	7	f56·2 g55·7	32·6 30·8	43·7 42·1	0·78 1·11	f56·4 g55·8	34·4 30·0	47·2 45·5	0·10 0·14	f56·3 g55·5	34·6 31·0	47·6 46·2	0·23 0·34
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	9·9	15·5	1·4	7	11	2	8	.	.	.	.	1	.	.	.	.	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	18·0	5·4	.	10	8	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,013	8·3	17·4	17·4	.	3	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	20·7	29·6	3·0	7	10	1	4	.	.	.	.	1	.	.	.	.	.	1	.	1	.	.	.	3	1	56·5	33·0	43·7	0·61	56·5	33·0	46·4	0·06	57·5	35·0	47·8	0·19
URBAN DISTRICTS.																																							
BELFAST,	391,167	26·6	25·6	22·7	1·7	192	170	48	40	.	.	.	.	13	.	.	.	.	20	14	10	10	31	8	13	29	1	50·8	29·0	40·8	1·24	54·0	36·0	46·0	0·01	54·0	30·2	43·0	1·09
CORK,	76,122	33·6	19·2	28·3	0·7	28	34	2	16	.	.	1	.	.	.	.	.	.	5	1	3	1	6	.	.	15	.	52	35	44·5	0·71	52	44	48·2	0·75	52	38	42·5	0·72
LONDONDERRY,	43,477	20·1	26·4	22·8	.	22	19	3	4	.	.	.	.	.	.	.	.	.	1	2	.	3	5	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	17·8	30·1	.	13	22	3	7	.	.	.	.	2	.	.	.	.	.	4	1	.	9	.	.	9	1	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD,	26,769	18·7	35·1	23·4	3·9	18	12	1	6	.	.	.	.	.	.	.	.	.	.	2	.	.	8	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	2·5	31·1	19·4	.	8	5	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	2	2	53	32	43	1·32	53	42	48	0·19	52	37	47	0·93
DUNDALK	18,076	9·4	4·0	23·9	.	1	6	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	32·7	24·5	.	8	6	1	3	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,405	17·8	21·0	12·6	.	5	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	53·0	30·1	40·3	1·23	52·4	39·0	47·0	0·18	54·0	32·0	44·9	0·49
LURGAN,	11,782	13·8	22·1	22·1	.	5	5	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	53·0	30·1	40·3	1·23	52·4	39·0	47·0	0·18	54·0	32·0	44·9	0·49
LISBURN,	11,461	10·1	18·2	45·5	.	4	10	.	3	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	53·0	30·1	40·3	1·23	52·4	39·0	47·0	0·18	54·0	32·0	44·9	0·49
WEXFORD,	11,168	28·2	46·7	28·3	.	10	5	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	6	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,686	8·9	28·7	9·6	.	6	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	55·0	31·0	41·9	2·11	53·9	37·4	46·3	0·59	57·0	29·3	45·3	0·54
SLIGO,	10,870	8·7	14·4	9·6	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	1	56	28	41·7	1·38	54	35	45·6	0·12	55	31	45·6	0·41
KILKENNY,	10,609	11·5	4·9	14·7	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CLONMEL,	10,167	7·8	10·8	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	53·0	30·1	40·3	1·23	52·4	39·0	47·0	0·19	54·0	32·0	44·9	0·49
PORTADOWN,	10,092	13·2	20·7	15·5	.	4	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
TRALEE,	9,867	16·6	37·0	42·3	5·3	7	8	2	4	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	54	29	41·0	0·96	54	41	46·3	0·20	54	34	44·9	0·50
NEWTOWNARDS,	9,110	18·9	22·9	11·4	5·7	4	2	1	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	52	35	44·5	0·71	52	44	48·2	0·75	53	38	42·5	0·72
QUEENSTOWN,	7,909	14·4	26·4	6·6	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ARMAGH,	7,588	22·2	46·1	20·6	.	7	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	53·0	30·1	40·3	1·23	52·4	39·0	47·0	0·18	54·0	32·0	44·9	0·49

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (b) Formerly described as "Simple Continued Fever." (c) Exclusive of 6 deaths of persons (including 2 at 60 years or upwards), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Mr. F. W. Moore, taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 15th January, 1910, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN REGISTRATION DISTRICTS IN											URBAN DISTRICTS OF						
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	2	.	.	1	.	.	.	.	.	.	.	.	1	.	.	1	5	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	.	.	.	.	.	.	2	1	1	.	.	.	.	.	.	.	4	.
Pneumonia,	2	3	.	1	.	.	1	1	.	2	.	.	2	1	.	.	13	1
Tuberculous Disease. Phthisis,	1	.	.	1	1	.	.	3	4	5	1	.	.	.	1	1	18	1
Tuberculous Disease. Other Forms,	1	1	.	.	.	.	.	2	1	1	.	.	.	.	.	.	6	.
Cancer, Malignant Disease,	.	.	.	2	.	.	.	2	.	.	2	.	.	.	.	1	7	.
Other General Diseases,	1	2	1	2	.	.	.	.	1	2	1	.	2	1	.	.	13	.
Total,	7	6	1	7	2	.	3	9	7	8	6	.	5	2	1	3	67	2
B. LOCAL DISEASES:																		
Diseases of Nervous System,	3	1	1	1	.	1	.	1	.	1	1	1	.	.	.	2	13	1
Diseases of Organs of Special Sense,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Heart and Blood Vessels,	1	7	2	1	1	1	1	.	3	3	3	.	3	1	.	3	30	1
Diseases of Respiratory System,	3	8	4	2	.	.	.	5	3	3	3	.	1	.	1	.	33	.
Diseases of Digestive System,	1	1	.	1	1	.	.	.	1	1	3	2	.	.	1	2	14	.
Diseases of Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	10	17	7	5	2	2	1	6	7	8	10	3	4	1	2	7	92	2
C. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	1	.	.	.	.	.	.	1	1	1	1	1	2	.	.	.	8	2
E. VIOLENT DEATHS,	1	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	4	.
Deaths from all Causes	19	23	8	12	4	2	4	17	16	18	17	4	11	3	3	10	171	6
Annual Rate of Mortality from all causes in every 1,000 of the population.	33·1	30·0	13·6	18·6	38·8	9·0	27·1	21·4	38·4	21·7	24·7	23·0	15·5	5·4	17·4	29·6	22·1	.
	23·6							24·8					15·2					
	24·2																	
Ages at Death. Under 1 year,	2	8	3	4	.	1	2	4	3	5	6	2	2	1	.	1	44	.
Ages at Death. 1 and under 5 years,	4	2	.	1	.	.	.	2	2	1	.	.	.	.	.	1	13	.
Ages at Death. 5 „ 20 „	4	.	.	.	1	.	.	2	.	1	1	.	.	1	1	.	11	2
Ages at Death. 20 „ 40 „	4	2	1	.	3	.	.	2	4	4	3	.	.	.	.	1	24	1
Ages at Death. 40 „ 60 „	.	2	1	2	.	.	.	3	4	3	3	.	1	.	.	3	22	1
Ages at Death. 60 years and upwards,	5	9	3	5	.	1	2	4	3	4	4	2	8	1	2	4	57	2
Number of Uncertified Deaths,	.	2	1	1	.	.	.	1	1	.	.	1	.	.	.	1	8	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	4	3	1	.	.	.	.	1	1	5	4	.	1	.	.	3	23	5
Workhouse Hospitals,	5	3	3	3	.	.	1	3	7	3	2	.	.	.	.	.	30	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in corresponding week of the ten years 1900–1909,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Averages in 2nd Week of the 10 years, 1900–1909.	In the Week ending Saturday, 15th January, 1910.							
												Deaths of Persons of the Ages of							
	Jan. 13, 1900.	Jan. 12, 1901.	Jan. 11, 1902.	Jan. 17, 1903.	Jan. 16, 1904.	Jan. 14, 1905.	Jan. 13, 1906.	Jan. 12, 1907.	Jan. 11, 1908.	Jan. 16, 1909.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 42·2	° 37·3	° 44·7	° 32·3	° 39·4	° 41·6	° 41·5	° 43·7	° 36·4	° 41·1	° 40·0	° 42·1								
ALL CAUSES.	331	191	186	227	216	171	166	219	205	191	210·3	177	12	32	13	13	25	23	49	10
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	18	.	1	3	.	12	.	3	.	8	4·5	.	.	.	.	.	.	.	.	.
Scarlet Fever,	1	1	.	1	.	1	2	.	.	.	·6	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	20	2	1	4	2	2	2	3	2	.	3·8	3	.	.	.	.	.	.	3	.
Whooping-cough,	1	10	2	2	5	1	3	2	1	2	2·9	5	.	2	3	.	.	.	.	.
Diphtheria,	3	2	3	6	.	2	2	.	1	1	2·0	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	5	3	3	5	3	1	.	1	.	3	2·4	1	.	.	.	1	.	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis,) *Diarrhœa*, Dysentery,	3	2	2	.	1	1	.	.	.	.	2·0	2	.	2	.	.	.	.	.	.
				.	2	3	1	2	2	1		2	1	.	1	.	.	.	.	.
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	.	1	1	.	.	1	2	1	1	·7	1	.	1	.	.	.	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*,	.	.	.	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
				1	.	.	1	.	.	.		.	.	.	.	.	.	.	.	.
Infective Endocarditis	.	.	.	1	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar, Broncho-, Epidemic, Not defined,	28	13	8	5	10	6	7	7	9	8	15·7	7	.	4	1	.	.	1	1	
				3	5	5	7	11	8	9		7	.	2	.	2	.	2	.	1
Erysipelas,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	2	2	.	1	1	1	1	.	1	2	1·2	.	.	.	.	.	.	.	.	.
				.	1	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	1	1	2	.	.	.	·4	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*,"	27	19	30	2	8	4	5	13	16	8	21·1	12	.	.	.	2	9	1	.	.
				24	22	17	9	12	16	9		7	.	.	.	1	3	2	1	.
Tuberculous Meningitis,	10	2	3	2	5	1	5	6	3	3	4·0	3	.	1	2	.	.	.	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*,	5	5	2	2	1	.	.	1	.	1	2·2	1	.	1	.	.	.	.	.	.
				1	.	.	1	.	1	2		.	.	.	.	.	.	.	.	.
Tuberculous Dis. (other), *Scrofula*,	5	3	4	4	7	4	10	6	4	2	5·0	2	.	.	2	.	.	.	.	.
				1	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Alcoholism,	2	.	.	1	.	.	3	.	.	1	·7	.	.	.	.	.	.	.	.	.
Rheumatic Fever,	1	.	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	2	.	.	·2	.	.	.	.	.	.	.	.	.
Carcinoma, Sarcoma, Cancer (undefined)	8	4	6	1	1	3	2	2	2	6	7·2	2	.	.	.	.	.	1	1	.
				.	.	.	2	1	.	3		.	.	.	.	.	.	.	.	.
				5	6	6	1	2	7	4		5	.	.	.	.	.	2	3	.
Diabetes Mellitus,	.	.	.	2	.	.	.	.	2	.	·4	1	.	.	.	.	.	.	1	.
Premature Birth,	2	4	1	3	4	.	6	8	2	5	3·5	5	5	.	.	.	.	.	.	.

* The figures for the year 1900 are for
† Formerly described as

SECOND WEEK ending Saturday, 15th January, 1910, with the deaths from each cause in the and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 2nd Week of the 10 years 1900-1909.	In the Week ending Saturday, 15th January, 1910.							
	Jan. 13, 1900.	Jan. 12, 1901.	Jan. 11, 1902.	Jan. 17, 1903.	Jan. 16, 1904.	Jan. 14, 1905.	Jan. 13, 1906.	Jan. 12, 1907.	Jan. 11, 1908.	Jan. 16, 1909.		Deaths of Persons of the Ages of							
												All Ages	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 42·2	° 37·3	° 44·7	° 32·3	° 39·4	° 41·6	° 41·5	° 43·7	° 36·4	° 41·1	° 40·0	° 42·1								
Meningitis (not tuberc.)				3	.	4	2	5	4	3		5	.	1	2	2	.	.	.	.
Insanity, G. P. of Insane				1	8	.	2	2	1	.		.	.	.	.	.	.	.	.	.
Epilepsy				.	1	.	.	1	2	.		.	.	.	.	.	.	.	.	.
Convulsions				9	6	3	6	5	5	4		5	1	4	.	.	.	.	.	.
Locomotor Ataxy				.	1	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord				2	.	2	1	3	.	3		1	.	.	.	.	.	1	.	.
Nervous System (other Dis.)				2	3	2	3	5	1	2		3	.	.	1	.	1	.	1	.
Valv. Dis., Endocarditis	41	41	37	6	8	3	5	7	6	10	43·5	8	.	.	.	.	5	2	1	.
Cerebr. Hæm. Thromb.				3	3	1	1	7	3	5		1	.	.	.	.	1	.	.	.
Apoplexy, Hemiplegia				11	8	2	4	6	7	1		5	.	.	.	1	.	4	.	.
Aneurysm				.	2	1	.	3	.	.		.	.	.	.	.	.	.	.	.
Embolism, Thromb. (not cerebral)				.	.	1	.	.	.	.		.	.	.	.	.	.	.	.	.
Heart and Blood Vessels (other Dis.)				17	15	13	11	18	8	13		17	.	.	.	.	2	2	11	2
Croup (not Spasm, nor Memb.)	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Bronchitis	80	32	25	34	28	22	24	25	50	28	34·8	31	.	9	.	1	1	5	13	2
Asthma, Emphysema				1	1		1		2	2										
Pleurisy	2	5	1	1	.	1	.	2	1	.	3·3	1	.	.	.	.	.	.	1	.
Respiratory Dis. (other)				2	.	3	2	5	2	.		1	.	.	.	.	1	.	.	.
Tonsillitis, Quinsy	.	.	.	.	.	.	.	.	.	.	·	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.)	2	.	3	1	.	2	1	.	.	4	1·6	3	.	3	.	.	.	.	.	.
Gastro Enteritis				.	.	1	.	1	.	1		.	.	.	.	.	.	.	.	.
Peritonitis (not Puerp.)	1	.	3	.	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver	6	6	5	1	2	1	.	1	3	4	3·6	1	.	.	.	.	.	.	1	.
Liver Dis. (other)				1	2	1	1	.	1	1		3	.	.	1	.	2	.	.	.
Digestive Dis. (other)	3	2	6	5	9	6	7	5	6	3	5·2	7	.	1	.	2	1	1	2	
Nephritis, Acute				.	2	2	1	4	3	.		.	.	.	.	.	.	.	.	.
Bright's Dis., Albuminuria	7	6	5	5	6	2	6	2	3	7	6·5	.	.	.	.	.	.	.	.	.
Urinary Sys. (other Dis.)				.	.	1	.	2	.	1		1	.	.	.	.	.	1	.	.
Generative Organs Dis.	1		1	.	.	.	1	.	.	1	·4	.	.	.	.	.	.	.	.	.
Childbirth (Accid. of)	.	1	1	.	1	1	.	1	.	2	·7	.	.	.	.	.	.	.	.	.
Old Age	29	9	13	12	8	5	5	6	2	3	9·2	4	.	.	.	.	.	2	2	
Other Diseases	12	10	13	22	10	13	4	16	11	11	1·2	10	5	1	1	1	1	1	.	
ACCIDENT.																				
By Railways	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
By Vehicles and Horses	.	.	1	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
In Conflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	.	1	1	5	1	1	2	1	.	1	1·3	2	.	.	.	1	.	1	.	.
By Drowning	1	1	1	1	.	.	.	.	1	.	·5	1	.	.	.	.	1	.	.	.
By Suffocation in Bed	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	1	1	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Other Deaths by Accident	4	1	2	1	2	2	1	.	2	.	1·5	1	.	.	.	1	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Suicide	.	2	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

the Registration Area as then constituted.
"Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA	1909-10—Week ending																								
	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.
No. of weeks in Annual Series,	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2
BIRTHS registered.	216	248	196	292	205	261	208	226	207	215	250	193	184	226	208	240	215	238	196	206	174	216	185	232	236	243
*Average Births in corresponding week of previous 10 years,** ..	201	211	221	193	217	213	206	229	206	199	250	192	180	205	203	210	198	195	181	202	197	190	177	175	227	204
DEATHS registered, ...	115	143	123	118	157	162	149	134	136	157	144	134	127	124	148	145	177	190	172	180	177	158	165	205	174	177
Annual Death-rate per 1,000, ..	15·1	18·7	16·1	14·8	20·6	21·2	19·5	17·5	17·8	20·6	18·8	17·5	16·6	16·2	19·4	19·0	23·2	24·9	22·5	23·6	23·2	20·7	20·3	26·8	22·5	22·9
*Average Deaths in corresponding week of previous 10 years,**	149	152	156	158	164	170	165	169	164	171	168	164	166	173	166	179	182	184	187	190	190	187	195	184	217	210
AGES, Under 5 years, ...	40	46	41	41	58	76	66	88	83	47	85	35	36	41	35	40	45	41	37	44	37	51	44	71	49	57
5—20 ,, ...	4	9	7	7	7	9	8	6	9	8	10	12	6	14	17	10	12	9	8	9	8	10	8	11	12	18
20—40 ,, ...	24	24	17	12	22	22	25	25	26	28	27	20	17	21	33	21	26	28	18	22	25	19	23	19	30	25
40—60 ,, ...	21	32	29	26	30	25	20	28	34	34	27	31	24	25	28	33	33	44	51	47	52	27	31	48	36	23
60—80 ,, ...	23	27	27	23	34	28	26	28	19	33	40	33	38	19	34	33	49	61	32	50	45	39	37	60	37	49
80 years and upwards, ..	3	5	2	4	6	2	4	9	10	7	5	8	6	4	1	8	7	7	6	10	10	12	9	6	10	10
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	4	1	1	.	.	.	2	1	.	.	1	.	.	.	.	.	.	2	.	1	1	.	.	2	.
Scarlet Fever, ...	.	1	1	.	1	.	2	.	.	1	.	.	1	1	.	.	.	.	1	.	1	1	1	3	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough, ...	2	4	4	2	1	5	.	1	2	.	2	3	.	1	1	1	1	2	.	1	2	2	2	1	3	5
Diphtheria, ...	1	1	1	.	1	1	3	1	1	2	1	1	1	.	.	.	1	2	1	1	.	2	.	1	1	.
Pyrexia † (origin uncertain), ..	.	.	.	.	.	1	1	2	2	2	1	.	1	.	1	1	1	.	1	1	1	.	3	2	.	1
Enteric Fever, ...	2	.	1	.	.	1	1	2	2	2	1	.	1	.	1	1	1	.	1	1	1	.	3	2	.	1
Diarrhœal Diseases, ...	4	5	5	9	20	30	20	15	6	6	5	5	4	2	3	2	4	2	4	2	4	1	.	4	2	4
Influenza, ...	.	.	1	.	1	.	.	.	.	.	.	.	3	.	.	1	2	1	2	3	1	1	6	4	2	3
Pneumonia, ...	6	12	9	2	6	3	7	6	8	4	18	11	5	7	18	8	14	18	16	20	28	19	20	22	22	14
Tuberculous Phthisis, ..	28	14	15	9	18	19	18	20	22	21	15	17	12	25	27	19	20	20	17	22	17	15	14	15	24	19
Disease, Other Forms, ..	6	9	5	10	7	15	6	1	8	9	7	5	3	4	9	7	8	6	6	7	8	6	4	6	5	6
Cancer, Malignant Disease, ..	4	9	10	6	10	7	8	9	6	18	7	8	8	3	6	10	8	17	7	11	10	8	6	4	8	7
Diseases of Heart and Blood Vessels, ...	14	25	22	19	20	15	17	20	27	14	28	15	18	19	17	19	33	32	27	31	29	25	21	37	29	31
Diseases of Respiratory System,	12	10	6	9	8	12	8	12	8	18	18	9	13	11	14	15	22	22	32	29	23	26	30	41	20	33
Violent Deaths, ...	6	5	5	3	3	2	7	4	3	2	4	5	1	4	2	3	4	6	4	5	4	4	2	2	4	4
Number of Uncertified Deaths, ..	4	1	4	4	3	4	2	5	2	2	3	1	4	4	6	4	5	4	2	3	4	5	7	10	3	3
Mean Temperature of the Air (Phœnix Park), ...	59·4	55·6	58·6	62·4	58·8	56·2	53·7	50·9	49·0	52·0	58·6	53·3	51·5	51·1	40·8	45·0	41·9	37·7	38·4	41·8	39·1	41·4	33·5	45·9	45·4	42·1
Average Mean Temperature in corresponding week of previous 10 years, ...	60·8	59·2	59·2	57·7	57·9	57·1	56·7	55·2	53·9	53·9‡	53·1	51·5	50·2	48·3	47·1	47·6	45·8	43·7	42·4	43·3	43·0	41·3	42·1‡	40·3	41·3	40·0
Rainfall in inches, ...	·685	1·267	·000	·105	·785	·248	·516	·589	·000	·065	·988	·396	·772	1·896	·134	·117	·738	·037	·251	1·163	1·202	·207	1·188	·849	·128	·986
Mean Humidity of the Air, complete Saturation 1·0	·78	·85	·82	·83	·78	·85	·82	·84	·85	·92	·93	·83	·84	·86	·81	·83	·88	·80	·84	·87	·90	·82	·86	·88	·89	·85

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 15th January, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 15TH JANUARY, 1910.

CLASS	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	CAUSES OF DEATH. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS, ...	375,350	24·6	177	57	13	25	23	49	10	.	.	.	.	5	.	.	1	4	10	14	19	6	7	5	33	4	79	8
	CLASSES.																												
	Deaths in Families of the—																												
I.	PROFESSIONAL AND INDEPENDENT CLASS,..	17,486	15·0	5	.	.	.	1	1	3	.	.	.	.	.	.	.	.	.	.	2	.	.	1			.	2	.
II.	MIDDLE CLASS, ...	87,188	20·9	35	6	3	7	2	13	4	.	.	.	.	.	.	.	1	.	1	3	3	1	2	1	4	1	19	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,428	16·1	84	11	2	3	6	11	1	.	.	.	.	2	.	.	.	1	3	1	1	.	1	1	9	2	16	4
IV.	GENERAL SERVICE CLASS, ...	154,279	24·3	74	34	8	4	10	15	1	.	.	.	.	3	.	.	.	2	5	8	6	3	2	3	12	.	33	4
V.	INMATES OF WORKHOUSES, ...	6,024	—	31	6	.	11	4	9	1	.	.	.	.	.	.	.	.	1	1	.	9	2	1	.	8	1	9	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,709	18·4	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,860	18·7	3	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
II.	MIDDLE CLASS.																												
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	16·6	7	1	.	3	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	4	.
	6. Clerks and Commercial Assistants, ..	30,482	22·3	13	5	1	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	1	1	7	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	23·2	12	.	1	.	1	6	4	.	.	.	.	.	.	.	1	.	1	1	.	.	1	.	2	.	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades, ...	29,801	12·2	7	4	.	.	2	1	.	.	.	.	.	1	.	.	.	1	2	.	.	.	.	.	.	1	4	1
	10. Clothing Trades, ...	23,260	9·0	4	1	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.
	11. Food Supply Trades, ...	9,242	23·6	4	.	1	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	27·5	16	5	1	1	8	6	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	1	6	.	7	2
	13. Petty Shopkeepers, ...	7,994	19·8	3	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1
IV.	GENERAL SERVICE CLASS.																												
	14. Army, Police, Postal Delivery, and Prison Services, &c	18,425	19·4	5	1	1	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	3	.
	15. Domestic Servants, ...	86,608	7·1	5	1	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	43·5	12	4	1	.	2	5	.	.	.	.	.	1	.	.	.	.	1	1	.	.	1	1	4	.	4	1
	17. Hawkers, Porters, Labourers, &c., ..	89,861	28·0	50	28	5	4	6	7	.	.	.	.	.	2	.	.	.	2	4	7	4	3	.	2	6	.	24	3
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates, ...	6,024	—	31	6	.	11	4	9	1	.	.	.	.	.	.	.	.	1	1	.	9	2	1	.	8	1	9	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

	DISTRICTS.	1909-10. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From Diseases in Cols. 5–18.	Total Deaths.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of).	North City, No. 1 (E.)	Nov. 27,	26·4	8·5	15		2								1	2			4		
		Dec. 4,	19·4	1·8	11									1	1	1			3	1	
		,, 11,	30·0	8·5	17		1							1	5	1	2		3		
	(*Office,*	,, 18,	24·7	1·3	14		1									3			4		2
	Clarence-st., Nth.	,, 25,	17·6	.	10										1				8		
	Pop. in 1910	Jan. 1,	21·2	1·8	12									1		2		1	1		1
	(Est.) 29,908.	,, 8,	31·4	1·7	18		1									4		1	3		
		,, 15,	33·1	3·5	19					2						2	1	1	3	1	
	North City, No. 1 (W.)	Nov. 27,	26·4	1·3	20									1	3	2			2	1	
		Dec. 4,	21·1	.	16										3	3	1		4	1	1
		,, 11,	13·2	1·3	10									1	1		1				
	(*Office,*	,, 18,	14·5	.	11										2	1			2		
	Summer-hill.)	,, 25,	22·4	.	17										3	4			3		
		Jan 1,	30·3	.	23										3	1		1	4		1
	Pop. in 1910	,, 8,	15·7	2·6	12					1				1	1	3			2		
	(Est.) 39,574.	,, 15,	30·0	.	23										3		1		8		2
	North City, No. 2.	Nov. 27,	24·0	1·7	14									1		2			2		
		Dec. 4,	24·0	1·7	14										1	2			5	1	
		,, 11,	30·9	5·1	23					1				1	4	2			3	1	
	(*Office,*	,, 18,	37·7	5·1	22					2				1	1	1	2	2	4	1	
	Lisburn-street.)	,, 25,	24·0	1·7	14									1	1	2		1	1		2
		Jan. 1,	29·2	5·1	17									1	2	3			1		
	Pop. in 1910	,, 8,	25·4	5·1	15			1	2							1	1		2		1
	(Est.) 30,744.	,, 15,	13·6	.	8														4		1
	North City, No. 3.	Nov. 27,	23·6	1·6	15									1	2	2	1	2	4		
		Dec. 4,	28·6	.	15										1	1			2		
		,, 11,	23·6	1·6	15									1	1	3		2			1
	(*Office,*	,, 18,	17·3	1·6	11						1				1	1			3		
	Benburb-street.)	,, 25,	28·3	1·6	18									1	4	2		1	1	1	
		Jan. 1,	22·0	.	14										1	2		1	2		1
	Pop. in 1910	,, 8,	17·1	1·6	11									1	2	2	1				
	(Est.) 33,559.	,, 15,	18·6	1·6	14					1					1	1		2	2		1
	South City, No. 1.	Nov. 27,	22·9	1·3	18			1							1		2		5	1	
		Dec. 4,	19·1	2·5	16						1			1	3	3			2		1
		,, 11,	30·5	.	24										2	1		2	5	1	
	(*Office,*	,, 18,	19·1	1·3	15			1								1	1	3	1	1	1
	Sth. Earl-street.	,, 25,	16·5	.	13										2	1			6		
		Jan 1,	34·8	1·3	27					1							1		10		1
	Pop. in 1910	,, 8,	16·3	1·3	13		1									1		1	3		
	(Est.) 41,476.	,, 15,	21·4	1·3	17									1	1	3	2	2	5	1	1
	South City, No. 2.	Nov. 27,	17·0	2·4	7									1	1			1	1		
		Dec. 4,	19·4	.	8												1		4		
		,, 11,	21·8	.	9										2	2			2	1	
	(*Office,*	,, 18,	14·2	2·4	10					1					3	2	1		1		
	Castle-street.)	,, 25,	24·2	.	10										2	1	1		1		
		Jan. 1,	43·6	.	18										2	3			7		1
	Pop. in 1910	,, 8,	16·8	.	7											3	1		2		
	(Est.) 21,754.	,, 15,	38·4	2·4	16									1		4	1		3	1	1
	South City, No. 3.	Nov. 27,	19·5	.	16										2	1	1		3		
		Dec. 4,	20·7	.	17										1		1	1	4	1	
		,, 11,	20·7	1·2	17										1	4	3		5		1
	(*Office,*	,, 18,	13·4	.	11			1							3		1		1		1
	Peter street.)	,, 25,	20·7	.	17										2		2	2	6		1
		Jan. 1,	36·6	2·4	30									2	3	3	2		4	1	2
	Pop. in 1910	,, 8,	30·2	1·2	25										3	3	2	2	2	1	
	(Est.) 43,227.	,, 15,	21·7	.	18					1						5	1		3	1	
	South City, No. 4.	Nov. 27,	33·8	.	23										3	3	2		9		
		Dec. 4,	39·7	.	27										7	4	1	1	4		
		,, 11,	27·9	.	19										6	1			3		
	(*Office,*	,, 18,	20·6	.	14										3	1		1	3		1
	Grand Canal-st.)	,, 25,	16·2	.	11											1	1		5		1
		Jan. 1,	6·1	1·5	18					1					1			1	2		
	Pop. in 1910	,, 8,	27·6	.	19										4	4		1	1	1	2
	(Est.) 35,881.	,, 15,	24·7	.	17										2	1		2	3		

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1909-10. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From all Causes	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From Diseases in Cols. 5-18.	Total Deaths.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia* * (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	Nov. 27,	15·7	·	11	·	·	·	·	·	·	·	·	·	1	1	·	·	·	2	1
	Dec. 4,	22·8	·	16	·	·	·	·	·	·	·	·	·	1	1	1	2	3	1	·
	,, 11,	10·0	1·4	7	·	·	·	·	1	·	·	·	·	·	1	·	1	1	·	1
	,, 18	17·1	·	1·	·	·	·	·	·	·	·	·	·	2	·	·	·	4	·	·
	,, 25,	20·0	2·9	14	·	·	1	·	1	·	·	·	·	·	1	·	1	1	·	2
	Jan. 1,	15·7	1·4	11	·	·	1	·	·	·	·	·	·	·	1	·	·	3	·	1
	,, 8	15·5	·	11	·	·	·	·	·	·	·	·	·	1	1	·	·	2	1	·
	,, 15,	15·5	1·4	11	·	·	·	·	1	·	·	·	·	2	·	·	·	1	·	·
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	Nov. 27,	12·3	·	7	·	·	·	·	·	·	·	·	·	2	1	·	·	·	·	·
	Dec. 4,	20·1	·	11	·	·	·	·	·	·	·	·	·	·	1	·	1	1	·	1
	,, 11,	27·4	·	15	·	·	·	·	·	·	·	·	·	3	1	·	2	·	·	·
	,, 18,	22·0	·	12	·	·	·	·	·	·	·	·	·	1	2	·	2	1	·	·
	,, 25,	16·5	·	9	·	·	·	·	·	·	·	·	·	·	1	·	·	2	·	·
	Jan. 1,	22·0	·	12	·	·	·	·	·	·	·	·	·	3	·	1	·	3	·	1
	,, 8,	10·3	·	6	·	·	·	·	·	·	·	·	·	·	1	·	1	2	·	·
	,, 15,	5·4	·	3	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	Nov. 27,	11·8	3·0	4	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·	1
	Dec. 4,	17·8	·	6	·	·	·	·	·	·	·	·	·	1	1	1	·	·	·	·
	,, 11,	5·9	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	,, 18,	20·7	·	7	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·
	,, 25,	35·5	3·0	12	·	·	·	·	1	·	·	·	·	3	·	·	·	1	·	1
	Jan. 1,	3·0	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
	,, 8,	32·5	·	11	·	·	·	·	·	·	·	·	·	5	2	·	·	1	·	·
	,, 15,	29·6	3·0	10	·	·	·	·	1	·	·	·	·	·	1	·	1	·	·	1
Belfast. Pop. in 1910 (Est.) 391,167.	Nov. 27,	22·5	1·1	167	·	·	·	·	7	·	·	·	1	5	8	16	1	42	3	1
	Dec. 4,	19·8	1·3	147	·	·	·	·	6	1	·	·	3	31	11	4	3	41	5	3
	,, 11,	29·4	2·4	18	·	·	·	·	15	·	·	1	2	25	26	11	7	53	5	3
	,, 18,	23·9	1·3	177	·	·	·	·	9	·	·	·	1	28	14	4	5	37	6	2
	,, 25,	19·4	1·5	144	·	·	·	·	10	·	·	·	1	22	17	4	5	39	4	3
	Jan. 1,	25·9	2·0	192	·	·	·	·	13	1	·	·	1	24	13	6	3	41	3	1
	,, 8,	19·7	2·3	148	·	·	·	·	12	1	·	2	2	12	14	4	2	28	3	2
	,, 15,	21·7	1·7	170	·	·	·	·	13	·	·	·	·	20	14	10	10	31	8	1
Cork. Pop. (in 1901) 76,122.	Nov. 27,	16·0	1·4	36	·	·	1	·	·	·	·	1	·	2	3	2	1	9	·	2
	Dec. 4,	25·3	1·4	37	·	·	·	·	·	·	·	1	1	3	5	·	1	7	·	3
	,, 11,	1·5	1·4	27	·	·	·	·	·	·	·	·	2	5	4	1	·	3	·	2
	,, 18,	23·3	0·7	34	·	1	·	·	·	·	·	·	·	2	4	·	·	5	1	4
	,, 25,	11·6	0·7	17	·	·	·	·	·	·	·	·	1	·	4	·	·	5	·	1
	Jan. 1,	28·8	0·7	42	·	·	·	·	·	·	·	1	·	3	7	3	1	4	·	4
	,, 8,	18·5	1·4	27	·	·	·	·	·	1	·	1	·	2	7	·	1	3	·	
	,, 15,	23·3	0·7	34	·	·	1	·	·	·	·	·	·	5	1	3	1	6	·	
Londonderry. Pop. in 1910 (Est.) 43,477.	Nov. 27,	13·3	·	11	·	·	·	·	·	·	·	·	1	1	1	·	1	2	·	·
	Dec. 4,	23·0	1·2	19	·	·	·	·	·	·	·	·	1	·	·	·	2	6	1	·
	,, 11,	19·3	·	16	·	·	·	·	·	·	·	·	·	2	3	1	·	2	1	2
	,, 18,	18·1	·	15	·	·	·	·	·	·	·	·	·	1	3	1	·	5	·	1
	,, 25,	18·1	1·2	15	·	1	·	·	·	·	·	·	·	·	1	1	·	5	·	1
	Jan. 1,	21·7	·	18	·	·	·	·	·	·	·	·	·	·	1	1	·	7	·	·
	,, 8,	20·4	1·2	17	·	·	·	·	·	·	·	·	1	3	·	·	1	2	·	·
	,, 15	22·8	·	19	·	·	·	·	·	·	·	·	·	1	2	·	3	5	·	2
Limerick. Pop. (in 1901) 38,151.	Nov. 27,	16·4	·	12	·	·	·	·	·	·	·	·	·	·	2	·	1	4	·	1
	Dec. 4,	13·7	2·7	10	·	·	·	·	2	·	·	·	·	·	3	1	1	1	·	
	,, 11,	17·8	·	13	·	·	·	·	·	·	·	·	·	·	1	·	1	3	·	4
	,, 18,	15·0	·	11	·	·	·	·	·	·	·	·	·	1	·	·	·	7	·	3
	,, 25,	16·4	·	12	·	·	·	·	·	·	·	·	·	·	2	1	·	3	·	1
	Jan. 1,	21·9	1·4	16	·	·	·	·	1	·	·	·	·	·	1	·	·	5	·	4
	,, 8,	21·9	2·7	16	·	·	·	·	2	·	·	·	·	·	2	1	1	4	·	1
	,, 15,	30·1	·	22	·	·	·	·	·	·	·	·	·	1	4	1	·	9	·	1
Waterford. Pop. (in 1901) 26,769.	Nov. 27,	25·3	·	13	·	·	·	·	·	·	·	·	·	1	·	·	3	4	·	·
	Dec. 4,	19·5	1·9	10	·	·	·	·	1	·	·	·	·	·	·	·	·	3	·	1
	,, 11,	11·7	·	6	·	·	·	·	·	·	·	·	·	·	·	1	·	2	·	2
	,, 18,	33·1	3·9	17	·	·	·	·	1	·	·	·	1	·	4	·	·	5	1	3
	,, 25,	18·6	·	7	·	·	·	·	·	·	·	·	·	·	·	·	1	2	·	·
	Jan. 1,	11·7	1·9	6	·	·	·	·	1	·	·	·	·	·	·	1	·	·	·	1
	,, 8,	11·7	·	6	·	·	·	·	·	·	·	·	·	·	1	·	·	3	·	·
	,, 15,	23·4	3·9	12	·	·	·	·	2	·	·	·	·	·	2	·	·	1	·	·

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 15th January, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS																													
			Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.						DEATHS FROM																					
			All Causes.	Diseases in Cols. 12-20.		Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease		Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
																						Phthisis.	Other Forms									
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)			
City of Belfast.																																
BELFAST URBAN No. 1 DISTRICT,		18			5	.	1	.	1	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	2	1	1	1	.			
Do. 2 do.		24			19	1	1	.	6	5	6	.	.	.	.	1	.	.	.	.	.	3	1	.	5	1	2	2	.			
Do. 3 do.		25			17	6	2	.	2	1	6	.	.	.	.	3	.	.	.	.	3	.	.	.	3	1	2	2	.			
Do. 4 do.		30			14	7	.	.	2	2	3	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	.	6	.			
Do. 5 do.		3			7	1	2	1	1	2	.	.	.	.	.	2	.	.	.	.	.	.	2	1	.	.	.	1	.			
Do. 6 do.		11			10	3	.	.	.	2	5	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.	1	2	.			
Do. 7 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Do 8 do.	(349,180)	3			5	1	2	.	2	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2	1	1	.			
Do. 9 do.		15			12	3	1	1	1	3	3	.	.	.	.	1	.	.	.	.	2	.	.	2	1	1	1	3			
Do 10 do.		14			15	7	2	2	.	.	4	.	.	.	.	.	.	.	.	.	3	3	1	.	3	1	1	1	1			
Do. 11 do.		14			18	3	.	1	3	4	2	.	.	.	.	.	.	.	.	.	.	2	.	1	3	1	2	3	.			
Do. 12 do.		23			30	9	6	2	3	5	5	.	.	.	.	3	.	.	.	.	6	.	3	3	5	1	1	3	.			
Do. 13 do.		6			6	2	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.			
Do. 14 do.		.			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.			
Do. 15† do.		10			16	4	4	2	3	2	1	.	.	.	.	1	.	.	.	.	3	3	2	.	.	.	.	4	.			
Total, ...	—	192	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		170	48	21	9	24	28	40	.	.	.	.	13	.	.	.	.	20	14	10	10	31	8	13	29	1			
City of Cork.																																
CORK URBAN No. 1 DISTRICT,	12,867	2	24·8	.	6	.	.	1	.	1	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.			
Do. 2 do.	10,701	3	14·6	4·9	3	.	1	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.			
Do. 3 do.	9,978	7	10·5	.	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.			
Do. 4 do.	8,666	4	30·1	.	5	1	.	.	1	.	3	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	1	.			
Do. 5 do.	6,892	.	31·6	.	4	.	.	1	.	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.			
Do. 6 do.	10,702	8	21·4	.	5	.	1	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	.	2	.			
Do. 7 do.	16,616	4	28·2	.	9	1	.	1	1	4	2	.	.	.	.	.	.	.	.	.	3	.	.	1	1	.	.	6	.			
Total, ...	76,122	28	23·3	0·7	34	2	2	4	3	7	16	.	.	1	.	.	.	.	.	.	5	1	3	1	6	.	.	15	.			

*Formerly described as Simple Continued Fever.

† New district formed as from 1st Jan., 1910, and the boundaries of Nos. 1, 4 & 6 districts altered. The population of each of these districts, as at present constituted, is not available.

TABLE IX.—**City of Belfast.**—Comparative Tables of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1909-10—Week ending																								
	July 24.	July 31.	Aug. 7.	Aug. 14	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.
No. of weeks in annual Series, ..	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2
BIRTHS registered, ...	216	180	221	205	245	182	174	204	181	186	194	208	228	218	202	205	174	180	168	189	190	181	170	215	278	192
DEATHS registered, ...	113	97	108	105	116	129	119	124	98	121	99	95	104	96	116	116	130	134	167	147	218	177	144	192	148	170
Annual Death rate per 1,000 of estimated Population, ...	15·2	13·1	14·6	14·2	15·6	17·4	16·1	16·7	12·5	16·3	13·4	12·8	14·0	12·9	15·6	15·6	17·5	18·1	22·5	19·8	29·4	23·9	19·4	25·9	19·7	22·7
AGES— Under 1 year, ...	28	21	19	26	37	50	43	44	24	35	30	21	24	17	22	28	30	28	41	44	62	41	33	48	36	43
1-5 years, ...	15	6	9	5	8	12	6	13	13	13	14	10	8	11	14	11	8	14	27	14	21	18	22	25	23	21
5-20 years, ...	6	8	12	13	14	6	6	7	4	11	8	5	9	9	9	7	11	4	11	10	18	13	10	12	8	9
20-40 years, ...	22	15	21	22	20	17	18	16	14	15	16	12	23	14	27	22	23	22	20	20	31	22	23	28	17	24
40-60 years, ...	22	24	24	21	17	23	21	20	19	17	17	20	15	26	13	19	27	28	31	23	33	33	20	34	26	28
60 years and upwards, ..	20	23	23	18	20	21	25	25	19	30	14	27	25	19	31	29	31	38	37	36	53	50	36	45	38	49
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	3	3	5	.	4	4	2	5	7	7	4	3	2	.	5	4	4	4	7	6	15	9	10	13	12	13
Diphtheria, ...	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	1	.
*Pyrexia** (origin uncertain), ..	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	3	.	.	.	.	.	.	.	.	.	2	2	3	.	.	.	2	.	.	.	1	.	.	.	2	.
Diarrhœal Diseases, ...	3	5	7	.	17	28	20	16	15	13	11	11	5	5	3	4	2	2	1	3	2	1	1	1	2	.
Pneumonia, ...	6	8	6	9	6	6	3	5	4	3	6	8	9	5	8	15	18	17	25	31	25	28	22	34	12	20
Tuberculous Disease, (Phthisis, ..	11	12	17	13	17	11	9	13	4	17	12	7	11	9	14	6	14	8	8	11	26	14	17	13	14	14
Tuberculous Disease, (Other Forms, ..	5	5	8	3	8	5	3	7	4	8	6	2	5	5	10	2	11	3	16	4	11	4	4	6	4	10
Cancer, Malignant Disease, ..	7	7	6	4	5	11	8	7	8	6	6	8	2	4	3	5	7	7	1	3	7	5	5	3	2	10
Diseases of Respiratory System,	18	6	8	11	5	8	8	15	6	15	5	9	10	12	14	21	17	31	42	41	53	37	39	41	28	31
Violent Deaths, ...	4	1	4	3	3	3	2	.	2	1	3	1	2	4	2	3	2	2	3	5	5	6	4	3	3	8
Number of Uncertified Deaths, ..	1	2	1	.	.	.	.	1	.	.	.	1	.	1	1	2	1	.	1	3	3	2	3	1	2	1

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	Jan. 15,	2,242	1,367	14·6	.	17	2	15	33	.	15
EDINBURGH, ...	360,276	„ 15,	124	107*a*	15·5	.	6	.	3	.	1	4
GLASGOW,... ...	884,505	„ 15,	436	277*a*	16·3	.	31	6	3	2	3	4
CALCUTTA, ...	1,009,008	Dec. 11,	.	621	32·0	2	.	.	.	2	107‡	74*
BOMBAY, ...	977,822	„ 14,	492	556	29·6	6	.	.	.	1	41‡	51*
MADRAS, ...	548,974	Nov. 26,	379	296	30·2	.	3	?	?	?	89	31
CAIRO, ...	704,836	„ 25,	521	394	29·1	.	2	.	13†	?	7	74
PARIS, ...	2,760,000	Jan. 1,	993	897	17·1	.	15	1	9†	5	2	21
BRUSSELS, ...	704,975	Dec. 25,	198	190	14·0	.	2	.	1†	1	1	8
ANTWERP,... ...	314,135	„ 25,	123	76	12·6	1	1	.	.	1	.	7
AMSTERDAM, ...	567,367	„ 25,	267	170	15·6	.	3	.	.	2	1	1
COPENHAGEN, ...	451,000	„ 25,	214	108	12·5	.	.	3	1†	.	.	1
STOCKHOLM, ...	339,582	„ 25,	143	87	13·3	.	2	.	2†	1	.	4
CHRISTIANIA, ...	235,674	Jan. 1,	138	71	15·7	.	1	.	2†	.	.	3
ST. PETERSBURG, ...	1,573,000	Dec. 11,	993	646	21·4	13	32	16	23	10	2	48*
MOSCOW, ...	1,359,886	„ 4,	.	748	28·7	1	12	46	40†	16	13	52*
BERLIN, ...	2,118,568	„ 11,	776	564	13·9	.	1	22	13†	2	2	31
HAMBURG, ...	872,252	„ 25,	.	249	14·8	.	4	1	10†	4	.	9
BRESLAU, ...	507,787	„ 25,	.	204	20·9	.	.	.	1	5	3	11
MUNICH, ...	566,000	Jan. 1,	.	170	15·6	.	1	1	1†	1	.	14
VIENNA (with suburbs),	2,064,037	Dec. 25,	777	632	15·8	.	4	4	6†	1	2	26
BUDA-PESTH, ...	823,215	„ 25,	390	291	18·3	.	3	6	1†	1	6	11
PRAGUE and Faubourgs.	494,531	„ 11,	180	160	16·8	.	3	1	6†	.	.	3
TRIESTE, ...	219,777	„ 18,	156	105	24·9	.	.	.	.	1	.	1
ROME, ...	574,666	Oct. 9,	237	162	14·7	.	1	.	1	1	7	17
VENICE, ...	179,286	Nov. 13,	79	71	20·7	.	1	.	.	1	1	7
NEW YORK, .	4,564,792	Dec. 18,	3,043	1,549	17·7	.	16	20	39†	.	10	44
PHILADELPHIA, ..	1,565,569	„ 4,	.	426	14·1	.	.	2	14†	.	2	14
BOSTON, ...	622,970	„ 25,	.	228	19·1	.	1	1	8	.	1	4

a Including one death from cerebro-spinal meningitis in Edinburgh, and 2 deaths in Glasgow.
* Including 21 deaths from cholera in Calcutta, one in Bombay, 2 in St. Petersburg and 4 in Moscow.
† Including deaths from croup.
‡ Exclusive of 3 deaths from plague in Calcutta and 8 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 15th January, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	.	.	.	.	.	.	.	2	.	.	.	2
" " 2,	.	.	.	.	.	.	.	1	.	.	.	.	1
" " 3,	.	1	.	.	2	.	.	1	1	.	.	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	2	.	.	.	.	2
Coolock and Drumcondra (part of),	.	.	.	.	1	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
South City No. 1,	.	.	.	.	.	.	.	1	6	.	.	2	9
" " 2,	.	.	.	.	.	.	.	.	1	.	.	3	4
" " 3,	.	.	.	.	.	.	.	1	1	.	.	.	2
" " 4,	.	3	.	.	1	.	.	.	.	.	.	1	5
New Kilmainham,	.	.	.	.	1	.	.	.	2	.	.	1	4
Total,	.	5	.	.	5	.	.	5	14	.	.	7	36

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 15th January, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 15th January.			
	Dec. 25.	Jan. 1.	Jan. 8.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	18	17	20	2	8	.	14
Scarlet Fever,	78	71	63	9	2	.	70*
Typhus,	6	6	4	.	2	.	2
Diphtheria,	37	38	36	6	7	2	33
Enteric Fever,	40	44	44	6	9	.	41
Pneumonia,	31	29	26	8	9	.	25

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 15th January, 1910:—

"An unsettled, blustering, rainy week succeeded the stagnant, rainless period which ushered in the New Year. Atmospheric pressure was very low—at times, extremely low—in the Iceland region, whereas a 'tongue' of high barometer stretched from the Azores to the Peninsula and thence to Central Europe. From this distribution of pressure resulted strong S.W. winds, and the changeable, open, rainy weather which prevailed in the British Isles and Norway. At 7 a.m. of Sunday the barometer read 28·59 inches at Isafjord, in the N.W. of Iceland, but 30·51 inches at Lyons. Moderate to fresh gales from S.W. blew over Ireland, and temperature rose to 55° in many places, to 56° in Dublin and 57° at Colwyn Bay. In the evening of this day the unusually low barometric reading of 27·89 inches was reported from Thorshavn in the Faeroe, and at night a strong to a whole gale was felt on the north-western and northern coasts of the British Isles. Temperature gave way on Monday, and thunder, lightning, and hail occurred in many places. On Tuesday frequent squalls of hail, sleet and snow passed over Dublin. Snow fell at night, the ground being white during some hours of Wednesday forenoon. The wind subsequently veered to N.N.W. and moderated. But this improvement was shortlived, for by Thursday morning another deep depression reached the S.W. of Iceland, spreading thence southeastwards to Ireland and Scotland. Friday morning found the conditions of Sunday reproduced, for the barometer was down to 28·75 inches at Reykjavik in Iceland, but as high as 30·56 inches at Biarritz and Belfort in France. On Saturday a subsidiary depression swept across Ireland, causing rain, high temperature, and a brisk gale. In Dublin the mean height of the barometer was 29·808 inches, the range being from 29·506 inches at 9 a.m. of Sunday (wind, S.W.) to 30·130 inches at 9 a.m. of Thursday (wind, S.W.). The corrected mean temperature was 43·7°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 42·8°. On Sunday the screened thermometers rose to 56·2°, on Wednesday they fell to 32·6°. S.W. winds prevailed. Rain fell daily, the total measurement being ·776 inch, and the maximum in 24 hours ·238 inch on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·640 inches. The highest reading (29·960) was on Thursday at 9 a.m., air calm, and the lowest (29·341) on Sunday at 9 a.m., wind S.W.

The mean temperature for the week was 42·1°, being 2·1° above the average for the corresponding period of the 10 years, 1900–1909. The temperature was highest on Sunday, on which day the thermometer registered 54·9°, and was lowest on Wednesday, the mercury having fallen to 31·0°. The mean of the Dry Bulb for the week was 42·1° and of the Wet Bulb 40·2°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The rainfall during the week measured 0·986 inch.

At Greenwich the mean temperature for the week was 43·9°, the maximum 53·1°, and the minimum 31·0°; at Glasgow the maximum was 53·0°, the minimum 26·8°, and the mean 39·3°; and at Edinburgh the maximum was 51·7°, the minimum 29·3°, and the mean 38·9°. The rainfall at Greenwich measured 0·30 in., at Glasgow 1·60 ins., and at Edinburgh 1·48 ins.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY.	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	THERMOMETER. Maximum.	THERMOMETER. Minimum.	THERMOMETER. Mean.	HYGROMETER. Dry Bulb.	HYGROMETER. Wet Bulb.	HYGROMETER. Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, January 9,	29·398	54·9	40·7	47·8	49·8	47·8	·87	·5	0·0	·167	S.W.	S.W.
Monday, „ 10,	29·685	46·6	35·4	41·0	40·3	38·0	·82	·5	3·8	·300	S.W.	S.W.
Tuesday, „ 11,	29·475	40·6	32·2	36·4	33·2	32·4	·91	·6	1·2	·115	S.W.	S.W.
Wednesday, „ 12,	29·589	39·3	31·0	35·2	33·2	31·4	·82	·6	2·9	·130	S.W.	W.S.W.
Thursday, „ 13,	29·821	50·2	31·9	41·1	43·9	41·8	·83	·5	0·0	·090	Calm.	S.W.
Friday, „ 14,	29·800	50·8	43·9	47·4	46·1	44·0	·86	·6	2·3	·034	W.S.W.	S.W.
Saturday, „ 15,	29·712	53·3	37·4	45·4	48·3	46·3	·81	·6	0·0	·150	Calm.	S.W.
Mean,	29·640	48·0	36·1	42·1	42·1	40·2	·85	·6	Total 10·2	Total ·986	Prevailing Wind, S.W.	

Sunday—Day overcast, passing showers; night clear. *Monday*—Day cloudy to overcast, passing showers p.m.; night overcast, rain and snow a.m. *Tuesday*—Day cloudy to overcast, passing showers, snow; night cloudy, passing showers, snow a.m. *Wednesday*—Day overcast to cloudy, snow a.m. and p.m.; night clear. *Thursday*—Day overcast, rain a.m. and p.m.; night overcast, rain a.m. *Friday*—Day cloudy to overcast, light rain p.m.; night clear. *Saturday*—Day overcast, passing showers; night clear, light rain a.m.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, January 15th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Min.	Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs	ins.
Sunday, January 9	51·5	42·9	44·8	56·7	42·6	44·7	—	·080
Monday, „ 10,	42·4	43·5	44·9	48·1	37·9	48·0	3·00	·240
Tuesday, „ 11,	35·6	42·0	44·9	42·2	33·5	37·9	1·25	·115
Wednesday, „ 12,	34·0	40·0	44·9	40·7	32·1	36·4	2·10	·075
Thursday, „ 13	39·8	39·2	44·9	51·1	34·1	42·6	—	·025
Friday, „ 14,	46·6	41·1	44·2	51·7	40·9	46·3	1·50	·040
Saturday, „ 15,	44·8	42·0	44·0	54·3	41·0	47·2	—	·145
Weekly Mean,	42·5	41·5	44·7	49·3	37·4	43·3	Total 7·85	Total ·720

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

(27693.) Wt. P. 345. 375. 11. 1909. G. III. Sch. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 22ND JANUARY, 1910. [No. 3.

General Register Office, Charlemont House, Dublin, 24th January, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending				Average Rate for 4 weeks.	TOWNS, &c.	Week ending				Average Rate for 4 weeks.
	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.			Jan. 1.	Jan. 8.	Jan 15.	Jan. 22.	
22 Town Districts.	**25·4**	**19·7**	**22·3**	**19·1**	**21·6**	Limerick, . . .	21·9	21·9	30·1	20·5	23·6
						Lisburn, . . .	36·4	27·3	45·5	13·6	30·7
Armagh, . . .	20·6	13·7	20·6	13·7	17·2	Londonderry, . .	21·7	20·4	22·8	14·4	19·3
Ballymena, . . .	43·1	23·9	9·6	33·5	27·5	Lurgan, . . .	13·3	8·9	22·1	8·9	13·3
Belfast, ...	25·9	19·7	22·7	16·7	21·3	Newry, . . .	37·8	29·4	12·6	37·8	29·4
Clonmel, . . .	15·4	10·3	.	20·5	11·6	Newtownards, .	28·6	22·9	11·4	28·6	22·9
Cork, ...	28·8	18·5	23·3	15·1	21·4	Portadown, . .	31·0	20·7	15·5	10·3	19·4
Drogheda, . . .	20·4	4·1	24·5	20·4	17·4	Queenstown, . .	.	19·8	6·6	13·2	9·9
Dublin Reg. Area, .	25·9	21·1	22·1	22·5	22·9	Sligo, ...	43·2	24·0	9·6	4·8	20·4
Dundalk, . . .	8·0	12·0	23·9	23·9	17·0	Tralee, . . .	15·9	31·7	42·3	31·7	30·4
Galway, . . .	27·2	7·8	19·4	11·7	16·5	Waterford, . . .	11·7	11·7	23·4	17·5	16·1
Kilkenny, . . .	39·3	19·7	14·7	4·9	19·7	Wexford, . . .	23·3	9·3	23·3	32·7	22·1

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·3 per 1,000, the rates varying from 0·0 in sixteen of the districts to 5·7 in Newtownards, the 5 deaths from all causes for that district including one from whooping-cough. Among the 125 deaths from all causes for Belfast are 13 from whooping-cough and one from diphtheria; and of the 6 deaths from all causes for Dundalk one is from enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 197—98 boys and 99 girls—and the deaths to 181—80 males and 101 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 23·4 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 22·5 per 1,000. During the three weeks, ending with Saturday last, the death-rate averaged 22·9, and was 5·9 below the mean rate for the corresponding portions of the ten years 1900-9.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*). Table II. ‡ See columns 10-18 of Table II.

Among the deaths there were 4 from whooping-cough, 3 from diphtheria, and 4 deaths from diarrhœal diseases of infants under one year of age. In each of the three preceding weeks, deaths from whooping-cough were one, 3, and 5 ; deaths from diphtheria were one, one, and 0 ; and deaths from diarrhœal diseases were 4, 2, and 4. The deaths of 5 persons were attributed to influenza, which in the three preceding weeks had caused 4, 2, and 3 deaths, respectively.

Of 21 deaths from pneumonia, one was caused by lobar pneumonia, 12 by broncho-pneumonia, and in 8 instances by *pneumonia* (not defined).

Deaths from all forms of tuberculous disease, which had been 21, 29, and 25 in each of the three weeks preceding, were 27 in the weekly period under notice ; the latter figure includes 21 deaths from tuberculous phthisis (*phthisis*), 2 from tuberculous meningitis, one from tuberculous peritonitis, and 3 deaths from other forms of the disease.

There were 4 deaths from carcinoma, one from sarcoma, and 3 from cancer (undefined).

Seven deaths of newly-born infants were caused by prematurity.

Convulsions was the registered cause of death of 7 children, one being under one month, 5 between the ages of one month and one year, and one aged 16 months. There were 10 other deaths from diseases of the brain and nervous system.

Diseases of the heart and blood vessels caused 29 deaths, and bronchitis accounted for the deaths of 25 persons.

The one death attributed to violence was returned by the Coroner as being the result of wilful murder.

In 13 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the deaths of 6 children under 5 years of age (including 5 infants under one year old) and the deaths of 3 persons aged 60 years and upwards.

Fifty-seven of the persons whose deaths were registered during the week were under 5 years of age (34 being infants under one year, of whom 11 were under one month old) and 53 were aged 60 years and upwards, including 35 persons aged 70 and upwards, of whom 7 were octogenarians, and one (a woman) was stated to have been aged 91 years.

Seventy-seven of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 15 took place in the North Dublin Union Workhouse, and 20 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 22·5 per 1,000 ; the rate in the City was 22·9 (North City Districts, 21·0; South, 24·8) and in the Suburbs, 21·4.

The deaths from certain epidemic diseases* in the entire area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·3 (1·0 in the North City Districts, and 1·7 in the South), and for the Suburbs, 1·7.

No. 1 North City District, East (Clarence-street, North).—The deaths (7) are equal to an annual rate of 12·3 per 1,000, and include one death from broncho-pneumonia, one death from tuberculous phthisis, and one death from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (17) are equal to an annual rate of 22·2 per 1,000. Among the deaths there was one from *pneumonia* (not defined), there were 4 from tuberculous phthisis (*phthisis*), and one from tuberculous meningitis

No. 2 North City District (Lisburn-street).—The deaths (18) are equivalent to an annual rate of 30·5 per 1,000. There was one death from each of the following diseases :—Whooping-cough, epidemic enteritis, broncho-pneumonia, tuberculous phthisis, and tuberculous meningitis. There were 2 deaths from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (12) represent an annual rate of 18·6 per 1,000. The deaths included one from epidemic enteritis, one from lobar pneumonia, 3 from broncho-pneumonia, and 2 from tuberculous disease.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are :—Clontarf and Howth, No. 1, part of, 29·1 per 1,000 inhabitants ; Coolock and Drumcondra, part of, 22·4, and Finglas and Glasnevin, part of, 13·6. Among the 3 deaths from all causes for Clontarf and Howth No. 1, part of, is one from influenza ; the 5 deaths from all causes for Coolock and Drumcondra, part of, include 2 from *pneumonia* (not defined), and one from *phthisis* ; and of the 2 deaths recorded for Finglas and Glasnevin, part of, one is from tuberculous peritonitis.

No. 1 South City District (South Earl-street).—The deaths (14) represent an annual rate of 17·6 per 1,000 Diphtheria caused one death, there was one death from *pneumonia* (not defined), also one death from tuberculous phthisis, and 6 deaths were from bronchitis.

No. 2 South City District (Castle-street).—The deaths (12) are equal to an annual rate of 28·8 per 1,000. Diphtheria caused one death, tuberculous disease 3 deaths, and bronchitis 2 deaths.

No. 3 South City District (Peter-street).—The deaths (25) are equal to an annual rate of 30·2 per 1,000, and include 2 deaths from whooping-cough, and one death from diphtheria, one death from broncho-pneumonia, one death from *pneumonia* (not defined), 4 deaths from tuberculous disease, and 6 deaths from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (21) are equivalent to an annual rate of 30·5 per 1,000. There were 5 deaths from broncho-pneumonia, 2 from tuberculous phthisis, 2 from bronchitis, and one homicidal death.

New Kilmainham District.—There was no death recorded for this district during the week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are :—Rathmines and Rathgar, 18·3 ; Pembroke, 21·6 ; Blackrock, 28·9 ; and Kingstown, 23·7. The deaths from the principal epidemic diseases tabulated for these districts include 2 from *diarrhœa* for Rathmines and Rathgar, and one from whooping-cough for Kingstown. The 13 deaths from all causes for Rathmines and Rathgar include one death each from broncho-pneumonia, *pneumonia* (not defined), and *phthisis*, and 4 deaths from diseases of the respiratory system ; of the 12 deaths from all causes for Pembroke 2 are from *phthisis*, one from *pneumonia* (not defined), and one from bronchitis ; among the 5 deaths from all causes for Blackrock are one death each from influenza and tuberculous phthisis, and 2 deaths from bronchitis ; and of the 8 deaths from all causes for Kingstown 2 are from influenza and one is from *pneumonia* (not defined).

* See Columns 10-18 of Table II.

NOTE Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 22nd January, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Jan. 1,	.	—	—	5	2	.	8	.	1	12	5	.	—	—	.	—	4	—	37
	Jan. 8,	.	—	—	5	.	.	5	.	1	7	15	.	—	—	.	—	33	—	66
	Jan. 15,	.	—	—	5	.	.	5	.	.	5	14	.	—	—	.	—	7	—	36
	Jan. 22,	.	—	—	6	1	.	5	.	1	8	9	.	—	—	.	—	22	—	52
Rathmines and Rathgar Urban District.	Jan. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Jan. 8,	.	—	—	3	.	.	1	.	.	1	.	.	—	—	—	—	—	—	5
	Jan. 15,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	—	—	—	—	3
	Jan. 22,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
Pembroke Urban District.	Jan. 1,	.	1	.	.	.	.	1	.	.	.	.	.	—	2	.	—	—	—	4
	Jan. 8,	.	7	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	—	7
	Jan. 15,	.	.	.	2	.	.	.	.	.	.	.	.	—	.	.	—	—	—	2
	Jan. 22,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	—	.
Blackrock Urban District.	Jan. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Jan. 8,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Jan. 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Jan. 22,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Jan. 1,	.	—	—	.	.	.	.	.	.	.	2	.	—	—	—	—	.	—	2
	Jan. 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	1
	Jan. 15,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	1	—	2
	Jan. 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Jan. 1,	.	—	—	13	.	.	1	.	.	.	9	.	—	—	.	—	15	—	38
	Jan. 8,	.	—	—	19	.	.	1	.	.	4	6	.	—	—	.	—	29	—	59
	Jan. 15,	.	—	—	20	.	.	2	.	.	.	5	.	—	—	—	—	19	—	46
	Jan. 22,	.	—	—	25	.	.	2	1	1	.	8	.	—	—	—	—	16	—	53

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 22nd January, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Four cases of measles were admitted to hospital during the week, 5 were discharged, and 13 cases remained under treatment at the close of the week.

Nine cases of scarlet fever were admitted to hospital, 26 were discharged, and 53 * cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 71, 63, and 70, respectively.

One case of typhus was admitted to hospital during the week, one was discharged, and 2 cases remained under treatment at the close of the week.

Eight cases of diphtheria were admitted to hospital, 3 were discharged, and 38 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 38, 36, and 33, respectively.

Four cases of enteric fever were admitted to hospital during the week, 6 were discharged, and 39 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 7 were discharged, there were 3 deaths, and 22 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 14·5) was equal to an average annual death-rate of 14·8 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 15·5 per 1,000, the rate for Glasgow being 15·5 and for Edinburgh 16·4.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 22nd January. From this Report it appears that of a total of 41 cases notified, 23 were scarlet fever, 8 phthisis, 5 erysipelas, 4 diphtheria, and one enteric fever. Among the 394 cases of infectious diseases in hospital at the close of the week were 183 cases of scarlet fever, 104 of measles, 50 of phthisis, 34 of diphtheria, 7 of erysipelas, 4 of whooping-cough, 3 of chicken-pox, one of cerebro-spinal fever, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 22nd January, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

| TOWNS AND DISTRICTS | Census Statistics of Districts. | | REGISTRATION—WEEK ENDING SATURDAY, 22ND JANUARY, 1910. | | |

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 22nd January, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	1	.	.	.	.	.	.	2	.	.	.	.	.	1	4	.
Diphtheria,	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	3	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	.	1	1	.	.	.	.	.	.	.	.	2	.	.	.	4	.
Pneumonia,	1	1	1	4	.	2	.	1	.	2	5	.	2	1	.	1	21	.
Tuberculous Phthisis,	1	4	1	1	.	1	.	1	2	3	2	.	1	2	1	.	20	1
Disease. Other Forms,	.	1	1	1	.	.	1	.	1	1	.	.	.	.	.	.	6	.
Cancer, Malignant Disease,	.	.	.	1	1	.	.	1	.	1	.	.	1	.	.	1	6	2
Other General Diseases,	1	2	3	1	1	1	.	.	2	.	3	.	.	.	1	2	17	1
Total,	3	8	8	9	2	4	1	4	6	10	10	.	6	3	2	5	81	4
B. LOCAL DISEASES:																		
Diseases of Nervous System,	3	1	2	1	1	.	.	1	1	3	1	.	.	3	.	.	17	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	.	4	2	1	.	1	1	2	2	4	5	.	1	3	1	1	28	1
Respiratory System,	1	1	2	.	.	.	.	6	2	6	2	.	4	1	2	.	27	2
Digestive System,	.	2	1	.	.	.	.	.	1	1	.	.	1	.	.	1	7	.
Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	1	.	.	.	.	.	.	.	.	.	1	2	.	.	4	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	4	8	8	3	1	1	1	9	6	15	8	.	7	9	3	2	85	3
C. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	1	2	.	.	.	.	1	.	.	2	.	.	.	.	1	7	.
E. VIOLENT DEATHS,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Deaths from all Causes	7	17	18	12	3	5	2	14	12	25	21	.	13	12	5	8	174	7
Annual Rate of Mortality from all causes in every 1,000 of the population.	12·2	22·2	30·5	18·6	29·1	22·4	13·6	17·6	28·8	30·2	30·5	.	18·3	21·6	28·9	23·7	22·5	.
	21·0							24·8					21·4					
	22·9																	
Ages at Death. Under 1 year,	4	1	5	3	.	.	.	2	4	2	6	.	3	3	.	1	34	.
1 and under 5 years,	1	1	6	3	1	.	.	2	1	4	3	.	1	.	.	.	23	.
5 „ 20 „	.	1	.	1	.	1	.	1	1	.	2	.	1	.	.	1	10	.
20 „ 40 „	1	5	3	1	.	1	1	1	.	3	2	.	.	1	.	.	19	1
40 „ 60 „	1	3	1	2	.	1	1	3	1	10	5	.	4	3	2	2	39	2
60 years and upwards,	.	6	3	2	2	2	.	5	5	6	3	.	4	4	3	4	49	4
Number of Uncertified Deaths,	1	.	1	1	1	1	.	1	1	2	2	.	1	.	1	.	13	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	7	2	3	.	1	2	1	3	6	1	.	3	5	.	1	37	5
Workhouse Hospitals,	.	4	4	5	1	.	.	6	4	8	.	.	1	.	.	.	33	2

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in corresponding week of the ten years 1900–1909,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Averages in 3rd Week of the 10 years, 1900-1909.	In the Week ending Saturday, 22nd January, 1910.							
												Deaths of Persons of the Ages of							
	Jan. 20, 1900.	Jan. 19, 1901.	Jan. 18, 1902.	Jan. 24, 1903.	Jan. 23, 1904.	Jan. 21, 1905.	Jan. 20, 1906.	Jan. 19, 1907.	Jan. 18, 1908.	Jan. 23, 1909.		All Ages.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 40·7	° 44·7	° 37·3	° 42·2	° 42·4	° 38·6	° 38·5	° 43·0	° 44·5	° 38·8	° 41·1	° 37·6								
ALL CAUSES.	295	209	177	211	195	160	154	214	246	200	206·1	181	11	23	23	10	20	41	45	8
Small-pox	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	9	.	1	1	.	5	.	1	.	9	2·6	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	2	1	2	1	.	.	.	·6	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	24	3	2	2	3	4	.	4	8	2	5·2	5	.	.	.	.	2	2	1	
Whooping-cough,	3	12	.	.	5	.	1	5	.	2	2·8	4	.	1	3	.	.	.	.	.
Diphtheria,	2	.	1	3	.	2	.	2	.	1	1·1	3	.	2	.	1	.	.	.	.
Cerebro-spinal Fever,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	3	1	3	3	1	.	1	3	.	1·7	.	.	.	.	.	.	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.),	6	2	2	.	.	.	.	1	.	.	1·4	2	.	2	.	.	.	.	.	.
Diarrhœa, Dysentery,				1	.	.	1	.	.	1		2	1	1	.	.	.	.	.	.
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	1	2	.	2	.	2	.	1	1	2	1·1	1	.	.	1	.	.	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Infective Endocarditis	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	23	18	8	2	10	6	2	2	1	10	16·1	1	.	.	.	.	1	.	.	.
Pneumonia, Broncho-				.	.	.	5	10	12			12	.	3	6	.	1	2	.	.
Pneumonia, Epidemic				.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Pneumonia, Not defined,				8	6	6	5	7	11	9		8	.	.	1	1	2	1	3	.
Erysipelas,	.	.	1	.	.	.	1	.	1	1	·4	.	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal)	.	1	1	.	2	.	1	.	3	1	1·0	1	.	.	.	.	.	1	.	.
Pyæmia (not Puerperal),				.	1	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	.	.	2	.	·2	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis,	29	19	20	1	10	7	8	14	17	9	24·2	12	.	.	1	2	4	5	.	.
"*Phthisis*,"				28	17	20	15	8	11	9		9	.	.	.	2	3	3	1	.
Tuberculous Meningitis,	9	4	2	4	1	3	2	3	4	3	3·5	2	.	1	.	1	.	.	.	.
Tuberculous Peritonitis,	4	6	2	.	.	.	.	1	1	1	1·7	1	.	.	.	.	1	.	.	.
Tabes Mesenterica,				.	.	1	.	.	.	1		.	.	.	.	.	.	.	.	.
Tuberculous Dis. (other),	4	6	4	1	9	8	3	11	5	4	5·5	3	.	2	.	1	.	.	.	.
Scrofula,				.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Alcoholism,	3	.	.	.	.	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
Rheumatic Fever,	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	1	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Carcinoma,	5	8	1	3	2	1	4	3	5	.	6·6	4	.	.	.	.	.	2	2	.
Sarcoma,				1	.	.	1	.	1	1		1	.	.	.	.	.	1	.	.
Cancer (undefined)				4	5	4	7	5	1	4		3	.	.	.	.	.	.	3	.
Diabetes Mellitus,	.	.	.	1	.	.	1	.	3	1	·6	.	.	.	.	.	.	.	.	.
Premature Birth,	.	3	4	3	7	2	4	7	4	2	3·6	7	7	.	.	.	.	.	.	.

* The figures for the year 1900 are for

†Formerly described as

THIRD WEEK ending Saturday, 22nd January, 1910, with the deaths from each cause in the and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 3rd Week of the 10 years 1900–1909.	In the Week ending Saturday, 22nd January, 1910.							
	Jan. 20, 1900.	Jan. 19, 1901.	Jan. 18, 1902.	Jan. 24, 1903.	Jan. 23, 1904.	Jan. 21, 1905.	Jan. 20, 1906.	Jan. 19, 1907.	Jan. 18, 1908.	Jan. 23, 1909.		Deaths of Persons of the Ages of							
												ALL AGES.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 40·7	° 44·7	° 37·3	° 42·2	° 42·4	° 38·6	° 38·5	° 43·0	° 44·5	° 38·8	° 41·1	° 37·6								
Meningitis (not tuberc.)				6	1	3	3	2	2	2		2	.	1	.	.	1	.	.	.
Insanity, G. P. of Insane				1	5	1	1	1	2	4		3	.	.	.	1	2	.	.	.
Epilepsy				2	2	.	.	.	.	.		1	.	.	.	.	1	.	.	.
Convulsions				12	7	5	4	6	3	5		7	1	5	1	.	.	.	.	.
Locomotor Ataxy				.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord				2	.	1	1	1	2	.		2	.	.	.	.	.	2	.	.
Nervous System (other Dis.)				5	.	1	4	5	1	2		2	.	.	.	.	1	1	.	.
	40	44	43								44·5									
Valv. Dis., Endocarditis				3	6	3	2	9	6	12		7	.	.	.	.	2	4	1	.
Cerebr. Hæm. Thromb.				3	1	3	1	2	5	4		5	.	.	.	.	.	1	4	.
Apoplexy, Hemiplegia				12	2	5	6	4	5	4		6	.	.	.	.	.	1	3	2
Aneurysm				.	1	1	1	.	.	.		.	.	.	.	.	.	.	.	.
Embolism, Thromb. (not cerebral)				.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Heart and Blood Vessels (other Dis.)				18	16	13	14	17	21	14		11	.	.	.	.	1	2	7	1
Croup (not Spasm. nor Memb.)	.	.	1	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Bronchitis	64	33	31	38	27	15	20	30	44	31	33·3	25	1	3	4	.	1	6	9	1
Asthma, Emphysema				.	.	.	1	1	2	2		2	.	.	1	.	.	.	1	.
Pleurisy	5	4	3	.	.	1	.	1	.	.	2·9	1	.	.	.	.	.	.	1	.
Respiratory Dis. (other)				2	1	2	1	1	1	1		1	.	.	.	.	.	.	1	.
Tonsillitis, Quinsy	2	.	.	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.)	.	2	2	2	1	.	1	2	3	7	2·8	3	.	.	1	.	2	.	.	.
Gastro Enteritis				1	.	.	.	2	1	4		.	.	.	.	.	.	.	.	.
Peritonitis (not Puerp.)	1	.	.	.	1	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver	3	3	5	2	.	1	1	.	1	3	2·5	1	.	.	.	.	.	1	.	.
Liver Dis. (other)				.	3	.	.	2	1	.		.	.	.	.	.	.	.	.	.
Digestive Dis. (other)	7	5	5	6	3	5	6	8	6	3	5·4	3	.	1	.	1	1	.	.	.
Nephritis, Acute				2	.	2	1	4	2	1		1	.	.	.	1	.	.	.	.
Bright's Dis., Albuminuria	2	2	8	3	3	3	2	3	4	2	5·2	3	.	.	.	.	2	1	.	.
Urinary Sys. (other Dis.)				.	.	2	2	3	.	1		.	.	.	.	.	.	.	.	.
Generative Organs Dis.	.	.	.	1	1	1	.	1	1	.	·5	.	.	.	.	.	.	.	.	.
Childbirth (Accid. of)	3	1	.	.	.	.	.	.	1	.	·5	1	.	.	.	1	.	.	.	.
Old Age	29	6	11	2	11	5	3	7	7	.	8·1	4	.	.	.	.	.	1	3	
Other Diseases	10	16	17	12	15	7	10	6	23	16	13·2	8	1	1	4	1	.	1	.	
ACCIDENT.																				
By Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses	.	1	.	1	1	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning)	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
In Building Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	3	2	.	1	.	2	4	2	1	2	1·7	.	.	.	.	.	.	.	.	.
By Drowning	1	1	.	1	2	.	.	1	.	.	·6	.	.	.	.	.	.	.	.	.
By Suffocation in Bed	.	.	.	.	.	.	1	.	1	.	·2	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Other Deaths by Accident	.	1	1	1	1	1	2	3	2	3	1·5	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	.	.	.	.	1	.	2	2	.	·2	1	.	.	.	.	1	.	.	.
Suicide	.	.	.	.	.	.	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

the Registration Area as then constituted.
"Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA	1909–10—Week ending																								
	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.
No. of weeks in Annual Series,	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3
BIRTHS registered.	248	196	292	205	261	208	226	207	215	250	198	184	226	208	220	215	238	196	206	174	216	135	232	236	243	197
*Average Births in corresponding week of previous 10 years,**	211	221	193	217	213	206	229	206	199	250	192	185	205	203	210	198	195	181	202	197	190	177	175	227	204	206
DEATHS registered,	143	123	113	157	162	149	134	136	157	141	134	127	124	148	145	177	190	172	180	177	158	155	205	174	177	181
Annual Death-rate per 1,000,	18·7	16·1	14·8	20·6	21·2	19·5	17·5	17·8	20·6	18·8	17·5	16·6	16·2	19·4	19·0	23·2	21·9	22·5	23·6	23·2	20·7	20·3	21·8	22·5	22·9	23·4
*Average Deaths in corresponding week of previous 10 years,**	152	156	158	164	170	165	169	164	171	168	164	166	173	166	179	182	184	187	190	190	187	195	184	217	210	206
AGES, Under 5 years,	46	41	41	58	76	66	88	38	47	85	35	36	41	35	40	45	41	37	42	37	51	44	71	49	57	57
AGES, 5—20 ,,	9	7	7	7	9	8	6	9	8	10	12	6	14	17	10	12	9	8	9	8	10	8	11	12	13	10
AGES, 20—40 ,,	24	17	12	22	22	25	25	26	28	27	20	17	21	33	21	26	28	18	22	26	19	22	19	30	25	20
AGES, 40—60 ,,	32	29	26	30	25	20	28	34	34	27	31	24	25	28	33	38	44	51	47	53	27	31	48	36	23	41
AGES, 60—80 ,,	27	27	23	34	28	26	28	19	33	40	33	38	19	34	33	49	61	52	50	45	39	37	30	37	49	45
AGES, 80 years and upwards,	5	2	4	6	2	4	9	10	7	5	8	6	4	1	8	7	7	6	10	10	12	9	6	10	10	8
Deaths from—																										
Small-pox,	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.	.	.	2	.	1	1	.	.	2	.	.
Measles,	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	1	1	.	1	.	2	.	.	1	.	.	1	1	.	.	1	.	1	.	1	1	1	3	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.
Whooping-cough,	4	4	2	1	5	.	1	2	.	2	3	.	1	1	1	1	2	.	.	2	2	2	1	3	5	4
Diphtheria,	1	1	.	1	1	3	1	1	2	1	1	1	.	.	.	1	2	1	1	.	2	.	1	1	.	3
Pyrexia † (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	.	.	1	1	2	2	3	1	.	1	.	1	1	1	.	1	1	1	.	3	2	.	1	.
Diarrhœal Diseases,	5	5	9	20	30	20	15	6	6	5	5	4	2	8	2	4	2	4	2	4	1	.	4	2	4	4
Influenza,	.	1	.	1	.	.	.	.	.	.	.	3	.	.	1	2	1	2	3	1	1	6	4	2	3	5
Pneumonia,	12	9	8	8	3	7	6	8	4	13	11	5	7	13	8	14	18	16	20	28	19	20	22	22	14	21
Tuberculous Phthisis,	14	15	9	18	19	18	20	22	21	15	17	12	25	27	19	20	20	17	22	17	15	14	15	24	19	21
Disease, Other Forms,	9	5	10	7	15	6	1	8	9	7	5	3	4	9	7	8	6	6	7	8	6	4	6	5	6	6
Cancer, Malignant Disease,	9	10	6	10	7	8	9	6	18	7	8	8	8	6	10	8	17	7	11	10	8	6	4	8	7	8
Diseases of Heart and Blood Vessels,	25	22	19	20	15	17	20	27	14	28	15	18	19	17	19	33	32	27	31	29	25	21	37	29	31	29
Diseases of Respiratory System,	10	6	9	8	12	8	12	8	18	18	9	13	11	14	15	22	22	32	29	28	26	30	41	20	33	29
Violent Deaths,	5	5	3	3	2	7	4	3	2	4	5	1	4	2	3	4	6	4	5	4	4	2	2	4	4	1
Number of Uncertified Deaths,	1	4	4	3	4	2	5	2	2	3	1	4	4	6	4	5	4	2	3	4	5	7	10	3	8	13
Mean Temperature of the Air (Phœnix Park),	55·6	58·6	62·4	58·8	56·2	53·7	50·9	49·0	52·0	53·6	53·2	54·5	51·1	40·8	45·0	41·9	37·7	38·4	41·8	39·1	41·4	33·5	45·9	45·4	42·1	37·6
Average Mean Temperature in corresponding week of previous 10 years,	59·2	59·2	57·7	57·9	57·1	56·7	55·2	53·9	53·9‡	53·1	51·5	50·2	48·3	47·1	47·6	45·8	43·7	42·4	43·3	43·0	41·3	42·1‡	40·3	41·3	40·0	41·1
Rainfall in inches,	1·267	·000	·105	·785	·218	·516	·589	·000	·065	·988	·896	·772	1·896	·134	·117	·733	·037	·251	1·163	1·202	·207	1·183	·810	·128	·936	·240
Mean Humidity of the Air, complete Saturation 1·0	·85	·82	·83	·78	·85	·82	·84	·85	·92	·93	·83	84	·86	·81	·88	·88	·80	·84	·87	·90	·82	·86	·88	·89	·85	·91

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 22nd January, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 22ND JANUARY, 1910.																										
			Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES.						CAUSES OF DEATH.																		
					Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases	Total Cols. 10-18.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal)	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS.	375,850	25·1	181	57	10	20	41	45	8	.	.	.	.	4	3	.	.	4	11	21	21	6	8	7	29	1	77	18
	CLASSES.																												
	Deaths in Families of the—																												
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	17·9	6	.	1	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	4	.
II.	MIDDLE CLASS, ...	87,188	14·4	24	2	.	5	5	9	3	.	.	.	.	.	.	.	.	.	.	3	1	1	3	1	2	.	13	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,428	20·3	43	9	4	5	16	8	1	.	.	.	.	1	1	.	.	1	3	8	5	1	.	2	8	.	16	4
IV.	GENERAL SERVICE CLASS, ...	154,279	24·7	78	36	3	7	11	15	1	.	.	.	.	3	2	.	.	1	6	8	3	2	3	4	11	1	30	7
V.	INMATES OF WORKHOUSES, ...	6,024	—	35	10	2	3	8	11	1	.	.	.	.	.	.	.	.	2	2	2	6	2	2	.	7	.	14	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	20·1	8	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	18·7	3	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
II.	MIDDLE CLASS.																												
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	9·5	4	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	6. Clerks and Commercial Assistants, ..	30,432	17·1	10	1	.	3	3	2	1	.	.	.	.	.	.	.	.	.	.	3	.	1	2	.	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	17·4	9	1	.	2	1	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2	.	5	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	21·1	4	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	1	.
	9. Building and Furnishing Trades, ...	22,801	24·5	14	3	3	1	4	3	1	.	.	.	.	.	1	.	.	.	1	3	3	1	.	1	1	.	4	.
	10. Clothing Trades, ...	28,260	15·7	7	1	.	1	1	4	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.	3	.
	11. Food Supply Trades, ...	9,242	22·6	4	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	30,852	18·9	11	1	1	1	7	1	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	1	.	6	4
	13. Petty Shopkeepers, ...	7,894	19·8	3	2	.	.	.	1	.	.	.	.	.	1	.	.	.	1	2	.	.	.	.	.	1	.	.	.
IV.	GENERAL SERVICE CLASS.																												
	14. Army, Police, Postal Delivery, and Prison Services, &c	18,425	11·7	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	1
	15. Domestic Servants, ...	36,608	10·0	7	1	.	2	3	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	1	3	1
	16. Coach and Car Drivers, Vanmen, &c., ..	14,890	39·9	11	5	.	1	2	3	.	.	.	.	.	1	.	.	.	.	1	1	2	.	.	1	1	.	5	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	30·2	52	28	3	4	6	11	.	.	.	.	.	2	2	.	.	1	5	7	4	2	3	2	9	.	20	5
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	6,024	—	35	10	2	3	8	11	1	.	.	.	.	.	.	.	.	2	2	2	6	2	.	.	7	.	14	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

	DISTRICTS.	1909-10. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From Diseases in Cols. 5-18.	Total Deaths.	NUMBER OF DEATHS FROM: Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of).	North City, No. 1 (E.)	Dec. 4,	19·4	1·8	11	.	.	.	.	.	.	.	.	1	1	1	.	.	3	1	
		„ 11,	30·0	3·5	17	.	1	.	.	.	.	.	.	1	5	1	2	.	3	.	.
		„ 18,	24·7	1·3	14	.	1	.	.	.	.	.	.	.	.	3	.	.	4	.	2
	(*Office, Clarence-st., Nth.*)	„ 25,	17·6	.	10	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.
		Jan. 1,	21·2	1·8	12	.	.	.	.	.	.	.	1	.	2	.	1	.	1	.	1
	Pop. in 1910 (Est.) 29,908.	„ 8,	31·4	1·7	18	.	1	.	.	.	.	.	.	.	4	.	.	1	3	.	.
		„ 15,	33·1	3·5	19	.	.	.	.	2	.	.	.	.	2	1	1	.	3	1	.
		„ 22,	12·2	.	7	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1
	North City, No. 1 (W.)	Dec. 4,	21·1	.	16	.	.	.	.	.	.	.	.	.	3	3	1	.	4	1	1
		„ 11,	18·2	1·3	10	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.
		„ 18,	14·5	.	11	.	.	.	.	.	.	.	.	.	2	1	.	.	2	.	.
	(*Office, Summer-hill.*)	„ 25,	22·4	.	17	.	.	.	.	.	.	.	.	.	3	4	.	.	3	.	.
		Jan 1,	30·3	.	23	.	.	.	.	.	.	.	.	.	3	1	.	1	4	.	1
		„ 8,	15·7	2·6	12	.	.	.	.	1	.	.	.	1	1	3	.	.	2	.	.
	Pop. in 1910 (Est.) 39,974.	„ 15,	30·0	.	23	.	.	.	.	.	.	.	.	.	3	.	1	.	8	.	2
		„ 22,	22·2	.	17	.	.	.	.	.	.	.	.	.	1	4	1	.	1	.	.
	North City, No. 2.	Dec. 4,	24·0	1·7	14	.	.	.	.	.	.	.	.	1	1	2	.	.	5	1	.
		„ 11,	30·9	5·1	18	.	.	.	.	1	.	.	1	1	4	2	.	.	3	1	.
		„ 18,	37·7	5·1	22	.	.	.	.	2	.	.	.	1	1	1	2	2	4	1	.
	(*Office, Lisburn-street.*)	„ 25,	24·0	1·7	14	.	.	.	.	.	.	.	1	.	1	2	.	1	1	.	2
		Jan. 1,	29·2	5·1	17	.	.	.	.	.	.	.	1	2	3	.	.	.	1	.	.
		„ 8,	25·4	5·1	15	.	.	.	1	2	.	.	.	.	1	1	.	.	2	.	1
	Pop. in 1910 (Est.) 30,744.	„ 15,	13·6	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	1
		„ 22,	30·5	3·4	18	.	.	.	.	1	.	.	.	1	1	1	1	.	2	.	1
	North City, No. 3.	Dec. 4,	28·6	.	15	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.
		„ 11,	23·6	1·6	15	.	.	.	.	.	.	.	.	1	1	3	.	2	.	.	1
		„ 18,	17·3	1·6	11	.	.	.	.	1	.	.	.	.	1	1	.	.	3	.	.
	(*Office, Benburb-street.*)	„ 25,	28·3	1·6	18	.	.	.	.	.	.	.	1	.	4	2	.	1	1	1	.
		Jan. 1,	22·0	.	14	.	.	.	.	.	.	.	.	.	1	3	.	1	2	.	1
		„ 8,	17·1	1·6	11	.	.	.	.	.	.	.	.	1	2	2	1	.	.	.	.
	Pop. in 1910 (Est.) 33,559.	„ 15,	16·6	1·6	11	.	.	.	.	1	.	.	.	.	1	1	.	2	2	.	1
		„ 22,	18·6	1·6	12	.	.	.	.	.	.	.	.	1	4	1	1	1	.	.	1
	South City, No. 1.	Dec. 4,	19·1	2·5	15	.	.	.	.	.	1	.	1	.	3	3	.	.	2	.	1
		„ 11,	30·5	.	24	.	.	.	.	.	.	.	.	.	2	1	.	2	5	1	.
		„ 18,	19·1	1·3	15	.	.	1	.	.	.	.	.	.	.	1	1	3	1	1	1
	(*Office, Sth. Earl-street.*)	„ 25,	16·5	.	13	.	.	.	.	.	.	.	.	.	2	1	.	.	6	.	1
		Jan 1,	34·3	1·3	27	.	.	.	.	.	1	.	.	.	.	.	1	.	10	.	1
		„ 8,	16·3	1·3	13	.	1	.	.	.	.	.	.	.	.	1	.	1	3	.	.
	Pop. in 1910 (Est.) 41,476.	„ 15,	21·4	1·3	17	.	.	.	.	.	.	.	.	1	1	3	2	2	5	1	1
		„ 22,	17·6	1·3	14	.	.	.	.	.	1	.	.	.	1	1	.	1	6	.	1
	South City, No. 2.	Dec. 4,	19·4	.	8	.	.	.	.	.	.	.	.	.	.	.	1	.	4	.	.
		„ 11,	21·8	.	9	.	.	.	.	.	.	.	.	.	2	2	.	.	2	1	.
		„ 18,	24·2	2·4	10	.	.	.	.	.	1	.	.	.	3	2	1	.	1	.	.
	(*Office, Castle-street.*)	„ 25,	24·2	.	10	.	.	.	.	.	.	.	.	.	2	1	1	.	1	.	1
		Jan. 1,	43·6	.	18	.	.	.	.	.	.	.	.	.	2	3	.	.	7	.	1
		„ 8,	16·8	.	7	.	.	.	.	.	.	.	.	.	.	3	1	.	2	.	.
	Pop. in 1910 (Est.) 21,754.	„ 15,	38·4	2·4	16	.	.	.	.	.	.	.	.	1	.	4	1	.	3	1	1
		„ 22,	28·8	2·4	12	.	.	.	.	.	1	.	.	.	.	2	1	.	2	.	1
	South City, No. 3.	Dec. 4,	20·7	.	17	.	.	.	.	.	.	.	.	.	1	.	1	1	4	1	.
		„ 11,	20·7	1·2	17	.	.	1	.	.	.	.	.	.	1	4	3	.	5	.	1
		„ 18,	15·4	.	11	.	.	.	.	.	.	.	.	.	3	.	1	.	1	.	1
	(*Office, Peter-street.*)	„ 25,	20·7	.	17	.	.	.	.	.	.	.	.	.	2	.	2	2	6	.	1
		Jan. 1,	36·6	2·4	30	.	.	.	.	.	.	.	.	2	5	3	2	.	4	1	2
		„ 8,	30·2	1·2	25	.	.	.	.	1	.	.	.	.	3	3	2	2	2	1	.
	Pop. in 1910 (Est.) 43,227.	„ 15,	21·7	.	18	.	.	.	.	.	.	.	.	.	.	5	1	.	3	1	.
		„ 22,	30·2	3·6	25	.	.	.	.	2	1	.	.	.	2	3	1	1	6	.	2
	South City, No. 4.	Dec. 4,	39·7	.	27	.	.	.	.	.	.	.	.	.	7	4	1	1	.	.	.
		„ 11,	27·9	.	19	.	.	.	.	.	.	.	.	.	6	1	.	.	3	.	.
		„ 18,	20·6	.	14	.	.	.	.	.	.	.	.	.	3	1	.	1	8	.	1
	(*Office, Grand Canal-st.*)	„ 25,	16·2	.	11	.	.	.	.	.	.	.	.	.	.	1	1	.	5	.	1
		Jan. 1,	26·4	1·5	18	.	.	.	.	1	.	.	.	.	1	.	.	1	2	.	.
		„ 8,	27·6	.	19	.	.	.	.	.	.	.	.	.	4	4	.	1	1	1	2
	Pop. in 1910 (Est.) 35,881.	„ 15,	24·7	.	17	.	.	.	.	.	.	.	.	.	2	1	.	2	3	.	.
		„ 22,	30·5	.	21	.	.	.	.	.	.	.	.	.	5	2	.	.	2	1	3

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1909-10. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From all Causes	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From Diseases in Cols. 5-13.	TOTAL DEATHS.	NUMBER OF DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	Dec. 4,	22·8	.	16	.	.	.	.	.	.	.	.	.	1	1	1	2	3	1	.
	„ 11,	10·0	1·4	7	.	.	.	.	1	.	.	.	.	.	1	.	1	1	.	1
	„ 18,	17·1	.	12	.	.	.	.	.	.	.	.	.	2	.	.	.	4	.	.
	„ 25,	20·0	2·9	14	.	.	1	.	1	.	.	.	.	.	1	.	1	1	.	2
	Jan. 1,	15·7	1·4	11	.	.	1	.	.	.	.	.	.	.	1	.	.	3	.	1
	„ 8,	15·5	.	11	.	.	.	.	.	.	.	.	.	1	1	.	.	2	1	.
	„ 15,	15·5	1·4	11	.	.	.	.	1	.	.	.	.	2	.	.	.	1	.	.
	„ 22,	18·3	2·8	13	.	.	.	.	.	.	.	.	2	2	1	.	1	4	.	1
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	Dec. 4,	20·1	.	11	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	1
	„ 11,	27·4	.	15	.	.	.	.	.	.	.	.	.	3	1	.	2	.	.	.
	„ 18,	22·0	.	12	.	.	.	.	.	.	.	.	.	1	2	.	2	1	.	.
	„ 25,	16·5	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
	Jan. 1,	22·0	.	12	.	.	.	.	.	.	.	.	.	3	.	.	.	3	.	1
	„ 8,	10·8	.	6	.	.	.	.	.	.	.	.	.	.	1	1	1	2	.	.
	„ 15,	5·4	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 22,	21·6	.	12	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	Dec. 4,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	„ 11,	5·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 18,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 25,	35·5	3·0	12	.	.	.	.	1	.	.	.	.	3	.	.	.	1	.	1
	Jan. 1,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 8,	32·5	.	11	.	.	.	.	.	.	.	.	.	5	2	.	.	1	.	.
	„ 15,	29·6	3·0	10	.	.	.	.	1	.	.	.	.	.	1	.	1	.	.	1
	„ 22,	28·7	3·0	8	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	.
Belfast. Pop. in 1910 (Est.) 391,167.	Dec. 4,	19·8	1·3	147	.	.	.	.	6	1	.	.	3	31	11	4	3	41	5	3
	„ 11,	29·4	2·4	18	.	.	.	.	15	.	.	1	2	25	26	11	7	53	5	3
	„ 18,	23·9	1·3	177	.	.	.	.	9	.	.	.	1	28	14	4	5	37	6	2
	„ 25,	19·4	1·5	144	.	.	.	.	10	.	.	.	1	22	17	4	5	39	4	3
	Jan. 1,	25·9	2·0	192	.	.	.	.	13	1	.	.	1	34	13	6	3	41	3	1
	„ 8,	19·7	2·3	148	.	.	.	.	12	1	.	2	2	12	14	4	2	28	3	2
	„ 15,	22·7	1·7	170	.	.	.	.	18	.	.	.	.	20	14	10	10	31	8	1
	„ 22	16·7	1·9	125	.	.	.	.	13	1	.	.	.	9	12	3	5	21	5	6
Cork. Pop. (in 1901) 76,122.	Dec. 4,	25·3	1·4	37	.	.	.	.	.	.	.	1	1	3	5	.	1	7	.	3
	„ 11,	1·5	1·4	27	.	.	.	.	.	.	.	.	2	5	4	1	.	3	.	2
	„ 18,	28·3	0·7	34	.	.	1	.	.	.	.	.	.	2	4	.	.	5	1	4
	„ 25,	11·6	0·7	17	.	.	.	.	.	.	.	.	1	.	4	.	.	5	.	1
	Jan. 1,	28·8	0·7	42	.	.	.	.	.	.	.	1	.	3	7	3	1	4	.	4
	„ 8,	18·5	1·4	27	.	.	.	.	1	.	.	1	.	2	7	.	1	3	.	.
	„ 15,	23·8	0·7	34	.	.	1	.	.	.	.	.	.	5	1	3	1	6	.	.
	„ 22,	15·1	.	22	.	.	.	.	.	.	.	.	.	2	5	.	.	3	.	.
Londonderry. Pop. in 1910 (Est.) 43,477.	Dec. 4,	23·0	1·2	19	.	.	.	.	.	.	.	.	1	.	.	.	2	6	1	.
	„ 11,	19·3	.	16	.	.	.	.	.	.	.	.	.	2	3	1	.	2	1	2
	„ 18,	18·1	.	15	.	.	.	.	.	.	.	.	.	1	3	1	.	5	.	1
	„ 25,	18·1	1·2	15	.	1	.	.	.	.	.	.	.	.	1	1	.	5	.	1
	Jan. 1,	21·7	.	18	.	.	.	.	.	.	.	.	.	.	1	1	.	7	.	.
	„ 8,	20·4	1·2	17	.	.	.	.	.	.	.	.	1	3	.	.	1	2	.	.
	„ 15,	22·8	.	19	.	.	.	.	.	.	.	.	.	1	2	.	3	5	.	2
	„ 22,	14·4	.	12	.	.	.	.	.	.	.	.	.	2	1	2	.	2	.	.
Limerick. Pop. (in 1901) 38,151.	Dec. 4,	13·7	2·7	10	.	.	.	.	2	.	.	.	.	.	3	1	1	1	.	.
	„ 11,	17·8	.	13	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.	4
	„ 18,	15·0	.	11	.	.	.	.	.	.	.	.	.	1	.	.	.	7	.	2
	„ 25,	16·4	.	12	.	.	.	.	.	.	.	.	.	.	2	1	.	3	.	1
	Jan. 1,	21·9	1·4	16	.	.	.	.	1	.	.	.	.	.	1	.	.	5	.	4
	„ 8,	21·9	2·7	16	.	.	.	.	2	.	.	.	.	.	3	1	1	4	.	1
	„ 15,	30·1	.	22	.	.	.	.	.	.	.	.	.	1	4	1	.	9	.	1
	„ 22,	20·5	.	15	.	.	.	.	.	.	.	.	.	.	4	.	.	4	.	3
Waterford. Pop. (in 1901) 26,769.	Dec. 4,	19·5	1·9	10	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.	1
	„ 11,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	2
	„ 18,	33·1	3·9	17	.	.	.	.	1	.	.	1	.	.	4	.	.	5	1	3
	„ 25,	18·6	.	7	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.
	Jan. 1,	11·7	1·9	6	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	1
	„ 8,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.
	„ 15,	23·4	3·9	12	.	.	.	.	2	.	.	.	.	.	2	.	.	1	.	.
	„ 22,	17·5	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 22nd January, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	BIRTHS	DEATHS.																											
			Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.						DEATHS FROM																		
		No. of	All Causes.	Diseases in Cols. 12-20.		Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,		5			6	.	1	.	2	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 2 do.		34			15	2	2	.	3	4	4	.	.	.	.	1	.	.	.	.	.	2	.	.	3	.	.	3	2
Do. 3 do.		24			14	5	3	3	.	.	3	.	.	.	.	1	.	.	.	.	2	1	1	1	1	1	3	1
Do. 4 do.		18			15	7	1	.	2	1	4	.	.	.	.	1	.	.	.	.	1	2	.	.	1	2	2	4	.
Do. 5 do.		6			6	2	3	1	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	.	1	1	.	.
Do. 6 do.		19			8	2	.	2	.	1	3	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	3	.
Do. 7 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 8 do.	(349,180	.			2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 9 do.		9			12	1	1	.	4	3	3	.	.	.	.	.	1	.	.	.	2	2	1	.	3	1	1	4	.
Do 10 do.		11			5	1	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	1
Do. 11 do.		22			10	3	.	1	2	2	2	.	.	.	.	1	.	.	.	.	.	1	.	2	2	.	.	3	.
Do. 12 do.		18			17	4	6	1	1	4	1	.	.	.	.	4	.	.	.	.	1	1	.	1	6	.	.	3	.
Do. 13 do.		11			5	1	.	.	.	3	1	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	1
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15† do.		2			10	1	2	1	1	1	4	.	.	.	.	3	.	.	.	.	.	.	.	.	2	.	.	2	1
Total,	—	180			125	29	20	9	17	23	27	.	.	.	.	18	1	.	.	.	9	12	3	5	21	5	5	28	6
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	7	8·1	.	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 2 do.	10,701	4	22·3	.	6	2	.	.	1	2	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	1	1	.
Do. 3 do.	9,978	5	15·7	.	3	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 4 do.	8,666	1	18·1	.	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.
Do. 5 do.	6,582	3	7·9	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 6 do.	10,702	3	14·6	.	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	3	.
Do. 7 do.	16,616	7	12·6	.	4	.	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.
Total,	76,122	30	15·1	.	22	2	.	1	5	8	6	.	.	.	.	.	.	.	.	.	2	5	.	.	3	.	2	10	.

*Formerly described as Simple Continued Fever.

† New district formed as from 1st Jan., 1910, and the boundaries of Nos. 1, 4 & 6 districts altered. The population of each of these districts, as at present constituted, is not available.

TABLE IX.—**City of Belfast.**—Comparative Tables of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1909-10—Week ending																								
	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept 4.	Sept. 11	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.
No. of weeks in annual Series, ..	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3
BIRTHS registered, ...	180	221	205	245	182	174	204	181	186	194	208	228	218	202	205	174	180	168	189	190	181	170	215	278	192	180
DEATHS registered, ...	97	108	105	116	129	119	124	93	121	99	95	104	96	116	116	130	134	167	147	218	177	144	192	148	170	125
Annual Death rate per 1,000 of estimated Population, ...	13·1	14·6	14·2	15·6	17·4	16·1	16·7	12·5	16·3	13·4	12·8	14·0	12·9	15·6	15·6	17·5	18·1	22·5	19·8	29·4	23·9	19·4	25·9	19·7	22·7	16·7
AGES — Under 1 year, ...	21	19	26	37	50	43	44	24	35	30	21	24	17	22	28	30	28	41	44	62	41	33	48	36	48	25
AGES — 1-5 years, ...	6	9	5	8	12	6	13	13	13	14	10	8	11	14	11	8	14	27	14	21	18	22	25	23	21	20
AGES — 5-20 years, ...	8	12	13	14	6	6	7	4	11	8	5	9	9	9	7	11	4	11	10	18	13	10	12	8	9	9
AGES — 20-40 years, ...	15	21	22	20	17	18	16	14	15	16	12	23	14	27	22	23	22	20	20	31	22	23	28	17	24	17
AGES — 40-60 years, ...	24	24	21	17	23	21	20	19	17	17	20	15	26	13	19	27	28	31	23	33	33	20	34	26	28	23
AGES — 60 years and upwards, ..	23	23	18	20	21	25	25	19	30	14	27	25	19	31	29	31	38	37	36	53	50	36	45	38	40	27
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	3	5	.	4	4	2	5	7	7	4	3	2	.	5	4	4	4	7	6	15	9	10	18	12	13	13
Diphtheria, ...	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	1	.	1
*Pyrexia** (origin uncertain), ..	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	2	2	3	.	.	.	2	.	.	.	1	.	.	.	2	.	.
Diarrhœal Diseases, ...	5	7	.	17	28	20	16	15	13	11	11	5	5	3	4	2	2	1	3	2	1	1	1	2	.	.
Pneumonia, ...	8	6	9	6	6	3	5	4	3	6	8	9	5	8	15	13	17	25	31	25	28	22	34	12	20	9
Tuberculous Disease, Phthisis, ..	12	17	13	17	11	9	13	4	17	12	7	11	9	14	6	14	8	8	11	26	14	17	13	14	14	12
Tuberculous Disease, Other Forms, ..	5	3	3	3	5	3	7	4	3	6	2	5	5	10	2	11	3	16	4	11	4	4	6	4	10	3
Cancer, Malignant Disease, ..	7	6	4	5	11	3	7	3	6	6	3	2	4	3	5	7	7	1	3	7	5	5	3	2	10	5
Diseases of Respiratory System,	6	3	11	5	3	3	15	6	15	5	9	10	12	14	21	17	31	42	41	53	37	39	41	28	31	21
Violent Deaths, ...	1	4	3	3	3	2	.	2	1	3	1	2	4	2	3	2	2	3	5	5	6	4	3	3	3	5
Number of Uncertified Deaths, ..	2	1	.	.	.	.	1	.	.	.	1	.	1	1	2	1	.	1	3	3	2	3	1	2	1	6

* Formerly described as "Simple Continued Fever.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	Jan. 22,	2,146	1,351	14·5	.	18	.	13	30	3	10
EDINBURGH, ...	360,276	„ 22,	120	113	16·4	.	6	.	.	.	.	4
GLASGOW, ...	884,505	„ 22,	404	263	15·5	.	39	2	4	.	3	5
CALCUTTA, ...	1,009,008	Dec. 18,	.	695	35·8	3	1	.	.	.	103‡	95*
BOMBAY, ...	977,822	„ 21,	484	521	27·7	8	1	.	.	.	39‡	45*
MADRAS, ...	548,974	„ 3,	400	334	34·0	.	2	?	?	?	104	32
CAIRO, ...	704,836	„ 2,	530	394	29·1	1	2	.	16†	?	7	71
PARIS, ...	2,760,000	Jan. 8,	939	925	17·5	1	13	1	3†	4	7	21
BRUSSELS, ...	704,975	„ 1,	242	185	13·6	.	5	.	2†	2	3	9
ANTWERP, ...	314,135	„ 1,	121	90	14·9	.	4	1	.	1	.	11
AMSTERDAM, § ...	567,367	Dec. 31,	213	108	11·6	.	2	.	1†	.	.	2
COPENHAGEN, ...	451,000	Jan. 1,	266	105	12·1	.	.	2	1†	1	.	2
STOCKHOLM, ...	339,582	„ 1,	207	100	15·3	.	4	2	5†	.	.	3
CHRISTIANIA, ...	235,674	„ 8,	104	74	16·3	.	.	.	1†	.	.	.
ST. PETERSBURG, ...	1,573,000	Dec. 18,	798	663	22·0	8	17	17	11	6	6	51*
MOSCOW, ...	1,359,886	„ 11,	.	762	29·2	1	19	55	20†	8	14	91*
BERLIN, ...	2,120,340	„ 18,	800	597	14·7	.	6	16	14†	13	.	27
HAMBURG, ...	872,252	Jan. 1,	.	281	16·8	.	8	.	11†	1	.	18
BRESLAU, ...	507,787	„ 1,	.	187	19·2	.	3	1	.	7	.	16
MUNICH, ...	576,000	„ 8,	.	189	17·1	.	.	2	2†	3	.	18
VIENNA (with suburbs),	2,085,888	„ 1,	792	593	14·8	.	9	4	5†	1	3	17
BUDA-PESTH, ...	823,215	„ 1,	467	259	16·4	.	2	1	2†	.	2	10
PRAGUE and Fauxbourgs.	491,531	Dec. 18,	193	158	16·6	.	1	2	1†	2	2	8
TRIESTE, ...	219,777	„ 25,	112	110	26·1	.	3	.	.	.	.	3
ROME, ...	574,666	Oct. 16,	279	158	14·3	.	.	.	1	.	9	20
VENICE, ...	179,286	Nov. 20,	85	65	18·9	.	.	.	3†	.	1	3
NEW YORK, .	4,564,792	Dec 25,	2,373	1,562	17·9	.	13	22	14†	4	8	33
PHILADELPHIA, ..	1,565,569	„ 11,	.	452	15·0	.	.	4	14†	3	9	18
BOSTON, ...	622,970	Jan. 1,	.	261	21·9	.	1	1	7	.	1	4

* Including 24 deaths from cholera in Calcutta, one in Bombay, one in St. Petersburg and 37 in Moscow.
† Including deaths from croup.
‡ Exclusive of 6 deaths from plague in Calcutta and 6 in Bombay.
§ For 6 days only.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 22nd January, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	.	.	.	.	.	1	.	.	.	.	2	3
" " 1, West,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 2,	.	1	.	.	1	.	.	4	1	.	.	2	9
" " 3,	.	1	1	.	1	.	.	2	1	.	.	2	8
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),		2	.	.	.	.	.	.	1	.	.	.	3
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	2	.	.	1	4	.	.	7	14
" " 2,	.	.	.	.	.	.	.	.	.	.	.	3	3
" " 3,	.	1	.	.	1	.	.	.	.	.	.	5	7
" " 4,	.	1	.	.	.	.	.	1	.	.	.	.	2
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	1	1
Total,	.	6	1	.	5	.	1	8	9	.	.	22	52

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 22nd January, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 22nd January.			
	Jan. 1.	Jan. 8.	Jan. 15.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	17	20	14	4	5	.	13
Scarlet Fever,	71	63	70	9	26	.	53*
Typhus,	6	4	2	1	1	.	2
Diphtheria,	38	36	33	8	3	.	38
Enteric Fever,	44	44	41	4	6	.	39
Pneumonia,	29	26	25	7	7	3	22

* Exclusive of 9 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 22nd January, 1910:—

"This week was ushered in with the mild, blustering, rainy weather which had prevailed during the previous 9 days—a fresh S.W. gale and heavy rain occurring on Sunday morning. At 11.10 a.m. there were strong squalls and a drenching shower of rain and hail fell in Dublin, the wind veering to W. Temperature gave way briskly and never recovered to any great extent, the maximum recorded after Sunday being 43·5° on Tuesday. On Sunday morning the barometer was down to 28·61 inches at Reykjavik in Iceland, but as high as 30·56 inches at Lisbon and 30·65 inches at Horta in the Azores. By Monday morning the baric gradient had become even steeper, Thorshavn in the Faeroe reporting 28·28 inches, Lisbon 30·68 inches, and Ponta Delgada in the Azores 30·82 inches—a difference of atmospheric pressure at sea level of 2·54 inches. The barometer was by that time rising in Iceland, but falling over the North Sea and the Continent, and accordingly the wind began to veer with a falling temperature. Thunder, lightning, and hail and sleet showers accompanied the change in many districts, particularly in the West of Scotland. On the Continent, however, temperature rose, becoming high over France on Wednesday and so continuing until the following day when a wave of colder air passed southwards across that country. A good deal of snow and hail fell in Scotland, and by Friday morning freezing had set in over the larger portion of Great Britain. On Friday night sharp frost was experienced in Ireland also. Saturday was fair and frosty at first, afterwards cloudy. There was a beautiful sunset at 4.15 p.m., and a splendid comet was seen at 5.45 p.m. to the W.S.W. In Dublin the mean height of the barometer was 29·685 inches, the range of pressure being from 29·348 inches at 4 p.m. of Tuesday (wind, W.), to 30·781 inches at 4 p.m. of Saturday (wind, W.). The corrected mean temperature was 38·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 37·5°. The screened thermometers rose to 53·6° on Sunday and fell to 28·7° on Saturday. Westerly (S.W. to N.W.) winds prevailed. The rainfall was ·298 inch on 4 days, ·097 inch being measured on Tuesday, and ·100 inch on Saturday night."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·517 inches. The highest reading (30·009) was on Saturday at 9 a.m., wind W , and the lowest (29·251) on Tuesday at 9 p.m., wind W.S.W.

The mean temperature for the week was 37·6°, being 3·5° below the average for the corresponding period of the 10 years, 1900–1909. The temperature was highest on Sunday, on which day the thermometer registered 53·0°, and was lowest on Saturday, the mercury having fallen to 25·9°. The mean of the Dry Bulb for the week was 36·0° and of the Wet Bulb 35·0°. The mean humidity of the air was ·91, complete saturation being represented by 1·0. The rainfall during the week measured 0·240 inch.

At Greenwich the mean temperature for the week was 39·6°, the maximum 53·0°, and the minimum 26·9° ; at Glasgow the maximum was 51·8°, the minimum 22·8°, and the mean 35·4°; and at Edinburgh the maximum was 51·4°, the minimum 24·9°, and the mean 34·6°. The rainfall at Greenwich measured 0·16 in., at Glasgow 0·75 in., and at Edinburgh 0·81 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	THERMOMETER. Maximum.	Minimum.	Mean.	HYGROMETER. Dry Bulb.	Wet Bulb.	Degree of Humidity. complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In		
Sunday, January 16,	29·411	53·0	35·8	44·4	42·3	40·4	·85	·6	4·4	·015	S.W.	S.W.
Monday, „ 17,	29·375	42·6	34·9	38·8	37·9	36·9	·92	·5	4·3	030	S.W.	S.W.
Tuesday, „ 18,	29·262	42·7	36·7	39·7	38·3	37·3	·92	·6	0·0	085	W.	W.S.W.
Wednesday, „ 19,	29·216	43·2	35·2	39·2	37·4	36·1	·90	·5	5·1	·005	S.W.	W.S.W.
Thursday, „ 20,	29·573	41·2	30·9	36·1	32·2	31·8	·90	·5	5·0	·000	W.	W.S.W.
Friday, „ 21,	29·704	37·1	29·9	33·5	32·4	32·0	95	·5	0·4	000	W.S.W.	N.W.
Saturday, „ 22,	29·980	37·5	25·9	31·7	31·3	30·3	·90	·6	5·0	·105	W.	S.W.
Mean, . . .	29·517	42·5	32·8	37·6	36·0	35·0	·91	·5	Total 24·2	Total ·240	Prevailing Wind, S.W.	

Sunday—Day cloudy, passing showers ; night clear, drizzle a.m. *Monday*—Day cloudy, passing showers a.m. and p.m.; night overcast, light rain a.m. *Tuesday*—Day overcast, rain p.m.; night cloudy. *Wednesday*—Day cloudy, drizzle p.m.; night cloudy. *Thursday*—Day cloudy ; night cloudy. *Friday*—Day overcast to cloudy ; night clear. *Saturday*—Day cloudy ; night cloudy, passing showers a.m.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, January 22nd, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Min.	Mean.	Sunshine Campbell-Stokes Recorder) read at 9 p.m	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs	ins.
Sunday, January 16	48·0	43·2	44·0	54·2	37·0	45·6	3·55	·063
Monday, „ 17,	38·1	41·8	44·0	47·8	36·3	42·1	4·0	·015
Tuesday, „ 18,	41·5	41·0	44·1	44·0	38·5	41·3	—	·095
Wednesday, „ 19,	40·3	40·5	44·0	44·1	36·5	40·3	3·65	·005
Thursday, „ 20	35·1	40·0	44·0	42·4	33·8	38·1	3·5	·001
Friday, „ 21,	35·4	39·0	44·0	37·8	32·5	35·2	0·1	—
Saturday, „ 22,	29·7	38·1	43·8	38·6	28·0	33·3	3·5	·015
Weekly Mean, . .	38·3	40·5	44·0	44·1	34·7	39·4	Total 18·3	Total ·194

DUBLIN : Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

(27753.) Wt. P. 345. 375. 11. 1909. G. III. Sch. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN:

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 29TH JANUARY, 1910. [No. 4.

General Register Office, Charlemont House, Dublin, 31st January, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending				Average Rate for 4 weeks.	TOWNS, &c.	Week ending				Average Rate for 4 weeks.
	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.			Jan. 8.	Jan 15.	Jan. 22.	Jan. 29.	
22 Town Districts.	**19·7**	**22·3**	**19·1**	**21·1**	**20·5**	Limerick, . . .	21·9	30·1	20·5	16·4	22·2
						Lisburn, . . .	27·3	45·5	13·6	63·7	37·5
Armagh, . . .	13·7	20·6	13·7	.	12·0	Londonderry, . .	20·4	22·8	14·4	21·6	19·8
Ballymena, . . .	23·9	9·6	33·5	23·9	22·7	Lurgan, . . .	8·9	22·1	8·9	31·0	17·7
Belfast, ...	19·7	22·7	16·7	20·1	19·8	Newry, . . .	29·4	12·6	37·8	29·4	27·3
Clonmel, . . .	10·3	.	20·5	20·5	12·8	Newtownards, .	22·9	11·4	28·6	28·6	22·9
Cork, ...	18·5	23·3	15·1	21·9	19·7	Portadown, . .	20·7	15·5	10·3	5·2	12·9
Drogheda, . . .	4·1	24·5	20·4	20·4	17·4	Queenstown, . .	19·8	6·6	13·2	26·4	16·5
Dublin Reg. Area, .	21·1	22·1	22·5	21·7	21·8	Sligo, ...	24·0	9·6	4·8	14·4	13·2
Dundalk, . . .	12·0	23·9	27·9	19·9	20·9	Tralee, . . .	31·7	42·3	31·7	31·7	34·3
Galway, ...	7·8	19·4	11·7	27·2	16·5	Waterford, . . .	11·7	23·4	17·5	13·6	16·6
Kilkenny, . . .	19·7	14·7	4·9	24·6	16·0	Wexford, . . .	9·3	23·3	32·7	4·7	17·5

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·4 per 1,000, the rates varying from 0·0 in fourteen of the districts to 22·9 in Newtownards, the 5 deaths from all causes for that district including 2 from whooping-cough, one from diphtheria, and one from diarrhœa. Among the 151 deaths from all causes for Belfast are 13 from whooping-cough and one from enteric fever. Of the 32 deaths from all causes for Cork one is from diphtheria and one from enteric fever. One of the 12 deaths from all causes for Limerick is from whooping-cough. Of the 14 deaths from all causes for Lisburn 2 are from whooping-cough, and 2 deaths from whooping-cough are also included in the 6 deaths from all causes for Tralee.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 162—93 boys and 69 girls—and the deaths to 177—94 males and 83 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 22·9 in every 1,000 of the population; omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, the rate was 21·7 per 1,000. During the four weeks, ending with Saturday last, the death-rate averaged 22·9, and was 5·5 below the mean rate for the corresponding portions of the ten years 1900–9.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*), Table II. ‡ See columns 10-18 of Table II.

The total includes one death from each of the following diseases :—Measles, scarlet fever, and whooping-cough ; also 2 * deaths from enteric fever, and 2 * deaths of infants under one year of age from diarrhœal diseases (there were also registered at this age, one death from enteritis and one death from *gastro-enteritis*). In the three preceding weeks, deaths from measles were 2, 0, and 0 ; deaths from scarlet fever were 0, 0, and 0 ; deaths from whooping-cough were 3, 5, and 4 ; deaths from enteric fever were 0, one, and 0 ; and deaths from diarrhœal diseases were 2, 4, and 4, respectively. There was one death from influenza, which in each of the three preceding weeks had caused 2, 3, and 5 deaths.

Of 14 deaths from pneumonia (all forms), 2 were from lobar pneumonia, 5 from broncho-pneumonia, and 7 from *pneumonia* (not defined).

Deaths from all forms of tuberculous disease amounted to 29, having been 29, 25, and 27 in each of the three preceding weeks. The 29 deaths for last week include 23 from tuberculous phthisis (*phthisis*), 2 from tuberculous meningitis, and 4 deaths from other forms of the disease.

There were 4 deaths from carcinoma, one from sarcoma, and 6 from cancer, malignant disease (undefined).

The deaths of 4 infants, prematurely born, were registered.

Diseases of the brain and nervous system caused 12 deaths, including the deaths of 3 infants under one year of age from *convulsions*.

Seventeen deaths were from diseases of the heart and blood vessels, and deaths from diseases of the respiratory organs numbered 39, including 36 deaths from bronchitis.

There were 2 deaths by burns, one by drowning, and one death by suicide.

In 9 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the deaths of 2 children under 5 years of age (including one infant under one year old) and the deaths of 5 persons aged 60 years and upwards.

Fifty-five of the persons whose deaths were registered during the week were under 5 years of age (39 being infants under one year, of whom 7 were under one month old) and 42 were aged 60 years and upwards, including 20 persons aged 70 and upwards, of whom 4 were octogenarians, and one (a male) was stated to have been aged 93 years.

Sixty-four of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 17 took place in the North Dublin Union Workhouse, and 3 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·7 per 1,000 ; the rate in the City was 23·2 (North City Districts, 26·6; South, 19·6) and in the Suburbs, 16·9.

The deaths from certain epidemic diseases† in the entire area equal an annual rate of 0·5 per 1,000 inhabitants, the rate for the City being 0·7 (0·7 in the North City Districts, and 0·7 in the South), and for the Suburbs, 0·0.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 24·4 per 1,000. Lobar pneumonia and tuberculous phthisis each caused one death: there were 4 deaths from bronchitis and 2 deaths attributed to accidental causes.

No. 1 North City District, West (Summer-hill).—The deaths (23) are equal to an annual rate of 30·0 per 1,000, and included one death from whooping-cough, one death from lobar pneumonia, one death from broncho-pneumonia, 2 deaths from *phthisis*, 6 deaths from bronchitis, and one death by suicide.

No. 2 North City District (Lisburn-street).—The deaths (21) are equivalent to an annual rate of 35·6 per 1,000. Epidemic enteritis caused one death: there were 3 deaths from tuberculous disease, 3 deaths from diseases of the respiratory organs, and one death by accidental burns.

No. 3 North City District (Benburb-street).—The deaths (14) represent an annual rate of 21·8 per 1,000. Influenza caused one death, broncho-pneumonia and *pneumonia* (not defined) each caused one death; there were 4 deaths from *phthisis* and 3 deaths from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are :—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants: Coolock and Drumcondra, part of, 31·4, and Finglas and Glasnevin, part of, 6·8. The only death recorded for Clontarf and Howth No. 1, part of, is one from broncho-pneumonia, and of the 7 deaths from all causes for Coolock and Drumcondra, part of, one is from broncho-pneumonia, 2 are from tuberculous phthisis (*phthisis*), and 3 from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (15) represent an annual rate of 18·9 per 1,000. The deaths included 2 from *pneumonia* (not defined), 2 from tuberculous disease, and 4 deaths from diseases of the respiratory system.

No. 2 South City District (Castle-street).—The deaths (4) are equal to an annual rate of 9·6 per 1,000. Measles and tuberculous phthisis each caused one death, and there was also one death from bronchitis.

No. 3 South City District (Peter-street).—The deaths (22) are equal to an annual rate of 26·5 per 1,000. There were 3 deaths from *pneumonia* (not defined), 6 deaths from tuberculous phthisis (*phthisis*), and 8 deaths from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (13) are equivalent to an annual rate of 18·9 per 1,000. Scarlet fever caused one death, there was one death from broncho-pneumonia ; tuberculous disease caused 2 deaths, and bronchitis one death.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·2 per 1,000. Of the 3 deaths one was caused by *phthisis* and one by bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are :—Rathmines and Rathgar, 15·5 ; Pembroke, 12·6 ; Blackrock, 28·9 ; and Kingstown, 20·7. There is no death from any of the principal epidemic diseases tabulated for these districts. Of the 11 deaths from all causes for Rathmines and Rathgar one is from *pneumonia* (not defined) and 2 are from tuberculous disease ; among the 7 deaths from all causes for Pembroke one is from tuberculous disease and one from bronchitis ; of the 5 deaths from all caused for Blackrock one is from bronchitis ; and the 7 deaths from all causes for Kingstown include one from *phthisis* and 2 from bronchitis.

* See note (*c*) at foot of Table II. † See Columns 10-18 of Table II.

NOTE Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 29th January, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Jan. 8,	.	—	—	5	.	.	5	.	1	7	15	.	—	—	.	—	33	—	66
	Jan. 15,	.	—	—	5	.	.	5	.	.	5	14	.	—	—	.	—	7	—	36
	Jan. 22,	.	—	—	6	1	.	5	.	1	8	9	.	—	—	.	—	22	—	52
	Jan. 29,	.	—	—	7	.	.	1	.	.	4	8	.	—	—	.	—	20	—	40
Rathmines and Rathgar Urban District.	Jan. 8,	.	—	—	3	.	.	1	.	.	1	.	.	—	—	—	—	—	—	5
	Jan. 15,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	—	—	—	—	3
	Jan. 22,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	Jan. 29,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
Pembroke Urban District.	Jan. 8,	.	7	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	—	7
	Jan. 15	.	.	.	2	.	.	.	.	.	.	.	.	—	.	.	—	—	—	2
	Jan. 22,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	—	.
	Jan. 29,	.	.	.	2	.	.	1	.	.	.	.	.	—	.	.	—	—	—	3
Blackrock Urban District.	Jan. 8,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Jan. 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Jan. 22,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Jan. 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Jan. 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	1
	Jan. 15,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	1	—	2
	Jan. 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Jan. 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Jan. 8,	.	—	—	19	.	.	1	.	.	4	6	.	—	—	—	—	29	—	59
	Jan. 15,	.	—	—	20	.	.	2	.	.	.	5	.	—	—	—	—	19	—	46
	Jan. 22,	.	—	—	25	.	.	2	1	1	.	8	.	—	—	—	—	16	—	53
	Jan. 29,	.	—	—	15	.	.	2	.	.	.	4	.	—	—	—	—	14	—	35

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 29th January, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Three cases of measles were admitted to hospital during the week, 5 were discharged, and 11 cases remained under treatment at the close of the week.

Eleven cases of scarlet fever were admitted to hospital, 10 were discharged, there was one death, and 53* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 63, 70, and 53, respectively.

Two cases of typhus remained under treatment in hospital at the close of the week.

Five cases of diphtheria were admitted to hospital, 11 were discharged, and 32 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 36, 33, and 38, respectively.

Six cases of enteric fever were admitted to hospital during the week, 9 were discharged, there were 2 deaths, and 34 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 20 cases of pneumonia were admitted to hospital, 11 were discharged, and 31 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 15·7) was equal to an average annual death-rate of 16·3 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 19·1 per 1,000, the rate for Glasgow being 19·2 and for Edinburgh 15·9.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 29th January. From this Report it appears that of a total of 65 cases notified, 28 were scarlet fever, 22 phthisis, 9 diphtheria, 5 erysipelas, and one puerperal fever. Among the 397 cases of infectious diseases in hospital at the close of the week were 194 cases of scarlet fever, 92 of measles, 51 of phthisis, 40 of diphtheria, 5 of erysipelas, 4 of whooping-cough, 3 of chicken-pox, and one of cerebro-spinal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 29th January, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS	Census Statistics of Districts. POPULATION. Total.(a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 29TH JANUARY, 1910. Annual Rate per 1,000 persons represented by BIRTHS.	DEATHS. From all Causes.	From Diseases in cols. 10-14.	NUMBERS REGISTERED. BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Phthisis.	Tuberculous Disease Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY.(c) WEEK ENDING 29TH JAN., 1910. Air Temperature Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	WEEK ENDING 22ND JAN., 1910. Air Temperature Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	WEEK ENDING 15TH JAN., 1910. Air Temperature Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·2	24·6	21·1	1·4	748	467	89	120	.	1	1	.	21	2	.	2	3	41	61	23	18	90	15	18	137	21	.	.	.	.	.	.	.	.	.	.	.	.
DUBLIN REGISTRATION AREA:— TOTAL, c.	402,928	29·8	21·0	21·7	0·5	162	168	38	40	.	1	1	.	1	.	.	.	1	14	22	6	9	38	4	2	55	9	e45·7	17·9	32·5	1·69	e53·0	25·9	37·6	0·24	e54·9	31·0	42·1	0·99
CITY OF DUBLIN.	310,298	39·2	23·7	23·2	0·7	141	128	34	27	.	1	1	.	1	.	.	.	1	13	20	4	6	34	4	2	46	9	f46·3 g45·9	24·1 16·0	34·6 33·1	1·82 2·08	f53·6 g52·9	28·7 26·6	38·9 38·0	0·30 0·23	f56·2 g55·7	32·6 30·8	43·7 42·1	0·78 1·11
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	9·9	15·5	.	7	11	1	2	.	.	.	.	.	.	.	.	.	1	1	1	3	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,048	18·2	9·0	12·6	.	5	7	1	3	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,013	8·3	.	28·9	.	.	5	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	26·6	20·7	.	9	7	1	5	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	2	.	48·0	21·5	34·3	2·17	49·0	29·6	40·0	0·22	36·5	33·0	43·7	0·61
URBAN DISTRICTS.																																							
BELFAST,	391,167	26·6	28·8	20·1	1·9	216	151	33	40	.	.	.	.	13	.	.	1	.	16	15	10	4	29	7	12	44	3	44·0	18·8	32·8	0·76	53·0	29·0	38·5	1·14	50·8	29·0	40·8	1·24
CORK,	76,122	33·6	24·7	21·9	1·4	36	32	3	8	.	.	.	.	.	1	.	1	.	2	6	1	.	5	.	.	21	1	49	30	37·7	0·90	49	32	41·8	0·46	52	35	44·5	0·71
LONDONDERRY,	43,477	20·1	32·4	21·6	.	17	18	2	3	.	.	.	.	.	.	.	.	.	1	3	2	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	9·6	16·4	1·4	7	12	1	2	.	.	.	1	.	.	.	.	.	.	2	.	1	5	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD,	26,769	18·7	27·3	18·6	.	14	7	1	4	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	13,426	9·5	42·7	27·2	.	11	7	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	4	3	4	.	47	22	35	1·39	55	28	40	0·81	53	32	43	1·32
DUNDALK	13,076	9·4	18·9	19·9	.	6	5	.	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	8·2	20·4	.	2	5	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,405	17·8	16·8	29·4	.	4	7	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	3	.	.	1	.	45·0	16·5	31·7	0·18	49·1	25·8	36·1	0·88	53·0	30·1	40·3	1·23
LURGAN,	11,782	13·8	8·9	31·0	.	2	7	.	3	.	.	.	.	1	.	.	.	.	.	1	2	.	3	.	.	1	.	45·0	16·5	31·7	0·18	49·1	25·8	36·1	0·88	53·0	30·1	40·3	1·23
LISBURN,	11,461	10·1	13·6	68·7	9·1	8	14	5	3	.	.	.	.	2	.	.	.	.	3	4	.	1	1	.	.	.	.	45·0	16·5	31·7	0·18	49·1	25·8	36·1	0·88	53·0	30·1	40·3	1·23
WEXFORD,	11,168	23·2	14·0	4·7	.	3	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,866	8·9	28·7	28·9	.	6	5	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,870	3·7	27·6	14·4	4·8	12	3	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	46·0	7·0	31·5	0·75	49·7	21·8	36·7	1·67	55·0	31·0	41·9	2·11
KILKENNY,	10,609	11·5	9·8	24·6	.	2	5	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	1	.	46	20	31·4	0·98	48	25	37·6	0·37	56	28	41·7	1·38
CLONMEL,	10,167	7·8	5·1	20·5	.	1	4	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,092	18·2	41·8	5·2	.	8	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	45·0	16·5	31·7	0·18	49·1	25·8	36·1	0·88	53·0	30·1	40·3	1·23
TRALEE,	9,867	16·6	47·6	31·7	10·6	9	6	2	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	42	23	35·8	0·35	50	29	37·4	0·44	54	29	41·0	0·96
NEWTOWNARDS,	9,110	18·9	28·6	28·6	2·2	5	5	2	1	.	.	.	.	2	1	.	.	1	1	.	.	.	.	.	.	1	.	49	30	37·7	0·90	49	32	41·8	0·46	52	35	44·5	0·71
QUEENSTOWN,	7,909	14·4	33·0	26·4	.	5	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	45·0	16·5	31·7	0·18	49·1	25·8	36·1	0·88	53·0	30·1	40·3	1·23
ARMAGH,	7,588	22·2	18·7	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.												

(*a*) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (*b*) Formerly described as "Simple Continued Fever." (*c*) Exclusive of 9 deaths of persons (including one under 1 year old and 2 at 60 years or upwards), admitted to hospital from localities outside the Area: of the 9 deaths 2 were from enteric fever and one from epidemic enteritis. (*d*) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. (*e*) Observations at Ordnance Survey Office, Phœnix Park. (*f*) Observations by Sir John Moore

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 29th January, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN REGISTRATION DISTRICTS IN											URBAN DISTRICTS OF						
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Diarrhœal Diseases,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Pneumonia,	1	2	.	2	1	1	.	2	.	3	1	.	1	.	.	.	14	.
Tuberculous Phthisis,	1	2	2	4	.	2	.	1	1	6	.	1	1	.	.	1	22	1
Disease. Other Forms,	.	.	1	.	.	.	.	1	.	.	2	.	1	1	.	.	6	.
Cancer, Malignant Disease,	.	1	1	1	.	.	.	1	.	1	1	.	3	.	.	.	9	2
Other General Diseases,	2	2	2	1	.	.	.	2	.	.	3	.	.	.	.	1	13	.
Total,	4	8	7	8	1	3	.	7	2	10	8	1	6	1	.	2	68	6
B. LOCAL DISEASES:																		
Diseases of Nervous System,	1	2	1	1	.	.	.	1	.	.	2	.	.	2	1	1	12	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	1	1	3	1	.	.	.	1	.	2	1	1	2	2	1	1	17	.
Respiratory System,	4	6	3	3	.	3	.	4	1	8	1	1	.	1	1	2	38	1
Digestive System,	1	2	4	.	.	.	.	1	1	1	.	.	2	1	2	.	15	1
Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	1	1	1	.	.	1	.	.	1	1	.	.	.	.	.	6	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Total,	7	12	12	6	.	3	1	7	2	12	5	2	4	6	5	4	88	3
C. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	1	2	1	.	.	1	.	1	.	.	.	.	1	.	.	1	8	.
E. VIOLENT DEATHS,	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
Deaths from all Causes	14	23	21	14	1	7	1	15	4	22	13	3	11	7	5	7	168	9
Annual Rate of Mortality from all causes in every 1,000 of the population.	24·4	30·0	35·6	21·8	9·7	31·4	6·8	18·9	9·6	26·5	18·9	17·2	15·5	12·6	28·9	20·7	21·7	.
	26·6							19·6					16·9					
	23·2																	
Ages at Death. Under 1 year,	1	6	9	2	1	2	.	5	.	4	4	.	1	1	1	1	38	1
1 and under 5 years,	2	3	.	2	.	.	.	.	1	4	3	.	.	.	.	.	15	1
5 „ 20 „	1	1	2	1	.	.	.	3	.	.	1	.	1	1	.	.	11	2
20 „ 40 „	4	3	3	4	.	1	.	.	1	6	.	1	4	1	1	1	30	1
40 „ 60 „	2	6	5	3	.	.	.	4	1	3	5	1	3	1	.	.	34	2
60 years and upwards,	4	4	2	2	.	4	1	3	1	5	.	1	2	3	3	5	40	2
Number of Uncertified Deaths,	.	3	1	.	.	.	.	.	.	4	.	1	.	.	.	.	9	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	3	5	2	.	1	1	3	1	4	7	.	4	2	1	2	39	5
Workhouse Hospitals,	2	4	3	5	.	.	.	1	.	1	.	.	.	.	.	.	16	4

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in corresponding week of the ten years 1900–1909,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Average in 4th Week of the 10 years, 1900-1909.	In the Week ending Saturday, 29th January, 1910.							
												Deaths of Persons of the Ages of							
	Jan. 27, 1900.	Jan. 26, 1901.	Jan. 25, 1902.	Jan. 31, 1903.	Jan. 30, 1904.	Jan. 28, 1905.	Jan. 27, 1906.	Jan. 26, 1907.	Jan. 25, 1908.	Jan. 30, 1909.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 43·8	° 41·5	° 45·0	° 46·7	° 41·9	° 40·4	° 43·1	° 34·3	° 40·2	° 39·6	° 41·7	° 32·5								
ALL CAUSES.	259	196	158	187	196	192	160	225	229	203	200·5	177	7	32	16	13	31	36	37	5
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	5	.	1	.	1	13	.	.	1	6	2·7	1	.	.	1	.	.	.	.	.
Scarlet Fever,	.	1	.	3	.	2	.	1	.	.	·7	1	.	.	1	.	.	.	.	.
Typhus,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	27	3	.	3	3	2	2	5	12	.	5·7	1	.	.	.	.	.	.	1	.
Whooping-cough,	3	8	1	.	11	2	1	6	5	2	3·9	1	.	.	1	.	.	.	.	.
Diphtheria,	1	2	1	1	.	.	1	.	.	2	·8	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain)	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	5	2	2	1	.	.	1	2	2	1·6	2	.	.	1	1	.	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.), *Diarrhœa*, Dysentery,	.	3	4	. / 7	. / 1	. / 1	1 / 2	.	. / 1	. / 1	2·1	2 / .	.	2	.	.	.	.	.	.
Tetanus,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	1	1	.	.	.	1	1	2	5	1·1	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*,	.	.	.	. / 2	. / .	. / .	. / .	. / .	. / .	. / .	·2	. / .	.	.	.	.	.	.	.	.
Infective Endocarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar, Broncho-, Epidemic, Not defined,	20	12	20	3 / . / . / 8	. / 4 / . / 4	1 / 4 / . / 6	1 / 9 / . / 6	1 / 5 / . / 16	1 / 7 / . / 11	1 / 8 / . / 6	15·3	2 / 5 / . / 7	.	4	1	.	1	.	1	.
Erysipelas,	.	.	.	.	2	1	.	2	.	2	·7	1	.	.	.	.	.	.	1	.
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	1	1	1	1 / .	1 / .	. / .	2 / .	1 / .	. / .	. / .	·8	. / .	.	.	.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	2	.	2	.	1	.	·5	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*,"	36	26	19	1 / 17	4 / 22	9 / 23	8 / 13	14 / 19	21 / 11	8 / 10	26·1	12 / 11	.	.	.	1	8 / 8	2 / 1	1 / 1	.
Tuberculous Meningitis,	8	2	2	1	4	4	1	4	.	4	3·0	2	.	1	.	1	.	.	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*,	6	4	1	. / 1	.	3 / 2	.	.	1 / 1	. / 1	2·0	. / .	.	.	.	.	.	.	.	.
Tuberculous Dis. (other), *Scrofula*,	6	6	7	7 / .	5	5	5	4	6	8	5·9	4 / .	.	.	.	3	.	1	.	.
Alcoholism,	1	.	.	.	.	.	.	3	1	.	·5	.	.	.	.	.	.	.	.	.
Rheumatic Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gout,	2	.	.	.	.	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
Carcinoma, Sarcoma, Cancer (undefined)	6	5	8	2 / . / 3	2 / 2 / 4	1 / . / .	4 / 1 / 1	4 / 2 / 1	4 / . / 8	4 / 2 / 5	6·9	4 / 1 / 6	.	.	.	.	. / . / 1	2 / 1 / 3	2 / . / 2	.
Diabetes Mellitus,	.	.	.	.	.	1	.	1	3	.	·5	1	.	.	.	1	.	.	.	.
Premature Birth,	2	2	3	3	5	3	4	6	4	4	3·6	4	4	.	.	.	.	.	.	.

* The figures for the year 1900 are for

† Formerly described as

FOURTH WEEK ending Saturday, 29th January, 1910, with the deaths from each cause in the and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 4th Week of the 10 years 1900-1909.	In the Week ending Saturday, 29th January, 1910.							
	Jan. 27, 1900.	Jan. 26, 1901	Jan. 25, 1902.	Jan. 31, 1903.	Jan. 30, 1904.	Jan. 28, 1905.	Jan. 27, 1906.	Jan. 26, 1907.	Jan. 25, 1908.	Jan. 30, 1909.		Deaths of Persons of the Ages of							
												All Ages	0 to 5.			5 to 20.	20 and under 40.	40 and under 60	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 43·8	° 41·5	° 45·0	° 46·7	° 41·9	° 40·4	° 43·1	° 34·3	° 40·2	° 39·6	° 41·7	° 32·5								
Meningitis (not tuberc.)				4	3	3	.	1	3	2		3	.	.	2	1	.	.	.	.
Insanity, G. P. of Insane				2	3	2	2	.	2	1		1	.	.	.	.	1	.	.	.
Epilepsy				.	1	1	.	.	2	.		.	.	.	.	.	.	.	.	.
Convulsions				6	7	7	5	5	4	4		3	1	2	.	.	.	.	.	.
Locomotor Ataxy				.	.	.	.	1	.	.		1	.	.	.	.	1	.	.	.
Paraplegia Dis. of Cord				.	2	2	1	1	2	.		2	.	.	.	.	.	2	.	.
Nervous System (other Dis.)				2	2	1	4	1	.	3		2	.	.	.	.	1	1	.	.
Valv. Dis., Endocarditis	51	30	32	4	3	6	5	9	5	8	40·7	6	.	.	.	1	3	2	.	
Cerebr. Hæm. Thromb.				3	2	2	2	1	1	1		7	.	.	.	3	2	2	.	
Apoplexy, Hemiplegia				5	4	3	8	4	7	.		.	.	.	.	.	.	.	.	
Aneurysm				1	.	.	1	1	1	.		.	.	.	.	.	.	.	.	
Embolism, Thromb. (not cerebral)				.	.	.	1	.	.	.		1	.	.	.	1	.	.	.	
Heart and Blood Vessels (other Dis.)				15	21	14	16	18	15	15		3	.	.	.	.	1	1	1	
Croup (not Spasm. nor Memb.)	2	1	1	.	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	
Bronchitis	30	34	14	29	29	28	17	40	52	38	31·1	36	1	6	5	1	7	12	4	
Asthma, Emphysema	3	5	.	1	1	.	.	1	5	3	3·8	1	.	.	.	.	1	.	.	
Pleurisy				.	.	1	.	.	.	2		.	.	.	.	.	.	.	.	
Respiratory Dis. (other)				3	3	.	1	4	1	4		2	.	.	.	2	.	.	.	
Tonsillitis, Quinsy	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	
Enteritis (not Epid.)	.	1	1	1	1	.	1	3	1	.	1·9	3	.	1	.	1	1	.	.	
Gastro Enteritis				1	4	2	.	1	1	.		1	.	1	.	.	.	.	.	
Peritonitis (not Puerp.)	.	.	.	1	1	.	.	.	.	1	·3	1	.	.	.	1	.	.	.	
Cirrhosis of Liver	2	3	2	2	.	2	.	1	1	2	2·3	2	.	.	.	1	.	1	.	
Liver Dis. (other)				2	.	.	2	3	1	.		2	.	.	.	.	1	1	.	
Digestive Dis. (other)	6	2	3	9	3	5	4	6	3	6	4·7	7	.	4	.	2	1	.	.	
Nephritis, Acute	6	6	4	.	1	1	3	4	.	3	5·9	2	.	.	1	.	1	.	.	
Bright's Dis., Albuminuria				4	5	2	3	3	3	2		4	.	.	.	1	1	2	.	
Urinary Sys. (other Dis.)				1	1	2	1	1	.	3		.	.	.	.	.	.	.	.	
Generative Organs Dis.	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	
Childbirth (Accid. of)	.	.	1	1	.	.	.	1	.	1	·4	.	.	.	.	.	.	.	.	
Old Age	19	17	12	6	4	5	2	3	6	4	7·8	3	.	.	.	.	.	3	.	
Other Diseases	13	10	12	14	9	15	7	8	9	10	10·7	12	1	9	1	.	.	1	.	
ACCIDENT.																				
By Railways	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.	.	.	
By Vehicles and Horses	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	
In Building Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
In Conflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
By Burns, Scalds, Explosions	.	2	2	2	1	2	3	1	.	.	1·3	2	.	.	.	1	1	.	.	
By Drowning	1	1	1	-1	1	.	2	1	.	.	·8	1	.	.	.	1	.	.	.	
By Suffocation in Bed	.	.	.	.	.	.	.	.	.	3	·3	.	.	.	.	.	.	.	.	
By Poison or Poisonous Vapours	.	.	.	2	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	
Other Deaths by Accident	1	1	2	.	5	2	3	3	1	1	1·9	.	.	.	.	.	.	.	.	
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	
Suicide	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

the Registration Area as then constituted.
"Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA	1909-10—Week ending																								
	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.
No. of weeks in Annual Series,	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4
BIRTHS registered.	196	292	205	261	208	226	207	215	250	193	184	226	208	220	215	238	193	206	174	216	185	232	236	243	197	161
*Average Births in corresponding week of previous 10 years,** ..	221	193	217	213	206	229	206	199	250	192	186	205	203	210	198	195	181	202	197	190	177	175	227	204	206	203
DEATHS registered, ...	123	118	157	162	149	134	136	157	141	134	127	124	148	145	177	190	172	180	177	158	155	205	174	177	181	177
Annual Death-rate per 1,000, ..	16·1	14·8	20·6	21·2	19·5	17·5	17·8	20·6	18·8	17·5	16·6	16·2	19·4	19·0	23·2	24·9	22·5	23·6	23·2	20·7	20·3	27·8	22·5	22·9	23·4	22·9
*Average Deaths in corresponding week of previous 10 years,**	156	158	164	170	165	169	164	171	168	164	166	173	166	179	182	184	187	190	190	187	195	184	217	210	206	201
AGES, Under 5 years, ..	41	41	58	76	66	38	33	47	85	35	36	41	35	40	45	41	37	42	37	51	44	71	49	57	57	55
AGES, 5—20 ,, ..	7	7	7	9	8	6	9	8	10	12	6	14	17	10	12	9	8	9	8	10	8	11	12	13	10	13
AGES, 20—40 ,, ..	17	12	22	22	25	25	26	28	27	20	17	21	33	21	26	28	18	22	25	19	23	19	30	25	20	31
AGES, 40—60 ,, ..	29	26	30	25	20	28	34	34	27	31	24	25	28	33	38	44	51	47	52	27	31	48	36	28	41	36
AGES, 60—80 ,, ..	27	23	31	28	26	28	19	33	40	33	38	19	34	33	49	61	52	50	45	39	37	50	37	49	45	37
AGES, 80 years and upwards, ..	2	4	6	2	4	9	10	7	5	3	6	4	1	8	7	7	6	10	10	12	9	6	10	10	8	5
Deaths from—																										
Small-pox, ...	.	.	.	.	.	2	1	.	.	1	.	.	.	.	.	.	2	.	1	1	.	.	2	.	.	1
Measles, ...	1	1	.	.	2	.	.	1	.	.	1	1	.	.	1	.	1	.	1	1	1	3	.	.	.	1
Scarlet Fever, ...	1	.	1	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	4	2	1	5	.	1	2	.	2	3	.	1	1	1	1	2	.	.	2	2	2	1	3	5	4	1
Diphtheria, ...	1	.	1	1	3	1	1	2	1	1	1	.	.	.	1	2	1	1	.	2	.	1	1	.	3	.
Pyrexia (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	1	.	.	1	1	2	2	2	1	.	1	.	1	1	1	.	1	1	1	.	3	2	.	1	.	2
Diarrhœal Diseases, ...	5	9	20	30	20	15	6	6	5	5	4	2	3	2	4	2	4	2	4	1	.	4	2	4	4	2
Influenza, ...	1	.	1	.	.	.	.	.	.	.	3	.	.	1	2	1	2	3	1	1	6	4	2	3	5	1
Pneumonia, ...	9	2	8	3	7	6	8	4	13	11	5	7	13	8	14	18	16	20	28	19	20	22	22	14	2	14
Tuberculous Disease, Phthisis, ..	15	9	18	19	18	20	22	21	15	17	12	25	27	19	20	20	17	22	17	15	14	15	24	19	21	28
Tuberculous Disease, Other Forms, ..	5	10	7	15	6	1	8	9	7	5	3	4	9	7	8	6	6	7	8	6	4	6	5	6	6	6
Cancer, Malignant Disease, ..	10	6	10	7	8	9	6	18	7	8	8	3	6	10	8	17	7	11	10	8	6	4	8	7	8	11
Diseases of Heart and Blood Vessels, ...	22	19	20	15	17	20	27	14	28	15	18	19	17	19	33	32	27	31	29	25	21	37	29	31	29	17
Diseases of Respiratory System,	6	9	8	12	8	12	8	18	18	9	13	11	14	15	22	22	32	29	23	26	30	41	20	33	29	39
Violent Deaths, ...	5	8	8	2	7	4	3	2	4	5	1	4	2	3	4	6	4	5	4	4	2	2	4	4	1	4
Number of Uncertified Deaths, ..	4	4	8	4	2	5	2	2	3	1	4	4	6	4	5	4	2	3	4	5	7	10	3	8	18	9
Mean Temperature of the Air (Phœnix Park), ...	58·6	62·4	58·8	56·2	53·7	50·9	49·0	52·0	53·6	53·2	51·5	51·1	40·8	45·0	41·9	37·7	38·4	41·8	39·1	41·4	33·5	45·9	45·4	42·1	37·6	32·5
Average Mean Temperature in corresponding week of previous 10 years, ...	59·2	57·7	57·9	57·1	56·7	55·2	53·9	53·9‡	53·1	51·5	50·2	48·3	47·1	47·6	45·8	43·7	42·4	43·3	43·0	41·3	42·1	42·3	41·3	40·0	41·1	41·7
Rainfall in inches, ...	·000	·105	·785	·248	·516	·589	·000	·065	·988	·396	·772	1·896	·134	·117	·783	·087	·251	1·163	1·292	·207	1·183	·340	·123	·986	·240	1·690
Mean Humidity of the Air, complete Saturation 1·0	·82	·83	·78	·85	·82	·84	·85	·92	·93	·83	·84	·86	·81	·83	·88	·80	·84	·87	·90	·83	·86	·88	·89	·85	·91	·88

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday 29th January, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 29TH JANUARY, 1910.																												
			Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES.						CAUSES OF DEATH.																				
					Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases	Total Cols. 10-18.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal)	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS, ...	375,850	24·6	177	55	13	31	36	37	5	.	1	1	.	1	.	.	2	2	7	14	23	6	11	3	39	4	70	9
	CLASSES. **Deaths in Families of the—**																												
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	15·0	5	.	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	3	.
II.	MIDDLE CLASS, ...	87,188	13·8	23	3	3	5	8	3	1	.	.	.	.	.	.	.	1	.	1	3	3	1	3	.	2	1	9	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,428	21·7	46	15	3	6	7	13	2	.	.	1	.	.	.	.	.	.	1	6	6	1	3	1	12	.	16	3
IV.	GENERAL SERVICE CLASS, ...	154,279	28·1	83	36	6	15	10	14	2	.	1	.	.	1	.	.	1	1	4	5	8	3	4	2	19	3	35	6
V.	INMATES OF WORKHOUSES, ...	6,024	—	20	1	1	5	9	4	.	.	.	.	.	.	.	.	.	1	1	.	6	.	1	.	5	.	7	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,739	26·7	4	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
II.	MIDDLE CLASS.																												
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	9·5	4	1	1	.	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	2	.	.	.	1	.
	6. Clerks and Commercial Assistants, ..	30,482	18·8	11	2	1	3	5	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	2	1	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,026	9·6	5	.	.	2	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	3	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	31·7	6	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.	2	1
	9. Building and Furnishing Trades, ...	29,801	22·7	13	4	1	1	2	4	1	.	.	1	.	.	.	.	.	.	1	3	1	1	.	.	4	.	3	1
	10. Clothing Trades, ...	28,260	6·7	3	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.
	11. Food Supply Trades, ...	9,242	33·9	6	3	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.	.	1
	12. Other Trades and Callings ranking with Trades, ...	30,852	29·2	17	2	1	2	5	6	1	.	.	.	.	.	.	.	.	.	.	.	3	.	3	1	4	.	6	.
	13. Petty Shopkeepers, ...	7,894	6·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																												
	14. Army, Police, Postal Delivery, and Prison Services, &c	13,435	23·3	6	1	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4	.	1	3
	15. Domestic Servants, ...	36,603	7·1	5	2	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	21·7	6	3	1	1	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	1	.	3	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	38·3	66	30	5	13	9	9	.	.	1	.	.	1	.	.	1	.	3	5	7	2	3	2	12	3	29	3
V.	INMATES OF WORKHOUSES.																												
	18. Workhouse Inmates, ...	6,024	—	20	1	1	5	9	4	.	.	.	.	.	.	.	.	.	1	1	.	6	.	1	.	5	.	7	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

DISTRICTS.	1909-10. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From Diseases in Cols. 5-13.	Total Deaths.	NUMBER OF DEATHS FROM Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of): North City, No. 1 (E.)	Dec. 11,	30·0	8·5	17	.	1	.	.	.	.	.	.	1	5	1	2	.	3	.	
	„ 18,	24·7	1·3	14	.	1	.	.	.	.	.	.	.	.	3	.	.	4	.	2
	„ 25,	17·6	.	10	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.
(*Office*, *Clarence-st., Nth.*)	Jan. 1,	21·2	1·6	12	.	.	.	.	.	.	.	1	.	2	.	1	.	1	.	1
	„ 8,	31·4	1·7	18	.	1	.	.	.	.	.	.	.	4	.	.	1	3	.	.
	„ 15,	33·1	3·5	19	.	.	.	.	3	.	.	.	.	2	1	1	.	3	.	.
Pop. in 1910 (Est.) 29,908.	„ 22,	12·2	.	7	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1
	„ 29,	24·4	.	14	.	.	.	.	.	.	.	.	.	1	1	.	.	4	2	.
North City, No. 1 (W.)	Dec. 11,	13·2	1·3	10	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.
	„ 18,	14·5	.	11	.	.	.	.	.	.	.	.	.	2	1	.	.	2	.	.
	„ 25,	22·4	.	17	.	.	.	.	.	.	.	.	.	3	4	.	.	3	.	.
(*Office*, *Summer-hill.*)	Jan. 1,	30·3	.	23	.	.	.	.	.	.	.	.	.	3	1	.	1	4	.	1
	„ 8,	15·7	2·6	12	.	.	.	.	1	.	.	.	1	1	3	.	.	2	.	.
	„ 15,	30·0	.	28	.	.	.	.	.	.	.	.	.	5	.	1	.	8	.	2
Pop. in 1910 (Est.) 39,574.	„ 22,	22·2	.	17	.	.	.	.	.	.	.	.	.	1	4	1	.	1	.	.
	„ 29,	30·0	1·8	23	.	.	.	.	1	.	.	.	.	2	2	.	1	6	1	3
North City, No. 2.	Dec. 11,	30·9	5·1	18	.	.	.	.	1	.	.	1	1	4	2	.	.	3	1	.
	„ 18,	37·7	5·1	22	.	.	.	.	2	.	.	.	1	1	1	2	2	4	1	.
	„ 25,	24·0	1·7	14	.	.	.	.	.	.	.	1	.	1	2	.	1	1	.	2
(*Office*, *Lisburn-street.*)	Jan. 1,	19·2	5·1	17	.	.	.	.	.	.	.	1	2	3	.	.	.	1	.	.
	„ 8,	25·4	5·1	15	.	.	.	1	2	.	.	.	.	1	1	.	.	2	.	1
	„ 15,	13·6	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	1
Pop. in 1910 (Est.) 30,744.	„ 22,	30·5	8·4	18	.	.	.	.	1	.	.	.	1	1	1	1	.	2	.	1
	„ 29,	35·6	1·7	21	.	.	.	.	.	.	.	.	1	.	2	1	1	3	1	1
North City, No. 3.	Dec. 11,	23·6	1·6	15									1	1	3	.	2	.	.	1
	„ 18,	17·3	1·6	11						1			.	1	1	.		3	.	
	„ 25,	28·3	1·6	18								1	.	4	2	.	1	1	1	
(*Office*, *Benburb-street.*)	Jan. 1,	22·0	.	14									.	1	3	.	1	2	.	1
	„ 8,	17·1	1·6	11	.	.	.	.	.	.	.	.	1	2	2	1	.	.	.	
	„ 15,	18·6	1·6	12	.	.	.	.	1	.	.	.	.	1	1	.	2	2	.	1
Pop. in 1910 (Est.) 33,559.	„ 22,	18·6	1·6	12	.	.	.	.	.	.	.	.	1	4	1	1	1	.	.	1
	„ 29,	21·8	.	14	.	.	.	.	.	.	.	.	.	2	4	.	1	3	.	.
South City, No. 1.	Dec. 11,	30·5	.	24										2	1	.	2	5	1	.
	„ 18,	19·1	1·3	15	.	.	1	.	.	.	.	.	.	.	1	1	3	1	.	1
	„ 25,	16·5	.	13	.	.	.	.	.	.	.	.	.	2	1	.	.	6	.	.
(*Office*, *Sth. Earl-street.*)	Jan. 1,	34·8	1·3	27	.	.	.	.	1	.	.	.	.	.	.	1	.	10	.	1
	„ 8,	16·3	1·3	13	.	1	.	.	.	.	.	.	.	1	1	.	1	3	.	.
	„ 15,	21·4	1·3	17	.	.	.	.	.	.	.	.	1	1	3	2	1	5	1	1
Pop. in 1910 (Est.) 41,476.	„ 22,	17·6	1·3	14	.	.	.	.	1	.	.	.	.	1	1	.	1	6	.	1
	„ 29,	18·9	.	15	.	.	.	.	.	.	.	.	.	2	1	1	1	4	.	.
South City, No. 2.	Dec. 11,	21·8	.	9	.	.	.	.	.	.	.	.	.	2	2	.	.	2	1	.
	„ 18,	24·2	2·4	10	.	.	.	.	.	1	.	.	.	3	2	1	.	1	.	.
	„ 25,	24·2	.	10	.	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.
(*Office*, *Castle-street.*)	Jan. 1,	43·6	.	18	.	.	.	.	.	.	.	.	.	2	3	.	.	7	.	1
	„ 8,	16·8	.	7	.	.	.	.	.	.	.	.	.	.	3	1	.	2	.	
	„ 15,	38·4	2·4	16	.	.	.	.	.	.	.	.	1	.	4	1	.	3	1	1
Pop. in 1910 (Est.) 21,754.	„ 22,	28·8	2·4	12	.	.	.	.	.	1	.	.	.	.	2	1	.	2	.	1
	„ 29,	9·6	2·4	4	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.
South City, No. 3.	Dec. 11,	20·7	1·2	17	.	.	1	.	.	.	.	.	.	1	4	3	.	5	.	1
	„ 18,	13·4	.	11	.	.	.	.	.	.	.	.	.	3	.	1	.	1	.	1
	„ 25,	20·7	.	17	.	.	.	.	.	.	.	.	.	2	.	2	2	6	.	1
(*Office*, *Peter-street.*)	Jan. 1,	36·6	2·4	30	.	.	.	.	.	.	.	.	2	3	3	2		4	1	2
	„ 8,	6·2	1·2	25	.	.	.	.	.	1	.	.	.	3	3	2	2	2	1	.
	„ 15,	31·7	.	18	.	.	.	.	.	.	.	.	.	.	5	1	.	3	1	.
Pop. in 1910 (Est.) 43,227.	„ 22,	30·2	3·6	25	.	.	.	.	2	1	.	.	.	2	3	1	1	6	.	2
	„ 29,	26·5	.	22	.	.	.	.	.	.	.	.	.	3	6	.	1	8	.	4
South City, No. 4.	Dec. 11,	27·9	.	19	.	.	.	.	.	.	.	.	.	6	1	.	.	3	.	.
	„ 18,	20·6	.	14	.	.	.	.	.	.	.	.	.	3	1	.	1	3	.	1
	„ 25,	16·2	.	11	.	.	.	.	.	.	.	.	.	.	1	1	.	5	.	1
(*Office*, *Grand Canal-st.*)	Jan. 1,	56·4	1·5	18	.	.	.	.	1	.	.	.	.	1	.	.	1	2	.	.
	„ 8,	27·6	.	19	.	.	.	.	.	.	.	.	.	4	4	.	1	1	1	2
	„ 15,	24·7	.	17	.	.	.	.	.	.	.	.	.	2	1	.	2	3	.	.
Pop. in 1910 (Est.) 35,881.	„ 22,	30·5	.	21	.	.	.	.	.	.	.	.	.	5	2	.	.	2	1	2
	„ 29,	18·9	1·5	13	.	.	1	.	.	.	.	.	.	1	.	2	1	1	.	.

* Formerly described as "Simple Continued Fever."

certain Registrars' Districts in the City of Dublin, and of the Urban Districts of Rathmines represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1909-10. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes	Annual Rate of Mortality per 1,000 Living. From Diseases in Cols. 5-18.	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District.	Dec. 11,	10·0	1·4	7	.	.	.	.	1	.	.	.	.	.	1	.	1	1	.	1
	„ 18,	17·1	.	12	.	.	.	.	.	.	.	.	.	2	.	.	.	4	.	.
	„ 25,	20·0	2·9	14	.	.	1	.	1	.	.	.	.	.	1	.	1	1	.	2
	Jan. 1,	15·7	1·4	11	.	.	1	.	.	.	.	.	.	.	1	.	.	3	.	1
	„ 8,	15·5	.	11	.	.	.	.	.	.	.	.	.	1	1	.	.	2	1	.
	„ 15,	15·5	1·4	11	.	.	.	.	1	.	.	.	.	2	.	.	.	1	.	.
	„ 22,	18·3	2·8	13	.	.	.	.	.	.	.	.	2	2	1	.	1	4	.	1
Pop. in 1910 (Est.) 37,047.	„ 29,	15·5	.	11	.	.	.	.	.	.	.	.	.	1	1	1	3	.	.	.
Pembroke Urban District.	Dec. 11,	27·4	.	15	.	.	.	.	.	.	.	.	.	3	1	.	2	.	.	.
	„ 18,	22·0	.	12	.	.	.	.	.	.	.	.	.	1	2	.	2	1	.	.
	„ 25,	16·5	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
	Jan. 1,	22·0	.	12	.	.	.	.	.	.	.	.	.	3	.	.	.	3	.	1
	„ 8,	10·8	.	6	.	.	.	.	.	.	.	.	.	.	1	1	1	2	.	.
Pop. in 1910 (Est.) 28,948.	„ 15,	5·4	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 22,	21·6	.	12	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.
	„ 29,	12·6	.	7	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
Kingstown Urban District.	Dec. 11,	5·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 18,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 25,	35·5	3·0	12	.	.	.	.	1	.	.	.	.	3	.	.	.	1	.	1
	Jan. 1,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 8,	32·5	.	11	.	.	.	.	.	.	.	.	.	5	2	.	.	1	.	.
Pop. in 1910 (Est.) 17,622.	„ 15,	29·6	3·0	10	.	.	.	.	1	.	.	.	.	.	1	.	1	.	.	1
	„ 22,	23·7	3·0	8	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	.
	„ 29,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
Belfast. Pop. in 1910 (Est.) 391,167.	Dec. 11,	29·4	2·4	218	.	.	.	.	15	.	.	1	2	25	26	11	7	53	5	3
	„ 18,	28·9	1·3	177	.	.	.	.	9	.	.	.	1	28	14	4	5	37	6	2
	„ 25,	19·4	1·5	144	.	.	.	.	10	.	.	.	1	22	17	4	5	39	4	3
	Jan. 1,	25·9	2·0	192	.	.	.	.	13	1	.	.	1	34	18	6	3	41	3	1
	„ 8,	19·7	2·3	148	.	.	.	.	12	1	.	2	2	12	14	4	2	28	3	2
	„ 15,	23·7	1·7	170	.	.	.	.	13	.	.	.	.	20	14	10	10	31	8	1
	„ 22,	16·7	1·9	125	.	.	.	.	13	1	.	.	.	9	13	3	5	21	5	6
	„ 29,	20·1	1·9	151	.	.	.	.	18	.	.	1	.	16	15	10	4	29	7	3
Cork. Pop. (in 1901) 76,122.	Dec. 11,	14·5	1·4	27	.	.	.	.	.	.	.	.	2	5	4	1	.	3	.	2
	„ 18,	23·3	0·7	34	.	.	1	.	.	.	.	.	.	2	4	.	.	5	1	4
	„ 25,	11·6	0·7	17	.	.	.	.	.	.	.	.	1	.	4	.	.	5	.	1
	Jan. 1,	28·8	0·7	42	.	.	.	.	.	.	.	1	.	3	7	3	1	4	.	4
	„ 8,	13·5	1·4	27	.	.	.	.	.	1	.	1	.	2	7	.	1	3	.	.
	„ 15,	23·3	0·7	34	.	.	1	.	.	.	.	.	.	5	1	3	1	6	.	.
	„ 22,	15·1	.	22	.	.	.	.	.	.	.	.	.	2	5	.	.	3	.	.
	„ 29,	21·9	1·4	32	.	.	.	.	.	1	.	1	.	2	6	1	.	5	.	1
Londonderry. Pop. in 1910 (Est.) 43,477.	Dec. 11,	19·3	.	16	.	.	.	.	.	.	.	.	.	2	3	1	.	2	1	2
	„ 18,	18·1	.	15	.	.	.	.	.	.	.	.	.	1	3	1	.	5	.	1
	„ 25,	18·1	1·2	15	.	1	.	.	.	.	.	.	.	.	1	1	.	5	.	1
	Jan. 1,	21·7	.	18	.	.	.	.	.	.	.	.	.	.	1	1	.	7	.	.
	„ 8,	20·4	1·2	17	.	.	.	.	.	.	.	.	1	3	.	.	1	2	.	.
	„ 15,	22·8	.	19	.	.	.	.	.	.	.	.	.	1	2	.	3	5	.	2
	„ 22,	14·4	.	12	.	.	.	.	.	.	.	.	.	2	1	2	.	2	.	.
	„ 29,	21·6	.	18	.	.	.	.	.	.	.	.	.	1	3	2	.	2	.	2
Limerick. Pop. (in 1901) 38,151.	Dec. 11,	17·8	.	13	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.	4
	„ 18,	15·0	.	11	.	.	.	.	.	.	.	.	.	1	.	.	.	7	.	2
	„ 25,	16·4	.	12	.	.	.	.	.	.	.	.	.	.	2	1	.	3	.	1
	Jan. 1,	21·9	1·4	16	.	.	.	.	1	.	.	.	.	.	1	.	.	5	.	4
	„ 8,	21·9	2·7	16	.	.	.	.	2	.	.	.	.	.	2	1	1	4	.	1
	„ 15,	30·1	.	22	.	.	.	.	.	.	.	.	.	1	4	1	.	9	.	1
	„ 22,	20·5	.	15	.	.	.	.	.	.	.	.	.	.	4	.	.	4	.	3
	„ 29,	16·4	1·4	12	.	.	.	.	1	.	.	.	.	.	2	.	.	5	.	1
Waterford. Pop. (in 1901) 26,769.	Dec. 11,	11·7	.	6	.	.	.	.	.	.	.	.	1	.	.	1	.	2	.	2
	„ 18,	33·1	3·9	17	.	.	.	.	1	.	.	.	.	.	4	.	.	5	1	3
	„ 25,	18·6	.	7	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.
	Jan. 1,	11·7	1·9	6	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	1
	„ 8,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.
	„ 15,	23·4	3·9	12	.	.	.	.	2	.	.	.	.	.	2	.	.	1	.	.
	„ 22,	17·5	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.
	„ 29,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	2

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 29th January, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	BIRTHS No. of	DEATHS: Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 19-20.	Total No. of Deaths.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms	Malignant Disease. Cancer.	Diseases of the Respiratory System (excl. of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		6			3	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.
Do. 2 do.		20			21	3	2	1	3	6	6	.	.	.	.	.	.	.	.	.	.	3	.	.	5	2	4	9	.
Do. 3 do.		39			15	3	4	1	.	.	2	.	.	.	.	3	.	.	.	.	5	.	1	.	1	1	1	1	.
Do. 4 do.		31			16	3	2	2	4	1	4	.	.	.	.	.	.	.	.	.	1	.	3	.	4	1	2	9	.
Do. 5 do.		16			11	3	3	.	3	1	1	.	.	.	.	2	.	.	.	.	2	1	1	1	2	.	.	4	.
Do. 6 do.		14			5	.	1	.	1	2	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	1	1	.
Do. 7 do.		.			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do 8 do.	349,180	3	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		18			13	2	1	.	1	2	7	.	.	.	.	.	.	.	1	.	.	2	1	1	2	.	.	4	2
Do 10 do.		22			11	3	1	1	3	1	2	.	.	.	.	1	.	.	.	.	1	2	.	.	2	1	1	3	.
Do. 11 do.		18			14	3	1	3	1	.	6	.	.	.	.	1	.	.	.	.	2	1	.	1	2	.	.	3	.
Do. 12 do.		17			21	5	3	2	3	4	4	.	.	.	.	2	.	.	.	.	.	2	1	.	7	.	2	3	1
Do. 13 do.		4			7	1	2	.	.	2	2	.	.	.	.	2	.	.	.	.	2	.	.	.	2	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		13			13	2	1	3	2	2	3	.	.	.	.	2	.	.	.	.	2	3	1	1	1	1	1	5	.
Total.	—	216			151	33	21	14	22	21	40	.	.	.	.	13	.	.	1	.	16	15	10	4	29	7	12	44	3
City of Cork.																													
CORK URBAN No. 1 DISTRICT, .	12,867	10	32·4	.	8	1	.	.	1	2	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	6	.
Do. 2 do. .	10,701	6	29·2	9·7	6	.	2	1	1	.	2	.	.	.	.	.	1	.	1	.	.	.	.	.	2	.	.	3	1
Do. 3 do. .	9,978	3	10·5	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.
Do. 4 do. .	8,666	3	30·1	.	5	.	3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	2	.
Do. 5 do. .	6,592	3	28·7	.	3	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Do. 6 do. .	10,702	5	9·7	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 7 do. .	16,616	6	18·8	.	6	.	.	2	2	2	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	6	.
Total.	76,122	36	21·9	1·4	32	3	5	3	7	6	8	.	.	.	.	.	1	.	1	.	2	6	1	.	5	.	.	21	1

*Formerly described as Simple Continued Fever

TABLE IX.—**City of Belfast.**—Comparative Tables of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1909-10—Week ending																								
	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.
No. of weeks in annual Series, ..	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4
BIRTHS registered, ...	221	205	245	182	174	204	181	186	194	208	228	218	202	205	174	180	168	189	190	181	170	215	278	192	180	216
DEATHS registered, ...	108	105	116	129	119	124	98	121	99	95	104	96	116	116	130	134	167	147	218	177	144	192	148	170	125	151
Annual Death rate per 1,000 of estimated Population, ...	14·6	14·2	15·6	17·4	16·1	16·7	12·5	16·3	13·4	12·8	14·0	12·9	15·6	15·6	17·5	18·1	22·5	19·8	29·4	23·9	19·4	25·9	19·7	22·7	16·7	20·1
AGES — Under 1 year, ...	19	26	37	50	43	44	24	35	30	21	24	17	22	28	30	28	41	44	62	41	33	48	36	48	25	33
AGES — 1-5 years, ...	9	5	8	12	6	12	13	13	14	10	8	11	14	11	8	14	27	14	21	18	22	25	23	21	20	21
AGES — 5-20 years, ...	12	13	14	6	6	7	4	11	8	5	9	9	9	7	11	4	11	10	18	13	10	12	8	9	9	14
AGES — 20-40 years, ...	21	22	20	17	18	16	14	15	16	12	23	14	27	22	23	22	20	20	31	22	23	18	17	24	17	22
AGES — 40-60 years, ...	24	21	17	23	21	20	19	17	17	20	15	26	13	19	27	28	31	23	33	33	20	34	26	28	23	21
AGES — 60 years and upwards, ..	23	18	20	21	25	25	19	30	14	27	25	19	31	29	31	38	37	36	53	50	36	45	38	40	27	40
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	5	.	4	4	2	5	7	7	4	3	2	.	5	4	4	4	7	6	15	9	10	13	12	13	13	13
Diphtheria, ...	.	1	.	.	.	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	1	.	1	.
*Pyrexia** (origin uncertain), ..	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	.	.	.	.	.	.	.	.	2	2	3	.	.	.	2	.	.	.	1	.	.	.	2	.	.	1
Diarrhœal Diseases, ...	7	.	17	28	20	16	15	13	11	11	5	5	3	4	2	2	1	3	2	1	1	1	2	.	.	.
Pneumonia, ...	6	9	6	6	3	5	4	3	6	8	9	5	8	15	13	17	25	31	25	28	22	34	12	20	9	16
Tuberculous Disease, Phthisis, ..	17	13	17	11	9	13	4	17	12	7	11	9	14	6	14	8	8	11	26	14	17	13	14	14	12	15
Tuberculous Disease, Other Forms, ..	3	3	3	5	3	7	4	3	6	2	5	5	10	2	11	3	16	4	11	4	4	6	4	10	3	10
Cancer, Malignant Disease, ..	6	4	5	11	3	7	3	6	6	3	2	4	3	5	7	7	1	3	7	5	5	3	2	10	5	4
Diseases of Respiratory System,	8	11	5	8	8	15	6	15	5	9	10	12	14	21	17	31	42	41	53	37	39	41	28	31	21	29
Violent Deaths, ...	4	3	3	3	2	.	2	1	3	1	2	4	2	3	2	2	3	5	5	6	4	3	3	8	5	7
Number of Uncertified Deaths, ..	1	.	.	.	.	1	.	.	.	1	.	1	1	2	1	.	1	3	3	2	3	1	2	1	6	3

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	Jan. 29,	2,086	1,468	15·7	.	11	10	10	57	3	11
EDINBURGH, ...	360,276	„ 29,	119	110	15·9	.	8	1	1	1	.	6
GLASGOW, ...	884,505	„ 29,	385	326*a*	19·2	.	44	3	3	2	2	5
CALCUTTA, ...	1,009,008	Dec. 25,	.	540	27·8	.	.	.	.	.	95‡	74*
BOMBAY, ...	977,822	„ 28,	391	538	28·6	12	.	.	.	1	48‡	59*
MADRAS, ...	548,974	„ 10,	365	371	37·8	.	1	?	?	?	124	52
CAIRO, ...	704,836	„ 9,	587	408	30·2	.	1	.	26†	?	7	67
PARIS, ...	2,760,000	Jan. 15,	901	912	17·3	.	9	1	6†	2	3	20
BRUSSELS, ...	704,975	„ 8,	227	201	14·8	.	5	.	1†	.	2	9
ANTWERP, ...	314,135	„ 8,	140	73	12·1	.	1	1	.	.	.	13
AMSTERDAM, § ...	568,131	„ 8,	286	165	13·3	.	10	1	4†	.	1	5
COPENHAGEN, ...	451,000	„ 8,	251	118	13·6	.	.	3	.	1	.	1
STOCKHOLM, ...	339,582	„ 8,	166	90	13·8	.	1	.	3†	.	.	1
CHRISTIANIA, ...	235,674	„ 15,	116	64	14·1	.	.	.	1†	1	.	1
ST. PETERSBURG, ...	1,673,000	Dec. 25,	951	655	21·7	9	19	14	14	15	4	93*
MOSCOW, ...	1,359,886	„ 18,	.	762	29·2	2	28	41	30†	8	6	101*
BERLIN, ...	2,121,133	„ 25,	820	620	15·2	.	3	18	17†	10	2	38
HAMBURG, ...	895,804	Jan. 8,	.	252	14·6	.	12	5	10†	3	1	20
BRESLAU, ...	507,787	„ 8,	.	203	20·8	.	3	.	.	6	.	13
MUNICH, ...	576,000	„ 15,	...	197	17·8	.	.	1	1†	1	.	18
VIENNA (with suburbs),	2,085,888	„ 8,	740	614	15·3	.	7	5	3†	4	2	35
BUDA-PESTH, ...	833,703	„ 8,	442	285	19·0	.	2	5	1†	3	2	5
PRAGUE and Fau-bourgs.	491,531	Dec. 25,	193	166	17·5	.	.	.	2†	.	1	9
TRIESTE, ‖	219,777	„ 31,	129	80	19·0	.	1	.	.	2	.	.
ROME, ...	574,666	Oct. 23,	224	152	13·8	.	.	.		1	6	22
		„ 30,	204	180	16·3	.	2	.	1	.	5	17
VENICE, ...	179,286	Nov. 27,	68	80	23·3	.		.	1†	.	1	6
NEW YORK, ..	1,711,956	Jan. 1,	3,440	1,562	17·3	.	15	28	43†	5	9	27
PHILADELPHIA, ..	1,565,569	Dec. 18,	.	490	16·3	.	.	7	11†	1	8	22
BOSTON, ...	629,868	Jan. 8,	.	268	22·2	.	1	.	7	.	1	6

a Including one death from cerebro-spinal meningitis.
* Including 21 deaths from cholera in Calcutta, 2 in Bombay, one in St. Petersburg and 44 in Moscow.
† Including deaths from croup.
‡ Exclusive of 9 deaths from plague in Calcutta and 5 in Bombay.
§ For 8 days.
‖ For 6 days only.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 29th January, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	3	3
" " 1, West,	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	2	.	.	1	.	.	4	2	.	.	2	11
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	1	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	1	.	.	.	1
South City No. 1,	.	1	.	.	.	.	.	.	3	.	.	7	11
" " 2,	.	.	.	.	.	.	.	.	.	.	.	1	1
" " 3,	.	1	.	.	.	.	.	.	1	.	.	5	7
" " 4,	.	3	.	.	.	.	.	.	.	.	.	1	4
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	7	.	.	1	.	.	4	8	.	.	20	40

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 29th January, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 29th January.			
	Jan. 8.	Jan. 15.	Jan. 22.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	20	14	13	3	5	.	11
Scarlet Fever,	63	70	53	11	10	1	53*
Typhus,	4	2	2	.	.	.	2
Diphtheria,	36	33	34	5	11	.	32
Enteric Fever,	44	41	39	6	9	2	34
Pneumonia,	26	25	22	20	11	.	31

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.Sc., F.R.MET.SOC., reports as follows on the weather during the week ended 29th January, 1910:—

"The weather was very severe during the greater part of this week, and on Friday Dublin and its neighbourhood were visited by a snowstorm of exceptional violence, following hard on an extremely heavy downpour of rain. The week opened with dull, damp, and rainy weather. In the course of Sunday the barometer gave way rapidly, and by Monday morning a deep atmospherical depression had formed over the British Isles, the barometer sinking below 28·8 inches over a large part of Ulster, the Lowlands of Scotland, the North of England, and Wales. At 9 a.m. of Monday pressure was as low as 28·754 inches in Dublin. The disturbance afterwards travelled eastwards, its centre reaching Holland on Tuesday morning. A secondary depression caused snow showers in Dublin on Tuesday, and Wednesday dawned on a 'white world' in Leinster. At this time a very intense frost prevailed in Scotland and the North of England, spreading to Ireland, and the South of England on Thursday. Even early in the morning of this day another depression was forming, or spreading in, over Ireland. A sheet of cirriform cloud, in which a solar halo was seen, soon covered the sky and the wind backed to S. or S.S.E. In Dublin rain began to fall at 5.30 p.m. The downpour was heavy at intervals up to midnight, when large flakes of snow were observed in the falling rain. Next came sleet, and finally a snowstorm, borne on a strong N.E. wind, raged till 2 p.m. of Friday. At 7 a.m. of this day the barometer was down to 28·7 inches in Wales, and strong S.W. winds passed over England, accompanied by heavy rain and comparative mildness (44° to 46°). In Scotland, on the other hand, the cold had at this time become more severe, minima of 8° being reported from Wick, 7° from Aberdeen (where the maximum on Thursday was 18°), and 4° at Nairn. In Dublin the mean atmospheric pressure for the week was 29·262 inches, the range being between 29·836 inches at 9 a.m. of Sunday (wind, W.S.W.) and 28·734 inches at 7 a.m. of Friday (wind, N.E.). The corrected mean temperature was 34·68, the mean dry bulb reading at 9 a.m. and 9 p.m. being 33·2°. Temperature in the screen rose to 46·3° on Sunday and fell to 24·1° on Thursday. W. and N.W. winds were the most prevalent. The rainfall, which consisted largely of snow and hail, amounted to 1·822 inches on 5 days, 1·310 inches being recorded on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·100 inches. The highest reading (29·658) was on Sunday at 9 a.m., wind S.W , and the lowest (28·594) on Monday at 9 a.m., wind W.S.W.

The mean temperature for the week was 32·5°, being 9·2° below the average for the corresponding period of the 10 years, 1900–1909. The temperature was highest on Sunday, on which day the thermometer registered 45·7°, and was lowest on Thursday, the mercury having fallen to 17·9°. The mean of the Dry Bulb for the week was 31·2° and of the Wet Bulb 30·6°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The rainfall during the week measured 1·690 inches.

At Greenwich the mean temperature for the week was 34·2°, the maximum 44·9°, and the minimum 20·3° ; at Glasgow the maximum was 39·0°, the minimum 11·0°, and the mean 26·0°; and at Edinburgh the maximum was 35·9°, the minimum 16·6°, and the mean 26·8°. The rainfall at Greenwich measured 1·15 ins., at Glasgow 0·55 in., and at Edinburgh 0·22 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	THERMOMETER. Maximum.	Minimum.	Mean.	HYGROMETER. Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.	Ozone, 1·0	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In		
Sunday, January 23,	29·400	45·7	35·0	40·4	40·9	40·6	·98	6	0·0	·110	S.W.	S.W.
Monday, „ 24.	28·847	40·4	34·4	37·4	35·3	34·6	·94	·6	0·9	·000	W.S.W.	N.W.
Tuesday, „ 25.	29·142	36·0	27·3	31·7	30·5	30·3	·85	·5	0·2	·010	Calm.	Calm.
Wednesday, „ 26.	29·071	35·2	19·7	27·5	24·8	23·4	·69	·3	3·2	·000	Calm.	Calm.
Thursday, „ 27.	28·980	40·4	17·9	29·2	29·0	28·7	·92	·6	3·7	1·250	Calm.	E.
Friday, „ 28,	28·801	38·3	23·9	31·1	29·7	29·2	·92	·4	0·0	·320	N.	W.
Saturday, „ 29,	29·461	35·3	25·2	30·3	28·2	27·6	·88	·4	7·7	·000	Calm.	W.
Mean, . . .	29·100	38·8	26·2	32·5	31·2	30·6	·88	·5	Total 15·7	Total 1·690	—	

Sunday—Day overcast, passing showers ; night cloudy, light rain midnight to 3 a.m. *Monday*—Day overcast to cloudy ; night clear. *Tuesday*—Day overcast, snow and sleet a.m. ; night overcast light fall of snow 2 a.m. *Wednesday*—Day overcast to cloudy ; night clear. *Thursday*—Day cloudy to overcast, heavy rain 6.25 p.m. to 12.0 midnight ; night overcast, heavy rain and snow midnight. *Friday*– Day overcast, snow 7 a.m. to 12 noon ; night clear. *Saturday*—Fine bright day, cold ; night clear.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, January 29th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot	4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Min.	Mean.	Sunshine Campbell-Stokes Recorder) read at 9 p.m	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, January 23	43·0	38·0	43·4	46·8	35·9	41·4	0·1	·100
Monday, „ 24,	37·0	39·1	43·2	42·3	35·6	38·9	0·3	·005
Tuesday, „ 25,	32·9	38·5	43·0	38·9	30·5	34·7	—	—
Wednesday, „ 26,	34·5	38·0	43·0	36·3	28·8	32·6	1·9	—
Thursday, „ 27,	24·8	36·9	42·9	40·1	21·2	31·7	0·9	·750
Friday, „ 28,	33·0	36·0	42·6	39·9	26·7	33·3	—	·830
Saturday, „ 29,	31·0	36·0	42·1	37·4	26·8	32·6	4·6	—
Weekly Mean, . .	33·7	37·5	42·9	40·2	29·4	35·0	Total 7·8	Total 1·685

DUBLIN : Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

(27826). Wt. P. 345. 375. 11. 1909. G. III. Sch. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price 1½d.*

Vol. XLVII.] WEEK ENDING SATURDAY, 5TH FEBRUARY, 1910. [No. 5.

General Register Office, Charlemont House, Dublin, 7th February, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 25·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending Jan 15.	Jan. 22.	Jan. 29.	Feb. 5.	Average Rate for 4 weeks.
22 Town Districts.	22·3	19·1	21·1	25·0	21·9	Limerick,	30·1	20·5	16·4	27·3	23·6
						Lisburn,	45·5	13·6	63·7	22·7	36·4
Armagh,	20·6	13·7	.	20·6	13·7	Londonderry,	22·8	14·4	21·6	14·4	18·3
Ballymena,	9·6	33·5	23·9	14·4	20·4	Lurgan,	22·1	8·9	31·0	17·7	19·9
Belfast,	22·7	16·7	20·1	22·0	20·4	Newry,	12·6	37·8	29·4	21·0	25·2
Bonmel,	.	20·5	20·5	20·5	15·4	Newtownards,	11·4	28·6	28·6	51·5	30·0
Cork,	23·3	15·1	21·9	31·5	22·9	Portadown,	15·5	10·3	5·2	20·7	12·9
Drogheda,	24·5	20·4	20·4	20·4	21·4	Queenstown,	6·6	13·2	26·4	33·0	19·8
Dublin Reg. Area,	22·1	22·5	21·7	29·8	24·0	Sligo,	9·6	4·8	14·4	24·0	13·2
Dundalk,	23·9	27·9	19·9	4·0	18·9	Tralee,	42·3	31·7	31·7	10·6	29·1
Galway,	19·4	11·7	27·2	19·4	19·4	Waterford,	23·4	17·5	13·6	21·4	19·0
Kilkenny,	14·7	4·9	24·6	24·6	17·2	Wexford,	23·3	32·7	4·7	14·0	18·7

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·5 per 1,000, the rates varying from 0·0 in seven of the districts to 11·4 in Newtownards, the 9 deaths from all causes for that district including 2 from whooping-cough. Among the 165 deaths from all causes for Belfast are from whooping-cough and 2 from diarrhœal diseases. Of the 20 deaths from all causes for Limerick one is from whooping-cough, and one death from whooping-cough is also included the 5 deaths from all causes for Lisburn.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 252—132 boys and 120 girls—and the deaths to 239—118 males and 121 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 30·9 in every 1,000 of the population; omitting the deaths (numbering 9) of persons admitted into public institutions in localities outside the Area, the rate was 29·8 per 1,000. During the five weeks, ending with Saturday last, the death-rate averaged 24·5, and was 3·7 below the mean rate for the corresponding portions of the ten years 1900–9.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*), Table II. ‡ See columns 10–18 of Table II.

Of the 239 deaths registered there were 2 deaths from whooping-cough, 2 from diphtheri and 4 from diarrhœal diseases of infants under one year of age (5 deaths from enteritis and from *gastro-enteritis* of infants at this age-period were also registered). In the three prece ing weeks, deaths from whooping-cough were 5, 4, and one]; deaths from diphtheria were 3, and 0 ; and deaths from diarrhœal diseases were 4, 4, and 2, respectively. There we 4 deaths from influenza, deaths from this cause in the three preceding weeks numbering 3, and one, respectively.

One death from lobar pneumonia, 12 deaths from broncho-pneumonia, and 7 deaths fro *pneumonia* (not defined) were registered.

Deaths from all forms of tuberculous disease, which in the three preceding weeks numbere 25, 27, and 29, respectively, rose to 43 in the period under notice, the latter comprising deaths from tuberculous phthisis (*phthisis*), 4 deaths from tuberculous meningitis, one dea from tuberculous peritonitis, and 12 deaths from other forms of tuberculous disease.

There were 7 deaths from carcinoma, one death from sarcoma, and 11 deaths from canc malignant disease (undefined).

The deaths of 6 infants were ascribed to prematurity.

Diseases of the brain and nervous system caused 13 deaths, including those of 5 childre under five years of age from *convulsions*, 3 of the latter being deaths of infants under one year of ag

There were 29 deaths from diseases of the heart and blood vessels, and bronchitis caus 43 deaths.

Of 5 deaths attributed to accidental causes one death(that of a child aged 3 years) w caused by burns and 2 deaths were caused by drowning.

In 13 instances the cause of death was "uncertified," there having been no medic attendant during the last illness; these cases include the deaths of 4 infants under o year of age and the deaths of 2 persons aged 60 years and upwards.

Seventy-six of the persons whose deaths were registered during the week were und 5 years of age (53 being infants under one year, of whom 19 were under one month old) an 71 were aged 60 years and upwards, including 28 persons aged 70 and upwards, of who 6 were octogenarians, and one (a female) was stated to have been aged 93 years.

Ninety of the deaths registered during the week occurred in hospitals and other publ institutions; of this number 13 took place in the North Dublin Union Workhouse, and in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last wee deaths in Public Institutions being assigned to the Districts from which the deceased we admitted, and the annual death-rate for each District calculated on the mortality so di tributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 29·8 per 1,000; the rate in the City was 3 (North City Districts, 28·6; South, 32·7) and in the Suburbs, 27·0.

The deaths from certain epidemic diseases* in the entire area equal an annual rate of 1·0 per 1,000 inhabitants, t rate for the City being 1·3 (2·0 in the North City Districts, and 0·7 in the South), and for the Suburbs, 0·0.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (11) are equal to an annual rate of 19·2 per 1,0 and include 4 deaths from tuberculous disease, one death from bronchitis, and 2 accidental deaths.

No. 1 *North City District, West* (Summer-hill).—The deaths (25) are equal to an annual rate of 32·6 per 1,0 There were 2 deaths each from whooping-cough and epidemic enteritis, one from broncho-pneumonia, 3 from tube culous disease, and 7 from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (26) are equivalent to an annual rate of 44·1 per 1,0 One death was caused by *diarrhœa*, 2 were caused by influenza, one by broncho-pneumonia, one by *pneumonia* (not d fined), 2 by tuberculous meningitis, and 5 by bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (15) represent an annual rate of 23·3 per 1,000. One dea each from broncho-pneumonia and *pneumonia* (not defined), 3 deaths from tuberculous disease, and 2 deaths fro bronchitis were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clonta and Howth, No. 1, part of, 5·7 per 1,000 inhabitants: Coolock and Drumcondra, part of, 22·4, and Finglas a Glasnevin, part of, 27·1. Among the 5 deaths from all causes for Coolock and Drumcondra, part of, are one dea from broncho-pneumonia and one from tuberculous phthisis; and the 4 deaths from all causes for Finglas and Gl nevin, part of, include one from epidemic enteritis.

No. 1 *South City District* (South Earl-street).—The deaths (17) represent an annual rate of 21·4 per 1,000, and inclu one death from broncho-pneumonia, 2 deaths from tuberculous disease, and 4 deaths from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (19) are equal to an annual rate of 45·5 per 1,000. Among the are 3 deaths from broncho pneumonia, 3 deaths from tuberculous disease, and 6 deaths from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (28) are equal to an annual rate of 33·8 per 1,000. One dea was caused by influenza, there was one death from broncho-pneumonia, one death from *pneumonia* (not defined there were 4 deaths from tuberculous disease, 4 from bronchitis, and one accidental death.

No. 4 *South City District* (Grand Canal-street).—The deaths (26) are equivalent to an annual rate of 37·8 per 1,0 Of the deaths 2 were from diphtheria, one from influenza, one from broncho-pneumonia, 2 from *pneumonia* (not d fined), 4 from tuberculous disease, and 8 from bronchitis; one death was caused by drowning.

New Kilmainham District.—The deaths (5) are equal to an annual rate of 28·7 per 1,000. One death from bronch pneumonia 2 deaths from tuberculous phthisis and one from bronchitis were recorded.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathga 29·6; Pembroke, 23·4; Blackrock, 40·5; and Kingstown, 20·7. There was no death from any of the princip epidemic diseases tabulated for these districts. The 21 deaths from all causes for Rathmines and Rathgar includ one from broncho-pneumonia, 4 from tuberculous disease, and 2 from bronchitis; of the 13 deaths from all causes Pembroke 4 were from tuberculous phthisis (*phthisis*), and one from bronchitis; the 7 deaths from all causes Blackrock included one from *pneumonia* (not defined), 3 from tuberculous phthisis, and one accidental death; and of t 7 deaths from all causes for Kingstown one was from lobar pneumonia, one from *pneumonia* (not defined), and 2 we from bronchitis.

* See Columns 10-18 of Table II.

NOTE - Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possib in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin: Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District: Mr. Manly, Executive Sanitary Officer for Pembroke Urban District: Mr. Heron, Executive Sanitary Officer for Blackrock Urban District: by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 5th February, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin..	Jan. 15,	.	—	—	5	.	.	5	.	.	5	14	.	—	—	.	—	7	—	36
	Jan. 22,	.	—	—	6	1	.	5	.	1	8	9	.	—	—	.	—	22	—	52
	Jan. 29,	.	—	—	7	.	.	1	.	.	4	8	.	—	—	.	—	20	—	40
	Feb. 5,	.	—	—	10	.	.	18	.	2	6	14	.	—	—	.	—	22	—	72
Rathmines and Rathgar Urban District.	Jan. 15,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	—	—	—	—	3
	Jan. 22,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	Jan. 29,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	Feb. 5,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	—	2
Pembroke Urban District.	Jan. 15,	.	.	.	2	.	.	.	.	.	.	.	.	—	.	.	—	—	—	2
	Jan. 22,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	—	.
	Jan. 29,	.	.	.	2	.	.	1	.	.	.	.	.	—	.	.	—	—	—	3
	Feb. 5,	.	.	.	2	.	.	.	.	.	.	.	1	—	.	.	—	—	—	3
Blackrock Urban District.	Jan. 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Jan. 22,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Jan. 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Jan. 15,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	1	—	2
	Jan. 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Jan. 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Feb. 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	1
City of Belfast.	Jan. 15,	.	—	—	20	.	.	2	.	.	.	5	.	—	—	—	—	19	—	46
	Jan. 22,	.	—	—	25	.	.	2	1	1	.	8	.	—	—	—	—	16	—	53
	Jan. 29,	.	—	—	15	.	.	2	.	.	.	4	.	—	—	—	—	14	—	35
	Feb. 5,	.	—	—	15	.	.	2	.	.	2	6	.	—	—	—	—	24	—	49

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 5th February, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

One case of measles was admitted to hospital during the week, 5 were discharged, and 7 cases remained under treatment at the close of the week.

Nineteen cases of scarlet fever were admitted to hospital, 6 were discharged, and 66* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 70, 53, and 53, respectively.

One case of typhus was discharged from hospital during the week, and one case remained under treatment at its close.

Twenty-two cases of diphtheria were admitted to hospital, 8 were discharged, and 46 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 33, 38, and 32, respectively.

Six cases of enteric fever were admitted to hospital during the week, 6 were discharged, and 34 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 12 cases of pneumonia were admitted to hospital, 14 were discharged, there was one death, and 28 cases remained under treatment at the end of the week.

ENGLAND AND COTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 17·2) was equal to an average annual death-rate of 17·0 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 20·5 per 1,000, the rate for Glasgow being 20·2 and for Edinburgh 18·8.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 5th February. From this Report it appears that of a total of 37 cases notified, 21 were scarlet fever, 8 phthisis, 4 erysipelas, 3 diphtheria, and one cerebro-spinal fever. Among the 383 cases of infectious diseases in hospital at the close of the week were 177 cases of scarlet fever, 100 of measles, 51 of phthisis, 30 of diphtheria, 8 of erysipelas, 5 of whooping-cough, 4 of chicken-pox, and one of cerebro-spinal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 5th February, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 5TH FEBRUARY, 1910.																								METEOROLOGY. (d)											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																					WEEK ENDING 5TH FEB., 1910.				WEEK ENDING 29TH JAN., 1910.				WEEK ENDING 22ND JAN., 1910.			
	POPULATION.		DEATHS.			BIRTHS.	DEATHS.																				Air Temperature				Air Temperature				Air Temperature			
	Total.a	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10-18.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia	Phthisis.	Tuber-culous Disease Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	23	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·2	31·4	25·0	1·5	694	552	97	181	.	.	.	.	25	2	.	.	7	43	55	31	33	97	11	11	166	32	°	°	°	.	°	°	°	.	°	°	°	.
DUBLIN REGISTRATION AREA:— TOTAL, c.	402,928	29·3	32·6	29·8	1·0	252	280	53	70	.	.	.	.	2	2	.	.	4	20	23	16	17	43	3	4	81	13	e54·4	22·9	38·1	0·16	e45·7	17·9	32·5	1·69	e53·0	25·9	37·6	0·24
CITY of DUBLIN,	310,298	39·2	26·6	30·6	1·3	218	182	49	49	.	.	.	.	2	2	.	.	4	16	13	15	13	38	4	4	65	11	f55·4	27·7	39·9	0·07	f46·8	24·1	34·6	1·82	f53·6	28·7	38·9	0·30
																											g55·3	24·0	37·9	0·17	g45·9	16·0	33·1	2·08	g52·9	26·6	38·0	0·23
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	11·3	29·6	.	8	21	.	13	.	.	.	.	.	.	.	.	.	1	3	1	2	2	.	.		1	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	32·4	23·4	.	18	13	3	3	.	.	.	.	.	.	.	.	.	.	4	.	1	1	.	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,018	8·3	.	40·5	.	.	7	.	2	.	.	.	.	.	.	.	.	.	1	3	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	28·7	20·7	.	8	7	1	3	.	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	.	58·0	30·0	41·8	0·03	48·0	21·5	34·3	2·17	49·0	29·0	40·0	0·22
URBAN DISTRICTS.																																						
BELFAST,	391,167	26·6	28·5	22·0	2·8	214	165	28	47	.	.	.	.	19	.	.	.	2	14	16	8	8	28	2	4	45	2	52·5	23·8	37·0	0·64	44·0	18·8	32·3	0·76	53·0	29·0	38·5	1·14
CORK,	76,122	33·6	30·8	31·5	0·7	45	46	4	16	.	.	.	.	.	.	.	.	1	4	7	1	4	9	1	.	21	5	53	33	41·4	0·59	49	30	37·7	0·90	49	32	41·8	0·46
LONDONDERRY,	43,477	20·1	14·4	14·4	.	12	12	.	5	.	.	.	.	.	.	.	.	.	1	2	1	.	5	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	68·3	27·3	1·4	30	20	5	8	.	.	.	.	1	.	.	.	.	.	2	1	.	5	.	.	4	4	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD,	26,769	18·7	28·4	21·4	.	12	11	.	5	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	4	2	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	2·5	50·5	19·4	.	18	5	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	47	26	39	0·76	47	22	35	1·39	55	28	40	0·81
DUNDALK	13,076	9·4	39·9	4·0	.	10	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	36·8	20·4	.	9	5	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,405	17·8	37·8	21·0	.	9	5	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	51·8	26·1	37·8	0·39	45·0	16·5	31·7	0·18	49·1	25·8	36·1	0·88
LURGAN,	11,782	13·8	43·1	17·7	.	12	4	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	51·8	26·1	37·8	0·39	45·0	16·5	31·7	0·18	49·1	25·8	36·1	0·88
LISBURN,	11,461	10·1	36·4	22·7	4·5	8	5	1	3	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	.	.	1	51·8	26·1	37·8	0·39	45·0	16·5	31·7	0·18	49·1	25·8	36·1	0·88
WEXFORD,	11,168	23·2	28·0	14·0	.	6	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,886	8·9	14·4	14·4	.	3	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,870	3·7	53·6	24·0	.	7	5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	5	.	53·5	24·7	38·8	0·99	46·0	7·0	31·5	0·75	49·7	21·8	36·7	1·67
KILKENNY,	10,609	11·5	9·8	24·6	.	2	5	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	56	18	34·1	0·32	46	20	31·4	0·98	48	25	37·6	0·37
CLONMEL,	10,167	7·8	5·1	20·5	.	1	4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,092	18·2	36·2	20·7	.	7	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	51·8	26·1	37·8	0·39	45·0	16·5	31·7	0·18	49·1	25·8	36·1	0·88
TRALEE,	9,867	16·6	37·0	10·6	.	7	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	47·2	51·5	11·4	10	9	3	3	.	.	.	.	2	.	.	.	.	1	1	.	.	1	1	1	3	.	55	29	38·8	0·23	42	23	35·3	0·55	50	29	37·4	0·44
QUEENSTOWN,	7,909	14·4	1 3·2	33·0	.	2	5	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	53	33	41·2	0·59	49	30	37·7	0·90	49	32	41·8	0·46
ARMAGH,	7,588	22·2	20·6	20·6	.	3	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	51·8	26·1	37·8	0·39	45·0	16·5	31·7	0·18	49·1	25·8	36·1	0·88

(*a*) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (*b*) Formerly described as "Simple Continued Fever." (*c*) Exclusive of 9 deaths of persons (including one at 66 years), admitted to hospital from localities outside the Area. (*d*) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. (*e*) Observations at Ordnance Survey Office, Phœnix Park, (*f*) Observations by Sir John Moore taken at Fitzwilliam-square. (*g*) Observations by Mr. F. W. Moore, taken at Botanic Gardens Glasnevin

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 5th February, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	CLONDALKIN & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	4	.
Pneumonia,	.	1	2	2	.	1	.	1	3	2	3	1	1	.	1	2	20	.
Tuberculous Disease. Phthisis,	2	2	.	2	.	1	.	1	.	1	2	2	3	4	3	.	23	3
Tuberculous Disease. Other Forms,	2	1	2	1	.	.	.	1	3	3	2	.	1	.	.	.	16	1
Cancer, Malignant Disease,	2	3	1	.	.	.	1	1	2	.	2	1	2	1	.	1	17	2
Other General Diseases,	.	2	4	2	.	.	1	1	1	3	3	.	2	3	.	.	22	.
Total,	6	13	10	7	.	2	3	5	9	9	14	4	9	8	4	3	106	6
B. LOCAL DISEASES:																		
Diseases of Nervous System,	.	1	2	1	.	2	.	1	.	3	.	.	1	1	.	.	12	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Heart and Blood Vessels,	1	.	3	2	.	.	1	3	.	5	2	.	7	1	2	1	28	1
Diseases of Respiratory System,	1	7	5	2	.	.	.	4	6	4	8	1	2	1	.	2	43	.
Diseases of Digestive System,	.	.	.	.	.	.	.	1	2	5	1	.	.	.	.	1	10	1
Diseases of Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	1	1	1	1	1	.	.	.	.	.	.	.	1	1	.	.	7	.
Diseases of Generative System,	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	3	9	12	6	1	3	1	9	9	17	11	1	11	4	2	4	103	3
C. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	3	4	2	.	.	.	3	1	1	.	.	1	1	.	.	16	.
E. VIOLENT DEATHS,	2	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	5	.
Deaths from all Causes	11	25	26	15	1	5	4	17	19	28	26	5	21	13	7	7	230	9
Annual Rate of Mortality from all causes in every 1,000 of the population.	19·2	32·6	44·1	23·3	9·7	22·4	27·1	21·4	45·5	33·8	37·8	28·7	29·6	23·4	40·5	20·7	29·8	.
	28·6							32·7					27·0					
	30·6																	
Ages at Death. Under 1 year,	1	8	5	4	.	2	2	5	7	11	4	.	.	3	.	1	53	.
Ages at Death. 1 and under 5 years,	2	1	2	3	.	.	.	1	4	3	4	1	2	.	.	.	23	.
Ages at Death. 5 " 20 "	.	1	3	.	.	1	.	.	.	2	1	.	.	.	1	.	9	2
Ages at Death. 20 " 40 "	3	2	1	3	.	.	.	1	1	3	3	2	1	3	2	.	25	2
Ages at Death. 40 " 60 "	4	6	5	.	1	2	.	4	2	6	6	.	5	4	2	3	50	4
Ages at Death. 60 years and upwards,	1	7	10	5	.	.	2	6	5	3	8	2	13	3	2	3	70	1
Number of Uncertified Deaths,	2	1	.	.	.	.	1	2	1	2	2	.	1	1	.	.	13	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	2	2	5	1	.	1	2	2	5	4	.	5	6	1	.	38	7
Workhouse Hospitals,	2	4	5	.	.	.	.	5	7	5	10	1	4	.	.	.	43	2

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in corresponding week of the ten years 1900–1909,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Average in 5th Week of the 10 years, 1900-1909.	In the Week ending Saturday, 5th February, 1910.							
												Deaths of Persons of the Ages of							
	Feb. 3, 1900.	Feb. 2, 1901.	Feb. 1, 1902.	Feb. 7, 1903.	Feb. 6, 1904.	Feb. 4, 1905.	Feb. 3, 1906.	Feb. 2, 1907.	Feb. 1, 1908.	Feb. 6, 1909.		All Ages.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 35·6	° 35·9	° 34·9	° 44·6	° 37·0	° 43·9	° 44·3	° 37·7	° 41 8	° 44·4	° 40·0	° 38·1								
ALL CAUSES.	238	186	169	202	233	183	187	193	208	196	199·5	239	19	34	23	11	27	54	64	7
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	4	.	1	.	.	5	.	.	2	7	1·9	.	.	.	.	.	.	.	.	.
Scarlet Fever,	1	.	1	3	.	1	1	.	.	.	·7	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	18	3	2	1	3	2	.	6	6	.	4·1	4	.	.	1	.	.	1	2	.
Whooping-cough,	.	12	1	3	9	2	2	2	2	1	3·4	2	.	1	1	.	.	.	.	.
Diphtheria,	3	1	1	3	1	1	1	.	.	3	1·4	2	.	.	1	1	.	.	.	.
Cerebro-spinal Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	3	.	.	1	.	1	.	.	.	·7	.	.	.	.	.	.	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.), *Diarrhœa*, Dysentery,	3	2	.	. / 1	1	.	1	2	2	.	1·2	3 / 1	.	3 / 1	.	.	.	.	.	.
Tetanus,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	1	.	1	1	1	1	1	2	1	1	1·0	2	2	.	.	.	.	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*,	.	.	1	1 / . / .	.	.	.	.	1	.	·3	1 / . / .	.	.	.	1	.	.	.	.
Infective Endocarditis	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar, Broncho-Epidemic Not defined,	17	19	15	2 / 4 / 11	4 / 12	2 / 7 / 2	11 / 8	6 / 6	9 / 8	3 / 8 / 12	16·9	1 / 12 / 7	1	4	5	.	3	1	1 / 2	1
Erysipelas,	.	.	1	.	1	.	.	.	.	2	·4	.	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	.	1	.	1 / .	.	1	.	.	.	1	·3	1 / .	.	.	.	.	.	1 / .	.	.
Other Infective Conditions,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*,"	29	20	33	2 / 19	7 / 16	7 / 21	12 / 17	9 / 15	16 / 12	14 / 10	25·9	13 / 13	.	.	.	1 / 2	6 / 8	6 / 2	. / 1	.
Tuberculous Meningitis,	7	2	.	4	4	4	2	3	3	1	3·0	4	.	1	2	1	.	.	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*,	5	2	.	1 / 1	1 / 2	2	.	1	.	2	1·7	1 / .	.	.	.	1	.	.	.	.
Tuberculous Dis. (other), *Scrofula*,	4	5	6	5 / .	4 / .	5 / .	6 / 1	8	6	5	5·5	12 / .	.	5	4	1	2	.	.	.
Alcoholism,	1	.	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Rheumatic Fever,	1	2	.	1	1	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	1	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Carcinoma, Sarcoma, Cancer (undefined)	5	4	7	1 / 2 / 1	4 / . / 7	4 / 1 / 3	4 / . / 4	3 / 1 / 6	1 / . / 5	3 / . / 1	6·7	7 / 1 / 11	.	.	.	.	.	4 / 1 / 6	3 / . / 5	.
Diabetes Mellitus,	.	.	.	1	.	.	.	1	1	1	·4	.	.	.	.	.	.	.	.	.
Premature Birth,	3	2	2	8	9	7	6	3	7	4	5·1	6	4	2	.	.	.	.	.	.

* The figures for the year 1900 are for

† Formerly described as

THE WEEK ending Saturday, 5th February, 1910, with the deaths from each cause in the the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 5th Week of the 10 years 1900-1909.	In the Week ending Saturday, 5th February, 1910.							
	Feb. 3, 1900.	Feb. 2, 1901.	Feb. 1, 1902.	Feb. 7, 1903.	Feb. 6, 1904.	Feb. 4, 1905.	Feb. 3, 1906.	Feb. 2, 1907.	Feb. 1, 1908.	Feb. 6, 1909.		Deaths of Persons of the Ages of							
												All Ages.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 35·6	° 35·9	° 34·9	° 44·6	° 37·0	° 43·9	° 44·3	° 37·7	° 41·8	° 44·4	° 40·0	° 38·1								
eningitis (not tuberc.) ...				4	1	3	2	1	2	3		2	.	1	.	.	1	.	.
sanity, G. P. of Insane ...				1	5	1	.	.	5	.		2	.	.	.	.	1	1	.
pilepsy				.	1	.	1	2	1	.		.	.	.	.	.	.	.	.
onvulsions				8	15	8	7	3	3	2		5	1	2	2	.	.	.	.
oeomotor Ataxy ...				.	.	.	.	.	.	1		.	.	.	.	.	.	.	.
araplegia Dis. of Cord ...				3	2	.	1	1	2	2		3	.	.	.	.	2	1	.
ervous System (other Dis.)				.	.	1	3	2	2	3		1	.	.	.	1	.	.	.
	42	35	30								41·2								
alv. Dis., Endocarditis ...				5	6	6	5	6	8	9		6	.	.	.	.	.	6	.
erebr. Hæm. Thromb.				.	1	2	2	2	4	2		5	.	.	.	.	2	2	1
oplexy, Hemiplegia ...				7	5	3	9	5	3	1		2	.	.	.	.	1	1	.
neurysm ...				1	.	.	.	.	.	.									
mbolism, Thromb. (not cerebral)				.	.	.	.	.	.	.		1	.	.	.	1	.	.	.
eart and Blood Vessels (other Dis.)				19	11	17	15	19	11	19		15	.	.	.	1	2	5	6	1
roup (not Spasm. nor Memb.)	1	1	.	.	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
ronchitis	44	27	29	37	32	25	24	40	41	33	33·2	43	1	8	1	.	9	24	.
sthma, Emphysema ...	5	3	3	2	.	2	1	3	1	1	3·8	.	.	.	.	.	.	.	.
eurisy				.	.	.	1	.	1	.		.	.	.	.	.	.	.	.
espiratory Dis. (other) ...				3	3	5	1	1	.	2		.	.	.	.	.	.	.	.
nsillitis, Quinsy ...	.	.	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.
nteritis (not Epid.) ...	.	1	3	1	.	4	.	1	.	.	1·6	5	3	2	.	.	.	.	.
astro Enteritis				.	.	1	2	2	1	.		2	2	.	.	.	.	.	.
ritonitis (not Puerp.) ...	2	.	.	.	2	.	.	.	1	1	·6	2	.	.	.	.	2	.	.
rrhosis of Liver ...	3	1	3	.	2	1	.	.	.	1	1·7	.	.	.	.	.	.	.	.
ver Dis. (other) ...				.	3	.	.	.	2	1		.	.	.	.	.	.	.	.
gestive Dis. (other) ...	6	2	4	4	5	4	4	1	4	1	3·5	2	.	1	.	.	1	.	.
phritis, Acute	1	2	8	2	.	1	.	2	.	4	5·1	5	.	.	.	1	3	1	.
ight's Dis., Albuminuria				2	6	3	2	2	3	3		2	.	.	.	1	.	1	.
inary Sys. (other Dis.) ...				1	2	.	5	.	2	.									
nerative Organs Dis. ...	.	1	.	.	.	.	2	1	.	.	·4	1	.	.	.	.	1	.	.
ildbirth (Accid. of) ...	2	1	.	1	2	.	1	1	3	1	1·2	1	.	.	.	1	.	.	.
d Age	15	11	6	4	18	5	8	4	6	9	8·6	8	.	.	.	.	4	.	4
her Diseases	8	15	9	17	15	6	8	14	15	14	12·1	17	5	3	3	1	1	3	.
ACCIDENT.																			
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ...	.	2	.	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.
Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagrations ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
Burns, Scalds, Explosions	3	3	2	.	3	2	2	2	1	2	2·0	1	.	.	1	.	.	.	.
Drowning	.	1	.	1	2	.	.	1	1	.	·6	2	.	.	.	.	2	.	.
Suffocation in Bed ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.
Poison or Poisonous Vapours	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.
her Deaths by Accident	1	2	.	1	1	1	1	1	.	.	·8	2	.	.	.	1	1	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																			
micide	1	.	.	.	.	.	1	1	.	.	·3	.	.	.	.	.	.	.	.
cide	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.
ecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.
nple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA	1909-10—Week ending																								
	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.
No. of weeks in Annual Series,	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5
BIRTHS registered.	292	205	261	208	226	207	215	250	193	184	226	203	220	215	238	193	206	174	216	135	232	136	243	197	162	252
*Average Births in corresponding week of previous 10 years,** ..	193	217	213	206	229	206	199	250	192	185	205	203	210	198	195	181	202	197	190	177	175	227	204	206	203	234
DEATHS registered, ...	113	157	162	149	134	186	157	141	134	137	124	148	145	177	190	172	180	177	158	155	205	174	177	181	177	239
Annual Death-rate per 1,000, ..	14·8	20·6	21·2	19·5	17·5	17·8	20·6	18·8	17·5	16·6	16·2	19·4	19·0	23·2	24·9	22·5	23·6	23·2	20·7	20·3	23·8	22·5	22·9	23·4	22·9	30·9
*Average Deaths in corresponding week of previous 10 years,**	158	164	170	165	169	164	171	168	164	166	173	166	179	182	184	187	190	190	187	195	184	217	210	206	201	200
AGES, Under 5 years, ...	41	58	76	66	38	38	47	85	35	36	41	35	40	45	41	37	42	37	51	44	71	49	57	57	55	76
5—25 ,, ...	7	7	9	8	6	9	8	10	12	6	14	17	10	12	9	8	9	8	10	8	11	12	13	16	13	11
25—40 ,, ...	12	22	22	25	25	26	28	27	20	17	21	33	21	26	28	18	24	25	19	23	19	30	25	24	31	27
40—60 ,, ...	26	30	25	20	28	34	34	27	31	24	25	28	33	34	44	51	47	52	27	34	48	36	23	41	36	54
60—80 ,, ...	23	31	28	26	28	19	33	40	33	38	19	34	33	49	61	52	50	45	39	37	40	37	49	45	37	64
80 years and upwards, ..	4	6	2	4	9	10	7	5	3	6	4	1	8	7	7	6	10	10	12	9	6	10	10	8	5	7
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	2	.	.	1	.
Measles, ...	1	.	.	.	2	1	.	.	1	.	.	.	.	.	.	2	.	1	1	.	.	.	.	.	1	.
Scarlet Fever, ...	.	1	.	2	.	.	1	.	.	1	1	.	.	1	.	1	.	1	1	1	3	.	.	.	1	.
Typhus, ...	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Whooping-cough, ...	2	1	5	.	1	2	.	2	3	.	1	1	1	1	2	.	.	2	2	2	1	3	5	4	1	2
Diphtheria, ...	.	1	1	3	1	1	2	1	1	1	.	.	.	1	2	1	1	.	2	.	1	1	.	3	.	2
Pyrexia † (origin uncertain), ..	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	1	1	1	.	3	2	.	1	.	2	.
Enteric Fever, ...	.	.	1	1	2	2	2	1	.	1	.	1	1	1	.	1	1	1	.	3	2	.	1	.	2	.
Diarrhœal Diseases, ...	9	20	30	20	15	6	6	5	5	4	2	3	2	4	2	4	2	4	1	.	4	2	4	4	2	4
Influenza, ...	.	1	.	.	.	.	.	.	.	3	.	.	1	2	1	2	3	1	1	6	4	2	3	5	1	4
Pneumonia, ...	2	8	3	7	6	8	4	13	11	5	7	13	8	14	18	16	20	28	19	20	22	22	14	21	14	20
Tuberculous Disease, { Phthisis, ..	9	18	19	18	20	22	21	15	17	12	25	27	19	20	20	17	22	17	15	14	15	24	19	21	23	26
Tuberculous Disease, { Other Forms, ..	10	7	15	6	1	8	9	7	5	3	4	9	7	8	6	6	7	8	6	4	6	5	6	6	6	17
Cancer, Malignant Disease, ..	6	10	7	8	9	6	18	7	8	8	3	6	10	8	17	7	11	10	8	6	4	8	7	8	11	19
Diseases of Heart and Blood Vessels, ...	19	20	15	17	20	27	14	28	15	18	19	17	19	33	32	27	31	29	25	21	37	29	31	29	17	39
Diseases of Respiratory System,	9	8	12	8	12	8	18	18	9	13	11	14	15	22	22	32	29	23	26	30	41	23	33	29	39	43
Violent Deaths, ...	3	3	2	7	4	3	2	4	5	1	4	2	3	4	6	4	5	4	4	2	2	4	4	1	4	5
Number of Uncertified Deaths, ..	4	3	4	2	5	2	2	3	1	4	4	6	4	5	4	2	3	4	5	7	10	3	8	13	9	13
Mean Temperature of the Air (Phœnix Park), ...	62·4	58·8	56·2	53·7	50·9	49·0	52·0	53·6	53·2	52·5	51·1	40·3	45·0	41·9	37·7	38·4	41·8	32·1	41·4	33·5	45·9	45·4	42·1	37·6	32·5	34·1
Average Mean Temperature in corresponding week of previous 10 years, ...	57·7	57·9	57·1	56·7	55·2	53·9	53·9‡	53·1	51·5	50·2	48·3	47·1	47·6	45·8	43·7	42·4	43·3	43·0	41·3	42·1‡	40·3	41·3	40·0	41·1	41·7	40·0
Rainfall in inches, ...	·105	·785	·248	·516	·589	·000	·065	·988	·896	·772	1·896	·134	·117	·783	·087	·251	1·163	1·202	·207	1·185	·840	·128	·986	·240	1·690	·168
Mean Humidity of the Air, complete Saturation 1·0	·88	·78	·85	·82	·84	·85	·92	·93	·83	·84	·86	·81	·83	·88	·80	·84	87	·90	·82	·86	·88	·89	·85	·91	·88	·91

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday 5th February, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS	OCCUPATION OF SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 5TH FEBRUARY, 1910.																									
			Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES.						CAUSES OF DEATH.																	
					Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease.		Cancer, Malignant Disease.	Convulsions.	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
																						Phthisis.	Other Forms.						
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS, ...	375,350	33·2	239	76	11	27	54	64	7	.	.	.	.	2	2	.	.	4	8	20	26	17	19	5	43	5	96	13
	CLASSES.																											
	Deaths in Families of the—																											
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	32·9	11	.	.	2	3	5	1	.	.	.	.	.	.	.	.	.	.	.	3	.	2	.	.	.	6	.
II.	MIDDLE CLASS, ...	87,188	15·5	26	6	1	2	5	11	1	.	.	.	.	.	.	.	.	.	.	4	1	2	2	.	4	.	13	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,423	28·3	60	20	.	6	14	13	4	.	.	.	.	2	1	.	.	1	4	1	4	5	6	2	10	.	28	5
IV.	GENERAL SERVICE CLASS, ...	154,279	32·8	97	41	5	14	20	16	1	.	.	.	.	.	1	.	.	2	3	13	11	5	4	3	16	5	37	8
V.	INMATES OF WORKHOUSES, ...	6,024	—	45	9	2	3	12	19	.	.	.	.	.	.	.	.	.	1	1	2	7	5	5	.	13	.	12	.
	PROFESSIONAL AND INDEPENDENT CLASS.																											
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	60·2		.	.	2	3	3	1	.	.	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	5	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	13·5	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	MIDDLE CLASS.																											
II.	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	14·2	6	2	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	1	.	2	.
	6. Clerks and Commercial Assistants, ..	80,482	10·3	6	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,088	21·2	11	.	1	2	1	6	1	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	2	.	5	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																											
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	37·0	7	3	1	1	.	2	.	.	.	.	.	.	1	.	.	.	1	.	1	2	.	.	1	.	2	.
	9. Building and Furnishing Trades, ...	29,801	33·2	19	12	.	2	1	2	2	.	.	.	.	2	.	.	.	.	2	1	1	2	1	1	3	.	8	3
	10. Clothing Trades, ...	28,260	13·5	6	1	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	3	.
	11. Food Supply Trades, ...	9,242	11·3	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	37·8	22	3	2	2	9	4	2	.	.	.	.	.	.	.	.	1	1	.	1	.	5	.	3	.	12	2
	13. Petty Shopkeepers, ...	7,894	26·4	4	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
	GENERAL SERVICE CLASS.																											
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c	18,425	15·5	4	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	1	2	.
	15. Domestic Servants, ...	86,608	7·1	5	1	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	2	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	32·6	9	4	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	2	2	1	.	.	2	.	2	2
	17. Hawkers, Porters, Labourers, &c., ..	89,861	45·8	79	34	5	9	16	14	1	.	.	.	.	.	1	.	.	2	3	11	8	4	2	3	14	3	31	6
	INMATES OF WORKHOUSES.																											
V.	18. Workhouse Inmates, ...	6,024	—	45	9	2	3	12	19	.	.	.	.	.	.	.	.	.	1	1	2	7	5	5	.	13	.	12	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

	DISTRICTS.	1909-10. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	From Diseases in Cols. 5-18.	Total Deaths.	NUMBER OF DEATHS FROM Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercolous Disease. Phthisis.	Tubercolous Disease. Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal.).	Number of Uncertified Deaths
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of).	North City, No. 1 (E.) (*Office, Clarence-st., Nth.*) Pop. in 1910 (Est.) 29,908.	Dec. 18,	24·7	1·3	14		1	.	.	.	.	.	.	.	.	3	.	.	4	.	2
		„ 25,	17·6	.	10	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.
		Jan. 1,	21·2	1·8	12	.	.	.	.	.	.	.	1	.	2	.	1	.	1	.	1
		„ 8,	31·4	1·7	18	.	1	.	.	.	.	.	.	.	4	.	.	1	3	.	.
		„ 15,	38·1	3·5	19	.	.	.	.	2	.	.	.	.	2	1	1	.	3	1	.
		„ 22,	12·2	.	7	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1
		„ 29,	24·4	.	14	.	.	.	.	.	.	.	.	.	1	1	.	.	4	2	.
		Feb. 5,	19·2	.	11	.	.	.	.	.	.	.	.	.	.	2	2	2	1	2	2
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1910 (Est.) 39,974.	Dec. 18,	14·5	.	11	.	.	.	.	.	.	.	.	.	2	1	.	.	3	.	.
		„ 25,	22·4	.	17	.	.	.	.	.	.	.	.	.	3	4	.	.	3	.	.
		Jan. 1,	30·3	.	23	.	.	.	.	.	.	.	.	.	3	1	.	1	4	.	1
		„ 8,	15·7	2·6	12	.	.	.	.	1	.	.	.	1	1	3	.	.	2	.	.
		„ 15,	30·0	.	23	.	.	.	.	.	.	.	.	.	3	.	1	.	8	.	2
		„ 22,	22·2	.	17	.	.	.	.	.	.	.	.	.	1	4	1	.	1	.	.
		„ 29,	30·0	1·3	23	.	.	.	.	1	.	.	.	.	2	2	.	1	6	1	3
		Feb. 5,	32·6	5·2	25	.	.	.	.	2	.	.	.	2	1	2	1	3	7	.	1
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1910 (Est.) 30,744.	Dec. 18,	37·7	5·1	22	.	.	.	.	2	.	.	.	1	1	1	2	2	4	1	.
		„ 25,	24·0	1·7	14	.	.	.	.	.	.	.	1	.	1	2	.	1	1	.	2
		Jan. 1,	29·2	5·1	17	.	.	.	.	.	.	.	1	2	3	.	.	.	1	.	.
		„ 8,	25·4	5·1	15	.	.	.	1	2	.	.	.	.	1	1	.	.	2	.	1
		„ 15,	13·6	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	1
		„ 22,	30·5	3·4	18	.	.	.	.	1	.	.	.	1	1	1	1	.	2	.	1
		„ 29,	35·6	1·7	21	.	.	.	.	.	.	.	.	1	.	2	1	1	3	1	1
		Feb. 5,	44·1	1·7	26	.	.	.	.	.	.	.	.	1	2	.	2	1	5	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1910 (Est.) 33,559.	Dec. 18,	17·8	1·6	11	.	.	.	.	.	1	.	.	.	1	1	.	.	3	.	.
		„ 25,	28·8	1·6	18	.	.	.	.	.	.	.	1	.	4	2	.	1	1	1	.
		Jan. 1,	22·0	.	14	.	.	.	.	.	.	.	.	.	1	3	.	1	2	.	1
		„ 8,	17·1	1·6	11	.	.	.	.	.	.	.	1	.	2	2	1	.	.	.	.
		„ 15,	13·6	1·6	12	.	.	.	.	1	.	.	.	.	1	1	.	2	2	.	1
		„ 22,	18·6	1·6	12	.	.	.	.	.	.	.	1	.	4	1	1	1	.	.	1
		„ 29,	21·8	.	14	.	.	.	.	.	.	.	.	.	2	4	.	1	3	.	.
		Feb. 5,	23·3	.	15	.	.	.	.	.	.	.	.	.	2	2	1	.	2	.	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1910 (Est.) 41,476.	Dec. 18,	19·1	1·3	15	.	.	1	.	.	.	.	.	.	.	1	1	3	1	1	1
		„ 25,	16·5	.	18	.	.	.	.	.	.	.	.	.	2	1	.	.	6	.	.
		Jan. 1,	34·3	1·3	27	.	.	.	.	.	1	.	.	.	.	.	1	.	10	.	1
		„ 8,	16·3	1·3	13	.	1	.	.	.	.	.	.	.	.	1	.	1	3	.	.
		„ 15,	21·4	1·3	17	.	.	.	.	.	.	.	.	1	1	3	2	2	5	1	1
		„ 22,	17·6	1·3	14	.	.	.	.	.	1	.	.	.	1	1	.	1	6	.	1
		„ 29,	18·9	.	15	.	.	.	.	.	.	.	.	.	2	1	1	1	4	.	.
		Feb. 5,	21·4	.	17	.	.	.	.	.	.	.	.	.	1	1	1	1	4	.	2
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1910 (Est.) 21,754.	Dec. 18,	24·2	2·4	10	.	.	.	.	.	1	.	.	.	3	2	1	.	1	.	.
		„ 25,	24·2	.	10	.	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.
		Jan. 1,	43·6	.	18	.	.	.	.	.	.	.	.	.	2	3	.	.	7	.	1
		„ 8,	16·8	.	7	.	.	.	.	.	.	.	.	.	.	3	1	.	2	.	.
		„ 15,	38·4	2·4	16	.	.	.	.	.	.	.	1	.	.	4	1	.	3	1	.
		„ 22,	28·8	2·4	12	.	.	.	.	.	1	.	.	.	.	2	1	.	2	.	1
		„ 29,	9·6	2·4	4	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.
		Feb. 5,	45·5	.	19	.	.	.	.	.	.	.	.	.	3	.	3	2	6	.	1
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1910 (Est.) 43,227.	Dec. 18,	13·4	.	11	.	.	.	.	.	.	.	.	.	3	.	1	.	1	.	1
		„ 25,	20·7	.	17	.	.	.	.	.	.	.	.	.	2	.	2	2	6	.	1
		Jan. 1,	36·6	2·4	30	.	.	.	.	.	.	.	2	.	3	3	2	.	4	1	2
		„ 8,	30·2	1·2	25	.	.	.	.	.	1	.	.	.	3	3	2	2	2	1	.
		„ 15,	21·7	.	18	.	.	.	.	.	.	.	.	.	.	5	1	.	3	1	.
		„ 22,	30·2	3·6	25	.	.	.	.	2	1	.	.	.	2	3	1	1	6	.	2
		„ 29,	26·5	.	22	.	.	.	.	.	.	.	.	.	3	6	.	1	8	.	4
		Feb. 5,	33·8	.	28	.	.	.	.	.	.	.	.	.	2	1	3	.	4	1	2
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1910 (Est.) 35,881.	Dec. 18,	20·6	.	14	.	.	.	.	.	.	.	.	.	3	1	.	1	3	.	1
		„ 25,	16·2	.	11	.	.	.	.	.	.	.	.	.	.	1	1	.	5	.	1
		Jan. 1,	26·4	1·5	18	.	.	.	.	1	.	.	.	.	1	.	.	1	2	.	.
		„ 8,	27·6	.	19	.	.	.	.	.	.	.	.	.	4	4	.	1	1	1	2
		„ 15,	24·7	.	17	.	.	.	.	.	.	.	.	.	2	1	.	2	3	.	.
		„ 22,	30·5	.	21	.	.	.	.	.	.	.	.	.	5	2	.	.	2	1	2
		„ 29,	18·9	1·5	13	.	.	1	.	.	.	.	.	.	1	.	2	1	1	.	.
		Feb. 5,	37·8	2·9	26	.	.	.	.	2	.	.	.	.	3	2	2	2	8	1	2

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1909–10. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes	From Diseases in Cols. 5–18.	Total Deaths.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District.	Dec. 18,	17·1	.	12	.	.	.	.	1	.	.	.	.	2	.	.	.	4	.	.
	,, 25,	20·0	2·9	14	.	.	1	.	1	.	.	.	.	.	1	.	1	1	.	2
	Jan. 1,	15·7	1·4	11	.	.	1	.	.	.	.	.	.	.	1	.	.	5	.	1
	,, 8,	15·5	.	11	.	.	.	.	.	.	.	.	.	1	1	.	.	2	1	.
	,, 15,	15·5	1·4	11	.	.	.	.	1	.	.	.	.	2	.	.	.	1	.	.
	,, 22,	18·3	2·8	13	.	.	.	.	.	.	.	.	2	2	1	.	1	4	.	1
Pop. in 1910 (Est.) 37,047.	,, 29,	15·5	.	11	.	.	.	.	.	.	.	.	.	1	1	1	3	.	.	.
	Feb. 5,	29·6	.	21	.	.	.	.	.	.	.	.	.	1	3	1	2	2	.	1
Pembroke Urban District.	Dec. 18,	22·0	.	12	.	.	.	.	.	.	.	.	.	1	2	.	2	1	.	.
	,, 25,	16·5	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
	Jan. 1,	22·0	.	12	.	.	.	.	.	.	.	.	.	3	.	.	.	5	.	1
	,, 8,	10·8	.	6	.	.	.	.	.	.	.	.	.	.	1	1	1	2	.	.
Pop. in 1910 (Est.) 28,948.	,, 15,	5·4	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	,, 22,	21·6	.	12	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.
	,, 29,	12·6	.	7	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
	Feb. 5,	23·4	.	13	.	.	.	.	.	.	.	.	.	.	4	.	1	1	.	1
Kingstown Urban District.	Dec. 18,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	,, 25,	35·5	3·0	12	.	.	.	.	1	.	.	.	.	3	.	.	.	1	.	1
	Jan. 1,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	,, 8,	32·5	.	11	.	.	.	.	.	.	.	.	.	5	2	.	.	1	.	.
	,, 15,	29·6	3·0	10	.	.	.	.	1	.	.	.	.	.	1	.	1	.	.	1
Pop. in 1910 (Est.) 17,622.	,, 22,	23·7	3·0	8	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	.
	,, 29,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
	Feb. 5,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.
Belfast. Pop. in 1910 (Est.) 391,167.	Dec. 18,	23·9	1·3	177	.	.	.	.	9	.	.	.	1	28	14	4	5	37	6	2
	,, 25,	19·4	1·5	144	.	.	.	.	10	.	.	.	1	22	17	4	5	39	4	8
	Jan. 1,	25·9	2·0	192	.	.	.	.	13	1	.	.	1	34	13	6	3	41	8	1
	,, 8,	19·7	2·3	148	.	.	.	.	12	1	.	2	2	12	14	4	2	28	3	3
	,, 15,	22·7	1·7	170	.	.	.	.	13	.	.	.	.	20	14	10	10	31	8	1
	,, 22,	16·7	1·9	125	.	.	.	.	13	1	.	.	.	9	12	3	5	21	3	6
	,, 29,	20·1	1·9	151	.	.	.	.	13	.	.	1	.	16	15	10	4	29	7	3
	Feb. 5,	22·0	2·3	165	.	.	.	.	19	.	.	.	2	14	16	8	3	28	2	2
Cork. Pop. (in 1901) 76,122.	Dec. 18,	23·3	0·7	34	.	.	1	.	.	.	.	.	.	2	4	.	.	5	1	4
	,, 25,	11·6	0·7	17	.	.	.	.	.	.	.	.	1	.	4	.	.	5	.	1
	Jan. 1,	28·8	0·7	42	.	.	.	.	.	.	.	1	.	3	7	3	1	4	.	4
	,, 8,	13·5	1·4	27	.	.	.	.	.	1	.	1	.	2	7	.	1	3	.	.
	,, 15,	23·3	0·7	34	.	.	1	.	.	.	.	.	.	5	1	3	1	6	.	.
	,, 22,	15·1	.	22	.	.	.	.	.	.	.	.	.	2	5	.	.	3	.	.
	,, 29,	21·9	1·4	32	.	.	.	.	.	1	.	1	.	2	6	1	.	5	.	1
	Feb. 5,	31·5	0·7	46	.	.	.	.	.	.	.	.	1	4	7	1	4	9	1	5
Londonderry. Pop. in 1910 (Est.) 43,477.	Dec. 18,	18·1	.	15	.	.	.	.	.	.	.	.	.	1	3	1	.	5	.	1
	,, 25,	13·1	1·2	15	.	1	.	.	.	.	.	.	.	.	1	1	.	5	.	1
	Jan. 1,	21·7	.	18	.	.	.	.	.	.	.	.	.	.	1	1	.	7	.	.
	,, 8,	20·4	1·2	17	.	.	.	.	.	.	.	.	1	3	.	.	1	2	.	.
	,, 15,	22·8	.	19	.	.	.	.	.	.	.	.	.	1	2	.	3	5	.	2
	,, 22,	14·4	.	12	.	.	.	.	.	.	.	.	.	2	1	2	.	2	.	.
	,, 29,	21·6	.	18	.	.	.	.	.	.	.	.	.	1	3	2	.	2	.	2
	Feb. 5,	14·4	.	12	.	.	.	.	.	.	.	.	.	1	2	1	.	5	.	.
Limerick. Pop. (in 1901) 38,151.	Dec. 18,	15·0	.	11	.	.	.	.	.	.	.	.	.	1	.	.	.	7	.	2
	,, 25,	16·4	.	12	.	.	.	.	.	.	.	.	.	.	2	1	.	3	.	1
	Jan. 1,	21·9	1·4	16	.	.	.	.	1	.	.	.	.	.	1	.	.	5	.	4
	,, 8,	21·9	2·7	18	.	.	.	.	2	.	.	.	.	.	2	1	1	4	.	1
	,, 15,	30·1	.	22	.	.	.	.	.	.	.	.	.	1	4	1	.	9	.	1
	,, 22,	20·5	.	15	.	.	.	.	.	.	.	.	.	.	4	.	.	4	.	5
	,, 29,	16·4	1·4	12	.	.	.	.	1	.	.	.	.	.	2	.	1	5	.	1
	Feb. 5,	27·3	1·4	20	.	.	.	.	1	.	.	.	.	.	2	1	.	5	.	4
Waterford. Pop. (in 1901) 26,769.	Dec. 18,	33·1	3·9	17	.	.	.	.	1	.	.	.	1	.	4	.	.	5	1	3
	,, 25,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.
	Jan. 1,	11·7	1·9	6	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	1
	,, 8,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.
	,, 15,	23·4	3·9	12	.	.	.	.	2	.	.	.	.	.	2	.	.	1	.	.
	,, 22,	17·5	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.
	,, 29,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	2
	Feb. 5,	21·4	.	11	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	2

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 5th February, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS.																										
			Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.						DEATHS FROM																	
			All Causes.	Diseases in Cols. 12-20.		Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		6			7	.	2	.	1	3	1	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	1	3	.
Do. 2 do.		31			20	3	1	.	2	5	9	.	.	.	.	.	.	.	.	2	1	2	.	1	7	.	.	5	.
Do. 3 do.		20			17	2	3	1	2	3	6	.	.	.	.	3	.	.	.	.	2	2	.	2	4	.	.	3	.
Do. 4 do.		30			19	4	6	.	3	1	5	.	.	.	.	3	.	.	.	.	1	2	2	.	2	.	.	11	1
Do. 5 do.		8			15	3	3	.	3	3	3	.	.	.	.	1	.	.	.	.	2	.	3	1	.	1	1	8	.
Do. 6 do.		18			9	.	2	.	1	2	4	.	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	3	.
Do. 7 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 8 do.	349,180	4			4	1	2	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.
Do. 9 do.		10			12	1	.	1	3	2	5	.	.	.	.	.	.	.	.	.	2	2	1	.	2	.	.	4	.
Do 10 do.		18			11	2	1	.	3	3	2	.	.	.	.	.	.	.	.	.	2	1	.	.	3	.	.	2	.
Do. 11 do.		25			18	1	1	.	6	3	3	.	.	.	.	1	.	.	.	.	.	3	.	2	3	1	1	.	1
Do. 12 do.		26			20	6	3	.	3	3	5	.	.	.	.	4	.	.	.	.	.	3	2	.	1	.	1	1	.
Do. 13 do.		11			4	1	.	.	.	1	2	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.	.	1	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15½ do.		7			14	4	4	.	3	1	2	.	.	.	.	4	.	.	.	.	1	1	.	.	1	.	.	4	.
Total,	—	214			165	28	28	2	30	30	47	.	.	.	.	19	.	.	.	2	14	16	8	8	28	2	4	45	2
City of Cork.																													
CORK URBAN No. 1 DISTRICT,	12,867	4	28·4	.	7	1	.	1	.	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	5	1
Do. 2 do.	10,701	7	24·4	4·9	5	2	.	.	.	2	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	3
Do. 3 do.	9,978	11	31·4	.	6	.	1	3	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	.	2	1
Do. 4 do.	8,666	6	42·1	.	7	.	.	.	1	4	2	.	.	.	.	.	.	.	.	.	.	1	1	2	2	.	.	4	.
Do. 5 do.	6,592	4	39·6	.	5	.	.	1	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.
Do. 6 do.	10,702	4	19·5	.	4	1	.	1	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.
Do. 7 do.	16,616	9	37·7	.	12	.	.	1	3	5	3	.	.	.	.	.	.	.	.	.	.	4	.	1	2	.	.	8	.
Total,	76,122	45	31·5	0·7	46	4	1	7	5	13	16	.	.	.	.	.	.	.	.	1	4	7	1	4	9	1	.	21	5

The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.

TABLE IX.—**City of Belfast.**—Comparative Tables of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1909-10—Week ending																							
	Aug. 14	Aug. 21.	Aug. 28.	Sept 4.	Sept. 11.	Sept. 18.	Sept. 25	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.
No. of weeks in annual Series, ..	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5
BIRTHS registered, ...	205	245	182	174	204	181	186	194	208	228	218	202	205	174	180	168	189	190	181	170	215	278	192	180	216	214
DEATHS registered, ...	105	116	129	119	124	93	121	99	95	104	96	116	116	130	134	167	147	218	177	144	192	148	170	125	151	165
Annual Death rate per 1,000 of estimated Population, ...	14·2	15·6	17·4	16·1	16·7	12·5	16·3	13·4	12·8	14·0	12·9	15·6	15·6	17·5	18·1	22·5	19·8	29·4	23·9	19·4	25·9	19·7	22·7	16·7	20·1	22·0
AGES — Under 1 year, ...	26	37	50	43	44	24	35	30	21	24	17	22	28	30	28	41	44	62	41	33	48	36	43	25	33	28
AGES — 1-5 years, ...	5	8	12	6	13	13	13	14	10	8	11	14	11	8	14	27	14	21	18	22	25	23	21	20	21	28
AGES — 5 20 years, ...	13	14	6	6	7	4	11	8	5	9	9	9	7	11	4	11	10	18	13	10	12	8	9	9	14	2
AGES — 20-40 years, ...	22	20	17	18	16	14	15	16	12	23	14	27	22	23	22	20	20	31	22	23	28	17	24	17	22	30
AGES — 40-60 years, ...	21	17	23	21	20	19	17	17	20	15	26	13	19	27	28	31	23	33	33	20	34	26	28	23	21	30
AGES — 60 years and upwards, ..	18	20	21	25	25	19	30	14	27	25	19	31	29	31	38	37	36	53	50	36	45	38	40	27	40	47
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	.	4	4	2	5	7	7	4	8	2	.	5	4	4	4	7	6	15	9	10	13	12	13	13	13	19
Diphtheria, ...	1	.	.	.	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	1	.	1	.	.
*Pyrexia** (origin uncertain), ..		.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	.	.	.	.	.	.	.	2	2	3	.	.	.	2	.	.	.	1	.	.	.	2	.	.	1	.
Diarrhœal Diseases, ...	.	17	28	20	16	15	13	11	11	5	5	3	4	2	2	1	3	2	1	1	1	2	.	.	.	2
Pneumonia, ...	9	6	6	3	5	4	3	6	8	9	5	8	15	13	17	25	31	25	28	22	34	12	20	9	16	14
Tuberculous Disease, Phthisis, ..	13	17	11	9	13	4	17	12	7	11	9	14	6	14	8	8	11	26	14	17	13	14	14	12	15	16
Tuberculous Disease, Other Forms, ..	3	8	5	3	7	4	8	6	2	5	5	10	2	11	3	16	4	11	4	4	6	4	10	3	10	8
Cancer, Malignant Disease, ..	4	5	11	8	7	8	6	6	8	2	4	3	5	7	7	1	3	7	5	5	3	2	10	5	4	8
Diseases of Respiratory System,	11	5	8	8	15	6	15	5	9	10	12	14	21	17	31	42	41	53	37	39	41	28	31	21	29	28
Violent Deaths, ...	3	3	3	2	.	2	1	3	1	2	4	2	3	2	2	3	5	5	6	4	3	3	8	5	7	2
Number of Uncertified Deaths, ..	.	.	.	.	1	.	.	.	1		1	1	2	1	.	1	3	3	2	3	1	2	1	6	3	2

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	Feb. 5,	2,381	1,607	17·2	.	17	5	16	57	2	14
EDINBURGH, ...	360,276	„ 5,	134	130*a*	18·8	.	6	3	2	1	.	4
GLASGOW, ...	884,505	„ 5,	455	343	20·2	.	37	7	8	5	2	8
CALCUTTA, ...	1,009,008	Jan. 1,	.	551	28·3	.	1	.	.	1	88‡	86*
BOMBAY, ...	977,822	„ 4,	395	603	32·1	9	.	.	.	.	65‡	49*
MADRAS, ...	509,346	Dec. 17,	354	346	35·3	.	2	?	?	?	120	45
CAIRO, ...	704,836	„ 16,	568	347	25·7	.	.	.	19†	?	11	50
PARIS, ...	2,760,000	Jan. 22,	.	.	.	.	.	.	.	.	.	.
BRUSSELS, ...	704,975	„ 15,	251	171	12·6	.	1	.	3†	.	1	6
ANTWERP, ...	314,135	„ 15,	131	64	10·6	1	4	.	1†	.	.	2
AMSTERDAM, ...	568,131	„ 15,	273	135	12·4	.	4	.	.	2	2	1
COPENHAGEN, ...	451,000	„ 15,	218	140	16·2	.	.	.	1†	1	.	3
STOCKHOLM, ...	339,582	„ 15,	150	101	15·5	.	4	3	2†	1	1	3
CHRISTIANIA, ...	235,674	„ 22,	110	67	14·8	.	.	.	1†	1	.	1
ST. PETERSBURG, ...	1,573,000	Jan. 1,	489	746	24·7	14	33	21	9	8	4	81
MOSCOW, ...	1,359,886	Dec. 25,	.	719	27·6	2	20	41	30†	11	8	69*
BERLIN, ...	2,121,511	Jan. 1,	763	583	14·3	.	4	9	18†	2	1	28
HAMBURG, ...	895,804	„ 15,	.	257	14·9	.	12	3	12†	2	.	19
BRESLAU, ...	508,349	„ 15,	.	213	21·8	.	2	1	.	4	1	16
MUNICH, ...	576,000	„ 22,	.	194	17·5	.	1	.	2†	.	.	16
VIENNA (with suburbs),	2,085,888	„ 15,	753	631	15·7	.	5	2	4†	1	.	24
BUDA-PESTH, ...	833,703	„ 15,	447	283	17·7	.	3	4	1†	.	.	9
PRAGUE and Fauxbourgs.	491,531	„ 1,	205	170	17·9	.	3	1	2†	.	1	8
TRIESTE, ...	218,727	„ 8,	121	103	24·6	.	2	.	1†	2	1	1
ROME, ...	574,666	Nov. 6,	224	175	15·9	.	.	.	.	.	5	21
		„ 13,	244	183	16·6	.	.	.	1	.	8	11
VENICE, ...	179,286	Dec. 4,	60	66	19·2	.	.	.	2†	.	.	4
NEW YORK, .	4,711,956	Jan. 8,	3,639	1,755	19·4	.	17	36	44†	5	13	44
PHILADELPHIA, ..	1,565,569	Dec. 25,	.	556	18·5	.	.	10	21†	1	8	19
BOSTON, ...	629,868	Jan. 15,	.	237	19·6	.	2	.	1	1	.	2

a Including one death from cerebro-spinal meningitis.
* Including 12 deaths from cholera in Calcutta, one in Bombay, and 15 in Moscow.
† Including deaths from croup.
‡ Exclusive of 4 deaths from plague in Calcutta and 5 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 5th February, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain) *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	2	.	.	1	.	.	1	.	.	.	.	4
„ „ 1, West,	.	.	.	.	3	.	1	.	1	.	.	3	8
„ „ 2,	.	.	.	.	2	.	.	1	3	.	.	.	6
„ „ 3,	.	.	.	.	.	.	1	2	2	.	.	1	6
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	1	1
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	2	.	.	.	.	.	.	.	.	.	.	2
South City No. 1,	.	1	.	.	3	.	.	2	7	.	.	7	20
„ „ 2,	.	.	.	.	1	.	.	.	.	.	.	5	6
„ „ 3,	.	.	.	.	1	.	.	.	1	.	.	3	5
„ „ 4,	.	4	.	.	7	.	.	.	.	.	.	2	13
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	10	.	.	18	.	2	6	14	.	.	22	72

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 5th February, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 5th February.			
	Jan. 15.	Jan. 22.	Jan. 29.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	14	13	11	1	5	.	7
Scarlet Fever,	70	53	53	19	6	.	66*
Typhus,	2	2	2	.	1	.	1
Diphtheria,	33	38	32	22	8	.	46
Enteric Fever,	41	39	34	6	6	.	34
Pneumonia,	25	22	31	12	14	1	28

* Exclusive of 10 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.Sc., F.R.MET.SOC., reports as follows on the weather during the week ended 5th February, 1910:—

"Until Saturday the weather over the greater portion of the British Islands was cold, although not at all as severely cold as it had been during the previous week. In the Dublin district a gradual thaw was in progress on Sunday and Monday, but scarcely any rain fell before Wednesday morning, when the measurement, however, was only ·010 inch. Already on Sunday afternoon an atmospheric depression was spreading towards Ireland from Iceland, and in the course of the day the wind backed to W.S.W. and freshened, with an increase of cirrus cloud towards evening. By Tuesday morning the barometer had fallen to 28·67 inches at Reykjavik in Iceland, and a secondary V-shaped depression had appeared off the Land's End. This latter system advanced northeastwards 'with stately tread, and slow,' reaching the North Sea on Friday morning. Throughout its passage, comparatively fine though cold weather held in Ireland, barric gradients being slight. On the Continent, the southerly winds of the system kept temperature tolerably high for the season except in Southern Germany—at Munich the thermometer fell to 12° on Tuesday and to 16° on Thursday. On Friday morning a new depression approached Iceland from the westward, and this disturbance subsequently spread southeastwards across the ocean, throwing a warm, moist aircurrent from S.W. upon the British Isles, so that the thermometer rose fast, 51·0° being the 9 a.m. reading on Saturday in Dublin, compared with 34·8° on Friday. Saturday was throughout dull, damp, and warm. In Dublin the mean height of the barometer was 29·597 inches, the range being from 29·909 inches at 9 a.m. of Sunday (wind, W.S.W.) to 29·205 inches at 9 p.m. of Wednesday (wind also W.S.W.). The corrected mean temperature was 39·9°, the mean dry bulb temperature at 9 a.m. and 9 p.m. being 39·6°. On Sunday the screened thermometers fell to 27·7°, the grass minimum being 21·0°: on Saturday they rose to 55·4°. W.S.W. winds prevailed. The rainfall was ·074 inch on 3 days, ·043 inch being measured on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·438 inches. The highest reading (29·751) was on Sunday at 9 a.m., wind W.S.W., and the lowest (29·048) on Wednesday at 9 p.m., air calm.

The mean temperature for the week was 38·1°, being 1·9° below the average for the corresponding period of the 10 years, 1900–1909. The temperature was highest on Saturday, on which day the thermometer registered 54·4°, and was lowest on Sunday, the mercury having fallen to 22·9°. The mean of the Dry Bulb for the week was 38·8° and of the Wet Bulb 37·9°. The mean humidity of the air was ·94, complete saturation being represented by 1·0. The rainfall during the week measured 0·163 inch.

At Greenwich the mean temperature for the week was 37·4°, the maximum 50·7°, and the minimum 27·5°; at Glasgow the maximum was 51·5°, the minimum 26·0°, and the mean 39·5°; and at Edinburgh the maximum was 49·6°, the minimum 28·6°, and the mean 38·7°. The rainfall at Greenwich measured 0·09 in., at Glasgow 0·34 in., and at Edinburgh 0·20 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	THERMOMETER. Maximum.	THERMOMETER. Minimum.	THERMOMETER. Mean	HYGROMETER. Dry Bulb.	HYGROMETER. Wet Bulb.	HYGROMETER. Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.	9 A.M.	9 P.M.
Sunday, January 30,	29·719	39·7	22·9	31·3	34·7	33·7	·88	·6	5·1	·000	W.S.W.	S.W.
Monday, „ 31,	29·504	45·2	36·8	41·0	40·0	39·0	·92	·6	0·0	·005	S.S.W.	Calm.
Tuesday, February 1	29·357	44·9	27·8	36·4	37·3	36·5	·94	·7	2·0	·055	Calm.	S.W.
Wednesday, „ 2,	29·069	43·7	32·3	38·0	36·2	35·6	·95	·6	5·3	·000	Calm.	Calm.
Thursday, „ 3	29·177	42·5	29·7	36·6	34·0	33·4	·94	·5	6·8	·005	W.S.W.	W.
Friday, „ 4,	29·651	41·7	30·9	36·3	38·1	36·4	·94	·6	1·0	·078	W.S.W.	W.
Saturday, „ 5,	29·586	54·4	40·0	47·2	51·2	51·0	·98	·6	0·0	·020	S.W.	S.W.
Mean, . . .	29·438	44·7	31·5	38·1	38·8	37·9	·94	·6	Total 20·2	Total ·163	Prevailing Wind, S.W.	

Sunday—Day cloudy; night overcast. *Monday*—Day overcast, light rain p.m.; night clear. *Tuesday*—Cloudy a.m., overcast and passing showers p.m.; night cloudy, light rain a.m. *Wednesday*—Day cloudy; night cloudy. *Thursday*—Day cloudy, light rain 6·25 p.m.; night clear. *Friday*—Day cloudy to overcast; night overcast, rain a.m. *Saturday*—Day overcast, passing showers; night overcast, drizzle midnight to 3 a.m.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, February 5th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Min.	Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, January 30.	33·9	36·0	42·0	41·0	28·0	34·5	4·35	—
Monday, „ 31,	43·1	36·1	41·8	47·0	37·8	42·4	0·05	—
Tuesday, February 1,	32·0	36·2	41·5	47·1	29·5	38·3	1·40	·01
Wednesday, „ 2.	39·9	37·2	41·3	44·8	37·5	41·2	4·30	—
Thursday, „ 3	38·0	37·4	41·4	44·1	34·5	39·3	5·00	—
Friday, „ 4,	35·5	37·0	41·5	43·0	33·0	38·0	0·05	·04
Saturday, „ 5,	51·9	39·0	41·5	56·0	40·5	48·3	—	·01
Weekly Mean, . .	39·2	37·0	41·6	46·1	34·4	40·3	Total 15·15	Total ·06

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

(27874). Wt. P. 345. 375. 11. 1909. G. III. Sch. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN:

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 12TH FEBRUARY, 1910. [No. 6.

General Register Office, Charlemont House, Dublin, 14th February, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 26·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending				Average Rate for 4 weeks.	TOWNS, &c.	Week ending				Average Rate for 4 weeks.
	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.			Jan. 22.	Jan. 29.	Feb. 5.	Feb 12.	
22 Town Districts.	**19·1**	**21·1**	**25·0**	**26·0**	**22·8**	Limerick, . . .	20·5	16·4	27·3	16·4	20·2
						Lisburn, . . .	13·6	63·7	22·7	36·4	34·1
Armagh, . . .	13·7	.	20·6	.	8·6	Londonderry, . .	14·4	21·6	14·4	20·4	17·7
Ballymena, . . .	33·5	23·9	14·4	43·1	28·7	Lurgan, . . .	8·9	31·0	17·7	53·1	27·7
Belfast, ...	16·7	20·1	22·0	22·9	20·4	Newry, . . .	37·8	28·4	21·0	46·2	33·6
Clonmel, . . .	20·5	20·5	20·5	46·2	26·9	Newtownards, .	28·6	28·6	51·5	40·1	37·2
Cork, ...	15·1	21·9	31·5	26·7	23·8	Portadown, . .	10·3	5·2	20·7	15·5	12·9
Drogheda, . . .	20·4	20·4	20·4	20·4	20·4	Queenstown, . .	13·2	26·4	33·0	46·1	29·7
Dublin Reg. Area, .	22·5	21·7	29·8	26·4	25·1	Sligo, ...	4·8	14·4	24·0	14·4	14·4
Dundalk, . . .	27·9	19·9	4·0	12·0	16·0	Tralee, ...	31·7	31·7	10·6	21·1	23·8
Galway, . . .	11·7	27·2	19·4	46·6	26·2	Waterford, . . .	17·5	13·6	21·4	44·8	24·3
Kilkenny, . . .	4·9	24·6	24·6	39·3	23·3	Wexford, . . .	32·7	4·7	14·0	32·7	21·0

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·4 per 1,000, the rates varying from 0·0 in eighteen of the districts to 9·6 in Ballymena, the 9 deaths from all causes for that district including 2 from measles. Among the 172 deaths from all causes for Belfast are 2 from scarlet fever and 15 from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 220—129 boys and 91 girls—and the deaths to 217—102 males and 115 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 28·1 in every 1,000 of the population; omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, the rate was 26·4 per 1,000. During the six weeks, ending with Saturday last, the death-rate averaged 25·1, and was 2·8 below the mean rate for the corresponding portions of the ten years 1900-9.

The total deaths included one from scarlet fever§, 4 from whooping-cough, 2 from diphtheria, and 6 (of which 5 were of children under 5 years of age) from diarrhœal diseases (there were also

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*), Table II. ‡ See columns 10-18 of Table II.
§ See note (*c*) at foot of Table II.

2 deaths at this age-period from enteritis). In the three preceding weeks, deaths from scarle fever were 0, one, and 0 ; deaths from whooping-cough were 4, one, and 2 ; deaths fron diphtheria were 3, 0, and 2, respectively, and deaths from diarrhœal diseases were 4, 2, and 4 Three deaths were attributed to influenza, which in each of the three preceding weeks hac caused 5, one, and 4 deaths.

Of the 17 deaths from pneumonia, one was from lobar pneumonia, 10 were from broncho pneumonia, and 6 were returned as from *pneumonia* (not defined).

The deaths from tuberculous disease, which had risen from 27 to 29 and 43 in the three preceding weeks were 29 in the period under notice, and comprise 19 deaths from tuber culous phthisis (*phthisis*), 3 deaths from tuberculous meningitis, 2 from tuberculous peritonitis and 5 from other forms of the disease.

Eight deaths were attributed to carcinoma, and 2 to cancer (undefined).

Diseases of the brain and nervous system caused 16 deaths, including 4 deaths of children from *convulsions*, three of the latter being under one year of age.

Thirty-eight deaths were due to diseases of the heart and blood vessels, and 55 to diseases of the respiratory system, the latter figure including 46 deaths from bronchitis.

There was one death by drowning.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year of age.

Fifty-eight of the persons whose deaths were registered during the week were under 5 years of age (38 being infants under one year, of whom 6 were under one month old) and 83 were aged 60 years and upwards, including 51 persons aged 70 and upwards, of whom 18 were octogenarians, and 3 (a male and 2 females) were stated to have been aged 92, 90, and 97 years, respectively.

Ninety-one of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 17 took place in the North Dublin Union Workhouse, and 34 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 26·4 per 1,000 ; the rate in the City was 28·4 (North City Districts, 26·9; South, 30·0) and in the Suburbs, 19·7.

The deaths from certain epidemic diseases* in the entire area equal an annual rate of 1·6 per 1,000 inhabitants, the rate for the City being 2·0 (2·3 in the North City Districts, and 1·7 in the South), and for the Suburbs, 0·0.

No. 1 North City District, East (Clarence-street, North).—The deaths (9) are equal to an annual rate of 15·7 per 1,000. There were 2 deaths from *pneumonia* (not defined), one from broncho-pneumonia, 2 from bronchitis, and one death caused by drowning.

No. 1 North City District, West (Summer-hill).—The deaths (31) are equal to an annual rate of 40·4 per 1,000, and include one death from whooping-cough, one from diphtheria, 2 deaths from epidemic enteritis, one death from *diarrhœa*, 3 deaths from broncho-pneumonia, 3 from tuberculous phthisis (*phthisis*), and 10 deaths from diseases of the respiratory system.

No. 2 North City District (Lisburn-street).—The deaths (19) are equivalent to an annual rate of 32·2 per 1,000. Among them are one death from *diarrhœa*, 2 deaths from tuberculous meningitis, one from tuberculous peritonitis, and 8 deaths from diseases of the respiratory system.

No. 3 North City District (Benburb-street).—The deaths (17) represent an annual rate of 26·4 per 1,000. Whooping-cough and influenza each caused one death, and there were 2 deaths from broncho-pneumonia, and 3 from tuberculous disease.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants; Coolock and Drumcondra, part of, 9·0, and Finglas and Glasnevin, part of, 20·3. Of the 2 deaths recorded for Coolock and Drumcondra, part of, one was caused by bronchitis; and of the 3 deaths from all causes for Finglas and Glasnevin, part of, one was due to influenza.

No. 1 South City District (South Earl-street).—The deaths (17) represent an annual rate of 21·4 per 1,000, and include one death from epidemic enteritis, 2 deaths from *pneumonia* (not defined), 2 from tuberculous disease, and 5 from diseases of the respiratory system.

No. 2 South City District (Castle-street).—The deaths (19) are equal to an annual rate of 45·5 per 1,000. One death from lobar pneumonia, 2 deaths from tuberculous disease, and 9 from diseases of the respiratory system were recorded.

No. 3 South City District (Peter-street).—The deaths (34) are equal to an annual rate of 41·0 per 1,000. There were 2 deaths from whooping-cough and one death each from diphtheria and *diarrhœa*, 2 deaths from broncho-pneumonia, 5 from tuberculous disease, and 7 from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (16) are equivalent to an annual rate of 23·3 per 1,000. Among them are one death each from *pneumonia* (not defined) and tuberculous meningitis, and 4 deaths from bronchitis.

New Kilmainham District.—One death was recorded during the week, equivalent to an annual rate of 5·7 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 11·3; Pembroke, 27·0; Blackrock, 34·7; and Kingstown, 17·8. There is no death from any of the principal epidemic diseases tabulated for these districts. Among the 8 deaths from all causes for Rathmines and Rathgar are 2 from tuberculous disease, and one death each from broncho-pneumonia, *pneumonia* (not defined), and bronchitis; the 15 deaths from all causes for Pembroke include 5 from tuberculous disease and 3 from diseases of the respiratory system; of the 6 deaths from all causes for Blackrock one is from influenza; and of the 6 deaths from all causes for Kingstown one is from bronchitis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin ; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District ; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District ; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District ; by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District ; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz. :—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 12th February, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Jan. 22,	.	—	—	6	1	.	5	.	1	8	9	.	—	—	.	—	22	—	52
	Jan. 29,	.	—	—	7	.	.	1	.	.	4	8	.	—	—	.	—	20	—	40
	Feb. 5,	.	—	—	10	.	.	18	.	2	6	14	.	—	—	.	—	22	—	72
	Feb. 12,	.	—	—	6	.	.	3	.	1	4	9	.	—	—	1	—	21	—	45
Rathmines and Rathgar Urban District.	Jan. 22,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	Jan. 29,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	Feb. 5,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	—	2
	Feb. 12,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	—	—	—	—	3
Pembroke Urban District.	Jan. 22,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	—	.
	Jan. 29,	.	.	.	2	.	.	1	.	.	.	.	.	—	.	.	—	—	—	3
	Feb. 5,	.	.	.	2	.	.	.	.	.	.	.	1	—	.	.	—	—	—	3
	Feb. 12,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	—	.
Blackrock Urban District.	Jan. 22,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Jan. 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 12,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	—	3
Kingstown Urban District.	Jan. 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Jan. 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Feb. 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	1
	Feb. 12,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	.	—	2
City of Belfast.	Jan. 22,	.	—	—	25	.	.	2	1	1	.	8	.	—	—	—	—	16	—	53
	Jan. 29,	.	—	—	15	.	.	2	.	.	.	4	.	—	—	—	—	14	—	35
	Feb. 5,	.	—	—	15	.	.	2	.	.	2	6	.	—	—	—	—	24	—	49
	Feb. 12,	.	—	—	15	.	.	.	.	.	.	6	.	—	—	—	—	19	—	40

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 12th February, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Three cases of measles were admitted to hospital during the week, 5 were discharged, and 6 cases remained under treatment at the close of the week.

Twelve cases of scarlet fever were admitted to hospital, 10 were discharged, there were 2 deaths, and 66* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 53, 53, and 66, respectively.

One case of typhus was admitted to hospital during the week, and 2 cases remained under treatment at its close.

Four cases of diphtheria were admitted to hospital, 12 were discharged, there was one death, and 37 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 38, 32, and 46, respectively.

Five cases of enteric fever were admitted to hospital during the week, 8 were discharged, and 31 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 18 cases of pneumonia were admitted to hospital, 5 were discharged, there was one death, and 39 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 17·5) was equal to an average annual death-rate of 16·6 per 1,000 persons living ; the average rate for 8 principal towns of Scotland was 17·0 per 1,000, the rate for Glasgow being 17·9 and for Edinburgh 15·2.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 12th February. From this Report it appears that of a total of 50 cases notified, 26 were scarlet fever, 14 phthisis, 5 diphtheria, 3 erysipelas, one enteric fever, and one puerperal fever. Among the 369 cases of infectious diseases in hospital at the close of the week were 171 cases of scarlet fever, 92 of measles, 57 of phthisis, 28 of diphtheria, 6 of erysipelas, 6 of whooping-cough, 3 of chicken-pox, one of enteric fever, one of puerperal fever, and one of cerebro-spinal fever.

*See note (*) at foot of Table XII

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 12th February, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 12TH FEBRUARY, 1910.																									METEOROLOGY. (d)									
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																						WEEK ENDING 12TH FEB., 1910.				WEEK ENDING 5TH FEB., 1910.				WEEK ENDING 29TH JAN., 1910.			
										DEATHS.																		Air Temperature				Air Temperature				Air Temperature			
	POPULATION.		DEATHS.			BIRTHS.				Caused by																											
	Total.(a)	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10-18.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease: Phthisis.	Tubercular Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	23	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·2	29·2	26·0	1·4	646	575	98	201	.	2	2	.	19	2	.	.	7	56	53	29	22	129	4	18	173	19	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:— TOTAL, c.	402,928	29·3	28·5	26·4	1·6	220	204	37	78	.	.	.	.	4	2	.	.	6	16	16	10	9	52	1	2	78	3	c54·1	29·9	43·7	0·26	c54·4	22·9	38·1	0·16	c45·7	17·9	32·5	1·69
CITY of DUBLIN,	310,298	39·2	32·6	28·1	2·0	194	169	35	59	.	.	.	.	4	2	.	.	6	14	11	8	8	46	1	2	65	3	f55·1 g54·9	33·1 29·8	44·6 43·9	0·25 0·31	f55·4 g55·3	27·7 24·0	39·9 37·9	0·07 0·17	f46·3 g45·9	24·1 16·0	34·6 33·1	1·82 2·08
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	18·3	11·3	.	13	8	.	5	.	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	14·4	27·0	.	8	15	1	5	.	.	.	.	.	.	.	.	.	.	4	1	1	3	.	.	10	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,013	8·3	11·6	34·7	.	2	6	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	8·9	17·8	.	3	6	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	56	34	46·2	0·25	58·0	30·0	41·8	0·03	48·0	21·5	34·3	2·17
URBAN DISTRICTS.																																						
BELFAST,	391,167	26·6	28·4	22·9	2·3	218	172	37	46	.	.	2	.	15	.	.	.	.	16	15	4	7	40	2	7	49	1	55·0	30·5	44·0	0·69	52·5	28·8	37·0	0·64	44·0	18·8	32·3	0·76
CORK,	76,122	33·6	18·5	26·7	.	27	39	4	10	.	.	.	.	.	.	.	.	.	3	6	8	1	4	.	1	16	2	54	36	46·0	0·49	58	33	41·2	0·59	49	30	37·7	0·90
LONDONDERRY,	43,477	20·1	28·8	20·4	.	24	17	2	4	.	.	.	.	.	.	.	.	.	3	5	.	.	3	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	27·8	16·4	.	20	12	3	4	.	.	.	.	.	.	.	.	.	1	2	1	.	4	.	.	4	2	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD,	26,769	18·7	37·0	44·8	.	19	23	4	11	.	.	.	.	.	.	.	.	.	2	.	1	3	8	.	1	5	4	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	2·5	35·0	46·6	.	9	12	1	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	1	1	52	32	44	0·68	47	26	39	0·76	47	22	35	1·39
DUNDALK	18,076	9·4	39·9	12·0	.	10	8	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	4·1	20·4	.	1	5	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	13,405	17·8	12·6	46·2	.	3	11	.	7	.	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	1	.	53·0	30·0	42·4	0·68	51·8	26·1	37·8	0·39	45·0	16·5	31·7	0·18
LURGAN,	11,782	13·8	35·4	53·1	.	8	12	2	5	.	.	.	.	.	.	.	.	.	2	.	1	1	5	.	.	3	.	53·0	30·0	42·4	0·68	51·8	26·1	37·8	0·39	45·0	16·5	31·7	0·18
LISBURN,	11,461	10·1	13·6	36·4	4·5	3	8	2	2	.	.	.	.	.	.	.	.	1	3	1	2	.	.	.	.	1	.	53·0	30·0	42·4	0·68	51·8	26·1	37·8	0·39	45·0	16·5	31·7	0·18
WEXFORD,	11,168	23·2	42·0	32·7	.	9	7	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,686	8·9	154·5	43·1	9·6	26	9	1	3	.	.	3	.	.	.	.	.	.	3	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,670	9·7	14·4	14·4	.	3	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	52·5	28·5	42·4	1·10	53·5	24·7	38·8	0·99	46·0	7·0	31·5	0·75
KILKENNY,	10,609	11·5	113·0	39·8	.	23	8	2	4	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	55	29	42·8	0·54	56	18	36·1	0·32	46	20	31·4	0·98
CLONMEL,	10,167	7·8	41·0	46·2	.	8	9	.	4	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,092	13·2	31·0	15·5	.	6	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	53·0	30·0	42·4	0·68	51·8	26·1	37·8	0·39	45·0	16·5	31·7	0·18
TRALEE,	9,867	16·6	31·7	21·1	.	6	4	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·2	.	40·1	.	4	7	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	3	.	53	31	42·2	0·71	55	29	38·8	0·23	42	23	35·3	0·55
QUEENSTOWN,	7,909	14·4	26·4	46·1	.	4	7	.	3	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	2	1	54	36	46·0	0·49	58	33	41·2	0·59	49	30	37·7	0·90
ARMAGH,	7,588	22·2	27·5	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	53·0	30·0	42·4	0·68	51·8	26·1	37·8	0·39	45·0	16·5	31·7	0·18

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (b) Formerly described as "Simple Continued Fever." (c) Exclusive of 13 deaths of persons (including one under 1 year old and 5 at 60 years or upwards), admitted to hospital from localities outside the Area; of the 13 deaths one was from scarlet fever. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 12th February, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	1	.	1	.	.	.	.	.	2	.	.	.	.	.	.	4	.
Diphtheria,	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	3	1	.	.	.	.	1	.	1	.	.	.	.	.	.	6	.
Pneumonia,	3	3	.	2	.	.	.	2	1	2	1	.	2	.	.	.	16	1
Tuberculous Phthisis,	.	3	.	2	.	.	.	1	1	4	.	.	1	4	.	.	16	3
Disease. Other Forms,	.	.	3	1	.	.	.	1	1	1	1	.	1	1	.	.	10	.
Cancer, Malignant Disease,	.	2	2	.	.	.	.	1	1	2	.	.	.	1	.	.	9	1
Other General Diseases,	.	1	.	1	.	.	2	1	2	3	2	.	.	1	1	1	15	1
Total,	3	14	6	7	.	.	2	7	6	16	4	.	4	7	1	1	78	7
B. LOCAL DISEASES:																		
Diseases of Nervous System,	1	2	2	3	.	.	.	.	.	5	1	.	2	.	.	.	16	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	1	2	1	3	1	1	1	3	4	6	6	1	1	3	1	2	37	1
Respiratory System,	2	10	8	.	.	1	.	5	9	7	4	.	1	3	1	1	52	3
Digestive System,	.	1	2	2	.	.	.	1	.	.	.	.	.	2	1	1	10	.
Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Urinary System,	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	5	16	13	10	1	2	1	9	13	18	11	1	4	8	3	4	119	6
C. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	1	.	.	.	.	.	1	.	.	1	.	.	.	2	1	6	.
E. VIOLENT DEATHS,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Deaths from all Causes	9	31	19	17	1	2	3	17	19	34	16	1	8	15	6	6	204	13
Annual Rate of Mortality from all causes in every 1,000 of the population.	15·7	40·4	32·2	26·4	9·7	9·0	20·3	21·4	45·5	41·0	23·3	5·7	11·3	27 0	34·7	17·8	26·4	.
	26·9							30·0					19·7					
	28·4																	
Ages at Death. Under 1 year,	3	7	4	4	.	.	1	4	.	10	2	.	.	1	1	.	37	1
1 and under 5 years,	.	5	3	4	.	.	.	3	2	1	.	.	.	.	.	.	18	2
5 „ 20 „	.	.	2	1	.	.	.	1	1	.	1	.	1	2	.	.	9	.
20 „ 40 „	1	2	.	2	.	.	1	.	2	7	1	.	1	3	.	1	21	4
40 „ 60 „	2	5	6	3	1	.	.	2	5	7	3	1	1	4	1	.	41	1
60 years and upwards,	3	12	4	3	.	2	1	7	9	9	9	.	5	5	4	5	78	5
Number of Uncertified Deaths,	.	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	3	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	.	2	3	2	.	.	1	1	3	6	1	1	.	8	.	1	29	11
Workhouse Hospitals,	2	5	6	3	.	.	.	5	8	12	4	.	1	2	.	1	49	2

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in corresponding week of the ten years 1900–1909

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Average in 6th Week of the 10 years, 1900-1909.	In the Week ending Saturday, 12th February, 1910.								
	Feb. 10, 1900.	Feb. 9, 1901.	Feb. 8, 1902.	Feb. 14, 1903.	Feb. 13, 1904.	Feb. 11, 1905.	Feb. 10, 1906.	Feb. 9, 1907.	Feb. 8, 1908.	Feb. 13, 1909.		Deaths of Persons of the Ages of								
												All Ages.	0 to 5.							
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 29·9	° 36·9	° 35·7	° 49·1	° 38·3	° 44·4	° 37·4	° 34·0	° 44·7	° 38·6	° 38·9	° 43·7								
ALL CAUSES.	199	229	181	193	207	194	151	225	182	203	196·4	217	6	32	20	9	25	42	62	21
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	3	.	.	2	.	.	.	4	1	1	1·1	.	.	.	.	.	.	.	.	.
Scarlet Fever,	2	.	.	3	1	2	.	1	.	1	1·0	1	.	.	1	.	.	.	.	.
Typhus,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	13	5	3	2	7	1	.	4	13	2	5·0	3	.	1	.	.	1	1	.	.
Whooping-cough,	5	9	2	3	6	.	.	6	1	5	3·7	4	.	3	1	.	.	.	.	.
Diphtheria,	5	.	.	1	1	.	.	.	.	1	·8	2	.	1	1	.	.	.	.	.
Cerebro-spinal Fever,	.	.	.	.	.	.	.	.	2	.	·2	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain)	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	4	2	1	2	2	.	2	2	4	1·9	.	.	.	.	.	.	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.), *Diarrhœa*, Dysentery,	2	2	1	1 3	1 1	. 3	. .	. 2	. .	1 1	1·8	3 3	. .	2 1	1 1	. .	. .	. 1	. .	. .
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	.	.	2	2	5	.	2	1	3	1·5	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*,	.	.	.	. .	1 1	1 .	. .	. .	. .	. 1	·4	1 .	. .	. .	. .	. .	1 .	. .	. .	. .
Infective Endocarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar, Broncho-Epidemic, Not defined,	17	18	5	2 7	4 5 12	10 7	4 2	2 6 8	5 8	16 8	14·6	1 10 6	1 .	6 3	2 .	. .	. 1	1 1	. .	1 1
Erysipelas,	.	1	.	.	1	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal)) Pyæmia (not Puerperal),	1	1	1	2 .	. .	1 .	1 .	. 1	. .	2 .	1·0	1 2	. .	. .	. .	1 1	1	. 1	. .	. .
Other Infective Conditions,	.	.	.	.	.	.	.	1	1	.	·2	2	.	.	.	.	.	.	2	.
Tuberculous Phthisis, "*Phthisis*,"	23	28	31	1 27	4 15	12 20	7 11	11 14	7 7	12 9	23·9	10 9	.	.	.	1 1	7 6	2 1	.	.
Tuberculous Meningitis,	5	2	.	6	8	1	7	4	2	2	3·7	3	.	.	1	2	.	.	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*,	4	7	1	1 1	2 1	1 1	. 1	1 .	. 2	. 1	2·4	2 .	.	1 .	.	.	.	1 .	.	.
Tuberculous Dis. (other), *Scrofula*,	5	4	6	7 .	7 .	8 .	7 .	10 .	6 .	7 .	6·7	5 .	.	.	2	2	.	1 .	.	.
Alcoholism,	.	.	.	1	.	2	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
Rheumatic Fever,	.	.	1	.	1	.	.	1	.	.	·3	1	.	.	.	.	.	1	.	.
Gout,	.	1	.	.	.	.	.	.	2	.	·3	.	.	.	.	.	.	.	.	.
Carcinoma, Sarcoma, Cancer (undefined)	3	4	6	. 6	1 1 9	3 1 6	4 . 10	3 1 5	. 1 4	3 1 5	7·6	8 . 2	.	.	.	.	.	3 . 2	5 .	.
Diabetes Mellitus,	.	.	.	1	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Premature Birth,	1	4	3	1	2	2	2	4	2	6	2·7	1	1	.	.	.	.	.	.	.

* The figures for the year 1900 are for
† Formerly described as

XTH WEEK ending Saturday, 12th February, 1910, with the deaths from each cause in the d the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 6th Week of the 10 years 1900-1909.	In the Week ending Saturday, 12th February, 1910.								
	Feb. 10, 1906.	Feb. 9, 1901.	Feb. 8, 1902.	Feb. 14, 1903.	Feb. 13, 1904.	Feb. 11, 1905.	Feb. 10, 1906.	Feb. 9, 1907.	Feb. 8, 1908.	Feb. 13, 1909.		Deaths of Persons of the Ages of								
												ALL AGES.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 29·9	° 36·9	° 35·7	° 49·1	° 38·3	° 44·4	° 37·4	° 34·0	° 44·7	° 38·6	° 38·9	Mean Temp. ° 43·7	Under 1 month.	1 month and under a year.	1 to 5.					
Meningitis (not tuberc.) ...				6	2	3	4	3	1	5		7	.	4	2	.	.	1	.	.
Insanity, G. P. of Insane ...				1	1	1	1	2	1	.		1	.	.	.	.	.	.	.	1
Epilepsy				3	.	2	.	.	.	1		1	.	.	.	1	.	.	.	.
Convulsions				5	10	8	5	9	3	6		4	1	2	1	.	.	.	.	.
Locomotor Ataxy ...					1															
Paraplegia Dis. of Cord ...				1	1	3	2	1	1	.		2	.	.	.	.	.	2	.	.
Nervous System (other Dis.)				.	3	.	.	2	3	.		1	.	.	.	.	.	1	.	.
Heart and Blood Vessels (other Dis.)	33	43	36	11	16	13	14	18	15	7	40·0	14	.	.	.	1	3	6	4	
Valv. Dis., Endocarditis ...				2	4	10	6	6	3	11		12	.	.	.	3	3	6	.	
Cerebr. Hæm. Thromb.				3	4	2	2	4	5	.		3	.	.	.	.	1	1	1	
Apoplexy, Hemiplegia ...				2	4	7	1	4	6	3		9	.	.	.	.	4	4	1	
Aneurysm ...								1	2											
Embolism, Thromb. (not cerebral)				1	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Heart and Blood Vessels (other Dis.)				11	16	13	14	18	15	7		14	.	.	.	1	3	6	4	
Croup (not Spasm. nor Memb.)	.	2	.	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Bronchitis	45	39	29	26	34	22	25	38	25	43	32·6	46	1	3	3	1	6	23	9	
Asthma, Emphysema ...	3	3	2	1	1	.	.	1	.	.	3·0	3	.	.	.	.	1	2	.	
Pleurisy				1	.	3	1	4	3	3		3	.	.	1	.	2	.	.	
Respiratory Dis. (other) ...				4								3	.	.	1	1	.	1	.	
Tonsillitis, Quinsy ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.) ...	.	.	.	2	.	1	1	1	.	.	·7	3	.	2	.	.	1	.	.	
Gastro Enteritis				1	1	.	.	.	.	.		.	.	.	.	.	.	.	.	
Peritonitis (not Puerp.) ...	.	1	.	.	1	.	.	.	1	.	·3	1	.	.	1	.	.	.	.	
Cirrhosis of Liver ...	1	1	1	3	2	.	1	1	2	2	1·8	.	.	.	.	.	.	.	.	
Liver Dis. (other) ...							1		3											
Digestive Dis. (other) ...	1	5	7	9	4	3	4	6	8	3	5·0	6	.	.	1	1	.	2	1	1
Nephritis, Acute	2	5	5	3	2	4	1	4	1	1	5·4	2	.	.	.	.	.	.	.	.
Bright's Dis., Albuminuria				4		2	2	6	3	1								2		
Urinary Sys. (other Dis.) ...				1	.	1	1	2	2	1		1	.	.	.	.	.	1	.	
Generative Organs Dis. ...	1	.	1	.	.	.	.	2	.	2	·6	1	.	.	.	.	1	.	.	
Childbirth (Accid. of) ...	.	.	3	2	2	1	1	.	.	2	1·1	.	.	.	.	.	.	.	.	
Old Age	11	20	9	6	6	4	5	7	9	4	8·1	4	.	.	.	.	.	2	2	
Other Diseases	10	13	21	11	6	9	10	5	12	12	10·9	9	2	3	1	1	2	.	.	
ACCIDENT.																				
By Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
By Vehicles and Horses ...	.	1	1	.	1	.	.	.	1	.	·4	.	.	.	.	.	.	.	.	
In Ships, Boats, Docks (exclusive of Drowning)	1	.	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	
In Building Operations ..	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	
By Conflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
By Burns, Scalds, Explosions	1	2	2	.	2	1	1	2	1	1	1·3	.	.	.	.	.	.	.	.	
By Drowning	.	.	1	.	.	1	.	.	.	.	·2	1	.	.	.	.	1	.	.	
By Suffocation in Bed ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
By Poison or Poisonous Vapours	.	1	.	.	.	1	.	.	1	.	·3	.	.	.	.	.	.	.	.	
By other Deaths by Accident	1	1	.	2	2	2	2	1	1	3	1·5	.	.	.	.	.	.	.	.	
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	
Suicide	.	.	1	1	.	1	2	1	.	.	·6	.	.	.	.	.	.	.	.	
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

Registration Area as then constituted.
mple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1909-10—Week ending																								
	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.
No. of weeks in Annual Series,	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6
BIRTHS registered.	205	261	208	226	207	215	250	193	184	226	203	220	215	238	196	206	174	216	185	232	236	243	197	163	252	220
*Average Births in corresponding week of previous 10 years,** ..	217	213	206	229	206	199	250	192	186	205	203	210	198	195	181	202	197	190	177	175	227	204	206	203	234	212
DEATHS registered, ...	157	162	149	134	136	157	141	134	127	124	148	145	177	190	172	180	177	158	155	205	174	177	181	177	239	217
Annual Death-rate per 1,000, ..	20·6	21·2	19·5	17·5	17·8	20·6	18·3	17·5	16·6	16·2	19·4	19·0	23·2	21·9	22·5	23·6	23·2	20·7	20·3	26·8	22·5	22·9	23·4	22·9	30·9	28·1
*Average Deaths in corresponding week of previous 10 years,**	164	170	165	169	164	171	168	164	166	173	166	179	182	184	187	190	190	187	195	184	217	210	206	201	200	196
AGES, Under 5 years, ...	58	76	66	38	38	47	35	35	36	41	35	40	45	41	37	44	37	51	44	71	49	57	57	53	76	58
AGES, 5—20 ,, ...	7	9	8	6	9	8	10	12	6	14	17	10	12	9	8	9	8	10	8	11	12	13	10	13	11	9
AGES, 20—40 ,, ...	22	22	25	25	26	28	27	20	17	21	33	21	26	28	16	22	25	19	23	19	30	25	20	31	27	25
AGES, 40—60 ,, ...	30	25	20	28	34	34	27	31	24	25	28	33	38	44	51	47	52	27	31	48	35	28	41	36	54	42
AGES, 60—80 ,, ...	34	28	26	28	19	33	40	33	38	19	34	33	49	61	52	50	45	39	37	50	37	49	45	37	64	62
AGES, 80 years and upwards, ..	6	2	4	9	10	7	5	3	6	4	1	8	7	7	6	10	10	12	9	6	10	10	8	5	7	21
Deaths from—																										
Small-pox, ...	.	.	.	2	1	.	.	1	.	.	.	.	.	.	2	.	1	1	.	.	2	.	.	1	.	.
Measles, ...	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1	.	1	1	1	3	.	.	.	1	.	1
Scarlet Fever, ...	1	.	2	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	1	.	.	1	1	1	1	2	.	.	2	2	2	1	3	5	4	1	2	4
Whooping-cough, ...	1	5	.	1	2	.	2	3	.	1	.	.	1	2	.	1	.	2	.	1	1	.	3	.	2	2
Diphtheria, ...	1	1	3	1	1	2	1	1	1	.	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.
Enteric Fever, ...	.	1	1	3	2	2	1	.	1	.	1	1	1	.	1	1	1	.	3	2	.	1	4	2	4	6
Diarrhœal Diseases, ...	20	30	20	15	6	6	5	5	4	2	5	2	4	2	4	2	4	1	.	4	2	3	5	1	4	3
Influenza, ...	1	.	.	.	.	.	.	.	3	.	.	1	2	1	2	3	1	1	6	4	2	3	5	1	4	3
Pneumonia, ...	8	5	7	6	8	4	13	11	5	7	13	8	14	18	16	20	28	19	20	22	22	14	21	14	20	17
Tuberculous Phthisis, ..	18	19	18	20	22	21	15	17	12	25	27	19	20	20	17	23	17	15	14	15	24	19	21	23	26	19
Disease, Other Forms, ..	7	15	6	1	8	9	7	5	3	4	9	7	8	6	7	6	8	6	4	6	5	6	6	6	17	10
Cancer, Malignant Disease, ..	10	7	8	9	6	18	7	8	8	8	6	10	8	17	7	11	10	8	6	4	8	7	8	11	19	10
Diseases of Heart and Blood Vessels, ...	20	15	17	20	27	14	28	15	18	19	17	19	33	32	27	31	29	35	21	37	29	31	29	17	29	33
Diseases of Respiratory System,	8	12	8	12	8	18	18	9	13	11	14	15	22	22	32	29	23	26	30	41	20	33	29	39	43	55
Violent Deaths, ...	3	2	7	4	3	2	4	5	1	4	2	3	4	6	4	5	4	4	2	2	4	4	1	4	5	1
Number of Uncertified Deaths, ..	3	4	2	5	2	2	3	1	4	4	6	4	5	4	2	3	4	5	7	10	3	8	13	9	13	3
Mean Temperature of the Air (Phœnix Park), ...	58·8	56·2	58·7	50·9	49·0	52·0	53·6	53·3	51·5	51·1	40·3	45·0	41·9	37·7	38·4	41·8	39·1	41·4	33·5	45·9	45·4	42·1	37·6	32·5	38·1	43·7
Average Mean Temperature in corresponding week of previous 10 years, ...	57·9	57·1	56·7	55·2	53·9	53·9‡	53·1	51·5	50·2	48·3	47·1	47·6	45·8	43·7	42·4	43·3	43·0	41·3	42·1‡	40·3	41·3	40·0	41·1	41·7	40·0	38·9
Rainfall in inches, ...	·785	·248	·516	·589	·000	·065	·988	·396	·772	1·896	·134	·117	·783	·087	·251	1·163	1·202	·207	1·183	·340	·123	·986	·240	1·690	·163	·264
Mean Humidity of the Air, complete Saturation 1·0	·78	·85	·82	·84	·85	·92	·93	·88	·84	·86	·81	·88	·88	·80	·84	·87	·90	·82	·86	·88	·89	·85	·91	·88	·94	·91

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 12th February, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 12TH FEBRUARY, 1910.																										
			Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES.						CAUSES OF DEATH.																		
					Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases	Total Cols. 10–18.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS.	375,350	30·1	217	58	9	25	42	62	21	.	.	1	.	4	2	.	.	6	13	17	19	10	10	4	55	1	88	3
	CLASSES. **Deaths in Families of the—**																												
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	29·2	10	2	.	.	1	5	2	.	.	.	.	1	.	.	.	.	1	.	1	.	1	.	2	.	5	.
II.	MIDDLE CLASS, ...	87,188	16·7	28	3	1	2	8	9	5	.	.	.	.	.	.	.	.	.	.	2	1	2	4	.	7	.	12	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,428	21·7	46	13	3	5	9	12	4	.	.	.	.	1	1	.	.	1	3	4	4	2	3	2	8	1	19	.
IV.	GENERAL SERVICE CLASS, ...	154,279	27·7	82	35	4	13	14	11	5	.	.	1	.	2	1	.	.	3	7	10	11	2	1	2	16	.	33	2
V.	INMATES OF WORKHOUSES, ...	6,024	—	51	5	1	5	10	25	5	.	.	.	.	.	.	.	.	2	2	1	2	4	1	.	22	.	19	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,739	46·8	7	2	.	.	1	2	2	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.	1	.	4	.
	2. Merchants and Manufacturers, Higher Class,	1,277	40·3	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,860	12·5	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																												
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	21·3	9	.	.	1	4	2	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2	.	5	.
	6. Clerks and Commercial Assistants, ..	30,432	6·9	4	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	23·2	12	1	.	.	3	5	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	3	.	6	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ..	29,801	14·0	8	3	.	.	1	2	.	.	.	.	.	1	.	.	.	.	1	1	.	.	1	.	1	.	4	.
	10. Clothing Trades, ...	28,260	20·2	9	1	1	3	1	3	.	.	.	.	.	.	.	.	.	.	.	2	3	1	1	.	.	.	2	.
	11. Food Supply Trades, ...	9,242	5·6	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,852	34·4	20	3	1	1	6	6	3	.	.	.	.	.	.	.	.	1	1	1	.	.	1	1	6	1	9	.
	13. Petty Shopkeepers, ...	7,894	33·0	5	2	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	2	.
IV.	GENERAL SERVICE CLASS.																												
	14. Army, Police, Postal Delivery, and Prison Services, &c	13,425	7·8	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
	15. Domestic Servants, ...	36,608	2·8	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	50·7	14	6	.	2	3	2	1	.	.	.	.	.	.	.	.	.	.	4	1	.	.	.	1	.	8	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	37·1	64	28	4	9	10	9	4	.	.	1	.	2	1	.	.	3	7	6	9	2	1	2	15	.	22	2
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	6,024	—	51	5	1	5	10	25	5	.	.	.	.	.	.	.	.	2	2	1	2	4	1	.	22	.	19	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

	DISTRICTS.	1909-10. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	From Diseases in Cols. 5-13.	TOTAL DEATHS.	NUMBER OF DEATHS FROM Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexiæ* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of).	North City, No. 1 (E.) (*Office, Clarence-st., Nth.*) Pop. in 1910 (Est.) 29,908.	Dec. 25,	17·6	.	10	.	.	.	.	.	.	.	1	.	1	.	.	.	3	.	.
		Jan. 1,	21·2	1·8	12	.	.	.	.	.	.	.	.	.	2	.	1	.	1	.	1
		,, 8,	31·4	1·7	18	.	1	.	.	.	.	.	.	.	4	.	.	1	3	.	.
		,, 15,	33·1	3·5	19	.	.	.	2	.	.	.	.	.	2	1	1	.	3	1	.
		,, 22,	19·2	.	7	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1
		,, 29,	24·4	.	14	.	.	.	.	.	.	.	.	.	1	1	.	.	4	2	.
		Feb. 5,	19·2	.	11	.	.	.	.	.	.	.	.	.	.	2	2	2	1	2	2
		,, 12,	15·7	.	9	.	.	.	.	.	.	.	.	.	3	.	.	.	2	1	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1910 (Est.) 39,974.	Dec. 25,	22·4	.	17	.	.	.	.	.	.	.	.	.	3	4	.	.	3	.	.
		Jan 1,	30·8	.	23	.	.	.	.	.	.	.	.	.	3	1	.	1	4	.	1
		,, 8,	15·7	2·6	12	.	.	.	.	1	.	.	.	1	1	3	.	.	2	.	.
		,, 15,	30·0	.	23	.	.	.	.	.	.	.	.	.	3	.	1	.	8	.	2
		,, 22,	22·2	.	17	.	.	.	.	.	.	.	.	.	1	4	1	.	1	.	.
		,, 29,	30·0	1·3	23	.	.	.	.	1	.	.	.	.	2	2	.	1	6	1	3
		Feb. 5,	32·6	5·2	25	.	.	.	.	2	.	.	.	2	1	2	1	3	7	.	1
		,, 12,	40·4	6·5	31	.	.	.	.	1	1	.	.	3	3	3	.	2	10	.	1
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1910 (Est.) 30,744.	Dec. 25,	24·0	1·7	14	.	.	.	.	.	.	.	1	.	1	2	.	1	1	.	2
		Jan. 1,	29·2	5·1	17	.	.	.	.	.	.	.	1	2	3	.	.	.	1	.	.
		,, 8,	25·4	5·1	15	.	.	.	1	2	.	.	.	.	1	1	.	.	2	.	1
		,, 15,	13·6	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	1
		,, 22,	30·5	3·4	18	.	.	.	.	1	.	.	.	1	1	1	1	.	2	.	1
		,, 29,	35·6	1·7	21	.	.	.	.	.	.	.	.	1	.	2	1	1	3	1	1
		Feb. 5,	44·1	1·7	26	.	.	.	.	.	.	.	.	1	2	.	2	1	5	.	.
		,, 12,	32·2	1·7	19	.	.	.	.	.	.	.	.	1	.	.	3	2	8	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1910 (Est.) 33,559.	Dec. 25,	28·8	1·6	18	.	.	.	.	.	.	.	1	.	4	2	.	1	1	1	.
		Jan. 1,	22·0	.	14	.	.	.	.	.	.	.	.	.	1	3	.	.	2	.	1
		,, 8,	17·1	1·6	11	.	.	.	.	.	.	.	.	1	2	2	1	.	.	.	.
		,, 15,	18·6	1·6	12	.	.	.	.	1	.	.	.	.	1	1	.	2	2	.	1
		,, 22,	18·6	1·6	12	.	.	.	.	.	.	.	.	1	1	1	1	1	.	.	1
		,, 29,	21·8	.	14	.	.	.	.	.	.	.	.	.	2	4	.	1	3	.	.
		Feb. 5,	23·3	.	15	.	.	.	.	.	.	.	.	.	2	2	1	.	2	.	.
		,, 12,	26·4	1·6	17	.	.	.	.	1	.	.	.	.	2	2	1	.	.	.	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1910 (Est.) 41,476.	Dec. 25,	16·5	.	13	.	.	.	.	.	.	.	.	.	2	1	.	.	6	.	.
		Jan 1,	34·3	1·3	27	.	.	.	.	.	1	.	.	.	.	.	1	.	10	.	1
		,, 8,	16·8	1·3	13	.	1	.	.	.	.	.	.	.	.	1	.	1	3	.	.
		,, 15,	21·4	1·3	17	.	.	.	.	.	.	.	.	1	1	3	2	2	5	1	1
		,, 22,	17·6	1·3	14	.	.	.	.	.	1	.	.	.	1	1	.	1	6	.	1
		,, 29,	18·9	.	15	.	.	.	.	.	.	.	.	.	2	1	1	.	4	.	.
		Feb. 5,	21·4	.	17	.	.	.	.	.	.	.	.	.	1	1	1	1	4	.	2
		,, 12,	21·4	1·3	17	.	.	.	.	.	.	.	.	1	2	1	1	1	5	.	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1910 (Est.) 21,754.	Dec. 25,	24·2	.	10	.	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.
		Jan. 1,	48·6	.	18	.	.	.	.	.	.	.	.	.	2	3	.	.	7	.	1
		,, 8,	16·8	.	7	.	.	.	.	.	.	.	.	.	.	3	1	.	2	.	.
		,, 15,	38·4	2·4	16	.	.	.	.	.	.	.	.	1	.	4	1	.	3	1	1
		,, 22,	28·8	2·4	12	.	.	.	.	1	.	.	.	.	.	2	1	.	2	.	1
		,, 29,	9·6	2·4	4	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.
		Feb. 5,	45·5	.	19	.	.	.	.	.	.	.	.	.	3	.	3	2	6	.	1
		,, 12,	45·5	.	19	.	.	.	.	.	.	.	.	.	1	1	1	1	9	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1910 (Est.) 43,227.	Dec. 25,	20·7	.	17	.	.	.	.	.	.	.	.	.	2	.	2	2	6	.	1
		Jan. 1,	36·6	2·4	30	.	.	.	.	.	.	.	.	2	3	3	2	.	4	1	2
		,, 8,	30·2	1·2	25	.	.	.	.	.	1	.	.	.	3	3	2	2	2	1	.
		,, 15,	21·7	.	18	.	.	.	.	.	.	.	.	.	.	5	1	.	3	1	.
		,, 22,	30·2	3·6	25	.	.	.	.	2	1	.	.	.	2	3	1	1	6	.	2
		,, 29,	26·5	.	22	.	.	.	.	.	.	.	.	.	3	6	.	1	8	.	4
		Feb. 5,	33·8	.	28	.	.	.	.	.	.	.	.	.	2	1	3	.	4	1	2
		,, 12,	41·0	4·8	34	.	.	.	.	2	1	.	.	1	2	4	1	2	7	.	.
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1910 (Est.) 35,881.	Dec. 25,	16·2	.	11	.	.	.	.	.	.	.	.	.	.	1	1	.	5	.	1
		Jan. 1,	26·4	1·5	18	.	.	.	.	1	.	.	.	.	1	.	.	1	2	.	.
		,, 8,	27·6	.	19	.	.	.	.	.	.	.	.	.	4	4	.	1	1	1	2
		,, 15,	24·7	.	17	.	.	.	.	.	.	.	.	.	2	1	.	2	3	.	.
		,, 22,	30·5	.	21	.	.	.	.	.	.	.	.	.	5	2	.	.	2	1	2
		,, 29,	18·9	1·5	13	.	.	1	.	.	.	.	.	.	1	.	2	1	1	.	.
		Feb. 5,	37·8	2·9	26	.	.	.	.	.	2	.	.	.	3	2	2	2	8	1	2
		,, 12,	23·3	.	16	.	.	.	.	.	.	.	.	.	1	.	1	.	4	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1909-10. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From all Causes	From Diseases in Cols. 5-18.	Total Deaths.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	Dec. 25,	20·0	2·9	14	.	.	1	.	1	.	.	.	.	.	1	.	1	1	.	2
	Jan. 1,	15·7	1·4	11	.	.	1	.	.	.	.	.	.	.	1	.	.	3	.	1
	,, 8,	15·5	.	11	.	.	.	.	.	.	.	.	.	1	1	.	.	2	1	.
	,, 15,	15·5	1·4	11	.	.	.	.	1	.	.	.	.	2	.	.	.	1	.	.
	,, 22,	18·3	2·8	13	.	.	.	.	.	.	.	.	2	2	1	.	1	4	.	1
	,, 29,	15·5	.	11	.	.	.	.	.	.	.	.	.	1	1	1	3	.	.	.
	Feb. 5,	29·6	.	21	.	.	.	.	.	.	.	.	.	1	3	1	2	2	.	1
	,, 12,	11·3	.	8	.	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	Dec. 25,	16·5	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
	Jan. 1,	22·0	.	12	.	.	.	.	.	.	.	.	.	3	.	.	.	3	.	1
	,, 8,	10·8	.	6	.	.	.	.	.	.	.	.	.	.	1	1	1	2	.	.
	,, 15,	5·4	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	,, 22,	21·6	.	12	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.
	,, 29,	12·6	.	7	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
	Feb. 5,	28·4	.	13	.	.	.	.	.	.	.	.	.	.	4	.	1	1	.	1
	,, 12,	27·0	.	15	.	.	.	.	.	.	.	.	.	.	4	1	1	3	.	.
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	Dec. 25,	35·5	3·0	12	.	.	.	.	1	.	.	.	.	3	.	.	.	1	.	1
	Jan. 1,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	,, 8,	32·5	.	11	.	.	.	.	.	.	.	.	.	5	2	.	.	1	.	.
	,, 15,	29·6	3·0	10	.	.	.	.	1	.	.	.	.	.	1	.	1	.	.	1
	,, 22,	28·7	3·0	8	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	.
	,, 29,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
	Feb. 5,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.
	,, 12,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Belfast. Pop. in 1910 (Est.) 391,167.	Dec. 25,	19·4	1·5	144	.	.	.	.	10	.	.	.	1	22	17	4	5	39	4	3
	Jan. 1,	25·9	2·0	192	.	.	.	.	13	1	.	.	1	34	13	6	3	41	3	1
	,, 8,	19·7	2·3	148	.	.	.	.	12	1	.	2	2	12	14	4	2	28	3	2
	,, 15,	22·7	1·7	170	.	.	.	.	13	.	.	.	.	20	14	10	10	31	8	1
	,, 22,	16·7	1·9	125	.	.	.	.	13	1	.	.	.	9	12	3	5	21	5	6
	,, 29,	20·1	1·9	151	.	.	.	.	18	.	.	1	.	16	15	10	4	29	7	3
	Feb. 5,	22·0	2·8	165	.	.	.	.	19	.	.	.	2	14	16	8	8	28	2	2
	,, 12,	22·9	2·3	172	.	.	2	.	15	.	.	.	.	16	15	4	7	40	2	1
Cork. Pop. in (1901) 76,122.	Dec. 25,	11·6	0·7	17	.	.	.	.	.	.	.	1	.	.	4	.	.	5	.	1
	Jan. 1,	28·8	0·7	42	.	.	.	.	.	.	1	.	.	3	7	3	1	4	.	4
	,, 8,	13·5	1·4	27	.	.	.	.	.	1	.	1	.	2	7	.	1	3	.	.
	,, 15,	23·3	0·7	34	.	.	1	.	.	.	.	.	.	5	1	3	1	3	.	.
	,, 22,	15·1	.	22	.	.	.	.	.	.	.	.	.	2	5	.	.	3	.	.
	,, 29,	21·9	1·4	32	.	.	.	.	.	1	.	1	.	3	6	1	.	5	.	1
	Feb. 5,	31·5	0·7	46	.	.	.	.	.	.	.	.	1	4	7	1	4	9	1	5
	,, 12,	26·7	.	39	.	.	.	.	.	.	.	.	.	3	6	3	1	4	.	2
Londonderry. Pop. in 1910 (Est.) 43,477.	Dec. 25,	13·1	1·2	15	.	1	.	.	.	.	.	.	.	.	1	1	.	5	.	1
	Jan. 1,	21·7	.	18	.	.	.	.	.	.	.	.	.	.	1	1	.	7	.	.
	,, 8,	20·4	1·2	17	.	.	.	.	.	.	.	.	1	3	.	.	1	2	.	.
	,, 15,	22·8	.	19	.	.	.	.	.	.	.	.	.	1	2	.	3	5	.	2
	,, 22,	14·4	.	12	.	.	.	.	.	.	.	.	.	2	1	2	.	2	.	.
	,, 29,	21·6	.	18	.	.	.	.	.	.	.	.	.	1	3	2	.	2	.	2
	Feb. 5,	14·4	.	12	.	.	.	.	.	.	.	.	.	1	2	1	.	5	.	.
	,, 12,	20·4	.	17	.	.	.	.	.	.	.	.	.	3	5	.	.	3	.	1
Limerick. Pop. (in 1901) 38,151.	Dec. 25,	16·4	.	12	.	.	.	.	.	.	.	.	.	.	2	1	.	3	.	1
	Jan. 1,	21·9	1·4	16	.	.	.	.	1	.	.	.	.	.	1	.	.	5	.	4
	,, 8,	21·9	2·7	16	.	.	.	.	2	.	.	.	.	.	2	1	1	4	.	1
	,, 15,	30·1	.	22	.	.	.	.	.	.	.	.	.	1	4	1	.	9	.	1
	,, 22,	20·5	.	15	.	.	.	.	.	.	.	.	.	.	4	.	.	4	.	3
	,, 29,	16·4	1·4	12	.	.	.	.	1	.	.	.	.	.	2	.	1	5	.	1
	Feb. 5,	27·3	1·4	20	.	.	.	.	1	.	.	.	.	.	2	1	.	5	.	4
	,, 12,	16·4	.	12	.	.	.	.	.	.	.	.	.	1	2	1	.	4	.	2
Waterford. Pop. (in 1901) 26,769.	Dec. 25,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.
	Jan. 1,	11·7	1·9	6	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	1
	,, 8,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.
	,, 15,	23·4	3·9	12	.	.	.	.	2	.	.	.	.	.	2	.	.	1	.	.
	,, 22,	17·5	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.
	,, 29,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	2
	Feb. 5,	21·4	.	11	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	2
	,, 12,	41·8	.	23	.	.	.	.	.	.	.	.	.	2	.	1	3	3	.	4

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 12th February, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901,** represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-20.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		15			10	2	.	1	3	2	2	.	.	.	.	1	.	.	.	.	1	2	.	1	1	.	.	4	.
Do. 2 do.		24			16	2	.	.	1	8	5	.	.	.	.	.	.	.	.	.	.	.	.	.	7	.	1	4	.
Do. 3 do.		21			34	7	5	2	4		8	.	.	.	.	5	.	.	.	.	4	3	2	1	5	.	.	8	1
Do. 4 do.		29			13	2	2	1	1	4	3	.	.	.	.	1	.	.	.	.	.	1	1	1	3	1	3	5	.
Do. 5 do.		12			14	6	2	1	.	2	3	.	.	.	.	2	.	.	.	.	.	1	.	.	2	.	.	9	.
Do. 6 do.		10			11	1	1	.	.	5	4	.	.	.	.	.	.	.	.	.	1	.	1	.	4	.	.	2	.
Do. 7 do.		.			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Do 8 do.	(349,180)	1			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 9 do.		12			9	1	.	.	2	5	1	.	.	.	.	.	.	.	.	.	2	3	.	2	.	.	.	5	.
Do 10 do.		9			5	2	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.
Do. 11 do.		28			9	.	2	1	2	.	4	.	.	2	.	.	.	.	.	.	1	2	.	1	.	.	.	3	.
Do. 12 do.		29			21	6	4	.	1	1	9	.	.	.	.	3	.	.	.	.	2	.	.	.	10	1	1	3	.
Do. 13 do.		10			11	.	1	.	1	5	4	.	.	.	.	1	.	.	.	.	.	.	.	1	3	.	1	2	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15† do.		13			17	7	3	1	2	1	3	.	.	.	.	2	.	.	.	.	4	2	.	.	3	.	.	4	.
Total,	—	213	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		172	37	21	8	18	42	46	.	.	2	.	15	.	.	.	.	16	15	4	7	40	2	7	49	1
City of Cork.																													
CORK URBAN No. 1 DISTRICT,	12,867	3	16·2	.	4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.
Do. 2 do.	10,701	3	29·2	.	6	1	.	.	2	2	1	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	.	3	1
Do. 3 do.	9,978	2	31·4	.	6	.	.	.	2	1	3	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	4	.
Do. 4 do.	8,666	3	30·1	.	5	.	.	1	3	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	1	.
Do. 5 do.	6,592	4	39·6	.	5	.	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	3	.
Do. 6 do.	10,702	6	48·7	.	10	3	1	1	2	1	2	.	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	2	1
Do. 7 do.	16,616	6	9·4	.	3	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.
Total,	76,122	27	26·7	.	39	4	2	2	12	9	10	.	.	.	.	.	.	.	.	.	3	6	8	1	4	.	1	16	2

*Formerly described as Simple Continued Fever

† New district formed as from 1st Jan., 1910 and the boundaries of Nos. 1, 4 & 6 districts altered. The population of each of these districts, as at present constituted, is not available.

TABLE IX.—**City of Belfast.**—Comparative Tables of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1909-10—Week ending																								
	Aug. 21.	Aug. 28.	Sept 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.
No. of weeks in annual Series, ..	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6
BIRTHS registered, ...	245	182	174	204	181	186	194	208	228	218	202	205	174	180	168	189	190	181	170	215	278	192	180	216	214	213
DEATHS registered, ...	116	129	119	124	93	121	99	95	104	96	116	116	130	134	167	147	218	177	144	192	148	170	125	151	165	172
Annual Death rate per 1,000 of estimated Population, ...	15·6	17·4	16·1	16·7	12·5	16·3	13·4	12·8	14·0	12·9	15·6	15·6	17·5	18·1	22·5	19·8	29·4	23·9	19·4	25·9	19·7	22·7	16·7	20·1	22·0	22·9
AGES — Under 1 year, ...	37	50	43	44	24	35	30	21	24	17	22	28	30	28	41	44	62	41	33	48	36	43	25	33	28	37
AGES — 1-5 years, ...	8	12	6	12	13	13	14	10	8	11	14	11	8	14	27	14	21	18	22	25	23	21	20	21	28	21
AGES — 5-20 years, ...	14	6	6	7	4	11	8	5	9	9	9	7	11	4	11	10	18	13	10	12	8	9	9	14	2	8
AGES — 20-40 years, ...	20	17	18	16	14	15	16	12	23	14	27	22	23	22	20	20	31	22	23	28	17	24	17	22	30	18
AGES — 40-60 years, ...	17	23	21	20	19	17	17	20	15	26	13	19	27	28	31	23	33	33	20	34	26	28	23	21	30	42
AGES — 60 years and upwards, ..	20	21	25	25	19	30	14	27	25	19	31	29	31	38	37	36	53	50	36	45	38	49	27	40	47	46
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	4	4	2	5	7	7	4	3	2	.	5	4	4	4	7	6	15	9	10	13	12	13	13	13	19	15
Diphtheria, ...	.	.	.	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	1	.	1	.	.	.
*Pyrexia** (origin uncertain), ..	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	.	.	.	.	.	.	2	2	3	.	.	.	2	.	.	.	1	.	.	.	2	.	.	1	.	.
Diarrhœal Diseases, ...	17	28	20	16	15	13	11	11	5	5	3	4	2	2	1	3	2	1	1	1	2	.	.	.	2	.
Pneumonia, ...	6	6	3	5	4	3	6	8	9	5	8	15	18	17	25	31	25	28	22	34	12	20	9	16	14	16
Tuberculous Disease, Phthisis, ..	17	11	9	13	4	17	12	7	11	9	14	6	14	8	8	11	26	14	17	13	14	14	12	15	16	15
Tuberculous Disease, Other Forms, ..	8	5	3	7	4	8	6	2	5	5	10	2	11	3	16	4	11	4	4	6	4	10	3	10	8	4
Cancer, Malignant Disease, ..	5	11	8	7	8	6	6	8	2	4	3	5	7	7	1	3	7	5	5	3	2	10	5	4	8	7
Diseases of Respiratory System,	5	8	8	15	6	15	5	9	10	12	14	21	17	31	42	41	53	37	39	41	28	31	21	29	28	40
Violent Deaths, ...	3	3	2	.	2	1	3	1	2	4	2	3	2	2	3	5	5	6	4	3	3	3	5	7	2	2
Number of Uncertified Deaths, ..	.	.	.	1	.	.	.	1	.	1	1	2	1	.	1	3	3	2	3	1	2	1	6	3	2	1

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	Feb. 12,	2,375	1,632	17·5	.	13	6	5	61	3	15
EDINBURGH, ...	360,276	„ 12,	132	105	15·2	.	9	.	3	.	.	2
GLASGOW, ...	884,505	„ 12,	459	304*a*	17·9	.	43	3	4	5	2	4
CALCUTTA, ...	1,009,008	Jan. 8,	.	517	26·6	.	1	.	.	1	71‡	69*
BOMBAY, ...	977,822	„ 11,	388	533	28·3	8	1	.	.	.	52‡	38
MADRAS, ...	509,346	Dec. 24,	370	343	35·0	1	.	?	?	?	110	30
CAIRO, ...	704,836	„ 23,	545	365	27·0	.	1	.	13†	?	5	62
PARIS, ...	2,760,000	Jan. 22,	.	.	.	.	.	.	.	.	.	.
BRUSSELS, ...	704,975	„ 22,	235	196	14·5	.	2	.	1†	.	1	7
ANTWERP, ...	317,171	„ 22,	118	81	13·3	.	4	1	.	2	.	9
AMSTERDAM, ...	568,131	.. 22,	289	149	13·7	.	4	.	2†	4	.	1
COPENHAGEN, ...	451,000	„ 22,	253	131	15·1	.	1	1	1†	.	.	5
STOCKHOLM, ...	339,582	„ 22,	142	93	14·2	.	3	.	1†	3	.	2
CHRISTIANIA, ...	235,674	„ 29,	119	81	17·9	.	.	2	2†	.	.	.
ST. PETERSBURG, ...	1,573,000	„ 8,	761	709	23·5	6	33	15	22	12	8	50
MOSCOW, ...	1,350,886	„ 1,	.	726	27·8	5	21	51	22†	7	11	50*
BERLIN, ...	2,121,134	„ 8,	831	605	14·9	.	4	15	15†	5	3	26
HAMBURG, ...	895,804	„ 22,	.	234	13·6	.	6	2	4†	3	1	11
BRESLAU, ...	508,349	„ 22,	.	168	17·2	4	4	.	3†	1	.	9
MUNICH, ...	576,000	„ 29,	.	181	16·3	.	1	1	1†	2	.	13
VIENNA (with suburbs),	2,085,888	„ 22,	806	630	15·7	.	5	6	2†	4	.	35
BUDA-PESTH, ...	833,703	„ 22,	405	311	19·4	.	5	6	8†	.	2	11
PRAGUE and Faubourgs.	491,531	„ 8,	180	165	17·3	.	.	2	2†	1	1	13
TRIESTE, ...	218,727	„ 15,	143	131	31·2	.	1	.	.	3	.	3
ROME, ...	575,485	Nov. 20,	233	219	19·8	.	.	1	1	1	6	13
		„ 27,	232	196	17·8	.	.	.	1	2	7	19
VENICE, ...	179,286	Dec. 11,	59	81	23·6	.	1	.	3†	.	2	6
NEW YORK, ..	4,711,956	Jan. 15,	2,419	1,603	17·8	.	13	33	47†	2	9	36
PHILADELPHIA, ..	1,565,569	„ 1,	.	503	16·7	.	.	9	16†	.	3	21
BOSTON, ...	629,868	„ 22,	.	255	21·1	.	2	1	5	1	2	5

a Including one death from cerebro-spinal meningitis.
* Including 15 deaths from cholera in Calcutta, and 9 in Moscow.
† Including deaths from croup.
‡ Exclusive of 6 deaths from plague in Calcutta and 7 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 12th February, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	.	.	.	.	.	.	1	1	.	.	1	3
" " 1, West,	.	.	.	.	1	.	.	.	.	.	.	1	2
" " 2,	.	.	.	.	.	.	.	1	1	.	.	2	4
" " 3,	.	2	.	.	.	.	.	1	2	.	1	2	8
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	1	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	3	.	.	.	.	.	.	3	.	.	6	12
" " 2,	.	.	.	.	.	.	.	.	1	.	.	6	7
" " 3,	.	1	.	.	.	.	1	.	.	.	.	1	3
" " 4,	.	.	.	.	2	.	.	1	.	.	.	1	4
New Kilmainham,	.	.	.	.	.	.	.	.	1	.	.	.	1
Total,	.	6	.	.	3	.	1	4	9	.	1	21	45

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 12th February, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 12th February.			
	Jan. 22.	Jan. 29.	Feb. 5.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	13	11	7	3	5	.	5
Scarlet Fever,	53	53	66	12	10	2	66*
Typhus,	2	2	1	1	.	.	2
Diphtheria,	38	32	46	4	12	1	37
Enteric Fever,	39	34	34	5	8	.	31
Pneumonia,	22	31	28	18	6	1	39

* Exclusive of 10 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.Sc., F.R.MET.SOC., reports as follows on the weather during the week ended 12th February, 1910:—

"This week opened with a day of extreme mildness, the thermometer rising in Dublin to 55·1° and having been not lower than 51·1° during the previous night. On Sunday morning the barometer read 30·53 inches at Corunna, but only 28·65 inches at Bodö, on the west coast of Norway. Between the points named baric gradients were steep for S.W. and W. winds, and the weather was therefore windy at exposed stations, and generally dull, damp and very mild. By Monday morning a well-defined secondary depression had arrived off Malin Head, and squally, rainy weather prevailed in Ireland. In Dublin strong squalls and a heavy dash of rain and hail at 5.30 p.m. were followed by a rapid fall of temperature. Tuesday and Wednesday were fair and cold, while a ridge of high atmospheric pressure was drifting eastwards across the British Isles. Already, on Wednesday morning a new depression was approaching Iceland from the westward, and this system quickly spread across the Atlantic to the British Isles and Scandinavia. On Thursday morning the sky was very threatening as seen from Dublin, but at noon a sheet of cirriform cloud cleared off from S.W., allowing the sun to shine brightly for a time. Some heavy showers fell in the afternoon and temperature gave way. At 9.45 a.m. of Friday there was a heavy shower of cold rain and sleet. A sharp night followed, but Saturday was mild, dull, and rainy, although the barometer showed little change. Throughout the week the Mediterranean was the seat of a separate system of low barometric pressure and disturbed weather. In Dublin the mean height of the barometer was 29·852 inches, the range being from 29·347 inches at 9 p.m. of Monday (wind, W.) to 30·293 inches at 9 a.m. of Wednesday (wind also W.). The mean temperature was 44·6°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 44·1°. The screened thermometers rose to 55·1° on Sunday and fell to 33·1° on Wednesday. W. and S.W. winds prevailed. The rainfall was ·246 inch on 5 days, ·079 inch being recorded on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·695 inches. The highest reading (30·127) was on Wednesday at 9 a.m., wind W., and the lowest (29·183) on Monday at 9 p.m., wind S.W.

The mean temperature for the week was 43·7°, being 4·8° above the average for the corresponding period of the 10 years, 1900–1909. The temperature was highest on Thursday, on which day the thermometer registered 54·1°, and was lowest on Wednesday, the mercury having fallen to 29·9°. The mean of the Dry Bulb for the week was 43·2° and of the Wet Bulb 42·0°. The mean humidity of the air was ·91, complete saturation being represented by 1·0. The rainfall during the week measured 0·264 inch.

At Greenwich the mean temperature for the week was 42·0°, the maximum 54·0°, and the minimum 28·6°; at Glasgow the maximum was 52·3°, the minimum 26·5°, and the mean 39·6°; and at Edinburgh the maximum was 49·7°, the minimum 25·8°, and the mean 39·3°. The rainfall at Greenwich measured 0·38 in., at Glasgow 0·66 in., and at Edinburgh 0·66 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY.	BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, February 6,	29·502	53·9	50·5	52·2	51·8	51·4	·97	·6	0·0	·080	S.W.	S.W.
Monday, „ 7,	29·227	52·9	41·7	47·3	46·1	45·0	·92	·5	3·3	·050	W.S.W.	S.W.
Tuesday, „ 8,	29·683	43·5	35·4	39·5	37·0	36·0	·92	·5	6·0	·000	W.N.W.	W.S.W.
Wednesday, „ 9,	30·093	45·6	29·9	37·8	38·4	37·1	·89	·6	7·1	·005	W.	S.W.
Thursday, „ 10,	29·777	54·1	41·3	47·7	45·6	44·4	·92	·5	3·4	·070	S.S.W.	S.W.
Friday, „ 11,	29·767	44·7	34·9	39·8	38·7	37·5	·90	·5	6·0	·023	S.W.	S.W.
Saturday, „ 12,	29·818	49·6	33·2	41·4	44·5	42·5	·86	·7	0·5	·036	Calm.	S.W.
Mean, . . .	29·695	49·2	38·1	43·7	43·2	42·0	·91	·6	Total 26·3	Total ·264	Prevailing Wind, S.W.	

Sunday—Day overcast, passing showers p.m.; night overcast, drizzle midnight to 7 a.m. *Monday*—Day cloudy, light rain p.m.; night cloudy. *Tuesday*—Day cloudy; night clear. *Wednesday*—Day bright to cloudy; night overcast, drizzle a.m. *Thursday*—Day overcast to cloudy, rain a.m. and p.m.; night clear, rain a.m. *Friday*—Day cloudy, rain, sleet, 9.30 a.m. to 10 a.m.: night clear. *Saturday*—Day overcast to cloudy, rain a.m.; night clear.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, February 12th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperatures in Shade, read at 9 p.m.			Sunshine Campbell-Stokes Recorder) read at 9 p.m	Rainfall read at 9 a.m.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
	°	°	°	°	°	°	hrs	ins.
Sunday, February 6.	52·6	42·2	41·6	54·8	50·9	52·9	—	·045
Monday, „ 7,	52·0	44·1	42·0	54·3	42·9	48·6	3·1	·052
Tuesday, „ 8,	39·9	43·4	42·3	49·9	36·9	43·4	4·3	—
Wednesday, „ 9,	38·0	41·0	42·8	46·5	33·3	39·9	5·0	—
Thursday, „ 10,	51·3	41·5	43·0	54·9	43·2	49·1	2·2	·025
Friday, „ 11,	42·0	42·0	43·0	50·1	37·0	43·5	5·4	·028
Saturday, „ 12,	43·0	42·0	43·0	51·0	37·0	44·0	0·0	·026
Weekly Mean, . .	45·5	42·3	42·5	51·6	40·2	45·9	Total 20·0	Total ·176

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

(27937). Wt. P. 345. 375. 11. 1909. G. III. Sch. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 19TH FEBRUARY, 1910. [No. 7.

General Register Office, Charlemont House, Dublin, 21st February, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending				Average Rate for 4 weeks.	TOWNS, &c.	Week ending				Average Rate for 4 weeks.
	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.			Jan. 29.	Feb. 5.	Feb 12.	Feb. 19.	
22 Town Districts.	**21·1**	**25·0**	**26 0**	**22·8**	**23·7**	Limerick, . . .	16·4	27·3	16·4	12 3	18·1
						Lisburn, . . .	63·7	22·7	36·4	27·3	37·5
Armagh, . . .	.	20·6	.	20·6	10·3	Londonderry, . .	21·6	14·4	20·4	14·4	17·7
Ballymena, . . .	23·9	14·4	43·1	14·4	23·9	Lurgan, . . .	31·0	17·7	53·1	22·1	31·0
Belfast, ...	20·1	22·0	22·9	20·8	21·5	Newry, . . .	28·4	21·0	46·2	8·4	26 0
Clonmel, . . .	20·5	20 5	46·2	35·9	30 8	Newtownards,	28·6	51·5	40·1	22·9	35·8
Cork, ...	21·9	31·5	26·7	26·7	26·7	Portadown, . .	5·2	20·7	15·5	15·5	14·2
Drogheda, . . .	20·4	20·4	20·4	16·3	19·4	Queenstown, . .	26·4	33·0	46·1	13·2	29·7
Dublin Reg. Area, .	21·7	29·8	26·4	26·5	26·1	Sligo, ...	14·4	24·0	14·4	19·2	18·0
Dundalk, . . .	19·9	4·0	12·0	27·9	16·0	Tralee, . . .	31·7	10·6	21·1	15·9	19·8
Galway, . . .	27·2	19·4	46·6	3·9	24·3	Waterford, . . .	13·6	21·4	44·8	29·2	27·2
Kilkenny, . . .	24·6	24·6	39·3	44·2	33·2	Wexford, . . .	4·7	14·0	32·7	18·7	17·5

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·4 per 1,000, the rates varying from 0·0 in sixteen of the districts to 4·8 for Ballymena, the 3 deaths from all causes for that district including one from whooping-cough. Among the 156 deaths from all causes for Belfast are one from measles, 17 from whooping-cough, one from enteric fever, and 2 from diarrhœal diseases. Of the 39 deaths from all causes for Cork one is from whooping-cough, and one from diarrhœa, and of the 4 deaths from all causes for Drogheda one is from typhus.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 197—100 boys and 97 girls—and the deaths to 211—101 males and 110 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 27·3 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, the rate was 26·5 per 1,000. During the seven weeks, ending with Saturday last, the death-rate averaged 25·4, and was 2·6 below the mean rate for the corresponding portions of the ten years 1900-9.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*). Table II. ‡ See columns 10-18 of Table II.

Among the deaths from all causes there were 2 from scarlet fever, one from whooping-cough, and 2 from epidemic diarrhœa of children under 5 years of age (there were also 2 deaths at this age-period from enteritis and one from *gastro-enteritis*). In each of the three weeks preceding, deaths from scarlet fever were one, 0, and one ; deaths from whooping-cough were one, 2, and 4 ; and deaths from diarrhœal diseases were 2, 4, and 6. There were 2 deaths from influenza, which in the three weeks preceding had caused one, 4, and 3 deaths, respectively.

The deaths from pneumonia include one death from lobar pneumonia, 15 deaths from broncho-pneumonia, and 4 deaths from *pneumonia* (not defined).

There were 33 deaths from tuberculous disease, which in each of the preceding three weeks had caused 29, 43, and 29 deaths ; included in the 33 deaths there were 19 deaths from tuberculous phthisis (*phthisis*), 2 from tuberculous meningitis, 5 from tuberculous peritonitis, one death from *tabes mesenterica*, and 6 deaths from other forms of the disease.

Carcinoma and sarcoma each caused 2 deaths, and 4 deaths were attributed to cancer (undefined).

The deaths of 4 infants under one month of age were assigned to prematurity.

Included in the 12 deaths from diseases of the brain and nervous system were 5 deaths of infants under one year of age from *convulsions*.

Forty deaths were caused by diseases of the heart and blood vessels, and the deaths from diseases of the respiratory system numbered 41, including 37 deaths from bronchitis.

The deaths assigned to accidental causes (6 in number) include 2 deaths by burns, one of these being that of a child aged one year and ten months.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 infants under one year of age, and the deaths of 2 persons aged 60 years and upwards.

Sixty-seven of the persons whose deaths were registered during the week were under 5 years of age (45 being infants under one year, of whom 12 were under one month old) and 78 were aged 60 years and upwards, including 41 persons aged 70 and upwards, of whom 11 were octogenarians, and one (a female) was stated to have been aged 92 years.

Ninety-two of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 31 took place in the North Dublin Union Workhouse, 31 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 26·5 per 1,000 ; the rate in the City was 29·6 (North City Districts, 32·2; South, 26·9) and in the Suburbs, 16·3.

The deaths from certain epidemic diseases* in the entire area equal an annual rate of 0·8 per 1,000 inhabitants, the rate for the City being 0·8 (1·3 in the North City Districts, and 0·3 in the South), and for the Suburbs, 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (18) are equal to an annual rate of 31·4 per 1,000. Scarlet fever and epidemic diarrhœa each caused one death ; broncho-pneumonia and *pneumonia* (not defined) each caused one death ; there were 2 deaths from tuberculous disease, and 2 deaths from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (23) are equal to an annual rate of 30·0 per 1,000, and include one death from epidemic diarrhœa, 2 deaths from broncho-pneumonia, 3 deaths from tuberculous disease, and 5 deaths from diseases of the respiratory system.

No. 2 North City District (Lisburn-street).—The deaths (21) are equivalent to an annual rate of 35·6 per 1,000. Broncho-pneumonia caused 4 deaths, there was one death from influenza, there were 2 deaths from *phthisis*, and 4 deaths from diseases of the respiratory system.

No. 3 North City District (Benburb-street).—The deaths (23) represent an annual rate of 35·7 per 1,000. There were 2 deaths from broncho-pneumonia, 6 deaths from tuberculous disease, and 4 deaths from diseases of the respiratory system.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are :—Clontarf and Howth, No. 1, part of, 48·5 per 1,000 inhabitants ; Coolock and Drumcondra, part of, 31·4, and Finglas and Glasnevin, part of, 6·8. Of the 5 deaths from all causes for Clontarf and Howth, No. 1, part of, one is from broncho-pneumonia : and the 7 deaths from all causes for Coolock and Drumcondra, part of, include one death from lobar pneumonia, one from *pneumonia* (not defined), one from bronchitis, and one death caused by burns.

No. 1 South City District (South Earl-street).—The deaths (32) represent an annual rate of 40·2 per 1,000. Among the deaths were 2 from broncho-pneumonia, one from *pneumonia* (not defined), 5 from tuberculous phthisis, 3 from other forms of tuberculous disease, and 4 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (8) are equal to an annual rate of 19·2 per 1,000. Of the deaths, 2 were from tuberculous phthisis, and 3 from bronchitis.

No. 3 South City District (Peter-street).—The deaths (26) are equal to an annual rate of 31·4 per 1,000, and include 2 deaths from broncho-pneumonia, 3 deaths from tuberculous disease, 9 deaths from bronchitis, and 2 accidental deaths.

No. 4 South City District (Grand Canal-street).—The deaths (10) are equivalent to an annual rate of 14·5 per 1,000. Scarlet fever caused one death, there was one death from *pneumonia* (not defined), and one death from bronchitis.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·5 per 1,000. One of the deaths was caused by tuberculous peritonitis, and one by bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are :—Rathmines and Rathgar, 15·5 ; Pembroke, 19·3 ; Blackrock, 23·1 ; and Kingstown, 8·9. The only death from any of the principal epidemic diseases tabulated for these districts is one from whooping-cough for Rathmines and Rathgar, the 11 deaths from all causes for that district including one from broncho-pneumonia, one from *phthisis*, and 3 from bronchitis ; among the 11 deaths from all causes for Pembroke are one death from influenza, 2 deaths from tuberculous disease, one death from bronchitis, and one death caused by burns ; of the 4 deaths from all causes for Blackrock one is from tuberculous disease and one from bronchitis ; and the 3 deaths from all causes for Kingstown include one from tuberculous phthisis.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 9," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly rnished by :—
Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin : Mr. Fawcett, ecutive Sanitary Officer for Rathmines and Rathgar Urban District : Mr. Manly, Executive Sanitary Officer for mbroke Urban District : Mr. Heron, Executive Sanitary Officer for Blackrock Urban District : by Dr. R. A. Donovan, Medical Superintendent Officer of Health for Kingstown Urban District : and by Dr Bailie, Medical perintendent Officer of Health for the City of Belfast.

BLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 19th February, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) — *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Jan. 29,	.	—	—	7	.	.	1	.	.	4	8	.	—	—	.	—	20	—	40
	Feb. 5,	.	—	—	10	.	.	18	.	2	6	14	.	—	—	.	—	22	—	72
	Feb 12,	.	—	—	6	.	.	3	.	1	4	9	.	—	—	1	—	21	—	45
	Feb. 19,	.	—	—	5	.	.	11	.	2	6	10	.	—	—	.	—	22	—	56
Rathmines and Rathgar Urban District.	Jan 29,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	Feb 5,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	—	2
	Feb 12,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	—	—	—	—	3
	Feb. 19,	.	—	—	.	.	.	.	.	.	2	.	.	—	—	—	—	—	—	2
Pembroke Urban District.	Jan. 29,	.	.	.	2	.	.	1	.	.	.	.	.	—	.	.	—	—	—	3
	Feb. 5.	.	.	.	2	.	.	.	.	.	.	.	1	—	.	.	—	—	—	3
	Feb 12	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	—	.
	Feb. 19,	.	.	.	.	.	.	1	2	1	.	.	.	—	2	.	—	—	—	6
Blackrock Urban District.	Jan. 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb 12,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	—	3
	Feb. 19,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Jan 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	.
	Feb. 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—		—	1
	Feb. 12,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	.	—	2
	Feb 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Jan 29,	.	—	—	15	.	.	2	.	.	.	4	.	—	—	—	—	14	—	35
	Feb. 5,	.	—	—	15	.	.	2	.	.	2	6	.	—	—	—	—	24	—	49
	Feb. 12,	.	—	—	15	.	.	.	.	.	.	6	.	—	—	—	—	19	—	40
	Feb. 19,	.	—	—	9	.	.	1	.	1	2	5	3	—	—	—	—	22	—	43

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 19th February, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Two cases of measles were discharged from hospital during the week, and 3 cases remained under treatment at the close of the week.

Four cases of scarlet fever were admitted to hospital, 10 were discharged, there were deaths, and 58* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 53, 66, and 66, respectively.

Two cases of typhus remained under treatment in hospital at the close of the week.

Twelve cases of diphtheria were admitted to hospital, 6 were discharged, and 43 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 32, 46, and 37, respectively.

Eight cases of enteric fever were admitted to hospital during the week, one was discharged, and 38 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 16 cases of pneumonia were admitted to hospital, were discharged, there were 2 deaths, and 49 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 16·3) was equal to an average annual death-rate of 15·8 per 1,000 persons living ; the average rate for 8 principal towns of Scotland was 17·7 per 1,000, the rate for Glasgow being 16·9 and for Edinburgh 16·4.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 19th February. From this Report it appears that of a total of 50 cases notified, 29 were scarlet fever, 12 phthisis, 4 diphtheria, 4 erysipelas, and one puerperal fever. Among the 366 cases of infectious diseases in hospital at the close of the week were 176 cases of scarlet fever, 84 of measles, 58 of phthisis, 23 of diphtheria, 9 of whooping-cough, 6 of erysipelas, 2 of chicken-pox, 2 of puerperal fever, one of enteric fever, and one of cerebro-spinal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 19th February, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 19TH FEBRUARY, 1910.																							METEOROLOGY. (d)											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 19TH FEB., 1910.				WEEK ENDING 12TH FEB., 1910.				WEEK ENDING 5TH FEB., 1910.			
	POPULATION.		DEATHS.			BIRTHS.	DEATHS.																			Air Temperature				Air Temperature				Air Temperature			
	Total. (a)	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10–18.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia b* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·2	25·8	22·8	1·4	569	503	99	169	.	1	2	1	20	.	1	1	6	39	48	27	23	91	13	19	173	31	°	°	°	.	°	°	°	.	°	°	°	.
DUBLIN REGISTRATION AREA:— TOTAL, c.	402,928	29·8	25·5	26·5	0·8	197	205	45	77	.	.	2	.	.	.	1	.	2	20	18	14	8	40	6	7	86	7	*e*52·8	20·7	42·8	1·16	*e*54·1	29·9	43·7	0·26	*e*54·4	22·9	38·1	0·16
CITY OF DUBLIN.	310,298	39·2	28·2	29·6	0·8	168	176	40	66	.	.	2	.	.	.	1	.	2	19	16	11	7	35	5	6	72	2	*f*52·5 *g*51·9	34·1 32·0	44·1 43·8	1·67 1·83	*f*55·1 *g*54·9	33·1 29·8	44·6 43·9	0·25 0·31	*f*55·4 *g*55·3	27·7 24·0	39·9 37·9	0·07 0·17
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	21·1	15·5	1·4	15	11	1	7	.	.	.	.	1	.	.	.	.	1	1	.	.	3	.	.	5	3	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	16·2	7·2	19·8	.	4	11	2	2	.	.	.	.	.	.	.	.	.	.	.	2	1	1	1	1	5	1	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,013	8·3	17·4	28·1	.	3	4	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	20·7	8·9	.	7	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	53	34·5	43·5	1·58	56	34	46·2	0·25	58·0	30·0	41·8	0·03
URBAN DISTRICTS.																																							
BELFAST,	391,167	26·6	26·1	20·8	2·8	196	156	31	35	.	1	.	.	17	.	.	1	2	11	14	8	6	19	5	11	39	5	50·5	31·0	40·3	2·36	55·0	30·5	44·0	0·69	54·5	28·8	37·0	0·64
CORK,	76,122	33·6	32·9	26·7	1·4	48	39	5	17	.	.	.	.	1	.	.	1	.	2	3	3	1	11	.	.	19	5	50	35	43·4	1·45	54	36	46·0	0·49	53	33	41·2	0·59
LONDONDERRY,	43,477	20·1	27·6	14·4	.	23	12	.	4	.	.	.	.	.	.	.	.	.	1	1	.	4	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	19·1	12·3	.	14	9	.	4	.	.	.	.	.	.	.	.	.	1	2	.	1	2	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD,	26,769	18·7	31·2	29·2	1·9	16	15	5	4	.	.	.	.	.	.	.	1	.	1	.	.	1	2	.	.	4	3	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	2·5	15·5	8·9	.	4	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	1	50	32	48	1·41	52	32	44	0·68	47	26	39	0·76
DUNDALK	18,076	9·4	43·9	27·9	.	11	7	1	3	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	16·3	16·3	4·1	4	4	.	2	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,405	17·8	21·0	8·4	.	5	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	51·1	31·0	42·0	2·24	53·0	30·0	42·4	0·68	51·8	26·1	37·8	0·39
LURGAN,	11,782	13·8	57·5	22·1	.	18	5	.	3	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.	.	2	.	51·1	31·0	42·0	2·24	53·0	30·0	42·4	0·68	51·8	26·1	37·8	0·39
LISBURN,	11,461	10·1	13·6	27·3	.	3	.	.	3	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	2	.	51·1	31·0	42·0	2·24	53·0	30·0	42·4	0·68	51·8	26·1	37·8	0·39
WEXFORD,	11,168	28·2	32·7	18·7	.	7	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,886	8·9	4·8	14·4	4·8	1	3	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,870	8·7	9·6	19·2	.	2	4	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	52·8	27·0	41·7	2·40	52·5	28·5	42·4	1·10	53·5	21·7	38·8	0·99
KILKENNY, b	10,609	11·5	4·9	44·2	.	1	9	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	6	.	.	8	.	51	30	35·3	1·78	55	29	42·3	0·54	56	18	34·1	0·32
CLONMEL,	10,167	7·8	20·5	35·9	.	4	7	2	3	.	.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,092	18·2	25·8	15·5	.	5	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	51·1	31·0	42·0	2·24	53·0	30·0	42·4	0·68	51·8	26·1	37·8	0·39
TRALEE,	9,867	16·6	21·1	15·9	.	4	3	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	22·9	22·9	.	4	4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	51	31	40·8	1·49	53	31	42·2	0·71	55	29	38·8	0·28
QUEENSTOWN,	7,909	14·4	33·0	18·2	.	5	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	50	35	43·4	1·45	54	36	46·0	0·49	53	33	41·2	0·59
ARMAGH,	7,588	22·2	18·7	20·6	.	2	3	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	51·1	31·0	42·0	2·24	53·0	30·0	42·4	0·68	51·8	26·1	37·8	0·39

(*a*) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (*b*) Formerly described as "Simple Continued Fever." (*c*) Exclusive of 6 deaths of persons (including one at 73 years), admitted to hospital from localities outside the Area. (*d*) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Dundrum have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. (*e*) Observations at Ordnance Survey

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 19th February, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN REGISTRATION DISTRICTS IN											URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist									
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Pneumonia,	2	3	4	2	1	2	.	3	.	2	1	.	1	.	.	.	20	.
Tuberculous Phthisis,	1	2	2	2	.	.	.	5	2	2	.	.	1	.	.	1	18	1
Disease. Other Forms,	1	1	.	4	.	.	.	3	.	1	.	1	.	2	1	.	14	.
Cancer, Malignant Disease,	1	.	2	.	.	.	.	2	.	1	1	.	.	1	.	.	8	.
Other General Diseases,	2	4	2	1	1	.	.	1	.	2	1	.	.	1	.	.	15	.
Total,	9	10	10	10	2	2	.	14	2	8	4	1	3	4	1	1	81	1
B. LOCAL DISEASES:																		
Diseases of Nervous System,	2	3	1	.	.	.	.	1	1	1	.	.	1	1	1	.	12	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Heart and Blood Vessels,	2	3	5	5	1	3	1	5	1	2	3	.	3	3	.	2	39	1
Respiratory System,	2	5	4	4	1	1	.	4	3	9	1	1	3	1	1	.	40	1
Digestive System,	.	2	.	.	.	.	.	1	1	3	.	.	.	.	.	.	7	1
Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	.	3	.	.	.	2	.	.	1	.	.	.	1	.	7	1
Generative System,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	7	13	10	12	3	4	1	13	6	15	5	1	7	5	3	2	107	5
C. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	1	.	1	1	.	.	.	4	.	1	1	.	1	1	.	.	11	.
E. VIOLENT DEATHS,	1	.	.	.	.	1	.	1	.	2	.	.	.	1	.	.	6	.
Deaths from all Causes	18	23	21	23	5	7	1	32	8	26	10	2	11	11	4	3	205	6
Annual Rate of Mortality from all causes in every 1,000 of the population.	31·4	30·0	35·6	35·7	48·5	31·4	6·8	40·2	19·2	31·4	14·5	11·5	15·5	19·8	23·1	8·9	26·5	.
	32·2							26·9					16·3					
	29·6																	
Ages at Death. Under 1 year,	3	9	6	6	2	.	.	8	.	5	.	1	1	2	2	.	45	.
1 and under 5 years,	4	4	.	3	.	.	1	3	.	1	.	1	3	2	.	.	22	.
5 „ 20 „	1	2	.	.	.	.	.	2	.	3	1	.	.	.	.	.	9	.
20 „ 40 „	2	1	2	1	.	.	.	4	2	2	1	.	.	.	.	1	16	3
40 „ 60 „	1	3	5	.	3	3	.	5	4	3	2	.	.	5	1	1	36	2
60 years and upwards,	7	4	8	13	.	4	.	10	2	12	6	.	7	2	1	1	77	1
Number of Uncertified Deaths,	.	.	.	.	.	1	.	1	.	.	.	.	3	1	1	.	7	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	1	2	1	.	2	.	5	.	3	3	.	3	.	3	.	24	5
Workhouse Hospitals,	2	6	9	13	.	.	1	10	6	6	1	.	2	5	.	1	62	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered corresponding week of the ten years 1900–19

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Averages in 7th Week of the 10 years, 1900-1909.	In the Week ending Saturday, 19th February, 1910.						
												Deaths of Persons of the Ages o						
	Feb. 17, 1900.	Feb. 16, 1901.	Feb. 15, 1902.	Feb. 21, 1903.	Feb. 20, 1904.	Feb. 18, 1905.	Feb. 17, 1906.	Feb. 16, 1907.	Feb. 15, 1908.	Feb. 20, 1909.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.				
Mean Temperature.	° 32·9	° 34·8	° 29·9	° 16·9	° 37·7	° 15·5	° 36·4	° 40·4	° 44·7	° 39·5	° 38·9	° 42·3							
ALL CAUSES.	284	235	200	161	223	175	149	239	194	211	207·1	211	12	33	22	9	19	38	66
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli), ...	1	1	3	6	1	2	.	3	1	4	2·2	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	2	2	5	.	.	.	.	.	1	1·1	2	.	.	1	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	20	6	3	5	5	3	2	9	13	.	6·6	2	.	.	.	.	2	.	.
Whooping-cough, ...	5	3	3	3	9	1	.	4	1	2	3·1	1	.	.	1	.	.	.	.
Diphtheria, ...	3	1	.	3	1	1	.	1	1	2	1·3	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	2	1	1	·4	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain)	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
Enteric Fever, ...	3	2	2	1	3	3	.	.	.	1	1·5	.	.	.	.	.	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.), *Diarrhœa*, Dysentery,	2	2	2	1	2	1	1	1	.	.	1·2	2	.	1	1	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	2	.	.	1	3	1	1	2	1	1·1	1	1	.	.	.	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*,	.	.	.	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.
Infective Endocarditis ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar, Broncho-Epidemic, Not defined,	19	24	13	1	1	4	2	4	1	.	14·6	1	1	9	4	.	.	1	.
				7	7	8	5	8	8	7		15	1	.	.	.	.	.	.
						7	4	7	4	5		4	1	.	.	.	1	.	2
Erysipelas, ...	1	1	.	.	.	.	.	1	.	1	·4	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	.	.	.	1	1	2	.	.	1	.	·5	1	1	.	.	.	.	.	.
Other Infective Processes,	.	.	.	.	1	.	1	1	.	3	·6	1	.	.	.	.	.	.	1
Tuberculous Phthisis, "*Phthisis*,"	32	36	27	1	12	9	9	12	15	14	27·8	13	.	.	1	3	7	2	.
				20	15	19	14	15	14	14		6	.	.	.	4	1	1	.
Tuberculous Meningitis, ...	7	2	1	3	.	2	2	2	2	6	2·7	2	.	1	.	1	.	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*, ...	10	6	1	.	2	1	2	1	2	.	3·1	5	.	2	2	1	.	.	.
				1	1	1	.	.	2	1		1	.	1	.	.	.	.	.
Tuberculous Dis. (other), *Scrofula*, ...	7	4	5	3	3	7	6	7	9	8	6·1	6	.	2	2	2	.	.	.
				.	1	1	.	.	.	.		.	.	.	.	.	.	.	.
Alcoholism, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	1	.	.	.	1	1	1	.	.	·4	.	.	.	.	.	.	.	.
Gout	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.	.	.
Carcinoma, ... Sarcoma, ... Cancer (undefined) ...	5	4	6	2	2	4	2	1	2	5	6·0	2	.	.	.	.	2	.	.
				.	.	1	.	1	.	2		2	.	.	.	.	1	1	.
				2	3	1	4	4	5	4		4	.	.	.	.	2	2	.
Diabetes Mellitus, ...	.	.	.	2	4	.	1	.	.	1	·8	.	.	.	.	.	.	.	.
Premature Birth, ...	5	7	7	1	5	2	1	6	6	4	4·4	4	4	.	.	.	.	.	.

* The figures for the year 1900 are for
† Formerly described as

the SEVENTH WEEK ending Saturday, 19th February, 1910, with the deaths from each cause in the and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 7th Week of the 10 years 1900-1909.	In the Week ending Saturday, 19th February, 1910. Deaths of Persons of the Ages of							
	Feb. 17, 1900.	Feb. 16, 1901.	Feb. 15, 1902.	Feb. 21, 1903.	Feb. 20, 1904.	Feb. 18, 1905.	Feb. 17, 1906.	Feb. 16, 1907.	Feb. 15, 1908.	Feb. 20, 1909.		ALL AGES	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 32·9	° 34·8	° 29·9	° 46·9	° 37·7	° 45·5	° 36·4	° 40·4	° 44·7	° 39·5	° 38·9	° 42·3								
Meningitis (not tuberc.)				6	8	5	2	6	2	2		4	.	.	2	1	.	.	1	.
Insanity, G. P. of Insane				1	5	3	1	1	3	.		1	.	.	.	.	.	1	.	.
Epilepsy				.	.	2	1	.	1	.		.	.	.	.	.	.	.	.	.
Convulsions				6	8	7	3	8	6	2		5	1	4	.	.	.	.	.	.
Locomotor Ataxy				.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord				1	1	.	1	1	.	1		1	.	.	.	.	.	.	1	.
Nervous System (other Dis.)				1	4	2	1	.	.	1		1	.	.	.	.	.	1	1	.
Valv. Dis., Endocarditis	52	43	38	3	3	7	6	15	12	7	44·4	14	.	.	1	.	1	3	9	.
Cerebr. Hæm. Thromb.				1	1	4	3	3	2	6		5	.	.	.	.	.	1	2	2
Apoplexy, Hemiplegia				4	5	3	2	4	4	3		3	.	.	.	.	.	2	1	.
Aneurysm				1	2	.	.	1	.	1		.	.	.	.	.	.	.	.	.
Embolism, Thromb. (not cerebral)				.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Heart and Blood Vessels (other Dis.)				16	11	14	16	19	9	20		18	.	.	.	.	.	6	11	1
Croup (not Spasm. nor Memb.)	.	1	.	1	.	.	1	.	.	1	·4	.	.	.	.	.	.	.	.	.
Bronchitis	51	38	33	14	38	18	25	36	23	33	30·9	37	.	5	1	.	1	5	21	4
Asthma, Emphysema				.	2	1	.	.	1	2		1	.	.	.	.	.	.	1	.
Pleurisy	4	3	2	.	2	.	.	.	2	3	4·0	.	.	.	.	.	.	.	.	.
Respiratory Dis. (other)				3	1	2	1	4	3	4		3	.	1	.	.	1	1	.	.
Tonsillitis, Quinsy	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.)	1	.	1	.	.	1	1	2	2	2	1·9	3	.	2	.	.	1	.	.	.
Gastro Enteritis				.	5	.	.	.	3	1		1	.	1	.	.	.	.	.	.
Peritonitis (not Puerp.)	.	.	1	.	.	.	1	.	.	1	·3	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver	.	1	2	.	.	.	.	.	2	.	1·6	2	.	.	.	.	.	1	1	.
Liver Dis. (other)				6	1	3	1	.	.	.		.	.	.	.	.	.	.	.	.
Digestive Dis. (other)	6	6	4	3	4	3	1	9	4	7	4·7	2	.	1	.	.	.	1	.	.
Nephritis, Acute				2	2	3	2	3	1	.		2	.	.	1	.	.	1	.	.
Bright's Dis., Albuminuria	7	10	5	3	1	1	4	4	3	4	6·2	5	.	.	.	.	1	2	1	1
Urinary Sys. (other Dis.)				2	1	1	2	1	.	.		1	.	.	.	.	.	.	1	.
Generative Organs Dis.	.	.	1	.	.	.	.	.	.	.	·1	1	.	.	.	.	.	1	.	.
Childbirth (Accid. of)	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Old Age	22	15	11	3	10	6	5	9	6	7	9·4	6	.	.	.	.	.	3	3	
Other Diseases	12	10	20	11	16	10	9	15	10	11	12·4	13	.	3	3	.	2	2	3	.
ACCIDENT.																				
By Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	4	1	3	.	1	.	.	4	1	3	1·7	2	.	.	1	.	.	1	.	.
By Drowning	.	2	2	2	.	.	.	1	1	1	·9	.	.	.	.	.	.	.	.	.
By Suffocation in Bed	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Other Deaths by Accident	4	1	1	1	2	.	.	.	2	.	1·1	4	3	.	.	.	.	.	1	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide	.	.	.	.	.	2	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

the Registration Area as then constituted.
"Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1909-10—Week ending																									
	Aug. 28.	Sept. 4.	Sept. 11	Sept. 18.	Sept. 25.	Oct 2	Oct. 9.	Oct. 16	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.
No. of weeks in Annual Series,	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7
BIRTHS registered.	261	208	226	207	215	250	193	184	226	203	220	215	238	196	206	174	216	185	282	236	243	197	162	252	220	197
*Average Births in corresponding week of previous 10 years,** ..	213	206	229	206	199	250	192	185	205	203	210	198	195	181	202	197	190	177	175	227	204	206	203	234	212	210
DEATHS registered, ...	162	149	134	186	157	141	134	127	124	148	145	177	190	172	180	177	158	155	205	174	177	181	177	239	217	211
Annual Death-rate per 1,000, ..	21·2	19·5	17·5	17·8	20·6	18·8	17·5	16·6	16·2	19·4	19·0	23·2	24·9	22·5	23·6	23·2	20·7	20·3	26·8	22·5	22·9	23·4	22·9	30·9	28·1	27·3
*Average Deaths in corresponding week of previous 10 years,**	170	165	169	164	171	168	164	166	173	166	179	182	184	187	190	190	187	195	184	217	210	206	201	200	196	207
AGES, Under 5 years, ...	76	66	38	38	47	35	35	36	41	35	40	45	41	37	42	37	51	44	71	49	57	57	55	76	58	67
5—20 ,, ...	9	8	6	9	8	10	12	6	14	17	10	12	9	8	9	8	10	8	11	12	13	10	13	11	9	9
20—40 ,, ...	22	25	25	26	28	27	20	17	21	33	21	26	28	18	22	25	19	23	19	30	25	21	31	27	25	19
40—60 ,, ...	25	20	28	34	34	27	31	24	25	28	33	38	44	51	47	52	27	31	48	36	23	41	36	54	42	38
60—80 ,, ...	28	20	26	19	33	40	33	38	19	34	33	49	61	52	50	45	39	37	50	37	49	45	37	64	62	66
80 years and upwards, ..	2	4	9	10	7	5	3	6	4	1	3	7	7	6	10	10	12	9	6	10	10	8	5	7	21	12
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	2	1	.	.	1	.	.	.	.	.	.	2	.	1	1	.	.	2	.	.	1	.	.	.
Scarlet Fever, ...	.	2	.	.	1	.	.	1	1	.	.	1	.	1	.	1	1	1	3	.	.	.	1	.	1	2
Typhus, ...	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Whooping-cough, ...	5	.	1	2	.	2	3	.	1	1	1	1	2	.	.	2	2	2	1	3	5	4	1	2	4	1
Diphtheria, ...	1	3	1	1	2	1	1	1	.	.	.	1	2	1	1	.	2	.	1	1	.	3	.	2	2	.
Pyræxia † (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Enteric Fever, ...	1	1	2	2	2	1	.	1	.	1	1	1	.	1	1	1	.	3	2	.	1	.	2	.	.	.
Diarrhœal Diseases, ...	30	20	15	6	6	5	5	4	2	3	2	4	2	4	2	4	1	.	4	2	4	4	2	4	6	2
Influenza, ...	.	.	.	.	.	.	.	3	.	.	1	2	1	2	3	1	1	6	4	2	3	5	1	4	3	2
Pneumonia, ...	3	7	6	8	4	13	11	5	7	13	8	14	18	16	20	28	19	20	22	22	14	21	14	20	17	20
Tuberculous Phthisis, ..	19	18	20	22	21	15	17	12	25	27	19	20	20	17	22	17	15	14	15	24	19	21	28	26	19	19
Disease, Other Forms, ..	15	6	1	8	9	7	5	8	4	9	7	8	6	6	7	8	6	4	6	5	6	6	6	17	10	14
Cancer, Malignant Disease, ..	7	8	9	6	18	7	8	8	8	6	10	8	17	7	11	10	8	6	4	8	7	8	11	19	10	8
Diseases of Heart and Blood Vessels, ...	15	17	20	27	14	28	15	18	19	17	19	33	32	27	31	29	25	21	37	29	31	29	17	29	34	40
Diseases of Respiratory System,	12	8	12	8	18	18	9	13	11	14	15	22	22	32	29	23	26	30	41	20	34	29	39	43	55	41
Violent Deaths, ...	2	7	4	3	2	4	5	1	4	2	3	4	6	4	5	4	4	2	2	4	4	1‡	4	5	1	6
Number of Uncertified Deaths, ..	4	2	5	2	2	3	1	4	4	6	4	5	4	2	3	4	5	7	10	3	8	18	9	18	3	7
Mean Temperature of the Air (Phœnix Park), ...	56·2	53·7	50·9	49·0	52·0	53·6	53·2	52·5	51·1	40·8	45·0	41·9	37·7	38·4	41·8	39·1	41·4	33·5	45·9	45·4	42·1	37·6	32·5	34·1	43·7	42·3
Average Mean Temperature in corresponding week of previous 10 years, ...	57·1	56·7	55·2	53·9	53·9‡	53·1	51·5	50·2	48·3	47·1	47·6	45·8	43·7	42·4	43·3	43·0	41·3	42·1‡	40·3	41·3	40·0	41·1	41·7	40·0	38·9	38·9
Rainfall in inches, ...	·248	·516	·589	·000	·065	·988	·896	·772	1·896	·134	·117	·783	·037	·251	1·163	1·202	·207	1·183	·340	·123	·986	·240	1·690	·163	·264	1·160
Mean Humidity of the Air, complete Saturation 1·0	·85	·82	·84	·85	·92	·93	·83	84	·86	·81	·88	·88	·80	·84	·87	·90	·82	·86	·88	·89	·85	·91	·88	·94	·91	·93

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS of SOCIAL POSITION of PERSONS in Dublin Registration Area during the Week ending Saturday, 19th February, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 19TH FEBRUARY, 1910. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (excusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal)	Other Causes	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	23	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS.	375,350	29·3	211	67	9	19	38	66	12	.	.	2	.	1	.	1	.	2	6	20	19	14	8	5	41	6	92	7
	CLASSES.																											
	Deaths in Families of the—																											
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	9·0	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS, ...	87,188	17·3	29	5	2	4	6	9	3	.	.	.	.	.	.	.	.	.	.	4	4	1	1	.	3	.	16	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,423	18·9	40	10	2	2	6	18	2	.	.	1	.	.	.	1	.	1	3	5	3	2	1	1	8	2	15	2
IV.	GENERAL SERVICE CLASS, ...	154,279	25·7	76	41	3	6	9	15	2	.	.	1	.	1	.	.	.	1	3	10	4	6	3	4	11	4	31	4
V.	INMATES OF WORKHOUSES, ...	6,024	—	63	11	2	7	16	23	4	.	.	.	.	.	.	.	.	.	.	1	8	5	3	.	19	.	27	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																											
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	20·1	8	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																											
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	14·2	6	2	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	4	.
	6. Clerks and Commercial Assistants, ..	30,432	15·7	8	1	2	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	.	4	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	25·1	13	2	.	1	3	4	3	.	.	.	.	.	.	.	.	.	.	4	1	.	1	.	.	.	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																											
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	37·0	7	3	.	1	1	2	.	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	1	1	1	.
	9. Building and Furnishing Trades, ...	29,801	17·5	10	3	2	1	.	4	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	1	1	3	.
	10. Clothing Trades, ...	28,260	18·5	6	.	.	.	2	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.	2	2
	11. Food Supply Trades, ...	9,242	16·9	3	1	.	.	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	18·9	11	3	.	.	1	5	2	.	.	1	.	.	.	.	.	.	1	.	.	.	.	1	4	.	5	.
	13. Petty Shopkeepers, ...	7,894	19·8	3	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
IV.	GENERAL SERVICE CLASS.																											
	14. Army, Police, Postal Delivery, and Prison Services, &c	13,425	31·1	8	4	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	6	1
	15. Domestic Servants, ...	36,603	10·0	7	1	.	1	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	5	.
	16. Coach and Car Drivers, Yanmen, &c., ..	14,390	36·2	10	7	1	1	.	1	.	.	.	1	.	.	.	.	.	.	1	1	1	2	.	.	1	.	4	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	29·6	51	29	2	3	7	10	.	.	.	.	.	1	.	.	.	1	2	2	3	4	2	3	9	3	16	3
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	6,024	—	63	11	2	7	16	23	4	.	.	.	.	.	.	.	.	.	.	1	8	5	3	.	19	.	27	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincia

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From Diseases in Cols. 5–13.	Total Deaths.	NUMBER OF DEATHS FROM Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of).																				
North City, No. 1 (E.) (*Office, Clarence-st., Nth.*) Pop. in 1910 (Est.) 29,908.	Jan. 1,	21·2	1·8	12		.	.	.	.	.	.	1	.	2	.	1	.	1	.	
	„ 8,	31·4	1·7	18	.	1	.	.	.	.	.	.	.	4	.	.	1	3	.	
	„ 15,	33·1	3·5	19	.	.	.	2	.	.	.	.	.	2	1	1	.	3	1	
	„ 22,	12·2	.	7	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	
	„ 29,	24·4	.	14	.	.	.	.	.	.	.	.	.	1	1	.	.	4	2	
	Feb. 5,	19·2	.	11	.	.	.	.	.	.	.	.	.	.	2	2	2	1	2	
	„ 12,	15·7	.	9	.	.	.	.	.	.	.	.	.	3	.	.	.	2	1	
	„ 19,	31·4	3·5	18		.	1		.	.	.	.	1	2	1	1	1	2	1	
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1910 (Est.) 39,974.	Jan 1,	30·3	.	23	.	.	.	.	.	.	.	.	.	3	1	.	1	4	.	
	„ 8,	15·7	2·6	12	.	.	.	.	1	.	.	.	1	1	3	.	.	2	.	
	„ 15,	30·0	.	23	.	.	.	.	.	.	.	.	.	3	.	1	.	8	.	
	„ 22,	22·2	.	17	.	.	.	.	.	.	.	.	.	1	4	1	.	1	.	
	„ 29,	30·0	1·3	23	.	.	.	.	1	.	.	.	.	2	2	.	1	6	1	
	Feb. 5,	32·6	5·2	25	.	.	.	.	2	.	.	.	3	1	2	1	3	7	.	
	„ 12,	40·4	6·5	31	.	.	.	.	1	1	.	.	3	3	3	.	2	10	.	
	„ 19,	30·0	1·3	23	.	.	.	.	.	.	.	.	1	2	2	1	.	5	.	
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1910 (Est.) 30,744.	Jan. 1,	29·2	5·1	17	.	.	.	.	1	2	.	.	1	2	3	.	.	1	.	
	„ 8,	25·4	5·1	15	.	.	.	1	2	.	.	.	.	1	1	.	.	2	.	
	„ 15,	13·6	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	
	„ 22,	30·5	3·4	18	.	.	.	.	1	.	.	.	1	1	1	1	.	2	.	
	„ 29,	35·6	1·7	21	.	.	.	.	.	.	.	.	1	.	2	1	1	3	1	
	Feb. 5,	44·1	1·7	26	.	.	.	.	.	.	.	.	1	2	.	2	1	5	.	
	„ 12,	32·2	1·7	19	.	.	.	.	.	.	.	.	1	.	.	3	2	8	.	
	„ 19,	35·6	.	21	.	.	.	.	.	.	.	.	.	4	2	.	2	4	.	
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1910 (Est.) 33,559.	Jan. 1,	22·0	.	14	.	.	.	.	.	.	.	.	.	1	3	.	1	2	.	
	„ 8,	17·1	1·6	11	.	.	.	.	.	.	.	.	1	2	2	1	.	.	.	
	„ 15,	18·6	1·6	12	.	.	.	.	1	.	.	.	.	1	1	.	2	2	.	
	„ 22,	18·6	1·6	12	.	.	.	.	.	.	.	.	1	4	1	1	.	.	.	
	„ 29,	21·8	.	14	.	.	.	.	.	.	.	.	.	2	4	.	1	3	.	
	Feb. 5,	23·3	.	15	.	.	.	.	.	.	.	.	.	2	2	1	.	2	.	
	„ 12,	26·4	1·6	17	.	.	.	.	1	.	.	.	1	2	2	1	.	.	.	
	„ 19,	35·7	1·6	23	.	.	.	.	.	.	1	.	.	2	2	4	.	4	.	
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1910 (Est.) 41,476.	Jan 1,	34·3	1·3	27	.	.	.	.	.	1	.	.	.	.	.	1	.	10	.	
	„ 8,	16·3	1·3	13	.	1	.	.	.	.	.	.	.	.	1	.	1	3	.	
	„ 15,	21·4	1·3	17	.	.	.	.	.	.	.	1	.	1	3	2	2	5	1	
	„ 22,	17·6	1·3	14	.	.	.	.	1	.	.	.	.	1	1	.	1	6	.	
	„ 29,	18·9	.	15	.	.	.	.	.	.	.	.	.	2	1	1	1	4	.	
	Feb. 5,	21·4	.	17	.	.	.	.	.	.	.	.	.	1	1	1	1	4	.	
	„ 12,	21·4	1·3	17	.	.	.	.	.	.	.	.	1	2	1	1	1	5	.	
	„ 19,	40·2	.	32	.	.	.	.	.	.	.	.	.	3	5	3	2	4	1	
South City, No. 2. (*Office, Castle-street.*) Pop. in 1910 (Est.) 21,754.	Jan. 1,	43·6	.	18	.	.	.	.	.	.	.	.	.	2	3	.	.	7	.	
	„ 8,	16·8	.	7	.	.	.	.	.	.	.	.	.	.	3	1	.	2	.	
	„ 15,	38·4	2·4	16	.	.	.	.	.	.	.	.	.	.	4	1	.	3	1	
	„ 22,	28·8	2·4	12	.	.	.	.	.	1	.	.	1	.	2	1	.	2	.	
	„ 29,	9·6	2·4	4	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	
	Feb. 5,	45·5	.	19	.	.	.	.	.	.	.	.	.	3	.	3	2	5	1	
	„ 12,	45·5	.	19	.	.	.	.	.	.	.	.	.	1	1	1	1	9	.	
	„ 19,	19·2	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	
South City, No. 3. (*Office, Peter-street.*) Pop. in 1910 (Est.) 43,227.	Jan. 1,	36·6	2·4	30	.	.	.	.	.	.	.	.	2	3	3	2	.	4	1	2
	„ 8,	30·2	1·2	25	.	.	.	.	.	1	.	.	.	3	3	2	2	2	1	.
	„ 15,	21·7	.	18	.	.	.	.	.	.	.	.	.	.	5	1	.	3	1	.
	„ 22,	30·2	3·6	25	.	.	.	.	2	1	.	.	.	2	3	1	1	6	.	2
	„ 29,	26·5	.	22	.	.	.	.	.	.	.	.	.	3	6	.	1	3	.	4
	Feb. 5,	33·8	.	29	.	.	.	.	.	.	.	.	.	2	1	3	.	4	1	2
	„ 12,	41·0	4·8	34	.	.	.	.	2	1	.	.	1	2	4	1	2	7	.	
	„ 19,	31·4	.	26	.	.	.	.	.	.	.	.	.	2	2	1	1	3	2	
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1910 (Est.) 35,881.	Jan. 1,	26·1	1·5	18	.	.	.	.	1	.	.	.	.	1	.	.	1	2	.	.
	„ 8,	27·6	.	19	.	.	.	.	.	.	.	.	.	4	4	.	1	1	1	2
	„ 15,	24·7	.	17	.	.	.	.	.	.	.	.	.	2	1	.	2	3	.	
	„ 22,	30·5	.	21	.	.	.	.	.	.	.	.	.	5	2	.	.	2	.	2
	„ 29,	18·9	1·5	13	.	.	1	.	.	.	.	.	.	1	.	2	.	1	1	2
	Feb. 5,	37·8	2·9	26	.	.	.	.	2	.	.	.	.	3	2	2	2	3	1	2
	„ 12,	23·3	.	16	.	.	.	.	.	.	.	.	.	1	.	1	.	4	.	
	„ 19,	14·5	1·5	10	.	.	1	.	.	.	.	.	.	1	.	.	1	1	.	

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From all Causes	From Diseases in Cols. 5–18.	TOTAL DEATHS.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	Jan. 1,	15·7	1·4	11	.	.	1	.	.	.	.	.	.	.	1	.	.	3	.	1
	" 8,	15·5	.	11	.	.	.	.	.	.	.	.	.	1	1	.	.	2	1	.
	" 15,	15·5	1·4	11	.	.	.	.	1	.	.	.	.	2	.	.	.	1	.	
	" 22,	18·3	2·8	13	.	.	.	.	.	.	.	.	2	2	1	.	1	4	.	1
	" 29,	15·5	.	11	.	.	.	.	.	.	.	.	.	1	1	1	3	.	.	
	Feb. 5,	29·6	.	21	.	.	.	.	.	.	.	.	.	1	3	1	2	2	.	1
	" 12,	11·3	.	8	.	.	.	.	.	.	.	.	.	2	1	1	.	1	.	
	" 19,	15·5	1·4	11	.	.	.	.	1	.	.	.	.	1	1	.	.	3	.	3
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	Jan. 1,	22·0	.	12	.	.	.	.	.	.	.	.	.	3	.	.	.	3	.	1
	" 8,	10·8	.	6	.	.	.	.	.	.	.	.	.	.	1	1	1	2	.	.
	" 15,	5·4	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	
	" 22,	21·6	.	12	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	
	" 29,	12·6	.	7	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
	Feb. 5,	23·4	.	13	.	.	.	.	.	.	.	.	.	.	4	.	1	1	.	1
	" 12,	27·0	.	15	.	.	.	.	.	.	.	.	.	.	4	1	1	3	.	
	" 19,	19·8	.	11	.	.	.	.	.	.	.	.	.	.	.	2	1	1	1	1
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	Jan. 1,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	" 8,	32·5	.	11	.	.	.	.	.	.	.	.	.	5	2	.	.	1	.	.
	" 15,	29·6	3·0	10	.	.	.	.	1	.	.	.	.	.	1	.	1	.	.	1
	" 22,	28·7	3·0	8	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	.
	" 29,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
	Feb. 5,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.
	" 12,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	" 19,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Belfast. Pop. in 1910 (Est.) 391,167.	Jan. 1,	25·9	2·0	192	.	.	.	.	13	1	.	.	1	34	13	6	3	41	3	1
	" 8,	19·7	2·3	148	.	.	.	.	12	1	.	2	2	12	14	4	2	28	3	2
	" 15,	23·7	1·7	170	.	.	.	.	18	.	.	.	.	20	14	10	10	31	8	1
	" 22,	16·7	1·9	125	.	.	.	.	13	1	.	.	.	9	12	3	5	21	5	6
	" 29,	20·1	1·9	15	.	.	.	.	13	.	.	1	.	16	15	10	4	29	7	3
	Feb. 5,	22·0	2·8	165	.	.	.	.	19	.	.	.	2	14	16	8	8	28	2	2
	" 12,	22·9	2·3	172	.	.	2	.	15	.	.	.	.	16	15	4	7	40	2	1
	" 19,	20·8	2·8	156	.	1	.	.	17	.	.	1	2	11	14	8	6	19	5	5
Cork. Pop. (in 1901) 76,122.	Jan. 1,	28·8	0·7	42	.	.	.	.	.	.	.	1	.	3	7	3	1	4	.	4
	" 8,	18·5	1·4	27	.	.	.	.	1	.	.	1	.	2	7	.	1	3	.	
	" 15,	23·3	0·7	34	.	1	.	.	.	.	.	.	.	5	1	3	1	6	.	.
	" 22,	15·1	.	22	.	.	.	.	.	.	.	.	.	2	5	.	.	3	.	.
	" 29,	21·9	1·4	32	.	.	.	.	.	1	.	1	.	2	6	1	.	5	.	1
	Feb. 5,	31·5	0·7	46	.	.	.	.	.	.	.	.	1	4	7	1	4	9	1	5
	" 12,	26·7	.	39	.	.	.	.	.	.	.	.	.	3	6	3	1	4	.	2
	" 19,	26·7	1·4	39	.	.	.	.	1	.	.	.	1	2	3	3	1	11	.	5
Londonderry. Pop. in 1910 (Est.) 43,477.	Jan. 1,	21·7	.	18	.	.	.	.	.	.	.	.	.	.	1	1	.	7	.	.
	" 8,	20·4	1·2	17	.	.	.	.	.	.	.	.	1	3	.	.	1	2	.	.
	" 15,	22·8	.	19	.	.	.	.	.	.	.	.	.	1	2	.	3	5	.	2
	" 22,	14·4	.	12	.	.	.	.	.	.	.	.	.	2	1	2	.	2	.	.
	" 29,	21·6	.	18	.	.	.	.	.	.	.	.	.	1	3	2	.	2	.	2
	Feb. 5,	14·4	.	12	.	.	.	.	.	.	.	.	.	1	2	1	.	5	.	.
	" 12,	20·4	.	17	.	.	.	.	.	.	.	.	.	3	5	.	.	3	.	1
	" 19,	14·4	.	12	.	.	.	.	.	.	.	.	.	1	1	.	4	2	1	.
Limerick. Pop. (in 1901) 38,151.	Jan. 1,	21·9	1·4	16	.	.	.	.	1	.	.	.	.	.	1	.	.	5	.	4
	" 8,	21·9	2·7	16	.	.	.	.	2	.	.	.	.	.	2	1	1	4	.	1
	" 15,	30·1	.	22	.	.	.	.	.	.	.	.	.	1	4	1	.	9	.	1
	" 22,	20·5	.	15	.	.	.	.	.	.	.	.	.	.	4	.	.	4	.	3
	" 29,	16·4	1·4	12	.	.	.	.	1	.	.	.	.	.	2	.	1	5	.	1
	Feb. 5,	27·3	1·4	20	.	.	.	.	1	.	.	.	.	.	2	1	.	5	.	4
	" 12,	16·4	.	12	.	.	.	.	.	.	.	.	.	1	2	1	.	4	.	2
	" 19,	12·3	.	9	.	.	.	.	.	.	.	.	.	.	2	.	1	2	.	1
Waterford. Pop. (in 1901) 26,769.	Jan. 1,	11·7	1·9	6	.	.	.	.	1	.	.	.	.	.	1	1	.	.	.	1
	" 8,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.
	" 15,	29·4	3·9	12	.	.	.	.	2	.	.	.	.	.	2	.	.	1	.	.
	" 22,	17·5	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.
	" 22,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	2
	Feb. 5,	21·4	.	11	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	2
	" 12,	41·8	.	23	.	.	.	.	.	.	.	.	.	2	.	1	3	3	.	4
	" 19,	29·2	1·9	15	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	3

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 19th February, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	BIRTHS No. of	DEATHS: Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-20.	Total No. of Deaths.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia[a] (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		14			7	1	.	.	2	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	.
Do. 2 do,		15			21	2	3	4	5	2	5	.	.	.	.	.	.	.	.	.	2	1	.	.	5	.	2	2	1
Do. 3 do.		31			17	3	2	3	1	5	3	.	.	.	.	3	.	.	.	.	1	2	1	2	1	.	2	5	.
Do. 4 do.		26			18	4	1	2	2	2	2	.	.	.	.	2	.	.	.	.	1	2	1	.	1	.	.	7	.
Do. 5 do.		10			12	1	2	.	2	4	3	.	.	.	.	2	.	.	.	.	.	.	1	1	1	.	.	5	.
Do. 6 do.		16			13	2	.	1	1	1	8	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	.	3	.
Do. 7 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 8 do.	349,180	8			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		9			6	2	.	1	.	1	2	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	2	1
Do 10 do.		16			10	2	1	.	3	2	2	.	1	.	.	.	.	.	.	.	.	2	.	1	1	.	1	2	.
Do. 11 do.		18			13	5	3	.	2	3	.	.	.	.	.	1	.	.	1	1	2	2	2	1	.	.	1	1
Do. 12 do.		14			20	2	6	.	5	2	5	.	.	.	.	3	.	.	.	.	2	1	.	.	4	5	5	3	.
Do. 13 do.		8			7	1	.	1	1	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	3	1
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15† do.		10			17	6	2	1	2	5	1	.	.	.	.	6	.	.	.	.	.	3	3	.	1	.	.	4	1
Total, ...	—	196			156	31	20	13	26	31	35	.	1	.	.	17	.	.	1	2	11	14	8	6	19	5	11	39	5
City of Cork.																													
CORK URBAN No. 1 DISTRICT, .	12,867	2	20·3	4·1	5	1	.	.	.	.	4	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	2	.
Do. 2 do. .	10,701	7	19·5	.	4	1	1	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.
Do. 3 do. .	9,978	8	31·4	.	6	1	.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	2	.	.	4	.	.	1	.
Do. 4 do. .	8,666	5	48·1	.	8	.	.	.	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	5	1
Do. 5 do. .	6,592	5	15·8	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1
Do. 6 do. .	10,702	8	34·1	.	7	.	.	1	.	4	2	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	4	2
Do. 7 do. .	16,616	13	22·0	3·1	7	2	2	1	.	1	1	.	.	.	.	1	.	.	.	1	2	.	.	.	1	.	.	5	1
Total, ...	76,122	48	26·7	1·4	39	5	3	2	3	9	17	.	.	.	.	1	.	.	.	1	2	3	3	1	11	.	.	19	5

[a] Formerly described as Simple Continued Fever.

† New district formed as from 1st Jan., 1910 and the boundaries of Nos. 1, 4 & 6 districts altered. The population of each of these districts, as at present constituted, is not available.

TABLE IX.—**City of Belfast.**—Comparative Tables of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1909-10—Week ending																								
	Aug. 28.	Sept 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.
No. of weeks in annual Series, ..	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7
BIRTHS registered, ...	182	174	204	181	186	194	208	228	218	202	205	174	180	168	189	190	181	170	215	278	192	180	216	214	213	196
DEATHS registered, ...	129	119	124	93	121	99	95	104	96	116	116	130	134	67	147	218	177	144	192	148	170	125	151	165	172	156
Annual Death rate per 1,000 of estimated Population, ...	17·4	16·1	16·7	12·5	16·3	13·4	12·8	14·0	12·9	15·6	15·6	17·5	18·1	22·5	19·8	29·4	23·9	19·4	25·9	19·7	22·7	16·7	20·1	22·0	22·9	20·8
AGES — Under 1 year, ...	50	43	44	24	35	30	21	24	17	22	28	30	28	41	44	62	41	33	48	36	48	29	33	28	37	31
1-5 years, ...	12	6	12	13	13	14	10	8	11	14	11	8	14	27	14	21	18	22	25	23	21	20	21	28	21	20
5-20 years, ...	6	6	7	4	11	8	5	9	9	9	7	11	4	11	10	18	13	10	12	8	9	9	14	2	8	13
20-40 years, ...	17	18	16	14	15	16	12	23	14	27	22	23	22	20	20	31	22	23	28	17	24	17	22	30	18	26
40-60 years, ...	23	21	20	19	17	17	20	15	26	13	19	27	28	31	23	33	33	20	34	26	28	23	21	30	42	31
60 years and upwards, ..	21	25	25	19	30	14	27	25	19	31	29	31	38	37	36	53	50	36	45	38	40	27	40	47	46	35
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Scarlet Fever, ...	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	4	2	5	7	7	4	3	2	.	5	4	4	4	7	6	15	9	10	13	12	13	13	13	19	15	17
Diphtheria, ...	.	.	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	1	.	1	.	.	.	.
*Pyrexia** (origin uncertain), ..	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	.	.	.	.	.	2	2	3	.	.	.	2	.	.	.	1	.	.	.	2	.	.	1	.	.	1
Diarrhœal Diseases, ...	28	20	16	15	13	11	11	5	5	3	4	2	2	1	3	2	1	1	1	2	.	.	.	2	.	2
Pneumonia, ...	6	3	5	4	3	6	8	9	5	8	15	13	17	25	31	25	28	22	34	12	20	9	16	14	16	11
Tuberculous Disease, Phthisis, ..	11	9	13	4	17	12	7	11	9	14	6	14	8	8	11	26	14	17	13	14	14	12	15	15	15	14
Tuberculous Disease, Other Forms, ..	5	3	7	4	8	6	2	5	5	10	2	11	3	16	4	11	4	4	6	4	10	3	10	8	4	8
Cancer, Malignant Disease, ..	11	8	7	8	6	6	8	2	4	3	5	7	7	1	3	7	5	5	3	2	10	5	4	8	7	6
Diseases of Respiratory System,	8	8	15	6	15	5	9	10	12	14	21	17	31	42	41	53	37	39	41	28	31	21	29	23	40	19
Violent Deaths, ...	3	2	.	2	1	3	1	2	4	2	3	2	2	3	5	5	6	4	3	3	8	5	7	2	2	5
Number of Uncertified Deaths, ..	.	.	1	.	.	.	1	.	1	1	2	1	.	1	3	3	2	3	1	2	1	6	3	2	1	5

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	Feb. 19,	2,325	1,526	16·3	.	26	8	11	53	2*a*	8
EDINBURGH, ...	360,276	„ 19,	162	113	16·4	.	4	.	.	2	.	1
GLASGOW, ...	884,505	„ 19,	422	287	16·9	.	27	4	2	4	1*a*	4
CALCUTTA, ...	1,009,008	Jan. 15,	.	521	26·8	.	2	.	.	4	66‡	74*
BOMBAY, ...	977,822	„ 18,	392	593	31·5	17	4	.	.	.	52‡	56*
MADRAS, ...	509,346	Dec. 31,	369	334	34·0	.	3	?	?	?	116	27
CAIRO, ...	704,836	„ 31,§	661	421	31·1	.	.	.	14†	?	6	67
PARIS, ...	2,760,000	Jan. 22,	.	.	.	.	.	.	.	.	.	.
BRUSSELS, ...	704,975	„ 29,	233	174	12·8	.	1	.	1†	.	.	5
ANTWERP, ...	317,171	„ 29,	113	75	12·3	.	.	1	2†	1	.	2
AMSTERDAM, ...	568,131	„ 29,	273	155	14·2	.	2	.	3†	1	.	2
COPENHAGEN, ...	451,000	„ 29,	236	128	14·8	.	1	4	.	2	.	.
STOCKHOLM, ...	339,582	„ 29,	149	93	14·2	.	3	.	2†	1	.	3
CHRISTIANIA, ...	235,674	Feb. 5,	115	71	15·7	.	.	.	.	1	.	.
ST. PETERSBURG, ...	1,573,000	Jan. 15,	1,270	800	26·5	1	31	18	12	2	16	69
MOSCOW, ...	1,359,886	„ 8,	.	709	27·2	3	26	34	28†	3	8	45*
BERLIN, ...	2,121,037	„ 15,	850	590	14·5	.	2	9	20†	9	.	26
HAMBURG, ...	895,804	„ 29,	.	232	13·5	.	5	.	9†	.	.	15
BRESLAU, ...	508,349	„ 29,	.	175	18·0	.	.	1	2†	8	2	6
MUNICH, ...	576,000	Feb. 5,	.	174	15·7	.	1	.	.	1	1	11
VIENNA (with suburbs),	2,085,888	Jan. 29,	785	620	15·5	.	10	4	7†	6	1	38
BUDA-PESTH, ...	833,703	„ 29,	429	356	22·2	.	6	1	4†	.	2	14
PRAGUE and Faubourgs.	491,531	„ 15,	195	168	17·7	.	2	.	2†	1	1	10
TRIESTE, ...	218,727	„ 22,	143	136	32·4	.	2	.	.	1	1	1
ROME, ...	575,485	Dec. 4,	239	219	19·8	.	.	.	1	1	5	12
		„ 11,	221	191	17·3	.	.	.	.	.	2	6
VENICE, ...	179,286	„ 18,	61	86	25·0	.	1	.	.	.	.	3
NEW YORK, ..	4,711,956	Jan. 22,	2,450	1,607	17·8	.	24	31	37†	6	6	40
PHILADELPHIA, ..	1,565,569	„ 8,	.	609	19·8	.	1	5	13†	2	8	30
BOSTON, ...	629,868	„ 29,	.	232	19·2	.	2	1	4	1	.	3

* Including 15 deaths from cholera in Calcutta, 2 in Bombay, and 4 in Moscow.
† Including deaths from croup.
‡ Exclusive of 9 deaths from plague in Calcutta and 19 in Bombay.
§ 8 days.
a Enteric Fever.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 19th February, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	.	.	.	1	.	.	.	2	.	.	.	3
" " 1, West,	.	.	.	.	.	.	.	.	2	.	.	2	4
" " 2,	.	.	.	.	1	.	.	.	.	.	.	.	1
" " 3,	.	.	.	.	2	.	1	1	1	.	.	3	8
Clontarf and Howth No. 1 (part of),	.	.	.	.	1	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	2	.	.	.	.	.	1	.	.	.	.	3
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	2	.	.	1	.	.	2	3	.	.	11	19
" " 2,	.	.	.	.	1	.	.	.	.	.	.	2	3
" " 3,	.	.	.	.	2	.	1	1	1	.	.	3	8
" " 4,	.	1	.	.	2	.	.	1	.	.	.	1	5
New Kilmainham,	.	.	.	.	.	.	.	.	1	.	.	.	1
Total,	.	5	.	.	11	.	2	6	10	.	.	22	56

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 19th February, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 19th February.			
	Jan. 29.	Feb. 5.	Feb. 12.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	11	7	5	.	2	.	3
Scarlet Fever,	53	66	66	4	10	2	58*
Typhus,	2	1	2	.	.	.	2
Diphtheria,	32	46	37	12	6	.	43
Enteric Fever,	34	34	31	8	1	.	38
Pneumonia,	31	28	39	16	4	2	49

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week nded 19th February, 1910:—

"The unsettled weather which has characterised the present winter may be regarded as having reached a climax uring this week. Atmospheric pressure was throughout in a state of extremely unstable equilibrium over both ne North Atlantic Ocean and all the countries of North-Western Europe. The oscillations of the barometer were requent and sudden, particularly so after Wednesday. In the course of each of the last three days of the week rge and deep baric depressions came and went, as secondaries to an immense primary area of low pressure, which y upon the ocean between Scotland and Iceland. The week opened with the barometer lowest (under 28·8 inches) ff the north coast of Iceland, highest (30·4 inches) at the Azores. Fresh and squally S.W. winds blew over Ireland n Sunday, with showery but mild weather. In the evening temperature gave way, and Monday dawned fair and old, the Dublin Mountains being covered with snow. A solar halo at noon ushered in a deep disturbance, which wept eastwards across the British Isles, as subsidiary to a primary depression in which the barometer fell to 28·47 ches in the Faeroe on Tuesday morning. At 1·30 p.m. of this day a hail and snow blizzard passed over Dublin. brief spell of fine weather followed on Wednesday, but before night squalls from S.W., warmth, and rain set in. t 10 a.m. of Thursday a tempest swept over the City, with the barometer down to 28·733 inches. The reading at ornoway had been 28·41 inches at 7 a.m. Another fair interval occurred on Friday, but at night a S.E. to S. gale as attended by a downpour of rain (·810 inch). Thunder and lightning accompanied the wind and rain at 9 a.m. f Saturday. In Dublin the mean height of the barometer was only 29·139 inches, the range being from 29·844 inches 9 a.m. of Sunday (wind, S.S.W.) to 28·416 inches at 3 p.m. of Saturday (wind, S.S.E.). The mean temperature was 1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 43·2°. On Monday the screened thermometers fell to 1°, on Thursday they rose to 52·5°. The dominant wind was S.W. Rain fell daily to the large amount of 1·670 ches, of which ·810 inch was measured on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 28·977 inches. The highest reading (29·664) was on Sunday at 9 a.m., wind S., and the lowest (28·438) on Saturday at 9 a.m., wind S.E.

The mean temperature for the week was 42·3°, being 3·4° above the average for the corresponding period of the 10 years, 1900–1909. The temperature was highest on Thursday, on which day the thermometer registered 52·3°, and was lowest on Monday, the mercury having fallen to 29·7°. The mean of the Dry Bulb for the week was 42·5° and of the Wet Bulb 41·5°. The mean humidity of the air was ·93, complete saturation being represented by 1·0. The rainfall during the week measured 1·160 inches.

At Greenwich the mean temperature for the week was 44·7°, the maximum 56·0°, and the minimum 32·1°; at Glasgow the maximum was 52·0°, the minimum 31·2°, and the mean 41·2°; and at Edinburgh the maximum was 49·9°, the minimum 31·0°, and the mean 39·8°. The rainfall at Greenwich measured 0·69 in., at Glasgow 1·49 ins., and at Edinburgh 1·23 ins.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. Month and Day	Barometer.	Thermometer.			Hygrometer.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In		
Sunday, February 13,	29·484	52·0	42·0	47·0	45·6	44·3	·91	·5	1·7	·120	S.	S.W.
Monday, „ 14,	29·155	45·6	29·7	37·7	39·0	38·3	·94	·6	3·8	·035	S.W.	S.S.W.
Tuesday, „ 15,	28·957	44·1	33·2	38·7	34·9	34·3	·98	·5	7·2	·020	W.S.W.	W.S.W.
Wednesday, „ 16,	29·057	51·5	33·0	42·3	44·1	43·0	·92	·5	5·3	·080	S.W.	S.W.
Thursday, „ 17,	28·728	52·3	30·9	41·6	46·3	45·0	·90	·5	3·2	·095	S.W.	S.E.
Friday, „ 18,	28·986	49·2	38·4	43·8	43·3	42·0	·92	·6	5·2	·600	S.W.	S.E.
Saturday, „ 19,	28·469	51·2	38·9	45·1	44·4	43·7	·95	·7	1·3	·210	S.E.	S.W.
Mean, . . .	28·977	49·4	35·2	42·3	42·5	41·5	·93	·6	Total 27·7	Total 1·160	Prevailing Wind, S.W.	

Sunday—Day cloudy, rain p.m.; night clear. *Monday*—Bright a.m., overcast, passing showers p.m.; night clear. *Tuesday*—Day cloudy, passing showers, rain, snow, hail: night clear. *Wednesday*—Day cloudy, passing showers; night cloudy, passing showers. *Thursday*—Day cloudy, rain a.m. and p.m.; night clear. *Friday*—Day cloudy, rain 9 p.m. to 12 midnight; night overcast, heavy rain and drizzle midnight to 4.45 a.m. *Saturday*—Day overcast to cloudy, passing showers, thunder a.m.; night clear.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, February 19th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. Month and Day	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperatures in Shade, read at 9 p.m.			Sunshine Campbell-Stokes Recorder; read at 9 p.m.	Rainfall read at 9 a.m.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
	°	°	°	°	°	°	hrs	ins.
Sunday, February 13,	50·5	41·8	43·0	53·2	41·9	47·6	2·0	·105
Monday, „ 14,	37·0	42·0	43·3	52·5	38·8	45·7	3·5	·060
Tuesday, „ 15,	38·9	40·8	43·2	47·5	34·5	41·0	5·7	—
Wednesday, „ 16,	39·8	39·7	43·1	52·8	34·4	43·6	4·8	·110
Thursday, „ 17,	49·0	41·5	43·0	53·0	44·0	48·5	3·3	·175
Friday, „ 18,	44·0	42·0	43·0	50·0	38·5	44·3	3·0	·785
Saturday, „ 19,	46·1	42·1	43·1	50·8	42·0	46·4	2·0	·260
Weekly Mean, . .	43·6	41·4	43·1	51·4	39·2	45·3	Total 24·3	Total 1·495

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

(28001), Wt. P. 345. 375. 11. 1909. G. III. Sch. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN:

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 26TH FEBRUARY, 1910. [No. 8.

General Register Office, Charlemont House, Dublin, 28th February, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending				Average Rate for 4 weeks.	TOWNS, &c.	Week ending				Average Rate for 4 weeks.
	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.			Feb. 5.	Feb 12.	Feb. 19.	Feb. 26.	
22 Town Districts.	**25·0**	**26·0**	**22·8**	**22·8**	**24·1**	Limerick,	27·3	16·4	12·3	21·9	19·5
						Lisburn,	22·7	36·4	27·3	22·7	27·3
Armagh,	20·6		20·6	13·7	13·7	Londonderry,	14·4	20·4	14·4	10·8	15·0
Ballymena,	14·4	43·1	14·4	19·2	22·8	Lurgan,	17·7	53·1	22·1	22·1	28·7
Belfast,	22·0	22·9	20·8	18·7	21·1	Newry,	21·0	46·2	8·4	46·2	30·4
Clonmel,	20·5	46·2	35·9	20·5	30·8	Newtownards,	51·5	40·1	22·9	28·6	35·8
Cork,	31·5	26·7	26·7	23·3	27·0	Portadown,	20·7	15·5	15·5	15·5	16·8
Drogheda,	20·4	20·4	16·3	20·4	19·4	Queenstown,	33·0	46·1	13·2	26·4	29·7
Dublin Reg. Area,	29·8	26·4	26·5	28·0	27·7	Sligo,	24·0	14·4	19·2	9·6	16·8
Dundalk,	4·0	12·0	27·9	12·0	14·0	Tralee,	10·6	21·1	15·9	74·0	30·4
Galway,	19·4	46·6	3·9	3·9	18·5	Waterford,	21·4	44·8	29·2	17·5	28·2
Kilkenny,	24·6	39·3	44·2	9·8	29·5	Wexford,	14·0	32·7	18·7	42·0	26·8

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·3 per 1,000, the rates varying from 0·0 in seventeen of the districts to 4·8 in Ballymena, the 4 deaths from all causes for that district including one from whooping-cough. Among the 140 deaths from all causes for Belfast are one from scarlet fever, 14 from whooping-cough, one from diphtheria, and one from *pyrexia* (origin uncertain). Of the 34 deaths from all causes for Cork one is from enteric fever, and among the 16 deaths from all causes for Limerick 2 are from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 224—126 boys and 98 girls—and the deaths to 228—117 males and 111 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 29·5 in every 1,000 of the population; omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, the rate was 28·0 per 1,000. During the eight weeks, ending with Saturday last, the death-rate averaged 25·9, and was 2·3 below the mean rate for the corresponding portions of the ten years 1900-9.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*), Table II. ‡ See columns 10-18 of Table II.

The total deaths, amounting to 228, included one death from scarlet fever, 2 deaths from diphtheria, one death from enteric fever, and 3 deaths from diarrhœal diseases, 2 of the latter being those of children under 5 years of age; there were also registered at this age 2 deaths from enteritis and 2 deaths from *gastro-enteritis*. In each of the three preceding weeks, deaths from scarlet fever were 0, one, and 2; deaths from diphtheria were 2, 2, and 0; deaths from enteric fever were 0, 0, and 0; and deaths from diarrhœal diseases were 4, 6, and 2. There were 2 deaths from influenza, which had caused 4, 3, and 2 deaths, respectively, in the three weeks preceding.

The deaths from pneumonia (all forms), include two deaths from lobar pneumonia, 15 deaths from broncho-pneumonia, and 5 deaths from *pneumonia* (not defined).

There were 36 deaths from all forms of tuberculous disease; this figure includes 23 deaths from tuberculous phthisis (*phthisis*), 4 from tuberculous meningitis, one death from *tabes mesenterica*, and 8 deaths from other forms of the disease. In the three preceding weeks deaths from all forms of tuberculous disease numbered 43, 29, and 33, respectively.

Seven deaths were referred to carcinoma, and the same figure to cancer (undefined).

There were 3 deaths of prematurely born infants registered.

Of 12 deaths attributed to diseases of the brain and nervous system 6 were from *convulsions*; of the latter figure, 2 were deaths of infants under one month, 2 were between one month and one year, and 2 between one and 5 years of age.

Diseases of the heart and blood vessels accounted for 31 deaths, and there were 41 deaths from diseases of the respiratory system, 38 of the latter being deaths from bronchitis.

Of 6 deaths caused by accident or negligence, one was on a railway, and 5 were by burns, 2 of the latter being those of children under 5 years of age.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; both were of persons aged 60 years and upwards.

Sixty-seven of the persons whose deaths were registered during the week were under 5 years of age (43 being infants under one year, of whom 15 were under one month old) and 81 were aged 60 years and upwards, including 47 persons aged 70 and upwards, of whom 12 were octogenarians.

Ninety-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 19 took place in the North Dublin Union Workhouse, and 28 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 28·0 per 1,000; the rate in the City was 30·8 (North City Districts, 27·9; South, 33·7) and in the Suburbs, 18·6.

The deaths from certain epidemic diseases* in the entire area equal an annual rate of 0·9 per 1,000 inhabitants, the rate for the City being 0·8 (1·0 in the North City Districts, and 0·7 in the South), and for the Suburbs, 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (12) are equal to an annual rate of 20·9 per 1,000. Lobar pneumonia, *phthisis*, and bronchitis each caused one death, and there was one death by accidental burning.

No. 1 North City District, West (Summer-hill).—The deaths (24) are equal to an annual rate of 31·3 per 1,000, and include one death from epidemic diarrhœa, one death from influenza, one death from lobar pneumonia, 3 deaths from broncho-pneumonia, 3 deaths from tuberculous disease, 4 deaths from bronchitis and one death by accidental burning.

No. 2 North City District (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 22·0 per 1,000. Epidemic diarrhœa and influenza each caused one death, there was one death from broncho-pneumonia, there were 2 deaths from tuberculous phthisis (*phthisis*), 4 deaths from bronchitis, and one death by accidental burning.

No. 3 North City District (Benburb-street).—The deaths (31) represent an annual rate of 48·2 per 1,000. The deaths included one death from broncho-pneumonia, 2 from *pneumonia* (not defined), 6 from tuberculous disease, 4 from bronchitis, and one death by accidental burning.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants: Coolock and Drumcondra, part of, 13·5, and Finglas and Glasnevin, part of, 6·8. The only death recorded for Clontarf and Howth, No. 1, part of, is one from diphtheria; and of the 3 deaths from all causes for Coolock and Drumcondra, part of, one is from broncho-pneumonia.

No. 1 South City District (South Earl-street).—The deaths (27) represent an annual rate of 33·9 per 1,000. Broncho-pneumonia and *pneumonia* (not defined) each caused one death, there were 6 deaths from tuberculous disease, and 6 deaths from bronchitis.

No. 2 South City District (Castle-street).—The deaths (18) are equal to an annual rate of 43·1 per 1,000. Of the deaths, one was due to tuberculous phthisis, and bronchitis caused 5 deaths.

No. 3 South City District (Peter-street).—The deaths (29) are equal to an annual rate of 35·0 per 1,000, and include one death from diphtheria, one death from broncho-pneumonia, one death from *pneumonia* (not defined), 3 deaths from tuberculous disease, and 6 deaths from diseases of the respiratory system.

No. 4 South City District (Grand Canal-street).—The deaths (21) are equivalent to an annual rate of 30·5 per 1,000. Scarlet fever caused one death, there were 4 deaths from broncho-pneumonia, one death from *pneumonia* (not defined), 4 deaths from tuberculous disease, and 6 deaths from bronchitis.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·2 per 1,000. Broncho-pneumonia and *phthisis* each caused one death.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 19·7; Pembroke, 21·6; Blackrock, 11·6; and Kingstown, 14·8. The deaths from the principal epidemic diseases tabulated for these districts include one from enteric fever for Rathmines and Rathgar, and one from dysentery for Pembroke. Among the 14 deaths from all causes for Rathmines and Rathgar are one from broncho-pneumonia, 2 deaths from tuberculous disease, and one from bronchitis; of the 12 deaths from all causes for Pembroke 2 were caused by tuberculous disease, one by broncho-pneumonia, one by bronchitis, and one by burns; the 2 deaths recorded for Blackrock were from tuberculous phthisis; and the 5 deaths from all causes for Kingstown include one from tuberculous phthisis.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin: Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District: Mr. Heron, Executive Sanitary Officer for Blackrock Urban District: by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 26th February, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Feb. 5,	.	—	—	10	.	.	18	.	2	6	14	.	—	—	.	—	22	—	72
	Feb. 12,	.	—	—	6	.	.	3	.	1	4	9	.	—	—	1	—	21	—	45
	Feb. 19,	.	—	—	5	.	.	11	.	2	6	10	.	—	—	.	—	22	—	56
	Feb. 26,	.	—	—	9	.	.	7	.	1	2	16	.	—	—	.	—	26	—	61
Rathmines and Rathgar Urban District.	Feb. 5,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	—	2
	Feb. 12,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	—	—	—	—	3
	Feb. 19,	.	—	—	.	.	.	.	.	.	2	.	.	—	—	—	—	—	—	2
	Feb. 26,	.	—	—	.	.	.	1	.	.	5	.	.	—	—	—	—	—	—	6
Pembroke Urban District.	Feb. 5,	.	.	.	2	.	.	.	.	.	.	.	1	—	.	.	—	—	—	3
	Feb. 12,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	—	.
	Feb. 19,	.	.	.	.	.	.	1	2	1	.	.	.	—	2	.	—	—	—	6
	Feb. 26,	.	.	.	.	.	.	.	.	.	.	.	.	—	2	.	—	—	—	2
Blackrock Urban District.	Feb. 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 12,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	—	3
	Feb. 19,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Feb. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Feb. 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	1
	Feb. 12,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	.	—	2
	Feb. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Feb. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Feb. 5,	.	—	—	15	.	.	2	.	.	2	6	.	—	—	—	—	24	—	49
	Feb. 12,	.	—	—	15	.	.	.	.	.	.	6	.	—	—	—	—	19	—	40
	Feb. 19,	.	—	—	9	.	.	1	.	1	2	5	3	—	—	—	—	22	—	43
	Feb. 26,	.	—	—	16	.	.	4	.	1	2	11	.	—	—	—	—	23	—	57

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 26th February, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

One case of measles was admitted to hospital, 2 were discharged, and 2 cases remained under treatment at the close of the week.

Nine cases of scarlet fever were admitted to hospital, 12 were discharged, and 55* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 66, 66, and 58, respectively.

Two cases of typhus remained under treatment in hospital at the close of the week.

Seven cases of diphtheria were admitted to hospital, 7 were discharged, there were 2 deaths, and 41 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 46, 37, and 43, respectively.

Six cases of enteric fever were admitted to hospital during the week, 7 were discharged, there were 2 deaths, and 35 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 11 were discharged, there was one death, and 44 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 14·8) was equal to an average annual death-rate of 14·7 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·2 per 1,000, the rate for Glasgow being 15·9 and for Edinburgh 14·9.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 26th February. From this Report it appears that of a total of 48 cases notified, 20 were scarlet fever, 17 phthisis, 5 diphtheria, 5 erysipelas, and one puerperal fever. Among the 364 cases of infectious diseases in hospital at the close of the week were 173 cases of scarlet fever, 75 of measles, 59 of phthisis, 26 of diphtheria, 12 of whooping-cough, 5 of erysipelas, 3 of puerperal fever, one of enteric fever, and one of cerebro-spinal fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 26th February, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 26TH FEBRUARY, 1910.																							METEOROLOGY. (d)											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 26TH FEB., 1910.				WEEK ENDING 19TH FEB., 1910.				WEEK ENDING 12TH FEB., 1910.			
										DEATHS.																Air Temperature				Air Temperature				Air Temperature			
	POPULATION.		DEATHS.			BIRTHS.	DEATHS.			Caused by																Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
	Total.a	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases, in cols. 10-18.		Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia b* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Phthisis.	Tuber-culous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.										
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(82)	(83)	(84)	(85)	(36)	(37)	(88)	(39)
TOTAL OF 22 TOWN DISTRICTS, . .	1,151,790	20·2	27·4	22·8	1·3	606	563	96	152	.	.	2	.	17	3	1	2	3	59	56	32	22	87	9	16	158	15	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:— TOTAL, . . .	402,928	29·3	29·0	28·0	0·9	224	216	41	77	.	.	1	.	.	2	.	1	3	22	21	13	12	39	5	6	86	2	650·8	28·7	39·2	0·92	652·3	29·7	42·8	1·16	654·1	29·9	43·7	0·26
CITY OF DUBLIN,	310,298	39·2	32·1	30·8	0·8	191	183	38	64	.	.	1	.	.	2	.	.	2	20	17	10	10	37	4	4	76	1	651·8 / 650·9	32·8 / 27·4	40·4 / 39·3	1·56 / 1·42	652·5 / 651·9	34·1 / 32·0	44·1 / 43·3	1·67 / 1·33	655·1 / 654·9	33·1 / 29·8	44·6 / 43·9	0·25 / 0·31
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	25·3	19·7	1·4	18	14	1	6	.	.	.	.	.	.	.	1	.	1	.	2	1	1	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	12·6	21·6	1·8	7	12	.	5	.	.	.	.	.	.	.	.	1	1	1	1	1	1	1	1	6	1	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,013	8·3	11·6	11·6	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	17·8	14·8	.	6	5	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	50·5	33·5	41·0	1·22	53	34·5	43·5	1·58	56	34	46·2	0·25
URBAN DISTRICTS.																																							
BELFAST, . .	391,167	26·6	26·9	18·7	2·3	202	140	28	29	.	.	1	.	14	1	1	.	.	16	20	7	5	21	3	8	84	2	46·0	30·5	39·3	1·91	50·5	31·0	40·3	2·36	55·0	30·5	44·0	0·69
CORK, . . .	76,122	33·6	25·3	23·3	0·7	37	34	7	8	.	.	.	.	.	.	.	1	.	2	5	7	2	3	.	.	14	1	49	34	41·9	1·64	50	35	43·4	1·45	54	36	46·0	0·49
LONDONDERRY, . .	43,477	20·1	22·8	10·8	.	19	9	3	2	.	.	.	.	.	.	.	.	.	2	2	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK, . .	38,151	18·1	9·6	21·9	2·7	7	16	3	3	.	.	.	.	2	.	.	.	.	1	2	.	1	4	.	.	7	3	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD, . .	26,769	18·7	28·4	17·5	.	12	9	3	.	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY, . .	18,426	2·5	27·2	3·9	.	7	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	53	32	42·4	1·2	50	32	43	1·41	52	32	44	0·68
DUNDALK . .	18,076	9·4	31·9	12·0	.	8	3	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA, . .	12,760	8·6	24·5	20·4	.	6	5	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY, . . .	12,405	17·8	8·4	46·2	.	2	1	1	1	.	.	.	.	.	.	.	.	.	2	3	.	.	2	.	.	2	.	46·8	27·0	38·5	1·05	51·1	31·0	42·0	2·24	53·0	30·0	42·4	0·68
LURGAN, . .	11,782	13·8	48·7	22·1	.	11	5	.	4	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	1	1	46·8	27·0	38·5	1·05	51·1	31·0	42·0	2·24	53·0	30·0	42·4	0·68
LISBURN, . .	11,461	10·1	50·0	22·7	.	11	5	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	46·8	27·0	38·5	1·05	51·1	31·0	42·0	2·24	53·0	30·0	42·4	0·68
WEXFORD, . .	11,168	28·2	14·0	42·0	.	3	9	4	2	.	.	.	.	.	.	.	.	.	1	.	1	.	5	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA, . .	10,886	8·9	33·3	19·2	4·8	8	4	2	1	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO, . . .	10,870	8·7	24·0	9·6	.	5	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	48·7	24·8	37·5	2·62	52·8	27·0	41·7	2·43	52·5	28·5	42·4	1·10
KILKENNY, . .	10,609	11·5	24·6	9·8	.	5	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	51	27	34·7	1·40	51	30	35·8	1·75	55	29	42·3	0·54
CLONMEL, . .	10,167	7·8	30·8	20·5	.	6	4	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN, . .	10,092	18·2	46·5	16·5	.	9	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	46·8	27·0	38·5	1·05	51·1	31·0	42·0	2·24	53·0	30·0	42·4	0·68
TRALEE, . .	9,867	16·6	52·8	74·0	.	10	14	2	7	.	.	.	.	.	.	.	.	.	3	.	2	1	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS, .	9,110	18·9	40·1	28·6	.	7	5	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	45	30	38·0	1·22	51	31	40·3	1·49	53	31	42·2	0·71
QUEENSTOWN, . .	7,909	14·4	26·4	26·4	.	4	4	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	49	34	41·9	1·64	50	35	43·4	1·45	54	36	46·0	0·49
ARMAGH, . . .	7,588	22·2	20·6	13·7	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	46·8	27·0	38·5	1·05	51·1	31·0	42·0	2·24	53·0	30·0	42·4	0·68

(*a*) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (*b*) Formerly described as "Simple Continued Fever." (*c*) Exclusive of 12 deaths of persons (including 2 under one year old and 4 at 60 years or upwards), admitted to hospital from localities outside the Area. (*d*) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. (*e*) Observations at Ordnance Survey Office, Phœnix Park. (*f*) Observations by Sir John Moore taken at Fitzwilliam-square. (*g*) Observations by Mr. E. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 26th February, 1910, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN REGISTRATION DISTRICTS IN											URBAN DISTRICTS OF						
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	2	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Diarrhœal Diseases,	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.
Pneumonia,	1	4	1	3	.	1	.	2	.	2	5	1	1	1	.	.	22	.
Tuberculous Disease. } Phthisis,	1	2	2	3	.	.	.	4	1	2	1	1	.	1	2	1	21	2
} Other Forms,	.	1	.	3	.	.	.	2	.	1	3	.	2	1	.	.	13	.
Cancer, Malignant Disease,	1	2	.	1	.	.	.	.	1	4	1	.	1	1	.	.	12	2
Other General Diseases,	2	2	1	3	.	.	.	1	1	2	.	.	.	2	.	1	15	2
Total,	5	12	5	13	1	1	.	9	3	12	11	2	5	7	2	2	90	6
B. LOCAL DISEASES:																		
Diseases of: Nervous System,	.	1	.	4	.	.	1	2	.	1	2	.	.	1	.	.	12	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	1	2	.	3	.	.	.	7	5	4	1	.	5	2	.	.	30	1
Respiratory System,	1	4	4	5	.	.	.	6	5	6	6	.	1	1	.	.	39	2
Digestive System,	.	2	.	2	.	.	.	2	1	2	.	.	2	.	.	1	12	.
Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	1	2	1	.	.	.	.	.	2	2	1	.	1	.	.	.	10	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Accidents of Childbirth,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	4	11	5	15	.	.	1	17	13	15	10	.	9	4	.	1	105	5
C. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	2	.	2	2	.	2	.	1	2	2	.	1	.	.	.	2	16	.
E. VIOLENT DEATHS,	1	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	5	1
Deaths from all Causes	12	24	13	31	1	3	1	27	18	29	21	3	14	12	2	5	216	12
Annual Rate of Mortality from all causes in every 1,000 of the population.	20·9	31·3	22·0	48·2	9·7	13·5	6·8	33·9	43·1	35·0	30·5	17·2	19·7	21·6	11·6	14·8	28·0	.
	27·9							33·7					18·6					
	30·8																	
Ages at Death. Under 1 year,	3	6	3	6	.	.	1	8	2	5	2	2	1	.	1	1	41	2
1 and under 5 years,	1	1	3	5	.	.	.	1	.	3	6	.	1	3	.	.	24	.
5 „ 20 „	1	3	1	2	1	.	.	2	.	1	2	.	2	1	.	.	16	.
20 „ 40 „	2	1	1	2	.	.	.	3	.	2	1	1	2	1	1	.	17	5
40 „ 60 „	.	4	1	8	.	.	.	7	6	4	5	.	2	2	.	2	41	1
60 years and upwards,	5	9	4	8	.	3	.	6	10	14	5	.	6	5	.	2	77	4
Number of Uncertified Deaths,	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	2	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	7	2	7	.	.	1	4	1	4	4	1	3	6	.	.	43	8
Workhouse Hospitals,	.	7	5	6	.	.	.	5	8	6	5	.	1	.	.	.	43	4

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in corresponding week of the ten years 1900–1909,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Averages in 8th Week of the 10 years, 1900–1909.	In the Week ending Saturday, 26th February, 1910. Deaths of Persons of the Ages of							
	Feb. 24, 1900.	Feb. 23, 1901.	Feb. 22, 1902.	Feb. 28, 1903.	Feb. 27, 1904.	Feb. 25, 1905.	Feb. 24, 1906.	Feb. 23, 1907.	Feb. 22, 1908.	Feb. 27, 1909.		All Ages.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 41·4	° 37·4	° 40·5	° 40·9	° 42·6	° 36·3	° 36·3	° 39·0	° 45·5	° 41·2	° 40·1	° 39·2								
ALL CAUSES,	342	232	248	195	206	194	185	209	202	197	221·0	228	15	28	24	16	22	42	69	12
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	5	.	3	1	2	3	.	.	.	1	1·5	.	.	.	.	.	.	.	.	.
Scarlet Fever,	1	.	.	3	1	.	1	.	.	.	·6	1	.	.	1	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	17	4	4	8	2	4	1	4	10	4	5·8	2	.	.	.	.	.	.	2	.
Whooping-cough,	.	3	2	5	11	1	1	3	3	7	3·6	.	.	.	.	.	.	.	.	.
Diphtheria,	.	1	1	1	.	.	1	1	.	.	·5	2	.	.	1	1	.	.	.	.
Cerebro-spinal Fever,	.	.	.	.	.	.	.	.	2	.	·2	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain)	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	4	3	1	2	.	1	2	1	3	1·8	1	.	.	.	1	.	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.), *Diarrhœa*, Dysentery,	4	4	2	4	.	1	. 2	. 3	.	1 4	2·5	2 1	.	2 .	.	.	.	1	.	.
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	.	.	1	.	3	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*,	.	.	.	.	.	.	. 1	.	.	1 .	·2	.	.	.	.	.	.	.	.	.
Infective Endocarditis	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
Pneumonia, Lobar, Broncho- Epidemic Not defined,	19	27	22	1 . 4	2 9 . 8	1 7 . 6	10 . 3	2 8 13	2 7 . 6	5 . . 7	16·9	2 15 . 5	1 . .	6 . 1	6 . 1	. . .	1 . .	1 . 2	2 . 1	. . .
Erysipelas,	1	.	.	1	.	.	.	1	.	1	·4	.	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	.	.	1	.	2	.	1	1	.	2	·7	1 .	.	.	.	.	1	.	.	.
Other Infective Processes,	.	.	.	.	.	.	1	.	1	.	·2	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*,"	40	19	27	2 23	5 15	7 28	11 18	3 15	8 14	9 10	25·4	13 10	.	2 1	.	.	4 6	5 3	2 .	.
Tuberculous Meningitis,	15	1	1	3	1	8	5	8	5	3	5·0	4	.	1	1	2	.	.	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*,	4	5	1	2 1	2 2	. .	. .	1 .	4 1	. 2	2·5	. 1	.	. 1	.	.	.	.	.	.
Tuberculous Dis. (other), *Scrofula*,	4	6	3	5 .	9 .	6 .	7 .	7 .	9 .	3 .	5·9	8 .	.	.	3	3	1	1	.	.
Alcoholism,	.	.	1	.	2	1	1	.	.	.	·5	.	.	.	.	.	.	.	.	.
Rheumatic Fever,	1	.	.	2	.	.	.	1	.	.	·4	1	.	.	.	.	1	.	.	.
Gout,	.	2	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Carcinoma, Sarcoma, Cancer (undefined)	10	1	11	2 . 6	5 . 6	1 1 3	6 1 6	2 2 3	1 1 5	3 . 5	8·1	7 . 7	.	.	.	.	1 . .	2 . 2	3 . 5	1 . .
Diabetes Mellitus,	.	.	.	1	.	1	1	.	.	1	·4	2	.	.	.	1	.	1	.	.
Premature Birth,	4	5	4	3	3	2	.	4	4	4	3·3	3	3	.	.	.	.	.	.	.

* The figures for the year 1900 are for

† Formerly described as

the EIGHTH WEEK ending Saturday, 26th February, 1910, with the deaths from each cause in the and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 8th Week of the 10 years 1900-1909.	In the Week ending Saturday, 26th February 1910.							
	Feb. 24, 1900.	Feb. 23, 1901.	Feb. 22, 1902.	Feb. 28, 1903.	Feb. 27, 1904.	Feb. 25, 1905.	Feb. 24, 1906.	Feb. 23, 1907.	Feb. 22, 1908.	Feb. 27, 1909.		Deaths of Persons of the Ages of							
												ALL AGES.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
													Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 41·4	° 37·1	° 40·5	° 40·9	° 42·6	° 36·3	° 36·3	° 39·0	° 45·5	° 41·2	° 40·1	° 39·2								
Meningitis (not tuberc.)				7	3	3	3	5	5	5		1	.	.	1	.	.	.	.	.
Insanity, G. P. of Insane				1	3	3	1	2	.	3		1	.	.	.	.	.	1	.	.
Epilepsy				.	.	.	1	.	1	.		2	.	.	.	1	.	1	.	.
Convulsions				8	6	8	11	4	7	5		6	2	2	2	.	.	.	.	.
Locomotor Ataxy				.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord				2	2	.	1	.	4	.		.	.	.	.	.	.	.	.	.
Nervous System (other Dis.)	61	41	48	3	1	.	1	6	2	4	46·6	2	.	1	.	.	.	1	.
Valv. Dis., Endocarditis				3	4	6	4	6	9	8		9	.	.	.	1	.	3	4	1
Cerebr. Hæm. Thromb.				2	1	3	6	1	3	3		8	.	.	.	.	2	3	3	.
Apoplexy, Hemiplegia				6	8	4	1	1	7	7		4	.	.	.	.	.	3	1	.
Aneurysm				3	1	.	2	.	.	.		.	.	.	.	.	.	.	.	.
Embolism, Thromb. (not cerebral)				2	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
Heart and Blood Vessels (other Dis.)				12	14	14	8	15	17	13		10	.	.	.	.	1	3	5	1
Croup (not Spasm. nor Memb.)	.	.	.	.	.	1	1	.	1	.	·3	.	.	.	.	.	.	.	.	.
Bronchitis	74	45	56	25	31	22	27	38	24	32	37·4	38	1	3	4	.	.	5	20	5
Asthma, Emphysema				1	1	2	.	2	1	2		.	.	.	.	.	.	.	.	.
Pleurisy	1	.	4	.	.	.	1	.	.	1	2·7	.	.	.	.	.	.	.	.	.
Respiratory Dis. (other)				2	3	1	3	1	1	.		3	1	.	.	.	.	.	2	.
Tonsillitis, Quinsy	2	.	.	.	.	1	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.)	2	.	.	1	.	2	.	1	1	3	1·9	2	1	1	.	.	.	.	.	.
Gastro Enteritis				3	.	2	2	1	.	1		2	1	.	1	.	.	.	.	.
Peritonitis (not Puerp.)	2	.	.	.	.	.	2	.	.	2	·6	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver	3	1	2	.	3	2	.	.	2	1	1·8	1	.	.	.	.	.	1	.	.
Liver Dis. (other)				.	1	1	1	.	.	1		.	.	.	.	.	.	.	.	.
Digestive Dis. (other)	7	5	8	5	2	7	1	9	4	4	5·2	7	1	3	.	.	1	2	.
Nephritis, Acute				1	1	1	5	1	1	1		2	.	.	.	2	.	.	.	.
Bright's Dis., Albuminuria	10	9	12	3	4	2	2	3	6	5	7·3	7	.	.	.	.	.	2	4	1
Urinary Sys. (other Dis.)				1	.	1	2	2	.	.		2	.	.	.	.	.	.	2	.
Generative Organs Dis.	1	.	1	1	.	1	.	.	.	.	·4	1	.	.	.	.	1	.	.	.
Childbirth (Accid. of)	1	2	.	.	.	.	.	.	.	.	·3	1	.	.	.	.	1	.	.	.
Old Age	28	18	8	3	9	8	6	4	3	3	9·0	12	.	.	.	.	.	9	3	
Other Diseases	20	23	16	13	14	13	10	15	14	12	15·0	12	4	4	1	.	2	1	.	
ACCIDENT.																				
By Railways	.	.	.	1	.	1	.	.	.	.	·2	1	.	.	.	.	1	.	.	.
By Vehicles and Horses	.	.	1	.	.	.	1	.	.	1	·3	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning)	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
In Building Operations	.	.	.	1	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
In Conflagrations	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	2	2	3	2	2	1	2	1	1	1	1·7	5	.	.	2	2	1	.	.	.
By Drowning	.	.	.	1	.	.	.	1	2	.	·4	.	.	.	.	.	.	.	.	.
By Suffocation in Bed	.	1	.	.	.	.	.	2	.	.	·3	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Other Deaths by Accident	1	3	3	2	2	.	1	1	1	.	1·4	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Suicide	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.

the Registration Area as then constituted.
" Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1909-10—Week ending																								
	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct 2	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.
No. of weeks in Annual Series,	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8
BIRTHS registered.	208	226	207	215	250	198	184	226	208	220	215	288	196	206	174	216	185	232	236	243	197	162	252	220	197	224
*Average Births in corresponding week of previous 10 years,** ..	206	229	206	199	250	192	186	205	203	210	198	195	181	202	197	190	177	175	227	204	206	203	234	212	210	213
DEATHS registered, ...	149	134	186	157	141	184	127	124	148	145	177	190	172	180	177	158	155	205	174	177	181	177	239	217	211	228
Annual Death-rate per 1,000, ..	19·5	17·5	17·8	20·6	18·3	17·5	16·6	16·2	19·4	19·0	23·2	21·9	22·5	23·6	23·2	20·7	20·3	26·8	22·5	22·9	23·4	22·9	30·9	28·1	27·3	29·5
*Average Deaths in corresponding week of previous 10 years,**	165	169	164	171	168	164	166	173	166	179	182	184	187	190	190	187	195	184	217	210	206	201	200	196	207	221
AGES, Under 5 years, ...	66	38	38	47	35	35	36	41	35	40	45	41	37	42	37	51	44	71	49	57	57	55	76	58	67	67
5—20 ,, ...	8	6	9	8	10	12	6	14	17	10	12	9	8	9	8	10	8	11	12	13	10	13	11	9	9	16
20—40 ,, ...	25	25	26	28	27	20	17	21	33	31	26	28	18	24	25	19	23	19	30	25	20	31	27	25	19	22
40—60 ,, ...	20	28	34	34	27	31	24	25	28	33	38	44	51	47	52	27	34	48	36	28	41	36	54	42	38	42
60—80 ,, ...	26	28	19	33	40	33	38	19	34	33	49	61	52	50	45	39	37	30	37	49	45	37	64	62	66	69
80 years and upwards, ..	4	9	10	7	5	8	6	4	1	8	7	7	6	10	10	12	9	6	10	10	8	5	7	21	12	12
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	2	.	.	1	.	.	.	.
Measles, ...	.	2	1	.	.	1	1	.	.	.	1	.	1	1	1	.	1	3	.	.	.	1	.	1	2	1
Scarlet Fever, ...	2	.	.	1	.	.	.	1	.	.	.	.	1	.	1	.	.	.	1	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	.	1	2	.	2	3	.	1	1	1	.	2	.	.	2	2	2	1	3	5	4	1	2	4	1	.
Diphtheria, ...	3	1	1	2	1	1	1	.	.	.	1	2	1	1	.	2	.	1	1	.	3	.	2	2	.	2
Pyrexia † (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Enteric Fever, ...	1	2	2	2	1	.	1	.	1	1	1	.	1	1	1	.	3	2	.	1	.	2	.	.	.	1
Diarrhœal Diseases, ...	20	15	6	6	5	5	4	2	3	2	4	2	4	2	4	1	.	4	2	4	4	2	4	6	2	3
Influenza, ...	.	.	.	.	.	.	3	.	.	1	2	1	2	5	1	1	6	4	2	3	5	1	4	3	2	2
Pneumonia, ...	7	6	8	4	13	11	5	7	13	8	14	18	16	20	28	19	20	22	22	14	21	14	20	17	20	22
Tuberculous Disease, Phthisis, ..	18	20	22	21	15	17	12	25	27	19	20	20	17	22	17	15	14	15	24	19	21	23	26	19	19	23
Tuberculous Disease, Other Forms, ..	6	1	8	9	7	5	3	4	9	7	8	6	6	7	8	6	4	6	5	6	6	6	17	10	14	13
Cancer, Malignant Disease, ..	8	9	6	18	7	8	8	3	6	10	8	17	7	11	10	8	6	4	8	7	8	11	19	10	8	14
Diseases of Heart and Blood Vessels, ...	17	20	27	14	28	15	18	19	17	19	33	32	27	31	29	25	21	37	29	31	29	17	29	33	40	31
Diseases of Respiratory System,	8	12	8	18	18	9	18	11	14	15	22	22	32	29	23	26	30	41	20	33	29	39	43	55	41	41
Violent Deaths, ...	7	4	3	2	4	5	1	4	2	3	4	6	4	5	4	4	2	2	4	4	1	4	5	1	6	6
Number of Uncertified Deaths, ..	2	5	2	2	3	1	4	4	6	4	5	4	2	3	4	5	7	10	3	8	13	9	13	3	7	2
Mean Temperature of the Air (Phœnix Park), ...	53·7	50·9	49·0	52·0	53·6	53·2	51·5	51·1	40·3	45·0	41·9	37·7	38·4	41·8	39·1	41·4	38·5	45·9	45·4	42·1	37·6	32·5	38·1	43·7	42·3	39·2
Average Mean Temperature in corresponding week of previous 10 years, ...	56·7	55·2	53·9	53·9‡	53·1	51·5	50·2	48·3	47·1	47·6	45·3	43·7	42·4	43·3	43·0	41·3	42·1‡	40·3	41·3	40·0	41·1	41·7	40·0	38·9	38·9	40·1
Rainfall in inches, ...	·516	·589	·000	·065	·988	·306	·772	1·896	·134	·117	·733	·037	·251	1·163	1·202	·207	1·183	·810	·123	·986	·240	1·690	·168	·264	1·160	·915
Mean Humidity of the Air, complete Saturation 1·0	·82	·84	·85	·92	·93	·83	·84	·86	·81	·88	·88	·80	·84	·87	·90	·89	·86	·88	·89	·85	·91	·88	·94	·91	·93	·94

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 26th February, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 26TH FEBRUARY, 1910.

CLASS	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 24 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	CAUSES OF DEATH. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS.	375,350	31·7	228	67	16	22	42	69	12	.	.	1	.	.	2	.	1	3	7	22	23	13	14	6	41	6	96	2
	CLASSES.																												
	Deaths in Families of the—																												
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,436	9·0	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS, ...	87,188	19·1	32	3	2	6	9	15	4	.	.	.	.	.	1	.	.	.	1	1	4	1	5	.	3	.	17	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,428	25·5	54	17	4	4	13	14	2	.	.	.	.	.	.	.	.	1	1	6	5	2	4	2	9	2	23	1
IV.	GENERAL SERVICE CLASS, ...	154,279	31·1	92	41	8	10	18	15	.	.	.	1	.	.	1	.	1	.	3	14	10	9	2	3	15	4	32	.
V.	INMATES OF WORKHOUSES, ...	6,024	—	47	6	2	2	8	24	5	.	.	.	.	.	.	.	.	2	2	1	4	1	3	1	14	.	21	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,789	6·7	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	12·5	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS.																												
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	18·9	8	.	.	2	1	5	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	4	.
	6. Clerks and Commercial Assistants, ..	30,482	18·8	11	2	2	3	.	3	1	.	.	.	.	.	1	.	.	.	1	1	2	.	.	.	1	.	6	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	25·1	18	1	.	1	1	7	8	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	2	.	7	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,674	37·0	7	2	.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	3	.
	9. Building and Furnishing Trades, ...	29,601	22·7	13	5	2	.	3	2	1	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	3	1	5	.
	10. Clothing Trades, ...	28,260	17·9	8	3	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1	.	4	.
	11. Food Supply Trades, ...	9,242	33·9	6	2	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	3	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	29·2	17	3	2	3	4	5	.	.	.	.	.	.	.	.	.	1	1	2	1	1	2	.	2	1	7	1
	13. Petty Shopkeepers, ...	7,894	19·8	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.
IV.	GENERAL SERVICE CLASS.																												
	14. Army, Police, Postal Delivery, and Prison Services, &c	13,425	38·8	10	2	1	1	3	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1	1	.	5	.
	15. Domestic Servants, ...	36,608	10·0	7	1	.	.	5	1	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	1	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	21·7	6	3	1	.	1	1	.	.	.	.	.	.	1	.	.	.	1	1	.	1	.	.	1	.	2	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	40·0	69	35	6	9	9	10	.	.	.	1	.	.	.	.	1	.	2	9	8	8	1	2	12	4	23	.
V.	INMATES OF WORKHOUSES.																												
	18. Workhouse Inmates, ...	6,024	—	47	6	2	2	8	24	5	.	.	.	.	.	.	.	.	2	2	1	4	1	3	1	14	.	21	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	From Diseases in Cols. 5-13.	TOTAL DEATHS.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercuious Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of).																				
North City, No. 1 (E.)	Jan. 8,	31·4	1·7	18		1								4			1	3		
	„ 15,	33·1	3·5	19				2						2	1	1		3	1	
	„ 22,	12·2	.	7										1	1			1		1
(*Office*,	„ 29,	24·4	.	14										1	1			4	2	
Clarence-st., Nth.)	Feb. 5,	19·2	.	11											2	2	2	1	2	2
	„ 12,	15·7	.	9										3				2	1	
Pop. in 1910	„ 19,	31·4	3·5	18			1						1	2	1	1	1	2	1	
(Est.) 29,908.	„ 26,	20·9		12										1	1		1	1	1	
North City, No. 1 (W.)	Jan 8,	15·7	2·6	12					1				1	1	3			2		
	„ 15,	30·0	.	23										3		1		3		2
	„ 22,	22·2	.	17										1	4	1		1		
(*Office*,	„ 29,	30·0	1·3	23					1					2	2		1	6	1	3
Summer-hill.)	Feb. 5,	32·6	5·2	25					2				2	1	2	1	3	7		1
	„ 12,	40·4	6·5	31					1	1			3	3	3		2	10		1
Pop. in 1910	„ 19,	30·0	1·3	23									1	2	2	1		5		
(Est.) 39,974.	„ 26,	31·3	1·3	24									1	4	2	1	2	4	1	
North City, No. 2.	Jan. 8,	25·4	5·1	15				1	2					1	1			2		1
	„ 15,	13·6	.	8														4		1
	„ 22,	30·5	8·4	18					1					1	1	1		2		1
(*Office*,	„ 29,	35·6	1·7	21									1		2	1	1	3	1	1
Lisburn-street.)	Feb. 5,	44·1	1·7	26									1	2		2	1	5		
	„ 12,	32·2	1·7	19									1		3	2	2	8		
Pop. in 1910	„ 19,	35·6	.	21										4	2		2	4		
(Est.) 30,744.	„ 26,	22·0	1·7	13									1	1	2			4	1	
North City, No. 3.	Jan. 8,	17·1	1·6	11									1	2	2	1				
	„ 15,	18·6	1·6	12					1					1	1		2	2		1
	„ 22,	18·6	1·6	12									1	4	1	1	1			1
(*Office*,	„ 29,	21·8	.	14										2	4		1	3		
Benburb-street.)	Feb. 5,	23·3	.	15										2	2	1		2		
	„ 12,	26·4	1·6	17					1					2	2	1				
Pop. in 1910	„ 19,	35·7	1·6	23						1				2	2	4		4		
(Est.) 33,559.	„ 26,	43·2	.	31										3	3	3	1	5	1	
South City, No. 1.	Jan. 8,	16·2	1·3	13		1									1		1	3		
	„ 15,	21·4	1·3	17									1	1	3	2	2	5	1	1
	„ 22,	17·6	1·3	14					1					1	1		1	6		1
(*Office*,	„ 29,	18·2	.	15										2	1	1	1	4		
Sth. Earl-street.	Feb. 5,	21·4	.	17										1	1	1	1	4		2
	„ 12,	21·4	1·3	17										2	1	1	1	5		
Pop. in 1910	„ 19,	40·2	.	32									1	3	5	3	2	4	1	1
(Est.) 41,476.	„ 26,	33·9	.	27										2	4	2		6		
South City, No. 2.	Jan. 8,	16·8	.	7											3	1		2		
	15	38·4	2·4	16									1		4	1		3	1	1
	22	28·8	2·4	12					1						2	1		2		1
(*Office*,	29	9·6	2·4	4		1									1			1		
Castle-street.)	Feb 6	45·5	.	19										3		3	2	6		1
Pop. in 1910	„ 12	45·5	.	19										1	1	1	1	9		
(Est.) 21,751.	„ 19,	19·2	.	8											2			3		
	„ 26,	43·1	.	18											1		1	5		1
South City, No. 3.	Jan. 8,	30·2	1·2	25						1				3	3	2	2	2	1	
	„ 15,	21·7	.	18											5	1		3	1	
	22	30·2	3·6	25					2	1				2	3	1	1	6		2
(*Office*,	„ 29,	26·5	.	22										3	6		1	8		4
Peter-street.)	Feb. 5,	33·8	.	28										2	1	3		4	1	2
	„ 12,	41·0	4·8	34										2	4	1	2	7		
Pop. in 1910	„ 19,	31·4	1·2	26					2	1			1	2	2	1	1	9	2	
(Est.) 43,227.	„ 26,	35·0	1·2	29						1				2	2	1	4	6		
South City, No. 4.	Jan. 8,	27·6	.	19										4	4		1	1	1	2
	„ 15,	24·7	.	17										2	1		2	3		
	„ 22,	30·5	.	21										5	2			2	1	
(*Office*,	„ 29,	18·9	1·5	18			1							1		2	1	1		
Grand Canal-st.)	Feb. 5,	37·8	2·9	26						2				3	2	2	2	8	1	
Pop. in 1910	„ 12,	28·3	.	16										1		1		4		
(Est.) 35,881.	„ 19,	14·5	1·5	10			1							1			1	1		
	„ 26,	30·5	1·5	21			1							5	1	3	1	6		

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncertified Deaths
		FROM ALL CAUSES	FROM DISEASES IN COLS. 5-18.		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	Jan. 8,	15·5	·	11	·	·	·	·	·	·	·	·	·	1	1	·	·	2	1	·
	,, 15,	15·5	1·4	11	·	·	·	·	1	·	·	·	·	2	·	·	·	1	·	·
	,, 22,	18·3	2·8	13	·	·	·	·	·	·	·	·	2	2	1	·	1	4	·	1
	,, 29,	15·5	·	11	·	·	·	·	·	·	·	·	·	1	1	1	3	·	·	·
	Feb. 5,	29·6	·	21	·	·	·	·	·	·	·	·	·	1	3	1	2	2	·	1
	,, 12,	11·3	·	8	·	·	·	·	·	·	·	·	·	2	1	1	·	1	·	·
	,, 19,	15·5	1·4	11	·	·	·	·	1	·	·	·	·	1	1	·	·	3	·	3
	,, 26,	19·7	1·4	14	·	·	·	·	·	·	·	1	·	1	·	2	1	1	·	·
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	Jan. 8,	10·8	·	6	·	·	·	·	·	·	·	·	·	·	1	1	1	2	·	·
	,, 15,	5·4	·	3	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
	,, 22,	21·6	·	12	·	·	·	·	·	·	·	·	·	1	2	·	·	1	·	·
	,, 29,	12·6	·	7	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·
	Feb. 5,	23·4	·	13	·	·	·	·	·	·	·	·	·	·	4	·	1	1	·	1
	,, 12,	27·0	·	15	·	·	·	·	·	·	·	·	·	·	4	1	1	3	·	·
	,, 19,	19·8	·	11	·	·	·	·	·	·	·	·	·	·	·	2	1	1	1	1
	,, 26,	21·6	1·8	12	·	·	·	·	·	·	·	·	1	1	1	1	1	1	1	1
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	Jan. 8,	32·5	·	11	·	·	·	·	·	·	·	·	·	5	2	·	·	1	·	·
	,, 15,	29·6	3·0	10	·	·	·	·	1	·	·	·	·	·	1	·	1	·	·	1
	,, 22,	23·7	3·0	8	·	·	·	·	1	·	·	·	·	1	·	·	1	·	·	·
	,, 29,	20·7	·	7	·	·	·	·	·	·	·	·	·	·	1	·	·	2	·	·
	Feb. 5,	20·7	·	7	·	·	·	·	·	·	·	·	·	2	·	·	1	2	·	·
	,, 12,	17·8	·	6	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·
	,, 19,	8·9	·	3	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
	,, 26,	14·8	·	5	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
Belfast. Pop. in 1910 (Est.) 391,167.	Jan. 8,	19·7	2·3	148	·	·	·	·	12	1	·	2	2	12	14	4	2	28	3	2
	,, 15,	22·7	1·7	170	·	·	·	·	13	·	·	·	·	20	14	10	10	31	8	1
	,, 22,	16·7	1·9	125	·	·	·	·	13	1	·	·	·	9	12	3	5	21	5	6
	,, 29,	20·1	1·9	151	·	·	·	·	13	·	·	1	·	16	15	10	4	29	7	3
	Feb. 5,	22·0	2·3	165	·	·	·	·	19	·	·	·	2	14	16	8	8	28	2	2
	,, 12,	22·9	2·3	172	·	·	2	·	15	·	·	·	·	16	15	4	7	40	2	1
	,, 19,	20·8	2·8	156	·	1	·	·	17	·	·	1	2	11	14	8	6	19	5	5
	,, 26,	18·7	2·3	140	·	·	1	·	14	1	1	·	·	16	20	7	5	21	3	2
Cork. Pop. (in 1901) 76,122.	Jan. 8,	16·5	1·4	27	·	·	·	·	·	1	·	1	·	2	7	·	1	3	·	·
	,, 15,	28·3	0·7	34	·	·	1	·	·	·	·	·	·	5	1	3	1	6	·	·
	,, 22,	15·1	·	22	·	·	·	·	·	·	·	·	·	2	5	·	·	3	·	·
	,, 29,	21·9	1·4	32	·	·	·	·	·	1	·	1	·	3	6	1	·	5	·	1
	Feb. 5,	31·5	0·7	46	·	·	·	·	·	·	·	·	1	4	7	1	4	9	1	5
	,, 12,	26·7	·	39	·	·	·	·	·	·	·	·	·	3	6	8	1	4	·	2
	,, 19,	26·7	1·4	39	·	·	·	·	1	·	·	·	1	2	8	3	1	11	·	5
	,, 26,	23·3	0·7	34	·	·	·	·	·	·	·	1	·	2	5	7	2	3	·	1
Londonderry. Pop. in 1910 (Est.) 43,477.	Jan. 8,	20·4	1·2	17	·	·	·	·	·	·	·	·	1	3	·	·	1	2	·	·
	,, 15,	22·8	·	19	·	·	·	·	·	·	·	·	·	1	2	·	3	5	·	2
	,, 22,	14·4	·	12	·	·	·	·	·	·	·	·	·	2	1	2	·	2	·	·
	,, 29,	21·6	·	18	·	·	·	·	·	·	·	·	·	1	3	2	·	2	·	2
	Feb. 5,	14·4	·	12	·	·	·	·	·	·	·	·	·	1	2	1	·	5	·	·
	,, 12,	20·4	·	17	·	·	·	·	·	·	·	·	·	3	5	·	·	3	·	1
	,, 19,	14·4	·	12	·	·	·	·	·	·	·	·	·	1	1	·	4	2	1	·
	,, 26,	10·8	·	9	·	·	·	·	·	·	·	·	·	2	2	·	·	1	·	·
Limerick. Pop. (in 1901) 38,151.	Jan. 8,	21·9	2·7	16	·	·	·	·	2	·	·	·	·	·	2	1	1	4	·	1
	,, 15,	30·1	·	22	·	·	·	·	·	·	·	·	·	1	4	1	·	9	·	1
	,, 22,	20·5	·	15	·	·	·	·	·	·	·	·	·	·	4	·	·	4	·	3
	,, 29,	16·4	1·4	13	·	·	·	·	1	·	·	·	·	·	2	·	1	5	·	1
	Feb. 5,	27·3	1·4	20	·	·	·	·	1	·	·	·	·	·	2	1	·	5	·	4
	,, 12,	16·4	·	12	·	·	·	·	·	·	·	·	·	1	2	1	·	4	·	2
	,, 19,	12·3	·	9	·	·	·	·	·	·	·	·	·	·	2	·	1	2	·	1
	,, 26,	21·9	2·7	16	·	·	·	·	2	·	·	·	·	1	2	·	1	4	·	2
Waterford. Pop. (in 1901) 26,769.	Jan. 8,	11·7	·	6	·	·	·	·	·	·	·	·	·	·	1	·	·	3	·	·
	,, 15,	23·4	3·9	12	·	·	·	·	2	·	·	·	·	·	2	·	·	1	·	·
	,, 22,	17·5	·	9	·	·	·	·	·	·	·	·	·	·	1	1	·	2	·	·
	,, 29,	18·6	·	7	·	·	·	·	·	·	·	·	·	·	2	·	·	1	·	2
	Feb. 5,	21·4	·	11	·	·	·	·	·	·	·	·	·	·	·	1	2	·	·	·	2
	,, 12,	41·8	·	23	·	·	·	·	·	·	·	·	·	2	·	1	3	8	·	4
	,, 19,	29·2	1·9	15	·	·	·	·	·	·	·	·	1	1	·	·	1	2	·	3
	,, 26,	17·5	·	9	·	·	·	·	·	·	·	·	·	1	1	·	1	2	·	2

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 26th February, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	BIRTHS	DEATHS.																												
		No. of	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.						DEATHS FROM																			
			All Causes.	Diseases in Cols. 12-20.		Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		9			5	.	1	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	2	.
Do. 2 do.		22			16	1	.	4	1	3	2	.	.	1	.	1	1	.	.	.	1	1	1	.	2	1	3	1	.
Do. 3 do.		27			17	2	2	3	1	3	6	.	.	.	.	1	.	.	.	.	2	1	1	.	3	.	.	3	.
Do. 4 do.		28			18	7	1	.	4	2	4	.	.	.	.	2	.	.	.	.	1	4	1	1	4	1	1	8	.
Do. 5 do.		11			4	1	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	1	.
Do. 6 do.		13			17	2	1	1	2	7	4	.	.	.	.	1	.	1	.	.	1	3	3	.	3	.	1	4	.
Do. 7 do.		.			1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 8 do.	349,180	1	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		12			9	1	.	2	2	3	1	.	.	.	.	.	.	.	.	.	3	1	.	.	.	.	.	1	1
Do 10 do.		13			8	1	3	.	2	1	1	.	.	.	.	.	.	.	.	.	3	2	.	.	.	1	2	2	.
Do. 11 do.		20			11	2	.	.	3	4	2	.	.	.	.	1	.	.	.	.	1	1	.	3	.	.	.	3	.
Do. 12 do.		25			17	4	2	1	1	7	2	.	.	.	.	3	.	.	.	.	1	4	.	.	6	.	.	5	.
Do. 13 do.		7			5	.	1	1	1	.	2	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.	.	1	1
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15† do.		14			10	2	3	.	1	2	2	.	.	.	.	3	.	.	.	.	2	1	.	.	.	.	1	.	.
Total, ...	—	202			140	23	21	12	19	36	29	.	.	1	.	14	1	1	.	.	16	20	7	5	21	3	8	34	2
City of Cork.																													
CORK URBAN No. 1 DISTRICT, .	12,867	4	16·2	.	4	1	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2	.
Do. 2 do. .	10,701	9	14·6	4·9	3	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	2	.
Do. 3 do. .	9,978	2	20·9	.	4	.	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.
Do. 4 do. .	8,666	6	18·1	.	3	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 5 do. .	6,592	2	28·7	.	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	3	.
Do. 6 do. .	10,702	8	19·5	.	4	1	1	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
Do. 7 do. .	16,616	11	40·8	.	13	4	.	1	2	2	4	.	.	.	.	.	.	.	.	.	1	2	1	1	3	.	.	3	1
Total, ...	76,122	37	23·3	0·7	34	7	1	2	11	5	8	.	.	.	.	.	.	.	1	.	2	5	7	2	3	.	.	14	1

* Formerly described as Simple Continued Fever.

† New district formed as from 1st Jan., 1910 and the boundaries of Nos. 1, 4 & 6 districts altered. The population of each of these districts, as at present constituted, is not available.

TABLE IX.—**City of Belfast.**—Comparative Tables of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1909-10—Week ending																								
	Sept 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.
No. of weeks in annual Series, ..	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8
BIRTHS registered, ...	174	204	181	186	194	208	228	218	202	205	174	180	168	189	190	181	170	215	278	192	180	216	214	213	196	202
DEATHS registered, ...	119	124	93	121	99	95	104	96	116	116	130	134	167	147	218	177	144	192	148	170	125	151	165	172	156	140
Annual Death rate per 1,000 of estimated Population, ...	16·1	16·7	12·5	16·3	13·4	12·8	14·0	12·9	15·6	15·6	17·5	18·1	22·5	19·8	29·4	23·9	19·4	25·9	19·7	22·7	16·7	20·1	22·0	22·9	20·8	18·7
AGES — Under 1 year, ...	43	44	24	35	30	21	24	17	22	28	30	28	41	44	62	41	33	48	36	48	25	33	28	37	31	23
AGES — 1-5 years, ...	6	12	13	13	14	10	8	11	14	11	8	14	27	14	21	18	22	25	23	21	20	21	28	21	20	21
AGES — 5-20 years, ...	6	7	4	11	8	5	9	9	9	7	11	4	11	10	18	13	10	12	8	9	9	14	2	8	13	12
AGES — 20-40 years, ...	18	16	14	15	16	12	23	14	27	22	23	22	20	20	31	22	23	28	17	24	17	22	30	18	26	19
AGES — 40-60 years, ...	21	20	19	17	17	20	15	26	13	19	27	28	31	23	33	33	20	34	26	28	23	21	30	42	31	36
AGES — 60 years and upwards, ..	25	25	19	30	14	27	25	19	31	29	31	38	37	36	53	50	36	45	38	40	27	40	47	46	35	29
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
Scarlet Fever, ...	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping cough, ...	2	5	7	7	4	3	2	.	5	4	4	4	7	6	15	9	10	13	12	13	13	13	19	15	17	14
Diphtheria, ...	.	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	1	.	1	.	.	.	.	1
*Pyrexia** (origin uncertain), ..	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Enteric Fever, ...	.	.	.	.	2	2	3	.	.	.	2	.	.	.	1	.	.	.	2	.	.	1	.	.	1	.
Diarrhœal Diseases, ...	20	16	15	13	11	11	5	5	3	4	2	2	1	3	2	1	1	1	2	.	.	.	2	.	2	.
Pneumonia, ...	3	5	4	3	6	8	9	5	8	15	13	17	25	31	25	28	22	34	12	20	9	16	14	16	11	16
Tuberculous Disease, Phthisis, ..	9	13	4	17	12	7	11	9	14	6	14	8	8	11	26	14	17	13	14	14	12	15	16	15	14	20
Tuberculous Disease, Other Forms, ..	3	7	4	8	6	2	5	5	10	2	11	3	16	4	11	4	4	6	4	10	3	10	8	4	8	7
Cancer, Malignant Disease, ..	8	7	8	6	6	8	2	4	3	5	7	7	1	3	7	5	5	3	2	10	5	4	8	7	6	5
Diseases of Respiratory System,	8	15	6	15	5	9	10	12	14	21	17	31	42	41	53	37	39	41	28	31	21	29	28	40	19	21
Violent Deaths, ...	2	.	2	1	3	1	2	4	2	3	2	2	3	5	5	6	4	3	3	3	5	7	2	2	5	3
Number of Uncertified Deaths, ..	.	1	.	.	.	1	.	1	1	2	1	.	1	3	3	2	3	1	2	1	6	3	2	1	5	2

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	Feb. 26,	2,264	1,386	14·8	.	14	4	11	45	4*a*	11
EDINBURGH, ...	360,276	„ 26,	129	103	14·9	.	5	2	.	1	.	1
GLASGOW, ...	884,505	„ 26,	446	270*b*	15·9	.	29	6	7	6	3*a*	4
CALCUTTA, ...	1,009,008	Jan. 22.	.	621	32·0	1	3	.	.	1	93‡	146*
BOMBAY, ...	977,822	„ 25,	360	701	37·3	30	.	.	.	.	73‡	78*
MADRAS, ...	509,346	„ 7,	357	394	40·2	1	2	?	?	?	123	49
CAIRO, ...	704,836	„ 7,	551	380	28·1	2	1	.	14†	?	8	51
PARIS, ...	2,760,000	„ 22,	951	925	17·5	.	44	1	8	4	7*a*	15
BRUSSELS, ...	704,975	Feb. 5,	249	219	16·2	.	5	1	2†	4	.	12
ANTWERP, ...	317,171	„ 5,	144	71	11·7	.	.	1	.	1	.	4
AMSTERDAM, ...	568,131	„ 5,	251	159	14·6	.	3	.	.	3	1*a*	3
COPENHAGEN, ...	450,000	„ 5,	213	145	16·8	.	.	2	1†	4	.	5
STOCKHOLM, ...	339,582	„ 5,	140	102	15·6	.	2	3	4†	1	.	2
CHRISTIANIA, ...	235,674	„ 12,	105	66	14·6	.	1	.	2†	1	.	3
ST. PETERSBURG, ...	1,620,000	Jan. 22,	1,048	744	23·9	6	25	14	12	8	14	68
MOSCOW, ...	1,359,886	„ 15,	.	857	32·9	3	30	51	36†	4	20	50*
BERLIN, ...	2,122,813	„ 22,	.	557	13·7	.	4	7	27†	5	1	21
HAMBURG, ...	895,804	Feb. 5,	.	279	16·2	.	3	1	11†	4	.	14
BRESLAU, ...	508,349	„ 5,	.	212	21·7	.	.	2	2†	4	1	9
MUNICH, ...	576,000	„ 12,	.	183	16·5	.	.	1	1†	2	1	12
VIENNA (with suburbs),	2,085,888	„ 5,	780	655	16·3	.	6	3	8†	5	2*a*	29
BUDA-PESTH, ...	833,703	„ 5,	430	287	17·9	.	1	5	4†	2	2	13
PRAGUE and Faubourgs.	491,531	Jan. 22,	191	205	21·5	.	4	1	.	.	1*a*	20
TRIESTE, ...	218,727	„ 29,	139	105	25·0	.	2	.	.	1	.	3
ROME, ...	575,485	Dec. 18,	242	201	18·2	.	.	.	2	2	4	12
		„ 25,	263	200	18·1	.	2	.	3	1	2*a*	9
VENICE, ...	179,286	„ 25,	81	93	27·1	.	1	.	3†	.	2*a*	6
NEW YORK, ..	4,711,956	Jan. 29,	2,545	1,495	16·5	.	15	33	48†	2	7*a*	30
PHILADELPHIA, ..	1,598,400	„ 15,	. .	604	19·7	.	.	1	13†	.	9*a*	28
BOSTON, ...	629,868	Feb. 5,	.	219	18·1	.	1	4	4	.	.	3

* Including 87 deaths from cholera in Calcutta, 3 in Bombay, and 2 in Moscow.
† Including deaths from croup.
‡ Including 8 deaths from plague in Calcutta and 28 in Bombay.
a Enteric Fever.
b Including 2 deaths from cerebro-spinal meningitis.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 26th February, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia, (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	1	1
" " 1, West,	.	.	.	.	1	.	.	.	1	.	.	1	3
" " 2,	.	.	.	.	.	.	.	.	1	.	.	1	4
" " 3,	.	.	.	.	2	.	.	.	3	.	.	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	1	1
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	1	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	8	.	.	2	.	1	.	10	.	.	12	33
" " 2,	.	.	.	.	.	.	.	.	.	.	.	7	7
" " 3,	.	1	.	.	1	.	.	.	1	.	.	1	4
" " 4,	.	.	.	.	1	.	.	.	.	.	.	.	1
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	1	1
Total,	.	9	.	.	7	.	1	2	16	.	.	26	61

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 26th February, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 26th February.			
	Feb. 5.	Feb. 12.	Feb. 19.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	7	5	3	1	2	.	2
Scarlet Fever,	66	66	58	9	12	.	55*
Typhus,	1	2	2	.	.	.	2
Diphtheria,	46	37	43	7	7	2	41
Enteric Fever,	34	31	38	6	7	2	35
Pneumonia,	28	39	49	7	11	1	44

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 26th February, 1910:—

"Stormy and unsettled throughout, this week showed no improvement on its predecessors beyond a lessening of the barometric gradient after Tuesday—at least over Ireland and Scotland. Sunday morning found a new and very deep atmospheric depression already arrived off the coast of Kerry. This system travelled quickly north-eastwards, so that its centre had almost reached the Faeroe on Monday morning. It was so very energetic that the barometer fell on Sunday evening to 28·15 inches at Malin Head, 28·14 inches at Blacksod Point, and 28·237 inches even in Dublin (at 9 p.m.). A furious gale raged over England on Sunday, force 10 of the Beaufort Scale of Wind Force being recorded in London and at Scilly, Jersey, and Spurn Head, and force 11—equal to 70 miles an hour—at Portland Bill. In Dublin the gale was followed by showery to fair and cold weather on Monday, a hail-shower occurring in the afternoon. At 8 a.m. of Tuesday a thunderstorm, accompanied by gloom, wet snow and hail, passed over Dublin, and the afternoon of this day proved cold, stormy and rainy, sleet falling at 4.30 p.m. Wednesday was fine, but a lunar halo in the evening was a harbinger of rain and squalls during the night, connected with a large depression, the oval centre of which stretched from Donegal to southwestern Iceland at 7 a.m. of Thursday. Hail fell in Dublin on the afternoon of this day and iridescent clouds were seen at 4.30 p.m. In the course of the following night a new disturbance moved eastwards across the south of Ireland to Wales, and 24 hours later yet another still deeper depression traversed the same regions. After a fall of cold rain, sleet, and hail on Saturday morning the weather cleared for a while with a northerly wind on the afternoon of this day, but hail and sleet again fell towards evening. In Dublin the mean atmospheric pressure was 29·317 inches, the range being from 28·237 inches at 9 p.m. of Sunday (wind, S.W.) to 29·784 inches at 9 a.m. of Wednesday (wind, W.S.W.). The mean temperature was 40·4°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 38·2°. On Sunday the screened thermometers rose to 51·3°, on Wednesday they fell to 32·8°. The prevalent winds were S.W. and N.W. There was a daily rainfall, the total measurement being 1·495 inches, of which ·687 inch was recorded on Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·155 inches. The highest reading (29·619) was on Wednesday at 9 a.m., wind S.W., and the lowest (28·091) on Sunday at 9 p.m., wind S.W.

The mean temperature for the week was 39·2°, being 0·9° below the average for the corresponding period of the 10 years, 1900–1909. The temperature was highest on Sunday, on which day the thermometer registered 50·8°, and was lowest on Wednesday, the mercury having fallen to 28·7°. The mean of the Dry Bulb for the week was 37·7° and of the Wet Bulb 37·0°. The mean humidity of the air was ·94, complete saturation being represented by 1·0. The rainfall during the week measured 0·915 inch.

At Greenwich the mean temperature for the week was 42·5°, the maximum 50·6°, and the minimum 31·3°; at Glasgow the maximum was 46·2°, the minimum 32·2°, and the mean 38·5°; and at Edinburgh the maximum was 45·8°, the minimum 31·3°, and the mean 37·3°. The rainfall at Greenwich measured 1·40 ins., at Glasgow 0·59 in., and at Edinburgh 0·67 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	THERMOMETER. Maximum.	Minimum.	Mean.	HYGROMETER. Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, February 20,	28·329	50·8	34·9	42·9	42·6	42·2	·97	·6	1·5	·215	S.E.	S.W.
Monday, „ 21,	29·105	44·7	34·8	39·8	37·8	36·6	·90	·7	4·5	·195	S.W.	S.W.
Tuesday, „ 22,	29·418	43·3	31·8	37·6	35·2	34·6	·96	·5	2·0	·125	E.N.E.	S.W.
Wednesday, „ 23,	29·558	45·1	28·7	36·9	37·4	35·9	·88	·4	9·7	·100	S.W.	S.E.
Thursday, „ 24,	29·296	44·7	35·9	40·3	37·1	36·7	·96	·5	6·5	·055	W.S.W.	S.W.
Friday, „ 25,	29·198	45·8	29·7	37·8	38·3	37·1	·91	·4	5·7	·140	N.W.	S.S.E.
Saturday, „ 26,	29·182	43·7	33·9	38·8	35·8	35·7	·99	·4	2·6	·085	W.N.W	W.
Mean, ...	29·155	45·1	32·8	39·2	37·7	37·0	·94	·5	Total 32·5	Total ·915	Prevailing Wind, S.W.	

Sunday—Day overcast to cloudy, passing showers: night overcast, drizzle and heavy rain a.m. *Monday*—Day cloudy, passing showers, sleet, snow: night cloudy, drizzle a.m. *Tuesday*—Day cloudy to overcast, passing showers, rain, sleet, snow: night clear. *Wednesday*—Fine bright day, rain p.m.: night overcast, rain a.m. *Thursday*—Day cloudy, hail p.m.: night overcast, drizzle a.m. *Friday*—Day cloudy, rain p.m.: night overcast, drizzle a.m. *Saturday*—Day overcast to cloudy, rain a.m. and p.m.; night cloudy, heavy rain a.m.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, February 26th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Min.	Mean.	Sunshine Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs	ins.
Sunday, February 20.	43·0	42·0	43·0	52·8	38·0	45·4	1·2	·620
Monday, „ 21,	40·1	42·0	43·3	46·1	36·4	41·3	3·9	·340
Tuesday, „ 22,	35·3	40·9	43·2	45·0	32·9	39·0	1·6	·072
Wednesday, „ 23,	39·0	39·5	43·4	46·5	33·0	39·8	8·4	·098
Thursday, „ 24.	40·0	40·0	43·5	46·2	37·7	42·0	4·3	·063
Friday, „ 25,	38·0	39·8	43·3	47·0	33·4	40·2	5·1	·135
Saturday, „ 26,	38·0	40·0	43·2	44·2	35·0	38·6	1·5	·129
Weekly Mean, . .	39·1	40·6	43·3	46·8	35·2	40·9	Total 26·0	Total 1·457

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

(28048). Wt. P. 345. 375. 11. 1909. G. III. Sch. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 5TH MARCH, 1910. [No. 9.

General Register Office, Charlemont House, Dublin, 7th March, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending				Average Rate for 4 weeks.	TOWNS, &c.	Week ending				Average Rate for 4 weeks.
	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.			Feb 12.	Feb. 19.	Feb. 26.	Mar. 5.	
22 Town Districts.	**26·0**	**22·8**	**22·8**	**22·4**	**23·5**	Limerick, . . .	16·4	12·3	21·9	13·7	16·1
						Lisburn, . . .	36·4	27·3	22·7	13·6	25·0
Armagh, . . .	.	20·6	13·7	20·6	13·7	Londonderry, . .	20·4	14·4	10·8	25·2	17·7
Ballymena, . . .	43·1	14·4	19·2	33·5	27·5	Lurgan, . . .	53·1	22·1	22·1	17·7	28·7
Belfast, ...	22·9	20·8	18·7	22·0	21·1	Newry, . . .	46·2	8·4	46·2	8·4	27·3
Clonmel, . . .	46·2	35·9	20·5	.	25·6	Newtownards, . .	40·1	22·9	28·6	11·4	25·7
Cork, ...	26·7	26·7	23·3	23·3	25·0	Portadown, . .	15·5	15·5	15·5	15·5	15·5
Drogheda, . . .	20·4	16·3	20·4	28·6	21·4	Queenstown, . .	46·1	13·2	26·4	19·8	26·4
Dublin Reg. Area, .	26·4	26·5	28·0	25·2	26·5	Sligo, ...	14·4	19·2	9·6	4·8	12·0
Dundalk, . . .	12·0	27·9	12·0	19·9	18·0	Tralee, . . .	21·1	15·9	74·0	10·6	30·4
Galway, . . .	46·6	3·9	3·9	38·8	23·3	Waterford, . . .	44·8	29·2	17·5	17·5	27·2
Kilkenny, . . .	39·3	44·2	9·8	14·7	27·0	Wexford, . . .	32·7	18·7	42·0	28·0	30·3

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·4 per 1,000, the rates varying from 0·0 in sixteen of the districts to 9·6 in Ballymena, the 7 deaths from all causes for that district including 2 from whooping-cough. Of the 165 deaths from all causes for Belfast are one from measles, 11 from whooping-cough, 2 from diarrhœal diseases, and one from cerebro-spinal fever. Among the 10 deaths from all causes for Limerick are 2 from whooping-cough and one from diarrhœa. One death from whooping-cough is included in the 10 deaths from all causes for Galway, and one death from whooping-cough is also included in the 7 deaths from all causes for Drogheda.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 206—109 boys and 97 girls—and the deaths to 208—111 males and 97 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of 25·2 per 1,000 of the population, the rate for the total deaths registered in the Area being 26·9 per 1,000. During the nine weeks, ending with Saturday last, the annual rate for all deaths registered averaged 26·0, and was 2·4 below the mean rate for the corresponding portions of the ten years 1900-9.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*), Table II. ‡ See columns 10-18 of Table II.

Included in the total deaths, there were 3 from whooping-cough, one death from scarlet fever, 2 from enteric fever, and 3 from diarrhœal diseases, 2 of the latter being deaths of children under 5 years of age (there were also registered at this age period 2 deaths from enteritis and one death from *gastro-enteritis*.) In each of the three preceding weeks, deaths from whooping-cough were 4, one, and 0 ; deaths from scarlet fever were one, 2, and one ; deaths from enteric fever were 0, 0, and one ; and deaths from diarrhœal diseases were 6, 2, and 3. Deaths from influenza, which had been 3, 2, and 2 in the three preceding weeks, respectively, were 5 in the period under notice.

There was one death from tetanus registered.

Of 17 deaths from pneumonia (all forms), one was from lobar pneumonia, 11 were from broncho-pneumonia, one death was attributed to epidemic pneumonia, and 4 deaths to *pneumonia* (not defined).

Tuberculous disease, which had caused 29, 33, and 35 deaths in each of the three preceding weeks, caused 38 deaths in the week under notice ; of these 28 were from tuberculous phthisis (*phthisis*), 4 were from tuberculous meningitis, and 6 were caused by other forms of the disease.

Carcinoma caused 2 deaths, and 7 deaths were due to cancer or malignant disease (undefined).

The deaths of 3 infants prematurely born were recorded.

Included in 22 deaths from diseases of the brain and spinal cord were 8 deaths of infants under one year of age from *convulsions*.

Diseases of the heart and blood vessels accounted for 27 deaths, and among the deaths from diseases of the respiratory organs, in number 39, there were 36 deaths from bronchitis.

The deaths from accidental causes, 4 in number, include one death of a child aged one year and 7 months from burns.

There was one infanticide.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the deaths of 4 infants under one year of age and the death of one person aged 60 years.

Fifty-seven of the persons whose deaths were registered during the week were under 5 years of age (39 being infants under one year, of whom 12 were under one month old) and 70 were aged 60 years and upwards, including 41 persons aged 70 and upwards, of whom 11 were octogenarians and 2 (females) were stated to have been each aged 90 years.

Ninety-seven of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 30 took place in the North Dublin Union Workhouse, 19 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 25·2 per 1,000 ; the rate in the City was 26·7 (North City Districts, 29·2; South, 24·1) and in the Suburbs, 20·3.

The deaths from certain epidemic diseases* in the entire area equal an annual rate of 1·2 per 1,000 inhabitants, the rate for the City being 1·3 (2·0 in the North City Districts, and 0·7 in the South), and for the Suburbs, 0·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (15) are equal to an annual rate of 26·2 per 1,000. Broncho-pneumonia and tuberculous phthisis each caused one death, there were 3 deaths from bronchitis, one death by accident, and one infanticide.

No. 1 *North City District, West* (Summer-hill).—The deaths (29) are equal to an annual rate of 37·8 per 1,000, and include one death from each of whooping-cough, enteric fever, epidemic diarrhœa, influenza, broncho-pneumonia, and epidemic pneumonia, 6 deaths from tuberculous disease, and 7 deaths from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (19) are equivalent to an annual rate of 32·2 per 1,000. Scarlet fever and whooping-cough each caused one death, there were 2 deaths from influenza, one death from each of broncho-pneumonia and *pneumonia* (not defined), 3 deaths from tuberculous disease and 2 deaths from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (12) represent an annual rate of 18·6 per 1,000. The deaths included 2 from *pneumonia* (not defined), 4 from tuberculous phthisis, and one death from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are :—Clontarf and Howth, No. 1, part of, 29·1 per 1,000 inhabitants ; Coolock and Drumcondra, part of, 22·4 ; and Finglas and Glasnevin, part of, 40·7. Of the 5 deaths from all causes for Coolock and Drumcondra, part of, there were 2 from tuberculous disease ; and the 6 deaths from all causes for Finglas and Glasnevin, part of, include one death from *diarrhœa*, 2 from broncho-pneumonia and one death from tuberculous disease.

No. 1 *South City District* (South Earl-street).—The deaths (13) represent an annual rate of 16·3 per 1,000, and include one death from epidemic diarrhœa, one death from tetanus, 3 deaths from tuberculous disease, and 2 deaths from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (13) are equal to an annual rate of 31·2 per 1,000. Among the deaths were 2 from broncho-pneumonia, one death from lobar pneumonia, 4 deaths from tuberculous disease, and 3 deaths from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (22) are equal to an annual rate of 26·5 per 1,000. Enteric fever caused one death, broncho-pneumonia and *pneumonia* (not defined) each caused one death; there were 8 deaths from diseases of the respiratory system, one death from *phthisis*, and one accidental death.

No. 4 *South City District* (Grand Canal-street).—The deaths (22) are equivalent to an annual rate of 32·0 per 1,000. Of the deaths, 4 were due to tuberculous phthisis (*phthisis*), there was one death from influenza, bronchitis caused 4 deaths, and 2 deaths were from accidental causes.

New Kilmainham District.—There was no death recorded for this district during last week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are :—Rathmines and Rathgar, 19·7 ; Pembroke, 19·8 ; Blackrock, 17·4 ; and Kingstown, 23·7. The only death from any of the principal epidemic diseases tabulated for these districts was one from whooping-cough for Rathmines and Rathgar, the 14 deaths from all causes for that district including 2 from broncho-pneumonia, 3 from tuberculous phthisis (*phthisis*), and 4 from diseases of the respiratory system ; of the 11 deaths from all causes for Pembroke there was one death from broncho-pneumonia, there were 2 deaths from tuberculous phthisis (*phthisis*), and 3 deaths from bronchitis ; the 3 deaths from all causes for Blackrock include one from *phthisis* and one from bronchitis ; and of the 8 deaths from all causes for Kingstown one death was from influenza and one from *phthisis*.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 5th March, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Feb. 12,	.	—	—	6	.	.	3	.	1	4	9	.	—	—	1	—	21	—	45
	Feb. 19,	.	—	—	5	.	.	11	.	2	6	10	.	—	—	.	—	22	—	56
	Feb. 26,	.	—	—	9	.	.	7	.	1	2	16	.	—	—	.	—	26	—	61
	Mar. 5.	.	—	—	8	.	.	4	.	2	3	11	.	—	—	.	—	25	—	53
Rathmines and Rathgar Urban District.	Feb. 12,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	—	—	—	—	3
	Feb. 19,	.	—	—	.	.	.	.	.	.	2	.	.	—	—	—	—	—	—	2
	Feb. 26,	.	—	—	.	.	.	1	.	.	5	.	.	—	—	—	—	—	—	6
	Mar. 5,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	—	1
Pembroke Urban District.	Feb. 12,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	—	.
	Feb. 19,	.	.	.	.	.	.	1	2	1	.	.	.	—	2	.	—	—	—	6
	Feb. 26,	.	.	.	.	.	.	.	.	.	.	.	.	—	2	.	—	—	—	2
	Mar. 5.	.	.	.	1	.	.	1	.	.	.	1	.	—	.	.	—	—	—	3
Blackrock Urban District.	Feb. 12,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	—	3
	Feb. 19,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Feb. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Mar. 5.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Feb. 12,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	.	—	2
	Feb. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Feb. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Mar. 5.	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	.	—	1
City of Belfast.	Feb. 12,	.	—	—	15	.	.	.	.	.	.	6	.	—	—	—	—	19	—	40
	Feb. 19,	.	—	—	9	.	.	1	.	1	2	5	3	—	—	—	—	22	—	43
	Feb. 26,	.	—	—	16	.	.	4	.	1	2	11	.	—	—	—	—	23	—	57
	Mar. 5,	.	—	—	12	.	.	7	1	1	2	4	1	—	—	—	—	46	—	74

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 5th March, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

One case of measles was admitted to hospital, one was discharged, and 2 cases remained under treatment at the close of the week.

Seventeen cases of scarlet fever were admitted to hospital, 6 were discharged, and 66* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 66, 58, and 55, respectively.

Two cases of typhus remained under treatment in hospital at the close of the week.

Eleven cases of diphtheria were admitted to hospital, 5 were discharged, there was one death, and 46 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 37, 43, and 41, respectively.

Three cases of enteric fever were admitted to hospital during the week, 7 were discharged, there was one death, and 30 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 14 cases of pneumonia were admitted to hospital, 15 were discharged there was one death, and 42 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 14·4) was equal to an average annual death-rate of 14·5 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·3 per 1,000, the rate for Glasgow being 17·6 and for Edinburgh 12·0.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 5th March. From this Report it appears that of a total of 35 cases notified, 17 were scarlet fever, 9 phthisis, 6 erysipelas, 2 enteric fever, and one diphtheria. Among the 364 cases of infectious diseases in hospital at the close of the week were 176 cases of scarlet fever, 71 of measles, 58 of phthisis, 24 of diphtheria, 11 of whooping-cough, 7 of erysipelas, 6 of chicken-pox, 3 of enteric fever, and 2 of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 5th March, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 5TH MARCH, 1910.																									METEOROLOGY. (*d*)											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																						WEEK ENDING 5TH MARCH, 1910.				WEEK ENDING 26TH FEB., 1910.				WEEK ENDING 19TH FEB., 1910.			
									DEATHS.																			Air Temperature				Air Temperature				Air Temperature			
	Population.		Deaths.			Births.			Caused by																														
	Total.(*a*)	Persons to an Acre.	Births.	From all Causes.	From Diseases in col. 10–18.	Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia b* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS, .	1,151,790	20·2	29·5	22·4	1·4	652	495	97	148	.	1	1	.	20	.	.	2	6	41	62	25	18	77	17	19	155	21	°	°	°	.	°	°	°	.	°	°	°	.
DUBLIN REGISTRATION AREA:—																																							
TOTAL, *c*. . .	402,928	29·3	26·7	25·2	1·2	206	195	39	66	.	.	1	.	3	.	.	2	3	17	27	9	6	19	5	4	84	8	*e*52·4	31·9	44·0	0·89	*e*50·8	28·7	39·2	0·92	*e*52·8	29·7	42·8	1·16
CITY of DUBLIN,	310,298	39·2	29·9	26·7	1·3	178	169	34	58	.	.	1	.	2	.	.	2	3	14	20	9	6	30	5	4	74	7	*f*53·5 *g*52·9	34·2 32·6	44·6 44·3	0·63 0·54	*f*51·3 *g*50·9	32·8 27·4	40·4 39·8	1·50 1·42	*f*52·5 *g*51·9	34·1 32·0	44·1 43·8	1·67 1·53
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	11·3	19·7	1·4	8	14	8	5	.	.	.	.	1	.	.	.	.	2	8	.	.	4	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	30·6	19·8	.	17	11	.	3	.	.	.	.	.	.	.	.	.	1	2	.	.	3	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,013	8·3	5·8	17·4	.	1	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	5·9	28·7	.	2	8	2	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2	.	52·5	35·0	44·3	0·53	50·5	33·5	41·0	1·22	53	34·5	43·5	1·58
URBAN DISTRICTS.																																							
BELFAST, . (*i*) .	391,167	26·6	31·9	22·0	1·9	289	165	33	34	.	1	.	.	11	.	.	.	2	12	23	9	3	24	10	13	42	2	54·0	29·5	42·3	0·56	46·0	30·5	39·3	1·01	50·5	31·0	40·8	2·36
CORK, . . .	76,122	33·6	27·4	23·3	.	40	34	5	12	.	.	.	.	.	.	.	.	.	1	4	3	3	5	.	.	9	2	51	36	45·1	1·59	49	34	41·9	1·64	50	35	43·4	1·45
LONDONDERRY, .	43,477	20·1	26·4	25·2	.	22	21	7	5	.	.	.	.	.	.	.	.	.	3	2	2	2	4	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK, . .	38,151	18·1	33·3	18·7	4·1	32	10	1	2	.	.	.	.	2	.	.	.	1	1	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD, . .	26,769	18·7	27·3	17·5	.	14	9	2	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY, . . .	18,426	2·5	15·6	38·8	3·9	4	10	.	5	.	.	.	.	1	.	.	.	.	.	.	.	.	2	1	.	6	3	52	32	45	1·16	53	32	42·4	1·2	50	32	43	1·41
DUNDALK . . .	18,076	9·4	19·9	19·9	.	5	5	1	2	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA, (*h*) .	12,760	8·6	16·3	28·6	4·1	4	7	2	2	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY, . . .	12,405	17·8	29·4	8·4	.	7	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	53·2	32·7	43·7	0·72	46·8	27·0	38·5	1·05	51·1	31·0	42·0	2·24
LURGAN, . . .	11,782	13·8	26·6	17·7	.	6	4	2	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1	53·2	32·7	43·7	0·72	46·8	27·0	38·5	1·05	51·1	31·0	42·0	2·24
LISBURN, . . .	11,461	10·1	45·5	18·6	.	10	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	1	53·2	32·7	43·7	0·72	46·8	27·0	38·5	1·05	51·1	31·0	42·0	2·24
WEXFORD, . . .	11,168	23·2	18·0	28·0	.	6	6	.	2	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA, . .	10,686	8·9	38·3	33·5	9·6	8	7	2	2	.	.	.	.	2	.	.	.	.	1	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO, . . .	10,870	8·7	33·6	4·8	.	7	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	55·8	29·3	43·2	1·05	48·7	24·8	37·5	2·62	52·8	27·0	41·7	2·40
KILKENNY, . .	10,609	11·5	39·8	14·7	.	8	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	53	29	44·9	1·05	51	27	34·7	1·40	51	30	35·3	1·78
CLONMEL, . .	10,167	7·8	10·8	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN, . .	10,092	13·2	15·5	15·5	.	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	53·2	32·7	43·7	0·72	46·8	27·0	38·5	1·05	51·1	31·0	42·0	2·24
TRALEE, . . .	9,867	16·6	42·3	10·6	.	8	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS, .	9,110	18·9	24·3	11·4	.	6	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	50	32	42·4	0·55	45	30	38·0	1·22	51	31	40·3	1·49
QUEENSTOWN, . .	7,909	14·4	26·4	7·8	.	4	3	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	51	36	45·1	1·51	49	34	41·9	1·64	50	35	43·4	1·45
ARMAGH, . . .	7,588	22·2	27·5	20·6	.	4	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	53·2	32·7	43·7	0·72	46·8	27·0	38·5	1·05	51·1	31·0	42·0	2·24

(*a*) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (*b*) Formerly described as "Simple Continued Fever." (*c*) Exclusive of 13 deaths of persons (including 4 at 60 years or upwards), admitted to hospital from localities outside the Area. (*d*) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. (*e*) Observations at Ordnance Survey Office, Phœnix Park. (*f*) Observations by Sir John Moore taken at Fitzwilliam-square. (*g*) Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin. (*h*) It has been reported that the mortality in Drogheda for week ending 26th February should include one death from whooping-cough. (*i*) See note (*t*) to Table IX.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 5th March, 1910, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN REGISTRATION DISTRICTS IN											URBAN DISTRICTS OF						
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Scarlet Fever,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Enteric Fever,	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	3	.
Diarrhœal Diseases,	.	1	.	.	.	.	2	.	3	2	.	.	2	1	.	.	17	.
Pneumonia,	1	2	2	3	.	.	.	2	2	1	4	.	3	2	1	1	27	1
Tuberculous Disease. Phthisis,	1	3	2	4	.	1	.	.	.	.	.	.	.	.	.	.	9	1
Other Forms,	.	3	1	.	.	1	1	1	2	.	.	.	.	.	.	.	6	3
Cancer, Malignant Disease,	1	2	.	.	.	.	.	.	.	1	2	.	.	.	.	.	13	1
Other General Diseases,	.	2	4	.	.	.	.	1	.	1	3	.	.	.	1	1		
Total,	3	15	11	6	.	2	4	5	7	6	9	.	6	3	2	2	81	6
B. LOCAL DISEASES:																		
Diseases of Nervous System,	3	1	2	.	1	.	.	2	.	5	1	.	2	1	.	3	21	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	2	1	3	.	2	2	.	1	25	2
Heart and Blood Vessels,	1	5	1	2	2	2	1	.	3	8	4	.	4	3	1	1	39	.
Respiratory System,	3	7	2	1	.	.	.	2	3	1	1	.	.	2	.	1	12	2
Digestive System,	2	.	1	1	.	.	.	2	1	.	.	.	.	.	.	.	.	.
Lymphatic System, &c.	.	.	.	2	.	.	.	1	.	.	.	.	.	.	.	.	5	1
Urinary System,	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	10	13	7	6	3	2	1	7	6	15	9	.	8	8	1	6	102	7
C. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	1	1	.	.	1	1	1	.	.	2	.	.	.	.	.	7	.
E. VIOLENT DEATHS,	2	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	5	.
Deaths from all Causes	15	29	19	12	3	5	6	13	13	22	22	.	14	11	3	8	195	13
Annual Rate of Mortality from all causes in every 1,000 of the population.	26·2	37·8	32·2	18·6	29·1	22·4	40·7	16·3	31·2	26·5	32·0	.	19·7	19·8	17·4	23·7	25·2	.
	29·2							24·1					20·3					
	26·7																	
Ages at Death. Under 1 year,	7	5	2	3	1	.	2	4	3	5	2	.	3	.	.	2	39	.
1 and under 5 years,	1	3	4	1	.	.	.	1	1	2	1	.	.	3	1	.	18	.
5 „ 20 „	.	1	.	.	.	1	1	2	1	.	.	.	.	1	.	.	7	1
20 „ 40 „	4	1	2	3	.	.	1	1	2	3	3	.	4	1	1	1	27	6
40 „ 60 „	.	8	4	1	.	1	1	4	4	3	6	.	2	3	.	1	38	2
60 years and upwards,	3	11	7	4	2	3	1	1	2	9	10	.	5	3	1	4	66	4
Number of Uncertified Deaths,	3	1	.	.	.	.	.	.	1	.	2	.	.	1	.	.	8	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	3	1	2	.	1	1	2	1	7	9	.	3	2	1	.	34	12
Workhouse Hospitals,	5	13	10	1	.	.	.	5	3	7	2	.	1	1	.	2	50	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in week of the ten years 1900–1909,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										In 9th Week of the 10 years, 1900–1909.	In the Week ending Saturday, 5th March, 1910.							
												Deaths of Persons of the Ages of							
	Mar. 3, 1900.	Mar. 2, 1901.	Mar. 1, 1902.	Mar. 7, 1903.	Mar. 5, 1904.	Mar. 4, 1905.	Mar. 3, 1906.	Mar. 2, 1907.	Feb. 29, 1908.	Mar. 6, 1909.	Averages	All Ages.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 40·2	° 42·9	° 46·0	° 41·0	° 36·1	° 39·2	° 40·6	° 41·8	° 40·4	° 32·8	° 40·1	° 44·0								
ALL CAUSES.	230	320	218	211	201	232	183	228	166	216	220·5	208	12	27	18	8	33	40	57	13
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	1	1	1	1	.	3	.	1	1	5	1·4	.	.	.	.	.	.	.	.	.
Scarlet Fever,	1	.	1	2	.	.	.	.	.	1	·5	1	.	.	1	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	13	16	5	8	5	8	1	5	9	5	7·5	5	1	.	.	.	1	2	1	
Whooping-cough,	.	5	5	3	10	.	4	7	3	3	4·0	3	.	1	2	.	.	.	.	.
Diphtheria,	1	1	.	1	.	2	.	.	2	4	1·1	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever,	.	.	.	.	1	.	.	2	.	.	·3	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	4	3	3	1	3	.	1	.	.	.	1·5	2	.	.	.	.	2	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.),	5	2	4	.	.	1	.	.	.	.	2·2	2	.	2	.	.	.	.	.	.
Diarrhœa, Dysentery,				2	1	2	1	1	1	2		1	.	.	.	.	.	.	.	1
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	1	1	1	2	.	3	2	1	.		1·1	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia,	.	.	.	.	.	.	.	.	.	.	·1	1	.	.	.	.	1	.	.	.
Puerperal Pyæmia,				.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Puerperal Fever,				.	.	1	.	.	.	.		.	.	.	.	.	.	.	.	.
Infective Endocarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	16	18	18	2	6	15	5	3	8	12	15·6	1	.	.	.	.	1	.	.	.
Pneumonia, Broncho-				3	5	5	11	14	5	6		11	.	3	5	.	1	.	2	.
Pneumonia, Epidemic												1	.	.	.	.	.	1	.	.
Pneumonia, Not defined,												4	1	1	.	.	2	.	.	.
Erysipelas,	2	1	.	1	.	1	1	1	.	.	·7	.	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal))	.	1	.	.	.	.	.	.	3	.	·4	.	.	.	.	.	.	.	.	.
Pyæmia (not Puerperal),				.	.	.	.	.		.		.	.	.	.	.	.	.	.	.
Other Infective Processes,	.	.	.	1	1	.	.	1	1	1	·5	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis,	30	20	33	2	6	13	8	13	10	13	30·2	14	.	.	1	2	8	3	.	
"*Phthisis*,"				33	21	23	24	17	14	22		14	.	.	.	2	6	5	1	.
Tuberculous Meningitis,	6	3	3	5	3	4	2	7	6	8	4·7	4	.	3	.	.	1	.	.	
Tuberculous Peritonitis,	2	6	1	2	.	1	1	.	4	1	2·0	.	.	.	.	.	.	.	.	.
Tabes Mesenterica,				.	.	.	.	1	.	1		.	.	.	.	.	.	.	.	.
Tuberculous Dis. (other),	7	5	5	7	5	12	15	10	5	6	7·7	6	.	1	1	3	1	.	.	.
Scrofula,				.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Alcoholism,	.	.	.	1	.	.	.	1	2	1	·5	1	.	.	.	.	1	.	.	.
Rheumatic Fever,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carcinoma,	8	12	6	.	.	3	3	3	3	2	6·6	2	.	.	.	.	.	2	.	.
Sarcoma,				.	1	.	.	.	.	2		.	.	.	.	.	.	.	.	.
Cancer (undefined)				2	4	2	3	5	3	4		7	.	.	.	.	.	2	5	.
Diabetes Mellitus,	.	.	.	1	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Premature Birth,	1	6	4	2	4	5	.	5	6	1	3·4	3	3	.	.	.	.	.	.	.

* The figures for the year 1900 are for

† Formerly described as

the NINTH WEEK ending Saturday, 5th March, 1910, with the deaths from each cause in the corresponding and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 9th Week of the 10 years 1900-1909.	In the Week ending Saturday, 5th March, 1910.							
	Mar. 3, 1900.	Mar. 2, 1901.	Mar. 1, 1902.	Mar. 7, 1903.	Mar. 5, 1904.	Mar. 4, 1905.	Mar. 3, 1906.	Mar. 2, 1907.	Feb. 29, 1908.	Mar. 6, 1909.		Deaths of Persons of the Ages of							
												All Ages.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60	60 and under 80.	80 and upwards.
Mean Temperature.	40·2	42·9	46·0	41·0	36·1	39·2	40·6	41·8	40·4	32·8	40·1	Mean Temp. 44·0	Under 1 month.	1 month and under a year.	1 to 5.					
Meningitis (not tuberc.)				3	2	5	2	1	3	2		5	.	1	3	.	1	.	.	.
Insanity, G. P. of Insane				1	4	3	1	1	2	3		1	.	.	.	.	1	.	.	.
Epilepsy				1	.	3	2	.	1	.		.	.	.	.	.	.	.	.	.
Convulsions				10	5	9	6	5	1	6		8	3	5	.	.	.	.	.	.
Locomotor Ataxy				.	1	.	.	.	1	.		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord				1	2	3	1	3	.	1		6	.	.	.	.	2	4	.	.
Nervous System (other Dis.)				2	2	2	3	4	2	1		2	.	.	.	.	1	1	.	.
	41	71	33								46·1									
Valv. Dis., Endocarditis				4	4	8	6	7	8	9		6	.	.	.	1	1	4	.	.
Cerebr. Hæm. Thromb.				6	1	3	2	6	1	.		4	.	.	.	.	1	3	.	.
Apoplexy, Hemiplegia				5	6	6	3	2	6	3		2	.	.	.	.	.	2	.	.
Aneurysm				.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Embolism, Thromb. (not cerebral)				.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Heart and Blood Vessels (other Dis.)				19	17	24	14	13	8	14		15	.	.	.	.	1	5	7	2
Croup (not Spasm. nor Memb.)	.	.	.	2	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
Bronchitis	38	74	54	33	30	30	24	40	16	34	37·3	36	1	4	2	.	2	8	13	6
Asthma, Emphysema				.	.	1	2	.	.	.		1	.	.	.	.	.	.	1	.
Pleurisy	1	5	1	.	1	1	.	1	.	1	2·6	1	.	.	.	.	.	1	.	.
Respiratory Dis. (other)				2	.	1	2	2	1	4		1	.	.	.	.	.	.	.	.
Tonsillitis, Quinsy	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.)	.	.	.	1	2	1	.	.	3	1	1·6	2	.	1	1	.	.	.	.	.
Gastro Enteritis				2	2			2	2			1	.	1		.	.	.	.	.
Peritonitis (not Puerp.)	1	.	.	2	.	1	.	2	.	.	·6	3	.	.	1	1	1	.	.	.
Cirrhosis of Liver	3	3	2	3	3	.	1	1	.	2	2·5	3	.	.	.	.	1	1	1	.
Liver Dis. (other)				2	.	1	1	2	.	1		2	.	.	.	.	1	.	1	.
Digestive Dis. (other)	6	7	5	4	6	3	4	5	3	6	4·9	3	.	2	.	.	.	.	.	1
Nephritis, Acute				2	2	1	1	1	2	1		2	.	.	.	1	.	1	.	.
Bright's Dis., Albuminuria	2	3	5	.	3	.	3	5	5	2	4·5	4	.	.	.	.	1	3	.	.
Urinary Sys. (other Dis.)				.	3	2	1	.	1	1		.	.	.	.	.	.	.	.	.
Generative Organs Dis.	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Childbirth (Accid. of)	2	1	1	.	1	2	.	1	1	.	·9	.	.	.	.	.	.	.	.	.
Old Age	24	27	8	3	11	2	5	3	3	4	9·0	5	.	.	.	.	.	3	2	
Other Diseases	12	21	13	15	12	11	7	15	10	13	12·9	6	1	2	.	.	1	1	1	.
ACCIDENT.																				
By Railways	.	.	.	.	.	.	1	.	1	.	·2	.	.	.	.	.	.	.	.	.
By Vehicles and Horses	.	.	.	2	1	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	1	4	3	1	2	3	3	2	.	.	1·9	1	.	.	1	.	.	.	.	.
By Drowning	.	.	.	1	2	1	3	.	.	.	·7	.	.	.	.	.	.	.	.	.
By Suffocation in Bed	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Other Deaths by Accident	1	1	2	2	1	.	1	1	.	3	1·2	3	1	.	.	.	1	1	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	.	.	.	.	.	1	.	.	.	·1	1	1	.	.	.	.	.	.	.
Suicide	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

the Registration Area as then constituted.
" Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1909-10—Week ending																								
	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb 19.	Feb. 26.	Mar. 5.
No. of weeks in Annual Series,	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9
BIRTHS registered.	226	207	215	250	198	184	226	208	220	215	238	196	206	174	216	135	232	236	243	197	162	252	220	197	224	206
*Average Births in corresponding week of previous 10 years,** ..	229	206	199	250	192	185	205	203	210	198	195	181	202	197	190	177	175	227	204	206	203	234	212	210	213	214
DEATHS registered, ...	134	136	157	141	134	147	124	148	145	177	190	172	180	177	158	155	205	174	177	181	177	239	217	211	229	208
Annual Death-rate per 1,000, ..	17·5	17·8	20·6	18·8	17·5	16·6	16·2	19·4	19·0	23·2	24·9	22·5	23·6	23·2	20·7	20·3	26·8	22·5	22·9	23·4	22·9	30·9	28·1	27·3	29·5	26·9
*Average Deaths in corresponding week of previous 10 years,**	169	164	171	168	164	166	173	166	179	182	184	187	190	190	**187**	195	184	217	210	206	201	200	196	207	221	221
AGES, Under 5 years, ...	38	38	47	35	35	36	41	35	40	45	41	37	43	37	51	44	71	49	57	57	55	76	58	67	67	57
AGES, 5—20 ,, ...	6	9	8	10	12	6	14	17	10	12	9	8	9	8	10	8	11	12	13	10	13	11	9	9	16	8
AGES, 20—40 ,, ...	25	26	28	27	20	17	21	33	21	26	28	18	24	25	19	23	19	30	25	20	31	27	25	19	22	33
AGES, 40—60 ,, ...	28	34	34	27	31	24	25	28	33	33	44	51	47	52	27	31	48	36	23	41	36	54	42	38	42	40
AGES, 60—80 ,, ...	28	19	33	40	33	38	19	34	33	49	61	52	50	45	39	37	40	37	49	45	37	64	62	66	69	57
AGES, 80 years and upwards, ..	9	10	7	5	8	6	4	1	8	7	7	6	10	10	12	9	6	10	10	8	5	7	21	12	12	13
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	1	.	.	1	.	.	.	.	.	.	2	.	1	1	.	.	4	.	.	1	.	.	.	.	.
Scarlet Fever, ...	.	.	1	.	.	1	1	.	.	1	.	1	.	1	1	1	3	2	.	.	1	.	1	2	1	1
Typhus, ...	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Whooping-cough, ...	1	2	.	2	3	.	1	1	1	1	2	.	.	2	2	2	1	3	5	4	1	2	4	1	.	3
Diphtheria, ...	1	1	2	1	1	1	.	.	.	1	2	1	1	.	2	.	1	1	.	3	.	2	2	.	2	.
Pyrexia † (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Enteric Fever, ...	2	2	2	1	.	1	.	1	1	1	.	1	1	1	.	3	2	.	1	.	2	.	.	.	1	2
Diarrhœal Diseases, ...	15	6	6	5	5	4	2	3	2	4	2	4	2	4	1	.	4	2	4	4	2	4	6	2	3	3
Influenza, ...	.	.	.	.	.	3	.	.	1	2	1	2	3	1	1	6	4	2	3	5	1	4	3	2	2	5
Pneumonia, ...	6	8	4	13	11	5	7	13	8	14	18	16	20	28	19	20	22	22	11	21	14	20	17	20	22	17
Tuberculous Phthisis, ..	20	22	21	15	17	12	25	27	19	20	20	17	22	17	15	14	15	24	19	21	23	26	19	19	23	23
Tuberculous Other Forms, ..	1	3	9	7	5	3	4	9	7	8	6	6	7	8	6	4	6	5	6	6	6	17	10	14	13	10
Cancer, Malignant Disease, ..	9	6	18	7	8	9	3	6	10	8	17	7	11	10	8	6	4	8	7	8	11	19	10	8	14	9
Diseases of Heart and Blood Vessels, ...	20	27	14	28	15	18	19	17	19	33	32	27	31	29	25	21	37	29	31	29	17	29	34	40	31	27
Diseases of Respiratory System,	12	8	18	18	9	13	11	14	15	22	22	32	29	23	26	30	41	20	33	29	39	43	55	41	41	39
Violent Deaths, ...	4	3	2	4	5	1	4	2	3	4	6	4	5	4	4	2	2	4	4	1	4	5	1	6	6	5
Number of Uncertified Deaths, ..	5	2	2	3	1	4	4	6	4	5	4	2	3	4	5	7	10	3	3	13	9	13	3	7	2	3
Mean Temperature of the Air (Phœnix Park), ...	50·9	49·0	52·0	53·6	53·2	52·5	51·1	40·3	45·0	41·9	37·7	38·4	41·8	39·1	41·4	33·5	45·9	45·4	42·1	37·5	32·5	34·1	43·7	42·3	39·2	44·0
Average Mean Temperature in corresponding week of previous 10 years, ...	55·2	53·9	53·9‡	53·1	51·5	50·2	48·3	47·1	47·6	45·3	43·7	42·4	43·3	43·0	41·3	42·1‡	40·3	41·3	40·0	41·1	41·7	40·0	38·9	38·9	40·1	40·1
Rainfall in inches, ...	·589	·000	·065	·988	·396	·772	1·896	·134	·117	·733	·037	·251	1·163	1·202	·207	1·183	·340	·128	·986	·240	1·690	·163	·264	1·160	·915	·892
Mean Humidity of the Air, complete Saturation 1·0.	·84	·85	·92	·93	·88	·84	·86	·81	·88	·88	·80	·84	·87	·90	·82	·86	·88	·89	·85	·91	·88	·94	·91	·93	·91	·93

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 5th March, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 5TH MARCH, 1910. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	CAUSES OF DEATH. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases	Total Cols. 10-18.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Convulsions.	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS.	375,350	28·9	208	57	8	33	40	57	13	.	.	1	.	3	.	.	2	3	9	17	28	10	9	8	39	5	83	8
	CLASSES.																												
	Deaths in Families of the—																												
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	12·0	4	.	.	1	.	2	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS, ...	87,188	26·3	44	8	4	7	5	15	5	.	.	.	.	.	.	.	1	.	1	8	5	3	2	2	8	.	20	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,423	13·7	29	8	.	7	8	4	2	.	.	.	.	1	.	.	.	.	1	2	4	1	2	.	5	1	13	2
IV.	GENERAL SERVICE CLASS, ...	154,279	27·0	80	35	3	11	12	17	2	.	.	1	.	2	.	.	1	.	4	10	12	2	2	6	12	4	28	6
V.	INMATES OF WORKHOUSES, ...	6,024	—	51	6	1	7	15	19	3	.	.	.	.	.	.	.	.	2	2	2	7	4	3	.	14	.	19	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	26·7	4	.	.	1	.	2	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	27·0	4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	23·7	10	3	.	2	1	3	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2	1	.	5	.
	6. Clerks and Commercial Assistants, ..	30,482	24·0	14	5	1	2	.	6	.	.	.	.	.	.	.	.	.	.	.	2	2	1	.	.	2	.	7	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	30·9	16	.	3	3	3	5	2	.	.	.	.	.	.	.	1	.	1		2	2	2	.	4	.	5	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
	9. Building and Furnishing Trades, ...	29,801	10·5	6	2	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	2	1
	10. Clothing Trades, ...	28,260	9·0	4	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.
	11. Food Supply Trades, ...	9,242	5·6	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	12. Other Trues and Callings ranking with Trades, ...	30,352	24·1	14	2	.	3	5	2	2	.	.	.	.	.	.	.	.	.	.	.	3	.	1	.	4	.	6	1
	13. Petty Shopkeepers, ...	7,894	6·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c	13,425	7·8	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	15. Domestic Servants, ...	36,603	12·8	9	4	.	3	.	2	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	3	1	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	21·7	6	4	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.	1	1
	17. Hawkers, Porters, Labourers, &c., ..	89,861	36·6	63	27	3	7	12	12	2	.	.	1	.	2	.	.	.	.	3	8	10	2	2	2	10	4	22	5
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates, ...	6,024	—	51	6	1	7	15	19	3	.	.	.	.	.	.	.	.	2	2	2	7	4	3	.	14	.	19	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

	DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	From Diseases in Cols. 5–18.	Total Deaths.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of).	North City, No. 1 (E.)	Jan. 15,	33·1	3·5	19		.	.	2	.	.	.	.	.	2	1	1	.	3	1	.
		„ 22,	12·2	.	7	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1
		„ 29,	24·4	.	14	.	.	.	.	.	.	.	.	.	1	1	.	.	4	2	.
	(*Office*,	Feb. 5,	19·2	.	11	.	.	.	.	.	.	.	.	.	.	2	2	2	1	2	3
	Clarence-st., Nth.)	„ 12,	15·7	.	9	.	.	.	.	.	.	.	.	.	3	.	.	.	2	1	.
		„ 19,	31·4	3·5	18	.	.	1	.	.	.	.	.	1	2	1	1	1	2	1	.
	Pop. in 1910	„ 26,	20·9	.	12	.	.	.	.	.	.	.	.	.	1	1	.	1	1	1	.
	(Est.) 29,908.	Mar. 5,	26·2	.	15	.	.	.	.	.	.	.	.	.	1	1	.	1	3	2	3
	North City, No. 1 (W.)	Jan. 15,	30·0	.	23	.	.	.	.	.	.	.	.	.	3	.	1	.	8	.	2
		„ 22,	22·2	.	17	.	.	.	.	.	.	.	.	.	1	4	1	.	1	.	.
		„ 29,	30·0	1·3	23	.	.	.	.	1	.	.	.	.	2	2	.	1	6	1	3
	(*Office*,	Feb. 5,	32·6	5·2	25	.	.	.	.	2	.	.	.	2	1	2	1	3	7	.	1
	Summer-hill.)	„ 12,	40·4	6·5	31	.	.	.	.	1	1	.	.	3	3	3	.	2	10	.	1
		„ 19,	30·0	1·3	23	.	.	.	.	.	.	.	.	1	2	2	1	.	5	.	.
		„ 26,	31·3	1·3	24	.	.	.	.	.	.	.	.	1	4	2	1	2	4	1	.
	Pop. in 1910	Mar. 5,	37·8	3·9	29	.	.	.	.	1	.	.	1	1	2	3	3	2	7	.	1
	(Est.) 39,974.																				
	North City, No. 2.	Jan. 15,	13·6	.	8	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	1
		„ 22,	30·5	5·4	18	.	.	.	.	1	.	.	.	1	1	1	1	.	2	.	1
		„ 29,	35·6	1·7	21	.	.	.	.	.	.	.	.	1	.	2	1	1	3	1	1
	(*Office*,	Feb. 5,	44·1	1·7	26	.	.	.	.	.	.	.	.	1	2	.	2	1	5	.	.
	Lisburn-street.)	„ 12,	32·2	1·7	19	.	.	.	.	.	.	.	.	1	.	.	3	2	3	.	.
		„ 19,	25·6	.	21	.	.	.	.	.	.	.	.	.	4	2	.	2	4	.	.
		„ 26,	23·0	1·7	13	.	.	.	.	.	.	.	.	1	1	2	.	.	4	1	.
	Pop. in 1910	Mar. 5,	32·2	3·4	19	.	.	1	.	1	.	.	.	.	2	2	1	.	2	.	.
	(Est.) 30,744.																				
	North City, No. 3.	Jan. 15,	13·6	1·6	12	.	.	.	.	1	.	.	.	.	1	1	.	2	2	.	1
		„ 22,	13·6	1·6	12	.	.	.	.	.	.	.	.	1	4	1	1	1	.	.	1
		„ 29,	21·8	.	14	.	.	.	.	.	.	.	.	.	2	4	.	1	3	.	.
	(*Office*,	Feb. 5,	23·8	.	15	.	.	.	.	.	.	.	.	.	2	2	1	.	2	.	.
	Benburb-street.)	„ 12,	26·4	1·6	17	.	.	.	.	1	.	.	.	.	2	2	1	.	.	.	.
		„ 19,	35·7	1·6	23	.	.	.	.	.	.	1	.	.	2	2	4	.	4	.	.
		„ 26,	45·2	.	31	.	.	.	.	.	.	.	.	.	3	3	3	1	5	1	.
	Pop. in 1910	Mar. 5,	18·6	.	12	.	.	.	.	.	.	.	.	.	2	4	.	.	1	.	.
	(Est.) 33,559.																				
	South City, No. 1.	Jan. 15,	21·4	1·3	17	.	.	.	.	.	.	.	.	1	1	3	2	2	5	1	1
		„ 22,	17·6	1·3	14	.	.	.	.	.	1	.	.	.	1	1	.	1	6	.	1
		„ 29,	18·9	.	15	.	.	.	.	.	.	.	.	.	2	1	1	1	4	.	.
	(*Office*,	Feb. 5,	21·4	.	17	.	.	.	.	.	.	.	.	.	1	1	1	1	4	.	2
	Sth. Earl-street.	„ 12,	21·4	1·3	17	.	.	.	.	.	.	.	.	1	2	1	1	1	5	.	.
		„ 19,	40·2	.	32	.	.	.	.	.	.	.	.	.	3	5	3	2	4	1	1
	Pop. in 1910	„ 26,	33·9	.	27	.	.	.	.	.	.	.	.	.	2	4	2	.	6	.	.
	(Est.) 41,476.	Mar. 5,	16·3	1·3	13	.	.	.	.	.	.	.	.	1	.	2	1	.	2	.	.
	South City, No. 2.	Jan. 15,	33·4	2·4	16	.	.	.	.	.	.	.	.	1	.	4	1	.	3	1	1
		„ 22,	28·8	2·4	12	.	.	.	.	.	1	.	.	.	.	2	1	.	2	.	1
		„ 29,	9·6	2·4	4	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	(*Office*,	Feb. 5,	45·5	.	19	.	.	.	.	.	.	.	.	.	3	.	3	2	6	.	1
	Castle-street.)	„ 12,	45·5	.	19	.	.	.	.	.	.	.	.	.	1	1	1	1	9	.	.
		„ 19,	19·2	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.
	Pop. in 1910	„ 26,	48·1	.	18	.	.	.	.	.	.	.	.	.	.	1	.	1	5	.	1
	(Est.) 21,751.	Mar. 5,	31·2	.	18	.	.	.	.	.	.	.	.	.	3	2	2	.	3	.	1
	South City, No. 3.	Jan. 15,	21·7	.	18	.	.	.	.	.	.	.	.	.	.	5	1	.	3	1	.
		„ 22,	30·2	3·6	25	.	.	.	.	2	1	.	.	.	2	3	1	1	6	.	2
		„ 29,	26·5	.	22	.	.	.	.	.	.	.	.	.	3	6	.	1	8	.	4
	(*Office*,	Feb. 5,	33·8	.	28	.	.	.	.	.	.	.	.	.	2	1	3	.	4	1	2
	Peter-street.)	„ 12,	41·0	4·8	34	.	.	.	.	2	1	.	.	1	2	4	1	2	7	.	.
		„ 19,	31·4	.	26	.	.	.	.	.	.	.	.	.	2	2	1	1	9	2	.
	Pop. in 1910	„ 26,	35·0	1·3	29	.	.	.	.	.	1	.	.	.	2	2	1	4	6	.	.
	(Est.) 43,227.	Mar. 5,	26·5	1·2	22	.	.	.	.	.	1	.	.	1	2	1	.	1	8	1	.
	South City, No. 4.	Jan. 15,	24·7	.	17	.	.	.	.	.	.	.	.	.	2	1	.	2	3	.	2
		„ 22,	30·5	.	21	.	.	.	.	.	.	.	.	.	5	2	.	.	2	1	2
		„ 29,	18·9	1·5	13	.	.	1	.	.	.	.	.	.	1	.	2	1	1	.	2
	(*Office*,	Feb. 5,	37·8	2·9	26	.	.	.	.	2	.	.	.	.	3	2	2	2	8	1	2
	Grand Canal-st.)	„ 12,	28·3	.	16	.	.	.	.	.	.	.	.	.	1	.	1	.	4	.	.
		„ 19,	14·5	1·5	10	.	.	1	.	.	.	.	.	.	1	.	.	1	1	.	.
	Pop. in 1910	„ 26,	30·5	1·5	21	.	.	1	.	.	.	.	.	.	5	1	3	1	6	.	2
	(Est.) 35,881.	Mar. 5,	32·0	.	22	.	.	.	.	.	.	.	.	.	.	4	.	2	4	2	2

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From all Causes	From Diseases in Cols. 5–13.	Total Deaths.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	Jan. 15,	15·5	1·4	11	.	.	.	.	1	.	.	.	.	2	.	.	.	1	.	.
	„ 22,	18·3	2·8	13	.	.	.	.	.	.	.	.	2	2	1	.	1	4	.	1
	„ 29,	15·5	.	11	.	.	.	.	.	.	.	.	.	1	1	1	3	.	.	.
	Feb. 5,	29·6	.	21	.	.	.	.	.	.	.	.	.	1	3	1	2	2	.	1
	„ 12,	11·3	.	8	.	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.
	„ 19,	15·5	1·4	11	.	.	.	.	1	.	.	.	.	1	1	.	.	3	.	3
	„ 26,	19·7	1·4	14	.	.	.	.	.	.	.	1	.	1	.	2	1	1	.	.
	Mar. 5,	19·7	1·4	14	.	.	.	.	1	.	.	.	.	2	3	.	.	4	.	.
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	Jan. 15,	5·4	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 22,	21·6	.	12	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.
	„ 29,	12·6	.	7	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
	Feb. 5,	23·4	.	13	.	.	.	.	.	.	.	.	.	.	4	.	1	1	.	1
	„ 12,	27·0	.	15	.	.	.	.	.	.	.	.	.	.	4	1	1	3	.	.
	„ 19,	19·8	.	11	.	.	.	.	.	.	.	.	.	.	.	2	1	1	1	1
	„ 26,	21·6	1·8	12	.	.	.	.	.	.	.	.	1	1	1	1	1	1	1	1
	Mar. 5,	19·8	.	11	.	.	.	.	.	.	.	.	.	1	2	.	.	3	.	1
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	Jan. 15,	29·6	3·0	10	.	.	.	.	1	.	.	.	.	.	1	.	1	.	.	1
	„ 22,	28·7	3·0	8	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	.
	„ 29,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
	Feb. 5,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.
	„ 12,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 19,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 26,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	Mar. 5,	28·7	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
Belfast. Pop. in 1910 (Est.) 391,167.	Jan. 15,	22·7	1·7	170	.	.	.	.	13	.	.	.	.	20	14	10	10	31	8	1
	„ 22,	16·7	1·9	125	.	.	.	.	13	1	.	.	.	9	12	3	5	21	5	6
	„ 29,	20·1	1·9	151	.	.	.	.	13	.	.	1	.	16	15	10	4	29	7	3
	Feb. 5,	22·0	2·8	165	.	.	.	.	19	.	.	.	2	14	16	8	8	28	2	2
	„ 12,	22·9	2·3	172	.	.	2	.	15	.	.	.	.	16	15	4	7	40	2	1
	„ 19,	20·8	2·8	156	.	1	.	.	17	.	.	1	2	11	14	8	6	19	5	5
	„ 26,	18·7	2·3	140	.	.	1	.	14	1	1	.	.	16	20	7	5	21	3	2
	Mar. 5,	22·0	1·9	165	.	1	.	.	11	.	.	.	2	12	23	9	3	24	10	2
Cork. Pop. (in 1901) 76,122.	Jan. 15,	23·3	0·7	34	.	.	1	.	.	.	.	.	.	5	1	3	1	6	.	.
	„ 22,	15·1	.	22	.	.	.	.	.	.	.	.	.	2	5	.	.	3	.	.
	„ 29,	21·9	1·4	32	.	.	.	.	.	1	.	1	.	2	6	1	.	5	.	1
	Feb. 5,	31·5	0·7	46	.	.	.	.	.	.	.	.	1	4	7	1	4	9	1	5
	„ 12,	26·7	.	39	.	.	.	.	.	.	.	.	.	3	6	8	1	4	.	2
	„ 19,	26·7	1·4	39	.	.	.	.	1	.	.	.	1	2	3	3	1	11	.	5
	„ 26,	23·3	0·7	34	.	.	.	.	.	.	.	1	.	2	5	7	2	3	.	1
	Mar. 5,	23·3	.	34	.	.	.	.	.	.	.	.	.	1	4	3	3	5	.	2
Londonderry. Pop. in 1910 (Est.) 43,477.	Jan. 15,	22·8	.	19	.	.	.	.	.	.	.	.	.	1	2	.	3	5	.	2
	„ 22,	14·4	.	12	.	.	.	.	.	.	.	.	.	2	1	2	.	2	.	.
	„ 29,	21·6	.	18	.	.	.	.	.	.	.	.	.	1	3	2	.	2	.	2
	Feb. 5,	14·4	.	12	.	.	.	.	.	.	.	.	.	1	2	1	.	5	.	.
	„ 12,	20·4	.	17	.	.	.	.	.	.	.	.	.	3	5	.	.	3	.	1
	„ 19,	14·4	.	12	.	.	.	.	.	.	.	.	.	1	1	.	4	2	1	.
	„ 26,	10·8	.	9	.	.	.	.	.	.	.	.	.	2	2	.	.	1	.	.
	Mar. 5,	25·2	.	21	.	.	.	.	.	.	.	.	.	3	2	2	2	4	1	.
Limerick. Pop. (in 1901) 38,151.	Jan. 15,	30·1	.	22	.	.	.	.	.	.	.	.	.	1	4	1	.	9	.	1
	„ 22,	20·5	.	15	.	.	.	.	.	.	.	.	.	.	4	.	.	4	.	3
	„ 29,	16·4	1·4	12	.	.	.	.	1	.	.	.	.	.	2	.	1	5	.	1
	Feb. 5,	27·3	1·4	20	.	.	.	.	1	.	.	.	.	.	3	1	.	5	.	4
	„ 12,	16·4	.	12	.	.	.	.	.	.	.	.	.	1	2	1	.	4	.	2
	„ 19,	12·3	.	9	.	.	.	.	.	.	.	.	.	.	2	.	1	2	.	1
	„ 26,	21·9	2·7	16	.	.	.	.	2	.	.	.	.	1	2	.	1	4	.	3
	Mar. 5,	13·7	4·1	10	.	.	.	.	2	.	.	.	1	1	.	.	.	.	.	.
Waterford. Pop. (in 1901) 26,769.	Jan. 15,	23·4	3·9	12	.	.	.	.	2	.	.	.	.	.	2	.	.	1	.	.
	„ 22,	17·5	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.
	„ 29,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.
	Feb. 5,	21·4	.	11	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	2
	„ 12,	41·8	.	28	.	.	.	.	.	.	.	.	.	2	.	1	3	8	.	4
	„ 19,	29·2	1·9	15	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	3
	„ 26,	17·5	.	9	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	2
	Mar. 5,	17·5	.	9	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 5th March, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from		Total No. of Deaths.	DEATHS: AGES AT DEATH.						DEATHS FROM																		
			All Causes.	Diseases in Cols. 12-20.		Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,		5			6	1	.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	2	.
Do. 2 do.		38			21	1	1	1	5	6	7	.	.	.	.	.	.	.	.	.	1	6	.	1	1	1	6	2	
Do. 3 do.		36			12	1	2	3	4	.	2	.	.	.	.	.	.	.	.	1	3	3	3	.	1	.	.	1	.	
Do. 4 do.		25			19	4	3	.	5	3	4	.	.	.	.	.	.	.	.	.	1	5	.	.	3	1	2	10	.	
Do. 5 do.		15			11	3	.	.	1	5	2	.	.	.	.	.	.	.	.	.	.	.	1	.	2	2	2	1	.	
Do. 6 do.		14			14	3	3	2	1	3	2	.	.	.	.	4	.	.	.	.	1	.	3	1	.	.	.	3	.	
Do. 7 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Do. 8 do.	(349,180	2			4	1	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2	.	
Do. 9 do.		20			10	3	.	1	1	4	1	.	.	.	.	1	.	.	.	1	2	.	.	.	1	.	.	2	.	
Do. 10 do.		23			14	3	3	1	1	1	5	.	1	.	.	.	.	.	.	.	1	2	2	.	2	1	2	1	.	
Do. 11 do.		21			14	4	1	.	3	2	4	.	.	.	.	1	.	.	.	.	1	1	.	1	2	2	3	3	.	
Do. 12 do.		17			17	4	2	2	1	6	2	.	.	.	.	2	.	.	.	.	.	4	.	.	5	1	1	5	.	
Do. 13 do.		12			4	.	.	.	2	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	1	.	
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Do. 15 ‡ do.		11			12	5	5	.	4	4	1	.	.	.	.	3	.	.	.	.	2	.	.	.	3	1	1	5	.	
Total, ...	—	289	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		165‡	33	21	11	29	37	34	.	1	.	.	11	.	.	.	2	12	23	9	8	24	10	13	42	2
City of Cork.																														
CORK URBAN No. 1 DISTRICT, .	12,867	7	24·8	.	6	1	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	1	
Do. 2 do. .	10,701	7	9·7	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	
Do. 3 do. .	9,978	4	20·9	.	4	1	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	2	.	
Do. 4 do. .	8,666	2	48·1	.	8	1	1	.	.	3	3	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	1	1	
Do. 5 do. .	6,592	3	39·6	.	5	.	2	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	2	.	
Do. 6 do. .	10,702	6	24·4	.	5	1	.	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Do. 7 do. .	16,616	11	12·6	.	4	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	2	.	
Total, ...	76,122	40	23·3	.	34	5	4	1	5	7	12	.	.	.	.	.	.	.	.	.	1	4	3	3	5	.	.	9	2	

* Formerly described as Simple Continued Fever. ‡ See note (†) to Table IX.

† New districts formed as from 1st Jan., 1910, and the boundaries of Nos. 1, 4 & 6 districts altered; the population of each of these districts, as at present constituted, is not available.

TABLE IX.—**City of Belfast.**—Comparative Tables of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1909-10—Week ending																								
	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb 12.	Feb. 19.	Feb. 26.	Mar. 5.
No. of weeks in annual Series, ..	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9
BIRTHS registered, ...	204	181	186	194	208	228	218	202	205	174	180	168	189	190	181	170	215	278	192	180	216	214	213	196	202	239
DEATHS registered, ...	124	98	121	99	95	104	96	116	116	130	134	167	147	218	177	144	193	148	170	125	151	165	172	156	140	165†
Annual Death rate per 1,000 of estimated Population, ...	16·7	12·5	16·3	13·4	12·8	14·0	12·9	15·6	15·6	17·5	18·1	22·5	19·8	29·4	23·9	19·4	25·9	19·7	22·7	16·7	20·1	22·0	23·9	20·8	18·7	23·0
AGES — Under 1 year, ...	44	24	35	30	21	24	17	22	28	30	28	41	44	62	41	33	48	36	43	25	33	28	37	31	23	33
1-5 years, ...	12	18	18	14	10	8	11	14	11	8	14	27	14	21	18	22	25	28	21	20	21	28	21	20	21	21
5-20 years, ...	7	4	11	8	5	9	9	9	7	11	4	11	10	18	13	10	12	8	9	9	14	2	8	13	12	11
20-40 years, ...	16	14	15	16	12	23	14	27	22	28	22	20	20	31	22	23	28	17	24	17	22	30	18	26	19	29
40-60 years, ...	20	19	17	17	20	15	26	13	19	27	28	31	28	33	33	20	34	26	28	23	21	30	42	31	36	37
60 years and upwards, ..	25	19	30	14	27	25	19	31	29	31	38	37	36	53	50	36	45	38	40	27	40	47	46	35	29	34
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.
Scarlet Fever, ...	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	5	7	7	4	3	2	.	5	4	4	4	7	6	15	9	10	13	12	13	13	13	19	15	17	14	11
Diphtheria, ...	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	1	.	1	.	.	.	.	1	.
*Pyrexia** (origin uncertain), ..	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Enteric Fever, ...	.	.	.	2	2	3	.	.	.	2	.	.	.	1	.	.	.	2	.	.	1	.	.	1	.	.
Diarrhœal Diseases, ...	16	15	13	11	11	5	5	3	4	2	2	1	3	2	1	1	1	2	.	.	.	2	.	2	.	2
Pneumonia, ...	5	4	3	6	8	9	5	8	15	13	17	25	31	25	23	22	34	12	20	9	16	14	16	11	16	12
Tuberculous Disease, Phthisis, ..	13	4	17	12	7	11	9	14	6	14	8	8	11	26	14	17	13	14	14	12	15	18	15	14	20	23
Tuberculous Disease, Other Forms, ..	7	4	8	6	2	5	5	10	2	11	3	16	4	11	4	4	6	4	10	3	10	8	4	8	7	9
Cancer, Malignant Disease, ..	7	8	6	6	8	2	4	3	5	7	7	1	3	7	5	5	3	2	10	5	4	8	7	6	5	3
Diseases of Respiratory System,	15	6	15	5	9	10	12	14	21	17	31	42	41	53	37	39	41	28	31	21	29	24	40	19	21	24
Violent Deaths, ...	.	2	1	3	1	2	4	2	3	2	2	3	5	5	6	4	3	3	3	5	7	2	2	5	3	10
Number of Uncertified Deaths, ..	1	.	.	.	1	.	1	1	2	1	.	1	3	3	2	3	1	2	1	6	3	2	1	5	2	2

* Formerly described as "Simple Continued Fever."
† Including one death from cerebro-spinal fever

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	Mar. 5,	2,393	1,346	14·4	.	39	6	9	46	3*a*	10
EDINBURGH, ...	360,276	„ 5,	149	83	12·0	.	2	1	1	1	.	1
GLASGOW, ...	884,505	„ 5,	440	299	17·6	.	28	3	9	1	3*a*	6
CALCUTTA, ...	1,009,008	Jan. 29,	.	616	31·7	1	5	.	.	2	88‡	150*
BOMBAY, ...	977,822	Feb. 1,	408	662	35·2	21	2	.	.	.	82‡	69
MADRAS, ...	509,346	Jan. 14,	258	351	35·8	.	2	?	?	?	119	47
CAIRO, ...	677,663	„ 14,	591	379	29·2	.	.	.	8†	?	2*a*	20
PARIS, ...	2,760,000	„ 29,	950	956	18·1	.	20	.	2†	3	2*a*	19
BRUSSELS, ...	704,975	Feb. 12,	241	197	14·5	.	2	1	4†	.	1	5
ANTWERP, ...	317,171	„ 12,	109	81	13·3	.	1	2	.	1	.	5
AMSTERDAM, ...	568,131	„ 12,	275	165	15·1	.	2	.	1†	5	1*a*	2
COPENHAGEN, ...	450,000	„ 12,	211	150	17·4	.	.	4	1†	4	.	3
STOCKHOLM, ...	339,582	„ 12,	128	109	16·7	.	9	1	2†	4	1*a*	2
CHRISTIANIA, ...	235,674	„ 19,	129	59	13·0	.	.	1	1†	.	.	.
ST. PETERSBURG, ...	1,620,000	Jan. 29,	805	794	25·6	12	27	23	16	14	5	65
MOSCOW, ...	1,359,886	„ 22,	.	759	29·1	2	27	27	24†	3	14	43*
BERLIN, ...	2,123,808	„ 29,	849	613	15·1	.	3	15	19†	7	1	27
HAMBURG, ...	895,804	Feb. 12,	.	257	14·9	.	5	2	12†	1	1	13
BRESLAU, ...	508,349	„ 12,	.	163	16·7	.	.	2	2†	1	.	7
MUNICH, ...	576,000	„ 19,	.	186	16·8	.	.	1	1†	1	1	12
VIENNA (with suburbs),	2,085,888	„ 12,	805	667	16·6	.	15	4	7†	4	1*a*	43
BUDA-PESTH, ...	833,703	„ 12,	440	366	22·8	.	3	7	2†	5	2*a*	20
PRAGUE and Fauxbourgs.	491,531	Jan. 29,	206	195	20·5	.	2	.	3†	2	1*a*	13
TRIESTE, ...	218,727	Feb. 5,	175	137	32·7	.	2	.	2†	3	.	.
ROME, ...	575,485	Jan. 1,	258	195	17·7	.	.	1	.	1	6	9
VENICE, ...	179,286	„ 1,	70	60	17·5	.	2	.	3†	.	.	2
		„ 8,	79	77	22·4	.	.	.	1†	.	.	3
NEW YORK, ...	4,711,956	Feb. 5,	2,647	1,466	16·2	.	17	26	42†	3	5	37
PHILADELPHIA, ..	1,598,400	Jan. 22,	.	629	20·5	.	.	5	7†	.	10*a*	26
BOSTON, ...	629,868	Feb. 12,	.	244	20·2	.	1	1	4	.	.	6

* Including 81 deaths from cholera in Calcutta, and one in Moscow.
† Including deaths from croup.
‡ Including 8 deaths from plague in Calcutta and 29 in Bombay.
a Enteric Fever.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 5th March, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	2	.	.	.	2
„ „ 1, West,	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 2,	.	1	.	.	.	.	.	1	2	.	.	1	5
„ „ 3,	.	.	.	.	2	.	.	.	2	.	.	8	12
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	1	.	.	.	1	2
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	6	.	.	1	.	1	.	3	.	.	8	19
„ „ 2,	.	.	.	.	.	.	.	.	.	.	.	4	4
„ „ 3,	.	1	.	.	1	.	1	.	2	.	.	1	6
„ „ 4,	.	.	.	.	.	.	.	1	.	.	.	2	3
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	8	.	.	4	.	2	3	11	.	.	25	53	

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 5th March, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 5th March.			
	Feb. 12.	Feb. 19.	Feb. 26.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	5	3	2	1	1	.	2
Scarlet Fever,	66	58	55	17	6	.	66*
Typhus,	2	2	2	.	.	.	2
Diphtheria,	37	43	41	11	5	1	46
Enteric Fever,	31	38	35	3	7	1	30
Pneumonia,	39	49	44	14	15	1	42

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.Sc., F.R.MET.SOC., reports as follows on the weather during the week ended 5th March, 1910:—

"With the passing of February the changeable, stormy, wet winter of 1909-1910, apparently drew to a close. March, indeed, opened with storm and a heavy rainfall in Ireland, but the weather soon took up as an anticyclone spread westward and northward from the Continent—first to Great Britain and later to Ireland also. At the beginning of the week, this anticyclone did not exist—in fact, on Sunday morning an atmospheric depression of some depth was central over Denmark. But this had almost disappeared by Monday, when a new and more serious disturbance was centred between Donegal and the S.W. of Iceland. This system caused considerable rainfalls in many parts of the British Isles, and at 4 p.m. heavy hail showers, accompanied by thunder, fell in Dublin. In the course of Tuesday, March 1st, a large and deep depression spread slowly in over Ireland from the Atlantic. But its easterly progress was quickly stayed by the rapid development of a high pressure system over France and Germany, ancillary to a large anticyclone pushing westward from Russia. Cold, dry, anticyclonic air now began to pass over Great Britain from S., extending to Ireland later on. In this latter country the first result was a downpour of rain, which was most marked in the West—Blacksod Point and Valentia each receiving 2·34 inches in the 96 hours ended 7 a.m. of Saturday. Very fine, dry, bright weather set in over England on Tuesday, and in Dublin after a dull, muggy day on Wednesday a great improvement took place, the last three days being dry and bracing, with much sunshine on Friday afternoon and throughout Saturday. In Dublin the mean height of the barometer was 29·782 inches, pressure ranging from 29·490 inches at 9 a.m. of Monday (wind, W.N.W.) to 29·950 inches at 9 p.m. of Thursday (wind, S.S.E.). The corrected mean temperature was 44·6°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 44·2°. On Tuesday the screened thermometers fell to 34·2°, on Wednesday they rose to 53·5°. The prevalent winds were S and S.E. Rain fell on four days to the amount of ·682 inch, of which ·400 inch was measured on Tuesday. A brilliant meteor was seen at 6.32 p.m. of Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·609 inches. The highest reading (29·775) was on Thursday at 9 p.m., wind S.E., and the lowest (29·320) on Monday at 9 a.m., wind S.W.

The mean temperature for the week was 44·0°, being 3·9° above the average for the corresponding period of the 10 years, 1900–1909. The temperature was highest on Wednesday, on which day the thermometer registered 52·4°, and was lowest on Tuesday, the mercury having fallen to 31·9°. The mean of the Dry Bulb for the week was 44·2° and of the Wet Bulb 43·1°. The mean humidity of the air was ·93, complete saturation being represented by 1·0. The rainfall during the week measured 0·392 inch.

At Greenwich the mean temperature for the week was 41·8°, the maximum 57·0°, and the minimum 30·1°; at Glasgow the maximum was 52·8°, the minimum 31·4°, and the mean 42·7°; and at Edinburgh the maximum was 50·8°, the minimum 32·7°, and the mean 40·2°. The rainfall at Greenwich measured 0·15 in., at Glasgow 1·02 ins., and at Edinburgh 0·26 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY	BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity. complete saturation =1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In		
Sunday, February 27,	29·607	48·0	33·8	40·9	39·6	38·9	·95	·5	5·4	·185	W.	S.E.
Monday, „ 28	29·446	50·1	34·7	42·4	38·0	37·7	·97	·6	2·4	·095	S.W.	S.W.
Tuesday, March 1,	29·595	49·1	31·9	40·5	44·1	43·1	·91	·6	1·3	·112	S.W.	S.S.W.
Wednesday, „ 2,	29·575	52·4	41·7	47·1	50·4	49·0	·91	·5	0·0	·000	S.S.W.	S.
Thursday, „ 3,	29·748	50·9	44·7	47·8	46·5	45·2	·91	·5	0·4	·000	S.S.E.	S.E.
Friday, „ 4,	29·653	46·2	39·9	43·1	43·6	42·5	·92	·0	1·5	·000	S.E.	E.S.E.
Saturday, „ 5,	29·637	51·7	40·1	45·9	47·1	45·5	·89	·2	8·8	·000	S.E.	S.E.
Mean, . . .	29·609	49·8	38·1	44·0	44·2	43·1	·93	·4	Total 19·8	Total ·392	Prevailing Wind, S.E.	

Sunday—Day cloudy, rain a.m.; night overcast, heavy and light rain a.m. *Monday*—Day overcast to cloudy, passing showers, rain, hail; night clear. *Tuesday*—Day cloudy to overcast, rain p.m.; night overcast, drizzle and heavy rain a.m. *Wednesday*—Day overcast; night cloudy. *Thursday*—Day overcast to cloudy; night overcast. *Friday*—Day overcast to cloudy; night clear. *Saturday*—Day cloudy, fine; night clear.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, March 5th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperatures in Shade, read at 9 p.m.			Sunshine Campbell-Stokes Recorder) read at 9 p.m	Rainfall read at 9 a.m.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
	°	°	°	°	°	°	hrs	ins.
Sunday, February 27,	40·2	39·8	43·3	48·0	35·0	41·5	5·3	·182
Monday, „ 28,	42·1	41·0	43·2	49·0	36·0	42·5	2·3	·180
Tuesday, March 1,	41·1	40·1	43·2	49·9	34·2	42·1	1·3	·320
Wednesday, „ 2,	52·7	42·0	43·2	54·0	45·4	49·7	—	—
Thursday, „ 3	48·2	43·4	43·3	51·1	44·7	47·9	1·0	—
Friday, „ 4,	43·3	43·3	43·4	46·7	42·3	45·0	2·3	—
Saturday, „ 5,	46·9	42·6	43·8	50·5	40·5	45·5	8·6	·005
Weekly Mean, . .	44·9	41·7	43·3	49·9	39·7	44·9	Total 20·8	Total ·687

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

(28110). Wt. P. 345. 375. 11. 1909. G. III. Sch. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 12TH MARCH, 1910. [No. 10.

General Register Office, Charlemont House, Dublin, 14th March, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending				Average Rate for 4 weeks.	TOWNS, &c.	Week ending				Average Rate for 4 weeks.
	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.			Feb 19.	Feb. 26.	Mar. 5.	Mar. 12.	
22 Town Districts.	**22·8**	**22·8**	**22·4**	**22·0**	**22·5**	Limerick, . . .	12·3	21·9	13·7	15·0	15·7
						Lisburn, . . .	27·3	22·7	13·6	18·2	20·5
Armagh, . . .	20·6	13·7	20·6	13·7	17·2	Londonderry, . .	14·4	10·8	25·2	18·0	17·1
Ballymena, . . .	14·4	19·2	33·5	14·4	20·4	Lurgan, . . .	22·1	22·1	17·7	26·6	22·1
Belfast, ...	20·8	18·7	22·0	21·6	20·8	Newry, . . .	8·4	46·2	8·4	12·6	18·9
Clonmel, . . .	35·9	20·5	.	10·3	16·7	Newtownards, . .	22·9	28·6	11·4	17·2	20·0
Cork, ...	26·7	23·3	23·3	20·5	23·4	Portadown, . .	15·5	15·5	15·5	10·3	14·2
Drogheda, . . .	16·3	20·4	28·6	32·7	24·5	Queenstown, . .	13·2	26·4	19·8	46·1	26·4
Dublin Reg. Area, .	26·5	28·0	25·2	24·8	26·1	Sligo, ...	19·2	9·6	4·8	4·8	9·6
Dundalk, . .	27·9	12·0	19·9	23·9	20·9	Tralee, . . .	15·9	74·0	10·6	5·3	26·4
Galway, . . .	3·9	3·9	38·8	7·8	13·6	Waterford, . . .	29·2	17·5	17·5	27·3	22·9
Kilkenny, . . .	44·2	9·8	14·7	24·6	23·3	Wexford, . . .	18·7	42·0	28·0	28·0	29·2

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·3 per 1,000, the rates varying from 0·0 in seventeen of the districts to 4·2 in Newry, the 3 deaths from all causes for that district including one from diarrhœa. Of the 162 deaths from all causes for Belfast one is from measles, 12 are from whooping-cough, one from enteric fever, and 2 from diarrhœal diseases. Among the 15 deaths from all causes for Londonderry are one from measles, and 2 from diarrhœal diseases, and of the 14 deaths from all causes for Waterford one is from typhus and one from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 247—134 boys and 113 girls—and the deaths to 204—114 males and 90 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of 24·8 per 1,000 of the population, the rate for the total deaths registered in the Area being 26·4 per 1,000. During the ten weeks, ending with Saturday last, the death-rate averaged 26·1, and was 2·4 below the mean rate for the corresponding portions of the ten years 1900-9.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*), Table II. ‡ See columns 10-18 of Table II.

The 204 deaths registered included 2 from whooping-cough, one from diphtheria, and 4* from diarrhœal diseases, 2 of the latter being deaths of children under 5 years of age; there were also registered at this age period 5 deaths from enteritis and one from *gastro-enteritis*. In the three preceding weeks, deaths from whooping-cough were one, 0, and 3; deaths from diphtheria were 0, 2, and 0; and deaths from diarrhœal diseases were 2, 3, and 3, respectively. Deaths from influenza, which numbered, respectively, 2, 2, and 5 in the three preceding weeks, rose to 6 in the period under notice.

There were 2 deaths from lobar pneumonia, 16 from broncho-pneumonia, and 2 deaths from *pneumonia* (not defined).

The number of deaths from all forms of tuberculous disease was 38, including 26 deaths from tuberculous phthisis (*phthisis*), 3 from tuberculous meningitis, one from *tabes mesenterica*, and 8 deaths from other forms of the disease. In the three preceding weeks, the deaths from all forms of tuberculous disease numbered, respectively, 33, 36, and 38.

Six deaths were caused by carcinoma, 2 by sarcoma, and 5 by cancer, malignant disease (undefined).

To prematurity the deaths of 3 infants were ascribed.

Diseases of the brain and nervous system, causing 12 deaths, included 3 deaths of infants under one year of age from *convulsions*.

There were 25 deaths from diseases of the heart and blood vessels, and 34 deaths from bronchitis.

The deaths of 2 persons were ascribed to accident, one death having been caused by scalds.

One death was by homicide.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 2 infants under one year of age and the deaths of 3 persons aged 60 years and upwards.

Fifty-three of the persons whose deaths were registered during the week were under 5 years of age (31 being infants under one year, of whom 9 were under one month old) and 77 were aged 60 years and upwards, including 4 persons aged 70 and upwards, of whom 9 were octogenarians and 3 (females) were stated to have been aged 90, 91 and 96 years, respectively.

One hundred and four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 30 took place in the North Dublin Union Workhouse and 25 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 24·8 per 1,000; the rate in the City was 26·4 (North City Districts, 28·6; South, 24·1) and in the Suburbs, 19·7.

The deaths from certain epidemic diseases† in the entire area equal an annual rate of 0·8 per 1,000 inhabitants, the rate for the City being 1·0 (1·3 in the North City Districts, and 0·7 in the South), and for the Suburbs, 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (21) are equal to an annual rate of 36·6 per 1,000, and include one death from diphtheria, 3 deaths from broncho-pneumonia, 5 deaths from tuberculous disease, and 5 deaths from bronchitis; there was one death homicidally inflicted.

No. 1 North City District, West (Summer-hill).—The deaths (22) are equal to an annual rate of 28·7 per 1,000. Two deaths were caused by *diarrhœa*, one by influenza, 3 by broncho-pneumonia, 4 by tuberculous disease, and 3 by bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 28·8 per 1,000. Among them are 2 from tuberculous disease, 3 from diseases of the respiratory system, and one accidental death.

No. 3 North City District (Benburb-street).—The deaths (15) represent an annual rate of 23·3 per 1,000. One death from epidemic enteritis, one from influenza, 2 deaths from broncho-pneumonia, 3 deaths from tuberculous disease, and 2 deaths from bronchitis were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 26·9 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·6; and Finglas and Glasnevin, part of, 40·7. Of the 6 deaths from all causes for Coolock and Drumcondra, part of, one was from broncho-pneumonia and 2 were from tuberculous phthisis (*phthisis*); and the 6 deaths from all causes for Finglas and Glasnevin, part of, include one from *phthisis* and one from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (25) represent an annual rate of 31·4 per 1,000. There were 2 deaths from broncho-pneumonia, one from *pneumonia* (not defined), 5 from tuberculous disease, and 8 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 21·6 per 1,000. Among them are 4 deaths from tuberculous phthisis (*phthisis*) and one from bronchitis.

No. 3 South City District (Peter-street).—The deaths (18) are equal to an annual rate of 21·7 per 1,000, and include 2 deaths from whooping-cough, one death each from lobar pneumonia and broncho-pneumonia, 3 from tuberculous disease, and 5 from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (16) are equivalent to an annual rate of 23·3 per 1,000. Two deaths were caused by tuberculous phthisis (*phthisis*) and one by bronchitis.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·5 per 1,000. There was one death from tuberculous meningitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 16·9: Pembroke, 25·2: Blackrock, 17·4: and Kingstown, 17·8. There was no death from any of the principal epidemic diseases tabulated for these districts. Of the 12 deaths from all causes for Rathmines and Rathgar there was one death each from influenza, broncho-pneumonia, and *phthisis*; the 14 deaths from all causes for Pembroke include one death from influenza, one from broncho-pneumonia, 3 deaths from tuberculous phthisis, 4 deaths from bronchitis, and one death from scalds; among the 3 deaths from all causes for Blackrock are one from influenza and one from tuberculous disease; and the 6 deaths from all causes for Kingstown include one death each from influenza, pneumonia and bronchitis.

* See note (c) at foot of Table II.

† See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin: Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District: Mr. Manly, Executive Sanitary Officer for Pembroke Urban District: Mr. Heron, Executive Sanitary Officer for Blackrock Urban District: by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District: and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 12th March, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Feb. 19,	.	—	—	5	.	.	11	.	2	6	10	.	—	—	.	—	22	—	56
	Feb. 26,	.	—	—	9	.	.	7	.	1	2	16	.	—	—	.	—	26	—	61
	Mar. 5.	.	—	—	8	.	.	4	.	2	3	11	.	—	—	.	—	25	—	53
	Mar. 12,	.	—	—	12	.	.	4	.	2	3	5	.	—	—	.	—	21	—	47
Rathmines and Rathgar Urban District.	Feb. 19,	.	—	—	.	.	.	.	.	.	2	.	.	—	—	—	—	—	—	2
	Feb 26,	.	—	—	.	.	.	1	.	.	5	.	.	—	—	—	—	—	—	6
	Mar. 5,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	—	1
	Mar. 12,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
Pembroke Urban District.	Feb. 19,	.	.	.	.	.	.	1	2	1	.	.	.	—	2	.	—	—	—	6
	Feb. 26,	.	.	.	.	.	.	.	.	.	.	.	.	—	2	.	—	—	—	2
	Mar. 5.	.	.	.	1	.	.	1	.	.	.	1	.	—	.	.	—	—	—	3
	Mar 12.	.	.	.	1	.	.	.	.	.	1	.	.	—	.	.	—	—	—	2
Blackrock Urban District.	Feb. 19,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Feb. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Mar. 5.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Mar. 12,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Feb 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Feb. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Mar. 5.	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	.	—	1
	Mar. 12,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	Feb. 19,	.	—	—	9	.	.	1	.	1	2	5	3	—	—	—	—	22	—	43
	Feb 26,	.	—	—	16	.	.	4	.	1	2	11	.	—	—	—	—	23	—	57
	Mar. 5,	.	—	—	12	.	.	7	1	1	2	4	1	—	—	—	—	46	—	74
	Mar. 12,	.	—	—	21	.	.	4	.	.	1	8	.	—	—	—	—	21	—	55

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 12th March, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

One case of measles was admitted to hospital during the week, and 3 cases remained under treatment at its close.

Eleven cases of scarlet fever were admitted to hospital, 9 were discharged, and 68* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 58, 55, and 66, respectively.

One case of typhus was discharged from hospital during the week, and one case remained under treatment at its close.

Nine cases of diphtheria were admitted to hospital, 7 were discharged, there were 2 deaths, and 46 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 43, 41, and 46, respectively.

Nine cases of enteric fever were admitted to hospital during the week, 3 were discharged, and 36 cases remained under treatment in hospital at the close of the week.

In addition to the above named diseases, 7 cases of pneumonia were admitted to hospital, 14 were discharged there were 2 deaths, and 33 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 13·4) was equal to an average annual death-rate of 13·6 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·2 per 1,000, the rate for Glasgow being 16·9 and for Edinburgh 19·6.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 12th March. From this Report it appears that of a total of 42 cases notified, 26 were scarlet fever, 7 phthisis, 5 erysipelas, 2 diphtheria, one puerperal fever, and one cerebro-spinal fever. Among the 371 cases of infectious diseases in hospital at the close of the week were 184 cases of scarlet fever, 71 of measles, 61 of phthisis, 20 of diphtheria, 10 of whooping-cough, 10 of erysipelas, 6 of chicken-pox, 4 of enteric fever, and one of puerperal fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 12th March, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 12TH MARCH, 1910.																							METEOROLOGY. ( )											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 12TH MARCH, 1910.				WEEK ENDING 5TH MARCH, 1910.				WEEK ENDING 26TH FEB., 1910.			
	POPULATION.		DEATHS.			BIRTHS.	DEATHS.																			Air Temperature				Air Temperature				Air Temperature			
	Total.(a)	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10-18.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease: Phthisis.	Tubercular Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·2	27·7	22·0	1·3	611	485	81	163	·	2	·	1	15	1	·	1	8	36	73	22	21	79	12	17	173	24	·	·	·	·	·	·	·	·	·	·	·	·
DUBLIN REGISTRATION AREA:—																																							
TOTAL, C.	402,928	29·3	32·0	24·8	0·8	247	192	30	72	·	·	·	·	·	1	·	·	3	17	25	12	13	34	3	3	92	5	c55·2	31·4	43·6	0·88	c52·4	31·9	44·0	0·89	c50·8	28·7	39·2	0·92
CITY OF DUBLIN,	310,298	39·2	35·6	26·4	1·0	212	157	29	50	·	·	·	·	2	1	·	·	3	14	21	11	8	29	2	2	82	5	f55·0	34·1	45·2	0·80	f53·5	34·2	44·6	0·63	f51·3	32·8	40·4	1·50
																												g56·2	31·0	43·7	0·31	g52·9	32·6	44·3	0·54	g50·9	27·4	39·3	1·44
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	18·3	16·9	.	13	14	1	8	·	·	·	·	·	·	·	·	·	1	1	·	2	·	·	·	5	·	·	·	·	·	·	·	·	·	·	·	·	·
PEMBROKE,	28,948	18·2	23·4	25·2	.	18	14	·	8	·	·	·	·	·	·	·	·	·	1	3	·	2	·	1	1	4	·	·	·	·	·	·	·	·	·	·	·	·	·
BLACKROCK,	9,018	8·3	17·4	17·4	.	3	3	·	1	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
KINGSTOWN,	17,622	12·1	17·8	17·8	.	6	6	·	5	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	1	·	54·5	35·0	45·5	0·44	51·5	35·0	44·3	0·53	50·5	33·5	41·0	1·22
URBAN DISTRICTS.																																							
BELFAST,	391,167	26·6	26·8	21·6	2·1	201	162	31	35	·	1	·	·	12	·	·	1	2	10	26	7	5	22	9	12	49	1	54·0	35·0	43·9	1·15	54·0	29·5	42·3	0·56	46·0	30·5	39·3	1·91
CORK,	76,122	33·6	31·5	20·5	.	46	30	4	11	·	·	·	·	·	·	·	·	·	3	6	1	·	3	·	·	12	3	51	37	45·5	1·27	51	36	45·1	1·50	49	34	41·9	1·64
LONDONDERRY,	43,477	20·1	19·2	18·0	3·6	16	15	3	6	·	1	·	·	·	·	·	·	2	·	2	2	1	1	·	·	2	2	·	·	·	·	·	·	·	·	·	·	·	·
LIMERICK,	38,151	18·1	17·8	15·0	.	13	11	1	3	·	·	·	·	·	·	·	·	·	·	5	·	1	1	·	1	5	2	·	·	·	·	·	·	·	·	·	·	·	·
WATERFORD,	26,769	18·7	18·6	27·3	3·9	7	14	·	4	·	·	1	1	·	·	·	·	·	1	5	·	·	1	·	1	6	1	·	·	·	·	·	·	·	·	·	·	·	·
GALWAY,	18,426	2·5	3·9	7·8	.	1	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	54	32	46	0·92	52	32	45	1·16	53	32	42·4	1·2
DUNDALK	18,076	9·4	19·9	28·9	.	5	6	1	2	·	·	·	·	·	·	·	·	·	·	2	·	·	1	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·
DROGHEDA,	12,760	8·6	20·4	32·7	.	5	8	1	5	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
NEWRY,	12,405	17·8	21·0	12·6	4·2		3	1	2	·	·	·	·	·	·	·	·	1	·	·	·	1	3	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·
LURGAN,	11,782	18·8	17·7	26·6	.	4	6	2	3	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	2	·	54·0	29·0	42·5	0·97	53·2	32·7	43·7	0·72	46·8	27·0	38·5	1·05
LISBURN,	11,461	10·1	22·7	18·2	.	5	4	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	3	·	·	1	1	54·0	29·0	42·5	0·97	53·2	32·7	43·7	0·72	46·8	27·0	38·5	1·05
WEXFORD,	11,168	23·2	46·7	28·0	.	10	6	2	3	·	·	·	·	·	·	·	·	·	·	1	·	·	3	·	·	2	·	54·0	29·0	42·5	0·97	53·2	32·7	43·7	0·72	46·8	27·0	38·5	1·05
BALLYMENA,	10,886	8·9	14·4	14·4	.	3	3	·	2	·	·	·	·	·	·	·	·	·	·	1	·	·	3	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
SLIGO,	10,870	8·7	14·4	4·8	.	3	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
KILKENNY,	10,609	11·5	24·8	24·6	.	7	5	·	4	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	54·5	31·0	43·4	2·40	55·2	29·8	43·2	1·05	48·7	24·8	37·5	2·62
CLONMEL,	10,167	7·8	20·5	10·8	.	4	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	1	52	29	42·1	0·78	53	29	44·9	1·05	51	27	34·7	1·40
PORTADOWN,	10,092	18·2	26·8	10·8	.	5	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·
TRALEE,	9,867	16·6	42·3	5·3	.	8	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	54·0	29·0	42·5	0·97	53·2	32·7	43·7	0·72	46·8	27·0	38·5	1·05
NEWTOWNARDS,	9,110	18·9	40·1	17·2	.	7	3	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
QUEEN-TOWN,	7,909	14·4	26·4	46·1	.	4	7	3	2	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	1	·	52	34	43·1	1·19	50	32	42·4	0·55	45	30	38·0	1·22
ARMAGH,	7,588	22·2	34·4	13·7	.	5	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	1	51	87	45·5	1·27	51	86	45·1	1·50	49	34	41·9	1·64
										·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	54·0	29·0	42·5	0·97	53·2	32·7	43·7	0·72	46·8	27·0	38·5	1·05

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (b) Formerly described as "Simple Continued Fever." (c) Exclusive of 12 deaths of persons (including one under one year old and 5 at 60 years or upwards), admitted to hospital from localities outside the Area; of the 12 deaths one was from dysentery. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 12th March, 1910, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist										
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF & HOWTH NO. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	2	.
Diphtheria,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	3	1
Pneumonia,	3	3	.	2	.	1	.	3	.	2	.	.	1	1	.	1	17	3
Tuberculous Disease. Phthisis,	3	2	.	2	.	2	1	3	4	2	2	.	1	3	.	.	25	1
Tuberculous Disease. Other Forms,	2	2	2	1	.	.	.	2	.	1	.	1	.	.	1	.	12	.
Cancer, Malignant Disease,	1	2	1	1	.	.	.	1	.	.	2	.	2	2	1	.	13	.
Other General Diseases,	.	1	1	2	.	2	1	.	.	.	3	1	2	1	1	1	16	2
Total,	10	12	4	9	.	5	2	9	4	7	7	2	6	7	3	2	89	7
B. LOCAL DISEASES:																		
Diseases of Nervous System,	1	1	2	1	.	.	.	1	.	1	1	.	.	.	.	1	9	3
Diseases of Organs of Special Sense,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Heart and Blood Vessels,	2	3	3	1	.	.	3	2	.	1	4	.	4	1	.	1	25	.
Diseases of Respiratory System,	5	3	3	2	.	.	1	8	1	5	1	.	.	4	.	1	34	1
Diseases of Digestive System,	2	1	1	.	.	1	.	1	2	1	2	.	1	.	.	.	12	1
Diseases of Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	1	1	1	.	.	.	.	.	.	.	.	1	1	.	.	5	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	10	10	10	6	.	1	4	12	3	8	8	.	6	6	.	3	87	5
C. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	.	2	.	.	.	.	4	2	3	1	.	.	.	.	1	13	.
E. VIOLENT DEATHS,	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.
Deaths from all Causes	21	22	17	15	.	6	6	25	9	18	16	2	12	14	3	6	192	12
Annual Rate of Mortality from all causes in every 1,000 of the population.	36·6	28·7	28·8	23·3	.	26·9	40·7	31·4	21·6	21·7	23·3	11·5	16·9	25·2	17·4	17·8	24·8	.
	28·6							24·1					19·7					
	26·4																	
Ages at Death. Under 1 year,	4	3	5	1	.	2	.	4	.	5	5	.	1	.	.	.	30	1
Ages at Death. 1 and under 5 years,	4	4	1	3	.	1	.	3	2	3	.	1	.	.	.	.	22	.
Ages at Death. 5 „ 20 „	2	.	1	1	.	.	.	.	.	1	1	.	.	4	.	.	10	2
Ages at Death. 20 „ 40 „	4	4	1	3	.	1	1	3	3	1	2	.	2	1	1	.	27	1
Ages at Death. 40 „ 60 „	1	3	7	2	.	2	1	3	2	1	4	1	1	1	1	1	31	3
Ages at Death. 60 years and upwards,	6	8	2	5	.	.	4	12	2	7	4	.	8	8	1	5	72	5
Number of Uncertified Deaths,	.	.	.	.	.	.	.	2	1	1	1	.	.	.	.	.	5	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	6	4	3	2	.	2	.	5	1	5	3	.	4	3	.	1	39	10
Workhouse Hospitals,	5	8	6	9	.	.	.	7	4	5	6	1	1	1	.	.	53	2

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in week of the ten years 1900–1909

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Average in 10th Week of the 10 years, 1900–1909.	In the Week ending Saturday, 12th March, 1910.							
												Deaths of Persons of the Ages of							
	Mar. 10, 1900.	Mar. 9, 1901.	Mar. 8, 1902.	Mar. 14, 1903.	Mar. 12, 1904.	Mar. 11, 1905.	Mar. 10, 1906.	Mar. 9, 1907.	Mar. 7, 1908.	Mar. 13, 1909.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 38·3	° 41·5	° 44·3	° 41·8	° 38·0	° 42·4	° 46·3	° 43·1	° 37·3	° 38·2	° 41·1	° 43·6								
ALL CAUSES.	247	276	222	200	213	189	187	194	193	223	214·4	204	9	22	22	12	28	34	65	12
Small-pox	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	2	.	6	1	.	1	.	1	.	5	1·6	.	.	.	.	.	.	.	.	.
Scarlet Fever,	1	.	1	1	1	.	.	.	1	1	·6	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	6	16	2	1	6	4	3	.	7	5	5·0	6	.	.	.	.	.	1	4	1
Whooping-cough,	.	10	.	2	6	.	1	7	2	5	3·3	2	.	.	2	.	.	.	.	.
Diphtheria,	2	.	3	2	.	.	2	1	3	2	1·5	1	.	.	1	.	.	.	.	.
Cerebro-spinal Fever,	.	.	.	.	.	.	.	4	1	.	·5	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	1	2	3	3	1	.	.	2	3	1·7	.	.	.	.	.	.	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.),	3	1	1	1	.	.	1	.	.	1	1·4	1	.	.	1	.	.	.	.	.
Diarrhœa, Dysentery,				.	1	.	2	1	2	.		3	.	1	.	.	.	2	.	
Tetanus,	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	2	1	.	2	1	1	2	2	.	1·1	2	.	1	.	.	1	.	.	.
Puerperal Septicæmia,	2	.	.	2	1	.	.	1	.	.	·7	.	.	.	.	.	.	.	.	.
Puerperal Pyæmia,				.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Puerperal Fever,				.	.	.	1	.	.	.		.	.	.	.	.	.	.	.	.
Infective Endocarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	23	20	16	3	10	2 8	8	1 4	5	12	16·8	2 16	.	. 5	. 6	. 2	1 1	1 2	.	.
Pneumonia, Broncho-																				
Pneumonia, Epidemic				11	4	8	10	13	5	5		2	.	.	.	.	1	1	.	
Pneumonia, Not defined,																				
Erysipelas,	.	1	1	.	.	.	3	.	.	.	·5	1	.	.	.	.	1	.	.	
Septicæmia (not Puerperal))	1	.	1	2	.	.	.	.	2	1	·8	.	.	.	.	.	.	.	.	.
Pyæmia (not Puerperal),				.	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
Other Infective Processes,	.	.	.	.	3	1	.	1	.	.	·5	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis,	37	25	38	32	5 25	9 16	15 15	5 16	17 7	7 13	28·2	15 11	.	1	.	3 2	7 5	4 3	1	.
"*Phthisis*,"																				
Tuberculous Meningitis,	8	7	3	3	6	5	3	4	4	2	4·5	3	.	.	2	1	.	.	.	.
Tuberculous Peritonitis,	3	3	.	3	1	1	.	2	2	.	1·5	1	.	.	1	.	.	.	.	.
Tabes Mesenterica,						.	.	.	.	.										
Tuberculous Dis. (other),	3	8	3	10	11	5	6	7	7	13	7·3	8	.	.	2	1	3	2	.	.
Scrofula,				.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Alcoholism,	1	1	.	.	.	3	1	.	.	.	·6	.	.	.	.	.	.	.	.	.
Rheumatic Fever,	.	.	.	1	.	.	.	2	.	1	·4	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Carcinoma,	6	9	7	2	3	1	4	3	3	2	6·4	6	.	.	.	.	2	4	.	
Sarcoma,				.	.	.	.	.	1	.		2	.	.	.	1	.	1	.	
Cancer (undefined)				5	4	2	2	4	2	4		5	.	.	.	.	4	.	1	
Diabetes Mellitus,	.	.	.	.	3	.	2	1	.	1	·7	2	.	.	.	1	1	.	.	
Premature Birth,	7	4	5	1	1	5	4	5	6	3	4·1	3	3	.	.	.	.	.	.	.

* The figures for the year 1900 are for

† Formerly described as

he TENTH WEEK ending Saturday, 12th March, 1910, with the deaths from each cause in the corresponding nd the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 10th Week of the 10 years 1900-1909.	In the Week ending Saturday, 12th March, 1910.							
	Mar. 10, 1900.	Mar. 9, 1901.	Mar. 8, 1902.	Mar. 14, 1903.	Mar. 12, 1904.	Mar. 11, 1905.	Mar. 10, 1906.	Mar. 9, 1907.	Mar. 7, 1908.	Mar. 13, 1909.		Deaths of Persons of the Ages of							
												ALL AGES.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 38·3	° 41·5	° 44·3	° 41·8	° 38·0	° 42·4	° 46·3	° 43·1	° 37·3	° 38·2	° 41·1	° 43·6								
Meningitis (not tuberc.)				5	.	3	2	2	4	1		4	.	1	3	.	.	.	.	.
Insanity, G. P. of Insane				2	2	1	.	1	3	3		3	.	.	.	.	1	1	1	.
Epilepsy				.	1	.	1	1	.	.		1	.	.	.	.	.	.	1	.
Convulsions				8	9	4	5	3	6	6		3	1	2	.	.	.	.	.	.
Locomotor Ataxy				.	.	1	.	.	.	1		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord				1	.	.	.	3	1	.		.	.	.	.	.	.	.	.	.
Nervous System (other Dis.)				.	2	1	1	1	3	1		1	.	.	.	.	1	.	.	.
	40	57	42								47·1									
Valv. Dis., Endocarditis				4	4	8	11	4	3	13		5	.	.	.	1	2	1	1	.
Cerebr. Hæm. Thromb.				2	6	2	2	4	4	6		2	.	.	.	.	1	.	.	1
Apoplexy, Hemiplegia				9	8	8	6	6	3	5		7	.	.	.	.	1	4	2	2
Aneurysm				1	.	.	.	.	.	2		1	.	.	.	.	1	.	.	.
Embolism, Thromb. (not cerebral)				.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Heart and Blood Vessels (other Dis.)				16	23	13	12	18	22	19		10	.	.	.	.	1	1	7	1
Croup (not Spasm. nor Memb.)	.	.	1	1	.	1	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
Bronchitis	54	54	43	21	28	34	24	29	28	32	34·7	34	1	5	.	.	.	3	21	4
Asthma, Emphysema				.	1	.	.	1	1	1		.	.	.	.	.	.	.	.	.
Pleurisy	1	2	5	1	.	.	2	.	.	1	2·6	.	.	.	.	.	.	.	.	.
Respiratory Dis. (other)				2	1	3	2	1	1	.		1	.	.	.	.	.	1	.	.
Tonsillitis, Quinsy	.	.	.	.	.	.	1	1	.	2		.	.	.	.	.	.	.	.	.
Enteritis (not Epid.)	.	.	1	.	3	.	.	.	.	2	1·4	5	.	2	3	.	.	.	.	.
Gastro Enteritis				.	.	3	.	2	1	2		1	1	.	.	.	.	.	.	.
Peritonitis (not Puerp.)	.	3	1	.	.	.	.	2	.	2	·8	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver	2	4	.	1	1	1	2	1	.	.	2·3	2	.	.	.	.	.	1	1	.
Liver Dis. (other)				.	1	5	1	2	2	.		.	.	.	.	.	.	1	2	.
Digestive Dis. (other)	5	4	2	5	7	4	8	7	4	7	5·3	5	1	.	.	.	.	2	2	.
Nephritis, Acute				1	.	1	2	2	1	1		1	.	.	.	.	1	.	.	.
Bright's Dis., Albuminuria	4	8	3	3	2	1	3	1	4	3	4·9	3	.	.	.	.	1	2	.	.
Urinary Sys. (other Dis.)				.	2	1	3	.	.	3		1	.	.	.	.	.	1	.	.
Generative Organs Dis.	.	1	.	.	.	1	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
Childbirth (Accid. of)	.	.	.	2	.	.	1	.	.	2	·5	.	.	.	.	.	.	.	.	.
Old Age	13	19	16	4	3	5	6	5	4	6	8·1	5	.	.	.	.	.	.	3	2
Other Diseases	19	11	14	15	8	12	7	10	7	13	11·6	14	2	4	1	.	.	1	6	.
ACCIDENT.																				
By Railways	.	.	.	.	.	.	.	.	2	.	·2	.	.	.	.	.	.	.	.	.
By Vehicles and Horses	.	.	.	1	.	1	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
In Building Operations	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
In Conflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	1	.	1	4	.	.	.	1	2	.	·9	1	.	.	.	1	.	.	.	.
By Drowning	.	2	.	2	.	.	.	.	2	.	·6	.	.	.	.	.	.	.	.	.
By Suffocation in Bed	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident	1	2	2	1	3	2	.	.	2	1	1·4	1	.	.	.	.	.	1	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	.	1	.	.	.	1	1	1	1	·2	1	.	.	.	1	.	.	.	.
Suicide	.	.	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Execution	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.

the Registration Area as then constituted.
"Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1909-10—Week ending																									
	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12
No. of weeks in Annual Series,	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10
BIRTHS registered.	207	215	250	193	184	226	208	220	215	238	196	206	174	216	185	232	236	243	197	161	252	220	197	224	206	247
*Average Births in corresponding week of previous 10 years,** ..	206	199	250	192	186	205	203	210	198	195	181	202	197	190	177	175	227	204	206	203	234	212	210	213	214	219
DEATHS registered, ...	186	157	141	134	127	124	148	145	177	190	172	180	177	158	155	205	174	177	181	177	239	217	211	228	208	204
Annual Death-rate per 1,000, ..	17·8	20·6	18·8	17·5	16·6	16·2	19·4	19·0	23·2	24·9	22·5	23·6	23·2	20·7	20·3	26·8	22·5	22·9	23·4	22·9	30·9	28·1	27·3	29·5	26·9	26·4
*Average Deaths in corresponding week of previous 10 years,**	164	171	168	164	166	173	166	179	182	184	187	190	190	187	195	184	217	210	206	201	200	196	207	221	221	214
AGES, Under 5 years, ...	38	47	35	35	36	41	35	40	45	41	37	42	37	51	44	71	49	57	57	55	76	58	67	67	57	58
5—20 ,, ...	9	8	10	12	6	14	17	10	12	9	8	9	8	10	8	11	12	13	10	13	11	9	9	16	8	12
20—40 ,, ...	26	28	27	20	17	21	33	21	26	28	18	22	25	19	28	19	30	25	20	31	27	25	19	22	33	28
40—60 ,, ...	34	34	27	31	24	25	28	33	38	44	51	47	52	27	34	48	36	28	41	36	54	42	38	42	49	34
60—80 ,, ...	19	38	40	33	38	19	34	33	49	61	52	50	45	39	37	50	37	49	45	37	64	62	66	69	57	65
80 years and upwards, ..	10	7	5	8	6	4	1	8	7	7	6	10	10	12	9	6	10	10	8	5	7	21	12	12	13	12
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	.	1	.	.	.	.	.	.	2	.	1	1	.	.	2	.	.	1	.	.	.	.	.	.
Scarlet Fever, ...	.	1	.	.	1	1	.	.	1	.	1	.	1	1	1	3	.	.	.	1	.	1	2	1	1	.
Typhus, ...	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	2	.	2	3	.	1	1	1	1	2	.	.	2	2	2	1	3	5	4	1	2	4	1	.	3	2
Diphtheria, ...	1	2	1	1	1	.	.	.	1	2	1	1	.	2	.	1	1	.	3	.	2	2	.	2	.	1
Pyrexia † (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Enteric Fever, ...	2	2	1	.	1	.	1	1	.	.	1	1	1	.	3	2	.	1	.	2	.	.	.	1	.	.
Diarrhœal Diseases, ...	6	6	5	5	4	2	3	2	4	3	4	2	4	1	.	4	2	4	4	2	4	6	2	3	2	4
Influenza, ...	.	.	.	.	3	.	.	1	2	1	2	3	1	1	6	4	2	3	5	1	4	3	2	2	5	6
Pneumonia, ...	8	4	13	11	5	7	13	8	14	18	16	20	28	19	20	22	22	14	21	14	20	17	20	24	17	20
Tuberculous Disease, { Phthisis,	22	21	15	17	12	25	27	19	20	20	17	22	17	15	14	15	24	19	21	28	26	19	19	23	28	26
Other Forms, ..	8	9	7	5	8	4	9	7	8	6	6	7	8	6	4	6	5	6	6	6	17	10	14	13	10	12
Cancer, Malignant Disease, ..	6	18	7	8	8	3	6	10	8	17	7	11	10	8	6	4	8	7	8	11	19	10	8	14	9	13
Diseases of Heart and Blood Vessels, ...	27	14	28	15	18	19	17	19	33	32	27	31	29	25	21	37	29	31	29	17	29	33	40	31	27	25
Diseases of Respiratory System,	8	18	18	9	13	11	14	15	22	22	32	29	23	26	30	41	20	33	29	39	43	55	41	41	39	35
Violent Deaths, ...	3	2	4	5	1	4	2	3	4	6	4	5	4	4	2	2	4	4	1	4	5	1	6	6	5	3
Number of Uncertified Deaths, ..	2	2	3	1	4	4	6	4	5	4	2	3	4	5	7	10	3	8	13	9	13	3	7	2	8	5
Mean Temperature of the Air (Phœnix Park), ...	49·0	52·0	53·6	53·2	52·5	51·1	40·8	45·0	41·9	37·7	38·4	41·8	39·1	41·4	33·5	45·9	45·4	42·1	37·6	32·5	38·1	43·7	42·3	39·2	44·0	43·6
Average Mean Temperature in corresponding week of previous 10 years, ...	53·9	53·9‡	53·1	51·5	50·2	48·3	47·1	47·6	45·8	43·7	42·4	43·3	43·0	41·3	42·1‡	40·3	41·3	40·0	41·1	41·7	40·0	38·9	38·9	40·1	40·1	41·1
Rainfall in inches, ...	·000	·065	·988	·396	·772	1·896	·134	·117	·783	·037	·251	1·163	1·202	·207	1·183	·340	·128	·986	·240	1·690	·168	·264	1·160	·915	·392	·383
Mean Humidity of the Air, complete Saturation 1·0	·85	·92	·93	·88	·84	·86	·81	·88	·88	·80	·84	·87	·90	·82	·86	·88	·89	·85	·91	·88	·94	·91	93	·94	·93	·88

* See note (*) at foot of Table IV.

† Formerly described as "Simple Continued Fever."

‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 12th March, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 24 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 12TH MARCH, 1910.																											
			Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages.						Causes of Death.																			
					Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases	Total Cols. 10-18.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Convulsions.	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS.	375,350	28·8	204	53	12	28	34	65	12	.	.	.	.	2	1	.	.	4	7	20	26	12	13	3	35	3	35	5
	CLASSES. **Deaths in Families of the—**																												
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	20·9	7	.	.	1	1	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	5	.
II.	MIDDLE CLASS, ...	87,188	17·9	30	4	1	6	5	10	4	.	.	.	.	.	.	.	.	.	.	5	8	1	1	.	1	.	19	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,428	16·1	34	13	4	2	6	8	1	.	.	.	.	.	.	.	.	.	.	2	8	.	1	.	1	1	14	2
IV.	GENERAL SERVICE CLASS, ...	154,279	26·4	78	27	6	12	9	21	3	.	.	.	.	2	1	.	.	3	6	9	7	6	8	2	13	2	25	3
V.	INMATES OF WORKHOUSES, ...	6,024	—	55	9	1	7	13	21	4	.	.	.	.	.	.	.	.	1	1	4	6	5	4	.	13	.	22	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	33·4	5	.	.	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	12·5	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																												
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	16·6	7	.	.	.	2	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7	.
	6. Clerks and Commercial Assistants, ..	30,482	17·1	10	2	.	4	1	3	.	.	.	.	.	.	.	.	.	.	.	3	3	1	1	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	19·3	10	1	1	2	2	1	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	21·1	4	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.
	9. Building and Furnishing Trades, ...	29,801	12·2	7	2	1	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	1	3	.
	10. Clothing Trades, ...	28,260	13·5	6	4	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	4	.
	11. Food Supply Trades, ...	9,242	11·8	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	24·1	14	5	3	1	2	2	1	.	.	.	.	.	.	.	.	.	.	1	5	.	.	1	4	.	3	1
	13. Petty Shopkeepers, ...	7,894	6·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
IV.	GENERAL SERVICE CLASS.																												
	14. Army, Police, Postal Delivery, and Prison Services, &c	18,425	28·3	6	1	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	3	.
	15. Domestic Servants, ...	86,608	8·5	6	.	.	2	1	2	1	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	36·2	10	2	3	1	1	3	.	.	.	.	.	.	.	.	.	1	1	.	1	1	1	.	3	1	2	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	32·5	56	24	3	6	6	15	2	.	.	.	.	2	1	.	.	2	5	7	3	4	6	2	10	1	18	3
V.	INMATES OF WORKHOUSES.																												
	18. Workhouse Inmates, ...	6,024	—	55	9	1	7	13	21	4	.	.	.	.	.	.	.	.	1	1	4	6	5	4	.	13	.	22	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From Diseases in Cols. 5–13	Total Deaths.	NUMBER OF DEATHS FROM: Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of). North City, No. 1 (E.) (*Office, Clarence-st., Nth.*) Pop. in 1910 (Est.) 29,908.	Jan. 22,	12·2	.	7	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1
	,, 29,	24·4	.	14	.	.	.	.	.	.	.	.	.	1	1	.	.	4	2	.
	Feb. 5,	19·2	.	11	.	.	.	.	.	.	.	.	.	.	2	2	2	1	2	2
	,, 12,	15·7	.	9	.	.	.	.	.	.	.	.	.	3	.	.	.	2	1	.
	,, 19,	31·4	3·5	18	.	.	1	.	.	.	.	.	1	2	1	1	1	2	1	.
	,, 26,	20·9	.	12	.	.	.	.	.	.	.	.	.	1	1	.	1	1	1	.
	Mar. 5,	26·2	.	15	.	.	.	.	.	.	.	.	.	1	1	.	1	3	2	3
	,, 12,	36·6	1·7	21	.	.	.	.	.	1	.	.	.	3	3	2	1	5	1	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1910 (Est.) 39,974.	Jan. 22,	22·2	.	17	.	.	.	.	.	.	.	.	.	1	4	1	.	1	.	.
	,, 29,	30·0	1·3	23	.	.	.	.	1	.	.	.	.	2	2	.	1	6	1	3
	Feb. 5,	32·6	5·2	25	.	.	.	.	2	.	.	.	2	1	2	1	3	7	.	1
	,, 12,	40·4	6·5	31	.	.	.	.	1	1	.	.	3	3	3	.	2	10	.	1
	,, 19,	30·0	1·3	23	.	.	.	.	.	.	.	.	1	2	2	1	.	5	.	.
	,, 26,	31·3	1·3	24	.	.	.	.	.	.	.	.	1	4	2	1	2	4	1	.
	Mar. 5,	37·8	3·9	29	.	.	.	.	1	.	.	1	1	2	3	3	2	7	.	1
	,, 12,	28·7	2·6	22	.	.	.	.	.	.	.	.	2	3	2	2	2	3	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1910 (Est.) 30,744.	Jan. 22,	30·5	3·4	18	.	.	.	.	1	.	.	.	1	1	1	1	.	2	.	1
	,, 29,	35·6	1·7	21	.	.	.	.	.	.	.	.	1	.	2	1	1	3	1	1
	Feb. 5,	44·1	1·7	26	.	.	.	.	.	.	.	.	1	2	.	2	1	5	.	.
	,, 12,	32·2	1·7	19	.	.	.	.	.	.	.	.	1	.	2	3	2	8	.	.
	,, 19	35·6	.	21	.	.	.	.	.	.	.	.	.	4	2	.	2	4	.	.
	,, 26	29·0	1·7	18	.	.	.	.	.	.	.	.	1	1	2	.	.	4	1	.
	Mar. 5,	32·2	3·4	19	.	.	1	.	1	.	.	.	.	2	2	1	.	2	.	.
	,, 12,	28·8	.	17	.	.	.	.	.	.	.	.	.	.	.	2	1	3	1	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1910 (Est.) 33,559.	Jan. 22,	18·6	1·6	12									1	4	1	1	1	.	.	1
	,, 29,	21·8	.	14									.	2	4	.	1	3	.	.
	Feb. 5,	23·8	.	15									.	2	2	1		2	.	.
	,, 12,	26·4	1·6	17					1	.	.	.	.	2	2	1	.	.	.	.
	,, 19,	35·7	1·6	23							1	.	.	2	2	4	.	4	.	.
	,, 26,	4·2	.	3							.	.	.	3	3	3	1	5	1	.
	Mar. 5,	18·6	.	12							.	.	.	2	4	.	.	1	.	.
	,, 12,	23·3	1·6	15							.	.	1	2	2	1	1	2	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1910 (Est.) 41,476.	Jan. 22,	17·6	1·3	14	.	.	.	.	.	1	.	.	.	1	1	.	1	6	.	1
	,, 29,	18·9	.	15	.	.	.	.	.	.	.	.	.	2	1	1	1	4	.	.
	Feb. 5,	21·4	.	17	.	.	.	.	.	.	.	.	.	1	1	1	1	4	.	2
	,, 12,	21·4	1·3	17	.	.	.	.	.	.	.	.	1	2	1	1	1	5	.	.
	,, 19,	40·2	.	32	.	.	.	.	.	.	.	.	.	3	5	3	2	4	1	1
	,, 26,	33·9	.	27	.	.	.	.	.	.	.	.	.	2	4	2	.	6	.	.
	Mar. 5,	16·3	1·3	13	.	.	.	.	.	.	.	.	1	.	2	1	.	2	.	.
	,, 12,	31·4	.	25	.	.	.	.	.	.	.	.	.	3	3	2	1	8	.	2
South City, No. 2. (*Office, Castle-street.*) Pop. in 1910 (Est.) 24,751.	Jan. 22,	28·8	2·4	12	.	.	.	.	.	1	.	.	.	.	2	1	.	2	.	1
	,, 29,	9·6	2·4	4	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	Feb. 5,	45·5	.	19	.	.	.	.	.	.	.	.	.	3	1	3	2	6	.	1
	,, 12,	45·5	.	19	.	.	.	.	.	.	.	.	.	1	1	1	1	9	.	.
	,, 19,	19·2	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.
	,, 26,	43·1	.	18	.	.	.	.	.	.	.	.	.	.	1	.	1	5	.	1
	Mar. 5,	31·2	.	13	.	.	.	.	.	.	.	.	.	3	2	2	.	3	.	1
	,, 12,	21·6	.	9	.	.	.	.	.	.	.	.	.	.	4	.	.	1	.	1
South City, No. 3. (*Office, Peter street.*) Pop. in 1910 (Est.) 43,227.	Jan. 22,	30·2	3·6	25	.	.	.	.	2	1	.	.	.	2	3	1	1	6	.	2
	,, 29,	26·5	.	22	.	.	.	.	.	.	.	.	.	3	6	.	1	8	.	4
	Feb. 5,	33·8	.	28	.	.	.	.	.	.	.	.	.	2	1	3	.	4	1	2
	,, 12,	41·0	4·8	34	.	.	.	.	2	1	.	.	1	2	4	1	2	7	.	.
	,, 19,	31·4	.	26	.	.	.	.	.	.	.	.	.	2	2	1	1	9	2	.
	,, 26,	35·0	1·2	29	.	.	.	.	.	1	.	.	.	2	3	1	4	6	.	.
	Mar. 5,	26·5	1·2	22	.	.	.	.	.	.	.	1	.	2	1	.	1	8	1	.
	,, 12,	21·7	2·4	18	.	.	.	.	2	.	.	.	.	2	2	1	.	5	.	1
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1910 (Est.) 35,881.	Jan. 22,	30·5	.	21	.	.	.	.	.	.	.	.	.	5	2	.	.	2	1	2
	,, 29,	18·9	1·5	13	.	.	1	.	.	.	.	.	.	1	.	2	1	1	.	.
	Feb. 5,	37·8	2·9	26	.	.	.	.	.	2	.	.	.	3	2	2	2	8	1	2
	,, 12,	28·3	.	16	.	.	.	.	.	.	.	.	.	1	.	1	.	4	.	.
	,, 19,	14·5	1·5	10	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.
	,, 26,	30·5	1·5	21	.	.	1	.	.	.	.	.	.	5	1	3	1	6	.	.
	Mar. 5,	32·0	.	22	.	.	1	.	.	.	.	.	.	.	4	.	2	4	2	2
	,, 12,	28·3	.	16	.	.	.	.	.	.	.	.	.	.	2	.	2	1	.	1

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From ALL CAUSES	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From DISEASES IN COLS. 5–18.	TOTAL DEATHS.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	Jan. 22,	18·3	2·8	13	.	.	.	.	.	.	.	.	2	2	1	.	1	4	.	1
	„ 29,	15·5	.	11	.	.	.	.	.	.	.	.	.	1	1	1	3	.	.	.
	Feb. 5,	29·6	.	21	.	.	.	.	.	.	.	.	.	1	3	1	2	2	.	1
	„ 12,	11·3	.	8	.	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.
	„ 19,	15·5	1·4	11	.	.	.	.	1	.	.	.	.	1	1	.	.	3	.	3
	„ 26,	19·7	1·4	14	.	.	.	.	.	.	.	1	.	1	.	2	1	1	.	.
	Mar. 5,	19·7	1·4	14	.	.	.	.	1	.	.	.	.	2	3	.	.	4	.	.
	„ 12,	16·9	.	12	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	Jan. 22,	21·6	.	12	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.
	„ 29,	12·6	.	7	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
	Feb. 5,	23·4	.	13	.	.	.	.	.	.	.	.	.	.	4	.	1	1	.	1
	„ 12,	27·0	.	15	.	.	.	.	.	.	.	.	.	.	4	1	1	3	.	.
	„ 19,	19·8	.	11	.	.	.	.	.	.	.	.	.	.	.	2	1	1	1	1
	„ 26,	21·6	1·8	12	.	.	.	.	.	.	.	.	1	1	1	1	1	1	1	1
	Mar. 5,	18·8	.	11	.	.	.	.	.	.	.	.	.	1	2	.	.	3	.	1
	„ 12,	25·2	.	14	.	.	.	.	.	.	.	.	.	1	3	.	2	4	1	.
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	Jan. 22,	28·7	3·0	8	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	.
	„ 29,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
	Feb. 5,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.
	„ 12,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 19,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 26,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	Mar. 5,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	„ 12	17·8	.	6	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
Belfast. Pop. in 1910 (Est.) 391,167.	Jan. 22,	16·7	1·9	125	.	.	.	.	12	1	.	.	.	9	12	3	5	21	5	6
	„ 29,	20·1	1·9	151	.	.	.	.	13	.	.	1	.	16	15	0	4	29	7	3
	Feb. 5,	22·0	2·8	165	.	.	.	.	19	.	.	.	2	14	16	18	8	28	2	2
	„ 12,	22·9	2·3	172	.	.	2	.	15	.	.	.	.	16	15	4	7	40	2	1
	„ 19,	20·8	2·8	156	.	1	.	.	17	.	1	2	.	11	14	8	6	19	5	5
	„ 26,	18·7	2·8	140	.	.	1	.	14	1	1	.	.	16	20	7	5	21	3	2
	Mar. 5,	22·0	1·9	165	.	1	.	.	11	.	.	.	2	12	3	9	3	24	10	2
	„ 12,	21·6	2·1	162	.	1	.	.	12	.	.	1	2	10	26	7	5	22	9	1
Cork. Pop. (in 1901) 76,122.	Jan. 22,	15·1	.	22	.	.	.	.	.	.	.	.	.	2	5	.	.	3	.	.
	„ 29,	21·9	1·4	32	.	.	.	.	.	1	.	1	.	2	6	1	.	5	.	1
	Feb. 5,	31·5	0·7	46	.	.	.	.	.	.	.	.	1	4	7	1	4	9	1	5
	„ 12,	26·7	.	39	.	.	.	.	.	.	.	.	.	3	6	3	1	4	.	2
	„ 19,	26·7	1·4	39	.	.	.	.	1	.	.	.	1	2	3	3	1	11	.	5
	„ 26,	23·3	0·7	34	.	.	.	.	.	.	.	1	.	2	5	7	2	3	.	1
	Mar. 5,	23·3	.	34	.	.	.	.	.	.	.	.	.	1	4	3	3	5	.	2
	„ 12,	20·5	.	30	.	.	.	.	.	.	.	.	.	3	6	1	.	3	.	3
Londonderry. Pop. in 1910 (Est.) 43,477.	Jan. 22,	14·4	.	12	.	.						.	.	2	1	3	.	2	.	.
	„ 29,	21·6	.	18	.	.						.	.	1	3	2	.	2	.	2
	Feb. 5,	14·4	.	12	.	.						.	.	1	2	1	.	5	.	.
	„ 12,	20·4	.	17	.	.						.	.	3	5	.	.	3	.	1
	„ 19,	14·4	.	12	.	.						.	.	1	1	.	4	2	1	.
	„ 26,	10·8	.	9	.	.						.	.	2	2	.	.	1	.	.
	Mar. 5,	25·2	.	21	.	.						.	.	3	2	2	2	4	1	.
	„ 12,	18·0	3·6	15	.	1						.	2	.	2	2	1	1	.	2
Limerick. Pop. (in 1901) 38,151.	Jan. 22,	20·5	.	15	.	.	.	.				.	.	.	4	.	.	4	.	3
	„ 29,	16·4	1·4	12	.	.	.	.	1	.		.	.	.	2	.	1	5	.	1
	Feb. 5,	27·3	1·4	20	.	.	.	.	1	.		.	.	.	2	1	.	5	.	4
	„ 12,	16·4	.	12	.	.	.	.	.	.		.	.	1	2	1	.	4	.	2
	„ 19,	12·3	.	9	.	.	.	.	.	.		.	.	.	2	.	1	2	.	1
	„ 26,	21·9	2·7	16	.	.	.	.	2	.		.	.	1	2	.	1	4	.	3
	Mar. 5,	18·7	4·1	10	.	.	.	.	2	.		.	1	1	.	.	.	.	.	.
	„ 12,	15·0	.	11	.	.	.	.	.	.		.	.	.	5	.	.	1	.	2
Waterford. Pop. (in 1901) 26,769.	Jan. 22,	17·5	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.
	„ 29,	18·6	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	2
	Feb. 5,	21·4	.	11	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	2
	„ 12,	41·8	.	23	.	.	.	.	.	.	.	.	.	2	.	1	3	8	.	4
	„ 19,	29·2	1·9	15	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	3
	„ 26,	17·5	.	9	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	2
	Mar. 5,	17·5	.	9	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2
	„ 12,	27·3	3·9	14	.	.	.	1	1	.	.	.	.	1	5	.	.	1	.	1

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 12th March, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	BIRTHS No. of	DEATHS																												
			Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.						DEATHS FROM																			
			All Causes.	Diseases in Cols. 19-20.		Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms	Malignant Disease: Cancer.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)		
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,		7			11	3	1	1	1	3	2	.	.	.	.	.	.	.	.	.	1	2	2	.	.	.	1	2	.		
Do. 2 do. .		22			13	2	.	1	2	4	4	.	.	.	.	1	.	.	.	.	.	3	1	.	3	1	1	2	.		
Do. 3 do. .		25			25	4	7	2	5	3	4	.	1	.	.	4	.	.	.	.	1	5	.	.	2	3	3	7	.		
Do. 4 do. .		28			17	3	1	1	2	5	5	.	.	.	.	1	.	.	.	.	1	1	.	1	3	1	1	10	.		
Do. 5 do. .		16			11	1	2	1	1	4	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	3	3	2	.		
Do. 6 do. .		14			13	.	1	.	1	7	4	.	.	.	.	1	.	.	.	1	.	2	1	.	3	.	.	7	.		
Do. 7 do. .		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Do 8 do. .	349,180	1			4	1	.	1	1	1	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.	.		
Do. 9 do. .		12			10	4	.	2	.	2	2	.	.	.	.	1	.	.	.	.	.	2	1	2	.	.	1	.		
Do 10 do. .		18			15	2	.	1	7	2	3	.	.	.	.	.	.	.	.	.	1	6	.	.	1	.	1	6	1		
Do. 11 do. .		14			9	1	1	1	3	1	3	.	.	.	.	.	.	.	1	.	2	1	.	.	1	.	1	3	.		
Do. 12 do. .		24			15	4	2	1	2	5	1	.	.	.	.	1	.	.	.	.	1	2	1	1	3	1	1	3	.		
Do. 13 do. .		10			4	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.		
Do. 14 do. .		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Do. 15† do. .		10			15	6	1	2	1	1	.	.	.	.	.	2	.	.	.	.	1	3	.	.	3	.	.	6	.		
Total, ...	—	201	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the exact distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		162	31	16	14	26	40	35	.	1	.	.	12	.	.	1	2	10	26	7	5	22	9	12	49	1		
City of Cork.																															
CORK URBAN No. 1 DISTRICT, .	12,867	10	28·4	.	7	1	.	.	.	2	4	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	4	1		
Do. 2 do. .	10,701	4	19·5	.	4	.	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1		
Do. 3 do. .	9,978	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Do. 4 do. .	8,666	8	24·1	.	4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Do. 5 do. .	6,592	4	39·6	.	5	.	.	1	2	1	1	.	.	.	.	.	.	.	.	.	.	3	.	.	2	.	.	4	.		
Do. 6 do. .	10,702	4	29·2	.	6	.	1	1	1	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4	1		
Do. 7 do. .	16,616	7	13·6	.	4	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.	.		
Total, ...	76,122	46	20·5	.	30	4	3	4	4	4	11	.	.	.	.	.	.	.	.	.	3	6	1	.	3	.	.	12	3		

* Formerly described as Simple Continued Fever.

† New district formed as from 1st Jan., 1910 and the boundaries of Nos. 1, 4 & 6 districts altered; the population of each of these districts, as at present constituted, is not available.

TABLE IX.—**City of Belfast.**—Comparative Tables of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1909-10—Week ending																								
	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.
No. of weeks in annual Series, ..	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10
BIRTHS registered, ...	181	186	194	208	228	218	202	205	174	180	168	189	190	181	170	215	278	192	180	216	214	213	196	202	239	201
DEATHS registered, ...	93	121	99	95	104	96	116	116	130	134	167	147	218	177	144	192	148	170	125	151	165	172	156	140	165	162
Annual Death rate per 1,000 of estimated Population, ...	12·5	16·3	13·4	12·8	14·0	12·9	15·6	15·6	17·5	18·1	22·5	19·8	29·4	23·9	19·4	25·9	19·7	22·7	16·7	20·1	22·0	22·9	20·8	18·7	22·0	21·6
AGES — Under 1 year, ...	24	35	30	21	24	17	22	28	30	28	41	44	62	41	33	48	36	48	25	33	28	37	31	23	33	31
AGES — 1-5 years, ...	13	13	14	10	8	11	14	11	8	14	27	14	21	18	22	25	23	21	20	21	28	21	20	21	21	16
AGES — 5-20 years, ...	4	11	8	5	9	9	9	7	11	4	11	10	18	18	10	12	8	9	9	14	9	8	13	12	11	14
AGES — 20-40 years, ...	14	15	16	12	23	14	27	22	23	22	20	20	31	22	23	28	17	24	17	22	30	18	26	19	29	26
AGES — 40-60 years, ...	19	17	17	20	15	26	18	19	27	28	31	23	33	33	20	34	26	28	23	21	30	18	26	19	29	26
AGES — 60 years and upwards, ..	19	30	14	27	25	19	31	29	31	38	37	36	53	50	36	45	38	40	27	40	47	46	35	29	34	35
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1
Scarlet Fever, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	7	7	4	3	2	.	5	4	4	4	7	6	15	9	10	13	12	13	13	13	19	15	17	14	11	12
Diphtheria, ...	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	1	.	1	.	.	.	.	1	.	.
*Pyrexia** (origin uncertain), ..	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Enteric Fever, ...	.	.	2	2	3	.	.	.	2	.	.	.	1	.	.	.	2	.	.	1	.	.	1	.	.	1
Diarrhœal Diseases, ...	15	13	11	11	5	5	3	4	2	2	1	3	2	1	1	1	2	.	.	.	2	.	2	.	2	2
Pneumonia, ...	4	3	6	8	9	5	8	15	13	17	25	31	25	28	22	34	12	20	9	16	14	16	11	16	12	10
Tuberculous Disease, Phthisis, ..	4	17	12	7	11	9	14	6	14	8	8	11	26	14	17	13	14	14	12	15	16	15	14	20	23	26
Tuberculous Disease, Other Forms, ..	4	8	6	2	5	5	10	2	11	3	16	4	11	4	4	6	4	10	3	10	8	4	8	7	9	7
Cancer, Malignant Disease, ..	8	6	6	8	2	4	3	5	7	7	1	3	7	5	5	3	2	10	5	4	8	7	6	5	3	5
Diseases of Respiratory System,	6	15		9	10	12	14	21	17	31	42	41	53	37	39	41	28	31	21	29	28	40	19	21	24	22
Violent Deaths, ...	2	1	3	1	2	4	2	3	2	2	3	5	5	6	4	3	3	8	5	7	2	2	5	3	10	9
Number of Uncertified Deaths, ..	.	.	.	1	.	1	1	2	1	.	1	3	3	2	3	1	2	1	6	3	2	1	5	2	2	1

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	Mar. 12,	2,370	1,251*b*	13·4	.	15	9	6	44	2*a*	13
EDINBURGH, ...	360,276	„ 12,	143	135*c*	19·6	.	3	.	.	2	.	2
GLASGOW, ...	884,505	„ 12,	426	286	16·9	.	24	2	1	5	1*a*	4
CALCUTTA, ...	1,009,008	Feb. 5,	.	614	31·6	2	4	.	.	.	78‡	124*
BOMBAY, ...	977,822	„ 8,	375	734	39·0	24	2	.	.	1	138‡	65*
MADRAS, ...	509,346	Jan. 21,	342	388	39·6	1	2	?	?	?	115	39
CAIRO, ...	677,663	„ 21,	621	424	32·6	2	1	.	13†	?	3*a*	29
PARIS, ...	2,760,000	Feb. 5,	953	958	18·2	.	14	.	9†	8	2*a*	17
BRUSSELS, ...	720,030	„ 19,	273	207	14·9	.	3	.	.	1	1	4
ANTWERP, ...	317,171	„ 19,	124	81	13·3	.	4	.	1†	1	2*a*	3
AMSTERDAM, ...	568,131	„ 19,	252	156	14·3	.	2	.	.	.	.	2
COPENHAGEN, ...	450,000	„ 19,	221	121	14·0	.	.	4	1†	1	.	2
STOCKHOLM, ...	339,582	„ 19,	143	110	16·8	.	6	.	1†	2	.	.
CHRISTIANIA, ...	235,674	„ 26,	92	58	12·8	.	.	.	1†	.	.	2
ST. PETERSBURG, ...	1,620,000	„ 5,	1,331	766	24·7	11	49	17	11	8	8	84
MOSCOW, ...	1,359,886	Jan. 29,	.	731	28·0	7	24	30	25†	8	13	42
BERLIN, ...	2,124,785	Feb. 5,	826	619	15·2	.	5	9	20†	9	.	20
HAMBURG, ...	895,804	„ 19,	.	251	14·6	.	3	3	8†	1	2	14
BRESLAU, ...	509,559	„ 19,	.	193	19·7	.	.	1	1†	2	1	6
MUNICH, ...	576,000	„ 26,	.	208	18·8	.	1	.	2†	.	1	23
VIENNA (with suburbs),	2,085,888	„ 19,	842	661	16·5	.	15	.	4†	5	2*a*	38
BUDA-PESTH, ...	833,703	„ 19,	485	341	21·2	.	3	8	2†	1	2	14
PRAGUE and Faubourgs.	491,631	„ 5,	161	189	19·9	.	1	1	2†	.	3*a*	6
TRIESTE, ...	218,727	„ 12,	159	112	26·7	.	2	.	.	1	.	.
ROME, ...	584,308	Jan. 8,	271	240	21·4	.	2	.	3	.	6*a*	19
VENICE, ...	179,286	„ 15,	86	83	24·1	.	7	.	.	.	.	2
		„ 22,	77	86	25·0	.	10	.	1†	.	1	3
NEW YORK, ...	4,711,956	Feb. 12,	2,115	1,559	17·3	.	14	37	47†	6	9	39
PHILADELPHIA, ..	1,598,400	Jan. 29,	.	.	.	.	.	.	.	.	.	.
BOSTON, ...	629,868	Feb. 19,	.	262	21·7	.	5	1	8	1	.	8

* Including 66 deaths from cholera in Calcutta and one in Bombay.
† Including deaths from croup.
‡ Including 13 deaths from plague in Calcutta and 30 in Bombay.
a Enteric Fever.
b Including one death from cerebro-spinal fever.
c Including one death from cerebro-spinal meningitis.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 12th March, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	1	.	.	.	.	.	.	.	.	.	.	1
" " 1, West,	.	3	.	.	1	.	.	.	.	.	.	1	5
" " 2,	.	.	.	.	.	.	.	1	.	.	.	.	1
" " 3,	.	1	.	.	1	.	1	.	1	.	.	3	7
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
South City No. 1,	.	6	.	.	1	.	.	2	3	.	.	10	22
" " 2,	.	.	.	.	.	.	.	.	1	.	.	6	7
" " 3,	.	.	.	.	1	.	1	.	.	.	.	1	3
" " 4,	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	12	.	.	4	.	2	3	5	.	.	21	47

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 12th March, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 12th March.			
	Feb. 19.	Feb. 26.	Mar. 5.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	3	2	2	1	.	.	3
Scarlet Fever,	58	55	66	11	9	.	68*
Typhus,	2	2	2	.	1	.	1
Diphtheria,	43	41	46	9	7	2	46
Enteric Fever,	38	35	30	9	3	.	36
Pneumonia,	49	44	42	7	14	2	33

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 12th March, 1910:—

"Until Thursday southerly and southwesterly winds prevailed, accompanied by unsettled, showery, but open weather. At first baric gradients were slight, and so the wind was not strong. But on Tuesday a more decided depression skirted the western shores of Ireland, passing northwards, and this caused the wind to back to S.E. in the first instance, and afterwards to veer to S. and freshen. A few hours later another disturbance approached Ireland, causing the wind to back with rain. Again on Wednesday afternoon a depression passed north-eastwards across Ulster. This system grew deeper as it travelled, so that on Thursday morning the barometer fell to 29·11 inches at Nairn in the N.E. of Scotland. Rain fell abundantly over most parts of the British Isles in connection with this disturbance, ·41 inch being recorded even in London, and ·78 inch at Malin Head, in Donegal. At this time (Thursday morning) the barometer was rising in Iceland, with the result that a cold polar air current swept across the Atlantic towards Great Britain and Ireland, in which countries the wind veered to N. or N.E. with a general fall of temperature and drier conditions, except in the South of England, in which district wet weather resulted from the advance of a shallow depression from Spain to Normandy. On Saturday the northerly air current was very decided in Ireland, bright sunshine striving for the mastery with a keen, dry wind—in the evening the sky became overcast in Dublin. In this City the mean height of the barometer was 29·815 inches, the range being from 29·372 inches at 9 p.m. of Wednesday (wind, W.S.W.) and 30·167 inches at 9 p.m. of Saturday (wind, N.N.E.). The corrected mean temperature was 45·2°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 43·7°. On Monday the screened thermometers rose to 55·0°; on Saturday they fell to 34·1°, the grass minimum being 30·0°. The wind was variable at first S.S.E., then W.S.W., and finally N. Rain fell on the first five days to the amount of ·300 inch, of which ·133 inch was recorded on Tuesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·646 inches. The highest reading (30·002) was on Saturday at 9 p.m., air calm, and the lowest (29·198) on Wednesday at 9 p.m., wind W.S.W.

The mean temperature for the week was 43·6°, being 2·5° above the average for the corresponding period of the 10 years, 1900-1909. The temperature was highest on Monday, on which day the thermometer registered 55·2°, and was lowest on Saturday, the mercury having fallen to 31·4°. The mean of the Dry Bulb for the week was 42·7° and of the Wet Bulb 41·3°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The rainfall during the week measured 0·383 inch.

At Greenwich the mean temperature for the week was 46·0°, the maximum 57·7°, and the minimum 38·1°; at Glasgow the maximum was 53·5°, the minimum 30·0°, and the mean 44·0°; and at Edinburgh the maximum was 50·9°, the minimum 31·7°, and the mean 42·3°. The rainfall at Greenwich measured 0·95 in., at Glasgow 0·84 in., and at Edinburgh 0·53 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY.			BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
			Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity. complete saturation =1·0.				9 A.M.	9 P.M.
			(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In		
Sunday,	March	6,	29·601	51·2	43·9	47·6	46·0	45·7	·98	·4	0·7	·084	E.S.E.	S.E.
Monday,	„	7.	29·729	55·2	40·3	47·8	48·5	46·8	·89	·6	8·7	·114	S.W.	S.S.E.
Tuesday,	„	8.	29·510	52·5	38·0	45·3	44·8	43·9	·83	·7	2·1	·165	Calm.	S.E.
Wednesday,	„	9,	29·317	49·8	38·1	44·0	44·2	42·3	·81	·5	0·4	·015	S.S.W.	W.S.W.
Thursday,	„	10.	29·525	49·8	34·9	42·4	38·3	37·0	·90	·7	6·1	·005	S.W.	Calm.
Friday,	„	11,	29·848	48·4	31·5	40·0	37·5	36·3	·91	·7	5·6	·000	W.	N.W.
Saturday,	„	12,	29·991	44·8	31·4	38·1	39·3	37·3	·85	·7	8·6	·000	N.N.W.	Calm.
Mean, . . .			29·646	50·2	36·9	43·6	42·7	41·3	·88	·6	Total 32·2	Total ·383	—	

Sunday—Day overcast to cloudy, rain p.m.; night cloudy. *Monday*—Day cloudy, drizzle and heavy rain p.m.; night overcast, heavy rain midnight to 12.40 a.m. *Tuesday*—Day overcast to cloudy, rain a.m and p.m.; night clear. *Wednesday*—Day overcast to cloudy, rain a.m. and p.m.; night clear. *Thursday*—Day cloudy, drizzle a.m.; night clear to overcast. *Friday*—Day cloudy, fine; night clear. *Saturday*—Day cloudy, fine; night clear.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, March 12th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY.			Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperatures in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
				1 Foot.	4 Feet.	Max.	Min.	Mean.		
			°	°	°	°	°	°	hrs	ins.
Sunday,	March	6	46·7	43·3	43·9	52·0	44·9	48·5	0·35	·022
Monday,	„	7,	50·0	44·0	44·0	56·3	42·4	49·4	6·00	·055
Tuesday,	„	8,	50·0	44·6	44·2	54·1	44·3	49·2	1·90	·117
Wednesday,	„	9,	48·6	44·3	44·2	50·4	39·5	45·0	0·80	·054
Thursday,	„	10	43·2	43·5	44·5	49·9	38·9	44·4	4·25	·010
Friday,	„	11,	40·1	42·5	44·5	48·9	37·2	43·1	3·30	—
Saturday,	„	12,	40·0	41·7	44·5	46·5	33·4	40·0	6·25	—
Weekly Mean, . .			45·5	43·4	44·3	51·2	40·1	45·7	Total 22·85	Total ·258

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

(28187). Wt. P. 345. 375. 11. 1909. G. III. Sch. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 19TH MARCH, 1910. [No. 11.

General Register Office, Charlemont House, Dublin, 21st March, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending				Average Rate for 4 weeks.	TOWNS, &c.	Week ending				Average Rate for 4 weeks.
	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.			Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19	
22 Town Districts.	**22·8**	**22·4**	**22·0**	**19·0**	**21·6**	Limerick, . . .	21·9	13·7	15·0	19·1	17·4
						Lisburn, . . .	22·7	13·6	18·2	18·2	18·2
Armagh, . . .	13·7	20·6	13·7	20·6	17·2	Londonderry, . .	10·8	25·2	18·0	9·6	15·9
Ballymena, . . .	19·2	33·5	14·4	28·7	23·9	Lurgan, . . .	22·1	17·7	26·6	4·4	17·7
Belfast, ...	18·7	22·0	21·6	21·7	21·0	Newry, . . .	46·2	8·4	12·6	12·6	20·0
Clonmel, . . .	20·5	.	10·3	15·4	11·6	Newtownards, . .	28·6	11·4	17·2	17·2	18·6
Cork, ...	23·3	23·3	20·5	19·9	21·7	Portadown, . .	15·5	15·5	10·3	25·8	16·8
Drogheda, . . .	20·4	28·6	32·7	24·5	26·5	Queenstown, . .	26·4	19·8	46·1	.	23·1
Dublin Reg. Area, .	28·0	25·2	24·8	18·4	24·1	Sligo, ...	9·6	4·8	4·8	19·2	9·6
Dundalk, . .	12·0	19·9	23·9	4·0	15·0	Tralee, . . .	74·0	10·6	5·3	42·3	33·0
Galway, . . .	3·9	38·8	7·8	3·9	13·6	Waterford, . . .	17·5	17·5	27·3	13·6	19·0
Kilkenny, . . .	9·8	14·7	24·6	9·8	14·7	Wexford, . . .	42·0	28·0	28·0	28·0	31·5

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·5 per 1,000, the rates varying from 0·0 in fifteen of the districts to 12·3 in Drogheda, the 6 deaths from all causes for that district including 3 from whooping-cough. Among the 163 deaths from all causes for Belfast are 5 from measles, 2 from scarlet fever, and 12 from whooping-cough. Of the 14 deaths from all causes for Limerick one is from whooping-cough and one from diarrhœa. Two deaths from whooping-cough are among the 4 deaths from all causes for Lisburn, and 2 deaths from whooping-cough are also included in the 8 deaths from all causes for Tralee.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 162—84 boys and 78 girls—and the deaths to 149—72 males and 77 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, represent an annual rate of 18·4 per 1,000 of the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*), Table II. ‡ See columns 10-18 of Table II.

population, the rate for the total deaths registered in the Area being 19·3 per 1,000. During the eleven weeks, ending with Saturday last, the death-rate averaged 25·5, and was 2·9 below the mean rate for the corresponding portions of the ten years 1900–9.

Of the total deaths registered, there was one death each from scarlet fever,* whooping-cough, diphtheria, and enteric fever, and there were 2 deaths from diarrhœal diseases of children under 5 years of age; at this age period one death from enteritis and one from *gastro-enteritis* were also registered. In the three weeks preceding, deaths from scarlet fever were one, one, and 0, respectively; deaths from whooping-cough were 0, 3, and 2; deaths from diphtheria were 2, 0, and one; deaths from enteric fever were one, 2, and 0; and deaths from diarrhœal diseases were 3, 3, and 4, respectively. The number of deaths from influenza was 7, as compared with 2, 5, and 6, respectively, in the three preceding weeks.

Lobar pneumonia caused one death, broncho-pneumonia 7 deaths, and *pneumonia* (not defined) 4 deaths.

Deaths from tuberculous disease (all forms), which in the three weeks preceding numbered, respectively, 36, 38, and 38, fell to 25 in the period under notice, 15 of the latter being from tuberculous phthisis (*phthisis*), 7 from tuberculous meningitis, and 3 from other forms of tuberculous disease.

There were 2 deaths from carcinoma, and 3 deaths from cancer, malignant disease (undefined).

The deaths of 8 infants, prematurely born, were recorded.

Seven deaths were ascribed to diseases of the brain and nervous system.

Diseases of the heart and blood vessels caused 30 deaths, and diseases of the respiratory system caused 26 deaths, the latter including 23 deaths from bronchitis.

There was one accidental death, resulting in drowning.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one infant under one year of age and the deaths of 2 persons aged 60 years and upwards.

Thirty of the persons whose deaths were registered during the week were under 5 years of age (21 being infants under one year, of whom 10 were under one month old) and 52 were aged 60 years and upwards, including 31 persons aged 70 and upwards, of whom 10 were octogenarians and one (a male) was stated to have been aged 91 years.

Sixty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse, 16 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·4 per 1,000; the rate in the City was 18·7 (North City Districts, 19·7; South, 17·6) and in the Suburbs, 17·5.

The deaths from certain epidemic diseases† in the entire area equal an annual rate of 0·6 per 1,000 inhabitants, the rate for the City being 0·7 (1·0 in the North City Districts, and 0·3 in the South), and for the Suburbs, 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (9) are equal to an annual rate of 15·7 per 1,000, and include one death from whooping-cough, 2 deaths from influenza, and 3 deaths from diseases of the respiratory system.

No. 1 North City District, West (Summer-hill).—The deaths (18) are equal to an annual rate of 23·5 per 1,000. One death from epidemic diarrhœa, one from influenza, 2 deaths from broncho-pneumonia, 2 from *pneumonia* (not defined), 2 from tuberculous disease, and 6 deaths from diseases of the respiratory system were recorded.

No. 2 North City District (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 18·7 per 1,000. There were 4 deaths from tuberculous disease, one from *pneumonia* (not defined), and one from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (16) represent an annual rate of 24·9 per 1,000. Among them are one from *diarrhœa*, one from influenza, 2 from broncho-pneumonia, one from tuberculous phthisis, and 4 from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants; Coolock and Drumcondra, part of, 17·9; and Finglas and Glasnevin, part of, 6·8. Among the 4 deaths from all causes for Coolock and Drumcondra, part of, is one from bronchitis; and the only death recorded for Finglas and Glasnevin, part of, is one from tuberculous meningitis.

No. 1 South City District (South Earl-street).—The deaths (14) represent an annual rate of 17·6 per 1,000. Two deaths were caused by broncho-pneumonia, one by lobar-pneumonia, one by *phthisis*, and one by bronchitis.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 21·6 per 1,000. There was one death from tuberculous phthisis and there were 2 from tuberculous meningitis and one from bronchitis.

No. 3 South City District (Peter-street).—The deaths (16) are equal to an annual rate of 19·3 per 1,000. One death from diphtheria, 3 deaths from tuberculous disease, and 4 deaths from diseases of the respiratory system were recorded.

No. 4 South City District (Grand Canal-street).—The deaths (11) are equivalent to an annual rate of 16·0 per 1,000. Among them are one death from influenza, 3 deaths from tuberculous disease, and 3 deaths from bronchitis.

New Kilmainham District.—The only death recorded, equivalent to an annual rate of 5·7 per 1,000, was one from influenza.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 12·7; Pembroke, 25·2; Blackrock, 5·8; and Kingstown, 20·7. The only death from any of the epidemic diseases tabulated for these districts was one from enteric fever for Pembroke. The 9 deaths from all causes for Rathmines and Rathgar include 3 deaths from tuberculous disease; among the 14 deaths from all causes for Pembroke are 2 from tuberculous disease, one from *pneumonia* (not defined) and one from bronchitis; and of the 7 deaths from all causes for Kingstown one is from influenza, one from bronchitis, and there is one accidental death.

* See note (*c*) at foot of Table II. † See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 19th March, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Feb. 26,	.	—	—	9	.	.	7	.	1	2	16	.	—	—	.	—	26	—	61
	Mar. 5.	.	—	—	8	.	.	4	.	2	3	11	.	—	—	.	—	25	—	53
	Mar. 12,	.	—	—	12	.	.	4	.	2	3	5	.	—	—	.	—	21	—	47
	Mar. 19,	.	—	—	10	.	.	7	.	.	2	9	.	—	—	.	—	14	—	42
Rathmines and Rathgar Urban District.	Feb. 26,	.	—	—	.	.	.	1	.	.	5	.	.	—	—	—	—	—	—	6
	Mar. 5,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	—	1
	Mar. 12,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
	Mar. 19,	.	—	—	.	.	.	5	.	.	1	.	.	—	—	—	—	—	—	6
Pembroke Urban District.	Feb. 26,	.	.	.	.	.	.	.	.	.	.	.	.	—	2	.	—	—	—	2
	Mar. 5.	.	.	.	1	.	.	1	.	.	.	1	.	—	.	.	—	—	—	3
	Mar. 12.	.	.	.	1	.	.	.	.	.	1	.	.	—	.	.	—	—	—	2
	Mar. 19,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	—	.
Blackrock Urban District.	Feb. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Mar. 5.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Mar. 12,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Mar. 19,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Feb. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Mar. 5.	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	.	—	1
	Mar. 12,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	Mar. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Feb. 26,	.	—	—	16	.	.	4	.	1	2	11	.	—	—	—	—	23	—	57
	Mar. 5.	.	—	—	12	.	.	7	1	1	2	4	1	—	—	—	—	46	—	74
	Mar. 12,	.	—	—	21	.	.	4	.	.	1	8	.	—	—	—	—	21	—	55
	Mar. 19,	.	—	—	10	.	.	2	.	.	3	7	.	—	—	—	—	20	—	42

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 19th March, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Three cases of measles were admitted to hospital during the week, and 6 cases remained under treatment at its close.

Twelve cases of scarlet fever were admitted to hospital, 7 were discharged, there was one death, and 72* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 55, 66, and 68, respectively.

One case of typhus was discharged from hospital during the week, and no case remained under treatment at its close.

Ten cases of diphtheria were admitted to hospital, 11 were discharged, there was one death, and 44 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 41, 46, and 46, respectively.

Five cases of enteric fever were admitted to hospital during the week, 9 were discharged, there were 2 deaths, and 30 cases remained under treatment in hospital at the close of the week.

In addition to the above named diseases, 9 cases of pneumonia were admitted to hospital, 4 were discharged, there was one death, and 37 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 13·2) was equal to an average annual death-rate of 13·5 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·9 per 1,000, the rate for Glasgow being 16·3 and for Edinburgh 15·1.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 19th March. From this Report it appears that of a total of 64 cases notified, 39 were scarlet fever, 11 phthisis, 8 erysipelas, 5 diphtheria, and one enteric fever. Among the 383 cases of infectious diseases in hospital at the close of the week were 202 cases of scarlet fever, 70 of measles, 56 of phthisis, 21 of diphtheria, 10 of whooping-cough, 9 of erysipelas, 6 of chicken-pox, and 5 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 19th March, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 19TH MARCH, 1910.																							METEOROLOGY. (d)											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 19TH MARCH, 1910.				WEEK ENDING 12TH MARCH, 1910.				WEEK ENDING 5TH MARCH, 1910.			
	POPULATION.		DEATHS.			BIRTHS.	DEATHS.																			Air Temperature				Air Temperature				Air Temperature			
	Total.(a)	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10–18.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia b* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·2	26·2	19·0	1·5	578	419	80	128	.	5	2	.	21	1	.	1	4	28	42	24	15	76	8	15	126	20	.	.	.	.	.	.	.	.	.	.	.	.
DUBLIN REGISTRATION AREA:— TOTAL, *c*	402,928	29·3	21·0	16·4	0·6	162	142	20	52	.	.	.	.	1	1	.	1	2	11	13	10	4	26	1	2	58	5	652·6	28·8	39·8	0·17	655·2	31·4	43·6	0·38	652·4	31·9	44·0	0·39
CITY OF DUBLIN,	310,298	39·2	23·0	18·7	0·7	137	111	18	37	.	.	.	.	1	1	.	.	2	10	10	8	4	24	.	1	49	3	654·1 652·9	33·9 30·0	41·9 40·6	0·20 0·19	655·0 656·2	34·1 31·0	45·2 43·7	0·30 0·31	653·5 652·9	34·2 32·6	44·6 44·3	0·63 0·54
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	21·1	12·7	.	15	9	1	3	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	10·8	25·2	1·8	6	14	1	5	.	.	.	.	.	.	.	1	.	1	1	1	.	1	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,013	8·3	.	5·8	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	11·8	20·7	.	4	7	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	2	.	54·5	35·0	42·5	0·18	54·5	35·0	45·5	0·44	52·5	35·0	44·3	0·58
URBAN DISTRICTS.																																							
BELFAST,	391,167	26·6	32·0	21·7	2·5	240	163	29	38	.	5	2	.	12	.	.	.	.	12	18	9	9	24	5	9	44	1	51·0	30·0	40·5	0·15	54·0	35·0	43·9	1·15	54·0	29·5	42·3	0·56
CORK,	76,122	33·6	32·2	19·9	.	47	29	5	13	.	.	.	.	.	.	.	.	.	1	2	.	.	9	2	2	12	2	50	35	43·5	0·75	51	37	45·5	1·27	51	36	45·1	1·50
LONDONDERRY,	43,477	20·1	13·2	9·6	.	11	8	.	5	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	15·0	19·1	2·7	11	14	3	7	.	.	.	.	1	.	.	.	1	.	.	1	1	5	.	.	3	3	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD,	26,769	18·7	33·1	13·6	1·9	17	7	2	1	.	.	.	.	.	.	.	.	1	.	3	.	.	2	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	2·5	19·4	5·9	.	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	52	30	41	0·30	54	32	46	0·92	52	32	45	1·16
DUNDALK	13,076	9·4	23·9	4·0	.	6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	16·5	24·5	12·3	4	6	1	.	.	.	.	.	3	.	.	.	.	1	1	.	.	.	.	.	1	.	52·1	31·0	41·0	0·11	54·0	29·0	42·5	0·97	53·2	32·7	43·7	0·72
NEWRY,	12,405	17·8	21·0	12·6	.	5	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	52·1	31·0	41·0	0·11	54·0	29·0	42·5	0·97	53·2	32·7	43·7	0·72
LURGAN,	11,782	13·8	26·6	4·4	.	6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	52·1	31·0	41·0	0·11	54·0	29·0	42·5	0·97	53·2	32·7	43·7	0·72
LISBURN,	11,461	10·1	36·4	18·2	9·1	8	4	3	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
WEXFORD,	11,168	23·2	23·8	28·0	.	5	6	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,886	8·9	33·5	28·7	.	7	6	2	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,870	8·7	38·4	19·2	.	8	4	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	1	53·4	26·3	40·9	0·44	54·5	31·0	43·4	2·40	55·3	29·3	43·2	1·05
KILKENNY,	10,609	11·5	4·9	9·8	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	54	31	41·1	0·35	52	29	42·1	0·78	53	29	44·9	1·05
CLONMEL,	10,167	7·8	15·4	15·4	.	3	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,092	13·2	36·2	25·8	.	7	5	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	52·1	31·0	41·0	0·11	54·0	29·0	42·5	0·97	53·2	32·7	43·7	0·72
TRALEE,	9,867	16·6	52·8	42·3	10·6	10	8	5	2	.	.	.	.	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	28·6	17·2	.	5	3	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	58	33	41·0	0·17	52	34	43·1	1·19	50	32	42·4	0·55
QUEENSTOWN,	7,909	14·4	39·6	.	.	6	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	50	35	43·5	0·75	51	37	45·5	1·27	51	36	45·1	1·50
ARMAGH,	7,588	22·2	27·5	20·6	.	4	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	52·1	31·0	41·0	0·11	54·0	29·0	42·5	0·97	53·2	32·7	43·7	0·72

(*a*) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (*b*) Formerly described as "Simple Continued Fever." (*c*) Exclusive of 7 deaths of persons (including one under one year old) admitted to hospital from localities outside the Area; of the 7 deaths one was from scarlet fever. (*d*) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. (*e*) Observations at Ordnance Survey Office, Phœnix Park. (*f*) Observations by Sir John Moore taken at Fitzwilliam-square. (*g*) Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 19th March, 1910, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN REGISTRATION DISTRICTS IN											URBAN DISTRICTS OF						
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Diarrhœal Diseases,	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Pneumonia,	.	4	1	2	.	.	.	3	.	.	.	.	.	1	.	.	11	1
Tuberculous Phthisis,	.	1	2	1	.	.	.	1	1	2	2	.	2	1	.	.	13	2
Disease. Other Forms,	.	1	2	.	.	.	1	.	2	1	1	.	1	1	.	.	10	.
Cancer, Malignant Disease,	.	1	.	.	.	.	.	1	2	.	.	.	.	.	.	.	4	1
Other General Diseases,	2	3	2	2	.	.	.	2	.	1	3	1	1	2	1	1	21	.
Total,	3	11	7	6	.	.	1	7	5	5	6	1	4	6	1	1	64	5
B. LOCAL DISEASES:																		
Diseases of Nervous System,	1	.	.	.	.	1	.	.	.	1	.	.	3	1	.	.	7	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Heart and Blood Vessels,	1	1	3	4	1	2	.	4	2	3	1	.	1	3	.	4	30	.
Respiratory System,	3	6	1	4	.	1	.	1	1	4	3	.	.	1	.	1	26	.
Digestive System,	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	3	1
Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	3	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	5	7	4	8	1	4	.	6	3	11	5	.	5	7	.	5	71	2
C. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	1	.	.	2	.	.	.	1	1	.	.	.	.	1	.	.	6	.
E. VIOLENT DEATHS,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Deaths from all Causes	9	18	11	16	1	4	1	14	9	16	11	1	9	14	1	7	142	7
Annual Rate of Mortality from all causes in every 1,000 of the population.	15·7	23·5	18·7	24·9	9·7	17·9	6·8	17·6	21·6	19·3	16·0	5·7	12·7	25·2	5·8	20·7	18·4	.
	19·7							17·6					17·5					
	18·7																	
Ages at Death. Under 1 year,	1	3	2	3	.	.	.	3	.	4	2	.	1	1	.	.	20	1
1 and under 5 years,	1	1	1	2	.	.	.	1	2	.	.	.	1	.	.	.	9	.
5 „ 20 „	1	1	2	.	.	.	1	1	.	1	1	.	.	1	.	.	9	2
20 „ 40 „	1	2	1	2	.	1	.	2	.	1	3	.	1	4	.	1	19	2
40 „ 60 „	2	7	2	2	.	.	.	4	3	4	2	1	3	3	.	.	33	2
60 years and upwards,	3	4	3	7	1	3	.	3	4	6	3	.	3	5	1	6	52	.
Number of Uncertified Deaths,	.	.	.	1	.	.	.	1	.	1	.	.	2	.	.	.	5	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	5	.	3	1	.	1	5	.	3	3	.	2	5	.	1	30	5
Workhouse Hospitals,	1	3	3	5	.	1	.	3	5	4	2	.	.	.	.	1	28	2

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in week of the ten years 1900–1909,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Averages in 11th Week of the 10 years, 1900–1909.	In the Week ending Saturday, 19th March, 1910.							
	Mar. 17, 1900.	Mar. 16, 1901.	Mar. 15, 1902.	Mar. 21, 1903.	Mar. 19, 1904.	Mar. 18, 1905.	Mar. 17, 1906.	Mar. 16, 1907.	Mar. 14, 1908.	Mar. 13, 1909.		Deaths of Persons of the Ages of							
												All Ages.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 41·1	° 43·6	° 44·9	° 45·3	° 42·6	° 43·5	° 43·3	° 43·8	° 41·0	° 39·6	° 42·9	° 39·8								
ALL CAUSES.	209	234	154	212	213	182	173	203	191	232	200·3	149	10	11	9	11	21	35	41	11
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	4	.	4	1	4	4	.	5	.	5	2·7	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	3	.	.	1	.	1	.	.	·5	1	.	.	.	1	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	5	14	5	1	5	5	1	4	7	5	5·2	7	.	.	.	1	.	4	1	1
Whooping-cough,	1	11	.	2	13	.	2	5	.	4	3·8	1	.	.	1	.	.	.	.	.
Diphtheria,	.	2	.	3	1	1	2	1	2	1	1·3	1	.	.	.	1	.	.	.	.
Cerebro-spinal Fever,	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain)	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	1	2	1	1	3	1	1	3	1·4	1	.	.	.	.	1	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.),	4	.	1	.	.	1	.	.	.	1	1·7	1	.	.	1	.	.	.	.	.
Diarrhœa, Dysentery,				1	1	.	3	4	1	.		1	.	.	1	.	.	.	.	.
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	1	1	2	2	3	1	5	.	1	1·6	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia,				.	1	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Puerperal Pyæmia,	.	.	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Puerperal Fever,				.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
Infective Endocarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,				.	1	1	1	1	1	3		1	.	.	.	1	.	.	.	.
Pneumonia, Broncho-Epidemic	10	14	17	6	4	6	5	4	7	13	14·3	7	.	3	2	1	1	.	.	
Pneumonia, Not defined,				11	8	2	4	6	8	10		4	.	1	.	.	1	1	1	1
Erysipelas,	.	.	.	2	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal)				1	2	.	.	1	.	2		.	.	.	.	.	.	.	.	.
Pyæmia (not Puerperal),	.	.	.	.	.	.	.	.	.	.	·6	.	.	.	.	.	.	.	.	.
Other Infective Processes,	.	.	.	1	.	1	.	1	2	.	·5	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis,	29	23	17	4	3	6	8	13	19	13	25·7	9	.	1	.	7	1	.	.	
"*Phthisis*,"				16	23	21	15	15	10	22		6	.	.	.	1	2	1	2	.
Tuberculous Meningitis,	6	4	3	13	5	4	5	6	2	2	5·0	7	.	1	3	2	1	.	.	.
Tuberculous Peritonitis,	4	9	.	3	1	.	.	1	1	3	2·7	.	.	.	.	.	.	.	.	.
Tabes Mesenterica,				.	1	.	1	.	1	2		.	.	.	.	.	.	.	.	.
Tuberculous Dis. (other),	5	7	3	11	4	8	6	7	3	4	5·8	3	.	.	1	2	.	.	.	.
Scrofula,				.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Alcoholism,	.	.	.	.	.	1	.	1	.	.	·2	1	.	.	.	.	1	.	.	.
Rheumatic Fever,	1	.	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	1	.	2	·3	.	.	.	.	.	.	.	.	.
Carcinoma,				1	3	2	1	.	7	4		2	.	.	.	.	1	.	1	
Sarcoma,	4	9	4	1	.	1	2	.	.	1	7·1	.	.	.	.	.	.	.	.	.
Cancer (undefined)				5	2	3	3	8	4	6		3	.	.	.	.	3	.	.	.
Diabetes Mellitus,	.	.	.	1	1	1	1	.	.	1	·5	1	.	.	.	.	.	1	.	
Premature Birth,	1	5	1	3	9	3	5	6	3	1	3·7	8	8	.	.	.	.	.	.	.

* The figures for the year 1900 are for

† Formerly described as

he ELEVENTH WEEK ending Saturday, 19th March, 1910, with the deaths from each cause in the corresponding and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 11th Week of the 10 years 1900-1909.	In the Week ending Saturday, 19th March, 1910.								
												Deaths of Persons of the Ages of								
	Mar. 17, 1910.	Mar. 16, 1901.	Mar. 15, 1902.	Mar. 21, 1903.	Mar. 19, 1904.	Mar. 18, 1905.	Mar. 17, 1906.	Mar. 16, 1907.	Mar. 14, 1908.	Mar. 19, 1909.		ALL AGES.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 41·1	° 43·6	° 44·9	° 45·3	° 42·6	° 43·5	° 43·3	° 43·8	° 41·0	° 39·6	° 42·9	° 39·8								
Meningitis (not tuberc.) ...				3	4	2	7	4	4	3		3	.	.	.	1	.	1	.	1
Insanity, G. P. of Insane ...				3	4	1	2	2	1	.		.	.	.	.	.	.	.	.	.
Epilepsy				1	2	1	.	.	.	1		.	.	.	.	.	.	.	.	.
Convulsions				8	4	8	7	6	2	4		.	.	.	.	.	.	.	.	.
Locomotor Ataxy ...				.	.	1	.	.	1	.		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord ...				3	1	3	2	1	1	2		2	.	.	.	.	.	1	1	
Nervous System (other Dis.)				4	1	3	2	2	1	3		2	.	.	.	.	1	1	.	
Valv. Dis., Endocarditis ...	40	46	33	2	.	3	8	3	8	3	41·8	8	.	.	.	1	2	4	1	.
Cerebr. Hæm. Thromb.				1	1	1	3	6	3	4		3	.	.	.	.	.	1	2	.
Apoplexy, Hemiplegia ...				4	5	5	1	.	9	4		5	.	.	.	.	1	.	3	1
Aneurysm				.	.	.	.	1	2	.		.	.	.	.	.	.	.	.	.
Embolism, Thromb. (not cerebral)				.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Heart and Blood Vessels (other Dis.)				20	17	20	17	9	9	15		14	.	.	.	.	.	1	10	3
Croup (not Spasm. nor Memb.)	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Bronchitis	27	37	21	28	36	13	20	30	23	43	27·8	23	.	1	.	.	1	9	10	2
Asthma, Emphysema ...	2	4	3	.	.	.	.	2	.	1	2·4	1	.	.	.	.	.	1	.	.
Pleurisy				.	1	1	.	1	.	1		.	.	.	.	.	.	.	.	.
Respiratory Dis. (other) ...				1	.	1	1	.	2	3		2	.	.	.	.	.	1	1	.
Tonsillitis, Quinsy ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.) ...	1	1	.	.	.	.	1	1	.	3	1·1	1	.	1	.	.	.	.	.	.
Gastro-enteritis ...				.	.	3	.	.	1	.		1	.	1	.	.	.	.	.	.
Peritonitis (not Puerp.) ...	.	2	2	1	.	.	1	.	.	.	·6	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver ...	6	1	3	1	1	2	1	.	1	.	2·5	.	.	.	.	.	.	.	.	.
Liver Dis. (other) ...				.	5	.	1	.	1	2		.	.	.	.	.	.	.	.	.
Digestive Dis. (other) ...	5	5	3	9	4	6	7	6	7	1	5·3	2	.	.	.	.	1	.	1	.
Nephritis, Acute	9	4	7	.	.	2	1	2	2	3	5·9	.	.	.	.	.	.	.	.	.
Bright's Dis., Albuminuria				3	4	2	3	2	1	3		3	.	.	.	.	2	1	.	.
Urinary Sys. (other Dis.) ...				.	1	.	4	3	2	1		.	.	.	.	.	.	.	.	.
Generative Organs Dis. ...	1	.	.	1	.	2	.	.	.	.	·4	1	.	.	.	1	.	.	.	.
Childbirth (Accid. of) ...	.	.	.	1	1	1	.	.	.	.	·3	1	.	.	.	1	.	.	.	.
Old Age	19	15	4	8	6	10	3	3	4	8	8·0	2	.	.	.	.	.	2	.	
Other Diseases	21	14	15	14	13	12	9	16	17	11	14·2	9	2	2	.	1	.	1	3	.
ACCIDENT.																				
By Railways	.	1	.	1	.	.	.	.	1	1	·4	.	.	.	.	.	.	.	.	.
By Vehicles and Horses ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
In Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations ...	.	.	.	.	2	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	3	.	.	1	1	1	.	.	1	1	·8	.	.	.	.	.	.	.	.	.
By Drowning	.	1	.	1	.	.	1	1	1	.	·5	1	.	.	.	1	.	.	.	.
By Suffocation in Bed ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident	1	3	2	1	2	1	.	3	4	1	1·8	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Suicide	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

he Registration Area as then constituted.
Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1909-10—Week ending																								
	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.
No. of weeks in Annual Series,	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11
BIRTHS registered.	215	250	193	184	226	203	220	215	238	196	206	174	216	185	232	236	243	197	162	252	220	197	224	206	247	162
*Average Births in corresponding week of previous 10 years,**	199	250	192	186	205	203	210	198	195	181	202	197	190	177	175	227	204	206	203	234	212	210	213	214	219	217
DEATHS registered,	157	141	134	127	124	148	145	177	190	172	180	177	158	155	205	171	177	181	177	239	217	211	228	208	204	149
Annual Death-rate per 1,000,	20·6	18·8	17·5	16·6	16·2	19·4	19·0	23·2	24·9	22·5	23·6	23·2	20·7	20·3	26·8	22·5	22·9	23·4	22·9	30·9	28·1	27·3	29·5	26·9	26·4	19·3
*Average Deaths in corresponding week of previous 10 years,**	171	168	164	166	173	166	179	182	184	187	190	190	187	195	184	217	210	206	201	200	196	207	221	221	214	200
AGES, Under 5 years,	47	35	35	36	41	35	40	45	41	37	42	37	51	44	71	49	57	57	53	76	58	67	67	57	58	30
5—20 "	8	10	12	6	14	17	10	12	9	8	9	8	10	8	11	12	13	10	13	11	9	9	16	8	12	11
20—40 "	28	27	20	17	21	39	21	26	28	18	23	25	19	23	19	30	25	30	31	27	25	19	22	33	28	21
40—60 "	34	27	31	24	25	28	33	38	44	51	47	52	27	34	48	36	28	41	36	54	42	38	42	40	34	35
60—80 "	33	40	33	38	19	34	33	49	61	52	50	45	39	37	30	37	40	45	37	64	62	66	69	57	65	41
80 years and upwards,	7	5	8	6	4	1	8	7	7	6	10	10	12	9	6	10	10	8	5	7	21	12	12	13	12	11
Deaths from—																										
Small-pox,	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	2	.	.	1	.	.	.	.	.	.	.
Measles,	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	2	1	1	.	1
Scarlet Fever,	1	.	.	1	1	.	.	1	.	1	.	1	1	1	3	.	.	.	1	.	.	.	.	.	.	.
Typhus,	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	2	3	.	1	1	1	1	2	.	.	2	2	2	1	3	5	4	1	2	4	1	.	3	2	1
Diphtheria,	2	1	1	1	.	.	.	1	2	1	1	.	2	.	1	1	.	3	.	3	2	.	2	.	1	1
Pyrexia † (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Enteric Fever,	2	1	.	1	.	1	1	1	.	1	1	1	.	3	2	.	1	.	2	.	.	.	1	2	.	1
Diarrhœal Diseases,	6	5	5	4	2	3	2	4	2	4	2	4	1	.	4	2	4	4	2	4	6	2	3	3	4	2
Influenza,	.	.	.	3	.	.	1	3	1	2	3	1	1	6	4	2	3	5	1	4	3	2	2	5	6	7
Pneumonia,	4	13	11	5	7	13	8	14	18	16	20	23	19	20	22	22	14	21	14	20	17	20	22	17	20	12
Tuberculous Phthisis,	21	15	17	12	25	27	19	20	20	17	22	17	15	14	15	24	19	21	23	26	19	19	23	28	26	15
Disease, Other Forms,	9	7	5	3	4	9	7	8	6	6	7	8	6	4	6	5	6	6	6	17	10	14	13	10	12	10
Cancer, Malignant Disease,	18	7	8	8	3	6	10	8	17	7	11	10	8	6	4	8	7	8	11	19	10	8	14	9	13	5
Diseases of Heart and Blood Vessels,	14	28	15	18	19	17	19	33	32	27	31	29	25	21	37	29	31	29	17	29	34	40	31	27	25	30
Diseases of Respiratory System,	18	18	9	13	11	14	15	22	22	32	29	23	26	30	41	20	33	29	30	48	55	41	41	39	35	26
Violent Deaths,	2	4	5	1	4	2	3	4	6	4	5	4	4	2	2	4	4	1	4	5	1	6	6	5	3	1
Number of Uncertified Deaths,	2	3	1	4	4	6	4	5	4	2	3	4	5	7	10	3	8	13	9	13	3	7	2	8	5	5
Mean Temperature of the Air (Phœnix Park),	52·0	53·6	53·2	52·5	51·1	40·3	45·0	41·9	37·7	38·4	41·8	39·1	41·4	33·5	45·9	45·4	42·1	37·6	32·5	38·1	43·7	42·3	39·2	44·0	43·6	39·8
Average Mean Temperature in corresponding week of previous 10 years,	53·9‡	53·1	51·5	50·2	48·3	47·1	47·6	45·3	43·7	42·4	43·3	43·0	41·3	42·1‡	40·3	41·3	40·0	41·1	41·7	40·0	38·9	38·9	40·1	40·1	41·1	42·9
Rainfall in inches,	·065	·988	·396	·772	1·896	·134	·117	·733	·037	·251	1·163	1·202	·207	1·183	·840	·128	·986	·240	1·690	·163	·264	1·160	·915	·892	·333	·174
Mean Humidity of the Air, complete Saturation 1·0	·92	·93	·83	·84	·86	·81	·88	·88	·80	·84	·87	·90	·82	·86	·88	·89	·85	·91	·88	·94	·91	93	·94	·93	·88	·91

* See note (*) at foot of Table IV.

† Formerly described as "Simple Continued Fever."

‡ For 9 years only

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 19th March, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 19TH MARCH, 1910.																										
			Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES.						CAUSES OF DEATH.																		
					Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tubercular Disease.		Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
																						Phthisis.	Other Forms.						
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS, ...	375,350	20·7	149	30	11	21	35	41	11	.	.	1	.	1	1	.	1	2	6	12	15	10	5	.	26	1	74	5
	CLASSES.																												
	Deaths in Families of the—																												
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,436	20·9	7	.	.	.	1	4	2	.	.	.	.	.	.	.	.	.	.	1	2	1	2	.	1	.	5	.
II.	MIDDLE CLASS, ...	87,188	18·5	31	3	4	6	5	9	4	.	.	.	.	.	1	.	.	1	2	2	2	1	2	.	2	.	20	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,428	17·9	38	7	5	4	11	9	2	.	.	.	.	.	.	.	1	.	1	3	3	3	.	.	8	.	20	3
IV.	GENERAL SERVICE CLASS, ...	154,279	14·5	43	14	2	8	6	13	.	.	.	1	.	1	.	.	.	1	3	4	5	5	2	.	9	1	14	1
V.	INMATES OF WORKHOUSES, ...	6,024	—	30	6	.	3	12	6	3	.	.	.	.	.	.	.	.	.	.	2	5	1	1	.	6	.	15	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	38·4	5	.	.	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	12·5	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																												
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	14·2	6	.	1	.	2	3	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.	.	.	4	.
	6. Clerks and Commercial Assistants, ..	30,432	17·1	10	3	1	4	.	1	1	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	1	.	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	23·2	12	.	2	2	2	4	2	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	9	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	26·4	5	3	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4	.
	9. Building and Furnishing Trades, ...	23,801	17·5	10	2	.	.	4	4	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	7	3
	10. Clothing Trades, ...	23,260	6·7	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
	11. Food Supply Trades, ...	9,242	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	29·2	17	.	2	3	7	4	1	.	.	.	.	.	.	.	1	.	1	1	2	1	.	.	7	.	5	.
	13. Petty Shopkeepers, ...	7,894	19·8	3	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
IV.	GENERAL SERVICE CLASS.																												
	14. Army, Police, Postal Delivery, and Prison Services, &c	18,425	27·2	7	1	1	1	2	2	.	.	.	1	.	.	.	.	.	.	1	1	1	.	1	.	1	.	2	1
	15. Domestic Servants, ...	86,608	4·3	3	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	18·1	5	2	.	.	1	2	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	2	.	1	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	16·2	28	11	1	6	3	7	.	.	.	.	.	.	.	.	.	1	1	3	3	3	1	.	6	1	10	.
V.	INMATES OF WORKHOUSES.																												
	18. Workhouse Inmates, ...	6,024	—	30	6	.	3	12	6	3	.	.	.	.	.	.	.	.	.	.	2	5	1	1	.	6	.	15	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

	DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	From Diseases in Cols. 5-18.	TOTAL DEATHS.	NUMBER OF DEATHS FROM Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
	COLS.	(1.)	(2.)	(3.)	(4.)	(5.)	(6.)	(7.)	(8.)	(9.)	(10.)	(11.)	(12.)	(13.)	(14.)	(15.)	(16.)	(17.)	(18.)	(19.)	(20.)
City of Dublin (Part of).	North City, No. 1 (E.)	Jan. 29,	24·4	.	14	.	.	.	.	.	.	.	.	.	1	1	.	.	4	2	.
		Feb. 5,	19·2	.	11	.	.	.	.	.	.	.	.	.	.	2	2	2	1	2	2
		,, 12,	15·7	.	9	.	.	.	.	.	.	.	.	.	3	.	.	.	2	1	.
	(*Office*,	,, 19,	31·4	3·5	18	.	.	1	.	.	.	.	.	1	2	1	1	1	2	1	.
	Clarence-st., Nth.)	,, 26,	20·9	.	12	.	.	.	.	.	.	.	.	.	1	1	.	1	1	1	.
		Mar. 5,	26·2	.	15	.	.	.	.	.	.	.	.	.	1	1	.	1	3	2	3
	Pop. in 1910	,, 12,	36·6	1·7	21	.	.	.	.	.	1	.	.	.	3	3	2	1	5	1	.
	(Est.) 29,908.	,, 19,	15·7	1·7	9	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.	.
	North City,	Jan. 29,	30·0	1·8	23	.	.	.	.	1	.	.	.	.	2	2	.	1	6	1	3
	No. 1 (W.)	Feb. 5,	32·6	5·2	25	.	.	.	.	2	.	.	.	2	1	2	1	3	7	.	1
		,, 12,	40·4	6·5	31	.	.	.	.	1	1	.	.	3	3	3	.	2	10	.	1
	(*Office*,	,, 19,	30·0	1·8	23	.	.	.	.	.	.	.	.	1	2	2	1	.	5	.	.
	Summer-hill.)	,, 26,	31·3	1·3	24	.	.	.	.	.	.	.	.	1	4	2	1	2	4	1	.
		Mar. 5,	37·8	3·9	29	.	.	.	.	1	.	.	1	1	2	3	3	2	7	.	1
	Pop. in 1910	,, 12,	28·7	2·6	22	.	.	.	.	.	.	.	.	2	3	2	2	2	3	.	.
	(Est.) 39,974.	,, 19,	23·5	1·8	18	.	.	.	.	.	.	.	.	1	4	1	1	1	6	.	.
	North City,	Jan. 29,	35·6	1·7	21	.	.	.	.	.	.	.	.	1	.	2	1	1	3	1	1
	No. 2.	Feb. 5,	44·1	1·7	26	.	.	.	.	.	.	.	.	1	2	.	2	1	5	.	.
		,, 12,	32·2	1·7	19	.	.	.	.	.	.	.	.	1	.	.	3	2	8	.	.
	(*Office*,	,, 19,	35·6	.	21	.	.	.	.	.	.	.	.	.	4	2	.	2	4	.	.
	Lisburn-street.)	,, 26,	22·0	1·7	13	.	.	.	.	.	.	.	.	1	1	2	1	.	4	1	.
		Mar. 5,	32·2	3·4	19	.	.	1	.	1	.	.	.	.	2	2	1	.	2	.	.
	Pop. in 1910	,, 12,	28·8	.	17	.	.	.	.	.	.	.	.	.	.	.	2	1	3	1	.
	(Est.) 30,744.	,, 19,	18·7	.	11	.	.	.	.	.	.	.	.	.	1	2	2	.	1	.	.
	North City,	Jan. 29,	21·3	.	14	.	.	.	.	.	.	.	.	.	2	4	.	1	3	.	.
	No. 3.	Feb. 5,	23·3	.	15	.	.	.	.	.	.	.	.	.	2	2	1	.	2	.	.
		,, 12,	26·4	1·6	17	.	.	.	.	1	.	.	.	.	2	2	1	.	.	.	.
	(*Office*,	,, 19,	35·7	1·6	23	.	.	.	.	.	.	1	.	.	2	2	4	.	4	.	.
	Benburb-street.)	,, 26,	43·2	.	31	.	.	.	.	.	.	.	.	.	3	3	3	1	5	1	.
		Mar. 5,	18·6	.	12	.	.	.	.	.	.	.	.	.	2	4	.	.	1	.	.
	Pop. in 1910	,, 12,	23·3	1·6	15	.	.	.	.	.	.	.	.	1	3	2	1	1	2	.	.
	(Est.) 33,559.	,, 19,	24·9	1·6	16	.	.	.	.	.	.	.	.	1	2	1	.	.	4	.	1
	South City,	Jan 29,	18·9	.	15	.	.	.	.	.	.	.	.	.	2	1	1	1	4	.	.
	No. 1.	Feb. 5,	21·4	.	17	.	.	.	.	.	.	.	.	.	1	1	1	1	4	.	2
		,, 12,	21·4	1·3	17	.	.	.	.	.	.	.	.	1	2	1	1	1	5	.	.
	(*Office*,	,, 19,	40·2	.	32	.	.	.	.	.	.	.	.	.	3	5	3	2	4	1	1
	Sth. Earl-street.)	,, 26,	33·9	.	27	.	.	.	.	.	.	.	.	.	2	4	2	.	6	.	.
		Mar. 5,	16·3	1·3	13	.	.	.	.	.	.	.	.	1	.	2	1	.	2	.	.
	Pop. in 1910	,, 12,	31·4	.	25	.	.	.	.	.	.	.	.	.	3	3	2	1	8	.	2
	(Est.) 41,476.	,, 19,	17·6	.	14	.	.	.	.	.	.	.	.	.	3	1	.	1	1	.	1
	South City,	Jan. 29,	9·6	2·4	4	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	No. 2.	Feb. 5,	45·5	.	19	.	.	.	.	.	.	.	.	.	3	.	3	2	6	.	1
		,, 12,	45·5	.	19	.	.	.	.	.	.	.	.	.	1	1	1	1	9	.	.
	(*Office*,	,, 19,	19·2	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.
	Castle-street.)	,, 26,	46·1	.	18	.	.	.	.	.	.	.	.	.	.	1	.	1	5	.	1
		Mar. 5,	31·2	.	13	.	.	.	.	.	.	.	.	.	3	2	2	.	3	.	1
	Pop. in 1910	,, 12,	21·6	.	9	.	.	.	.	.	.	.	.	.	.	4	.	.	1	.	1
	(Est.) 21,754.	,, 19,	21·6	.	9	.	.	.	.	.	.	.	.	.	.	1	2	2	1	.	.
	South City,	Jan. 29,	26·5	.	22	.	.	.	.	.	.	.	.	.	3	6	.	1	8	.	4
	No. 3.	Feb. 5,	33·3	.	28	.	.	.	.	.	.	.	.	.	2	1	3	.	4	1	2
		,, 12,	41·0	4·8	34	.	.	.	.	2	1	.	.	1	2	4	1	2	7	.	.
	(*Office*,	,, 19,	31·4	.	26	.	.	.	.	.	.	.	.	.	2	2	1	1	9	2	.
	Peter-street.)	,, 26,	35·0	1·2	29	.	.	.	.	.	1	.	.	.	2	2	1	4	6	.	.
		Mar. 5,	26·5	1·2	22	.	.	.	.	.	1	.	.	.	2	1	.	1	3	1	.
	Pop. in 1910	,, 12,	21·7	2·4	18	.	.	.	.	2	.	.	.	.	3	2	1	.	5	.	1
	(Est.) 43,227.	,, 19,	19·3	1·2	16	.	.	.	.	.	1	.	.	.	.	2	1	.	4	.	1
	South City,	Jan. 29,	18·9	1·5	13	.	.	1	.	.	.	.	.	.	1	.	2	1	1	.	.
	No. 4.	Feb. 5,	37·8	2·9	26	.	.	.	.	.	2	.	.	.	3	2	2	2	8	1	2
		,, 12,	28·3	.	16	.	.	.	.	.	.	.	.	.	1	.	1	.	4	.	.
	(*Office*,	,, 19,	14·5	1·5	10	.	.	1	.	.	.	.	.	.	1	.	.	1	1	.	.
	Grand Canal-st.)	,, 26,	30·5	1·5	21	.	.	1	.	.	.	.	.	.	5	1	3	1	6	.	.
		Mar. 5,	32·0	.	22	.	.	.	.	.	.	.	.	.	.	4	.	2	4	.	2
	Pop. in 1910	,, 12,	23·3	.	16	.	.	.	.	.	.	.	.	.	.	2	.	2	1	.	1
	(Est.) 35,881.	,, 19,	16·0	.	11	.	.	.	.	.	.	.	.	.	.	2	1	.	3	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	From Diseases in Cols. 5–18.	Total Deaths.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Col.	(1)	(2)	(3)	(4)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	Jan. 29,	15·5	.	11	.	.	.	.	.	.	.	.	.	1	1	1	3	.	.	.
	Feb. 5,	29·6	.	21	.	.	.	.	.	.	.	.	.	1	3	1	2	2	.	1
	„ 12,	11·8	.	8	.	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.
	„ 19,	16·5	1·4	11	.	.	.	.	1	.	.	.	.	1	1	.	.	3	.	3
	„ 26,	19·7	1·4	14	.	.	.	.	.	.	.	1	.	1	.	2	1	1	.	.
	Mar. 5,	19·7	1·4	14	.	.	.	.	1	.	.	.	.	2	3	.	.	4	.	.
	„ 12,	16·9	.	12	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.
	„ 19,	12·7	.	9	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	2
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	Jan. 29,	12·6	.	7	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
	Feb. 5,	23·4	.	13	.	.	.	.	.	.	.	.	.	.	4	.	1	1	.	1
	„ 12,	27·0	.	15	.	.	.	.	.	.	.	.	.	.	4	1	1	3	.	.
	„ 19,	19·8	.	11	.	.	.	.	.	.	.	.	.	.	.	2	1	1	1	1
	„ 26,	21·6	1·8	12	.	.	.	.	.	.	.	1	.	1	1	1	1	1	1	1
	Mar. 5,	19·8	.	11	.	.	.	.	.	.	.	.	.	1	2	.	.	3	.	1
	„ 12,	25·2	.	14	.	.	.	.	.	.	.	.	.	1	3	.	2	4	1	.
	„ 19,	25·2	1·8	14	.	.	.	.	.	.	.	1	.	1	1	1	.	1	.	.
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	Jan. 29,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
	Feb. 5,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.
	„ 12,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 19,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 26,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	Mar. 5,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	„ 12,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	„ 19,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Belfast. Pop. in 1910 (Est.) 391,167.	Jan. 29,	20·1	1·9	151	.	.	.	.	13	.	.	1	.	16	15	10	4	29	7	3
	Feb. 5,	22·0	2·8	165	.	.	.	.	19	.	.	.	2	14	16	8	8	28	2	2
	„ 12,	22·9	2·3	172	.	.	2	.	15	.	.	.	.	16	15	4	7	40	2	1
	„ 19,	20·8	2·8	156	.	1	.	.	17	.	.	1	2	11	14	8	6	19	5	5
	„ 26,	18·7	2·8	140	.	.	1	.	14	1	1	.	.	16	20	7	5	21	3	2
	Mar. 5,	22·0	1·9	165	.	1	.	.	11	.	.	.	2	12	23	9	3	24	10	2
	„ 12,	21·6	2·1	162	.	1	.	.	12	.	.	1	2	10	26	7	5	22	9	1
	„ 19,	21·7	2·5	163	.	5	2	.	12	.	.	.	.	12	18	9	9	24	5	1
Cork. Pop. (in 1901) 76,122.	Jan. 29,	21·9	1·4	32	.	.	.	.	.	1	.	1	.	2	6	1	.	5	.	1
	Feb. 5,	31·5	0·7	46	.	.	.	.	.	.	.	.	1	4	7	1	4	9	1	5
	„ 12,	26·7	.	39	.	.	.	.	.	.	.	.	.	3	6	8	1	4	.	2
	„ 19,	26·7	1·4	39	.	.	.	.	1	.	.	.	1	2	3	3	1	11	.	5
	„ 26,	28·3	0·7	34	.	.	.	.	.	.	.	1	.	2	5	7	2	3	.	1
	Mar. 5,	28·3	.	34	.	.	.	.	.	.	.	.	.	1	4	3	3	5	.	2
	„ 12,	20·5	.	30	.	.	.	.	.	.	.	.	.	3	6	1	.	3	.	3
	„ 19,	19·9	.	29	.	.	.	.	.	.	.	.	.	1	2	.	.	9	2	2
Londonderry. Pop. in 1910 (Est.) 43,477.	Jan. 29,	21·6	.	18	.	.	.	.	.	.	.	.	.	1	3	2	.	2	.	2
	Feb. 5,	14·4	.	12	.	.	.	.	.	.	.	.	.	1	2	1	.	5	.	.
	„ 12,	20·4	.	17	.	.	.	.	.	.	.	.	.	3	5	.	.	3	.	1
	„ 19,	14·4	.	12	.	.	.	.	.	.	.	.	.	1	1	.	4	2	1	.
	„ 26,	10·8	.	9	.	.	.	.	.	.	.	.	.	2	2	.	.	1	.	.
	Mar. 5,	25·2	.	21	.	.	.	.	.	.	.	.	.	3	2	2	2	4	1	.
	„ 12,	18·0	3·6	15	.	1	.	.	.	.	.	.	2	.	2	2	1	1	.	2
	„ 19,	9·6	.	8	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.
Limerick. Pop. (in 1901) 38,151.	Jan. 29,	16·4	1·4	19	.	.	.	.	1	.	.	.	.	.	2	.	1	5	.	1
	Feb. 5,	27·3	1·4	20	.	.	.	.	1	.	.	.	.	.	2	1	.	5	.	4
	„ 12,	16·4	.	12	.	.	.	.	.	.	.	.	.	1	2	1	.	4	.	2
	„ 19,	12·3	.	9	.	.	.	.	.	.	.	.	.	.	2	.	1	2	.	1
	„ 26,	21·9	2·7	16	.	.	.	.	2	.	.	.	.	1	2	.	1	4	.	3
	Mar. 5,	18·7	4·1	10	.	.	.	.	2	.	.	.	1	1	.	.	.	.	.	.
	„ 12,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	5	.	.	1	.	2
	„ 19,	19·1	2·7	14	.	.	.	.	1	.	.	.	1	.	.	1	1	5	.	3
Waterford. Pop. (in 1901) 26,769.	Jan. 29,	18·6	.	7	.	.	.	.	.	.	.	.	.	.	2	.	1	.	1	2
	Feb. 5,	21·4	.	11	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	2
	„ 12,	44·8	.	23	.	.	.	.	.	.	.	.	.	2	.	1	3	3	.	4
	„ 19,	29·2	1·9	15	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	3
	„ 26,	17·5	.	9	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	2
	Mar. 5,	17·5	.	9	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2
	„ 12,	27·3	3·9	14	.	.	.	1	1	.	.	.	.	1	5	.	.	1	.	1
	„ 19,	13·6	1·9	7	.	.	.	.	1	.	.	.	1	.	3	.	.	2	.	1

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 19th March, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS: Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-20.	Total No. of Deaths.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		11			9	2	.	3	1	3	.	.	.	.	.	1	.	.	.	.	.	2	1	1	1	.	.	2	.
Do. 2 do. .		37			19	2	2	2	5	3	5	.	.	.	.	.	.	.	.	1	3	.	.	2	.	1	4	.
Do. 3 do. .		33			16	3	2	3	1	3	4	.	1	.	.	1	.	.	.	2	1	.	.	2	2	2	4	.
Do. 4 do. .		29			15	6	4	.	.	4	1	.	1	1	.	2	.	.	.	2	1	.	1	2	.	.	8	1
Do. 5 do. .		7			10	.	2	.	.	3	5	.	.	.	.	2	.	.	.	.	.	1	1	3	.	.	4	.
Do. 6 do. .		18			16	3	2	1	2	5	3	.	.	.	.	.	.	.	.	2	3	1	.	3	1	1	9	.
Do. 7 do. .		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 8 do. .	349,180	5			5	1	.	2	1	.	1	.	.	.	.	1	.	.	.	.	.	1	.	.	1	1	1	1	.
Do. 9 do. .		14			9	.	2	1	2	1	3	.	1	.	.	1	.	.	.	.	2	.	2	.	.	.	.	.	.
Do 10 do. .		15			9	2	1	2	1	2	1	.	1	1	.	.	.	.	.	.	1	1	.	1	.	.	1	.	.
Do. 11 do. .		22			13	2	2	.	1	2	6	.	.	.	.	.	.	.	.	.	.	1	1	.	5	1	3	1	.
Do. 12 do. .		37			17	5	3	1	1	4	3	.	.	.	.	2	.	.	.	1	1	2	2	.	.	.	3	.	.
Do. 13 do. .		12			9	2	.	.	2	1	4	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	2	.	.
Do. 14 do. .		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15† do. .		5			16	1	7	1	1	4	2	.	1	.	.	2	.	.	.	.	2	2	2	1	2	.	1	5	.
Total, ...	—	240			163	29	27	16	18	35	38	.	5	2	.	12	.	.	.	.	12	18	9	9	24	5	9	44	1
City of Cork.																													
CORK URBAN No. 1 DISTRICT, .	12,867	5	16·2	.	4	.	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.
Do. 2 do. .	10,701	6	14·6	.	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 3 do. .	9,978	4	20·9	.	4	1	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.
Do. 4 do. .	8,666	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 do. .	6,592	6	7·9	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do. .	10,702	3	43·9	.	9	1	1	.	.	3	4	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	3	1
Do. 7 do. .	16,616	16	25·1	.	8	1	.	.	.	3	4	.	.	.	.	.	.	.	.	.	.	2	.	.	3	2	2	5	1
Total, ...	76,122	47	19·9	.	29	5	2	.	1	8	13	.	.	.	.	.	.	.	.	.	1	2	.	.	9	2	2	12	2

The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.

* Formerly described as Simple Continued Fever.

TABLE IX.—**City of Belfast.**—Comparative Tables of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1909-10—Week ending																								
	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.
No. of weeks in annual Series, ..	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11
BIRTHS registered, ...	186	194	208	228	218	202	205	174	180	168	189	190	181	170	215	278	192	180	216	214	213	196	202	239	201	240
DEATHS registered, ...	121	99	95	104	96	116	116	130	134	167	147	218	177	144	192	148	170	125	151	165	172	156	140	165	162	168
Annual Death rate per 1,000 of estimated Population, ...	16·3	13·4	12·8	14·0	12·9	15·6	15·6	17·5	18·1	22·5	19·8	29·4	23·9	19·4	25·9	19·7	22·7	16·7	20·1	22·0	22·9	20·8	18·7	22·0	21·6	21·7
AGES — Under 1 year, ...	35	30	21	24	17	22	28	30	28	41	44	62	41	33	46	36	48	25	33	28	37	31	23	33	31	29
AGES — 1-5 years, ...	13	14	10	8	11	14	11	8	14	27	14	21	18	22	25	23	21	20	21	28	21	20	21	21	16	27
AGES — 5 20 years, ...	11	8	5	9	9	9	7	11	4	11	10	18	13	10	12	8	9	9	14	2	8	13	12	11	14	16
AGES — 20-40 years, ...	15	16	12	23	14	27	22	23	22	20	20	31	22	23	28	17	24	17	22	30	18	26	19	29	26	18
AGES — 40-60 years, ...	17	17	20	15	26	13	19	27	28	31	23	33	33	20	34	26	28	23	21	30	42	31	36	37	40	35
AGES — 60 years and upwards, ..	30	14	27	25	19	31	29	31	38	37	36	53	50	36	45	38	40	27	40	47	46	35	29	34	35	38
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	5
Scarlet Fever, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	7	4	3	2	.	5	4	4	4	7	6	15	9	10	13	12	13	13	13	19	15	17	14	11	12	12
Diphtheria, ...	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	1	.	1	.	.	.	.	1	.	.	.
*Pyrexia** (origin uncertain), ..	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Enteric Fever, ...	.	2	2	3	.	.	.	2	.	.	.	1	.	.	.	2	.	.	1	.	.	1	.	.	1	.
Diarrhœal Diseases, ...	13	11	11	5	5	3	4	2	2	1	3	2	1	1	1	2	.	.	.	2	.	2	.	2	2	.
Pneumonia, ...	3	6	8	9	5	8	15	13	17	25	31	25	28	22	34	12	20	9	16	14	16	11	16	12	10	12
Tuberculous Disease, Phthisis, ..	17	12	7	11	9	14	6	14	8	8	11	26	14	17	13	14	14	12	15	16	15	14	20	23	26	18
Tuberculous Disease, Other Forms, ..	8	6	2	5	5	10	2	11	3	16	4	11	4	4	6	4	10	3	10	8	4	8	7	9	7	9
Cancer, Malignant Disease, ..	6	6	8	2	4	3	5	7	7	1	3	7	5	5	3	2	10	5	4	8	7	6	5	3	5	9
Diseases of Respiratory System,	15	5	9	10	12	14	21	17	31	42	41	53	37	39	41	28	31	21	29	28	40	19	21	24	22	24
Violent Deaths, ...	1	3	1	2	4	2	3	2	2	3	5	5	6	4	3	3	3	5	7	2	2	5	3	10	9	5
Number of Uncertified Deaths, ..	.	.	1	.	1	1	2	1	.	1	3	3	2	3	1	2	1	6	3	2	1	5	2	2	1	1

* Formerly described as "Simple Continued Fever.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	Mar. 19,	2,344	1,231	13·2	.	24	6	6	46	4*a*	11
EDINBURGH, ...	360,276	„ 19,	138	104	15·1	.	1	1	.	3	.	3
GLASGOW, ...	884,505	„ 19,	474	277*b*	16·3	.	20	1	5	6	1*a*	5
CALCUTTA, ...	1,009,008	Feb. 12,	.	575	29·6	.	5	.	5	.	81‡	86*
BOMBAY, ...	977,822	„ 15,	349	690	36·7	38	1	.	.	.	133‡	63
MADRAS, ...	509,346	Jan. 28,	304	391	39·9	.	4	?	?	?	141	47
CAIRO, ...	677,663	„ 28,	557	395	30·4	.	1	.	2†	?	3*a*	22
PARIS, ...	2,760,000	Feb. 12,	990	993	18·8	2	21	2	†	8	1*a*	29
BRUSSELS, ...	720,030	„ 26,	227	218	15·7	.	2	1	1†	1	4	11
ANTWERP, ...	317,171	„ 26,	138	77	12·7	.	3	.	.	5	.	4
AMSTERDAM, ...	568,131	„ 26,	276	154	14·1	.	3	.	.	1	.	1
COPENHAGEN, ...	450,000	„ 26,	228	145	16·8	.	1	3	3†	2	.	3
STOCKHOLM, ...	339,582	„ 26,	139	117	17·9	.	7	1	.	2	1*a*	3
CHRISTIANIA, ...	235,674	Mar. 5,	151	62	13·7	.	.	.	.	.	.	1
ST. PETERSBURG, ...	1,620,000	Feb. 12,	821	788	25·4	9	43	16	17	16	17	62
MOSCOW, ...	1,493,600	„ 5,	.	699	24·4	11	22	24	27†	3	20	43
BERLIN, ...	2,124,331	„ 12,	850	561	13·8	.	6	5	11†	7	1	24
HAMBURG, ...	895,804	„ 26,	.	241	14·0	.	5	1	10†	.	.	10
BRESLAU, ...	509,559	„ 26,	.	185	18·9	.	.	.	1†	3	.	5
MUNICH, ...	576,000	Mar. 5,	.	171	15·4	.	.	.	.	.	.	15
VIENNA (with suburbs),	2,085,888	Feb. 26,	928	649	16·2	.	17	5	5†	8	2*a*	31
BUDA-PESTH, ...	833,703	„ 26,	456	323	20·1	.	6	5	1†	4	1*a*	13
PRAGUE and Fauxbourgs.	494,531	„ 12,	214	204	21·4	.	2	1	4†	.	.	12
TRIESTE, ...	218,727	„ 19,	175	122	29·1	.	4	.	1†	1	.	.
ROME, ...	584,308	Jan. 15,	291	257	22·9	.	2	.	5	.	5	12
		„ 22,	293	237	21·1	.	1	.	5	.	3	3
VENICE, ...	179,286	„ 29,	65	94	27·3	.	9	1	3†	.	1	4
NEW YORK, .	4,711,956	Feb. 19,	2,551	1,576	17·4	.	21	39	57†	3	10	37
PHILADELPHIA, ..	1,598,400	Jan. 29,	.	608	19·8	.	2	4	5†	2	15	18
BOSTON, ...	629,868	Feb. 26,	.	279	23·1	.	2	3	2	1	2	7

* Including 51 deaths from cholera in Calcutta.
† Including deaths from croup.
‡ Including 13 deaths from plague in Calcutta and 63 in Bombay.
a Enteric Fever.
b Including one death from cerebro-spinal meningitis.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 19th March, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain) *Continued Fever*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	2	.	.	.	.	.	.	2	.	.	.	4
" " 1, West,	.	.	.	.	.	.	.	.	.	.	.	2	2
" " 2,	.	2	.	.	1	.	.	1	1	.	.	.	5
" " 3,	.	.	.	.	.	.	.	.	.	.	.	1	1
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	2	.	.	2	.	.	.	6	.	.	8	18
" " 2,	.	.	.	.	1	.	.	.	.	.	.	1	2
" " 3,	.	3	.	.	2	.	.	.	.	.	.	2	7
" " 4,	.	1	.	.	1	.	.	.	.	.	.	.	2
New Kilmainham,	.	.	.	.	.	.	.	1	.	.	.	.	1
Total,	.	10	.	.	7	.	.	2	9	.	.	14	42

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 19th March, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 19th March.			
	Feb. 26.	Mar. 5.	Mar. 12.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	2	2	3	3	.	.	6
Scarlet Fever,	55	66	68	12	7	1	72*
Typhus,	2	2	1	.	1	.	.
Diphtheria,	41	46	46	10	11	1	44
Enteric Fever,	35	30	36	5	9	2	30
Pneumonia,	44	42	33	9	4	1	37

* Exclusive of 12 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.Sc., F.R.MET.SOC., reports as follows on the weather during the week ended 19th March, 1910:—

"As the week advanced, the weather assumed a more north-westerly type, especially after Wednesday, on which day a large and deep atmospheric depression passed eastwards from Iceland to Norway, growing deeper as it travelled. This large primary was followed by a number of subsidiaries, which crossed the British Islands in an easterly or south-easterly direction, so drawing a keen polar air-current over the United Kingdom. This was particularly the case on Friday, when frequent snow and hail squalls were experienced all over Great Britain, while Ireland escaped with a keen northerly blast but little or no precipitation. Sunday was a cold day, at times cloudy. Monday was milder, the wind having backed from N.W. to S.W. with clouds, and, in the evening, rain. On Tuesday, an area of high barometric pressure spread over Ireland from the Atlantic, and the weather was fine and bright; at 4 p.m. a partial solar halo was seen. The anticyclone soon retreated southwards, being central off the mouth of the English Channel on Wednesday morning, when the British Isles had already come within the sphere of influence of the deepest depression of the period as it travelled quickly eastwards across the Norwegian Sea. On reaching the west coast of Norway the disturbance halted, and at 7 a.m. of Thursday the barometer read 28·88 inches at Christiansund. By Friday morning the main system had reached Finland; but secondary depressions of irregular form had developed over the North Sea, the Netherlands, and Northern France, with the result that strong northerly winds and blizzards of snow and hail swept over Great Britain. On Saturday the wind backed to W. and the weather became milder, damp and cloudy. In Dublin the mean height of the barometer was 30·078 inches, the range being between 30·204 inches at 9 p.m. of Tuesday (wind, W.S.W.) and 29·850 inches at 9 p.m. of Wednesday (wind, also W.S.W.). The corrected mean temperature was 41·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 41·7°. The screened thermometers fell to 33·9° on Sunday and rose to 54·1° on Wednesday. Westerly (between S.W. and N.W.) winds prevailed. The rainfall was ·201 inch on 3 days, ·111 inch being recorded on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·910 inches. The highest reading (30·037) was on Tuesday at 9 a.m., wind W., and at 9 p.m., air calm, and the lowest (29·678) on Wednesday at 9 p.m., wind W.S.W.

The mean temperature for the week was 39·8°, being 3·1° below the average for the corresponding period of the 10 years, 1900–1909. The temperature was highest on Wednesday, on which day the thermometer registered 52·6°, and was lowest on Monday, the mercury having fallen to 28·8°. The mean of the Dry Bulb for the week was 40·5° and of the Wet Bulb 39·4°. The mean humidity of the air was ·91, complete saturation being represented by 1·0. The rainfall during the week measured 0·174 inch.

At Greenwich the mean temperature for the week was 40·1°, the maximum 54·2°, and the minimum 27·9°; at Glasgow the maximum was 52·9°, the minimum 31·8°, and the mean 40·9°; and at Edinburgh the maximum was 51·4°, the minimum 29·0°, and the mean 40·0°. The rainfall at Greenwich measured 0·13 in., at Glasgow 0·14 in., and at Edinburgh 0·05 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY.	BAROMETER.	THERMOMETER.			HYGROMETER.			OZONE, 1·0.	SUNSHINE IN HOURS AND DECIMALS.	RAIN GAUGE.	DIRECTION OF THE WIND.	
	Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) In		
Sunday, March 13,	29·956	47·9	30·7	39·3	35·0	34·1	·92	·7	3·5	·000	S.W.	Calm.
Monday, „ 14,	29·858	45·7	28·8	37·3	41·5	40·3	·91	·7	0·0	·072	S.W.	Calm.
Tuesday, „ 15,	30·037	50·3	29·1	39·7	38·6	37·5	·92	·7	7·7	·000	W.	Calm.
Wednesday, „ 16,	29·801	52·6	31·7	42·2	47·4	46·1	·91	·6	0·3	·006	S.W.	W.S.W.
Thursday, „ 17,	29·757	49·0	37·9	43·5	41·1	40·1	·91	·6	2·2	·090	W.	Calm.
Friday, „ 18,	29·977	41·8	34·0	37·9	36·6	35·2	·88	·6	4·6	·000	N.N.W.	W.
Saturday, „ 19,	29·981	46·8	30·7	38·8	43·6	42·8	·94	·7	0·4	·006	W.S.W.	S.W.
Mean, . . .	29·910	47·7	31·8	39·8	40·5	39·4	·91	·7	Total 18·7	Total ·174	Prevailing Wind, S.W.	

Sunday—Day overcast to cloudy; night clear. *Monday*—Day overcast, drizzle p.m.; night overcast to clear. *Tuesday*—Day cloudy, fine; night cloudy. *Wednesday*—Day overcast, drizzle p.m.; night overcast. *Thursday*—Day cloudy to overcast, rain p.m.; night clear. *Friday*—Day cloudy to overcast; night clear to cloudy. *Saturday*—Day overcast, drizzle p.m.; night overcast.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, March 19th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperatures in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
		1 Foot	4 Feet.	Max.	Min.	Mean.		
	°	°	°	°	°	°	hrs	ins.
Sunday, March 13,	39·4	41·4	44·5	39·7	35·3	37·5	3·2	—
Monday, „ 14,	44·4	41·8	44·4	42·6	35·0	38·9	0·1	·070
Tuesday, „ 15,	41·3	42·1	44·3	50·6	34·0	42·3	7·5	—
Wednesday, „ 16,	48·0	42·2	44·1	54·0	38·2	46·1	1·0	·005
Thursday, „ 17,	41·5	44·0	44·2	54·0	39·4	46·7	2·3	·117
Friday, „ 18,	37·8	43·0	44·3	47·3	35·2	41·3	4·7	—
Saturday, „ 19,	41·2	41·8	44·2	48·6	34·6	41·6	0·2	—
Weekly Mean, . .	42·4	42·3	44·3	48·1	36·0	42·1	Total 19·0	Total ·192

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

(28244). Wt. P. 345. 375. 11. 1909. G. III. Sch. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 26TH MARCH, 1910. [No. 12.

General Register Office, Charlemont House, Dublin, 29th March, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending				Average Rate for 4 weeks.	TOWNS, &c.	Week ending				Average Rate for 4 weeks.
	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.			Mar. 5.	Mar. 12.	Mar. 19	Mar. 26.	
22 Town Districts.	**22·4**	**22·0**	**19·0**	**21·1**	**21·1**	Limerick, . . .	13·7	15·0	19·1	27·3	18·8
						Lisburn, . . .	13·6	18·2	18·2	40·9	22·7
Armagh, . . .	20·6	13·7	20·6	27·5	20·6	Londonderry, . .	25·2	18·0	9·6	22·8	18·9
Ballymena, . . .	33·5	14·4	28·7	14·4	22·7	Lurgan, . . .	17·7	26·6	4·4	35·4	21·0
Belfast, ...	22·0	21·6	21·7	16·7	20·5	Newry, ...	8·4	12·6	12·6	29·4	15·8
Clonmel, . . .	.	10·3	15·4	15·4	10·3	Newtownards, .	11·4	17·2	17·2	22·9	17·2
Cork, ...	23·3	20·5	19·9	22·6	21·6	Portadown, . .	15·5	10·3	25·8	15·5	16·8
Drogheda, . . .	28·6	32·7	24·5	28·6	28·6	Queenstown, . .	19·8	46·1	.	13·2	19·8
Dublin Reg. Area, .	25·2	24·8	18·4	22·6	22·7	Sligo, ...	4·8	4·8	19·2	14·4	10·8
Dundalk, . . .	19·9	23·9	4·0	23·9	17·9	Tralee, . . .	10·6	5·3	42·3	37·0	23·8
Galway, . . .	38·8	7·8	3·9	27·2	19·4	Waterford, . . .	17·5	27·3	13·6	11·7	17·5
Kilkenny, . . .	14·7	24·6	9·8	44·2	23·3	Wexford, . . .	28·0	28·0	28·0	28·0	28·0

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·2 per 1,000, the rates varying from 0·0 in fifteen of the districts to 4·5 in Lisburn, the 9 deaths from all causes for that district including one from whooping-cough. Among the 125 deaths from all causes for Belfast are 3 from measles, 10 from whooping-cough, and one from diarrhœa. Of the 19 deaths from all causes for Londonderry one is from measles. Two deaths from whooping-cough are among the 20 deaths from all causes for Limerick, and included in the 7 deaths from all causes for Drogheda is one from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 242—116 boys and 126 girls—and the deaths to 185—91 males and 94 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of 22·6 per 1,000 of the population, the rate for the total deaths registered in the Area being 23·9 per 1,000. During

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*), Table II. ‡ See columns 10-18 of Table II.

the twelve weeks, ending with Saturday last, the death-rate averaged 25·3, and was 3 below the mean rate for the corresponding portions of the ten years 1900–9.

The total deaths from all causes included one death from measles, 2 deaths from whoopin cough, one death from diphtheria,* one death from enteric fever, and 3 deaths fro diarrhœal diseases ;* of this figure, 2 were deaths of infants under one month and one w aged one year. In each of the three preceding weeks, deaths from measles were 0, 0, and deaths from whooping-cough were 3, 2, and one ; deaths from diphtheria were 0, one, and on deaths from enteric fever were 2, 0, and one ; and deaths from diarrhœal diseases were 3, and 2. Deaths from influenza which respectively numbered 5, 6, and 7 in the precedi three weeks were 6 in the period under notice.

Of 14 deaths from pneumonia (all forms), one was from lobar pneumonia, 6 were fro broncho-pneumonia, and 7 were from *pneumonia* (not defined).

The mortality from tuberculous disease, which had declined to 25 last week from 38 in each the two preceding weeks rose to 36 deaths in the week under notice; the latter figure includes deaths from tuberculous phthisis (*phthisis*), 4 from tuberculous meningitis, one death fro each of tuberculous peritonitis and *tabes mesenterica*, and 4 deaths from other forms of t disease.

There were 4 deaths from carcinoma, and 2 deaths from cancer (undefined).

The deaths of 3 prematurely born infants were registered.

Convulsions was the cause of death in 4 instances, all being of infants under one year of ag

Twenty deaths were attributed to diseases of the heart and blood vessels, and bronchit accounted for the deaths of 32 persons.

The death of one child, aged 1 year and 4 months was caused by accidental scalding, an one death by suicidal swallowing of an irritant poison was registered.

In 3 instances the cause of death was "uncertified," there having been no medic attendant during the last illness ; these cases comprise the death of one infant under one yea of age and the deaths of 2 persons aged 60 years and upwards.

Fifty-two of the persons whose deaths were registered during the week were unde 5 years of age (34 being infants under one year, of whom 10 were under one month old) an 52 were aged 60 years and upwards, including 28 persons aged 70 and upwards, of whom 10 were octogenarians.

Seventy-four of the deaths registered during the week occurred in hospitals an other public institutions ; of this number 20 took place in the North Dublin Union Work house and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so dis tributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 22·6 per 1,000 ; the rate in the City was 25· (North City Districts, 26·3; South, 23·8) and in the Suburbs, 14·6.

The deaths from certain epidemic diseases† in the entire area equal an annual rate of 0·8 per 1,000 inhabitants, th rate for the City being 1·0 (1·3 in the North City Districts, and 0·7 in the South), and for the Suburbs, 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (12) are equal to an annual rate of 20·9 per 1,000 and include one death from broncho-pneumonia, 2 deaths from tuberculous phthisis, and 2 deaths from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (23) are equal to an annual rate of 30·0 per 1,000 Whooping-cough and epidemic diarrhœa each caused one death, there was one death from broncho-pneumonia, also one death from *pneumonia* (not defined); there were 5 deaths from tuberculous disease and 6 deaths from diseases o the respiratory system.

No. 2 North City District (Lisburn-street).—The deaths (19) are equivalent to an annual rate of 32·2 per 1,000. There were 2 deaths from influenza, one death from whooping-cough, one death from *pneumonia* (not defined), 4 deaths from tuberculous phthisis (*phthisis*), and 6 deaths from diseases of the respiratory system.

No. 3 North City District (Benburb-street).—The deaths (20) represent an annual rate of 31·1 per 1,000. Enteric fever caused one death, there were 4 deaths from tuberculous phthisis (*phthisis*), and 2 deaths from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants ; Coolock and Drumcondra, part of, 17·9 ; and Finglas and Glasnevin, part of, 6·8. The only death recorded for Clontarf and Howth, No. 1, part of, is one from tuberculous phthisis ; of the 4 deaths from all causes for Coolock and Drumcondra, part of, one is from influenza ; and the only death recorded for Finglas and Glasnevin, part of, is one from tuberculous phthisis.

No. 1 South City District (South Earl-street).—The deaths (20) represent an annual rate of 25·1 per 1,000. The deaths include one from influenza, one from broncho-pneumonia, 6 from tuberculous disease, and 2 deaths from bronchitis.

No. 2 South City District (Castle-street). The deaths (9) are equal to an annual rate of 21·6 per 1,000. Among the deaths was one from *pneumonia* (not defined), there were 3 from tuberculous phthisis (*phthisis*), and one death from bronchitis.

No. 3 South City District (Peter-street).—The deaths (23) are equal to an annual rate of 27·7 per 1,000. Measles and influenza each caused one death, there was one death from broncho pneumonia, there were 3 deaths from *pneumonia* (not defined), 4 deaths from tuberculous disease, and 6 deaths from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (17) are equivalent to an annual rate of 24·7 per 1,000. Influenza and *diarrhœa* each caused one death, there was one death from lobar pneumonia ; tuberculous phthisis (*phthisis*) caused 2 deaths, and there were 2 deaths from bronchitis.

New Kilmainham District.—There were no deaths recorded for this district during last week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 15·5 : Pembroke, 7·2 ; Blackrock, 17·4 ; and Kingstown, 23·7. There was no death from any of the principal epidemic diseases tabulated for these districts. Among the 11 deaths from all causes for Rathmines and Rathgar are 2 from *phthisis* and 3 from diseases of the respiratory system ; the 4 deaths from all causes for Pembroke include one from tuberculous disease and 2 from bronchitis ; of the 3 deaths from all causes for Blackrock one is from *pneumonia* (not defined) and one from bronchitis ; and of the 8 deaths from all causes for Kingstown 2 were caused by broncho-pneumonia, 2 by bronchitis, and one by scalds, accidentally received.

* See note (*c*) at foot of Table II. † See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin: Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District: Mr. Manly, Executive Sanitary Officer for Pembroke Urban District: Mr. Heron, Executive Sanitary Officer for Blackrock Urban District: by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District: and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 26th March, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Mar. 5.	.	—	—	8	.	.	4	.	2	3	11	.	—	—	.	—	25	—	53
	Mar. 12,	.	—	—	12	.	.	4	.	2	3	5	.	—	—	.	—	21	—	47
	Mar. 19,	.	—	—	10	.	.	7	.	.	2	9	.	—	—	.	—	14	—	42
	Mar. 26,	.	—	—	5	1	.	3	.	1	4	18	.	—	—	.	—	20	1	52
Rathmines and Rathgar Urban District.	Mar. 5,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	—	1
	Mar. 12,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
	Mar. 19,	.	—	—	.	.	.	5	.	.	1	.	.	—	—	—	—	—	—	6
	Mar. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
Pembroke Urban District.	Mar. 5.	.	.	.	1	.	.	1	.	.	.	1	.	—	.	.	—	—	—	3
	Mar. 12.	.	.	.	1	.	.	.	.	.	1	.	.	—	.	.	—	—	—	2
	Mar. 19,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	—	.
	Mar. 26,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	—	.
Blackrock Urban District.	Mar. 5.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Mar. 12,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Mar. 19,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Mar. 26,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Mar. 5.	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	.	—	1
	Mar. 12,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	Mar. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Mar. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Mar. 5,	.	—	—	12	.	.	7	1	1	2	4	1	—	—	—	—	46	—	74
	Mar. 12,	.	—	—	21	.	.	4	.	.	1	8	.	—	—	—	—	21	—	55
	Mar. 19,	.	—	—	10	.	.	2	.	.	3	7	.	—	—	—	—	20	—	42
	Mar. 26,	.	—	—	12	1	.	2	.	1	1	4	.	—	—	—	—	19	—	40

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 26th March, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Two cases of measles were admitted to hospital during the week, 5 were discharged, and 3 cases remained under treatment at its close.

Three cases of scarlet fever were admitted to hospital, 18 were discharged, and 57* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 66, 68, and 72, respectively.

Three cases of diphtheria were admitted to hospital, 10 were discharged, there was one death, and 36 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 46, 46, and 44, respectively.

Five cases of enteric fever were admitted to hospital during the week, 8 were discharged, there was one death, and 26 cases remained under treatment in hospital at the close of the week.

In addition to the above named diseases, 10 cases of pneumonia were admitted to hospital, 10 were discharged, there was one death, and 36 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 13·5) was equal to an annual death-rate of 13·9 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 15·3 per 1,000, the rate for Glasgow being 15·5 and for Edinburgh 12·3.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 26th March. From this Report it appears that of a total of 46 cases notified, 25 were scarlet fever, 12 phthisis, 6 diphtheria, 2 enteric fever and one cerebro-spinal fever. Among the 381 cases of infectious diseases in hospital at the close of the week were 195 cases of scarlet fever, 72 of measles, 57 of phthisis, 22 of diphtheria, 10 of whooping-cough, 9 of erysipelas, 6 of chicken-pox, 6 of enteric fever, and one of cerebro-spinal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, **26th March, 1910**, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 26TH MARCH, 1910.																								METEOROLOGY. (c)											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																					WEEK ENDING 26TH MARCH, 1910.				WEEK ENDING 19TH MARCH, 1910.				WEEK ENDING 12TH MARCH, 1910.			
	POPULATION.		DEATHS.			BIRTHS.	DEATHS.																				Air Temperature				Air Temperature				Air Temperature			
	Total. (a)	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10–18.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by																	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
										Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia b* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease: Phthisis.	Tubercular Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.										
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·2	27·6	21·1	1·2	610	466	88	134	.	5	.	.	16	.	.	1	4	30	57	29	21	77	5	9	138	23	.	.	.	.	.	.	.	.	.	.	.	.
DUBLIN REGISTRATION AREA:—																																						
TOTAL, *c.*	402,928	29·8	31·3	22·6	0·8	242	175	33	52	.	1	.	.	2	.	.	1	2	14	26	9	5	35	1	1	61	8	*e*54·1	27·2	43·4	0·00	*e*52·6	28·8	39·8	0·17	*e*55·2	31·4	43·6	0·38
CITY OF DUBLIN,	310,298	39·2	36·0	25·0	1·0	214	149	29	39	.	1	.	.	2	.	.	1	2	11	24	8	8	27	.	1	54	3	*f*55·2	35·1	45·9	0·01	*f*54·1	33·9	41·9	0·20	*f*55·0	34·1	45·2	0·30
																											*g*55·1	27·0	44·0	0·01	*g*52·9	30·0	40·6	0·19	*g*56·2	31·0	43·7	0·31
Urban Dists. RATHMINES AND RATHGAR,	37,047	21·6	19·7	15·6	.	14	11	2	5	.	.	.	.	.	.	.	.	.	.	2	.	1	3	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	16·2	7·2	.	9	4	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,018	8·3	5·8	17·4	.	1	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	11·8	28·7	.	4	8	2	3	.	.	.	.	.	.	.	.	.	2	.	.	1	2	1	.	2	.	56	35	45·6	0·00	54·5	35·0	42·5	0·18	54·5	35·0	45·5	0·44
URBAN DISTRICTS.																																						
BELFAST,	391,167	26·6	27·7	16·7	1·9	208	125	27	29	.	3	.	.	10	.	.	.	1	8	10	8	10	16	3	8	31	1	54·5	32·5	44·6	0·03	51·0	30·0	40·5	0·15	54·0	35·0	43·9	1·15
CORK,	76,122	13·6	21·2	22·6	.	31	33	3	8	.	.	.	.	.	.	.	.	.	2	8	2	2	1	.	.	15	1	56	39	46·0	0·02	50	35	43·5	0·75	51	37	45·5	1·27
LONDONDERRY,	48,477	20·1	20·4	22·8	1·2	17	19	5	1	.	1	.	.	.	.	.	.	.	1	4	1	1	3	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	24·6	27·8	2·7	18	20	6	2	.	.	.	.	2	.	.	.	.	2	1	1	1	2	.	.	6	2	.	.	.	.	.	.	.	.	.	.	.
WATERFORD,	26,769	18·7	19·5	11·7	.	10	6	2	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	9·5	38·8	27·2	.	10	7	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	4	1	54	32	44·5	0·00	52	30	41	0·30	54	32	46	0·92
DUNDALK	18,076	9·4	4·0	33·9	.	1	6	1	4	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	20·4	28·6	4·1	5	7	.	3	.	.	.	.	1	.	.	.	.	.	1	.	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,405	17·8	16·8	29·4	4·2	4	7	1	3	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	1	56·5	33·3	45·5	0·03	52·1	31·0	41·0	0·11	54·0	29·0	42·5	0·97
LURGAN,	11,782	13·8	26·6	35·4	.	6	8	2	2	.	.	.	.	.	.	.	.	.	1	1	2	.	1	.	.	6	1	56·5	33·3	45·5	0·03	52·1	31·0	41·0	0·11	54·0	29·0	42·5	0·97
LISBURN,	11,461	10·1	31·8	40·9	4·5	7	9	1	3	.	.	.	.	1	.	.	.	.	.	2	.	.	2	.	.	1	2	56·5	33·3	45·5	0·03	52·1	31·0	41·0	0·11	54·0	29·0	42·5	0·97
WEXFORD,	11,168	23·2	18·7	28·0	.	4	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,886	8·9	.	14·4	.	.	3	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,870	8·7	24·0	14·4	.	5	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	2	58·7	30·7	44·3	0·15	53·4	26·3	40·9	0·44	54·5	33·0	43·4	2·40
KILKENNY,	10,609	11·5	63·9	44·2	.	13	9	2	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	51	32	44·9	0·01	54	31	41·1	0·35	52	29	42·1	0·73
CLONMEL,	10,167	7·8	51·3	15·4	.	10	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,092	18·2	36·2	15·5	.	7	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	56·5	33·3	45·5	0·03	52·1	31·0	41·0	0·11	54·0	29·0	42·5	0·97
TRALEE,	9,867	16·6	5·3	37·0	.	1	7	1	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	11·4	22·9	.	2	4	1	1	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	55	35	44·4	0·00	53	33	41·0	0·17	52	34	43·1	1·19
QUEENSTOWN,	7,909	14·4	33·0	13·2	.	5	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	56	39	46·0	0·02	50	35	43·5	0·75	51	37	45·5	1·27
ARMAGH,	7,588	22·2	27·5	27·5	.	4	4	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	2	56·5	33·3	45·5	0·03	52·1	31·0	41·0	0·11	54·0	29·0	42·5	0·97

(*a*) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (*b*) Formerly described as "Simple Continued Fever." (*c*) Exclusive of 10 deaths of persons (including one under one year old) admitted to hospital from localities outside the Area; of the 10 deaths one was from diphtheria and one from epidemic diarrhœa. (*d*) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point, for Cork and Queenstown. (*e*) Observations taken at Glasnevin. (*f*) Observations taken at Fairview. (*g*) Observations taken at Kilbarrack.

BLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 26th March, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist										
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF & HOWTH NO. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	1
Pneumonia,	1	2	1	.	.	.	.	1	1	4	1	.	.	.	1	2	14	.
Tuberculous Disease. } Phthisis,	2	1	4	4	1	.	1	4	3	2	2	.	2	.	.	.	26	.
Tuberculous Disease. } Other Forms,	.	4	.	.	.	.	.	2	.	2	.	.	.	1	.	.	9	1
Cancer, Malignant Disease,	.	.	.	1	.	.	.	1	1	.	.	.	1	.	.	1	5	1
Other General Diseases,	2	3	4	1	.	1	.	1	1	2	1	.	.	.	.	.	16	.
Total,	5	12	10	7	1	1	1	9	6	11	5	.	3	1	1	3	76	4
LOCAL DISEASES:																		
Nervous System,	.	.	1	3	.	.	.	.	.	1	4	.	2	.	.	.	11	1
Organs of Special Sense,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Heart and Blood Vessels,	2	2	1	3	.	1	.	4	.	2	3	.	.	.	1	.	19	1
Respiratory System,	2	6	6	2	.	.	.	2	1	6	2	.	3	2	1	2	35	1
Digestive System,	1	1	.	2	.	1	.	1	1	1	2	.	1	1	.	2	14	1
Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	1	1	.	.	.	.	.	1	1	.	1	.	.	.	.	.	5	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
cidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
seases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	6	10	8	11	.	2	.	8	3	10	12	.	6	3	2	4	85	5
OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CAUSES ILL-DEFINED AND NOT SPECIFIED,	1	1	1	2	.	1	.	3	.	2	.	.	2	.	.	.	13	.
VIOLENT DEATHS,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
aths from all Causes	12	23	19	20	1	4	1	20	9	23	17	.	11	4	3	8	175	10
nual Rate of Mortality om all causes in every 1,000 the population.	20·9	30·0	32·2	31·1	9·7	17·9	6·8	25·1	21·6	27·7	24·7	.	15·5	7·2	17·4	23·7	22·6	.
	26·3							23·8					14·6					
	25·0																	
Death, Under 1 year,	2	5	1	4	.	.	.	4	.	8	5	.	2	.	.	2	33	1
1 and under 5 years,	1	4	2	.	.	.	.	3	.	1	2	.	1	.	1	2	17	1
5 „ 20 „	1	3	.	1	.	.	.	4	1	1	.	.	.	.	.	1	12	.
20 „ 40 „	1	2	4	5	1	1	.	3	3	3	4	.	2	1	.	.	30	4
40 „ 60 „	3	4	5	5	.	.	1	3	3	3	3	.	1	.	.	.	31	4
60 years and upwards,	4	5	7	5	.	3	.	3	2	7	3	.	5	3	2	3	52	.
mber of Uncertified Deaths,	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	3	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

blic Hospitals, Prisons, and unatic Asylums,	1	4	2	1	.	1	1	2	2	2	4	.	4	2	.	2	28	10
rkhouse Hospitals,	5	2	9	4	.	.	.	2	2	6	4	.	2	.	.	.	36	.

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in week of the ten years 1900–1909,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Averages in 12th Week of the 10 years, 1900–1909.	In the Week ending Saturday, 26th March, 1910. Deaths of Persons of the Ages of							
	Mar. 24, 1900.	Mar. 23, 1901.	Mar. 22, 1902.	Mar. 28, 1903.	Mar. 26, 1904.	Mar. 25, 1905.	Mar. 24, 1906.	Mar. 23, 1907.	Mar. 21, 1908.	Mar. 26, 1909.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
													Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 36·4	° 39·3	° 44·4	° 46·0	° 43·6	° 43·8	° 40·3	° 43·9	° 37·7	° 43·5	° 41·9	° 43·4								
ALL CAUSES.	236	253	167	225	235	169	193	174	193	216	206·1	185	10	24	18	12	34	35	42	10
Small-pox,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	.	1	2	5	4	.	3	1	6	2·2	1	.	.	1	.	.	.	.	.
Scarlet Fever,	1	.	1	4	.	.	.	.	1	.	·7	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	3	12	2	1	4	4	1	4	8	4	4·3	6	.	1	.	.	1	3	1	.
Whooping-cough,	.	7	1	6	5	1	.	7	1	2	3·0	2	.	1	1	.	.	.	.	.
Diphtheria,	1	1	1	2	2	.	1	1	.	1	1·0	1	.	.	1	.	.	.	.	.
Cerebro-spinal Fever,	.	.	.	.	.	.	.	2	.	.	·2	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain)	.	1	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	1	3	.	1	.	.	1	1	·8	1	.	.	.	.	1	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.),	4	5	1	.	.	.	1	.	.	1	2·2	2	1	.	1	.	.	.	.	.
Diarrhœa, Dysentery,				3	1	1	4	1	.	.		1	1	.	.	.	.	.	.	.
Tetanus,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	1	2	1	.	2	2	1	2	.	.	1·1	1	.	.	.	.	1	.	.	.
Puerperal Septicæmia,	.	.	.	1	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Puerperal Pyæmia,				.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Puerperal Fever,				.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Infective Endocarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	22	15	12	.	1	1	.	2	.	5	15·9	1	.	.	.	1	.	.	.	.
Pneumonia, Broncho-				5	6	5	6	12	8	9		6	.	2	1	.	.	1	1	.
Pneumonia, Epidemic				.	1	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Pneumonia, Not defined,				8	2	4	7	8	9	11		7	.	2	1	.	1	.	3	.
Erysipelas,	.	.	.	2	.	.	1	.	.	1	·4	1	.	.	.	.	.	1	.	.
Septicæmia (not Puerperal)	1	1	.	2	2	.	.	.	1	.	·8	.	.	.	.	.	.	.	.	.
Pyæmia (not Puerperal),				.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
Other Infective Processes,	.	.	.	.	5	1	.	.	2	.	·8	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis,	27	27	36	2	15	12	14	14	14	10	29·7	14	.	.	1	3	4	6	.	.
"*Phthisis*,"				28	21	25	18	10	12	12		12	.	.	.	.	10	2	.	.
Tuberculous Meningitis,	3	5	4	10	4	1	5	5	6	3	4·6	4	.	1	1	2	.	.	.	.
Tuberculous Peritonitis,	10	4	1	.	.	1	2	1	.	.	2·1	1	.	.	1	.	.	.	.	.
Tabes Mesenterica,				.	1	.	.	.	.	1		1	.	.	.	.	1	.	.	.
Tuberculous Dis. (other),	6	7	6	9	4	2	4	7	6	3	5·5	4	.	.	.	2	2	.	.	.
Scrofula,				.	.	1	.	.	.	.		.	.	.	.	.	.	.	.	.
Alcoholism,	.	.	2	2	1	.	1	1	.	.	·7	.	.	.	.	.	.	.	.	.
Rheumatic Fever,	1	.	1	.	.	2	.	.		.	·4	2	.	.	.	1	.	1	.	.
Gout,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Carcinoma,	10	8	4	.	5	3	4	1	2	2	8·0	4	.	.	.	.	.	1	2	1
Sarcoma,				.	.	1	2	1	.	1		.	.	.	.	.	.	.	.	.
Cancer (undefined)				6	5	4	5	4	6	6		2	.	.	.	.	.	2	.	.
Diabetes Mellitus,	.	.	.	.	1	2	.	1	.	.	·4	2	.	.	.	.	.	.	2	.
Premature Birth,	1	3	3	5	6	4	2	4	2	1	3·1	3	3	.	.	.	.	.	.	.

* The figures for the year 1900 are for

† Formerly described as

e Twelfth Week ending Saturday, 26th March, 1910, with the deaths from each cause in the corresponding
d the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 12th Week of the 10 years 1900-1909.	In the Week ending Saturday, 26th March, 1910.							
												Deaths of Persons of the Ages of							
	Mar. 24, 1900.	Mar. 23, 1901.	Mar. 22, 1902.	Mar. 28, 1903.	Mar. 26, 1904.	Mar. 25, 1905.	Mar. 24, 1906.	Mar. 23, 1907.	Mar. 21, 1908.	Mar. 26, 1909.		All Ages	0 to 5.			5 to 20.	20 and under 40.	40 and under 60	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 36·4	° 39·3	° 44·4	° 46·0	° 43·6	° 43·8	° 40·3	° 43·9	° 37·7	° 43·5	° 41·9	° 43·4								
eningitis (not tuberc.) ...				2	3	.	1	1	2	2		4	.	2	1	.	.	1	.	.
sanity, G. P. of Insane ...				1	2	2	4	.	2	.		2	.	.	.	.	1	1	.	.
pilepsy				.	.	1	2	.	.	.		1	.	.	.	.	.	1	.	.
onvulsions				8	6	7	6	4	8	3		4	1	3	.	.	.	.	.	.
ocomotor Ataxy ...				.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
araplegia Dis. of Cord ...				5	1	7	1	1	1	1		.	.	.	.	.	.	.	.	.
ervous System (other Dis.)				2	.	.	4	2	4	2		1	.	.	.	.	1	.	.	.
	42	58	32								44·4									
alv. Dis., Endocarditis ...				8	7	1	2	8	10	11		10	.	.	.	1	2	5	1	1
erebr. Hæm. Thromb.				2	2	.	3	3	5	3		.	.	.	.	.	.	.	.	.
poplexy, Hemiplegia ...				4	6	3	3	1	6	7		2	.	.	.	.	.	2	.	.
neurysm ...				.	.	.	.	.	.	2		1	.	.	.	.	1	.	.	.
mbolism, Thromb. (not cerebral)				.	1	.	1	1	.	.		.	.	.	.	.	.	.	.	.
eart and Blood Vessels (other Dis.)				24	19	16	22	7	8	18		7	.	.	.	.	1	.	4	2
roup (not Spasm. nor Memb.)	.	.	.	.	.	.	2	.	.	.	·2	.	.	.	.	.	.	.	.	.
ronchitis	48	39	16	22	29	17	31	28	22	44	29·6	32	.	4	1	.	2	6	16	3
sthma, Emphysema ..				.	2	1	.	1	2	.		.	.	.	.	.	.	.	.	.
leurisy	2	4	2	1	1	1	.	1	.	.	2·7	.	.	.	.	.	.	.	.	.
espiratory Dis. (other) ...				3	2	2	1	.	.	1		1	.	.	2	.	1	.	1	.
onsillitis, Quinsy ...	1	.	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
nteritis (not Epid.) ...	2	.	1	1	.	.	1	2	3	3	1·6	.	.	.	.	.	.	.	.	.
astro-enteritis				.	1	.	.	1	.	1		.	.	.	.	.	.	.	.	.
ritonitis (not Puerp.) ...	.	.	3	1	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
rrhosis of Liver ...	1	4	5	.	.	2	1	.	1	.	2·3	1	.	.	.	.	.	1	.	.
ver Dis. (other) ...				2	1	1	2	.	2	1		3	.	1	.	.	1	.	1	.
igestive Dis. (other) ...	6	5	1	6	10	5	7	5	5	4	5·4	11	.	3	2	1	1	2	2	.
ephritis, Acute				3	1	3	1	.	2	1		2	.	.	1	.	1	.	.	.
right's Dis., Albuminuria	4	6	7	2	6	2	4	2	5	6	5·9	2	.	.	.	1	1	.	.	.
rinary Sys. (other Dis.) ...				.	2	.	.	.	.	2		2	.	.	.	.	.	2	.	.
enerative Organs Dis. ...	.	.	.	1	2	.	.	.	.	3	·6	.	.	.	.	.	.	.	.	.
uildbirth (Accid. of) ...	.	.	1	.	1	1	1	.	2	.	6	.	.	.	.	.	.	.	.	.
d Age	17	17	.	6	11	4	3	2	8	2	7·0	5	.	.	.	.	.	3	2	
ther Diseases	13	15	13	11	13	8	7	8	12	17	11·7	10	4	4	1	.	.	1	.	
ACCIDENT.																				
y Railways	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
y Vehicles and Horses ...	.	1	1	.	1	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Conflagrations ...	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
y Burns, Scalds, Explosions	6	2	4	1	1	1	1	.	.	.	1·6	1	.	.	1	.	.	.	.	.
y Drowning	.	1	.	1	2	1	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
y Suffocation in Bed ...	.	.	.	.	.	.	1	1	.	.	·2	.	.	.	.	.	.	.	.	.
Poison or Poisonous Vapours	.	1	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
her Deaths by Accident	2	1	3	5	1	.	.	3	.	2	1·7	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
omicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
icide	1	.	.	.	.	1	.	.	.	.	·2	1	.	.	.	.	1	.	.	.
xecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.
mple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1909–10—Week ending																								
	Oct. 2.	Oct. 9.	Oct. 16	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.
No. of weeks in Annual Series,	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12
BIRTHS registered.	250	198	184	226	208	220	215	238	196	206	174	216	135	232	236	243	197	162	252	220	197	224	206	247	162	242
*Average Births in corresponding week of previous 10 years,** ..	250	192	186	205	203	210	198	195	181	202	197	190	177	175	227	204	206	203	234	212	210	213	214	219	217	211
DEATHS registered, ...	141	134	127	124	148	115	177	190	172	180	177	158	155	205	174	177	181	177	239	217	211	228	208	204	149	185
Annual Death-rate per 1,000, ..	18·8	17·5	16·6	16·2	19·4	19·0	23·2	24·9	22·5	23·6	23·2	20·7	20·3	26·8	22·5	22·9	23·4	23·9	30·9	28·1	27·3	29·5	26·9	26·4	19·3	23·9
*Average Deaths in corresponding week of previous 10 years,**	168	164	166	173	166	179	182	184	187	190	190	187	195	184	217	210	206	201	200	196	207	221	221	214	200	206
AGES, Under 5 years, ...	35	35	36	41	35	40	45	41	37	43	37	51	44	71	49	57	57	55	76	58	67	67	57	58	30	52
5—20 ,, ...	10	12	6	14	17	10	12	9	8	9	8	10	8	11	12	18	10	13	11	9	9	16	8	12	11	12
20—40 ,, ...	27	20	17	21	33	21	26	28	18	22	25	19	23	19	30	25	20	31	27	25	19	22	33	28	21	34
40—60 ,, ...	27	31	24	25	28	33	38	44	51	47	52	27	34	48	36	23	41	36	54	42	38	42	40	34	35	35
60—80 ,, ...	40	33	38	19	34	33	49	61	52	50	45	39	37	50	37	49	45	37	64	62	66	69	57	65	41	42
80 years and upwards, ..	5	8	6	4	1	8	7	7	6	10	10	12	9	6	10	10	8	5	7	21	12	12	18	12	11	10
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	.	.	.	.	.	.	2	.	1	1	.	.	2	.	.	1	.	.	.	.	.	.	.	1
Scarlet Fever, ...	.	.	1	1	.	.	1	.	1	.	1	1	1	3	.	.	.	1	.	1	2	1	1	.	1	.
Typhus, ...	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	2	3	.	1	1	1	2	.	.	2	2	2	1	3	5	4	1	2	4	1	.	3	3	2	1	2
Diphtheria, ...	1	1	1	.	.	.	1	2	1	1	.	2	.	1	1	.	3	.	2	2	.	2	.	1	1	1
Pyrexia † (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Enteric Fever, ...	1	.	1	.	1	1	1	.	1	1	1	.	3	2	.	1	.	2	.	.	.	1	2	.	1	1
Diarrhœal Diseases, ...	5	5	4	2	3	2	4	2	4	2	4	1	.	4	2	4	4	2	4	6	2	3	3	4	2	3
Influenza, ...	.	.	3	.	.	1	2	1	2	3	1	1	6	4	2	3	5	1	4	3	2	2	5	20	12	14
Pneumonia, ...	13	11	5	7	13	8	14	18	16	20	28	19	20	22	22	14	21	14	20	17	20	22	17	26	15	26
Tuberculous Phthisis, ..	15	17	12	25	27	19	20	20	17	22	17	15	14	15	24	19	21	23	26	19	19	23	28	26	15	26
Disease. Other Forms, ..	7	5	3	4	9	7	8	6	6	7	8	6	4	6	5	6	6	6	17	10	14	13	10	12	10	10
Cancer, Malignant Disease, ..	7	8	8	3	6	10	8	17	7	11	10	8	6	4	8	7	8	11	19	10	8	14	9	13	5	6
Diseases of Heart and Blood Vessels, ...	28	15	18	19	17	19	33	28	27	31	29	25	21	37	29	31	29	17	29	38	40	31	27	25	30	20
Diseases of Respiratory System,	18	9	13	11	14	15	22	22	32	29	28	26	30	41	20	33	29	39	43	55	41	41	39	35	26	36
Violent Deaths, ...	4	5	1	4	2	3	4	6	4	5	4	4	2	2	4	4	1	4	5	1	6	6	5	3	1	2
Number of Uncertified Deaths, ..	3	1	4	4	6	4	5	4	2	3	4	5	7	10	3	8	13	9	13	3	7	2	8	5	5	3
Mean Temperature of the Air (Phœnix Park), ...	58·6	58·2	53·5	51·1	40·8	45·0	41·9	37·7	38·4	41·8	39·1	41·4	33·5	45·9	45·4	42·1	37·6	32·5	38·1	43·7	42·3	39·2	44·0	43·6	39·8	45·4
Average Mean Temperature in corresponding week of previous 10 years, ...	53·1	51·5	50·2	48·3	47·1	47·6	45·8	43·7	42·4	43·3	43·0	41·3	42·1‡	40·3	41·3	40·0	41·1	41·7	40·0	38·9	38·9	40·1	40·1	41·1	42·9	41·9
Rainfall in inches, ...	·988	·396	·772	1·896	·134	·117	·788	·087	·351	1·163	1·202	·207	1·183	·340	·128	·986	·240	1·690	·168	·264	1·160	·915	·392	·383	·174	·000
Mean Humidity of the Air, complete Saturation 1·0	·98	·88	·84	·86	·81	·88	·88	·80	·84	·87	·90	·82	·86	·88	·89	·85	·91	·88	·94	·91	·93	·94	·93	·88	·91	·91

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 26th March, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 26TH MARCH, 1910.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Colls. 10–18.	Pneumonia.	Tubercular Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS.	375,350	25·7	185	52	12	34	35	42	10	.	1	.	.	2	1	.	1	3	8	14	26	10	6	4	36	2	79	3
	CLASSES.																												
	Deaths in Families of the—																												
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	23·9	8	2	.	1	2	1	2	.	.	.	.	.	.	.	.	.	.	3	.	1	1	.	.	.	3	.
II.	MIDDLE CLASS, ...	87,188	17·9	30	8	1	4	9	6	2	.	.	.	.	.	.	.	1	.	1	2	2	2	2	1	4	1	15	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,428	18·9	40	14	4	7	5	9	1	.	.	.	.	1	.	.	.	.	1	3	8	2	1	1	8	.	16	1
IV.	GENERAL SERVICE CLASS, ...	154,279	24·0	71	27	5	16	10	10	3	.	1	.	.	1	1	.	.	3	6	5	7	4	1	2	11	1	34	2
V.	INMATES OF WORKHOUSES, ...	6,024	—	36	1	2	6	9	16	2	.	.	.	.	.	.	.	.	.	.	1	9	1	1	.	13	.	11	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	58·5	8	2	.	1	2	1	2	.	.	.	.	.	.	.	.	.	.	3	.	1	1	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described.	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	27·0	4	.	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	16·6	7	1	.	2	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	3	.
	6. Clerks and Commercial Assistants, ..	30,482	17·1	10	7	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	7	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	17·4	9	.	1	1	5	2	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	.	1	1	4	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	2	.	.	—	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	29,801	22·7	13	6	1	4	.	1	1	.	.	.	.	1	.	.	.	.	1	.	3	1	.	1	5	.	2	.
	10. Clothing Trades, ...	28,260	9·0	4	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.
	11. Food Supply Trades, ...	9,242	11·3	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,852	27·5	16	5	1	2	5	3	.	.	.	.	.	.	.	.	.	.	.	.	3	1	1	.	3	.	5	1
	13. Petty Shopkeepers, ...	7,894	13·2	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c	13,425	31·1	8	1	1	2	1	1	2	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	1	.	3	1
	15. Domestic Servants, ...	36,603	7·1	5	1	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	29·0	8	4	.	1	1	1	1	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	1	.	5	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	29·0	50	21	4	10	8	7	.	.	1	.	.	1	1	.	.	2	5	4	3	2	1	2	9	1	23	1
V.	INMATES OF WORKHOUSES.																												
	18. Workhouse Inmates, ...	6,024	—	36	1	2	6	9	16	2	.	.	.	.	.	.	.	.	.	.	1	9	1	1	.	13	.	11	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

DISTRICTS.	1910- Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	From Diseases in Cols. 5–18.	Total Deaths.	NUMBER OF DEATHS FROM Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of).																				
North City, No. 1 (E.)	Feb. 5,	19·2	·	11		·		·	·	·		·	·	·	2	2	2	1	2	2
	,, 12,	15·7	·	9		·	·		·	·		·		3	·	·		2	1	·
	,, 19,	31·4	3·5	18		·	1		·	·		·	1	2	1	1	1	2	1	·
(*Office*,	,, 26.	20·9	·	12	·	·	·		·	·		·	·	1	1	·	1	1	1	·
Clarence-st., Nth.	Mar. 5,	26·2	·	15	·	·	·	·	·	·	·	·	1	1	1	·	1	3	2	3
Pop. in 1910	,, 12,	36·6	1·7	21	·	·	·		·	1	·	·	·	3	3	2	1	5	1	·
(Est.) 29,908.	,, 19,	15·7	1·7	9	·	·	·		1	·	·	·	·	·	·	·	·	3	·	·
	,, 26,	20·9	·	13	·	·	·	·	·	·	·	·	·	1	2	·	·	2	·	1
North City, No. 1 (W.)	Feb. 5,	32·6	5·2	25		·	·	·	2	·	·	·	2	1	2	1	3	7	·	1
	,, 12,	40·4	6·5	31	·	·	·		1	1	·	·	3	3	3	·	2	10	·	1
	,, 19,	30·0	1·3	23	·	·	·		·	·		·	1	2	2	1		5	·	·
(*Office*,	,, 26,	31·3	1·3	24		·	·		·			·	1	4	2	1	2	4	1	·
Summer-hill.)	Mar. 5,	37·8	3·9	29		·	·		1	·		1	1	2	3	3	2	7	·	1
	,, 12,	28·7	2·6	22		·	·		·	·		·	2	3	2	2	2	3	·	·
Pop. in 1910	,, 19,	23·5	1·3	18		·	·		·	·		·	1	4	1	1	1	6	·	·
(Est.) 39,974.	,, 26,	20·0	2·6	23		·	·		1	·		·	1	2	1	4		6	·	·
North City, No. 2.	Feb. 5,	44·1	1·7	26		·	·	·	·	·		·	1	2	·	2	1	5	·	·
	,, 12,	32·2	1·7	19	·	·	·	·	·	·		·	1	·	·	3	2	8	·	·
	,, 19,	35·6	·	21	·	·	·	·	·	·		·	·	4	2	·	2	4	·	·
(*Office*,	,, 26,	32·0	1·7	13	·	·	·	·	·	·	·	·	1	1	2	·	·	4	1	·
Lisburn-street.)	Mar. 5,	32·2	3·4	19		·	1	·	1	·	·	·	·	2	2	1	·	2	·	·
	,, 12,	18·8	·	17		·	·	·	·	·	·	·	·	·	·	2	1	3	1	·
Pop. in 1910	,, 19,	18·7	·	11		·	·	·	·	·	·	·	·	1	2	2	·	1	·	·
(Est.) 30,744.	,, 26,	32·2	1·7	19		·	·	·	1	·	·	·	·	1	4	·	·	6	·	·
North City, No. 3.	Feb. 5,	23·3	·	15	·	·	·	·	·	·	·	·	·	2	2	1		2	·	·
	,, 12,	26·4	1·6	17	·	·	·	·	1	·	·	·	·	2	2	1	·	·	·	·
	,, 19,	35·7	1·6	23	·	·	·	·	·	1	·	·	·	2	2	4	·	4	·	·
(*Office*,	,, 26,	43·2	·	31	·	·	·	·	·	·	·	·	·	3	3	3	1	5	1	·
Benburb-street.)	Mar. 5,	18·6	·	12	·	·	·	·	·	·	·	·	·	2	4	·	·	1	·	·
	,, 12,	23·3	1·6	15	·	·	·	·	·	·	·	·	1	2	2	1	1	2	·	·
	,, 19,	24·9	1·6	16	·	·	·	·	·	·	·	·	1	2	1	·	·	4	·	1
Pop. in 1910	,, 26,	31·1	1·6	20	·	·	·	·	·	·	·	1	·		4	·	1	2	·	·
(Est.) 33,559.																				
South City, No. 1.	Feb. 5,	21·4	·	17		·	·	·	·	·		·	1	1	1	1	1	4	·	2
	,, 12,	21·4	1·3	17	·	·	·	·	·	·		·	·	2	1	1	1	5	·	·
	,, 19,	40·2	·	32	·	·	·	·	·	·		·	·	3	5	3	2	4	1	1
(*Office*,	,, 26,	38·9	·	27	·	·	·	·	·	·	·	·	·	2	4	2		6	·	·
Sth. Earl-street.)	Mar. 5,	16·3	1·3	13	·	·	·	·	·	·	·	·	1	·	2	1	·	2	·	·
	,, 12,	31·4	·	25	·	·	·	·	·	·	·	·	·	3	3	2	1	8	·	2
Pop. in 1910	,, 19,	17·6	·	14	·	·	·	·	·	·	·	·	·	3	1	·	1	1	·	1
(Est.) 41,476.	,, 26,	25·1	·	20	·	·	·	·	·	·	·	·	·	1	4	2	1	2	·	·
South City, No. 2.	Feb. 5,	45·5	·	19		·	·	·	·	·		·	·	3	·	3	2	6	·	1
	,, 12,	45·5	·	19	·	·	·	·	·	·		·	·	1	1	1	1	9	·	·
	,, 19,	19·2	·	8	·	·	·	·	·	·		·	·	·	2	·	·	3	·	·
	,, 26,	43·1	·	18	·	·	·	·	·	·	·	·	·	·	1	·	1	5	·	1
(*Office*,	Mar. 5,	31·2	·	13	·	·	·	·	·	·	·	·	·	3	2	2	·	3	·	1
Castle-street.)	,, 12,	21·6	·	9	·	·	·	·	·	·	·	·	·	·	4	·	·	1	·	1
Pop. in 1910	,, 19,	21·6	·	9	·	·	·	·	·	·	·	·	·	·	1	2	2	1	·	·
(Est.) 21,751	,, 26,	21·6	·	9	·	·	·	·	·	·	·	·	·	1	3	·	1	1	·	·
South City, No. 3.	Feb. 5,	33·8	·	28		·	·	·	·	·		·	·	2	1	3	·	4	1	2
	,, 12,	41·0	4·8	34	·	·	·	·	2	1		·	1	2	4	1	2	7	·	·
	,, 19,	31·4	·	26	·	·	·	·	·	·		·	·	2	2	1	1	9	2	·
(*Office*,	,, 26,	35·0	1·2	29	·	·	·	·	1	·		·	·	2	2	1	4	6	·	·
Peter street.)	Mar. 5,	26·5	1·2	22	·	·	·	·	·	·	1	·	·	2	1	·	1	8	1	·
	,, 12,	21·7	2·4	18	·	·	·	·	2	·	·	·	·	3	2	1	·	5	·	1
Pop. in 1910	,, 19,	19·3	1·2	16	·	·	·	·	·	1	·	·	·	·	2	1	·	4	·	1
(Est.) 43,227.	,, 26,	27·7	1·2	23	·	1	·	·	·	·	·	·	·	4	2	2	·	6	·	2
South City, No. 4.	Feb. 5,	37·8	2·9	26		·	·	·	·	2	·	·	·	3	2	2	2	8	1	2
	,, 12,	23·3	·	16	·	·	·	·	·	·	·	·	·	1	·	1	·	4	·	·
	,, 19,	14·5	1·5	10	·	·	1	·	·	·		·	·	1	·	·	1	1	·	·
(*Office*,	,, 26,	30·5	1·5	21	·	·	1	·	·	·		·	·	5	1	3	1	6	·	·
Grand Canal-st.)	Mar. 5,	32·0	·	22	·	·	·	·	·	·		·	·	·	4		2	4	2	2
	,, 12,	23·3	·	16	·	·	·	·	·	·		·	·	·	2	·	2	1	·	1
Pop. in 1910	,, 19,	16·0	·	11	·	·	·	·	·	·		·	·	·	2	1	·	3	·	·
(Est.) 35,881.	,, 26,	24·7	1·5	17	·	·	·	·	·	·	·	·	1	1	2	·	·	2	·	·

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From Diseases in Cols. 5–18.	Total Deaths.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	Feb. 5,	29·6	.	21	.	.	.	.	.	.	.	.	.	1	3	1	2	2	.	1
	,, 12,	11·3	.	8	.	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.
	,, 19,	15·5	1·4	11	.	.	.	.	1	.	.	.	.	1	1	.	.	3	.	3
	,, 26,	19·7	1·4	14	.	.	.	.	.	.	.	1	.	1	.	2	1	1	.	.
	Mar. 5,	19·7	1·4	14	.	.	.	.	1	.	.	.	.	2	3	.	.	4	.	.
	,, 12,	16·9	.	12	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.
	,, 19,	12·7	.	9	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	2
	,, 26,	15·5	.	11	.	.	.	.	.	.	.	.	.	.	2		1	3	.	.
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	Feb. 5,	23·4	.	13	.	.	.	.	.	.	.	.	.	.	4	.	1	1	.	1
	,, 12,	27·0	.	15	.	.	.	.	.	.	.	.	.	.	4	1	1	3	.	.
	,, 19,	19·8	.	11	.	.	.	.	.	.	.	.	.	.	.	2	1	1	1	1
	,, 26,	21·6	1·8	12	.	.	.	.	.	.	.	1	.	1	1	1	1	1	1	1
	Mar. 5,	19·8	.	11	.	.	.	.	.	.	.	.	.	1	2	.	.	3	.	1
	,, 12,	25·2	.	14	.	.	.	.	.	.	.	.	.	1	3	.	2	4	1	.
	,, 19,	25·2	1·8	14	.	.	.	.	.	.	.	1	.	1	1	1	.	1	.	.
	,, 26,	7·2	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	Feb. 5,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.
	,, 12,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	,, 19,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	,, 26,	14·3	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	Mar. 5,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	,, 12,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	,, 19,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
	,, 26,	23·7	.	8	.	.	.	.	.	.	.	.	.	2	.	.	1	2	1	.
Belfast. Pop. in 1910 (Est.) 391,167.	Feb. 5,	22·0	2·8	165	.	.	.	.	19	.	.	.	2	14	16	8	8	28	2	2
	,, 12,	22·9	2·3	172	.	.	2	.	16	.	.	.	.	16	15	4	7	40	2	1
	,, 19,	20·8	2·8	156	.	1	.	.	17	.	.	1	2	11	14	8	6	19	5	5
	,, 26,	18·7	2·3	140	.	.	1	.	14	1	1	.	.	16	20	7	5	21	3	2
	Mar. 5,	22·0	1·9	165	.	1	.	.	11	.	.	.	2	12	23	9	8	24	10	2
	,, 12,	21·6	2·1	162	.	1	.	.	12	.	.	1	2	10	26	7	5	22	9	1
	,, 19,	21·7	2·5	168	.	5	2	.	13	.	.	.	.	12	18	9	9	24	5	1
	,, 26,	16·7	1·9	125	.	5	.	.	10	.	.	.	1	8	10	8	10	16	3	1
Cork. Pop. (in 1901) 76,122.	Feb. 5,	31·5	0·7	46	.	.	.	.	.	.	.	.	1	4	7	1	4	9	1	5
	,, 12,	26·7	.	39	.	.	.	.	.	.	.	.	.	3	6	3	1	4	.	2
	,, 19,	26·7	1·4	39	.	.	.	.	1	.	.	.	1	2	3	3	1	11	.	5
	,, 26,	23·3	0·7	34	.	.	.	.	.	.	.	1	.	2	5	7	2	3	.	1
	Mar. 5,	23·3	.	34	.	.	.	.	.	.	.	.	.	1	4	3	3	5	.	2
	,, 12,	20·5	.	30	.	.	.	.	.	.	.	.	.	3	6	1	.	3	.	3
	,, 19,	19·9	.	29	.	.	.	.	.	.	.	.	.	1	2		.	9	2	2
	,, 26,	22·6	.	33	.	.	.	.	.	.	.	.	.	2	8	2	3	1	.	1
Londonderry. Pop. in 1910 (Est.) 43,477.	Feb. 5,	14·4	.	12	.	.	.	.	.	.	.	.	.	1	2	1	.	5	.	.
	,, 12,	20·4	.	17	.	.	.	.	.	.	.	.	.	3	5	.	.	3	.	1
	,, 19,	14·4	.	12	.	.	.	.	.	.	.	.	.	1	1	.	4	2	1	.
	,, 26,	10·8	.	9	.	.	.	.	.	.	.	.	.	2	2	.	.	1	.	.
	Mar. 5,	25·2	.	21	.	.	.	.	.	.	.	.	.	3	2	2	2	4	1	.
	,, 12,	18·0	3·6	15	.	1	.	.	.	.	.	.	2	.	2	2	1	1	.	2
	,, 19,	9·6	.	8	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.
	,, 26	22·8	1·2	19	.	1	.	.	.	.	.	.	.	1	4	1	1	3	.	2
Limerick. Pop. (in 1901) 38,151.	Feb. 5,	27·3	1·4	20	.	.	.	.	1	.	.	.	.	.	2	1	.	5	.	4
	,, 12,	16·4	.	12	.	.	.	.	.	.	.	.	.	1	2	1	.	4	.	2
	,, 19,	12·3	.	9	.	.	.	.	.	.	.	.	.	.	2	.	1	2	.	1
	,, 26,	21·9	2·7	16	.	.	.	.	2	.	.	.	.	1	2	.	1	4	.	3
	Mar. 5,	13·7	4·1	10	.	.	.	.	2	.	.	.	1	1	.	.	.	.	.	.
	,, 12,	15·0	.	11	.	.	.	.	1	.	.	.	.	.	5	.	.	1	.	2
	,, 19,	19·1	2·7	14	.	.	.	.	1	.	.	.	1	.	1	1	.	5	.	3
	,, 26,	27·8	2·7	20	.	.	.	.	2	.	.	.	.	2	1	1	.	2	.	2
Waterford. Pop. (in 1901) 26,769.	Feb. 5,	21·4	.	11	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	2
	,, 12,	44·8	.	28	.	.	.	.	.	.	.	.	.	2	.	1	3	3	.	4
	,, 19,	22·2	1·9	15	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	3
	,, 26,	17·5	.	9	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	2
	Mar. 5,	17·5	.	9	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2
	,, 12,	27·3	3·9	14	.	.	.	1	1	.	.	.	.	1	5	.	.	1	.	1
	,, 19,	13·6	1·9	7	.	.	.	.	.	.	.	.	1	.	3	.	.	2	.	1
	,, 26,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 26th March, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS																										
			Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.						DEATHS FROM																	
			All Causes.	Diseases in Cols. 12-20.		Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		5			8	2	1	2	1	.	2	.	.	.	.	2	.	.	.	.	.	.	1	.	1	.	.	.	.
Do. 2 do. .		30			16	3	3	.	2	3	5	.	1	.	.	.	.	.	.	3	.	.	1	1	1	1	6	.
Do. 3 do. .		26			20	2	4	2	5	2	5	.	.	.	.	1	.	.	.	3	3	1	.	4	.	1	4	.
Do. 4 do. .		30			8	3	.	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	4	.
Do. 5 do. .		3			2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
Do. 6 do. .		15			15	2	1	.	2	4	6	.	.	.	.	.	.	.	.	.	.	2	4	1	4	.	1	2	1
Do. 7 do. .		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 8 do. .	349,180	4			7	1	1	.	.	2	3	.	.	.	.	2	.	.	.	.	.	.	.	2	.	.	.	.
Do. 9 do. .		6			4	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	3	.
Do 10 do. .		17			7	2	2	1	.	1	1	.	1	.	.	1	.	.	.	.	.	1	1	.	.	1	.	.
Do. 11 do. .		18			4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1	.
Do. 12 do. .		30			17	4	2	.	5	4	2	.	.	.	.	1	.	.	.	.	2	1	.	2	4	.	1	6	.
Do. 13 do. .		11			6	3	.	.	.	3	.	.	.	.	.	2	.	.	.	.	.	1	.	1	.	.	.	.
Do. 14 do. .		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15† do. .		17			11	3	1	1	1	3	2	.	1	.	.	1	.	.	.	.	.	1	1	1	1	.	.	4	.
Total, ...	—	208	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		125	27	15	7	19	28	29	.	3	.	.	10	.	.	.	1	8	10	3	10	16	3	8	31	1
City of Cork.																													
CORK URBAN No 1 DISTRICT, .	12,867	5	20·3	.	5	.	.	.	2	.	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	3	.
Do. 2 do. .	10,701	3	34·1	.	7	.	1	.	2	3	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	3	.
Do. 3 do. .	9,978	11	20·9	.	4	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2	.
Do. 4 do. .	8,666	5	30·1	.	5	1	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	1
Do. 5 do. .	6,592	2	28·7	.	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 6 do. .	10,702	3	29·2	.	6	1	.	1	2	1	1	.	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	3	.
Do. 7 do. .	16,616	2	9·4	.	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2	.
Total, . . .	76,122	31	22·6	.	33	3	2	3	10	7	8	.	.	.	.	.	.	.	.	.	2	8	2	3	1	.	.	15	1

* Formerly described as Simple Continued Fever.

† New district formed as from 1st Jan., 1910 and the boundaries of Nos. 1, 4 & 6 districts altered; the population of each of these districts, as at present constituted, is not available.

TABLE IX.—**City of Belfast.**—Comparative Tables of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1909-10—Week ending																								
	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30	Nov. 6.	Nov. 13	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.
No. of weeks in annual Series, ..	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12
BIRTHS registered, ...	194	208	228	218	202	205	174	180	168	189	190	181	170	215	278	192	180	216	214	213	196	202	239	201	240	208
DEATHS registered, ...	99	95	101	96	116	116	130	134	167	147	218	177	144	192	148	170	125	151	165	172	156	140	165	162	163	125
Annual Death rate per 1,000 of estimated Population, ...	13·4	12·8	14·0	12·9	15·6	15·6	17·5	18·1	22·5	19·8	29·4	23·9	19·4	25·9	19·7	22·7	16·7	20·1	22·0	22·9	20·8	18·7	22·0	21·6	21·7	16·7
AGES — Under 1 year, ...	30	21	24	17	22	28	30	28	41	44	62	41	33	48	35	48	25	33	28	37	31	23	33	31	29	27
AGES — 1-5 years, ...	14	10	8	11	14	11	8	14	27	14	21	18	22	25	23	21	20	21	28	21	20	21	21	16	27	15
AGES — 5-20 years, ...	8	5	9	9	9	7	11	4	11	10	18	13	10	12	8	9	9	14	2	8	13	12	11	14	16	7
AGES — 20-40 years, ...	16	12	28	14	27	22	23	22	20	20	31	22	23	28	17	24	17	22	30	18	26	19	29	26	18	19
AGES — 40-60 years, ...	17	20	15	26	13	19	27	28	31	23	33	33	20	34	26	28	23	21	30	41	31	36	37	40	35	28
AGES — 60 years and upwards, ..	14	27	25	19	31	29	31	38	37	36	53	50	36	45	38	40	27	40	47	46	35	29	34	35	38	29
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	5	3
Scarlet Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	2	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	4	3	2	.	5	4	4	4	7	6	15	9	10	13	12	13	13	13	19	15	17	14	11	12	11	10
Diphtheria, ...	.	.	.	.	.	.	1	.	.	1	.	.	.	1	1	.	1	.	.	.	.	1	.	.	.	.
*Pyrexia** (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.	.	.	.
Enteric Fever, ...	2	2	3	.	.	.	2	.	.	.	1	.	.	.	2	.	.	1	.	.	1	.	.	1	.	.
Diarrhœal Diseases, ...	11	11	5	5	3	4	2	2	1	3	2	1	1	1	2	.	.	.	2	.	2	.	2	2	.	1
Pneumonia, ...	6	8	9	5	8	15	13	17	25	31	25	28	22	34	12	20	9	16	14	16	11	16	12	10	12	8
Tuberculous Disease, Phthisis, ..	12	7	11	9	14	6	14	8	8	11	26	14	17	13	14	14	12	15	16	15	14	20	23	26	18	10
Tuberculous Disease, Other Forms, ..	6	2	5	5	10	2	11	3	16	4	11	4	4	6	4	10	3	10	8	4	8	7	9	7	9	8
Cancer, Malignant Disease, ..	6	8	2	4	3	5	7	7	1	3	7	5	5	3	2	10	5	4	8	7	6	5	3	5	9	10
Diseases of Respiratory System,	5	9	10	12	14	21	17	31	42	41	53	37	39	41	28	31	21	29	23	40	19	21	24	22	24	16
Violent Deaths, ...	3	1	2	4	2	3	2	2	3	5	5	6	4	3	3	3	5	7	2	2	5	3	10	9	5	3
Number of Uncertified Deaths, ..	.	1	.	1	1	2	1	.	1	3	3	2	3	1	2	1	6	3	2	1	5	2	2	1	1	1

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	Mar. 26,	2,141	1,263	13·5	.	24	10	10	44	6*a*	5
EDINBURGH, ...	360,276	„ 26,	149	85	12·3	.	3	1	.	1	.	.
GLASGOW, ...	884,505	„ 26,	380	263	15·5	.	19	2	.	6	.	5
CALCUTTA, ...	1,009,008	Feb. 19,	.	445	22·9	3	3	.	.	1	95‡	65*
BOMBAY, ...	977,822	„ 22,	396	650	34·6	34	4	.	.	.	130‡	55*
MADRAS, ...	509,346	„ 4,	335	384	39·2	.	3	?	?	?	129	48*
CAIRO, ...	677,663	„ 4,	538	390	30·0	.	.	.	11†	?	1*a*	25
PARIS, ...	2,760,000	„ 19,	972	1,054	20·0	.	22	2	9†	7	1*a*	29
BRUSSELS, ...	720,030	Mar. 5,	262	187	13·5	.	.	.	1†	.	2	11
ANTWERP, ...	317,171	„ 5,	134	63	10·4	.	.	.	.	2	.	7
AMSTERDAM, ...	568,131	„ 5,	230	149	13·7	.	4	.	.	2	.	1
COPENHAGEN, ...	450,000	„ 5,	215	112	13·0	.	1	2	1†	3	.	4
STOCKHOLM, ...	339,582	„ 5,	139	97	14·9	.	4	2	2†	1	.	1
CHRISTIANIA, ...	235,674	„ 12,	118	56	12·4	.	1	.	1†	.	.	1
ST. PETERSBURG, ...	1,620,000	Feb. 19,	1,276	811	26·1	10	40	16	15	9	18	83
MOSCOW, ...	1,493,600	„ 12,	.	724	25·3	5	18	39	18†	7	15	46
BERLIN, ...	2,126,128	„ 19,	935	586	14·4	.	5	7	14†	9	1	14
HAMBURG, ...	895,804	Mar. 5,	.	238	13·8	.	2	4	8†	1	1	7
BRESLAU, ...	509,559	„ 5,	.	157	16·1	.	.	.	.	1	1	7
MUNICH, ...	576,000	„ 12,	.	188	17·0	.	1	1	1†	2	.	16
VIENNA (with suburbs),	2,085,888	„ 5,	870	641	16·0	.	14	3	4†	5	.	29
BUDA-PESTH, ...	833,703	„ 5,	451	348	21·7	.	8	4	4†	1	4	7
PRAGUE and Faubourgs.	494,631	Feb. 19,	201	183	19·2	.	1	.	.	.	.	4
TRIESTE, ...	218,727	„ 26,	196	114	27·2	.	10	.	.	.	.	1
ROME, ...	584,308	Jan. 29,	316	235	21·0	.	2	1	2	1	2*a*	7
VENICE, ...	179,286	Feb. 5,	86	93	27·1	.	3	.	.	.	1*a*	4
NEW YORK, ...	4,711,956	„ 26,	2,509	1,633	18·1	.	22	40	44†	3	7*a*	35
PHILADELPHIA, ..	1,598,400	„ 5,	.	566	18·4	.	.	2	3†	5	10*a*	22
BOSTON, ...	629,868	Mar. 5,	.	215	17·8	.	.	.	4	1	1	4

* Including 34 deaths from cholera in Calcutta, 2 in Bombay and one in Madras.
† Including deaths from croup.
‡ Including 21 deaths from plague in Calcutta and 88 in Bombay.
a Enteric Fever.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 26th March, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	2	.	.	.	.	.	.	1	.	.	.	3
" " 1, West,	.	.	1	.	.	.	.	1	2	.	.	.	4
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	.	.	.	2	.	.	1	4	.	.	1	8
Clontarf and Howth No. 1 (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	1	.	.	.	.	1	.	10	.	.	9	21
" " 2,	.	.	.	.	.	.	.	.	.	.	.	8	8
" " 3,	.	1	.	.	.	.	.	2	1	.	.	1	5
" " 4,	.	.	.	.	1	.	.	.	.	.	.	1	2
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	5	1	.	3	.	1	4	18	.	.	20	52

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 26th March, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 26th March.			
	Mar. 5.	Mar. 12.	Mar. 19.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	2	3	6	2	5	.	3
Scarlet Fever,	66	68	72	3	18	.	57*
Typhus,	2	1	.	.	.	.	.
Diphtheria,	46	46	44	3	10	1	36
Enteric Fever,	30	36	30	5	8	1	26
Pneumonia,	42	33	37	10	10	1	36

* Exclusive of 12 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.Sc., F.R.MET.SOC., reports as follows on the weather during the week ended 26th March, 1910:—

"Throughout this week the British Islands remained under the favourable influence of a large anticyclone of even more than ordinary staying power. The weather was, in consequence, fine, dry and quiet for the most part. At first, the wind over Ireland was westerly. By Monday it drew into N.W. and N., on Wednesday it became N.E., and on Friday S.E.; but all the time it was light in force. Sunday broke fair in Dublin, but the forenoon was overcast. Later on the weather became fair and springlike, temperature rising to 55·2° in the screen. At Birr Castle the maximum was 58° on this day. Showers of fine rain accompanied a shift of wind to N. on Monday morning, ·009 inch being registered—the only rainfall of the week in Dublin. On Wednesday the anticyclone reached its fullest development, the barometer rising to 30·61 inches over the west, centre, and south of Ireland at 7 a.m. The sky now became densely clouded in this country and in Scotland, whereas in England sharp frost occurred under a clear sky—the thermometer falling in the screen to 28° at Nottingham, 29° at Bath, Oxford, and Buxton, and 31° in London. The cloudy weather spread to England on Thursday, temperature rising as radiation became checked. On Friday evening the sky cleared in Ireland, and a sharp night followed. Saturday was very fine and sunny at first, afterwards cloudy and milder. A steady and uniform decrease of atmospheric pressure began on Wednesday and became more rapid on Saturday, when a mild southerly air current spread in over the British Isles from the Atlantic. In Dublin the mean height of the barometer was 30·397 inches, the range of pressure being from 30·594 inches at 9 a.m. of Wednesday (wind, W.) to 30·152 inches at 9 p.m. of Saturday (wind, S.). The barometer rose gradually from 30·180 inches at 9 a.m. of Sunday to the maximum for the week, thence falling equally gradually to the minimum on Saturday evening. The corrected mean temperature was 45·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 45·3°. The screened thermometers rose to 55·2° on Sunday and fell to 35·1° on Tuesday. N.W. and N.E. winds prevailed. Light showers on Monday morning yielded ·009 inch in the rain gauge."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·226 inches. The highest reading (30·423) was on Wednesday at 9 a.m., air calm, and the lowest (29·973) on Saturday at 9 p.m., wind S.S.W.

The mean temperature for the week was 43·4°, being 1·5° above the average for the corresponding period of the 10 years, 1900–1909. The temperature was highest on Sunday, on which day the thermometer registered 54·1°, and was lowest on Saturday, the mercury having fallen to 27·2°. The mean of the Dry Bulb for the week was 43·9° and of the Wet Bulb 42·7°. The mean humidity of the air was ·91, complete saturation being represented by 1·0. There was no rainfall recorded during the week.

At Greenwich the mean temperature for the week was 42·0°, the maximum 54·0°, and the minimum 25·5°; at Glasgow the maximum was 53·5°, the minimum 34·5°, and the mean 45·7°; and at Edinburgh the maximum was 52·9°, the minimum 35·2°, and the mean 44·9°. The rainfall at Glasgow measured 0·01 in., and at Edinburgh 0·02 in. There was no rainfall recorded at Greenwich.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	THERMOMETER. Maximum.	Minimum.	Mean.	HYGROMETER. Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind 9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) In.		
Sunday, March 20,	30·015	54·1	42·6	48·4	46·3	45·5	·95	·6	0·8	·000	W.S.W.	S.W.
Monday, „ 21,	30·161	49·8	40·2	45·0	43·3	42·5	·95	·6	0·5	·000	N.N.W.	N.W.
Tuesday, „ 22,	30·381	50·7	29·9	40·3	43·2	42·4	·94	·5	5·5	·000	W.	Calm.
Wednesday, „ 23,	30·411	48·9	41·9	45·4	45·3	44·0	·91	·5	0·0	·000	Calm.	Calm.
Thursday, „ 24,	30·348	48·8	40·9	44·9	45·0	43·0	·86	·3	0·0	·000	Calm.	Calm.
Friday, „ 25,	30·232	46·8	32·1	39·5	38·1	36·8	·89	·0	0·1	·000	Calm.	Calm.
Saturday, „ 26,	30·031	53·6	27·2	40·4	46·4	44·6	·88	·4	5·6	·000	S.E.	S.S.W.
Mean, . . .	30·226	50·4	36·4	43·4	43·9	42·7	·91	·4	Total 12·5	Total ·000	—	

Sunday—Day overcast; night cloudy. *Monday*—Day overcast; night clear. *Tuesday*—Day cloudy, fine; night overcast. *Wednesday*—Day overcast, fine; night overcast. *Thursday*—Day overcast, fine; night cloudy. *Friday*—Day overcast, fine; night cloudy (fog). *Saturday*—Day cloudy, fine; night cloudy.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, March 26th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Min.	Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs	ins.
Sunday, March 20.	47·0	43·8	44·2	51·9	43·5	49·2	0·1	·005
Monday, „ 21,	46·3	44·3	44·2	54·8	43·7	49·3	0·3	—
Tuesday, „ 22,	42·8	43·7	44·4	51·7	35·0	43·4	4·5	—
Wednesday, „ 23,	46·4	44·5	44·5	51·9	44·0	48·0	—	—
Thursday, „ 24,	47·6	44·9	44·8	55·0	33·0	44·0	—	—
Friday, „ 25,	45·0	44·9	44·9	50·0	39·0	44·5	—	—
Saturday, „ 26,	47·2	43·8	45·0	54·0	31·7	42·9	6·2	—
Weekly Mean, . .	46·0	44·3	44·6	53·2	38·6	45·9	Total 11·1	Total ·005

DUBLIN: Printed for His Majesty's Stationery Office, By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

(28294). Wt. P. 345. 375. 11. 1909. G. III. Sch. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 2ND APRIL, 1910. [No. 13.

General Register Office, Charlemont House, Dublin, 4th April, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending Mar. 12.	Mar. 19.	Mar. 26.	April 2.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending Mar. 12.	Mar. 19	Mar. 26.	April 2.	Average Rate for 4 weeks.
22 Town Districts.	**22·0**	**19·0**	**21·1**	**20·7**	**20·7**	Limerick, . . .	15·0	19·1	27·3	23·2	21·1
						Lisburn, . . .	18·2	18·2	40·9	4·5	20·5
Armagh, . . .	13·7	20·6	27·5	27·5	22·3	Londonderry, . .	18·0	9·6	22·8	13·2	15·9
Ballymena, . . .	14·4	28·7	14·4	14·4	18·0	Lurgan, . . .	26·6	4·4	35·4	22·1	22·1
Belfast, ...	21·6	21·7	16·7	18·4	19·6	Newry, ...	12·6	12·6	29·4	21·0	18·9
Clonmel, . . .	10·3	15·4	15·4	46·2	21·8	Newtownards, .	17·2	17·2	22·9	11·4	17·2
Cork, ...	20·5	19·9	22·6	32·9	24·0	Portadown, . .	10·3	25·8	15·5	20·7	18·1
Drogheda, . . .	32·7	24·5	28·6	24·5	27·6	Queenstown, . .	46·1	.	13·2	13·2	18·1
Dublin Reg. Area, .	24·8	18·4	22·6	19·8	21·4	Sligo, ...	4·8	19·2	14·4	52·8	22·8
Dundalk, . .	23·9	4·0	23·9	23·9	18·9	Tralee, . . .	5·3	42·3	37·0	15·9	25·1
Galway, . . .	7·8	3·9	27·2	38·8	19·4	Waterford, . . .	27·3	13·6	11·7	19·5	18·0
Kilkenny, . . .	24·6	9·8	44·2	19·7	24·6	Wexford, . . .	28·0	28·0	28·0	23·3	26·8

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·2 per 1,000, the rates varying from 0·0 in seven of the districts to 5·7 in Newtownards, the 2 deaths recorded for that district including one from whooping-cough. Among the 138 deaths from all causes for Belfast are from measles, 2 from scarlet fever, 6 from whooping-cough, and one each from diphtheria, enteric fever, and diarrhœa. Of the 48 deaths from all causes for Cork are one from diphtheria and 2 from diarrhœal diseases, and included in the 4 deaths from all causes for Portadown is one from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 213—141 boys and 112 girls—and the deaths to 168—74 males and 94 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 15) of persons admitted into public institutions from localities outside the Area, represent an annual rate of 19·8 per 1,000 of the population, the rate for the total deaths registered in the Area being 21·7 per 1,000. During the thirteen weeks, ending with Saturday last, the death-rate averaged 25·1, and was 3·3 below the mean rate for the corresponding portions of the ten years 1900–9.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*), Table II. ‡ See columns 10–18 of Table II.

Among the deaths from all causes registered were 4 from enteric fever* and one death from whooping-cough ; the deaths from these diseases in the three preceding weeks were, respectively, from enteric fever 0, one, and one, and from whooping-cough 2, one, and 2. Deaths from influenza, which in each of the preceding three weeks were 6, 7, and 6, were again 6 in the week under notice.

The deaths from pneumonia (all forms) include one death from lobar pneumonia, 6 deaths from broncho-pneumonia, and 7 deaths from *pneumonia* (not defined).

Tuberculous disease accounted for 18 deaths, this disease having caused 38, 25, and 36 deaths in each of the three preceding weeks ; the 18 deaths comprise 14 from tuberculous phthisis (*phthisis*), 2 from tuberculous meningitis, and 2 deaths from other forms of the disease.

There were 8 deaths from carcinoma, 2 from sarcoma, and 4 from cancer or malignant disease (undefined).

Prematurity was the registered cause of death of 7 infants.

Diseases of the brain and nervous system caused 7 deaths, including 3 deaths from *convulsions*, 2 of this figure were deaths of infants under one year ; the third was aged one year and eleven months.

Thirty deaths were classified to diseases of the heart and blood vessels, and bronchitis caused the deaths of 22 persons.

Of 5 deaths attributed to accident or negligence one was caused through being run over by a tram and one was by burning.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases comprise the deaths of 2 infants under one year of age and the deaths of 2 persons aged 60 years and upwards.

Forty-four of the persons whose deaths were registered during the week were under 5 years of age (29 being infants under one year, of whom 13 were under one month old) and 61 were aged 60 years and upwards, including 40 persons aged 70 and upwards, of whom 14 were octogenarians, and 2 (females) were stated to have been aged 90 and 98 years, respectively.

Fifty-nine of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 9 took place in the North Dublin Union Workhouse and 9 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·8 per 1,000 ; the rate in the City was 19·8 (North City Districts, 21·3; South, 18·3) and in the Suburbs, 19·7.

The deaths from certain epidemic diseases† in the entire area equal an annual rate of 0·3 per 1,000 inhabitants, the rate for the City being 0·2 (0·3 in the North City Districts, and 0·0 in the South), and for the Suburbs, 0·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (13) are equal to an annual rate of 22·7 per 1,000, and include 2 deaths from tuberculous disease.

No. 1 *North City District, West* (Summer-hill).—The deaths (13) are equal to an annual rate of 17·0 per 1,000. Enteric fever caused one death, as did also broncho-pneumonia and *pneumonia* (not defined); there were 2 deaths from bronchitis, and one accidental death.

No. 2 *North City District* (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 28·8 per 1,000. The deaths included one from influenza, 2 from broncho-pneumonia, one from *pneumonia* (not defined), 5 from tuberculous phthisis, 2 from bronchitis, and one accidental death.

No. 3 *North City District* (Benburb-street).—The deaths (18) represent an annual rate of 28·0 per 1,000. Influenza caused 2 deaths, there was one death from *pneumonia* (not defined), there were 2 deaths from tuberculous phthisis, 2 deaths from bronchitis, and one accidental death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 13·5 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0 ; and Finglas and Glasnevin, part of, 6·8.

No. 1 *South City District* (South Earl-street).—The deaths (16) represent an annual rate of 20·1 per 1,000. Lobar pneumonia and tuberculous phthisis each caused one death, there were 6 deaths from bronchitis, and one accidental death.

No. 2 *South City District* (Castle-street).—The deaths (6) are equal to an annual rate of 14·4 per 1,000. The 6 deaths include one death from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (18) are equal to an annual rate of 21·7 per 1,000. Tuberculous disease caused 3 deaths, *pneumonia* (not defined) one death, and bronchitis 5 deaths.

No. 4 *South City District* (Grand Canal-street).—The deaths (12) are equivalent to an annual rate of 17·4 per 1,000. There was one death from influenza, also one death from *pneumonia* (not defined), there were 2 deaths from tuberculous phthisis, and one death from bronchitis.

New Kilmainham District.—There was one death recorded for this district, equivalent to an annual rate of 5·7 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are :—Rathmines and Rathgar, 23·9 ; Pembroke, 10·8 : Blackrock, 28·9 ; and Kingstown, 20·7. The only death from any of the principal epidemic diseases tabulated for these districts is one from whooping-cough for Kingstown. Among the 17 deaths from all causes for Rathmines and Rathgar are one death from influenza, and one death each from *pneumonia* (not defined), *phthisis*, and bronchitis ; the 6 deaths from all causes for Pembroke include one from influenza, 2 from broncho-pneumonia, and 2 from diseases of the respiratory system ; of the 5 deaths from all causes for Blackrock one is from broncho-pneumonia; and of the 7 deaths from all causes for Kingstown one is from bronchitis.

* See note (*c*) at foot of Table II. † See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District: Mr. Manly, Executive Sanitary Officer for Pembroke Urban District: Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 2nd April, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Mar. 12,	.	—	—	12	.	.	4	.	2	3	5	.	—	—	.	—	21	—	47
	Mar. 19,	.	—	—	10	.	.	7	.	.	2	9	.	—	—	.	—	14	—	42
	Mar. 26,	.	—	—	5	1	.	3	.	1	4	18	.	—	—	.	—	20	—	52
	Apr. 2,	.	—	—	7	1	.	5	.	.	5	16	.	—	—	.	—	17	—	51
Rathmines and Rathgar Urban District.	Mar. 12,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
	Mar. 19,	.	—	—	.	.	.	5	.	.	1	.	.	—	—	—	—	—	—	6
	Mar. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Apr. 2,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	—	—	—	—	3
Pembroke Urban District.	Mar. 12,	.	.	.	1	.	.	.	.	.	1	.	.	—	.	.	—	—	—	2
	Mar. 19,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	—	.
	Mar. 26,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	—	.
	Apr. 2,	.	.	.	.	.	.	1	.	.	.	1	.	—	1	.	—	—	—	3
Blackrock Urban District.	Mar. 12,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Mar. 19,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Mar. 26,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Apr. 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Mar. 12,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	Mar. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Mar. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Apr. 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Mar. 12,	.	—	—	21	.	.	4	.	.	1	8	.	—	—	—	—	21	—	55
	Mar. 19,	.	—	—	10	.	.	2	.	.	3	7	.	—	—	—	—	20	—	42
	Mar. 26,	.	—	—	12	1	.	2	.	1	1	4	.	—	—	—	—	19	—	40
	Apr. 2,	.	—	—	12	.	.	5	.	.	2	2	.	—	—	—	—	24	—	45

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 2nd April, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

One case of measles was admitted to hospital during the week, one was discharged, and 3 cases remained under treatment at its close.

Nine cases of scarlet fever were admitted to hospital, 4 were discharged, and 62* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 68, 72, and 57, respectively.

Three cases of typhus were admitted to hospital during the week, and remained under treatment at its close.

Nine cases of diphtheria were admitted to hospital, 11 were discharged, and 34 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 46, 44, and 36, respectively.

Two cases of enteric fever were admitted to hospital during the week, 4 were discharged, there were 2 deaths, and 22 cases remained under treatment in hospital at the close of the week.

In addition to the above named diseases, 10 cases of pneumonia were admitted to hospital, 10 were discharged, there was one death, and 35 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 14·5) was equal to an average annual death-rate of 14·4 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 18·1 per 1,000, the rate for Glasgow being 17·5 and for Edinburgh 15·9.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 2nd April. From this Report it appears that of a total of 62 cases notified, 28 were scarlet fever, 20 phthisis, 9 diphtheria, and 5 erysipelas. Among the 391 cases of infectious diseases in hospital at the close of the week were 191 cases of scarlet fever, 80 of measles, 55 of phthisis, 28 of diphtheria, 15 of whooping-cough, 7 of erysipelas, 7 of enteric fever, 5 of chicken-pox, and one of cerebro-spinal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 2nd April, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS	Census Statistics of Districts. POPULATION. Total.a	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 2ND APRIL, 1910. Annual Rate per 1,000 persons represented by BIRTHS.	DEATHS. From all Causes.	From Diseases in cols. 10-18.	NUMBERS REGISTERED. BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (d) WEEK ENDING 2ND APRIL, 1910. Air Temperature: Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	WEEK ENDING 26TH MARCH, 1910. Air Temperature: Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	WEEK ENDING 19TH MARCH, 1910. Air Temperature: Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS, . .	1,151,790	20·2	29·9	20·7	1·2	661	457	78	155	.	6	2	.	8	3	.	2	5	41	49	23	19	61	6	18	148	29	.	.	.	.	.	.	.	.	.	.	.	.
DUBLIN REGISTRATION AREA:— TOTAL, c, .	402,928	29·3	27·6	19·8	0·3	218	153	29	58	.	.	.	.	1	.	.	1	.	13	12	4	10	23	4	5	44	4	e51·9	28·8	39·7	0·04	e54·1	27·2	43·4	0·00	e52·6	28·8	39·8	0·17
CITY OF DUBLIN,	310,298	39·2	32·3	19·8	0·2	192	118	26	34	.	.	.	.	1	.	.	1	.	9	11	4	8	19	4	4	40	4	f58·1 g58·9	32·0 24·0	43·4 40·4	0·05 0·07	f55·2 g55·1	35·1 27·0	45·9 44·0	0·01 0·01	f54·1 g52·9	33·9 30·0	41·9 40·6	0·26 0·19
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	12·7	23·9	.	9	17	.	18	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	12·6	10·8	.	7	6	1	4	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,018	8·3	23·1	28·9	.	4	5	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	8·0	20·7	3·0	1	7	1	4	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.	1	.	53·0	30·5	42·8	0·01	56	35	45·6	0·00	54·5	35·0	42·5	0·18
URBAN DISTRICTS.																																							
BELFAST, . .	391,167	26·6	27·6	18·4	2·3	267	138	27	34	.	6	2	.	6	1	.	1	1	14	20	9	4	16	.	7	31	2	54·0	29·0	41·7	0·13	54·5	32·5	44·6	0·03	51·0	30·0	40·5	0·15
CORK, . .	76,122	33·6	36·6	32·9	2·1	52	48	7	11	.	.	.	.	1	.	.	.	2	3	6	3	1	6	2	3	18	5	51	33	43·4	0·13	56	39	46·0	0·02	50	35	43·5	0·75
LONDONDERRY, . .	43,477	20·1	24·0	18·2	1·2	20	11	1	4	.	.	.	.	.	.	.	.	1	1	1	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK, . .	38,151	18·1	64·2	28·2	.	47	17	3	8	.	.	.	.	.	.	.	.	.	1	2	.	.	2	.	1	8	2	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD, . .	26,769	18·7	25·3	19·5	1·9	13	10	1	4	.	.	.	.	.	.	.	.	1	1	3	.	1	.	.	.	4	2	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY, . .	18,426	2·5	62·1	38·8	.	16	10	4	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	60	35	43·4	0·08	54	32	44·5	0·00	52	30	41	0·30
DUNDALK . .	18,076	9·4	12·0	13·9	.	3	6	2	4	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA, . .	12,760	8·6	10·4	24·5	.	5	6	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY, . .	12,405	17·8	21·0	21·0	.	5	5	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	58·0	31·6	43·8	0·07	56·5	33·3	45·5	0·03	52·1	31·0	41·0	0·11
LURGAN, . .	11,782	13·8	22·1	12·1	.	5	5	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	2	1	58·0	31·6	43·8	0·07	56·5	33·3	45·5	0·03	52·1	31·0	41·0	0·11
LISBURN, . .	11,461	10·1	31·8	4·5	.	7	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	58·0	31·6	43·8	0·07	56·5	33·3	45·5	0·03	52·1	31·0	41·0	0·11
WEXFORD, . .	11,168	28·2	9·8	28·8	.	2	5	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA, . .	10,886	8·9	15·8	14·4	.	20	3	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO, . .	10,870	8·7	48·0	42·8	.	10	11	.	6	.	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	6	.	58·8	28·2	43·4	0·41	58·7	30·7	44·8	0·15	58·4	26·3	40·9	0·44
KILKENNY, . .	10,609	11·5	18·8	19·7	.	14	4	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	2	.	55	25	42	0·03	51	32	44·2	0·01	54	31	41·1	0·35
CLONMEL, . .	10,167	7·8	10·8	46·2	.	2	9	.	3	.	.	.	.	.	.	.	.	.	.	1	3	.	3	.	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN, . .	10,092	13·2	46·5	20·7	5·2	9	4	1	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.	58·0	31·6	43·8	0·07	56·5	33·3	45·5	0·03	52·1	31·0	41·0	0·11
TRALEE, . .	9,867	16·6	21·1	15·9	.	4	3	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS, . .	9,110	18·9	5·7	11·4	5·7	1	2	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	51	32	41·5	0·11	55	35	44·4	0·00	53	33	41·0	0·17
QUEEN'S TOWN, . .	7,909	14·4	13·2	13·2	.	2	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	51	33	43·4	0·13	56	39	46·0	0·02	50	35	43·5	0·75
ARMAGH, . .	7,588	22·2	27·5	27·5	.	4	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2	2	58·0	31·6	43·8	0·07	56·5	33·3	45·5	0·03	52·1	31·0	41·0	0·11

(*a*) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (*b*) Formerly described as "Simple Continued Fever." (*c*) Exclusive of 15 deaths of persons (including 3 at 60 years or upwards) admitted to hospital from localities outside the Area; of the 15 deaths 3 were from enteric fever. (*d*) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. (*e*) Observations at Ordnance Survey Office, Phœnix Park. (*f*) Observations by Sir John Moore taken at Fitzwilliam-square. (*g*) Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 2nd April, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	CLONTARF (pt. of). DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3
Diarrhœal Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia,	.	2	3	1	.	.	.	1	.	1	1	.	1	2	1	.	13	1
Tuberculous Phthisis,	.	.	5	2	.	.	.	1	.	1	2	.	1	.	.	.	12	2
Disease. Other Forms,	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	4	.
Cancer, Malignant Disease,	.	1	1	2	.	.	.	.	1	1	2	.	1	.	.	1	10	4
Other General Diseases,	4	.	2	6	.	.	.	1	.	1	1	.	2	1	1	1	20	1
Total,	6	4	11	11	.	.	.	3	1	6	6	.	5	3	2	3	61	11
B. LOCAL DISEASES:																		
Diseases of Nervous System,	.	1	.	.	.	.	1	1	.	1	2	.	.	.	.	.	6	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	1	1	2	1	.	1	.	2	2	6	.	.	9	.	2	2	29	1
Respiratory System,	.	2	2	2	.	.	.	6	1	5	1	.	1	2	.	1	23	.
Digestive System,	2	.	1	.	.	1	.	1	.	.	.	1	.	.	.	1	7	1
Lymphatic System, &c.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Urinary System,	2	.	.	.	.	1	.	1	.	.	2	.	.	1	.	.	7	.
Generative System,	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Accidents of Childbirth,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Total,	6	4	5	4	.	3	1	12	3	12	6	1	12	3	2	4	78	3
C. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	1	4	.	2	.	.	.	.	2	.	.	.	.	.	1	.	10	.
E. VIOLENT DEATHS,	.	1	1	1	.	.	.	1	.	.	.	.	.	.	.	.	4	1
Deaths from all Causes	13	13	17	18	.	3	1	16	6	18	12	1	17	6	5	7	153	15
Annual Rate of Mortality from all causes in every 1,000 of the population.	22·7	17·0	28·8	28·0	.	13·5	6·8	20·1	14·4	21·7	17·4	5·7	23·9	10·8	28·9	20·7	19·8	.
	21·3							18·3					19·7					
	19·8																	
Ages at Death. Under 1 year,	7	3	2	5	.	.	.	4	1	2	2	.	.	1	1	1	29	.
1 and under 5 years,	1	1	2	3	.	.	.	2	.	3	1	.	.	.	.	1	14	1
5 „ 20 „	.	.	2	1	.	1	1	3	.	1	.	.	.	1	.	.	10	3
20 „ 40 „	.	1	1	2	.	.	.	3	.	2	3	.	2	.	.	.	14	4
40 „ 60 „	1	2	3	2	.	.	.	4	3	4	4	1	2	.	1	1	28	4
60 years and upwards,	4	6	7	5	.	2	.	.	2	6	2	.	13	4	3	4	58	3
Number of Uncertified Deaths,	.	2	.	.	.	.	.	.	1	.	1	.	.	.	.	.	4	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	2	2	2	.	1	.	8	1	6	3	.	2	.	.	1	28	13
Workhouse Hospitals,	1	2	2	3	.	.	.	1	2	3	1	.	.	1	.	.	16	2

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in week of the ten years 1900–1909.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Averages in 13th Week of the 10 years, 1900-1909.	In the Week ending Saturday, 2nd April, 1910.							
												Deaths of Persons of the Ages of							
	Mar. 31, 1900.	Mar. 30, 1901.	Mar. 29, 1902.	April 4, 1903.	April 2, 1904.	April 1, 1905.	Mar. 31, 1906.	Mar. 30, 1907.	Mar. 28, 1908.	April 3, 1909.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 37·3	° 34·0	° 43·5	° 45·1	° 42·1	° 44·8	° 39·4	° 47·2	° 43·9	° 43·8	° 42·1	° 39·7								
ALL CAUSES.	244	234	211	204	219	192	198	189	211	204	210·6	168	13	16	15	13	18	32	45	16
Small-pox,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	1	1	.	4	4	.	4	.	9	2·3	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	2	2	1	1	.	.	.	.	·6	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	2	.	.	·2	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	4	8	2	2	2	4	2	2	14	2	4·2	6	.	.	1	.	.	.	5	.
Whooping-cough,	.	11	2	2	11	.	2	4	3	6	4·1	1	.	1	.	.	.	.	.	.
Diphtheria,	1	.	.	6	.	1	3	1	1	4	1·7	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	1	2	2	2	1	3	.	.	.	1·2	4	.	.	1	.	2	1	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.),	.	1	.	.	.	.	.	.	.	.	1·3	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,				2	2	2	2	1	1	2		.	.	.	.	.	.	.	.	.
Tetanus,	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	2	.	3	.	1	3	.	1	1	1·1	2	1	1	.	.	.	.	.	.
Puerperal Septicæmia,	.	1	.	1	.	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Puerperal Pyæmia,				.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Puerperal Fever,				.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
Infective Endocarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	13	18	14½	1	1	1	3	5	1	2	15·8	1	.	.	.	.	1	.	.	.
Pneumonia, Broncho-				3	9	4	2	13	9	8		6	.	3	1	.	.	1	1	.
Pneumonia, Epidemic				.	2	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Pneumonia, Not defined,				7	11	7	5	6	7	6		7	.	.	2	.	2	1	1	1
Erysipelas,	.	4	.	.	1	1	.	.	.	.	·6	.	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal)	2	.	.	.	1	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
Pyæmia (not Puerperal),				.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other Infective Processes,	.	.	.	.	1	1	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis,	30	39	37	1	10	14	7	14	13	18	31·3	10	.	.	1	2	3	2	2	.
"*Phthisis*,"				26	17	31	18	13	14	11		4	.	.	.	2	2	.	.	.
Tuberculous Meningitis,	7	.	2	4	7	4	5	2	3	2	3·6	2	.	.	1	1	.	.	.	.
Tuberculous Peritonitis,	7	2	3	.	3	.	1	1	1	.	2·5	.	.	.	.	.	.	.	.	.
Tabes Mesenterica,				2	1	2	.	1	1	.		.	.	.	.	.	.	.	.	.
Tuberculous Dis. (other),	2	7	4	8	6	7	8	7	4	12	6·7	2	.	.	1	.	.	1	.	.
Scrofula,				1	.	.	1	.	.	.		.	.	.	.	.	.	.	.	.
Alcoholism,	.	.	2	.	1	.	1	2	.	1	·7	.	.	.	.	.	.	.	.	.
Rheumatic Fever,	.	2	.	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Gout,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Carcinoma,	4	12	5	2	1	1	.	2	3	3	6·0	8	.	.	.	.	1	4	3	.
Sarcoma,				.	.	1						2	.	.	.	.	1	1	.	.
Cancer (undefined)				7	2	2	4	6	4	1		4	.	.	.	.	.	1	3	.
Diabetes Mellitus,	.	.	.	2	.	1	1	1	.	1	·6	2	.	.	.	.	.	1	1	.
Premature Birth,	6	3	4	1	3	3	3	2	6	4	3·5	7	7	.	.	.	.	.	.	.

* The figures for the year 1900 are for

† Formerly described as

he THIRTEENTH WEEK ending Saturday, 2nd April, 1910, with the deaths from each cause in the corresponding nd the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 13th Week of the 10 years 1900-1909.	In the Week ending Saturday, 2nd April, 1910.							
												Deaths of Persons of the Ages of							
	Mar. 31, 1900.	Mar. 30, 1901.	Mar. 29, 1902.	April 4, 1903.	April 2, 1904.	April 1, 1905.	Mar. 31, 1906.	Mar. 30, 1907.	Mar. 28, 1908.	April 3, 1909.		All Ages.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 37·3	° 34·0	° 43·5	° 45·1	° 42·1	° 44·8	° 39·4	° 47·2	° 43·9	° 43·8	° 42·1	° 39·7								
Meningitis (not tuberc.)				4	1	1	3	2	3	3		1	.	.	.	1	.	.	.	.
Insanity, G. P. of Insane				1	5	.	1	.	1	1		.	.	.	.	.	.	.	.	.
Epilepsy				.	.	3	.	.	.	.		.	.	.	.	.	.	.	.	.
Convulsions				3	5	5	7	6	8	5		3	.	2	1	.	.	.	.	.
Locomotor Ataxy				.	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord				.	2	3	.	.	.	.		.	.	.	.	.	.	.	.	.
Nervous System (other Dis.)				1	.	3	3	2	2	2		3	.	.	.	3	.	.	.	.
	53	45	49								43·1									
Valv. Dis., Endocarditis				5	4	3	6	3	11	6		11	.	.	.	.	5	6	.	
Cerebr. Hæm. Thromb.				3	1	5	2	2	3	4		3	.	.	.	.	2	.	1	
Apoplexy, Hemiplegia				8	9	5	4	2	9	5		3	.	.	.	.	2	.	1	
Aneurysm				.	.	.	1	.	1	.		.	.	.	.	.	.	.	.	.
Embolism, Thromb. (not cerebral)				1	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Heart and Blood Vessels (other Dis.)				17	11	9	20	12	8	17		13	.	.	.	.	1	8	4	
Croup (not Spasm. nor Memb.)	1	.	1	.	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
Bronchitis	39	37	37	26	31	22	25	27	35	23	30·2	22	.	6	2	2	.	3	6	3
Asthma, Emphysema				1	1	.	1	.	2	1		.	.	.	.	.	.	.	.	.
Pleurisy	3	2	1	.	2	.	.	2	.	.	2·6	.	.	.	.	.	.	.	.	.
Respiratory Dis. (other)				3	2	.	1	2	1	1		1	.	.	.	1	.	.	.	.
Tonsillitis, Quinsy	.	1	.	.	.	.	.	.	.	.	·1	1	.	.	.	1	.	.	.	.
Enteritis (not Epid.)	1	2	1	1	.	2	1	2	1	5	2·3	.	.	.	.	.	.	.	.	.
Gastro-enteritis				2	.	2	1	1	.	1		.	.	.	.	.	.	.	.	.
Peritonitis (not Puerp.)	3	1	3	.	.	.	1	.	.	.	·8	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver	2	.	1	.	1	.	.	.	2	.	1·6	1	.	.	.	.	1	.	.	.
Liver Dis. (other)				2	3	2	1	1	1	.		2	1	.	.	.	1	.	.	.
Digestive Dis. (other)	5	5	5	1	13	4	15	6	3	5	6·2	4	1	.	2	1	.	.	.	.
Nephritis, Acute				.	1	3	.	.	1	2		.	.	.	.	.	.	.	.	.
Bright's Dis., Albuminuria	8	7	7	2	3	2	3	1	6	5	5·6	6	.	.	.	.	1	5	.	
Urinary Sys. (other Dis.)				.	1	.	.	.	3	1		1	.	.	.	.	1	.	.	
Generative Organs Dis.	.	1	.	.	1	.	.	1	1	2	·6	1	.	.	.	.	.	1	.	.
Childbirth (Accid. of)	.	.	2	2	.	.	1	2	1	1	·9	2	.	.	.	2	.	.	.	.
Old Age	28	8	8	6	8	7	3	4	5	4	8·1	6	.	.	.	.	.	1	5	
Other Diseases	18	8	14	21	12	11	18	15	12	12	14·1	11	3	3	2	.	1	2	.	
ACCIDENT.																				
By Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses	.	1	.	1	.	.	1	.	.	.	·3	1	.	.	.	1	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning)	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
In Building Operations	.	1	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
In Conflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	1	2	.	2	.	1	.	3	2	1	1·2	1	.	.	.	1	.	.	.	.
By Drowning	.	1	.	1	2	1	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
By Suffocation in Bed	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	1	.	.	.	1	.	1	.	1	1	·5	.	.	.	.	.	.	.	.	.
Other Deaths by Accident	1	.	1	3	1	.	3	1	.	.	1·0	3	.	.	.	1	.	1	.	1
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	1	.	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Suicide	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

he Registration Area as then constituted.
Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1909-10—Week ending																								
	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr 2
No. of weeks in Annual Series,	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13
BIRTHS registered.	193	184	226	203	220	215	238	196	206	174	216	135	232	236	248	197	161	252	220	197	224	206	247	162	242	213
*Average Births in corresponding week of previous 10 years,** ..	192	186	205	203	210	198	195	181	202	197	190	177	175	227	204	206	203	234	212	210	213	214	219	217	211	235
DEATHS registered.	184	127	124	148	145	177	190	172	180	177	158	155	205	174	177	181	177	239	217	211	228	208	204	149	185	168
Annual Death-rate per 1,000, ..	17·5	16·6	16·2	19·4	19·0	23·2	21·9	22·5	23·6	23·2	20·7	20·3	23·8	23·5	22·9	23·4	22·9	30·9	28·1	27·3	29·5	26·9	26·4	19·3	23·9	21·7
*Average Deaths in corresponding week of previous 10 years,**	164	166	173	166	179	182	184	187	190	190	187	195	184	217	210	206	201	200	196	207	221	221	214	200	206	211
AGES, Under 5 years, ...	35	36	41	35	40	45	41	37	42	37	51	44	71	49	57	57	55	76	58	67	67	57	58	30	52	44
5—20 ,, ...	12	6	14	17	10	12	9	8	9	8	10	8	11	12	13	10	13	11	9	9	16	8	12	11	12	18
20—40 ,, ...	20	17	21	33	21	26	28	18	22	25	19	23	19	30	25	20	31	27	25	19	22	33	28	21	34	18
40—60 ,, ...	31	24	25	28	33	38	44	51	47	52	27	34	48	36	28	41	36	54	42	38	42	40	34	35	35	31
60—80 ,, ...	33	38	19	34	33	49	61	52	50	45	39	37	50	37	49	45	37	64	62	66	69	57	65	41	42	45
80 years and upwards, ..	3	6	4	1	8	7	7	6	10	10	12	9	6	10	10	8	5	7	21	12	12	13	12	11	10	16
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	.	.	.	.	.	2	.	1	1	.	.	2	.	.	1	.	.	.	.	.	.	.	1	.
Scarlet Fever, ...	.	1	1	.	.	1	.	1	.	1	1	1	3	.	.	.	1	.	1	2	1	1	.	1	.	.
Typhus, ...	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	3	.	1	1	1	1	2	.	.	2	2	2	1	3	5	4	1	2	4	1	.	3	2	1	2	1
Diphtheria, ...	1	1	.	.	.	1	2	1	1	.	2	.	1	1	.	3	.	2	2	.	2	.	1	1	1	.
Pyrexia † (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Enteric Fever, ...	.	1	.	1	1	1	.	1	1	1	.	3	2	.	1	.	2	.	.	.	1	2	.	1	1	4
Diarrhœal Diseases, ...	5	4	2	3	2	4	2	4	2	4	1	.	4	2	4	4	2	4	6	2	3	3	4	2	3	.
Influenza, ...	.	3	.	.	1	2	1	2	3	1	1	6	4	2	3	5	1	4	3	2	2	5	6	7	6	
Pneumonia, ...	11	5	7	13	8	14	18	16	20	28	19	20	22	22	14	21	14	20	17	20	22	17	20	12	14	14
Tuberculous Disease, Phthisis,	17	12	25	27	19	20	20	17	22	17	15	14	15	24	19	21	23	26	19	19	23	23	26	15	26	14
Tuberculous Disease, Other Forms,	5	3	4	9	7	3	6	6	7	8	6	4	6	5	6	6	6	17	10	14	13	10	12	10	10	4
Cancer, Malignant Disease, ..	8	8	3	6	10	8	17	7	11	10	8	6	4	8	7	8	11	19	10	8	14	9	13	5	6	14
Diseases of Heart and Blood Vessels, ...	15	13	19	17	19	33	32	27	31	29	25	21	37	29	31	29	17	29	38	40	31	27	25	30	20	30
Diseases of Respiratory System,	9	13	11	14	15	22	22	32	29	28	26	30	41	20	33	29	39	43	55	41	41	39	35	26	36	23
Violent Deaths, ...	5	1	4	2	3	4	6	4	5	4	4	2	2	4	4	1	4	5	1	6	6	5	3	1	2	5
Number of Uncertified Deaths, ..	1	4	4	6	4	5	4	2	3	4	5	7	10	3	8	13	9	13	3	7	2	8	5	5	3	4
Mean Temperature of the Air (Phœnix Park), ...	53·3	51·5	51·1	40·3	45·0	41·9	37·7	38·4	41·8	39·1	41·4	33·5	45·9	45·4	42·1	37·6	32·5	33·1	43·7	42·3	39·2	44·0	43·6	39·8	43·4	39·7
Average Mean Temperature in corresponding week of previous 10 years, ...	51·5	50·2	48·3	47·1	47·6	45·3	43·7	42·4	43·3	43·0	41·3	42·1‡	40·3	41·3	40·0	41·1	41·7	40·0	38·9	38·9	40·1	40·1	41·1	42·9	41·9	42·1
Rainfall in inches, ...	·396	·772	1·896	·134	·117	·788	·087	·251	1·163	1·202	·207	1·183	·340	·128	·986	·240	1·690	·163	·264	1·160	·915	·392	·383	·174	·000	·010
Mean Humidity of the Air, complete Saturation 1·0	·83	·84	·86	·81	·88	·88	·80	·84	·87	·90	·89	·86	·88	·89	·85	·91	·88	·94	·91	93	·91	·93	·88	·91	·91	·88

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 2nd April, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 2ND APRIL, 1910.

CLASS	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	CAUSES OF DEATH. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Convulsions.	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS, ...	375,350	23·3	168	44	13	18	32	45	16	.	.	.	.	1	.	.	4	.	5	14	14	4	14	3	23	5	86	4
	CLASSES. **Deaths in Families of the—**																												
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	32·9	11	1	.	.	3	6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	10	.
II.	MIDDLE CLASS, ...	87,188	19·1	32	4	4	5	4	10	5	.	.	.	.	.	.	.	1	.	1	2	1	3	2	.	1	22	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,423	16·1	34	11	1	3	6	9	4	.	.	.	.	.	.	.	.	.	.	4	3	.	6	.	2	.	19	2
IV.	GENERAL SERVICE CLASS, ...	154,279	24·7	73	25	7	9	15	15	4	.	.	.	.	1	.	.	3	.	4	7	4	3	4	1	17	3	30	1
V.	INMATES OF WORKHOUSES, ...	6,024	—	18	3	1	1	4	7	2	.	.	.	.	.	.	.	.	.	.	1	6	1	.	.	4	1	5	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,789	58·5	8	.	.	.	3	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	7	.
	2. Merchants and Manufacturers, Higher Class,	1,277	..	..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	18·7	3	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS.																												
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	27·0	4	.	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	23·7	10	1	.	2	3	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	9	.
	6. Clerks and Commercial Assistants, ..	30,432	8·6	5	2	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	2	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	25·1	13	1	3	2	1	2	4	.	.	.	.	.	.	.	1	.	1	1	1	.	1	1	.	1	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	21·1	4	1	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	.
	9. Building and Furnishing Trades, ...	29,801	7·0	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	2	2
	10. Clothing Trades, ...	28,260	13·5	6	2	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	3	.
	11. Food Supply Trades, ...	9,242	28·2	5	1	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	30,852	22·3	13	3	.	1	3	4	2	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	1	.	8	.
	13. Petty Shopkeepers, ...	7,894	13·2	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
IV.	GENERAL SERVICE CLASS.																												
	14. Army, Police, Postal Delivery, and Prison Services, &c	13,425	23·3	6	1	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	4	.
	15. Domestic Servants, ...	86,603	14·2	10	3	.	2	1	3	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.	6	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	25·4	7	2	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	1	.	2	1
	17. Hawkers, Porters, Labourers, &c., ..	89,861	29·0	50	19	7	6	11	6	1	.	.	.	.	1	.	.	3	.	4	6	2	2	2	.	14	2	18	.
V.	INMATES OF WORKHOUSES.																												
	18. Workhouse Inmates, ...	6,024	—	18	3	1	1	4	7	2	.	.	.	.	.	.	.	.	.	.	1	6	1	.	.	4	1	5	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	From Diseases in Cols. 5-13.	Total Deaths.	NUMBER OF DEATHS FROM Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercuous Disease. Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of).																				
North City, No. 1 (E.)	Feb. 12,	15·7	.	9	.	.	.	.	.	.	.	.	.	3	.	.	.	2	1	.
	„ 19,	31·4	3·5	18	.	.	1	.	.	.	.	.	1	2	1	1	1	2	1	.
	„ 26,	20·9	.	12	.	.	.	.	.	.	.	.	.	1	1	.	1	1	1	.
(*Office*,	Mar. 5,	26·2	.	15	.	.	.	.	.	.	.	.	.	1	1	.	1	3	2	3
Clarence-st., Nth.)	„ 12,	36·6	1·7	21	.	.	.	.	.	1	.	.	.	3	3	2	1	5	1	.
Pop. in 1910	„ 19,	15·7	1·7	9	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.	.
(Est.) 29,908.	„ 26,	20·9	.	12	.	.	.	.	.	.	.	.	.	1	2	.	.	2	.	1
	Apr. 2,	22·7	.	13	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
North City, No. 1 (W.)	Feb. 12,	40·4	6·5	31	.	.	.	.	1	1	.	.	3	3	3	.	2	10	.	1
	„ 19,	30·0	1·8	23	.	.	.	.	.	.	.	.	1	2	2	1	.	5	.	.
	„ 26,	31·3	1·3	24	.	.	.	.	.	.	.	.	1	4	2	1	2	4	1	.
(*Office*,	Mar. 5,	37·8	3·9	29	.	.	.	.	1	.	.	1	1	2	3	3	2	7	.	1
Summer-hill.)	„ 12,	28·7	2·6	22	.	.	.	.	.	.	.	.	2	3	2	2	2	3	.	.
	„ 19,	23·5	1·3	18	.	.	.	.	.	.	.	.	1	4	1	1	1	6	.	.
Pop. in 1910	„ 26,	30·0	2·6	23	.	.	.	.	1	.	.	.	1	2	1	4	.	6	.	.
(Est.) 39,974.	Apr. 2,	17·0	1·3	13	.	.	.	.	.	.	.	1	.	2	.	.	1	2	1	3
North City, No. 2.	Feb. 12,	32·2	1·7	19	.	.	.	.	.	.	.	.	1	.	.	3	2	8	.	.
	„ 19,	35·6	.	21	.	.	.	.	.	.	.	.	.	4	2	.	2	4	.	.
	„ 26,	22·0	1·7	13	.	.	.	.	.	.	.	.	1	1	2	.	.	4	1	.
(*Office*,	Mar. 5,	32·2	3·4	19	.	.	1	.	1	.	.	.	.	2	2	1	.	2	.	.
Lisburn-street.)	„ 12,	28·8	.	17	.	.	.	.	.	.	.	.	.	.	.	2	1	3	1	.
	„ 19,	18·7	.	11	.	.	.	.	.	.	.	.	.	1	2	2	.	1	.	.
Pop. in 1910	„ 26,	32·2	1·7	19	.	.	.	.	1	.	.	.	.	1	4	.	.	6	.	.
(Est.) 30,744.	Apr. 2,	28·8	.	17	.	.	.	.	.	.	.	.	.	3	5	.	1	2	1	.
North City, No. 3.	Feb. 12,	26·4	1·6	17	.	.	.	.	1	.	.	.	.	2	2	1	.	.	.	.
	„ 19,	35·7	1·6	23	.	.	.	.	.	.	1	.	.	2	2	4	.	4	.	.
	„ 26,	48·2	.	31	.	.	.	.	.	.	.	.	.	3	3	3	1	5	1	.
(*Office*,	Mar. 5,	18·6	.	12	.	.	.	.	.	.	.	.	.	2	4	.	.	1	.	.
Benburb-street.)	„ 12,	23·3	1·6	15	.	.	.	.	.	.	.	.	1	2	2	1	1	2	.	.
	„ 19,	24·9	1·6	16	.	.	.	.	.	.	.	.	1	2	1	.	.	4	.	1
Pop. in 1910	„ 26,	31·1	1·6	20	.	.	.	.	.	.	.	1	.	.	4	.	1	2	.	.
(Est.) 33,559.	Apr. 2,	28·0	.	18	.	.	.	.	.	.	.	.	.	1	2	.	2	2	1	.
South City, No. 1.	Feb. 12,	21·4	1·3	17	.	.	.	.	.	.	.	.	1	2	1	1	1	5	.	.
	„ 19,	40·2	.	32	.	.	.	.	.	.	.	.	.	3	5	3	2	4	1	1
	„ 26,	33·9	.	27	.	.	.	.	.	.	.	.	.	2	4	2	.	6	.	.
(*Office*,	Mar. 5,	16·3	1·3	13	.	.	.	.	.	.	.	.	1	.	2	1	.	2	.	.
Sth. Earl-street.)	„ 12,	31·4	.	25	.	.	.	.	.	.	.	.	.	3	3	2	1	3	.	2
	„ 19,	17·6	.	14	.	.	.	.	.	.	.	.	.	3	1	.	1	1	.	1
Pop. in 1910	„ 26,	25·1	.	20	.	.	.	.	.	.	.	.	.	1	4	2	1	2	.	.
(Est.) 41,476.	Apr. 2,	20·1	.	16	.	.	.	.	.	.	.	.	.	1	1	.	.	6	1	.
South City, No. 2.	Feb. 12,	45·5	.	19	.	.	.	.	.	.	.	.	.	1	1	1	1	9	.	.
	„ 19,	19·2	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.
	„ 26,	48·1	.	18	.	.	.	.	.	.	.	.	.	.	1	.	1	5	.	1
(*Office*,	Mar. 5,	31·2	.	13	.	.	.	.	.	.	.	.	.	3	2	2	.	3	.	1
Castle-street.)	„ 12,	21·6	.	9	.	.	.	.	.	.	.	.	.	.	4	.	.	1	.	1
	„ 19,	21·6	.	9	.	.	.	.	.	.	.	.	.	.	1	2	2	1	.	.
Pop. in 1910	„ 26,	21·6	.	9	.	.	.	.	.	.	.	.	.	1	3	.	1	1	.	.
(Est.) 21,754	Apr. 2,	14·4	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1
South City, No. 3.	Feb. 12,	41·0	4·8	34	.	.	.	.	2	1	.	.	1	2	4	1	2	7	.	.
	„ 19,	31·4	.	26	.	.	.	.	.	.	.	.	.	2	2	1	1	9	2	.
	„ 26,	35·0	1·2	29	.	.	.	.	.	1	.	.	.	2	2	1	4	6	.	.
(*Office*,	Mar. 5,	26·5	1·2	22	.	.	.	.	.	.	.	1	.	2	1	.	1	8	1	.
Peter-street.)	„ 12,	21·7	2·4	18	.	.	.	.	2	.	.	.	.	2	2	1	.	5	.	1
	„ 19,	19·3	1·2	16	.	.	.	.	.	1	.	.	.	.	2	1	.	4	.	1
Pop. in 1910	„ 26,	27·7	1·2	23	.	1	.	.	.	.	.	.	.	4	2	2	.	6	.	2
(Est.) 43,227.	Apr. 2,	21·7	.	18	.	.	.	.	.	.	.	.	.	1	1	2	1	5	.	.
South City, No. 4.	Feb. 12,	28·3	.	16	.	.	.	.	.	.	.	.	.	1	.	1	.	4	.	.
	„ 19,	14·5	1·5	10	.	.	1	.	.	.	.	.	.	1	.	.	1	1	.	.
	„ 26,	30·5	1·5	21	.	.	1	.	.	.	.	.	.	5	1	3	1	6	.	.
(*Office*,	Mar. 5,	32·0	.	22	.	.	.	.	.	.	.	.	.	.	4	.	2	4	2	2
Grand Canal-st.)	„ 12,	28·3	.	16	.	.	.	.	.	.	.	.	.	.	2	.	2	1	.	1
	„ 19,	16·0	.	11	.	.	.	.	.	.	.	.	.	.	2	1	.	3	.	.
Pop. in 1910	„ 26,	24·7	1·5	17	.	.	.	.	.	.	.	.	.	.	2	.	.	2	.	.
(Est.) 35,881.	Apr. 2,	17·4	.	12	.	.	.	.	.	.	.	.	1	1	2	.	2	1	.	1

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From Diseases in Cols. 5–18.	Total Deaths.	NUMBER OF DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	Feb. 12,	11·8	.	8	.	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.
	„ 19,	15·5	1·4	11	.	.	.	.	1	.	.	.	.	1	1	.	.	3	.	3
	„ 26,	19·7	1·4	14	.	.	.	.	.	.	.	1	.	1	.	2	1	1	.	.
	Mar. 5,	19·7	1·4	14	.	.	.	.	1	.	.	.	.	2	3	.	.	4	.	.
	„ 12,	16·9	.	12	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.
	„ 19,	12·7	.	9	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	2
	„ 26,	15·5	.	11	.	.	.	.	.	.	.	.	.	.	2	.	1	3	.	.
	Apr. 2,	23·9	.	17	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	Feb. 12,	27·0	.	15	.	.	.	.	.	.	.	.	.	.	4	1	1	3	.	.
	„ 19,	19·8	.	11	.	.	.	.	.	.	.	.	.	.	.	2	1	1	1	1
	„ 26,	21·6	1·8	12	.	.	.	.	.	.	.	.	1	1	1	1	1	1	1	1
	Mar. 5,	19·8	.	11	.	.	.	.	.	.	.	.	.	1	2	.	.	3	.	1
	„ 12,	25·2	.	14	.	.	.	.	.	.	.	.	.	1	3	.	2	4	1	.
	„ 19,	25·2	1·8	14	.	.	.	.	.	.	.	1	.	1	1	1	.	1	.	.
	„ 26,	7·2	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.
	Apr. 2,	10·8	.	6	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	Feb. 12,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 19,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 26,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	Mar. 5,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	„ 12,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	„ 19,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
	„ 26,	23·7	.	8	.	.	.	.	.	.	.	.	.	2	.	.	1	2	1	.
	Apr. 2,	20·7	5·0	7	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.
Belfast. Pop. in 1910 (Est.) 391,167.	Feb. 12,	22·9	2·3	172	.	.	2	.	15	.	.	.	.	16	15	4	7	40	2	1
	„ 19,	20·8	2·8	156	.	1	.	.	17	.	.	1	2	11	14	8	6	19	5	5
	„ 26,	18·7	2·8	140	.	.	1	.	14	1	1	.	.	16	20	7	5	21	3	2
	Mar. 5,	22·0	1·9	165	.	1	.	.	11	.	.	.	2	12	23	9	3	24	10	2
	„ 12,	21·6	2·1	162	.	1	.	.	12	.	.	1	2	10	26	7	5	22	9	1
	„ 19,	21·7	2·5	163	.	5	2	.	12	.	.	.	.	12	18	9	9	24	5	1
	„ 26,	16·7	1·9	125	.	3	.	.	10	.	.	.	1	8	10	8	10	16	3	1
	Apr. 2,	18·4	2·3	138	.	6	2	.	6	1	.	1	1	14	20	9	4	16	.	2
Cork. Pop. (in 1901) 76,122.	Feb. 12,	26·7	.	39	.	.	.	.	.	.	.	.	.	3	6	3	1	4	.	2
	„ 19,	26·7	1·4	39	.	.	.	.	1	.	.	.	1	2	3	3	1	11	.	5
	„ 26,	23·3	0·7	34	.	.	.	.	.	.	.	1	.	2	5	7	2	3	.	1
	Mar. 5,	23·3	.	34	.	.	.	.	.	.	.	.	.	1	4	3	3	5	.	2
	„ 12,	20·5	.	30	.	.	.	.	.	.	.	.	.	3	6	1	.	3	.	3
	„ 19,	19·9	.	29	.	.	.	.	.	.	.	.	.	1	2	.	.	9	2	2
	„ 26,	22·6	.	33	.	.	.	.	.	.	.	.	.	2	8	2	3	1	.	1
	Apr. 2,	32·9	9·1	46	.	.	.	.	.	1	.	.	2	3	6	3	1	6	2	5
Londonderry. Pop. in 1910 (Est.) 43,477.	Feb. 12,	20·4	.	17	.	.	.	.	.	.	.	.	.	3	5	.	.	3	.	1
	„ 19,	14·4	.	12	.	.	.	.	.	.	.	.	.	1	1	.	4	2	1	.
	„ 26,	10·8	.	9	.	.	.	.	.	.	.	.	.	2	2	.	.	1	.	.
	Mar. 5,	25·2	.	21	.	.	.	.	.	.	.	.	.	3	2	2	2	4	1	.
	„ 12,	13·0	3·6	15	.	1	.	.	.	.	.	.	2	.	2	2	1	1	.	2
	„ 19,	9·6	.	8	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.
	„ 26,	22·8	1·2	19	.	1	.	.	.	.	.	.	.	1	4	1	1	3	.	2
	Apr. 2,	15·2	1·2	11	.	.	.	.	.	.	.	.	1	1	1	.	.	1	.	.
Limerick. Pop. (in 1901) 38,151.	Feb. 12,	16·4	.	12	.	.	.	.	.	.	.	.	.	1	2	1	.	4	.	2
	„ 19,	12·8	.	9	.	.	.	.	.	.	.	.	.	.	2	.	1	2	.	1
	„ 26,	21·9	2·7	16	.	.	.	.	2	.	.	.	.	1	2	.	1	4	.	3
	Mar. 5,	18·7	4·1	10	.	.	.	.	2	.	.	.	1	1	.	.	.	.	.	.
	„ 12,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	5	.	.	1	.	2
	„ 19,	19·1	2·7	14	.	.	.	.	1	.	.	.	.	.	.	1	1	3	.	3
	„ 26,	27·3	2·7	20	.	.	.	.	2	.	.	.	.	2	1	1	.	2	.	2
	Apr. 2,	23·2	.	17	.	.	.	.	.	.	.	.	.	1	2	.	.	2	.	2
Waterford. Pop. (in 1901) 26,769.	Feb. 12,	44·8	.	23	.	.	.	.	.	.	.	.	.	2	.	1	3	8	.	4
	„ 19,	29·2	1·9	15	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	3
	„ 26,	17·5	.	9	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	2
	Mar. 5,	17·5	.	9	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2
	„ 12,	27·3	3·9	14	.	.	.	1	1	.	.	.	.	1	5	.	.	1	.	1
	„ 19,	13·6	1·9	7	.	.	.	.	.	.	.	.	1	.	3	.	.	2	.	1
	„ 26,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	Apr. 2,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	1	3	.	1	.	.	2

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 2nd April, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-20.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		6			11	2	2	4	.	2	1	.	.	.	.	2	1	.	.	.	1	3	.	.	1	.	.	4	.
Do. 2 do.		22			14	2	4	1	3	3	1	.	1	.	.	1	.	.	.	1	1	1	.	1	2	.	.	2	.
Do. 3 do.		24			14	2	.	1	2	1	8	.	.	.	.	.	.	.	.	.	1	3	.	.	2	.	1	1	1
Do. 4 do.		24			13	3	1	1	2	2	4	.	1	.	.	.	.	.	.	.	2	3	.	1	1	.	.	7	1
Do. 5 do.		14			6	.	1	1	.	.	4	.	1	.	.	.	.	.	.	.	1	.	2	.	.	.	.	2	.
Do. 6 do.		12			18	5	1	2	2	4	4	.	.	.	.	.	.	.	.	.	2	2	1	1	4	.	2	3	.
Do. 7 do.		2			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 8 do.	349,180	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		6			9	2	1	2	.	1	3	.	1	.	.	.	.	.	1	.	1	.	1	.	.	.	1	2	.
Do 10 do.		17			9	2	2	.	3	1	1	.	.	1	.	.	.	.	.	.	1	1	2	.	.	.	.	2	.
Do. 11 do.		28			11	4	1	1	2	2	1	.	.	.	.	.	.	.	.	.	2	3	1	.	1	.	.	1	.
Do. 12 do.		26			12	1	2	3	.	4	2	.	.	.	.	.	.	.	.	.	.	2	2	1	2	.	.	3	.
Do. 13 do		14			6	2	1	.	.	1	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.
Do. 14 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 † do.		10			14	2	5	2	2	1	2	.	2	1	.	2	.	.	.	.	3	2	.	.	2	.	1	4	.
Total, . . .	—	207	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		138	27	21	18	16	22	34	.	6	2	.	6	1	.	1	1	14	20	9	4	16	.	7	31	2
City of Cork.																													
CORK URBAN No. 1 DISTRICT, .	12,867	7	28·4	.	7	.	.	.	2	4	1	.	.	.	.	.	.	.	.	.	1	2	.	.	3	.	.	5	.
Do. 2 do. .	10,701	10	24·4	4·2	5	1	1	1	.	.	2	.	.	.	.	.	1	.	.	.	.	.	1	.	1	.	.	3	.
Do. 3 do. .	9,978	11	15·7	.	3	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.
Do. 4 do. .	8,666	5	48·1	12·0	8	1	2	1	2	1	1	.	.	.	.	.	.	.	.	2	.	2	.	1	.	1	1	4	1
Do. 5 do. .	6,592	3	39·6	.	5	1	1	.	.	1	2	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	3	.
Do. 6 do. .	10,702	4	48·7	.	10	1	2	1	1	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	6	2
Do. 7 do. .	16,616	12	31·4	.	10	2	.	1	1	3	3	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	6	2
Total, . . .	76,122	51	32·9	2·1	48	7	7	4	6	18	11	.	.	.	.	.	1	.	.	2	3	6	3	1	6	2	3	28	5

TABLE IX.—**City of Belfast.**—Comparative Tables of Results in each of the last twenty-six weeks. *Deaths in Public Institutions of persons from without the City are omitted.*

BELFAST.	1909-10—Week ending																								
	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	April 2.
No. of weeks in annual Series, ..	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13
BIRTHS registered, ...	208	228	218	202	205	174	180	168	189	190	181	170	215	278	192	180	216	214	213	196	202	239	201	240	208	207
DEATHS registered, ...	95	104	96	116	116	130	134	167	147	218	177	144	192	148	170	125	151	165	172	156	140	165	162	168	125	138
Annual Death rate per 1,000 of estimated Population, ...	12·8	14·0	12·9	15·6	15·6	17·5	18·1	22·5	19·8	29·4	23·9	19·4	25·9	19·7	22·7	16·7	20·1	22·0	22·9	20·8	18·7	22·0	21·6	21·7	16·7	18·4
AGES— Under 1 year, ...	21	24	17	22	28	30	28	41	44	62	41	33	46	36	43	29	33	28	37	31	23	33	31	29	27	27
1-5 years, ...	10	8	11	14	11	8	14	27	14	21	18	22	25	23	21	20	21	28	21	20	21	21	16	27	15	21
5-20 years, ...	5	9	9	9	7	11	4	11	10	18	13	10	12	8	9	9	14	2	8	13	12	11	14	16	7	13
20-40 years, ...	12	23	14	27	22	23	22	20	20	31	22	23	28	17	24	17	22	30	18	26	19	29	26	18	19	16
40-60 years, ...	20	15	26	13	19	27	28	31	23	33	33	20	34	26	28	23	21	30	42	31	36	37	40	35	28	22
60 years and upwards, ..	27	25	19	31	29	31	38	37	36	53	50	36	45	38	40	27	40	47	46	35	29	34	35	38	29	34
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	5	3	6
Scarlet Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	2	.	2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	3	2	.	5	4	4	4	7	6	15	9	10	13	12	13	13	13	19	15	17	14	11	12	12	10	6
Diphtheria, ...	.	.	.	.	.	1	.	.	1	.	.	.	1	1	.	1	.	.	.	.	1	.	.	.	.	1
*Pyrexia** (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Enteric Fever, ...	2	3	.	.	.	2	.	.	.	1	.	.	.	2	.	.	1	.	.	1	.	.	1	.	.	1
Diarrhœal Diseases, ...	11	5	5	3	4	2	2	1	3	2	1	1	1	2	.	.	.	2	.	2	.	2	2	.	1	1
Pneumonia, ...	8	9	5	8	15	13	17	25	31	25	28	22	34	12	20	9	16	14	16	11	16	12	10	12	8	14
Tuberculous Disease, Phthisis, ..	7	11	9	14	6	14	8	8	11	26	14	17	13	14	14	12	15	16	15	14	20	23	26	18	10	20
Tuberculous Disease, Other Forms, ..	2	5	5	10	2	11	3	16	4	11	4	4	6	4	10	3	10	8	4	8	7	9	7	9	8	9
Cancer, Malignant Disease, ..	8	2	4	3	5	7	7	1	3	7	5	5	3	2	10	5	4	8	7	6	5	3	5	9	10	4
Diseases of Respiratory System,	9	10	12	14	21	17	31	42	41	53	37	39	41	28	31	21	29	28	40	19	21	24	22	24	16	16
Violent Deaths, ...	1	2	4	2	3	2	2	3	5	5	6	4	3	3	8	5	7	2	2	5	3	10	9	5	3	.
Number of Uncertified Deaths, ..	1	.	1	1	2	1	.	1	3	3	2	3	1	2	1	6	3	2	1	5	2	2	1	1	1	2

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	Apr. 2,	2,312	1,354	14·5	.	22	2	8	51	3*a*	9
EDINBURGH, ...	360,276	„ 2,	141	110	15·9	.	4	1	.	.	.	4
GLASGOW, ...	884,505	„ 2,	478	297	17·5	.	10	2	1	4	1*a*	10
CALCUTTA, ...	1,009,008	Feb. 26,	.	497	25·6	2	11	.	.	3	85‡	100*
BOMBAY, ...	977,822	Mar. 1,	395	753	40·0	42	3	.	.	.	156‡	65
MADRAS, ...	509,346	Feb. 11,	273	376	38·3	.	6	?	?	?	110	37
CAIRO, ...	677,663	„ 11,	590	351	27·0	.	3	.	9†	?	2*a*	22
PARIS, ...	2,760,000	„ 26,	1,008	980	18·6	3	28	4	4†	14	3*a*	19
BRUSSELS, ...	720,030	Mar. 12,	232	172	12·4	.	1	.	1†	1	1	9
ANTWERP, ...	317,171	„ 12,	125	94	15·5	.	4	.	.	2	.	7
AMSTERDAM, ...	569,712	„ 12,	282	143	13·1	.	.	.	2†	1	.	4
COPENHAGEN, ...	450,000	„ 12,	241	118	13·7	.	.	2	.	3	.	2
STOCKHOLM, ...	339,582	„ 12,	151	111	17·0	.	11	2	2†	1	.	4
CHRISTIANIA, ...	235,674	„ 19,	107	43	9·5	.	.	.	2†	1	.	1
ST. PETERSBURG, ...	1,620,000	Feb. 26,	930	836	26·9	11	53	19	21	13	20	70
MOSCOW, ...	1,493,600	„ 19,	.	726	25·3	8	21	25	28†	7	19	45
BERLIN, ...	2,127,118	„ 26,	885	587	14·4	.	2	10	12†	10	.	16
HAMBURG, ...	895,804	Mar. 12,	.	258	15·0	.	4	3	10†	.	.	16
BRESLAU, ...	509,559	„ 12,	.	189	19·3	.	.	.	1	1	.	10
MUNICH, ...	576,000	„ 19,	.	172	15·5	.	.	2	1†	2	.	13
VIENNA (with suburbs),	2,085,888	„ 12,	805	683	17·0	.	13	2	8†	4	1*a*	27
BUDA-PESTH, ...	833,703	„ 12,	462	321	20·0	.	7	9	1†	2	2	11
PRAGUE and Fauxbourgs.	494,531	Feb. 26,	234	197	20·7	.	1	.	3†	.	1*a*	8
TRIESTE, ...	218,727	Mar. 5,	133	107	25·5	.	4	.	.	.	.	2
ROME, ...	584,308	Feb. 5,	.	.	.	.	.	.	.	.	.	.
VENICE, ...	183,224	„ 12,	79	73	20·8	.	2	.	.	.	.	5
NEW YORK, .	4,711,956	Mar. 5,	2,665	1,674	18·5	.	31	43	43†	2	5*a*	35*b*
PHILADELPHIA, ..	1,598,400	Feb. 12,	.	605	19·7	.	.	3	16†	3	4*a*	23
BOSTON, ...	629,868	Mar. 12,	.	248	20·5	.	2	1	4	.	.	7

* Including 41 deaths from cholera in Calcutta.
† Including deaths from croup.
‡ Including 20 deaths from plague in Calcutta and 91 in Bombay.
a Enteric Fever.
b Deaths of children under 2 years of age, including those from enteritis and gastro-enteritis.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 2nd April, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	1	.	.	.	.	.	.	.	.	.	1	2
" " 1, West,	.	.	.	.	.	.	.	.	2	.	.	1	3
" " 2,	.	.	1	.	.	.	.	.	.	.	.	.	1
" " 3,	.	.	.	.	2	.	.	1	.	.	.	4	7
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	1	.	.	.	.	2
Finglas and Glasnevin (part of),	.	1	.	.	1	.	.	.	.	.	.	.	2
South City No. 1,	.	.	.	.	.	.	.	2	7	.	.	5	14
" " 2,	.	.	.	.	.	.	.	.	.	.	.	3	3
" " 3,	.	1	.	.	1	.	.	.	5	.	.	1	8
" " 4,	.	2	.	.	1	.	.	1	.	.	.	1	5
New Kilmainham,	.	1	.	.	.	.	.	.	2	.	.	1	4
Total,	.	7	1	.	5	.	.	5	16	.	.	17	51

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 2nd April, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 2nd April.			
	Mar. 12.	Mar. 19.	Mar. 26.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	3	6	3	1	1	.	3
Scarlet Fever,	68	72	57	9	4	.	62*
Typhus,	1	.	.	3	.	.	3
Diphtheria,	46	44	36	9	11	.	34
Enteric Fever,	36	30	26	2	4	2	22
Pneumonia,	33	37	36	10	10	1	35

* Exclusive of 11 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 2nd April, 1910:—

"After a brief interruption on Easter Day, when a shallow depression secondary to a large disturbance beyond Iceland, passed northeastwards across Ireland and Scotland, the distribution of atmospheric pressure was high—that is, anticyclonic—over the Northwest of Europe. Sunday's depression caused cloudy, showery weather in Ireland, Wales, and parts of Scotland and the North of England. Over the South of England the weather was bright inland with a large diurnal range of temperature—at Bath from 26° to 54°—but much fog prevailed on parts of the east and southeast coasts—at Great Yarmouth the thermometer did not rise above 41°. The barometer rose rapidly on Sunday night as a new anticyclonic system extended over the British Isles from the Atlantic, and a succession of fine, bright days, and cold, foggy nights followed. Bright aurora borealis was seen on Monday night in many parts of Scotland and of the North of Ireland. As the week advanced, the weather became very severe on the Continent owing to the passage of an atmospheric depression southwestwards from Northern Russia to the Mediterranean. In Vienna a heavy snow storm prevailed on Wednesday, yielding a rainfall of 1·11 inches. The 'chill' spread quickly as far to the westward as Biarritz, where snow fell on Friday morning, the minimum temperature being 30° F. A decided fall of the barometer set in over the British Isles on that same day, and the weather closed with an unsettled appearance and finally rain. In Dublin the mean height of the barometer was 30·394 inches, the range of pressure being from 30·578 inches at 9 p.m. of Thursday (wind, E.S.E.) to 30·061 inches at 9 p.m. of Saturday (wind, N.W.). The corrected mean temperature was 43·4°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 42·5°. On Sunday the screened thermometers rose to 53·1°; on Friday, they fell to 32·0°. The wind was light and variable—chiefly from W.N.W. and E.S.E. Rain fell on Saturday night to the amount of ·051 inch."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·215 inches. The highest reading (30·401) was on Thursday at 9 p.m., air calm, and the lowest (29·879) on Saturday at 9 p.m., air calm.

The mean temperature for the week was 39·7°, being 2·4° below the average for the corresponding period of the 10 years, 1900–1909. The temperature was highest on Tuesday, on which day the thermometer registered 51·9°, and was lowest on Friday, the mercury having fallen to 23·8°. The mean of the Dry Bulb for the week was 41·6° and of the Wet Bulb 39·9°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The rainfall during the week measured 0·040 inch.

At Greenwich the mean temperature for the week was 41·9°, the maximum 57·3°, and the minimum 29·5°; at Glasgow the maximum was 59·2°, the minimum 29·6°, and the mean 43·5°; and at Edinburgh the maximum was 56·6°, the minimum 31·7°, and the mean 43·4°. The rainfall at Glasgow measured 0·34 in., and at Edinburgh 0·01 in. There was no rainfall recorded at Greenwich.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. Month and Day.	Barometer.	Thermometer.			Hygrometer.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) In.		
Sunday, March 27,	29·980	51·8	37·9	44·9	44·4	43·1	·92	·4	0·0	·005	S.W.	Calm.
Monday, „ 28,	30·218	51·1	28·9	40·0	40·3	39·5	·94	·0	9·3	·000	Calm.	Calm.
Tuesday, „ 29,	30·352	51·9	25·1	38·5	42·8	40·9	·87	·6	9·4	·000	Calm.	Calm.
Wednesday, „ 30,	30·349	50·2	22·9	41·6	33·3	37·6	·95	·4	4·0	·000	S.W.	Calm.
Thursday, „ 31,	30·386	48·9	31·2	40·1	41·1	39·7	·89	·0	7·4	·000	Calm.	Calm.
Friday, April 1,	30·250	48·6	23·8	36·2	41·5	38·4	·77	·4	10·5	·000	Calm.	Calm.
Saturday, „ 2,	29·971	49·3	24·4	36·9	42·5	39·9	·81	·4	5·0	·035	Calm.	Calm.
									Total 45·6	Total ·040		
Mean, . . .	30·215	50·3	29·2	39·7	41·6	39·9	·88	·3			—	

Sunday—Day overcast, drizzle a.m. and p.m.; night cloudy. *Monday*—Day bright to cloudy, fine; night clear. *Tuesday*—Day bright to cloudy, fine; night clear. *Wednesday*—Day overcast to cloudy, fine; night cloudy. *Thursday*—Day cloudy to bright, fine; night clear. *Friday*—Day cloudy, fine; night clear. *Saturday*—Day cloudy, drizzle p.m.; night cloudy, drizzle, sleet a.m.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, April 2nd, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperatures in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
	°	°	°	°	°	°	hrs	ins.
Sunday, March 27.	51·0	44·2	45·0	52·8	42·3	47·6	—	—
Monday, „ 28,	47·0	44·3	45·0	51·3	34·3	42·8	8·4	—
Tuesday, „ 29,	42·5	41·2	45·0	52·3	32·0	42·0	7·1	—
Wednesday, „ 30,	40·8	44·2	45·1	49·8	35·7	42·8	—	—
Thursday, „ 31,	45·7	44·0	45·1	49·1	37·0	43·1	4·5	—
Friday, April 1,	37·5	43·9	45·1	48·9	29·6	39·3	6·7	—
Saturday, „ 2,	40·8	43·0	45·1	49·0	30·7	39·9	1·5	·050
Weekly Mean, . .	43·6	44·0	45·1	50·5	34·5	42·5	Total 28·2	Total ·050

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

(28357). Wt. P. 345. 375. 11. 1909. G. III. Sch. 7.

FOR OFFICIAL USE.

QUARTERLY SUMMARY OF THE WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

DUBLIN:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON STREET, DUBLIN; or
WYMAN AND SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

Price 1½*d.*

VOL. XLVII.] QUARTER ENDING SATURDAY, 2ND APRIL, 1910. [No. 13A.

DUBLIN REGISTRATION AREA.—Births.—In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, the total area thereof being 13,759 statute acres, and the population, estimated to the middle of 1910, 402,928 there were registered during the thirteen weeks ended on Saturday, 2nd April, 1910, 2,801 births—1,462 boys and 1,339 girls—being equal to an annual ratio of 1 in 36·0, or 27·8 in every 1,000 of the population.

The number of births registered in the city was 2,426, equivalent to an annual rate of 31·3 in every 1,000 of the population; and in the urban districts named above, 375, equal to an annual rate of 16·2 in every 1,000 of the population.

There were registered in London during the same period 29,719 births—being equal to an annual birth-rate of 24·4 in every 1,000 of the estimated population; in Glasgow there were registered 5,685, being equal to 25·7 per 1,000; and in Edinburgh, 1,796 —a number affording an annual birth-rate of 19·9 in every 1,000 of the estimated population.

Deaths.—Omitting the deaths (130) of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the deaths for the Area, numbering 2,388, are equivalent to an annual rate of 23·7 per 1,000 of the estimated population, the total number of deaths registered in the Dublin Registration Area during the quarter being 2,518—1,231 males and 1,287 females—affording an annual ratio of 1 in 40·0, or 25·0 in every 1,000 of the estimated population. The annual mean mortality represented by the deaths registered during the first quarter of the ten years, 1900–1909, in the Dublin Registration Area as then constituted, was 28·3 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants* of the North City districts registered last quarter was 1,017, representing an annual mortality of 25·6 in every 1,000 of the population; and the number in the South City districts was 940, equivalent to a rate of 24·8 per 1,000. In the urban districts the number of deaths registered was 431, being equal to an annual death-rate of 18·6 in every 1,000.

The number of deaths registered in London during the same period was 18,116—a number equal to an annual rate of mortality of 14·9 in every 1,000 of the inhabitants; in Glasgow the number was 3,843, equal to 17·4 in every 1,000; and in Edinburgh, 1,433, affording an annual death-rate of 15·9 in every 1,000 of the estimated population.

Diseases.—The number of deaths from the principal epidemic diseases† registered in the Dublin Registration Area during last quarter was 106, being 15 over the number for the preceding quarter; and the annual rate per 1,000 of the population represented by the deaths from these diseases was 1·1, being 0·2 above the rate for the preceding three months.

The following tabular statement shows the mortality from each of the principal epidemic diseases in the period under notice, and the average number of deaths from these diseases which occurred in the corresponding period of the 10 years, 1900–1909:—

NAMES OF DISEASES.	No. of Deaths in March Quarter, 1910.	Average No. of Deaths in March Quarters, 1900–1909.
Small-pox,	–	–
Measles,	4	30
Scarlet Fever,	7	9
Typhus,	1	1
Whooping-cough,	29	46
Diphtheria,	13	16
Pyrexia (origin uncertain),	1	1
Enteric Fever,	12	21
Diarrhœal Diseases,	39	24

Small-pox.—No death from small-pox was registered in the Dublin Registration Area, nor was there any case of the disease notified during the quarter.

Measles.—Deaths from measles, which in the three preceding quarters numbered 30, 11 and 5 respectively, fell to 4 in the period under notice, as against an average of 30 deaths in the first quarter of the preceding 10 years. As shown in Table I, the number of cases of the disease treated in Dublin hospitals during the 13 weeks ending with 2nd April, 1910, was 48; of these 44 were discharged, one died in hospital, and 3 cases remained under treatment at the close of the quarter.

Scarlet Fever.—The number of deaths from this disease was 7; of these, 3 appertained to South City No. 4 district, one to North City No. 1, East, one to North City No. 2, and 2 were deaths of persons admitted to institutions from localities outside the Dublin Registration Area. In the June quarter of 1909 the deaths from scarlet fever registered in the Area numbered 5, in the September quarter 6, and in the December quarter they numbered 10, the average deaths in the March quarter of the 10 years, 1900–9, being 9. As may be seen from Table I, page 212, it appears that 132 cases of the disease were admitted to Dublin hospitals during the quarter, that 135 cases were discharged, that there were 6 deaths, and that 62 cases (exclusive of 11 patients in Beneavin Convalescent Home) remained under treatment on the 2nd April, 1910.

* The death-rates referring to the several Dublin Districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in Public Institutions according to the localities from which the deceased persons were admitted.

† See note (*), p. 216*b*.

Typhus.—One death from this disease was recorded, being the same as the number registered in each of the three preceding quarters, and the average for the first quarter of the ten years 1900–9. The death from typhus registered during the period under notice was that of a person admitted to hospital from North City No. 2 district, the total number of persons under treatment in Dublin hospitals for this disease being 11, of whom 7 were discharged and 3 remained under treatment at the close of the quarter.

Whooping-cough.—The deaths from whooping-cough, numbering 29 (equivalent to an annual rate of 0·29 per 1,000 of the estimated population of the Area) are less by 17 than the average (46) for the corresponding period of the preceding 10 years, the number of deaths registered during the second, third and fourth quarters of 1909 being 76, 23 and 16 respectively. It will be observed from Table II. that, of the 29 deaths, 7 belonged to the district of North City No. 1, West, 6 to South City No. 3, 5 to North City No. 2, 3 to North City No. 1, East, 2 to North City No. 3, 3 to Rathmines and Rathgar urban district, and 3 to Kingstown urban district.

Diphtheria.—Thirteen deaths from diphtheria were registered during the quarter as against 9, 18 and 10 respectively, in the three quarters preceding. The number for the quarter (13) is 10 under the number recorded during the first quarter of 1909, and 3 under the average for the first quarter of the 10 years 1900–9, and is equal to an annual rate of 0·13 per 1,000 of the population estimated to the middle of 1910. Among the 13 deaths, 5 appertained to South City No. 3 district, 2 to South City No. 4, and one death each to North City No. 1, East, North City No. 1, West, Clontarf and Howth No. 1 (part of), South City No. 1, and South City No. 2. According to Table II. it would appear that of 150 cases of diphtheria under treatment in Dublin hospitals during the quarter, 106 were discharged, 10 died therein, leaving 34 cases of the disease under treatment at the close of the quarter. The cases in hospitals at the close of the three preceding quarters numbered 26, 36 and 38 respectively.

Enteric Fever.—It will be observed that the mortality from each of the causes already dealt with in this report for the period under review compares favourably with that for the March quarter of the preceding ten years. This is also the case respecting deaths from enteric fever, which number 12 (equivalent to an annual rate of 0·12 per 1,000 of the estimated population), the average for the decennial period referred to being 21. Table II. shows that 2 of the 12 deaths were recorded for the district of North City No. 1, West, one each for North City No. 3, Clontarf and Howth No. 1 (part of), South City No. 3, Rathmines and Rathgar urban district, and Pembroke urban district, and that 5 were those of persons admitted into public institutions from localities outside the Dublin Registration Area. In the three preceding quarters deaths from enteric fever were 17, 14 and 12 respectively. The return of Dublin hospital cases on page 212 shows that 74 cases of the disease were admitted during the period, that 86 were discharged, that 10 died, and that 22 cases remained under treatment at the end of the quarter, the number remaining under treatment at the close of the June quarter being 38, at the close of the September quarter 55, and at the close of the December quarter 44.

Diarrhœal Diseases.—Of 39 deaths from these causes, 23 were from epidemic diarrhœa and 16 from *diarrhœa*, dysentery, and include those of 34 children under 5 years of age. The deaths of 24 children under 5 years of age from enteritis and 10 from *gastro-enteritis* are not included in this total. The deaths (39) for the quarter, representing an annual rate of 0·39 per 1,000 of the estimated population, are 15 above the average (24) for the corresponding period of the preceding ten years. In the second, third and fourth quarters of 1909, the deaths from diarrhœal diseases numbered 23, 132 and 37 respectively.

Influenza.—The deaths from this disease, which in the three quarters preceding numbered, respectively, 46, 3 and 24, rose to 52 in the 13 weeks ended 2nd April, 1910; this number (representing an annual rate of 0·52 per 1,000 of the estimated population) is, however, 14 under the average (66) for the corresponding period of the ten years, 1900–9.

Pneumonia.—Included under this heading are 18 deaths from lobar pneumonia 133 from broncho-pneumonia, one death from epidemic pneumonia, and 75 deaths from *pneumonia* (not defined). The 227 deaths from pneumonia (all forms)—equivalent to an annual rate of 2·25 per 1,000 of the estimated population—are above the number registered in any of the three preceding quarters, the respective numbers being 202, 96 and 201, and also above the average for the first quarter of the ten years, 1900–9, namely, 206.

Tuberculous Disease.—Of 406 deaths from all forms of tuberculous disease registered during the quarter, 283 were caused by tuberculous phthisis (*phthisis*), 42 by tuberculous meningitis, 12 by tuberculous peritonitis, 4 by *tabes mesenterica*, and 65 by other forms of the disease; the 406 deaths are equivalent to annual rate of 4·03 per 1,000 of the estimated population of the Dublin Registration Area. Table II. shows that 152 deaths from tuberculous disease appertained to the North City districts, 167 to the South City districts, 23 to Rathmines and Rathgar urban district, 25 to Pembroke, 10 to Blackrock, and 7 to Kingstown urban district; the respective annual rates represented by these deaths are 3·83, 4·41, 2·48, 3·45, 4·44, and 1·59 per 1,000 of the estimated population.

Malignant Diseases.—To malignant diseases 132 deaths were attributed, comprising 59 deaths from carcinoma, 9 from sarcoma, and 64 from cancer, malignant disease (undefined). The 132 deaths represent an annual rate of 1·31 per 1,000 of the estimated population.

Premature Birth.—The deaths of 56 prematurely born infants were recorded.

Diseases of the Brain and Nervous System.—These diseases caused the deaths of 169 persons, including 54 deaths from *convulsions*, all of the latter being those of children under 5 years of age. The 169 deaths equal an annual rate of 1·68 per 1,000 of the estimated population.

Diseases of the Heart and Blood Vessels.—These diseases accounted for 376 deaths, being equivalent to an annual rate of 3·73 per 1,000 of the estimated population.

Diseases of the Respiratory System.—Of 460 deaths from diseases under this heading (affording an annual rate of 4·57 per 1,000 of the estimated population of the Area), 420 were caused by bronchitis.

Accidental Violence.—The number of deaths attributed to accidental causes, numbering 41, included 2 deaths by vehicles and horses, 16 by burns or scalds (6 of the latter being those of children under 5 years of age), and one by poison (cyanide of potassium).

Homicide.—To homicide, 3 deaths were assigned.

Suicide.—There were 2 cases of suicide.

Execution.—The death of a man by legal hanging was recorded.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 2nd April, 1910.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Small-pox,	–	–	–	–	–
Measles,	17	31	44	1	3
Scarlet Fever,	71	132	135	6	62*
Typhus,	6	5	7	1	3
Diphtheria,	38	112	106	10	34
Enteric Fever,	44	74	86	10	22
Pneumonia,	29	152	131	15	35

* Exclusive of 11 patients in Beneavin, the convalescent home of Cork-street Fever Hospital.

In 83 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 83 cases, 34 (or 41·0 per cent.) were deaths of children under 5 years of age: these 34 deaths form 4·7 per cent. of the total number of deaths of children of that age-period. Of the deaths of 143 infants under one month old registered, there were 16 (or 11·2 per cent.) regarding which the cause was uncertified.

From Table II., on pages 214–15, it will be seen that, excluding 130 deaths of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 2,388, equal to an annual rate of 23·7 per 1,000 of the estimated population, and that 95 of these deaths, representing an annual rate of 0·9 per 1,000 persons, were caused by the principal epidemic diseases.* The death-rate for the city (from all causes) was 25·2 per 1,000, and for the urban districts 18·6 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 1·1, and in the urban districts 0·5, the rates for the several districts varying from 0·0 in Coolock and Drumcondra, part of, New Kilmainham, and in Blackrock urban district, to 2·3 in North City, No. 1, W., the 283 deaths from all causes for that district including 7 from whooping-cough, one from diphtheria, 2 from enteric fever, and 13 from diarrhœal diseases.

Occupations.—Table III., on pages 216–16*a*, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 19·3 per 1,000 of the persons in that class according to the Census of 1901; in the "Middle Class" the death-rate was 18·3 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 19·3; and in the "General Service Class" it was 25·8.

Ages.—Of the 2,518 persons whose deaths were registered in the Dublin Registration Area during the quarter, 722 were under 5 years of age, including 480 infants under one year of age, the latter representing a rate of 171·4 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 75·7 in every 1,000 children at that age (according to the Census of 1901); 149 were between the ages of 5 and 20, representing an annual rate of 5·6 per 1,000 persons of that age-period; the total number under 20 years being equal to an annual mortality of 24·0 per 1,000 of the population at that age-period (according to the Census of 1901); 333, or 9·8 per 1,000 persons, were between 20 and 40; 488, or 28·4 per 1,000, between 40 and 60; 679, or 111·9 per 1,000, between 60 and 80; and 147, or 308·8 per 1,000, were aged 80 and upwards, including 17 persons aged 90 and upwards.

Public Institutions.—Of the 2,518 deaths recorded during the quarter, 1,045, or 41·5 per cent., occurred in public institutions, viz., 538 in the various hospitals, prisons, and lunatic asylums; 235 in the North Dublin Union Workhouse; 265 in the South Dublin Union Workhouse; and 7 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

Weather.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 40·9°. At Greenwich, for the quarter, it was 41·5°; at Glasgow, 40·1°; and at Edinburgh, 39·4°.

The rainfall at Dublin during the thirteen weeks measured 6·530 inches; at Greenwich, 5·45 inches; at Glasgow, 8·96 inches; and at Edinburgh, 6·37 inches.

* See note (*), page 216*b*.

TABLE II.—Showing for the **Quarter** (13 weeks) **ended 2nd April, 1910,** the number AREA, the annual Rate per 1,000 of the Population of the respective Districts represented of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified *were admitted.*

QUARTER (13 WEEKS)

REGISTRARS' DISTRICTS, &c.	POPULATION, ESTIMATED TO MIDDLE OF 1910 *	ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS		DEATHS.							CAUSED BY		
		FROM ALL CAUSES.	FROM DISEASES IN COLS. 11-19.	TOTAL DEATHS.	Infants under 1 year of Age.	1 and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	Persons aged 60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
North City.													
NORTH CITY, No 1, E.,	29,908	23·8	0·9	178	41	27	11	27	21	51	.	1	1
,, 1, W.,	39,974	28·3	2·3	283	65	33	15	28	55	87	.	.	.
,, 2,	30,744	29·1	1·6	224	52	27	15	20	47	63	.	.	1
,, 3,	33,559	25·7	1·0	216	48	30	11	30	31	66	.	.	.
CLONTARF AND HOWTH, No. 1, part of,	5,381	17·1	1·5	23	5	1	2	5	5	5	.	.	.
COOLOCK AND DRUMCONDRA, part of,	11,622	19·6	.	57	9	2	4	6	9	27	.	.	.
FINGLAS AND GLASNEVIN, part of,	7,693	18·7	2·1	36	10	1	4	5	4	12	.	.	.
South City.													
SOUTH CITY, No. 1,	41,476	23·1	0·5	240	57	24	21	24	49	65	.	1	.
,, 2,	21,754	27·4	0·6	149	20	17	6	18	41	47	.	1	.
,, 3,	43,227	28·1	1·3	304	70	27	11	38	57	101	.	1	.
,, 4,	35,881	24·6	0·7	221	44	21	12	29	55	60	.	.	3
NEW KILMAINHAM,	9,079	11·5	.	26	5	4	.	5	7	5	.	.	.
Urban Districts.													
RATHMINES AND RATHGAR,	37,047	17·6	0·6	163	17	9	5	22	27	83	.	.	.
PEMBROKE,	28,948	17·7	0·3	128	13	8	14	19	27	47	.	.	.
BLACKROCK,	9,013	20·9	.	47	6	2	2	6	8	23	.	.	.
KINGSTOWN,	17,622	21·1	0·7	93	11	4	2	9	16	51	.	.	.
Total City, North,	158,881	25·6	1·4	1,017	230	121	62	121	172	311	.	1	2
Total City, South,	151,417	24·8	0·7	940	196	93	50	114	209	278	.	3	3
Total City, North & South,	310,298	25·2	1·1	1,957	426	214	112	235	381	589	.	4	5
Total Urban Districts,	92,630	18·6	0·5	431	47	23	23	56	78	204	.	.	.
Total Registration Area,	402,928	23·7	0·9	2,388	473	237	135	291	459	793	.	4	5
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above),				130	7	5	14	42	29	33	.	.	2

* See note (*) on page 21*c*.

of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some Deaths; *the Deaths in Public Institutions being assigned to the Districts from which the deceased*

ENDED 2ND APRIL, 1910.

DEATHS. CAUSED BY													REGISTRARS' DISTRICTS, &c.
Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia* † (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Number of Uncertified Deaths.	
(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	
													North City.
.	3	1	.	.	1	19	13	8	7	30	11	7	NORTH CITY, No. 1, E.
.	7	1	.	2	13	30	25	15	14	67	3	10	„ 1, W.
1	5	.	.	.	5	16	21	12	8	46	4	4	„ 2.
.	2	.	1	1	4	25	30	12	9	27	2	3	„ 3.
.	.	1	.	1	.	2	2	.	1	1	.	2	CLONTARF AND HOWTH, No. 1, part of.
.	.	.	.	.	.	9	7	1	-	6	1	2	COOLOCK AND DRUMCONDRA, part of.
.	.	.	.	.	4	3	3	3	1	1	.	2	FINGLAS AND GLASNEVIN, part of.
													South City.
.	.	1	.	.	3	20	28	15	12	56	3	8	SOUTH CITY, No. 1.
.	.	1	.	.	1	8	24	11	8	38	1	7	„ 2
.	6	5	.	1	1	25	34	16	13	73	6	12	„ 3.
.	.	2	.	.	1	24	22	9	14	37	5	10	„ 4.
.	.	.	.	.	.	2	5	3	1	3	.	2	NEW KILMAINHAM.
													Urban Districts.
.	3	.	.	1	2	15	17	6	11	22	1	7	RATHMINES AND RATHGAR.
.	.	.	.	1	1	8	18	7	7	22	3	4	PEMBROKE.
.	.	.	.	.	.	3	8	2	1	8	1	2	BLACKROCK.
.	3	.	.	.	.	11	7	.	5	12	2	1	KINGSTOWN.
1	17	3	1	4	27	104	101	51	40	178	21	30	**North.** } **Total City.**
.	6	9	.	1	6	79	113	54	48	207	15	39	**South.** } **Total City.**
1	23	12	1	5	33	183	214	105	88	385	36	69	**North & South.** } **Total City.**
.	6	.	.	2	3	37	50	15	24	64	7	14	**Total Urban Districts.**
1	29	12	1	7	36	220	264	120	112	449	43	83	**Total Registration Area.**
.	.	1	.	5	3	7	19	3	20	11	4	.	

* See note (*) on page 216*b*.

† Formerly described as "Simple Continued Fever."

TABLE III.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the Persons whose Deaths were registered in the **Quarter** (13 weeks) **ending Saturday, 2nd April, 1910**; the Annual Death Rate and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, QUARTER — Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. — Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
	ALL PERSONS,	375,350	26·8	2,518	722	149	333	488	679	147
	CLASSES.									
	Deaths in Families of the—									
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	19·3	84	5	1	5	18	38	17
II.	MIDDLE CLASS,	87,188	18·3	399	61	29	67	71	124	47
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	19·3	534	157	38	55	116	142	26
IV.	GENERAL SERVICE CLASS,	154,279	25·8	994	422	66	144	154	183	25
V.	INMATES OF WORKHOUSES,	6,024	—	507	77	15	62	129	192	32
I.	PROFESSIONAL AND INDEPENDENT CLASS.									
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments,	7,799	32·3	63	4	.	4	16	27	12
	2. Merchants and Manufacturers, Higher Class,	1,277	3·1	1	.	.	.	.	1	.
	3. Persons of Rank and Property, not otherwise described,	8,360	9·6	20	1	1	1	2	10	5
II.	MIDDLE CLASS.									
	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	18·7	36	2	3	5	5	14	7
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	22,016	17·4	96	15	2	15	25	32	7
	6. Clerks and Commercial Assistants,	30,432	15·6	119	37	10	27	14	27	4
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	27,028	21·9	148	7	14	20	27	51	29
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.									
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	23·5	58	23	1	10	8	14	2
	9. Building and Furnishing Trades,	29,801	18·1	135	52	12	12	22	29	8
	10. Clothing Trades,	23,260	12·0	70	20	4	8	15	23	.
	11. Food Supply Trades,	9,242	16·4	38	11	3	5	8	9	2
	12. Other Trades and Callings ranking with Trades,	30,352	26·4	200	36	15	20	62	53	14
	13. Petty Shopkeepers,	7,894	16·7	33	15	3	.	1	14	.
IV.	GENERAL SERVICE CLASS.									
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	21·5	72	19	4	11	13	17	8
	15. Domestic Servants,	36,603	8·3	76	15	1	20	16	20	4
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	31·7	114	50	8	13	16	25	2
	17. Hawkers, Porters, Labourers, &c.,	89,861	32·6	732	338	53	100	109	121	11
V.	INMATES OF WORKHOUSES.									
	18. Workhouse Inmates,	6,024	—	507	77	15	62	129	192	32

POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and

(13 WEEKS) ENDING SATURDAY, 2ND APRIL, 1910.

CAUSES OF DEATH.																		CLASS AND ORDER.
Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.	Number of Uncertified Deaths.	
(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	
.	4	7	1	29	13	1	12	39	106	227	283	123	132	54	460	47	1,086	83	
.	.	.	.	1	.	.	.	1	2	7	7	2	6	.	6	1	53	.	I.
.	.	.	.	.	2	.	5	1	8	38	35	16	32	7	43	4	216	7	II.
.	1	2	.	9	3	1	1	7	24	48	57	22	30	13	98	9	233	30	III.
.	3	5	1	19	8	.	6	17	59	115	103	51	38	33	172	31	392	46	IV.
.	.	.	.	.	.	.	.	13	13	19	81	32	26	1	141	2	192	.	V.
																			I.
.	.	.	.	1	.	.	.	1	2	6	4	1	4	.	5	1	40	.	1
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
.	.	.	.	.	.	.	.	.	.	1	3	1	2	.	.	.	13	.	3
																			II.
.	.	.	.	.	.	.	.	.	.	2	4	1	2	.	5	.	22	.	4
.	.	.	.	.	1	.	1	.	2	8	4	4	6	2	9	.	61	.	5
.	.	.	.	.	1	.	.	1	2	17	16	6	8	3	10	2	55	2	6
.	.	.	.	.	.	.	4	.	4	11	11	5	16	2	19	2	78	5	7
																			III.
.	.	.	.	1	2	.	.	1	4	8	6	2	4	1	9	1	23	1	8
.	.	1	.	5	1	.	.	1	8	16	16	11	3	3	23	5	50	12	9
.	1	.	.	.	.	.	.	1	2	9	8	3	5	1	9	.	33	2	10
.	.	.	.	1	.	1	.	.	2	4	4	.	4	.	7	1	16	1	11
.	.	1	.	1	.	.	1	3	6	10	22	4	14	6	45	2	91	12	12
.	.	.	.	1	.	.	.	1	2	1	1	2	.	2	5	.	20	2	13
																			IV.
.	.	1	.	.	1	.	.	.	2	3	9	2	4	3	9	1	39	7	14
.	.	.	1	.	.	.	1	.	2	5	14	2	4	3	10	3	33	1	15
.	1	1	.	3	1	.	.	3	9	16	9	8	5	4	18	2	43	5	16
.	2	3	.	16	6	.	5	14	46	91	71	39	25	23	135	25	277	33	17
																			V.
.	.	.	.	.	.	.	.	13	13	19	81	32	26	1	141	2	192	.	18

*Formerly described as "Simple Continued Fever."

Twenty-two Principal Town Districts of Ireland.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and twenty-one of the principal Urban Districts of Ireland (exclusive of deaths in Public Institutions of persons admitted from without the districts), was 21·8 per 1,000 persons, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest :— Portadown, 15·9 ; Armagh 16·3 ; Sligo, 16·6 ; Londonderry, 17·5 ; Dundalk, 18·0 ; Galway, 19·7 ; Clonmel, 20·1 ; Belfast, 20·2 ; Limerick, 20·3 ; Waterford, 20·6 ; Queenstown, 21·2 ; Drogheda, 21·9 ; Ballymena, 22·0 ; Lurgan, 22·4 ; Kilkenny, 22·6 ; Cork, 23·5 ; Dublin Registration Area, 23·7 ; Wexford, 24·0 ; Newtownards, 24·1 ; Newry, 24·2 ; Lisburn, 27·2 ; and Tralee, 28·4.

The average annual rate represented by the deaths from the principal epidemic diseases* in the 22 districts is 1·4 per 1,000 of the population, the rates varying from 0·0 in four of the districts to 4·4 in Newtownards ; the 55 deaths from all causes for that district including 8 from whooping-cough, one from diphtheria, and one from diarrhœa. The 1,980 deaths from all causes for Belfast include 17 from measles, 7 from scarlet fever, 167 from whooping-cough, 4 from diphtheria, one from *pyrexia* (origin uncertain), 6 from enteric fever, and 12 from diarrhœal diseases.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *twenty-one provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter :—

Small-pox.—There was no death from small-pox in any of the principal town districts of Ireland during the period under notice.

Measles.—Of 21 deaths registered, 17 were recorded for Belfast, 2 for Londonderry, and 2 for Ballymena.

Scarlet Fever.—Seven deaths from scarlet fever for Belfast and one death for Cork were recorded.

Typhus.—There was one death from this disease in Waterford.

Whooping-cough.—Of the deaths from whooping-cough, 167 occurred in Belfast, 11 in Limerick, 8 in Newtownards, 6 each in Drogheda, Lisburn, and Tralee, 4 in Ballymena, 3 in Waterford, and one each in Cork and Galway.

Diphtheria.—In Belfast there were 4 deaths from this disease, in Cork 3, in Portadown one, and in Newtownards one.

Enteric Fever.—The number of deaths from enteric fever recorded for Belfast was 6, for Cork 3, and for Dundalk, Drogheda, and Portadown one death each.

Diarrhœal Diseases.—Of 34 deaths from diarrhœal diseases, there were 12 deaths in Belfast, 4 each in Cork and Londonderry, 3 in Waterford, and 2 each in Limerick, Newry, and Sligo.

Cerebro-spinal Fever.—There was one death from cerebro-spinal fever in Belfast during the period under notice. In the three preceding quarters, deaths from cerebro-spinal fever or *cerebro-spinal meningitis* for Belfast numbered 5, 2, and one respectively.

Phthisis.—The death-rate from phthisis for the 22 towns in the aggregate was 2·4 per 1,000 of the population ; for the Dublin Registration Area it was 2·6 per 1,000, for Belfast County Borough 2·2 per 1,000, and for the Urban Districts collectively (exclusive of Belfast and Dublin Registration Area), it was 2·4 per 1,000, exclusive of deaths in public institutions of persons admitted from without the respective areas.

* Small-pox, measles, scarlet fever, typhus, whooping-cough, diphtheria, *pyrexia* (origin uncertain), enteric fever, and diarrhœal diseases.

TABLE IV.—BIRTHS and DEATHS Registered during the **Quarter** (13 weeks) **ending Saturday, 2nd April, 1910,** in the Dublin Registration Area, and in each of the undermentioned Twenty-one Urban Districts (exclusive of Deaths in Public Institutions of persons admitted from other localities), with the number of Deaths from some of the principal causes; also the number of Uncertified Deaths.

TOWNS AND DISTRICTS.	Census Statistics of Districts.* Population. Total.	Persons to an Acre	Registration—Quarter (13 Weeks) ending Saturday, 2nd April, 1910. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 14–18.	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Deaths caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia† (origin uncertain)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·2	27·8	21·8	1·4	7,999	6,272	1,180	1,953	.	25	13	2	242	21	2	19	70	541	699	315	266	1,092	130	205	1,927	282
DUBLIN REGISTRATION AREA: TOTAL,	402,928	29·3	27·8	23·7	0·9	2,801	2,388	473	793	.	4	5	1	29	12	1	7	36	220	264	120	112	449	43	45	915	83
CITY OF DUBLIN,	310,298	39·2	31·3	25·2	1·1	2,426	1,957	426	589	.	4	5	1	23	12	1	5	33	183	214	105	88	385	36	38	788	69
Urban Districts. RATHMINES & RATHGAR,	37,047	21·6	17·3	17·6	0·6	160	163	17	83	.	.	.	.	3	.	.	1	2	15	17	6	11	22	1	2	49	7
Urban Districts. PEMBROKE,	28,948	18·2	16·7	17·7	0·3	121	128	13	47	.	.	.	.	.	.	.	1	1	8	18	7	7	22	3	4	51	4
Urban Districts. BLACKROCK,	9,013	8·3	11·5	20·9	.	26	47	6	23	.	.	.	.	.	.	.	.	.	3	8	2	1	8	1	.	6	2
Urban Districts. KINGSTOWN,	17,622	12·1	15·4	21·1	0·7	68	93	11	51	.	.	.	.	3	.	.	.	.	11	7	.	5	12	2	1	21	1
URBAN DISTRICTS. BELFAST,	391,167	26·6	28·5	20·2	2·2	2,786	1980‡	412	472	.	17	7	.	167	4	1	6	12	170	217	96	78	319	62	115	497	29
CORK,	76,122	33·6	26·8	23·5	0·6	510	447	52	148	.	.	1	.	1	3	.	3	4	32	66	32	17	68	5	10	203	27
LONDONDERRY,	43,477	20·1	23·6	17·5	0·6	256	190	32	55	.	2	.	.	.	.	.	.	4	20	26	10	13	32	2	9	14	9
LIMERICK,	38,151	18·1	28·4	20·3	1·4	271	194	37	56	.	.	.	.	11	.	.	.	2	7	28	6	5	47	.	3	64	25
WATERFORD,	26,769	18·7	26·3	20·6	1·0	176	138	21	55	.	.	.	1	3	.	.	.	3	6	19	3	9	24	.	3	44	19
GALWAY,	13,426	2·5	30·1	19·7	0·6	101	66	6	31	.	.	.	.	1	.	.	.	1	4	2	2	.	7	6	4	20	11
DUNDALK,	13,076	9·4	24·8	18·0	0·3	81	59	13	24	.	.	.	.	.	.	.	1	.	7	7	.	1	12	.	1	9	6
DROGHEDA,	12,760	8·6	19·7	21·9	2·2	63	70	8	27	.	.	.	.	6	.	.	1	.	8	3	3	4	7	.	.	19	6
NEWRY,	12,405	17·8	21·9	24·2	0·6	68	75	10	37	.	.	.	.	.	.	.	.	2	6	4	1	7	17	.	.	13	4
LURGAN,	11,782	13·8	32·6	22·4	.	96	66	11	30	.	.	.	.	.	.	.	.	.	6	8	7	2	19	.	1	16	7
LISBURN,	11,461	10·1	25·5	27·2	2·4	73	78	15	24	.	.	.	.	6	.	.	.	1	8	12	4	4	6	6	6	10	.
WEXFORD,	11,168	23·2	25·8	24·0	0·4	72	67	14	21	.	.	.	.	.	.	.	.	1	2	7	5	2	20	2	1	12	8
BALLYMENA,	10,886	8·9	36·0	22·0	2·2	98	60	10	20	.	2	.	.	4	.	.	.	.	10	6	4	1	3	1	1	6	9
SLIGO,	10,870	3·7	25·8	16·6	0·7	70	45	8	20	.	.	.	.	.	.	.	.	2	2	3	3	3	3	.	2	17	10
KILKENNY,	10,609	11·5	33·6	25·6	.	89	60	12	26	.	.	.	.	.	.	.	.	.	3	4	1	.	23	.	.	11	4
CLONMEL,	10,167	7·8	22·8	20·1	0·4	58	51	6	19	.	.	.	.	.	.	.	.	1	4	4	7	3	7	.	.	27	5
PORTADOWN,	10,092	13·2	32·9	15·9	0·8	83	40	5	16	.	.	.	.	.	1	.	1	.	.	4	2	1	1	.	1	.	2
TRALEE,	9,867	16·6	34·5	28·4	2·4	85	70	15	22	.	.	.	.	6	.	.	.	.	12	8	4	2	4	.	1	10	3
NEWTOWNARDS,	9,110	18·9	28·1	24·1	4·4	64	55	12	23	.	.	.	.	8	1	.	.	1	5	2	1	.	10	2	1	13	2
QUEENSTOWN,	7,909	14·4	26·8	21·2	.	53	42	5	20	.	.	.	.	.	.	.	.	.	8	3	2	1	6	.	.	2	2
ARMAGH,	7,588	22·2	23·7	16·3	.	45	31	3	14	.	.	.	.	.	.	.	.	.	1	2	2	1	8	1	1	5	11

*The population given for the Dublin Registration Area and its component parts, and the cities of Belfast and Londonderry, is that estimated to the middle of the year 1910; that for each of the other districts is the Population according to the Census of 1901.

†Formerly described as "simple continued fever."

‡Including one death from cerebro-spinal fever.

See text on page 216b.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) **ended 2nd April, 1910,** Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the Population according to the Census of 1901 represented by the Deaths from All Causes and from the principal Epidemic Diseases; the Number of Deaths at certain AGE-PERIODS: the Number of Deaths from some of the Principal CAUSES: the Number of UNCERTIFIED DEATHS, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-20.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1.)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN, No. 1 DISTRICT		118			96	14	9	12	14	27	20	.	.	.	.	7	1	.	.	.	4	13	5	3	11	2	6	26	.
,, 2 ,,		357			228	28	25	17	40	56	62	.	2	1	.	5	1	.	2	4	10	28	3	4	46	7	16	52	5
,, 3 ,,		385			284	52	39	24	28	80	61	.	2	.	.	27	.	.	.	1	31	25	10	6	31	8	18	44	5
,, 4 ,,		358			197	59	28	8	31	32	44	.	2	1	.	15	.	.	.	.	11	22	9	5	32	9	14	98	3
,, 5 ,,		181			118	24	22	5	12	30	25	.	1	.	.	15	.	.	.	.	9	3	13	6	12	8	8	42	.
,, 6 ,,		188			161	28	15	9	15	44	55	.	.	.	.	7	1	1	.	2	13	13	16	7	29	2	7	44	1
,, 7 ,,		6			6	1	1	1	2	.	1	.	.	.	.	1	.	.	.	.	.	2	.	.	1	.	1	1	.
,, 8 ,,	349,180	39			37	8	9	4	6	3	7	.	.	.	.	7	.	.	.	1	2	3	.	2	8	2	2	4	.
,, 9 ,,		147			122	21	7	11	17	29	37	.	2	.	.	5	1	.	2	1	17	14	6	10	14	2	3	32	4
,, 10 ,,		211			181	31	19	9	27	19	26	.	4	2	.	2	.	.	.	.	15	25	8	1	18	4	9	23	3
,, 11 ,,		269			146	38	14	8	29	25	37	.	.	2	.	7	.	.	2	2	12	18	4	12	28	7	11	26	2
,, 12 ,,		321			238	56	46	14	27	52	43	.	.	.	.	29	.	.	.	1	16	23	11	10	58	9	14	43	1
,, 13 ,,		123			85	16	7	2	9	24	25	.	.	.	.	8	.	.	.	.	7	6	.	7	16	.	6	11	3
,, 14 ,,		1			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
,, 15† ,,		132			132	45	39	17	24	28	29	.	4	1	.	32	.	.	.	.	23	22	11	5	19	2	5	51	2
Total,	—	2,786	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		1,980‡	412	275	141	281	399	472		17	7	.	167	4	1	6	12	170	217	96	78	319	62	115	497	29
City of Cork.																													
CORK URBAN, No. 1 DISTRICT,	12,867	71	21·8	0·6	70	6	.	2	9	15	38	.	.	.	.	.	.	.	1	1	4	9	1	3	7	.	.	42	3
,, 2 ,,	10,701	79	21·7	2·2	58	10	7	5	11	11	14	.	.	1	.	.	2	.	2	1	6	5	5	.	10	.	1	21	6
,, 3 ,,	9,978	67	18·8	.	47	5	2	6	10	7	17	.	.	.	.	.	.	.	.	.	1	9	2	.	19	1	3	16	1
,, 4 ,,	8,666	58	30·5	0·9	66	7	7	2	12	14	24	.	.	.	.	.	.	.	.	2	2	14	1	6	9	1	3	22	4
,, 5 ,,	6,592	43	28·5	.	47	4	4	3	12	9	15	.	.	.	.	.	.	.	.	.	2	9	8	1	7	1	.	25	1
,, 6 ,,	10,702	60	26·9	.	72	9	7	7	11	19	19	.	.	.	.	.	.	.	.	.	6	5	10	4	5		1	29	7
,, 7 ,,	16,616	112	26·9	0·5	87	11	7	10	14	24	21	.	.	.	.	1	1	.	.	.	11	15	5	3	11	2	2	48	5
Total,	76,122	510	23·5	0·6	447	52	34	35	79	99	148	.	.	1	.	1	3	.	3	4	32	66	32	17	68	5	10	203	27

* Formerly described as Simple Continued Fever.

† New district formed as from 1st Jan., 1910 and the boundaries of Nos. 1, 4 & 6 districts altered; the population of each of these districts, as at present constituted, is not available.

‡ See note (‡) on page 216c.

GENERAL REGISTER OFFICE,
Charlemont House, Dublin.
25th April, 1910.

WILLIAM J. THOMPSON,
Registrar-General.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.
(28454). P. 345-59. 375. 4. 1910. G. III. Sch. 9.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 9TH APRIL, 1910. [No. 14.

General Register Office, Charlemont House, Dublin, 11th April, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 23·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending Mar. 19.	Mar. 26.	April 2.	April 9.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending Mar. 19.	Mar. 26.	April 2.	April 9.	Average Rate for 4 weeks.
22 Town Districts.	**19·0**	**21·1**	**20·7**	**23·2**	**21·0**	Limerick, . . .	19·1	27·3	23·2	17·8	21·8
						Lisburn, . . .	18·2	40·9	4·5	36·4	25·0
Armagh, . . .	20·6	27·5	27·5	34·4	27·5	Londonderry, . .	9·6	22·8	13·2	15·6	15·3
Ballymena, . . .	28·7	14·4	14·4	14·4	18·0	Lurgan, . . .	4·4	35·4	22·1	17·7	19·9
Belfast, ...	21·7	16·7	18·4	22·4	19·8	Newry, . . .	12·6	29·4	21·0	21·0	21·0
Clonmel, . . .	15·4	15·4	46·2	35·9	28·2	Newtownards, .	17·2	22·9	11·4	17·2	17·2
Cork, ...	19·9	22·6	32·9	34·2	27·4	Portadown, . .	25·8	15·5	20·7	25·8	21·9
Drogheda, . . .	24·5	28·6	24·5	32·7	27·6	Queenstown, . .	.	13·2	13·2	33·0	14·9
Dublin Reg. Area, .	18·4	22·6	19·8	23·4	21·0	Sligo, ...	19·2	14·4	52·8	19·2	26·4
Dundalk, . .	4·0	23·9	23·9	39·9	22·9	Tralee, ...	42·3	37·0	15·9	5·3	25·1
Galway, . . .	3·9	27·2	38·8	27·2	24·3	Waterford, . . .	13·6	11·7	19·5	17·5	15·6
Kilkenny, . . .	9·8	44·2	19·7	.	18·4	Wexford, . . .	28·0	28·0	23·3	14·0	23·3

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·5 per 1,000, the rates varying from 0·0 in seventeen of the districts to 8·2 in Drogheda, the 8 deaths from all causes for that district including 2 from whooping-cough. Among the 168 deaths from all causes for Belfast are 11 from measles, 12 from whooping-cough, and one from diphtheria, and of the 10 deaths from all causes for Dundalk one is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 255—127 boys and 128 girls—and the deaths to 186—91 males and 95 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, represent an annual rate of 23·4 per 1,000 of the population, the rate for the total deaths registered in the Area being 24·1 per 1,000. During the fourteen weeks, ending with Saturday last, the death-rate averaged 25·0, and was 3·3 below the mean rate for the corresponding portions of the ten years 1900-9.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*), Table II. ‡ See columns 10-18 of Table II.

The total deaths from all causes included one death from diphtheria, one death from enteric fever, and 4 deaths from diarrhœal diseases of infants under one year of age; there were also registered at this age one death from enteritis and one from *gastro-enteritis.*

In each of the three preceding weeks, deaths from diphtheria were one, one, and 0; deaths from enteric fever were one, one, and 4; and deaths from diarrhœal diseases were 2, 3, and 0. There were 3 deaths from influenza, which had caused 7, 6, and 6 deaths, respectively, in the preceding three weeks.

The deaths from pneumonia (all forms) include one death from lobar pneumonia, 8 deaths from broncho-pneumonia, and 8 deaths from *pneumonia* (not defined).

Deaths from tuberculous disease, which had been 25, 36, and 18 in each of the three preceding weeks, were 31 in the period under notice; the latter figure includes 21 deaths from tuberculous phthisis (*phthisis*), one death from tuberculous meningitis, and 9 deaths from other forms of the disease.

Carcinoma caused 3 deaths, and 4 deaths were attributed to cancer, malignant disease (undefined).

There were 3 deaths of infants, prematurely born.

Diseases of the brain and nervous system caused 9 deaths, including the death of one infant under one year of age from *convulsions.*

Thirty-seven deaths were attributed to diseases of the heart and blood vessels, and diseases of the respiratory system accounted for 38 deaths, of which 32 were due to bronchitis.

Of 5 deaths attributed to accident or negligence, one was caused by burns of a child 6 years old, one was by drowning, and one was by poison.

In 9 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 6 infants under one year of age and the death of one person aged 66 years.

Forty-four of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 10 were under one month old) and 64 were aged 60 years and upwards, including 33 persons aged 70 and upwards, of whom 8 were octogenarians, and 3 (females) were stated to have been aged 90, 90, and 97 years, respectively.

Seventy-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 19 took place in the North Dublin Union Workhouse and 22 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 23·4 per 1,000; the rate in the City was 25·2 (North City Districts, 26·6; South, 23·8) and in the Suburbs, 17·5.

The deaths from certain epidemic diseases* in the entire area equal an annual rate of 0·8 per 1,000 inhabitants, the rate for the City being 1·0 (1·0 in the North City Districts, and 1·0 in the South), and for the Suburbs, 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (7) are equal to an annual rate of 12·2 per 1,000, and include 2 from tuberculous phthisis (*phthisis*), 3 from diseases of the respiratory system, and one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (28) are equal to an annual rate of 36·5 per 1,000. There were 6 deaths from tuberculous disease, one from *pneumonia* (not defined) and 8 from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 25·4 per 1,000. Epidemic diarrhœa and influenza each caused one death, there was one death from *phthisis*, there were 3 deaths from bronchitis, and one accidental death.

No. 3 North City District (Benburb-street).—The deaths (21) represent an annual rate of 32·6 per 1,000. The deaths included 2 from epidemic diarrhœa, one from broncho-pneumonia, 3 from tuberculous disease, 4 from bronchitis, and one accidental death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 29·1 per 1,000 inhabitants; Coolock and Drumcondra, part of, 31·4; and Finglas and Glasnevin, part of, 0·0. The 7 deaths from all causes for Coolock and Drumcondra, part of, include one death from *phthisis* and 2 from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (23) represent an annual rate of 28·9 per 1,000, and included one death from *diarrhœa*, one death from broncho-pneumonia, 5 deaths from tuberculous disease, 7 deaths from bronchitis, and one accidental death.

No. 2 South City District (Castle-street).—The deaths (6) are equal to an annual rate of 14·4 per 1,000. There was one death from each of the following causes:—Broncho-pneumonia, *phthisis*, tuberculous meningitis and bronchitis, also one accidental death.

No. 3 South City District (Peter-street).—The deaths (27) are equal to an annual rate of 32·6 per 1,000. Diphtheria and enteric fever each caused one death, there were 2 deaths from broncho-pneumonia, 2 deaths from *pneumonia* (not defined), 4 deaths from tuberculous disease, and 3 deaths from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (12) are equivalent to an annual rate of 17·4 per 1,000. Of the deaths one was caused by broncho-pneumonia, one by *pneumonia* (not defined), and 3 by tuberculous disease.

New Kilmainham District.—There was one death recorded for this district, equivalent to an annual rate of 5·7 per 1,000, and was due to broncho-pneumonia.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 12·7; Pembroke, 19·8; Blackrock, 5·8; and Kingstown, 29·6. There was no death from any of the principal epidemic diseases tabulated for these districts. Among the 9 deaths from all causes for Rathmines and Rathgar are 2 from tuberculous disease and one from bronchitis; the 11 deaths from all causes for Pembroke include 2 from influenza, one each from broncho-pneumonia and tuberculous phthisis, and 2 from diseases of the respiratory system; and of the 10 deaths from all causes for Kingstown one is from broncho-pneumonia, 3 are from *pneumonia* (not defined), and 3 from diseases of the respiratory system.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 89," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly rnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin ; Mr. Fawcett, xecutive Sanitary Officer for Rathmines and Rathgar Urban District ; Mr. Manly, Executive Sanitary Officer for embroke Urban District : Mr. Heron, Executive Sanitary Officer for Blackrock Urban District : by Dr. R. A. 'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District : and by Dr. Bailie, Medical uperintendent Officer of Health for the City of Belfast.

ABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz. :—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 9th April, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Mar. 19,	.	—	—	10	.	.	7	.	.	2	9	.	—	—	.	—	14	—	42
	Mar. 26,	.	—	—	5	1	.	3	.	1	4	18	.	—	—	.	—	20	—	52
	Apr. 2,	.	—	—	7	1	.	5	.	.	5	16	.	—	—	.	—	17	—	51
	Apr. 9,	.	—	—	5	3	.	6	.	1	9	11	.	—	—	.	—	9	—	44
Rathmines and Rathgar Urban District.	Mar. 19,	.	—	—	.	.	.	5	.	.	1	.	.	—	—	—	—	—	—	6
	Mar. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Apr. 2,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	—	—	—	—	3
	Apr. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
Pembroke Urban District.	Mar. 19,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	—	.
	Mar. 26,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	—	.
	Apr. 2,	.	.	.	.	.	.	1	.	.	.	1	.	—	1	.	—	—	—	3
	Apr. 9,	.	.	.	1	.	.	.	.	2	.	1	.	—	5	.	—	—	—	9
Blackrock Urban District.	Mar. 19,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Mar. 26,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Apr. 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Apr. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Mar. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Mar. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Apr. 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Apr. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Mar. 19,	.	—	—	10	.	.	2	.	.	3	7	.	—	—	—	—	20	—	42
	Mar. 26,	.	—	—	12	1	.	2	.	1	1	4	.	—	—	—	—	19	—	40
	Apr. 2,	.	—	—	12	.	.	5	.	.	2	2	.	—	—	—	—	24	—	45
	Apr. 9,	.	—	—	7	1	.	9	.	.	4	7	.	—	—	—	—	28	—	56

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 9th April, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

One case of measles was discharged from hospital during the week, and 2 cases remained under treatment at its close.

Eight cases of scarlet fever were admitted to hospital, 8 were discharged, and 62* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 72, 57, and 62, respectively.

Four cases of typhus were admitted to hospital during the week, there was one death, and 6 remained under treatment at its close.

Eleven cases of diphtheria were admitted to hospital, 8 were discharged, and 37 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 44, 36, and 34, respectively.

Six cases of enteric fever were admitted to hospital during the week, 4 were discharged, there was one death, and 23 cases remained under treatment in hospital at the close of the week.

In addition to the above named diseases, 14 cases of pneumonia were admitted to hospital, were discharged, there was one death, and 39 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 14·7) was equal to an average annual death-rate of 14·9 per 1,000 persons living ; the average rate for 8 principal towns of Scotland was 18·2 per 1,000, the rate for Glasgow being 18·4 and for Edinburgh 14·5.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 9th April. From his Report it appears that of a total of 82 cases notified, 36 were scarlet fever, 26 phthisis, 9 diphtheria, 9 erysipelas one puerperal fever, and one cerebro-spinal fever. Among the 388 cases of infectious diseases in hospital at the close of the week were 198 cases of scarlet fever, 67 of measles, 54 of phthisis, 28 of diphtheria, 17 of whooping-cough 10 of erysipelas, 7 of enteric fever, 2 of chicken-pox, 2 of cerebro-spinal fever, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 9th April, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS	Census Statistics of Districts. Population. Total.[a]	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 9TH APRIL, 1910. Annual Rate per 1,000 persons represented by BIRTHS.	DEATHS. From all Causes.	From Diseases in cols. 10-18.	NUMBERS REGISTERED. BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Phthisis.	Tuberculous Disease Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (d) WEEK ENDING 9TH APRIL, 1910. Air Temperature: Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	WEEK ENDING 2ND APRIL, 1910. Air Temperature: Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	WEEK ENDING 26TH MARCH, 1910. Air Temperature: Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·2	31·3	23·2	1·5	691	512	86	164	.	11	.	.	15	2	.	1	5	47	64	29	28	82	9	13	146	28	○	○	○	.	○	○	○	.	●	●	○	.
DUBLIN REGISTRATION AREA:— TOTAL, *c.*	402,928	29·3	38·0	23·4	0·8	255	181	30	63	.	.	.	.	.	1	.	1	4	16	20	10	7	38	5	4	71	2	55·2	28·4	41·7	0·21	51·9	23·8	39·7	0·04	54·1	27·2	43·4	0·00
CITY of DUBLIN.	310,298	39·2	38·0	25·2	1·0	226	160	27	47	.	.	.	.	.	1	.	1	4	11	18	9	4	32	5	4	62	7	55·4 55·6	33·8 30·0	43·8 42·8	0·15 0·7	53·1 53·9	22·0 24·0	37·1 40·4	0·05 0·07	55·2 55·1	35·1 27·0	45·9 44·0	0·01 0·01
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	9·9	12·7	.	7	9	1	5	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	21·6	19·8	.	12	11	2	5	.	.	.	.	.	.	.	.	.	1	1	.	2	2	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,018	8·3	5·8	5·8	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	26·6	29·6	.	9	10	.	5	.	.	.	.	.	.	.	.	.	4	.	.	.	3	.	.	4	.	56·0	35·0	41·7	0·12	53·0	30·5	42·8	0·01	53	35	45·6	0·00
URBAN DISTRICTS.																																							
BELFAST,	391,167	26·6	33·9	25·4	3·2	254	168	34	84	.	11	.	.	12	1	.	.	.	19	24	12	8	21	4	7	45	1	54·0	29·5	43·3	0·08	54·0	29·0	41·7	0·18	54·5	32·5	44·6	0·03
CORK,	76,122	33·6	16·4	34·2	.	24	50	8	22	.	.	.	.	.	.	.	.	.	3	7	2	4	6	.	.	18	5	54	35	43·4	0·38	54	33	43·4	0·13	56	39	46·0	0·02
LONDONDERRY,	48,477	20·1	32·4	15·6	.	27	12	1	3	.	.	.	.	.	.	.	.	.	2	2	2	.	3	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	21·9	17·8	.	16	13	1	3	.	.	.	.	.	.	.	.	.	1	1	.	.	4	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD,	26,769	18·7	29·2	17·5	.	15	9	2	4	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	9·5	19·4	27·2	.	5	7	1	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	2	56	34	45	0·04	60	35	43·4	0·08	54	32	44·5	0·00
DUNDALK	13,076	9·4	51·8	39·6	4·0	13	10	.	1	.	.	.	.	1	.	.	.	.	2	1	.	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	24·5	32·7	8·2	6	8	1	4	.	.	.	.	2	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,405	17·8	42·0	21·0	.	10	5	2	3	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DUNGAN,	11,782	13·8	22·1	17·7	.	5	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	55·1	31·8	43·4	0·33	58·0	31·6	43·8	0·07	56·5	33·3	45·5	0·03
LISBURN,	11,461	10·1	27·3	36·4	.	6	8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	55·1	31·8	43·4	0·33	58·0	31·6	43·8	0·07	56·5	33·3	45·5	0·03
WEXFORD,	11,168	28·2	18·7	14·0	.	4	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	1	.	55·1	31·8	43·4	0·33	58·0	31·6	43·8	0·07	56·5	33·3	45·5	0·03
BALLYMENA,	10,886	8·9	38·8	14·4	.	8	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,870	8·7	19·2	19·2	.	4	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KILKENNY,	10,609	11·5	4·9	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	56·4	27·0	43·1	0·08	58·8	28·2	43·4	0·41	58·7	30·7	44·8	0·15
CLONMEL,	10,167	7·8	35·9	35·9	.	7	7	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	55	29	43	0·29	55	25	42	0·03	51	32	44·9	0·01
PORTADOWN,	10,092	18·2	36·2	25·8	5·2	7	5	1	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	55·1	31·8	43·4	0·33	58·0	31·6	43·8	0·07	56·5	33·3	45·5	0·03
TRALEE,	9,867	16·6	26·4	5·8	.	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	52	33	42·8	0·11	51	32	41·5	0·11	55	35	44·4	0·00
NEWTOWNARDS,	9,110	18·9	34·3	17·2	.	6	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	51	35	43·4	0·28	51	33	43·4	0·18	56	39	46·0	0·02
QUEENSTOWN,	7,909	14·4	79·1	33·0	.	12	5	2	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	1	.	55·1	31·8	43·4	0·33	58·0	31·6	43·8	0·07	56·5	33·3	45·5	0·03
ARAGH,	7,588	22·2	6·9	34·4	.	1	5	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.												

(*a*) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910.
(*b*) Formerly described as "Simple Continued Fever."
(*c*) Exclusive of 5 deaths of persons (including one at 62 years) admitted to hospital from localities outside the Area.
(*d*) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the

LE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during he Week ending Saturday, the 9th April, 1910, with the number of uncertified deaths: also the deaths rom all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which he deceased were admitted.*

AMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA. — CITY OF DUBLIN REGISTRATION DISTRICTS IN: Dublin North Superintendent Registrar's District — North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock & Drumcondra (pt. of).	Finglas and Glasnevin (part of).	Dublin Sth. Superintendent Reg.'s Dist — South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4	New Kilmainham	URBAN DISTRICTS OF — Rathmines and Rathgar.	Pembroke.	Blackrock.	Kingstown.	TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	.	.	1	2	.	.	.	1	.	.	.	.	.	.	.	.	4	.
Pneumonia,	.	1	.	1	.	.	.	1	1	4	2	1	.	1	.	4	16	1
Tuberculous Phthisis,	2	4	1	2	.	1	.	4	1	1	2	.	1	1	.	.	20	1
Disease. Other Forms,	.	2	.	1	.	.	.	1	1	3	1	.	1	.	.	.	10	.
Cancer, Malignant Disease,	.	.	1	.	.	.	.	.	.	3	.	.	1	2	.	.	7	.
Other General Diseases,	.	1	3	3	.	1	.	2	.	.	.	.	.	3	.	1	14	.
Total,	2	8	6	9	.	2	.	9	3	13	5	1	3	7	.	5	73	2
LOCAL DISEASES:																		
Nervous System,	.	.	.	2	1	.	.	1	1	2	2	.	.	.	.	.	9	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	1	9	2	4	.	3	.	2	.	5	4	.	2	2	1	1	35	2
Respiratory System,	3	8	3	4	.	2	.	7	1	3	1	.	1	3	.	3	38	.
Digestive System,	.	1	1	.	.	.	.	1	.	2	.	.	1	.	.	.	6	1
Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	1	.	1	1	.	.	.	.	.	.	.	1	.	.	.	4	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
idents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
eases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	4	19	6	11	2	4	.	11	2	12	7	.	5	4	1	4	92	3
THER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
AUSES ILL-DEFINED AND NOT SPECIFIED,	.	1	2	.	1	1	.	2	.	2	.	.	1	.	.	1	11	.
IOLENT DEATHS,	1	.	1	1	.	.	.	1	1	.	.	.	.	.	.	.	5	.
ths from all Causes	7	28	15	21	3	7	.	23	6	27	12	1	9	11	1	10	181	5
ual Rate of Mortality m all causes in every 1,000 he population,	12·2	36·5	25·4	32·6	29·1	31·4	.	28·9	14·4	32·6	17·4	5·7	12·7	19·8	5·8	29·6	23·4	.
	26·6							23·8					17·5					
	25·2																	
Under 1 year,	.	1	5	7	.	.	.	7	1	5	.	1	1	2	.	.	30	.
1 and under 5 years,	.	2	.	1	.	.	.	1	1	3	4	.	.	1	.	1	14	.
5 „ 20 „	.	2	.	1	.	1	.	1	.	2	.	.	1	.	.	.	8	1
20 „ 40 „	3	4	1	2	.	2	.	2	3	1	2	.	.	1	.	2	23	3
40 „ 60 „	3	12	3	5	.	1	.	3	1	5	4	.	2	2	.	2	43	.
60 years and upwards,	1	7	6	5	3	3	.	9	.	11	2	.	5	5	1	5	63	1
ber of Uncertified Deaths,	.	1	1	1	.	1	.	1	1	.	1	.	1	1	.	.	9	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

lic Hospitals, Prisons, and natic Asylums,	2	4	1	4	.	1	.	3	1	5	2	.	1	3	.	4	31	4
khouse Hospitals,	.	8	5	5	.	.	.	10	1	5	5	.	.	1	.	.	40	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered
week of the ten years 1900–190

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Average in 14th Week of the 10 years, 1900-1909.	In the Week ending Saturday, 9th April, 1910. Deaths of Persons of the Ages of							
	April 7, 1900.	April 6, 1901.	April 5, 1902.	April 11, 1903.	April 9, 1904.	April 8, 1905.	April 7, 1906.	April 6, 1907.	April 4, 1908.	April 10, 1909.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.				
Mean Temperature.	° 42·6	° 43·1	° 43·5	° 48·0	° 45·9	° 44·2	° 42·9	° 42·1	° 44·7	° 44·5	° 44·2	° 41·7							
ALL CAUSES.	194	224	203	174	226	190	159	219	207	205	200·1	186	10	20	14	9	26	43	53
Small-pox,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	3	.	1	3	4	.	1	3	1	6	2·2	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	1	1	.	1	.	.	1	.	·4	.	.	.	.	.	.	.	.
Typhus,	.	1	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	2	10	3	3	5	2	2	5	7	3	4·2	3	.	.	.	.	.	.	3
Whooping-cough,	3	5	.	2	8	1	2	8	1	7	3·7	.	.	.	.	.	.	.	.
Diphtheria,	.	2	2	2	2	1	.	3	.	1	1·3	1	.	1	.	.	.	.	.
Cerebro-spinal Fever,	.	.	.	.	.	1	.	.	3	.	·4	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	3	3	1	4	3	1	.	.	1	2	1·8	1	.	.	.	.	1	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.),	.	2	.	1	1	.	.	.	1	2	1·6	3	.	3	.	.	.	.	.
Diarrhœa, Dysentery,			1	2	1	2	1	.	2	.		1	.	1	.	.	.	.	.
Tetanus,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	1	1	1	3	2	3	.	.	2	1·3	2	.	2	.	.	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*,	.	1	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.
Infective Endocarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,			1	1	.	.	1	2	1	.		1	.	.	1	.	.	.	.
Broncho-	15	13	5	3	5	8	4	10	3	10	14·0	8	.	3	2	.	.	2	1
Epidemic			.	.	1	.	.	.	.	.		.	.	.	.	.	.	.	.
Not defined,			10	5	10	3	3	5	11	10		8	.	.	3	1	2	1	1
Erysipelas,	.	.	2	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
Other Infective Processes,	.	.	.	.	1	.	.	.	.	1	·2	.	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*,"	27	33	7	2	11	9	15	15	13	10	27·7	10	.	.	.	2	3	3	2
			20	17	23	22	8	14	17	14		11	.	.	.	.	8	3	.
Tuberculous Meningitis,	6	4	5	4	2	3	3	8	7	5	4·7	1	.	.	1	.	.	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*,	8	7	1	.	2	3	2	1	3	4	3·8	.	.	.	.	.	.	.	.
			.	.	1	1	.	.	3	2		.	.	.	.	.	.	.	.
Tuberculous Dis. (other), *Scrofula*,	1	5	7	6	9	11	10	13	5	7	7·5	9	.	1	3	4	.	1	.
			1	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
Alcoholism,	.	.	.	1	2	1	.	.	2	2	·8	1	.	.	.	.	1	.	.
Rheumatic Fever,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
Gout,	1	.	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.
Carcinoma,	3	5	1	1	5	7	2	1	5	6	7·1	3	.	.	.	.	.	.	3
Sarcoma,			.	.	1	1			2			.	.	.	.	.	.	.	.
Cancer (undefined)			7	1	5	2	2	4	6	4		4	.	.	.	.	2	2	.
Diabetes Mellitus,	.	.	1	3	1	3	3	.	.	1	1·2	.	.	.	.	.	.	.	.
Premature Birth,	3	2	1	2	5	1	.	3	4	3	2·4	3	3	.	.	.	.	.	.

* The figures for the year 1900 are fo
† Formerly described a

e FOURTEENTH WEEK ending Saturday, 9th April, 1910, with the deaths from each cause in the corresponding
d the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 14th Week of the 10 years 1900-1909.	In the Week ending Saturday, 9th April, 1910. Deaths of Persons of the Ages of							
	April 7, 1910.	April 6, 1901.	April 5, 1902.	April 11, 1903.	April 9, 1904.	April 8, 1905.	April 7, 1906.	April 6, 1907.	April 4, 1908.	April 10, 1909.		ALL AGES	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 42·6	° 43·1	° 43·5	° 48·0	° 45·9	° 41·2	° 42·9	° 42·1	° 44·7	° 44·5	° 44·2	° 41·7								
Meningitis (not tuberc.) ...			2	3	1	2	4	2	5	5		2	.	1	1	.	.	.	.	.
Insanity, G. P. of Insane ...			1	4	4	1	.	2	.	1		1	.	.	.	.	.	.	1	.
Epilepsy			.	.	1	.	2	.	.	1		1	.	.	.	1	.	.	.	.
Convulsions			9	6	4	13	6	5	1	3		1	.	1	.	.	.	.	.	.
Locomotor Ataxy ...			.	.	1	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord ...			1	2	3	1	.	1	3	1		4	.	.	.	1	1	2	.	.
Nervous System (other Dis.)			1	1	4	2	1	.	1	.		.	.	.	.	.	.	.	.	.
	28	44									40·5									
Valv. Dis., Endocarditis ...			3	2	5	3	4	14	8	9		8	.	.	.	.	5	2	1	
Cerebr. Hæm. Thromb.			1	3	1	2	4	5	8	3		6	.	.	.	.	2	3	1	
Apoplexy, Hemiplegia ...			7	7	.	4	6	8	1	2		3	.	.	.	.	2	1	.	
Aneurysm ...			.	.	1	1	.	.	.	.		2	.	.	.	1	.	1	.	
Embolism, Thromb. (not cerebral)			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
Heart and Blood Vessels (other Dis.)			20	12	13	17	13	12	16	7		18	.	.	.	3	8	5	2	
Croup (not Spasm. nor Memb.)	.	1	.	1	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	
Bronchitis	29	36	29	32	29	23	22	29	24	31	28·4	32	.	1	3	1	1	5	17	4
Asthma, Emphysema ...	2	1	1	.	.	.	.	2	.	.	2·4	2	.	.	.	.	.	2	.	.
Pleurisy			1	.	.	.	.	.	.	.		2	.	.	.	.	.	1	1	.
Respiratory Dis. (other) ...			3	5	2	2	1	2	1	2		2	1	.	.	.	.	1	1	.
Tonsillitis, Quinsy ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.) ...	1	1	.	1	.	1	1	3	2	1	1·6	2	.	1	.	.	1	.	.	.
Gastro-enteritis			2	1	.	1	.	.	1	.		1	.	1	.	.	.	.	.	.
Peritonitis (not Puerp.) ...	1	.	.	.	.	.	1	.	.	1	·3	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver ...	1	2	3	.	1	.	1	1	1	1	2·1	1	.	.	.	.	.	1	.	.
Liver Dis. (other) ...			1	.	3	2	3	.	1	.		1	.	.	.	.	.	1	.	.
Digestive Dis. (other) ...	4	4	5	3	16	9	6	6	7	3	6·3	2	.	.	.	.	1	1	.	.
Nephritis, Acute	5	6	3	1	1	1	1	.	2	2	5·3	2	.	.	.	.	2	.	.	.
Bright's Dis., Albuminuria			1	1	4	2	2	4	6	4		2	.	.	.	.	1	1	.	.
Urinary Sys. (other Dis.) ...			1	.	1	1	1	1	1	1		.	.	.	.	.	.	.	.	.
Generative Organs Dis. ...	1	.	.	.	.	.	1	1	.	1	·4	.	.	.	.	.	.	.	.	.
Childbirth (Accid. of) ...	2	.	.	.	2	.	1	.	.	.	·5	.	.	.	.	.	.	.	.	.
Old Age	27	12	9	4	3	5	2	5	5	4	7·6	3	.	.	.	.	.	1	2	
Other Diseases	15	18	17	15	13	8	12	11	11	15	13·8	13	6	4	.	.	1	2	.	
ACCIDENT.																				
By Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations ..	.	.	3	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
In Conflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	1	4	.	1	1	.	.	.	.	2	·9	1	.	.	.	1	.	.	.	.
By Drowning	.	.	.	1	.	.	1	1	.	1	·4	1	.	.	.	.	1	.	.	.
By Suffocation in Bed ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
Other Deaths by Accident	1	1	.	1	1	2	.	2	.	1	·9	2	.	.	.	.	1	.	1	
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide	.	.	1	.	.	.	1	1	1	.	·4	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.
mple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1909–10—Week ending																								
	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.
No. of weeks in Annual Series,	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14
BIRTHS registered,	184	226	208	220	215	238	196	206	174	216	185	282	286	243	197	161	252	220	197	224	206	247	162	242	213	255
*Average Births in corresponding week of previous 10 years,** ..	186	205	203	210	198	195	181	202	197	190	177	175	227	204	206	203	234	212	210	213	214	219	217	211	235	190
DEATHS registered, ...	127	124	148	145	177	190	172	180	177	158	155	205	174	177	181	177	239	217	211	228	208	204	149	185	168	186
Annual Death-rate per 1,000, ..	16·6	16·2	19·4	19·0	23·2	24·9	22·5	23·6	23·2	20·7	20·3	26·8	22·5	22·9	23·4	22·9	30·9	28·1	27·3	29·5	26·9	26·4	19·3	23·9	21·7	24·1
*Average Deaths in corresponding week of previous 10 years,**	166	173	166	179	182	184	187	190	190	187	195	184	217	210	206	201	200	196	207	221	221	214	200	206	211	200
AGES, Under 5 years, ...	36	41	35	40	45	41	37	43	37	51	44	71	49	57	57	55	76	58	67	67	57	58	30	52	44	44
AGES, 5—20 ,, ...	6	14	17	10	12	9	8	9	8	10	8	11	12	13	10	13	11	9	9	16	8	12	11	12	13	9
AGES, 20—40 ,, ...	17	21	33	21	26	28	18	23	25	19	23	19	30	25	20	31	27	25	19	22	33	28	21	34	18	26
AGES, 40—60 ,, ...	24	25	28	33	38	44	51	47	52	27	34	48	36	23	41	36	54	42	38	42	40	34	35	35	32	43
AGES, 60—80 ,, ...	38	19	34	33	49	61	52	50	45	39	37	60	37	49	45	37	64	62	66	69	57	65	41	42	45	53
AGES, 80 years and upwards, ..	6	4	1	8	7	7	6	10	10	12	9	6	10	10	8	5	7	21	12	12	13	12	11	10	16	11
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Measles, ...	.	.	.	.	.	.	2	.	1	1	.	.	2	.	.	1	.	.	2	1	1	.	1	.	.	.
Scarlet Fever, ...	1	1	.	.	1	.	1	.	1	1	1	3	.	.	.	1	.	1	2	1	1	.	.	.	.	.
Typhus, ...	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	3	2	1	2	1	.
Whooping-cough, ...	.	1	1	1	1	2	.	.	2	2	2	1	3	5	4	1	2	4	1	.	3	2	1	1	.	1
Diphtheria, ...	1	.	.	.	1	2	1	1	.	2	.	1	1	.	3	.	2	2	.	2	.	1	1	1	.	.
Pyrexia † (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Enteric Fever, ...	1	.	1	1	1	.	1	1	1	.	3	2	.	1	.	2	.	.	.	1	2	.	1	1	4	1
Diarrhœal Diseases, ...	4	2	3	2	4	2	4	2	4	1	.	4	2	4	4	2	4	6	2	3	3	4	2	3	.	4
Influenza, ...	3	.	.	1	2	1	2	3	1	1	6	4	2	3	5	1	4	3	2	2	5	6	7	6	6	8
Pneumonia, ...	5	7	13	8	14	18	16	20	28	19	20	22	23	14	21	14	20	17	20	22	17	20	12	14	14	17
Tuberculous Disease, { Phthisis, ..	12	25	27	19	20	20	17	22	17	15	14	15	24	19	21	23	26	19	19	23	28	26	15	26	14	21
Tuberculous Disease, { Other Forms, ..	3	4	9	7	8	6	6	7	8	6	4	6	5	6	6	6	6	10	14	13	10	12	10	10	4	10
Cancer, Malignant Disease, ..	8	3	6	10	8	17	7	11	10	8	6	4	8	7	8	11	19	10	8	14	9	13	5	6	14	7
Diseases of Heart and Blood Vessels, ...	18	19	17	19	33	32	27	31	29	25	21	37	29	31	29	17	29	38	40	31	27	25	30	30	30	37
Diseases of Respiratory System,	18	11	14	15	22	22	32	29	28	26	30	41	20	33	29	39	43	55	41	41	39	35	26	36	23	38
Violent Deaths, ...	1	4	2	3	4	6	4	5	4	4	2	2	4	4	1	4	5	1	6	6	5	3	1	2	5	5
Number of Uncertified Deaths, ..	4	4	6	4	5	4	2	3	4	5	7	10	3	8	13	9	13	3	7	2	8	5	5	3	4	9
Mean Temperature of the Air (Phœnix Park), ...	52·5	51·1	40·8	45·0	41·9	37·7	38·4	41·8	39·1	41·4	38·5	45·9	45·4	42·1	37·6	32·5	38·1	43·7	42·3	39·2	44·0	43·6	39·8	43·4	39·7	41·7
Average Mean Temperature in corresponding week of previous 10 years, ...	50·2	48·3	47·1	47·6	45·8	43·7	42·4	43·3	43·0	41·3	42·1‡	40·3	41·3	40·0	41·1	41·7	40·0	38·9	38·9	40·1	40·1	41·1	42·9	41·9	42·1	44·2
Rainfall in inches, ...	·772	1·896	·134	·117	·733	·037	·251	1·163	1·202	·207	1·188	·840	·123	·986	·240	1·690	·168	·264	1·160	·915	·892	·883	·174	·000	·010	·205
Mean Humidity of the Air, complete Saturation 1·0	·84	·86	·81	·88	·88	·80	·84	·87	·90	·82	·86	·88	·89	·85	·91	·88	·94	·91	·93	·91	·93	·88	·91	·91	·88	·93

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 9th April, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 9TH APRIL, 1910.

CLASS	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	CAUSES OF DEATH. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases	Total Cols. 10-18.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal)	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS, ...	375,350	25·8	186	44	9	26	43	53	11	.	.	.	.	.	1	.	1	4	6	17	21	10	7	1	38	5	81	9
	CLASSES.																												
	Deaths in Families of the—																												
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	23·9	8	.	.	1	3	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	2	1	2	.
II.	MIDDLE CLASS, ...	87,188	15·0	25	2	5	4	4	7	3	.	.	.	.	.	.	.	.	.	.	5	3	1	1	.	3	1	14	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,423	19·4	41	8	1	7	10	13	2	.	.	.	.	.	1	.	1	.	2	3	7	1	1	.	7	2	18	2
IV.	GENERAL SERVICE CLASS, ...	154,279	24·0	71	27	2	9	15	15	3	.	.	.	.	.	.	.	.	1	1	8	4	5	3	1	18	1	30	5
V.	INMATES OF WORKHOUSES, ...	6,024	—	41	7	1	5	11	15	2	.	.	.	.	.	.	.	.	3	3	1	6	3	.	.	9	.	19	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	46·8	7	.	.	1	3	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	1	1	2	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,860	6·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	21·3	9	2	1	1	.	4	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	1	5	2
	6. Clerks and Commercial Assistants, ..	30,482	13·7	8	.	2	3	2	1	.	.	.	.	.	.	.	.	.	.	.	1	3	1	1	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	9·6	5	.	1	.	1	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	4	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	21·1	4	1	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.
	9. Building and Furnishing Trades, ...	29,801	21·0	12	2	.	1	3	6	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1	.	1	.	7	.
	10. Clothing Trades, ...	28,260	15·7	7	1	1	.	2	.	.	.	.	.	.	.	1	.	1	.	2	.	1	1	.	.	1	.	2	.
	11. Food Supply Trades, ...	9,242	11·3	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	22·3	18	3	.	2	4	2	2	.	.	.	.	.	.	.	.	.	.	3	2	.	.	.	3	2	3	2
	13. Petty Shopkeepers, ...	7,894	19·3	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c	13,425	35·0	9	1	.	2	1	3	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.	5	.
	15. Domestic Servants, ...	36,603	11·4	8	1	.	2	3	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	4	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	18·1	5	1	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	2	1
	17. Hawkers, Porters, Labourers, &c., ..	29,861	28·4	49	24	2	4	10	8	1	.	.	.	.	.	.	.	.	1	1	8	1	5	2	1	10	.	21	4
V.	INMATES OF WORKHOUSES.																												
	18. Workhouse Inmates, ...	6,024	—	41	7	1	5	11	15	2	.	.	.	.	.	.	.	.	3	3	1	6	3	.	.	9	.	19	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

DISTRICTS.	1910. Week ending	Annual Rate of Mortality per 1,000 Living. From all causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of), North City, No. 1 (E.)	Feb. 19,	31·4	3·5	18	.	.	1	.	.	.	.	.	1	2	1	1	1	2	1	.
	,, 26,	20·9	.	12	.	.	.	.	.	.	.	.	.	1	1	.	1	1	1	.
	Mar. 5,	26·2	.	15	.	.	.	.	.	.	.	.	.	1	1	.	1	3	2	3
(*Office*,	,, 12,	36·6	1·7	21	.	.	.	.	.	1	.	.	.	3	3	2	1	5	1	.
Clarence-st., Nth.	,, 19,	15·7	1·7	9	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.	.
	,, 26,	20·9	.	12	.	.	.	.	.	.	.	.	.	1	2	.	.	2	.	1
Pop. in 1910	Apr. 2,	22·7	.	13	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
(Est.) 29,908.	,, 9,	12·2	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	3	1	.
North City, No. 1 (W.)	Feb. 19,	30·0	1·3	23	.	.	.	.	.	.	.	.	1	2	2	1	.	5	.	.
	,, 26,	31·3	1·3	24	.	.	.	.	.	.	.	.	1	4	2	1	2	4	1	.
	Mar. 5,	37·8	3·0	29	.	.	.	.	1	.	.	1	1	2	3	3	2	7	.	1
(*Office*,	,, 12,	28·7	2·6	22	.	.	.	.	.	.	.	.	2	3	2	2	2	3	.	.
Summer-hill.)	,, 19,	23·5	1·3	18	.	.	.	.	.	.	.	.	1	4	1	1	1	6	.	.
	,, 26,	30·0	2·6	23	.	.	.	.	1	.	.	.	1	2	1	4	.	6	.	.
Pop. in 1910	Apr. 2,	17·0	1·3	13	.	.	.	.	.	.	.	1	.	2	.	1	2	1	2	2
(Est.) 39,974.	,, 9,	36·5	.	28	.	.	.	.	.	.	.	.	.	1	4	2	.	8	.	1
North City, No. 2.	Feb. 19,	35·6	.	21	.	.	.	.	.	.	.	.	.	4	2	.	2	4	.	.
	,, 26,	12·0	1·7	13	.	.	.	.	.	.	.	.	1	1	2	.	.	4	1	.
	Mar. 5,	32·2	3·4	19	.	.	1	.	1	.	.	.	.	2	3	1	.	2	.	.
(*Office*,	,, 12,	18·8	.	17	.	.	.	.	.	.	.	.	.	.	.	2	1	3	1	.
Lisburn-street.)	,, 19,	18·7	.	1	.	.	.	.	.	.	.	.	.	1	2	2	.	1	.	.
	,, 26,	32·2	1·7	19	.	.	.	.	1	.	.	.	.	1	4	.	.	6	.	.
Pop. in 1910	Apr. 2,	28·8	.	17	.	.	.	.	.	.	.	.	.	3	5	.	1	2	1	.
(Est.) 30,744.	,, 9,	23·4	1·7	15	.	.	.	.	.	.	.	.	1	.	1	.	1	3	1	1
North City, No. 3.	Feb. 19,	35·7	1·6	28	.	.	.	.	.	.	1	.	.	2	2	4	.	4	.	.
	,, 26,	4·2	.	31	.	.	.	.	.	.	.	.	.	3	3	3	1	5	1	.
	Mar. 5,	18·6	.	12	.	.	.	.	.	.	.	.	.	2	4	.	.	1	.	.
(*Office*,	,, 12,	23·8	1·6	15	.	.	.	.	.	.	.	.	1	2	2	1	1	2	.	.
Benburb-street.)	,, 19,	24·9	1·6	16	.	.	.	.	.	.	.	.	1	2	1	.	.	4	.	1
	,, 26,	31·1	1·6	20	.	.	.	.	.	.	.	1	.	.	4	.	1	2	.	.
Pop. in 1910	Apr. 2,	28·0	.	18	.	.	.	.	.	.	.	.	.	1	2	.	2	2	1	.
(Est.) 33,559.	,, 9,	32·6	3·1	21	.	.	.	.	.	.	.	.	2	1	2	1	.	4	1	1
South City, No. 1.	Feb. 19,	40·2	.	32	.	.	.	.	.	.	.	.	.	3	5	3	2	4	1	1
	,, 26,	33·9	.	27	.	.	.	.	.	.	.	.	.	2	4	2	.	6	.	.
	Mar. 5,	16·3	1·3	15	.	.	.	.	.	.	.	.	1	.	2	1	.	2	.	.
(*Office*,	,, 12,	31·4	.	25	.	.	.	.	.	.	.	.	.	3	3	2	1	8	.	2
Sth. Earl-street.)	,, 19,	17·6	.	14	.	.	.	.	.	.	.	.	.	3	1	.	1	1	.	1
	,, 26,	25·1	.	20	.	.	.	.	.	.	.	.	.	1	4	2	1	2	.	.
Pop. in 1910	Apr. 2,	20·1	.	16	.	.	.	.	.	.	.	.	.	1	1	.	.	6	1	.
(Est.) 41,476.	,, 9,	28·9	1·3	23	.	.	.	.	.	.	.	.	1	1	4	1	.	7	1	1
South City, No. 2.	Feb. 19,	19·2	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.
	,, 26,	43·1	.	18	.	.	.	.	.	.	.	.	.	.	1	.	1	5	.	1
	Mar. 5,	31·2	.	13	.	.	.	.	.	.	.	.	.	3	2	2	.	3	.	1
(*Office*,	,, 12,	21·6	.	9	.	.	.	.	.	.	.	.	.	.	4	.	.	1	.	1
Castle-street.)	,, 19,	21·6	.	9	.	.	.	.	.	.	.	.	.	.	1	2	2	1	.	.
	,, 26	21·6	.	9	.	.	.	.	.	.	.	.	.	1	3	.	1	1	.	.
Pop. in 1910	Apr. 2,	14·4	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1
(Est.) 21,754	,, 9,	14·4	.	6	.	.	.	.	.	.	.	.	.	1	1	1	.	1	1	1
South City, No. 3.	Feb. 19,	31·4	.	26	.	.	.	.	.	.	.	.	.	2	2	1	1	9	2	.
	,, 26,	35·0	1·2	29	.	.	.	.	.	1	.	.	.	2	2	1	4	6	.	.
	Mar. 5,	26·5	1·2	22	.	.	.	.	.	.	.	1	.	2	1	.	1	8	1	.
(*Office*,	,, 12,	21·7	2·4	18	.	.	.	.	2	.	.	.	.	3	2	1	.	5	.	1
Peter street.)	,, 19,	19·3	1·2	16	.	.	.	.	.	1	.	.	.	.	2	1	.	4	.	1
	,, 26,	27·7	1·2	23	.	1	.	.	.	.	.	.	.	4	2	2	.	6	.	2
Pop. in 1910	Apr. 2,	21·7	.	18	.	.	.	.	.	.	.	.	.	1	1	2	1	5	.	.
(Est.) 43,227.	,, 9,	32·6	2·4	27	.	.	.	.	.	1	.	1	.	4	1	3	3	3	.	.
South City, No. 4.	Feb. 19,	14·5	1·5	10	.	.	1	.	.	.	.	.	.	1	.	.	1	1	.	.
	,, 26,	30·5	1·5	21	.	.	1	.	.	.	.	.	.	5	1	3	1	6	.	.
	Mar. 5,	32·0	.	22	.	.	.	.	.	.	.	.	.	.	4	.	2	4	2	2
(*Office*,	,, 12,	23·3	.	16	.	.	.	.	.	.	.	.	.	.	2	.	2	1	.	1
Grand Canal-st.)	,, 19,	16·0	.	11	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.
	,, 26,	24·7	1·5	17	.	.	.	.	.	.	.	.	.	.	2	1	.	3	.	.
Pop. in 1910	Apr. 2,	17·4	.	12	.	.	.	.	.	.	.	.	1	1	2	.	.	2	.	.
(Est.) 35,881.	,, 9,	17·4	.	12	.	.	.	.	.	.	.	.	.	1	2	.	2	1	.	1
					.	.	.	.	.	.	.	.	.	2	2	1	.	1	.	1

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From all Causes	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From Diseases in Cols. 5–18.	Total Deaths.	NUMBER OF DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	Feb. 19,	15·5	1·4	11	.	.	.	.	1	.	.	.	.	1	1	.	.	3	.	3
	,, 26,	19·7	1·4	14	.	.	.	.	.	.	.	1	.	1	.	2	1	1	.	.
	Mar. 5,	19·7	1·4	14	.	.	.	.	1	.	.	.	.	2	3	.	.	4	.	.
	,, 12,	16·9	.	12	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.
	,, 19,	19·7	.	9	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	2
	,, 26,	15·5	.	11	.	.	.	.	.	.	.	.	.	.	2	.	1	3	.	.
	Apr. 2,	23·9	.	17	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.
	,, 9,	12·7	.	9	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	1
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	Feb. 19,	19·8	.	11	.	.	.	.	.	.	.	.	.	.	.	2	1	1	1	1
	,, 26,	21·6	1·8	12	.	.	.	.	.	.	.	.	1	1	1	1	1	1	1	1
	Mar. 5,	18·8	.	11	.	.	.	.	.	.	.	.	.	1	2	.	.	3	.	1
	,, 12,	25·2	.	14	.	.	.	.	.	.	.	.	.	1	3	.	2	4	1	.
	,, 19,	25·2	1·8	14	.	.	.	.	.	.	.	1	.	1	1	1	.	1	.	.
	,, 26,	7·2	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.
	Apr. 2,	10·8	.	6	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.
	,, 9,	19·8	.	11	.	.	.	.	.	.	.	.	.	1	1	.	2	2	.	1
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	Feb. 19,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	,, 26,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	Mar. 5,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	,, 12,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	,, 19,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
	,, 26,	23·7	.	8	.	.	.	.	.	.	.	.	.	2	.	.	1	2	1	.
	Apr. 2,	20·7	3·0	7	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.
	,, 9,	29·6	.	10	.	.	.	.	.	.	.	.	.	4	.	.	.	3	.	.
Belfast. Pop. in 1910 (Est.) 391,167.	Feb. 19,	20·8	2·8	156	.	1	.	.	17	.	.	1	2	11	14	8	6	19	5	5
	,, 26,	18·7	2·8	140	.	.	1	.	14	1	1	.	.	16	20	7	5	21	3	2
	Mar. 5,	22·0	1·9	165	.	1	.	.	11	.	.	.	2	12	13	9	8	24	10	2
	,, 12,	21·6	2·1	162	.	1	.	.	12	.	.	1	2	10	26	7	5	22	9	1
	,, 19,	21·7	2·5	163	.	5	2	.	12	.	.	.	.	12	18	9	9	24	5	1
	,, 26,	16·7	1·9	125	.	3	.	.	10	.	.	.	1	8	10	8	10	16	3	1
	Apr. 2,	18·4	2·3	138	.	6	2	.	6	1	.	1	1	14	20	9	4	16	.	2
	,, 9,	22·4	3·2	168	.	11	.	.	12	1	.	.	.	19	24	12	8	21	4	1
Cork. Pop. (in 1901) 76,122.	Feb. 19,	26·7	1·4	39	.	.	.	.	1	.	.	.	1	2	3	3	1	11	.	5
	,, 26,	23·3	0·7	34	.	.	.	.	.	.	.	1	.	2	5	7	2	3	.	1
	Mar. 5,	23·3	.	34	.	.	.	.	.	.	.	.	.	1	4	3	3	5	.	2
	,, 12,	20·5	.	30	.	.	.	.	.	.	.	.	.	3	6	1	.	3	.	3
	,, 19,	19·9	.	29	.	.	.	.	.	.	.	.	.	1	2	.	.	9	2	2
	,, 26,	22·6	.	33	.	.	.	.	.	.	.	.	.	2	8	2	3	1	.	1
	Apr. 2,	32·9	9·1	48	.	.	.	.	.	1	.	.	2	3	6	3	1	6	2	5
	,, 9,	34·3	.	50	.	.	.	.	.	.	.	.	.	3	7	2	4	6	.	5
Londonderry. Pop. in 1910 (Est.) 43,477.	Feb. 19,	14·4	.	12	.	.	.	.	.	.	.	.	.	1	1	.	4	2	1	.
	,, 26,	10·8	.	9	.	.	.	.	.	.	.	.	.	2	2	.	.	1	.	.
	Mar. 5,	25·2	.	21	.	.	.	.	.	.	.	.	.	3	2	2	2	4	1	.
	,, 12,	18·0	3·6	15	.	1	.	.	.	.	.	.	2	.	2	2	1	1	.	2
	,, 19,	9·6	.	8	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.
	,, 26,	23·8	1·2	19	.	1	.	.	.	.	.	.	.	1	4	1	1	3	.	2
	Apr. 2,	13·2	1·2	11	.	.	.	.	.	.	.	.	1	1	1	.	.	1	.	.
	,, 9,	15·6	.	13	.	.	.	.	.	.	.	.	.	2	2	2	.	3	.	1
Limerick. Pop. (in 1901) 38,151.	Feb. 19,	12·3	.	9	.	.	.	.	.	.	.	.	.	.	2	.	1	2	.	1
	,, 26,	21·9	2·7	16	.	.	.	.	2	.	.	.	.	1	2	.	1	4	.	3
	Mar. 5,	13·7	4·1	10	.	.	.	.	2	.	.	.	1	1	.	.	.	.	.	.
	,, 12,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	5	.	.	1	.	2
	,, 19,	19·1	2·7	14	.	.	.	.	1	.	.	.	1	.	.	1	1	5	.	3
	,, 26,	27·3	2·7	20	.	.	.	.	2	.	.	.	.	2	1	1	.	2	.	2
	Apr. 2,	23·2	.	17	.	.	.	.	.	.	.	.	.	1	2	.	.	2	.	2
	,, 9,	17·8	.	13	.	.	.	.	.	.	.	.	.	1	1	.	.	4	.	1
Waterford. Pop. (in 1901) 26,769.	Feb. 19,	23·2	1·9	15	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	3
	,, 26,	17·5	.	9	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	2
	Mar. 5,	17·5	.	9	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2
	,, 12,	27·3	3·9	14	.	.	.	1	1	.	.	.	.	1	5	.	.	1	.	1
	,, 19,	13·6	1·9	7	.	.	.	.	.	.	.	.	1	.	3	.	.	2	.	1
	,, 16,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	Apr. 2,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	1	3	.	1	.	.	2
	,, 9,	17·5	.	9	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 9th April, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	BIRTHS	DEATHS																												
			Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.						DEATHS FROM																			
			All Causes.	Diseases in Cols. 12-20.		Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexiæ* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)		
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,		11			7	1	1	2	1	1	1	.	.	.	.	1	.	.	.	.	.	3	.	.	1	.		5	.		
Do. 2 do.		31			24	7	3	5	3	1	5	.	2	.	.	1	1	.	.	.	1	1	.	.	1	1	3	9	.		
Do. 3 do.		28			23	5	6	4	1	2	5	.	5	.	.	.	.	.	.	.	4	1	1	1	4	.	.	8	.		
Do. 4 do.		21			18	2	2	3	4	4	3	.	1	.	.	1	.	.	.	.	.	6	1	2	3	1	2	10	.		
Do. 5 do.		15			10	5	.	.	1	1	3	.	.	.	.	2	.	.	.	.	.	2	.	1	.	1	1	3	.		
Do. 6 do.		19			13	1	2	.	2	4	4	.	1	.	.	1	.	.	.	.	.	3	1	1	1	.	.	2	.		
Do. 7 do.		4			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Do 8 do.	349,180	2			4	1	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.		
Do. 9 do.		11			13	1	4	1	3	4	.	.	.	.	.	.	.	.	.	.	6	3	2	.	.	.	1	.		
Do 10 do.		17			8	2	2	1	.	3	.	.	.	.	.	.	.	.	.	.	1	1	2	.	4	.	.	1	.		
Do. 11 do.		36			12	2	4	1	2	1	2	.	1	.	.	1	.	.	.	.	1		3	1	1	.	.	1	.		
Do. 12 do.		32			16	4	2	1	1	3	5	.	.	.	.	.	.	.	.	.	2	.	1	1	5	.	.	4	.		
Do. 13 do.		11			5	1	1	.	2	.	1	.	.	.	.	2	.	.	.	.	.	1	.	.	1	.	.	1	.		
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Do. 15† do.		16			15	2	6	.	1	2	4	.	1	.	.	3	.	.	.	.	4	.	.	1	.	.	.	5	1		
Total. . . .	—	254	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		168	34	33	19	21	27	34	.	11	.	.	12	1	.	.	.	19	24	12	8	21	4	7	45	1		
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	12,867	7	44·6	.	11	1	.	.	3	.	7	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	.	5	.		
Do. 2 do.	10,701	2	19·5	.	4	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1		
Do. 3 do.	9,978	4	26·1	.	5	.	1	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.		
Do. 4 do.	8,666	1	36·1	.	6	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	2	2		
Do. 5 do.	6,592	2	59·6	.	5	1	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.		
Do. 6 do.	10,702	2	39·0	.	8	2	.	.	1	4	1	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	5	.		
Do. 7 do.	16,616	6	34·5	.	11	1	.	.	3	1	6	.	.	.	.	.	.	.	.	.	1	3	.	1	.	.	.	5	2		
Total. . . .	76,122	24	34·2	.	50	8	3	1	7	9	22	.		.	.	.	.	.	.	.	3	7	2	4	6	.	.	18	5		

* Formerly described as Simple Continued Fever

† New district formed as from 1st Jan., 1910, and the boundaries of Nos. 1, 4 & 6 districts altered; the population of each of these districts, as at present constituted, is not available.

TABLE IX.—**City of Belfast.**—Comparative Tables of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1909-10—Week ending																								
	Oct. 16.	Oct. 23.	Oct. 30	Nov. 6.	Nov. 13	Nov. 20	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.
No. of weeks in annual Series, ..	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14
BIRTHS registered, ...	228	218	202	205	174	180	168	189	190	181	170	215	278	192	180	216	214	213	196	202	239	201	240	208	207	254
DEATHS registered, ...	104	96	116	116	130	134	167	147	218	177	144	192	148	170	125	151	165	172	156	140	165	162	163	125	139	168
Annual Death rate per 1,000 of estimated Population, ...	14·0	12·9	15·6	15·6	17·5	18·1	22·5	19·8	29·4	23·9	19·4	25·9	19·7	22·7	16·7	20·1	22·0	22·9	20·8	18·7	22·0	21·6	21·7	16·7	18·4	22·4
AGES — Under 1 year, ...	24	17	22	28	30	28	41	44	62	41	33	48	36	48	29	33	28	37	31	23	33	31	29	27	27	34
AGES — 1-5 years, ...	8	11	14	11	8	14	27	14	21	18	22	25	23	21	20	21	28	21	20	21	21	16	27	15	21	33
AGES — 5-20 years, ...	9	9	9	7	11	4	11	10	18	13	10	12	8	9	9	14	2	8	13	12	11	14	16	7	18	19
AGES — 20-40 years, ...	23	14	27	22	23	22	20	20	31	22	23	28	17	24	17	22	30	18	26	19	29	26	18	19	16	21
AGES — 40-60 years, ...	15	26	13	19	27	28	31	23	33	33	20	34	26	28	23	21	30	42	31	36	37	40	35	28	22	27
AGES — 60 years and upwards, ..	25	19	31	29	31	38	37	36	53	50	36	45	38	40	27	40	47	46	35	29	34	35	38	29	34	34
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	5	3	6	11
Scarlet Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	2	.	2	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	2	.	5	4	4	4	7	6	15	9	10	13	12	13	13	13	19	15	17	14	11	12	13	10	6	12
Diphtheria, ...	.	.	.	.	1	.	.	1	.	.	.	1	1	.	1	.	.	.	.	1	.	.	.	.	1	1
*Pyrexia** (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Enteric Fever, ...	3	.	.	.	2	.	.	.	1	.	.	.	2	.	.	1	.	.	1	.	.	1	.	.	1	.
Diarrhœal Diseases, ...	5	5	3	4	2	2	1	3	2	1	1	1	2	.	.	.	2	.	3	.	2	2	.	1	1	.
Pneumonia, ...	9	5	8	15	13	17	25	31	25	28	22	34	12	20	9	16	14	16	11	16	12	10	12	8	14	19
Tuberculous Disease, Phthisis, ..	11	9	14	6	14	8	8	11	26	14	17	13	14	14	12	15	15	15	14	20	23	26	18	10	20	24
Tuberculous Disease, Other Forms, ..	5	5	10	2	11	3	16	4	11	4	4	6	4	10	3	10	8	4	8	7	9	7	9	8	9	12
Cancer, Malignant Disease, ..	2	4	3	5	7	7	1	3	7	5	5	3	2	10	5	4	8	7	6	5	3	5	9	10	4	8
Diseases of Respiratory System,	10	12	14	21	17	31	42	41	53	37	39	41	28	31	21	29	28	40	19	21	24	22	24	16	16	21
Violent Deaths, ...	2	4	2	3	2	2	3	5	5	6	4	3	3	3	5	7	2	2	5	3	10	9	5	3	.	4
Number of Uncertified Deaths, ..	.	1	1	2	1	.	1	3	3	2	3	1	2	1	6	3	2	1	5	2	2	1	1	1	2	1

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	Apr. 9,	2,420	1,377	14·7	.	33	4	6	45	2*a*	11
EDINBURGH, ...	360,276	„ 9,	156	100	14·5	.	11	1	2	2	.	1
GLASGOW, ...	884,505	„ 9,	492	312	18·4	.	15	6	6	2	1	11
CALCUTTA, ...	1,009,008	Mar. 5,	.	523	26·9	2	10	.	2	1	116‡	100*
BOMBAY, ...	977,822	„ 8,	347	796	42·3	53	2	.	.	.	183‡	71*
MADRAS, ...	509,346	Feb. 18,	288	376	38·3	1	6	?	?	?	127	40
CAIRO, ...	677,663	„ 18,	515	385	29·6	.	5	.	8†	?	4*a*	29
PARIS, ...	2,760,000	Mar. 5,	989	970	18·4	6	24	4	9†	6	5*a*	23
BRUSSELS, ...	720,030	„ 19,	239	189	13·6	.	1	.	2†	3	.	6
ANTWERP, ...	317,171	„ 19,	131	67	11·0	.	2	.	.	2	.	4
AMSTERDAM, ...	569,712	„ 19,	266	150	13·7	.	1	.	1†	2	.	1
COPENHAGEN, ...	450,000	„ 19,	249	125	14·5	.	.	.	.	2	.	3
STOCKHOLM, ...	339,582	„ 19,	175	135	20·7	.	6	3	3†	1	.	5
CHRISTIANIA, ...	235,674	„ 26,	134	52	11·5	.	.	.	.	.	1*a*	.
ST. PETERSBURG, ...	1,620,000	„ 5,	1,152	773	24·9	4	54	14	12	8	17	80
MOSCOW, ...	1,493,600	Feb. 26,	.	719	25·1	11	19	21	37†	8	6	37
BERLIN, ...	2,127,772	Mar. 5,	824	597	14·6	.	4	6	17†	7	2	32
HAMBURG, ...	895,804	„ 19,	.	236	13·7	.	4	1	10†	2	1	14
BRESLAU, ...	510,053	„ 19,	.	186	19·0	.	.	.	.	.	1	11
MUNICH, ...	576,000	„ 26,	.	214	19·3	.	2	.	4†	3	.	21
VIENNA (with suburbs),	2,085,888	„ 19,	794	705	17·6	.	20	5	7†	3	2*a*	23
BUDA-PESTH, ...	833,703	„ 19,	447	347	21·6	.	10	7	2†	3	3	24
PRAGUE and Fauxbourgs.	494,531	„ 5,	217	224	23·5	1	3	.	1†	1	.	13
TRIESTE, ...	218,727	„ 12,	158	124	29·6	.	10	.	.	3	1*a*	1
ROME, ...	584,308	Feb. 5,	288	254	22·7	.	5	1	2	.	4	7
		„ 12,	286	239	21·3	.	6	.	7	1	4	10
VENICE, ...	183,224	„ 19,	94	75	21·3	.	1	.	2	.	1	4
NEW YORK, ...	4,711,956	Mar. 12,	2,447	1,477	16·4	.	33	30	44†	2	6*a*	42
PHILADELPHIA, ..	1,598,400	Feb. 19,	.	642	20·9	.	2	3	13†	3	12*a*	27
BOSTON, ...	629,868	Mar. 19,	.	241	19·9	.	4	1	3	.	.	6

* Including 49 deaths from cholera in Calcutta and one in Bombay.
† Including deaths from croup.
‡ Including 29 deaths from plague in Calcutta and 121 in Bombay.
a Enteric Fever.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 9th April, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	2	1	.	.	.	.	.	1	.	.	.	4
" " 1, West,	.	1	.	.	.	.	.	.	1	.	.	.	2
" " 2,	.	.	.	.	.	.	.	1	1	.	.	.	2
" " 3,	.	.	2	.	2	.	.	2	1	.	.	2	9
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	1	.	.	.	.	.	.	1	.	.	.	2
South City No. 1,	.	.	.	.	1	.	.	4	4	.	.	5	14
" " 2,	.	.	.	.	.	.	.	.	.	.	.	1	1
" " 3,	.	.	.	.	2	.	1	.	.	.	.	.	3
" " 4,	.	1	.	.	.	.	.	1	2	.	.	1	5
New Kilmainham,	.	.	.	.	1	.	.	1	.	.	.	.	2
Total,	.	5	3	.	6	.	1	9	11	.	.	9	44

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 9th April, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 9th April.			
	Mar. 19.	Mar. 26.	April 2.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	6	3	3	.	1	.	2
Scarlet Fever,	72	57	62	8	8	.	62*
Typhus,	.	.	3	4	.	1	6
Diphtheria,	44	36	34	11	8	.	37
Enteric Fever,	30	26	22	6	4	1	23
Pneumonia,	37	36	35	11	9	1	39

* Exclusive of 6 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.Sc., F.R.MET.SOC., reports as follows on the weather during the week ended 9th April, 1910:—

"The week opened with a winter's day, but closed with springlike conditions. The early hours of Sunday were cold and rainy. At midday the weather was fair but cold. At 3.15 p.m. a hail-shower whitened the ground for a while, and thunder occurred to the southward of Dublin, as the shower passed off. Flashes of sheet lightning were seen after dusk. The following three days were cold, cloudy and dull, with showers at times. During all this period a large but shallow depression extended over France, the Netherlands, and Great Britain. Its centre travelled slowly northwards from the vicinity of Paris (on Sunday morning) to the mouth of the Humber, which it reached on Tuesday morning, when the barometer fell to 29·57 inches at Spurn Head. The system then changed its course, passing southwestwards to the Cornish Peninsula, over which it lay on Wednesday and Thursday. All this time the N. and E. winds of the depression were blowing over Ireland, in which country the weather was cold, dull, and showery. A thunderstorm, with heavy rain, was experienced on the Sussex coast on Wednesday evening; and Bath received 1·23 inches of rain in the 24 hours ended 7 a.m. of Thursday. From this time to the close of the week an anticyclone of moderate intensity, drifting slowly southwards across Scotland and Ireland from the Norwegian Sea, dominated the weather in Ireland. The N.E. winds died out, and on Saturday a mild N.W. wind off the Atlantic took their place, causing the thermometer to rise in Dublin from 33·8° to 55·4° within a few hours. In this city the mean height of the barometer was 29·986 inches, pressure ranging between 29·831 inches at 9 p.m. of Monday (wind, N.) and 30·161 inches at 9 p.m. of Friday (wind, calm) and 9 a.m. of Saturday (wind W.). The corrected mean temperature was 43·8°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 43·3°. The screened thermometers fell to 33·8° on Saturday, and rose to 55·4° on the afternoon of the same day. N. and N.E. winds prevailed. The rainfall was ·150 inch on four days, ·055 inch being recorded on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·811 inches. The highest reading (29·989) was on Friday at 9 p.m., air calm, and the lowest (29·658) on Tuesday at 9 p.m., wind N.W.

The mean temperature for the week was 41·7°, being 2·5° below the average for the corresponding period of the 10 years, 1900–1909. The temperature was highest on Saturday, on which day the thermometer registered 55·2°, and was also lowest on that day, the mercury having fallen to 28·4°. The mean of the Dry Bulb for the week was 41·3° and of the Wet Bulb 40·5°. The mean humidity of the air was ·93, complete saturation being represented by 1·0. The rainfall during the week measured 0·205 inch.

At Greenwich the mean temperature for the week was 42·8°, the maximum 56·0°, and the minimum 25·5°; at Glasgow the maximum was 56·0°, the minimum 32·0°, and the mean 43·2°; and at Edinburgh the maximum was 53·9°, the minimum 35·6°, and the mean 41·3°. The rainfall at Greenwich measured 0·11 in., at Glasgow 0·16 in., and at Edinburgh 0·25 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY.			BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
			Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.				9 A.M.	9 P.M.
			(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) In.		
Sunday,	April	3,	29·699	45·1	28·9	37·0	37·4	36·9	·96	6	6·3	·040	W.N.W.	N.W.
Monday,	,,	4.	29·683	45·7	33·9	39·8	41·1	40·2	·91	·6	4·2	·070	N.N.W.	N.W.
Tuesday,	,,	5	29·659	49·5	37·7	43·6	42·2	41·3	·91	·6	2·7	086	N.N.E.	N.W.
Wednesday,	,,	6,	29·750	50·5	40·7	45·6	43·9	43·3	·96	·6	3·6	·009	S.E.	N.E.
Thursday,	,,	7.	29·934	49·7	40·2	45·0	44·4	43·2	·91	·7	7·8	·000	E.N.E.	N.E.
Friday,	,,	8,	29·980	46·9	30·9	38·9	37·4	36·6	·87	·7	3·8	·000	N.E.	Calm.
Saturday,	,,	9,	29·974	55·2	28·4	41·8	43·0	42·2	·93	·7	5·2	·000	W.S.W.	W.
Mean,			29·811	48·9	34·4	41·7	41·3	40·5	·93	·6	Total 33·6	Total ·205	Prevailing Wind, N.E. to N.W.	

Sunday—Day cloudy, drizzle and hail p.m.; night cloudy, light rain a.m. *Monday*—Day cloudy to overcast hail, rain p.m.; night cloudy, drizzle a.m. *Tuesday*—Day overcast to cloudy, drizzle p.m.; night overcast, rain a.m. *Wednesday*—Day cloudy, drizzle a.m. and p.m.; night clear. *Thursday*—Bright a.m., cloudy p.m; night clear. *Friday*—Day cloudy, fine; night clear. *Saturday*—Day cloudy, fine; night cloudy.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, April 9th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY			Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperatures in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
				1 Foot.	4 Feet.	Max.	Min.	Mean.		
			°	°	°	°	°	°	hrs	ins.
Sunday,	April	3	38·8	43·2	45·1	46·6	35·1	40·9	3·80	·040
Monday,	,,	4,	42·1	43·2	45·0	47·7	36·5	42·1	1·90	·055
Tuesday,	,,	5,	43·8	43·5	45·0	50·0	38·5	44·3	2·50	·045
Wednesday,	,,	6,	42·1	44·0	45·0	51·5	40·9	46·2	2·70	·010
Thursday,	,,	7.	47·5	45·0	45·1	50·3	41·5	45·9	7·00	—
Friday,	,,	8,	44·5	45·2	45·1	46·9	39·0	43·0	1·65	—
Saturday,	,,	9,	45·2	44·3	45·2	55·6	39·0	47·3	3·25	—
Weekly Mean,			43·4	44·1	45·1	49·8	38·6	44·2	Total 22·80	Total ·150

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

28409. Wt. P. 1—80/137, 375. 4. 1910. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 16TH APRIL, 1910. [No. 15.

General Register Office, Charlemont House, Dublin, 18th April, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 23·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending Mar. 26.	April 2.	April 9.	April 16.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending Mar. 26.	April 2.	April 9.	April 16.	Average Rate for 4 weeks.
22 Town Districts.	**21·1**	**20·7**	**23·2**	**23·2**	**22·1**	Limerick, . . .	27·3	23·2	17·8	20·5	22·2
						Lisburn, . . .	40·9	4·5	36·4	36·4	29·5
Armagh, . . .	27·5	27·5	34·4	13·7	25·8	Londonderry, . .	22·8	13·2	15·6	20·4	18·0
Ballymena, . . .	14·4	14·4	14·4	19·2	15·6	Lurgan, . . .	35·4	22·1	17·7	8·9	21·0
Belfast, ...	16·7	18·4	22·4	24·9	20·6	Newry, . . .	29·4	21·0	21·0	29·4	25·2
Clonmel, . . .	15·4	46·2	35·9	20·5	29·5	Newtownards, . .	22·9	11·4	17·2	34·3	21·5
Cork, ...	22·6	32·9	34·2	22·6	28·1	Portadown, . .	15·5	20·7	25·8	31·0	23·2
Drogheda, . . .	28·6	24·5	32·7	32·7	29·6	Queenstown, . .	13·2	13·2	33·0	19·8	19·8
Dublin Reg. Area, .	22·6	19·8	23·4	21·5	21·8	Sligo, ...	14·4	52·8	19·2	9·6	24·0
Dundalk, . .	23·9	23·9	39·9	12·0	24·9	Tralee, . . .	37·0	15·9	5·3	26·4	21·2
Galway, . . .	27·2	38·8	27·2	35·0	32·0	Waterford, . . .	11·7	19·5	17·5	33·1	20·5
Kilkenny, . . .	44·2	19·7	.	14·7	19·7	Wexford, . . .	28·0	23·3	14·0	23·3	22·1

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·8 per 1,000, the rates varying from 0·0 in sixteen of the districts to 7·8 in Galway, the 9 deaths from all causes for that district including one from typhus and one from diarrhœa. Among the 187 deaths from all causes for Belfast are 17 from measles, 5 from whooping-cough, one from diphtheria, one from *pyrexia* (origin uncertain), and one from diarrhœa. Of the 17 deaths from all causes for Waterford 2 are from typhus and one from diarrhœa. Included in the 8 deaths from all causes for Drogheda is one from whooping-cough, and one death from whooping-cough is also among the 5 deaths from all causes for Tralee.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 217—115 boys and 102 girls—and the deaths to 183—86 males and 97 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 16) of persons admitted into public institutions from localities outside the Area, represent an annual rate of 21·5 per 1,000 of the population, the rate for the total deaths registered in the Area being 23·7 per 1,000. During

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*). Table II. ‡ See columns 10-18 of Table II.

the fifteen weeks, ending with Saturday last, the death-rate averaged 24·9, and was 3·3 below the mean rate for the corresponding portions of the ten years 1900–9.

The total deaths from all causes included 2 deaths from typhus, 2 from whooping-cough, one death from enteric fever, and 2 deaths from epidemic diarrhœa of infants under one year; there was also registered at this age the death of one infant from enteritis. In each of the three preceding weeks, deaths from typhus were 0, 0, and 0; deaths from whooping-cough were 2, one, and 0; deaths from enteric fever were one, 4, and one; and deaths from diarrhœal diseases were 3, 0, and 4. Deaths from influenza, which were, respectively, 6, 6, and 3 in the three preceding weeks, numbered 5 in the period under notice.

Of 13 deaths from pneumonia (all forms), 2 were attributed to lobar pneumonia, 7 to broncho-pneumonia, one to epidemic pneumonia, and 3 to *pneumonia* (not defined).

There were 31 deaths from all forms of tuberculous disease, namely, 22 deaths from tuberculous phthisis (*phthisis*), 5 from tuberculous meningitis, and 4 from other forms of the disease; in each of the three preceding weeks tuberculous disease caused 36, 18, and 31 deaths.

Carcinoma caused 4 deaths, and 6 deaths were from cancer (undefined).

The deaths of 4 infants, prematurely born, were recorded.

Among the deaths (9) from diseases of the brain and nervous system there were 4 from convulsions, 2 being of infants under one year, and 2 of children between the ages of one year and 5 years.

Twenty-eight deaths are accounted for by diseases of the heart and blood vessels, and deaths from bronchitis numbered 39.

Of 3 deaths from accident or negligence, 2 were by burns of children, aged 11 and 14 years, respectively.

In 12 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 7 children under 5 years of age (including 6 infants under one year old) and the deaths of 4 persons aged 60 years and upwards.

Thirty-seven of the persons whose deaths were registered during the week were under 5 years of age (25 being infants under one year, of whom 7 were under one month old) and 73 were aged 60 years and upwards, including 38 persons aged 70 and upwards, of whom 12 were octogenarians, and 4 (one male and 3 females) were stated to have been aged 94, 90, 92 and 95 years, respectively.

Ninety-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 23 took place in the North Dublin Union Workhouse and 12 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·5 per 1,000; the rate in the City was 23·0 (North City Districts, 24·0; South, 22·0) and in the Suburbs, 16·3.

The deaths from certain epidemic diseases* in the entire area equal an annual rate of 0·9 per 1,000 inhabitants, the rate for the City being 1·0 (1·6 in the North City Districts, and 0·3 in the South), and for the Suburbs, 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (15) are equal to an annual rate of 26·2 per 1,000, and include 2 deaths from influenza, one death from epidemic pneumonia, 4 deaths from tuberculous phthisis (*phthisis*), and 5 deaths from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (19) are equal to an annual rate of 24·8 per 1,000. Whooping-cough and influenza each caused one death, there were 5 deaths from pneumonia, 2 deaths from tuberculous disease, 4 deaths from bronchitis, and one accidental death.

No. 2 North City District (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 23·7 per 1,000. Among the deaths were one from each of broncho-pneumonia and tuberculous phthisis, 4 deaths from bronchitis, and one death by burns.

No. 3 North City District (Benburb-street).—The deaths (17) represent an annual rate of 26·4 per 1,000. Typhus caused 2 deaths, there were 2 deaths from epidemic diarrhœa, 2 deaths from *pneumonia* (not defined), 4 deaths from tuberculous phthisis (*phthisis*), and 4 deaths from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·4 per 1,000 inhabitants; Coolock and Drumcondra, part of, 13·5; and Finglas and Glasnevin, part of, 20·3. Of the 3 deaths from all causes for Finglas and Glasnevin, part of, one was caused by broncho-pneumonia, and one by tuberculous disease.

No. 1 South City District (South Earl-street).—The deaths (21) represent an annual rate of 26·4 per 1,000. The deaths included 2 from broncho-pneumonia, 2 from tuberculous disease, and 7 deaths from bronchitis.

No. 2 South City District (Castle-street).—The deaths (4) are equal to an annual rate of 9·6 per 1,000. Of the deaths 2 were caused by bronchitis

No. 3 South City District (Peter-street).—The deaths (24) are equal to an annual rate of 29·0 per 1,000, and include one from lobar-pneumonia, 6 from tuberculous disease, and one death from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (11) are equivalent to an annual rate of 16·0 per 1,000. Among the deaths there was one from tuberculous phthisis, and there were 6 from bronchitis.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 23·0 per 1,000. One death from enteric fever, and one from *phthisis* are included in the 4 deaths from all causes recorded.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 12·7; Pembroke, 18·0; Blackrock, 5·8; and Kingstown, 26·6. The only death from any of the principal epidemic diseases tabulated for these districts was one from whooping-cough for Pembroke. Of the 9 deaths from all causes for Rathmines and Rathgar one was from influenza, 3 were from tuberculous phthisis (*phthisis*), and 2 from bronchitis; the 10 deaths from all causes for Pembroke include one from influenza, one from *phthisis*, and 2 from bronchitis; and among the 9 deaths from all causes for Kingstown was one from bronchitis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly rnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett xecutive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for embroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by Dr. R. A. 'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District: and by Dr. Bailie, Medical uperintendent Officer of Health for the City of Belfast.

ABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 16th April, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Mar. 26,	.	—	—	5	1	.	3	.	1	4	18	.	—	—	.	—	20	—	52
	Apr. 2,	.	—	—	7	1	.	5	.	.	5	16	.	—	—	.	—	17	—	51
	Apr. 9,	.	—	—	5	3	.	6	.	1	9	11	.	—	—	.	—	9	—	44
	Apr. 16,	.	—	—	7	3	.	3	.	1	5	9	.	—	—	.	—	19	—	47
Rathmines and Rathgar Urban District.	Mar. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Apr. 2,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	—	—	—	—	3
	Apr. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Apr. 16,	.	—	—	1	.	.	3	.	.	.	.	.	—	—	—	—	—	—	4
Pembroke Urban District.	Mar. 26,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	—	.
	Apr. 2,	.	.	.	.	.	.	1	.	.	.	1	.	—	1	.	—	—	—	3
	Apr. 9,	.	.	.	1	.	.	.	.	2	.	1	.	—	5	.	—	—	—	9
	Apr. 16,	.	.	.	.	.	.	1	.	.	.	.	.	—	1	.	—	—	—	2
Blackrock Urban District.	Mar. 26,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Apr. 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Apr. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Apr. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Mar. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Apr. 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Apr. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Apr. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	1
City of Belfast.	Mar. 26,	.	—	—	12	1	.	2	.	1	1	4	.	—	—	—	—	19	—	40
	Apr. 2,	.	—	—	12	.	.	5	.	.	2	2	.	—	—	—	—	24	—	45
	Apr. 9,	.	—	—	7	1	.	9	.	.	4	7	.	—	—	—	—	28	—	56
	Apr. 16,	.	—	—	7	.	.	6	.	.	2	10	1	—	—	—	—	12	—	38

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 16th April, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Two cases of measles were admitted to hospital during the week, one was discharged, and 3 cases remained under treatment at its close.

Thirteen cases of scarlet fever were admitted to hospital, 16 were discharged, and 59* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 57, 62, and 62, respectively.

One case of typhus was admitted to hospital during the week, there was one death and 6 cases remained under treatment at its close.

Seven cases of diphtheria were admitted to hospital, 10 were discharged, and 34 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 36, 34, and 37, respectively.

Four cases of enteric fever were admitted to hospital during the week, 4 were discharged, and 23 cases remained under treatment in hospital at the close of the week.

In addition to the above named diseases, 24 cases of pneumonia were admitted to hospital, 8 were discharged, there were 2 deaths, and 53 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 14·8) was equal to an average annual death-rate of 15·0 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 18·5 per 1,000, the rate for Glasgow being 19·8 and for Edinburgh 16·5.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 16th April. From this Report it appears that of a total of 53 cases notified, 25 were phthisis, 17 scarlet fever, 5 diphtheria, 5 erysipelas and one cerebro-spinal fever. Among the 372 cases of infectious diseases in hospital at the close of the week were 200 cases of scarlet fever, 51 of measles, 51 of phthisis, 28 of diphtheria, 18 of whooping-cough, 10 of erysipelas, 3 of enteric fever, 2 of chicken-pox, 2 of cerebro-spinal fever, and one of puerperal fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 16th April, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 16TH APRIL, 1910.																										METEOROLOGY. (*d*)											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																							WEEK ENDING 16TH APRIL, 1910.				WEEK ENDING 9TH APRIL, 1910.				WEEK ENDING 2ND APRIL, 1910.			
	POPULATION.		DEATHS.			BIRTHS.	DEATHS.																						Air Temperature				Air Temperature				Air Temperature			
	Total.(*a*)	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10–18.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by																	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
										Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia b* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.														
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·2	29·2	23·2	1·8	644	512	80	170	.	17	.	5	9	1	1	1	5	38	74	19	22	83	4	5	157	80	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:— TOTAL, *c.*	402,918	29·3	28·1	21·5	0·9	217	166	23	68	.	.	.	2	2	.	.	1	2	18	20	6	8	38	2	1	75	12	*c*57·8	30·7	48·0	0·74	*c*55·2	28·4	41·7	0·21	*c*51·9	23·8	39·7	0·04
CITY of DUBLIN,	310,298	32·2	31·3	23·0	1·0	186	137	19	58	.	.	.	2	1	.	.	1	2	18	16	6	6	38	2	1	69	8	*f*56·2 *g*56·8	35·0 30·0	43·9 43·7	0·84 0·94	*f*55·4 *g*55·8	33·8 30·0	43·8 42·8	0·15 0·17	*f*53·1 *g*53·9	32·0 24·0	43·4 40·4	0·05 0·07
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	19·7	12·7	.	14	9	2	3	.	.	.	.	.	.	.	.	.	.	3	.	.	2	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,918	18·2	14·4	18·0	1·8	8	10	1	6	.	.	.	.	1	.	.	.	.	.	1	.	1	2	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,018	8·3	11·6	5·8	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	20·7	16·6	.	7	9	1	5	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	55	34	44·5	0·82	56·0	35·0	41·7	0·12	53·0	30·5	42·8	0·01
URBAN DISTRICTS.																																							
BELFAST,	391,167	26·6	32·9	24·9	3·3	247	187	38	44	.	17	.	5	1	1	.	1		16	27	8	10	22	.	2	47	1	58·8	34·0	43·3	0·78	54·0	29·5	43·2	0·08	54·0	29·0	41·7	0·13
CORK,	76,122	33·6	34·2	22·6	.	50	33	2	15	.	.	.	.	.	.	.	.	.	3	9	1	2	2	1	1	11	2	51	35	44·2	1·11	51	35	43·4	0·28	51	33	43·4	0·18
LONDONDERRY,	43,477	20·1	19·2	20·4	.	16	17	1	6	.	.	.	.	.	.	.	.	.	1	2	.	1	3	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	19·1	20·5	.	14	15	1	7	.	.	.	.	.	.	.	.	.	.	3	.	.	6	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD,	26,769	18·7	37·0	33·1	5·8	19	17	6	1	.	.	.	2	.	.	.	1	2	1	2	1	.	1	.	.	9	3	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	2·5	23·3	35·0	7·8	6	9	2	3	.	.	.	1	.	.	.	.	1	1	.	.	.	2	.	.	1	3	57	30	43·5	0·64	56	34	45	0·04	60	35	43·4	0·08
DUNDALK	13,076	9·4	19·9	12·0	.	5	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	20·4	32·7	4·1	5	8	.	4	.	.	.	.	1	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,405	17·8	21·0	29·4	.	5	7	1	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	2	1	57·0	35·1	43·1	0·92	55·1	31·8	43·4	0·33	58·0	31·6	43·8	0·07
LURGAN,	11,782	13·8	26·6	8·9	.	6	2	.	1	.	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	1	.	57·0	35·1	43·1	0·92	55·1	31·8	43·4	0·33	58·0	31·6	43·8	0·07
LISBURN,	11,461	10·1	31·8	36·4	.	7	8	1	2	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.	1	.	57·0	35·1	43·1	0·92	55·1	31·8	43·4	0·33	58·0	31·6	43·8	0·07
WEXFORD,	11,168	23·2	18·7	23·3	.	4	5	1	1	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,886	8·9	19·2	19·2	.	4	4	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,870	8·7	14·4	9·6	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	57·9	27·6	42·1	0·41	56·4	27·0	43·1	0·08	58·8	28·2	43·4	0·41
KILKENNY,	10,609	11·5	14·7	14·7	.	3	3	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	1	58	28	42·7	0·68	55	29	43	0·29	55	25	42	0·03
CLONMEL,	10,167	7·8	30·8	20·5	.	6	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,092	13·2	36·2	31·0	.	7	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	57·0	35·1	43·1	0·92	55·1	31·8	43·4	0·33	58·0	31·6	43·8	0·07
TRALEE,	9,867	16·6	26·4	26·4	5·3	5	5	1	3	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	45·8	34·3	.	8	6	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	1	.	57	35	42·9	1·13	52	33	42·8	0·11	51	32	41·5	0·11
QUEENSTOWN,	7,909	14·4	26·4	19·8	.	4	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	51	35	44·2	1·11	51	35	43·4	0·28	51	33	43·4	0·13
ARMAGH,	7,588	22·2	20·6	18·7	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	57·0	35·1	43·1	0·92	55·1	31·8	43·4	0·33	58·0	31·6	43·8	0·07

(*a*) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (*b*) Formerly described as "Simple Continued Fever." (*c*) Exclusive of 17 deaths of persons (including 2 under one year old and 5 at 60 years or upwards), admitted to hospital from localities outside the Area. (*d*) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for

ɪLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 16th April, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																		TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF							
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist												
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.				
GENERAL DISEASES:																				
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.	.
Typhus,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.			2	.
Whooping-cough,	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.			2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.			1	.
Diarrhœal Diseases,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.			2	.
Pneumonia,	1	5	1	2	.	.	1	2	.	1	.	.	.	.	.	.			13	.
Tuberculous Disease. } Phthisis,	4	1	1	4	.	.	.	1	.	3	1	1	3	1	.	.			20	2
Tuberculous Disease. } Other Forms,	.	1	.	.	.	.	1	1	.	3	.	.	.	.	.	.			6	3
Cancer, Malignant Disease,	.	1	1	1	.	.	.	1	.	2	.	.	.	1	.	1			8	2
Other General Diseases,	2	1	2	.	.	1	.	1	1	2	1	.	1	1	.	.			13	3
Total,	7	10	5	11	.	1	2	6	1	11	2	2	4	4	.	1			67	10
LOCAL DISEASES:																				
Nervous System,	1	1	1	.	.	.	.	1	1	1	1	.	1	.	.	.			8	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.	.
Heart and Blood Vessels,	2	2	2	2	1	1	1	2	.	4	.	1	.	3	1	3			25	3
Respiratory System,	5	4	4	4	.	.	.	7	2	1	6	.	2	2	.	1			38	1
Digestive System,	.	.	.	.	.	1	.	2	.	5	.	.	.	1	.	1			10	1
Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.	.
Urinary System,	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.			2	.
Generative System,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.			1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.			1	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.	.
Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.	.
Total,	8	8	7	6	1	2	1	13	3	12	8	1	3	6	1	5			85	6
OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.	.
CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	.	1	.	1	.	.	2	.	1	1	1	2	.	.	3			12	.
VIOLENT DEATHS,	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.			2	1
Deaths from all Causes	15	19	14	17	2	3	3	21	4	24	11	4	9	10	1	9			166	17
Annual Rate of Mortality from all causes in every 1,000 of the population.	26·2	24·8	23·7	26·4	19·4	13·5	20·3	26·4	9·6	29·0	16·0	23·0	12·7	18·0	5·8	26·6			21·5	.
	24·0							22·0					16·3							
	23·0																			
Deaths. Under 1 year,	4	2	.	2	.	.	1	2	2	5	1	.	2	1	.	1			23	2
1 and under 5 years,	.	5	1	1	.	.	.	2	.	1	1	.	1	.	.	.			12	.
5 " 20 "	2	.	1	1	.	.	1	.	.	3	1	.	.	.	.	.			9	2
20 " 40 "	2	3	2	3	.	2	.	1	.	1	1	1	2	2	.	.			20	4
40 " 60 "	2	3	2	5	.	.	.	5	1	7	2	2	1	1	.	3			34	4
60 years and upwards,	5	6	8	5	2	1	1	11	1	7	5	1	3	6	1	5			68	5
Number of Uncertified Deaths,	1	.	.	.	1	.	2	2	1	.	1	.	3	1	.	.			12	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	4	8	3	4	.	2	1	.	1	7	4	2	1	4	.	.			41	16
Workhouse Hospitals,	4	5	3	5	.	.	.	4	1	3	3	.	1	.	.	.			34	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered i
week of the ten years 1900–190

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Averages in 15th Week of the 10 years, 1900–1909.	In the Week ending Saturday, 16th April, 1910.							
	April 14, 1900.	April 13, 1901.	April 12, 1902.	April 18, 1903.	April 16, 1904.	April 15, 1905.	April 14, 1906.	April 13, 1907.	April 11, 1908.	April 17, 1909.		Deaths of Persons of the Ages of							
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.				
Mean Temperature.	° 46·9	° 44·3	° 38·4	° 37·3	° 47·3	° 43·1	° 44·2	° 42·7	° 41·6	° 48·6	° 43·4	° 43·0							
ALL CAUSES.	230	242	206	186	186	167	174	207	178	220	199·6	183	7	18	12	11	24	38	57
Small-pox,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	2	.	3	.	4	4	1	7	4	6	3·1	.	.	.	.	.	.	.	.
Scarlet Fever,	.	2	.	3	.	1	.	.	1	1	·8	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	6	14	1	2	4	2	.	5	5	4	4·3	5	.	1	.	.	.	.	2
Whooping-cough,	1	8	2	1	11	3	3	7	1	11	4·8	2	.	1	1	.	.	.	.
Diphtheria,	2	.	1	.	1	1	.	2	.	2	·9	.	.	.	.	.	.	.	.
Cerebro-spinal Fever,	.	.	1	.	.	.	.	1	1	1	·4	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain)	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
Enteric Fever,	2	2	2	3	.	1	1	1	.	1	1·3	1	.	.	.	.	.	1	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.),	1	3	.	.	.	.	.	.	1	1	1·7	2	.	2	.	.	.	.	.
Diarrhœa, Dysentery,			4	.	.	1	1	2	2	1		.	.	.	.	.	.	.	.
Tetanus,	.	.	.	.	.	1	1	.	.	.	·2	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	2	1	2	.	1	2	1	.	1	1·0	1	.	.	1	.	.	.	.
Puerperal Septicæmia,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.
Puerperal Pyæmia,			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Puerperal Fever,			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
Infective Endocarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	17	21	3	2	3	1	6	10	7	9	16·6	2	.	.	.	.	.	1	1
Pneumonia, Broncho-Epidemic												7	.	3	1	.	1	.	2
Pneumonia, Not defined,			11	12	5	9	16	6	9	14		1	.	.	.	.	1	.	.
												3	.	.	1	.	1	1	.
Erysipelas,	.	.	1	1	1	.	1	.	.	.	·4	1	.	.	.	.	.	1	.
Septicæmia (not Puerperal)	.	.	1	3	.	.	.	.	.	1	·6	.	.	.	.	.	.	.	.
Pyæmia (not Puerperal),			.	.	1	.	.	.	.	.		.	.	.	.	.	.	.	.
Other Infective Processes,	.	.	1	1	.	1	2	.	.	1	·6	.	.	.	.	.	.	.	.
Tuberculous Phthisis,	28	36	1	1	9	9	13	9	9	11	25·7	9	.	.	.	1	2	5	1
"*Phthisis*,"			26	31	10	12	14	12	15	11		13	.	.	.	2	7	4	.
Tuberculous Meningitis,	4	1	5	5	4	1	1	2	4	5	3·2	5	.	.	2	3	.	.	.
Tuberculous Peritonitis,	9	7	1	1	1	1	1	.	1	1	3·6	.	.	.	.	.	.	.	.
Tabes Mesenterica,			1	3	4	2	.	1	1	1		.	.	.	.	.	.	.	.
Tuberculous Dis. (other),	5	4	7	6	11	3	6	7	4	14	6·8	4	.	.	.	2	2	.	.
Scrofula,			.	1	.	.	.	.	.	.		.	.	.	.	.	.	.	.
Alcoholism,	.	1	1	1	1	1	.	.	1	.	·6	.	.	.	.	.	.	.	.
Rheumatic Fever,	1	.	.	.	1	1	.	.	.	.	·3	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carcinoma,	4	11	1	3	3	3	3	4	3	7	7·8	4	.	.	.	.	.	1	3
Sarcoma,			1	1	.	.	.	.	.	1		.	.	.	.	.	.	.	.
Cancer (undefined)			4	4	3	6	6	3	4	3		6	.	.	.	.	1	.	4
Diabetes Mellitus,	.	.	1	.	1	.	1	2	.	.	·5	.	.	.	.	.	.	.	.
Premature Birth,	5	5	1	1	7	5	3	5	3	4	3·9	4	4	.	.	.	.	.	.

* The figures for the year 1900 are for
† Formerly described as

e FIFTEENTH WEEK ending Saturday, 16th April, 1910, with the deaths from each cause in the corresponding
d the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 15th Week of the 10 years 1900-1909.	In the Week ending Saturday, 16th April, 1910.							
												Deaths of Persons of the Ages of							
	April 14, 1900.	April 13, 1901.	April 12, 1902.	April 18, 1903.	April 16, 1904.	April 15, 1905.	April 14, 1906.	April 13, 1907.	April 11, 1908.	April 17, 1909.		All Ages	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
													Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 46·9	° 44·3	° 38·4	° 37·3	° 47·3	° 43·1	° 44·2	° 42·7	° 41·6	° 48·6	° 43·4	Mean Temp. ° 43·0								
Meningitis (not tuberc.)			4	6	3	3	3	3	1	7		1	.	.	1	.	.	.	.	.
Insanity, G. P. of Insane			1	.	1	1	.	2	3	1		1	.	.	.	.	.	.	1	.
Epilepsy			.	.	1	.	.	1	1	1		1	.	.	.	1	.	.	.	.
Convulsions			11	5	3	6	2	9	3	7		4	.	2	2	.	.	.	.	.
Locomotor Ataxy			1	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord			.	2	3	2	3	.	1	1		2	.	.	.	.	2	.	.	.
Nervous System (other Dis.)			.	3	1	1	3	3	2	.		.	.	.	.	.	.	.	.	.
	43	46									40·7									
Valv. Dis., Endocarditis			5	2	4	6	3	9	4	10		4	.	.	.	1	1	2	.	
Cerebr. Hæm. Thromb.			.	3	4	.	5	3	3	2		2	.	.	.	.	.	2	.	
Apoplexy, Hemiplegia			4	5	5	7	5	1	3	3		1	.	.	.	.	1	.	.	
Aneurysm			1	.	.	2	.	.	.	.		1	.	.	.	.	1	.	.	
Embolism, Thromb. (not cerebral)			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
Heart and Blood Vessels (other Dis.)			8	16	12	12	16	18	10	12		20	.	.	.	.	4	11	5	
Croup (not Spasm. nor Memb.)	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	
Bronchitis	35	39	27	17	23	15	28	31	29	30	27·4	39	.	2	1	.	9	25	2	
Asthma, Emphysema			.		2	1	1	.	.	.	2·6	.	.	.	.	.	.	.	.	
Pleurisy	.	1	3	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	
Respiratory Dis. (other)			.	3	2	6	.	3	1	2		.	.	.	.	.	.	.	.	
Tonsillitis, Quinsy	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	
Enteritis (not Epid.)	.	.	1	2	2	2	1	.	1	1	1·1	2	.	1	.	.	1	.	.	
Gastro-enteritis										1										
Peritonitis (not Puerp.)	1	2	.	1	.	1	.	.	.	1	·6	2	.	.	.	.	1	.	1	
Cirrhosis of Liver	.	2	.	2	1	.	2	1	1	2	2·4	1	.	.	.	.	1	.	.	
Liver Dis. (other)			6	1	1	.	1	1	3	.										
Digestive Dis. (other)	2	4	9	1	2	8	3	5	6	2	4·2	6	.	3	1	.	1	.	1	
Nephritis, Acute			2	2	2	1	1	2	.	.		1	.	.	.	1	.	.	.	
Bright's Dis., Albuminuria	4	2	2	4	5	3	.	2	3	4	5·1	1	.	.	.	.	1	.	.	
Urinary Sys. (other Dis.)			1	.	1	4	1	3	1	1		.	.	.	.	.	.	.	.	
Generative Organs Dis.	.	.	1	.	1	.	.	1	1	.	·4	1	.	.	.	1	.	.	.	
Childbirth (Accid. of)	2	1	2	.	.	1	.	.	.	1	·7	1	.	.	.	1	.	.	.	
Old Age	22	11	7	1	6	5	6	4	3	4	6·9	7	.	.	.	.	.	2	5	
Other Diseases	24	13	20	15	10	7	5	11	13	11	13·2	9	3	3	1	1	1	.	.	
ACCIDENT.																				
By Railways	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	
By Vehicles and Horses	.	.	.	2	2	.	.	.	1	.	·5	.	.	.	.	.	.	.	.	
In Ships, Boats, Docks (exclusive of Drowning)	.	.	1	.	.	.	.	.	.	2	·3	.	.	.	.	.	.	.	.	
In Building Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
In Conflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
By Burns, Scalds, Explosions	2	1	1	1	1	.	2	.	1	.	·9	2	.	.	.	2	.	.	.	
By Drowning	1	1	.	.	.	.	.	1	1	1	·5	.	.	.	.	.	.	.	.	
By Suffocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
By Poison or Poisonous Vapours	.	.	3	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	
Other Deaths by Accident	5	1	2	2	1	2	1	1	2	.	1·7	1	.	.	.	.	1	.	.	
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	1	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	
Suicide	1	.	.	.	1	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

e Registration Area as then constituted.
Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1909–10—Week ending																								
	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.
No. of weeks in Annual Series,	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BIRTHS registered.	226	203	220	215	238	196	206	174	216	185	282	286	243	197	162	252	220	197	224	206	247	162	242	213	255	217
*Average Births in corresponding week of previous 10 years,** ..	205	203	210	198	195	181	202	197	190	177	175	227	204	206	203	234	212	210	213	214	219	217	211	235	190	207
DEATHS registered, ...	124	148	145	177	190	172	180	177	158	155	205	174	177	181	177	239	217	211	228	208	204	149	185	168	186	183
Annual Death-rate per 1,000, ..	16·2	19·4	19·0	23·2	24·9	22·5	23·6	23·2	20·7	20·3	26·8	22·5	22·9	23·4	22·9	30·9	28·1	27·3	29·5	26·9	26·4	19·3	23·9	21·7	24·1	23·7
*Average Deaths in corresponding week of previous 10 years,**	173	166	179	182	184	187	190	190	187	195	184	217	210	206	201	200	196	207	221	221	214	200	206	211	200	200
AGES, Under 5 years, ...	41	35	40	45	41	37	43	37	51	44	71	49	57	57	55	76	58	67	67	57	58	30	52	44	44	37
AGES, 5—20 ,, ...	14	17	10	13	9	8	9	8	10	8	11	12	13	10	13	11	9	9	16	8	12	11	12	18	9	11
AGES, 20—40 ,, ...	21	33	21	26	28	18	22	25	19	23	19	30	25	20	31	27	25	19	22	33	28	21	34	18	26	24
AGES, 40—60 ,, ...	25	28	33	38	44	51	47	52	27	34	48	36	23	41	36	34	42	38	42	40	34	35	35	32	43	38
AGES, 60—80 ,, ...	19	34	33	49	61	52	50	45	39	37	30	37	49	45	37	64	62	66	69	57	65	41	43	45	58	57
AGES, 80 years and upwards, ..	4	1	8	7	7	6	10	10	12	9	6	10	10	8	5	7	21	12	12	13	12	11	10	16	11	16
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	2	.	1	1	.	.	2	.	.	1	.	.	.	.	.	.	.	1	.	.	.
Scarlet Fever, ...	1	.	.	1	.	1	.	1	1	1	3	.	.	.	1	.	1	2	1	1	.	1	.	.	.	.
Typhus, ...	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Whooping-cough, ...	1	1	1	1	2	.	.	2	2	2	1	3	5	4	1	2	4	1	.	3	2	1	2	1	.	2
Diphtheria, ...	.	.	.	1	2	1	1	.	2	.	1	1	.	3	.	2	2	.	2	.	1	1	1	.	1	.
Pyrexia † (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Enteric Fever, ...	.	1	1	1	.	1	1	1	.	3	2	.	1	.	2	.	.	.	1	2	.	1	1	4	1	1
Diarrhœal Diseases, ...	2	3	2	4	2	4	2	4	1	.	4	2	4	4	2	4	6	2	3	3	4	2	3	.	4	2
Influenza, ...	.	.	1	2	1	2	3	1	1	6	4	2	3	5	1	4	3	2	2	5	6	7	6	6	3	5
Pneumonia, ...	7	13	8	14	18	16	20	28	19	20	22	22	14	21	14	20	17	20	22	17	20	12	14	14	17	13
Tuberculous Phthisis, ..	25	27	19	20	20	17	22	17	15	14	15	24	19	21	23	26	19	19	23	23	23	15	26	14	21	22
Disease, Other Forms, ..	4	9	7	8	6	6	7	6	6	4	6	5	6	6	6	17	10	14	13	10	12	10	10	4	10	9
Cancer, Malignant Disease, ..	3	6	10	8	17	7	11	10	8	6	4	8	7	3	11	19	10	8	14	9	13	5	6	14	7	10
Diseases of Heart and Blood Vessels, ...	19	17	19	33	32	27	31	29	25	21	37	29	31	29	17	29	38	40	31	27	25	30	20	30	37	29
Diseases of Respiratory System,	11	14	15	22	22	32	29	25	26	30	41	20	33	29	39	43	55	41	41	39	35	26	36	23	38	39
Violent Deaths, ...	4	2	3	4	6	4	5	4	4	2	2	4	4	1	4	5	1	6	6	5	3	1	2	5	5	3
Number of Uncertified Deaths, ..	4	6	4	5	4	2	3	4	5	7	10	3	8	13	9	13	3	7	2	8	5	5	3	4	9	12
Mean Temperature of the Air (Phœnix Park), ...	51·1	40·3	45·0	41·9	37·7	38·4	41·8	39·1	41·4	33·5	45·9	45·4	42·1	37·6	32·5	38·1	43·7	42·3	39·2	44·0	43·6	39·8	43·4	39·7	41·7	43·0
Average Mean Temperature in corresponding week of previous 10 years, ...	48·3	47·1	47·6	45·3	43·7	42·4	43·3	43·0	41·3	42·1‡	40·3	41·3	40·0	41·1	41·7	40·0	38·9	38·9	40·1	40·1	41·1	42·9	41·9	42·1	44·2	43·4
Rainfall in inches, ...	1·896	·134	·117	·733	·087	·251	1·163	1·202	·207	1·183	·340	·128	·986	·240	1·690	·168	·264	1·160	·915	·392	·383	·174	·000	·040	·205	·736
Mean Humidity of the Air, complete Saturation 1·0	·86	·81	·88	·88	·80	·84	·87	·90	·82	·86	·88	·89	·85	·91	·88	·94	·91	·93	·94	·93	·88	·91	·91	·88	·93	·92

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 16th April, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 16TH APRIL, 1910.

CLASS	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	CAUSES OF DEATH. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Colls. 10–18.	Pneumonia.	Tubercuious Disease. Phthisis.	Tubercuious Disease. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS, ...	375,850	25·4	168	37	11	24	33	57	16	.	.	.	2	2	.	.	1	2	7	13	22	9	10	4	32	3	76	12
	CLASSES. **Deaths in Families of the—**																												
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	12·0	4	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.
II.	MIDDLE CLASS, ...	87,188	19·7	33	5	4	5	6	8	5	.	.	.	2	.	.	.	1	.	3	2	3	2	3	.	2	1	17	3
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,428	17·5	37	6	1	7	5	14	4	.	.	.	.	1	.	.	.	.	1	3	5	2	6	.	9	.	11	1
IV.	GENERAL SERVICE CLASS, ...	154,279	25·0	74	21	4	11	15	21	2	.	.	.	.	1	.	.	.	.	1	5	8	4	1	4	14	2	35	8
V.	INMATES OF WORKHOUSES, ...	6,024	—	35	5	2	1	12	13	2	.	.	.	.	.	.	.	.	2	2	3	6	1	.	.	13	.	10	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,739	26·7	4	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																												
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	18·5	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	11·8	5	.	.	.	3	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	1	.	2	.
	6. Clerks and Commercial Assistants, ..	30,482	18·8	11	4	2	3	1	.	1	.	.	.	2	.	.	.	.	.	2	1	2	.	.	.	.	1	5	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	28·9	15	1	2	2	1	5	4	.	.	.	.	.	.	.	.	.	.	1	1	2	2	.	1	.	8	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	10·6	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	3	.
	9. Building and Furnishing Trades, ...	29,801	17·5	10	4	.	2	1	2	1	.	.	.	.	1	.	.	.	.	1	2	.	1	1	.	2	.	3	1
	10. Clothing Trades, ...	28,260	13·5	6	.	1	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.	2	.
	11. Food Supply Trades, ...	9,242	11·8	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	24·1	14	2	.	2	2	6	2	.	.	.	.	.	.	.	.	.	.	.	2	1	4	.	4	.	3	.
	13. Petty Shopkeepers, ...	7,894	19·8	3	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.
IV.	GENERAL SERVICE CLASS.																												
	14. Army, Police, Postal Delivery, and Prison Services, &c	13,425	19·4	5	.	.	2	1	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.	1	.
	15. Domestic Servants, ...	36,608	7·1	5	1	.	1	2	1	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	36·2	10	2	.	3	1	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	8	2
	17. Hawkers, Porters, Labourers, &c., ..	89,861	31·8	54	18	4	5	11	15	1	.	.	.	.	.	.	.	.	.	.	5	4	4	1	4	11	2	28	6
V.	INMATES OF WORKHOUSES.																												
	18. Workhouse Inmates, ...	6,024	—	35	5	2	1	12	13	2	.	.	.	.	.	.	.	.	2	2	3	6	1	.	.	13	.	10	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	From Diseases in Cols. 5–18.	TOTAL DEATHS.	NUMBER OF DEATHS FROM Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of), North City, No. 1 (E.)	Feb. 26,	20·9	.	12										1	1	.	1	1	1	.
	Mar. 5,	23·2	.	15	.	.	.	.	.	.	.	.	.	1	1	.	1	3	2	3
	,, 12,	36·6	1·7	21						1				3	3	2	1	5	1	.
	,, 19,	15·7	1·7	9	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.	.
(*Office*, *Clarence-st., Nth.*)	,, 26,	20·9	.	12	.	.	.	.	.	.	.	.	.	1	2	.		2	.	1
	Apr. 2,	22·7	.	13	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
Pop. in 1910 (Est.) 29,908.	,, 9,	12·2	.	7	.	.	.	.	.	.	.	.	.	.	2	.		3	1	.
	,, 16,	26·2	.	15	.	.	.	.	.	.	.	.	.	1	4	.	.	5	.	1
North City, No. 1 (W.)	Feb. 26,	31·3	1·3	24										4	2	1	2	4	1	.
	Mar. 5,	37·8	5·9	29	.	.	.	.	1	.	.	1	1	2	3	3	2	7	.	1
	,, 12,	28·7	2·6	22	.	.	.	.	.	.	.	.	2	3	2	2	2	3	.	.
	,, 19,	28·5	1·3	18	.	.	.	.	.	.	.	.	1	4	1	1	1	6	.	.
(*Office*, *Summer-hill.*)	,, 26,	30·0	2·6	23	.	.	.	.	1	.	.	.	1	2	1	4		6	.	.
	Apr. 2,	17·0	1·3	13	.	.	.	.	.	.	.	1	.	2	.	.	1	2	1	2
Pop. in 1910 (Est.) 39,974.	,, 9,	36·5	.	28										1	4	2	.	8	.	1
	,, 16,	24·8	1·3	19	.	.	.	.	1	.	.	.	.	5	1	1	1	4	1	.
North City, No. 2.	Feb. 26,	22·0	1·7	18	.	.	.	.	.	.	.	.	1	1	2	.	.	4	1	.
	Mar. 5,	32·2	8·4	19	.	.	1	.	1	.	.	.	.	2	2	1	.	2	.	.
	,, 12,	28·8	.	17	.	.	.	.	.	.	.	.	.	.	.	2	1	8	1	.
	,, 19,	18·7	.	11	.	.	.	.	.	.	.	.	.	1	2	2	.	1	.	.
(*Office*, *Lisburn-street.*)	,, 26,	32·2	1·7	19	.	.	.	.	1	.	.	.	.	1	4	.	.	6	.	.
	Apr. 2,	28·8	.	17	.	.	.	.	.	.	.	.	.	3	5	.	1	2	1	.
Pop. in 1910 (Est.) 30,744.	,, 9,	25·4	1·7	15	.	.	.	.	.	.	.	.	1	.	1	.	1	3	1	1
	,, 16,	23·7	.	14	.	.	.	.	.	.	.	.	.	1	1	.	1	4	1	.
North City, No. 3.	Feb. 26.	45·2	.	31										3	3	3	1	5	1	.
	Mar. 5,	18·6	.	12	.	.	.	.	.	.	.	.	.	2	4	.	.	1	.	.
	,, 12,	23·3	1·6	15	.	.	.	.	.	.	.	.	1	2	2	1	1	2	.	.
	,, 19,	24·9	1·6	16	.	.	.	.	.	.	.	.	1	2	1	.		4	.	1
(*Office*, *Benburb-street.*)	,, 26,	31·1	1·6	20	.	.	.	.	.	.	.	1	.		4	.	1	2	.	.
	Apr. 2,	28·0	.	18	.	.	.	.	.	.	.	.	.	1	2		2	2	1	.
Pop. in 1910 (Est.) 33,559.	,, 9,	32·6	3·1	21	.	.	.	.	.	.	.	.	2	1	2	1		4	1	1
	,, 16,	26·4	6·2	17	.	.	.	2	.	.	.	.	2	2	4	.	1	4	.	.
South City, No. 1.	Feb. 26,	33·9	.	27										2	4	2	.	6	.	.
	Mar. 5,	16·3	1·3	18	.	.	.	.	.	.	.	.	1	.	2	1	.	2	.	.
	,, 12,	31·4	.	25	.	.	.	.	.	.	.	.	.	3	3	2	1	8	.	2
	,, 19,	17·6	.	14	.	.	.	.	.	.	.	.	.	3	1	.	1	1	.	1
(*Office*, *Sth. Earl-street.*)	,, 26,	25·1	.	20	.	.	.	.	.	.	.	.	.	1	4	2	1	2	.	.
	Apr. 2,	20·1	.	16	.	.	.	.	.	.	.	.	.	1	1	.	.	6	1	.
Pop. in 1910 (Est.) 41,476.	,, 9,	28·9	1·3	23	.	.	.	.	.	.	.	.	1	1	4	1	.	7	1	1
	,, 16,	26·4	.	21	.	.	.	.	.	.	.	.	.	2	1	1	1	7	.	2
South City, No. 2.	Feb. 26,	43·1	.	18										.	1	.	1	5	.	1
	Mar. 5,	31·2	.	18	.	.	.	.	.	.	.	.	.	5	2	2	.	3	.	1
	,, 12,	21·6	.	9	.	.	.	.	.	.	.	.	.	.	4	.	.	1	.	1
	,, 19,	21·6	.	9	.	.	.	.	.	.	.	.	.	.	1	2	2	1	.	.
(*Office*, *Castle-street.*)	,, 26,	21·6	.	9	.	.	.	.	.	.	.	.	.	1	3	.	1	1	.	.
	Apr. 2,	14·4	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1
Pop. in 1910 (Est.) 21,754	,, 9,	14·4	.	6	.	.	.	.	.	.	.	.	.	1	1	1	.	1	1	1
	,, 16,	9·6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
South City, No. 3.	Feb. 26,	35·0	1·2	29						1				2	2	1	4	6	.	.
	Mar. 5,	26·5	1·2	22	.	.	.	.	.	.	.	1	.	2	1	.	1	8	1	.
	,, 12,	21·7	2·4	18	.	.	.	.	2	.	.	.	.	2	2	1	.	5	.	1
(*Office*, *Peter street.*)	,, 19,	19·3	1·2	16	.	.	.	.	.	1	.	.	.	.	2	1	.	4	.	1
	,, 26,	27·7	1·2	23	.	1	.	.	.	.	.	.	.	4	2	2	.	6	.	2
	Apr. 2,	21·7	.	18	.	.	.	.	.	.	.	.	.	1	1	2	1	5	.	.
Pop. in 1910 (Est.) 43,227.	,, 9,	32·6	2·4	27	.	.	.	.	.	1	.	1	.	4	1	3	3	3	.	.
	,, 16,	29·0	.	24	.	.	.	.	.	.	.	.	.	1	3	3	2	1	.	.
South City, No. 4.	Feb. 26,	30·5	1·5	21										5	1	3	1	6		
	Mar. 5,	32·0	.	22	.	.	1	.	.	.	.	.	.	.	4	.	2	4	2	2
	,, 12,	28·3	.	16	.	.	.	.	.	.	.	.	.	.	2	.	2	1	.	1
(*Office*, *Grand Canal-st.*)	,, 19,	16·0	.	11	.	.	.	.	.	.	.	.	.	.	4	1	.	3	.	.
	,, 26,	24·7	1·5	17	.	.	.	.	.	.	.	.	1	1	2	.	.	2	.	.
	Apr. 2,	17·4	.	12	.	.	.	.	.	.	.	.	.	1	2	.	2	1	.	1
Pop. in 1910 (Est.) 35,881.	,, 9,	17·4	.	12	.	.	.	.	.	.	.	.	.	2	2	1	.	1	.	1
	,, 16,	16·0	.	11	.	.	.	.	.	.	.	.	.	.	1	.	.	6	.	1

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From all Causes	From Diseases in Cols. 5–18.	Total Deaths.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	Feb. 26,	19·7	1·4	14	.	.	.	.	1	.	.	1	.	1	.	2	1	1	.	.
	Mar. 5,	19·7	1·4	14	.	.	.	.	.	.	.	.	.	2	3	.	.	4	.	.
	,, 12,	16·9	.	12	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.
	,, 19,	12·7	.	9	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	2
	,, 26,	15·5	.	11	.	.	.	.	.	.	.	.	.	.	2	.	1	3	.	.
	Apr. 2,	28·9	.	17	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.
	,, 9,	12·7	.	9	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	1
	,, 16,	12·7	.	9	.	.	.	.	.	.	.	.	.	.	3	.	.	2	.	3
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	Feb. 26,	21·6	1·8	12	.	.	.	.	.	.	.	.	1	1	1	1	1	1	1	1
	Mar. 5,	19·8	.	11	.	.	.	.	.	.	.	.	.	1	2	.	.	3	.	1
	,, 12,	25·2	.	14	.	.	.	.	.	.	.	.	.	1	3	.	2	4	1	.
	,, 19,	25·2	1·8	14	.	.	.	.	.	.	.	1	.	1	1	1	.	1	.	.
	,, 26,	7·2	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.
	Apr. 2,	10·8	.	6	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.
	,, 9,	19·8	.	11	.	.	.	.	.	.	.	.	.	1	1	.	2	2	.	1
	,, 16,	18·0	1·8	10	.	.	.	.	1	.	.	.	.	.	1	.	1	2	.	1
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	Feb. 26,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	Mar. 5,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	,, 12,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	,, 19,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
	,, 26,	23·7	.	8	.	.	.	.	.	.	.	.	.	2	.	.	1	2	1	.
	Apr. 2,	20·7	3·0	7	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.
	,, 9,	29·6	.	10	.	.	.	.	.	.	.	.	.	4	.	.	.	3	.	.
	,, 16,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
Belfast. Pop. in 1910 (Est.) 391,167.	Feb. 26,	18·7	2·3	140	.	.	1	.	14	1	1	.	.	16	20	7	5	21	8	2
	Mar. 5,	22·0	1·9	165	.	1	.	.	11	.	.	.	2	12	23	9	3	24	10	2
	,, 12,	21·6	2·1	162	.	1	.	.	12	.	.	1	2	10	26	7	5	22	9	1
	,, 19,	21·7	2·5	163	.	5	2	.	12	.	.	.	.	12	18	9	9	24	5	1
	,, 26,	16·7	1·9	125	.	3	.	.	10	.	.	.	1	8	10	8	10	16	3	1
	Apr. 2,	18·4	2·3	138	.	6	2	.	6	1	.	1	1	14	20	9	4	16	.	2
	,, 9,	22·4	3·2	168	.	11	.	.	12	1	.	.	.	19	24	12	3	21	4	1
	,, 16,	24·9	3·3	187	.	17	.	.	5	1	1	.	1	16	27	8	10	22	.	1
Cork. Pop. (in 1901) 76,122.	Feb. 26,	23·3	0·7	34	.	.	.	.	.	.	.	1	.	2	5	7	2	3	.	1
	Mar. 5,	23·3	.	34	.	.	.	.	.	.	.	.	.	1	4	3	3	5	.	2
	,, 12,	20·5	.	30	.	.	.	.	.	.	.	.	.	3	6	1	.	3	.	3
	,, 19,	19·9	.	29	.	.	.	.	.	.	.	.	.	1	2	.	.	9	2	2
	,, 26,	22·6	.	33	.	.	.	.	.	.	.	.	.	2	3	2	3	1	.	1
	Apr. 2,	32·9	9·1	48	.	.	.	.	.	1	.	.	2	3	6	3	1	6	2	5
	,, 9,	34·2	.	50	.	.	.	.	.	.	.	.	.	3	7	2	4	6	.	5
	,, 16,	22·6	.	33	.	.	.	.	.	.	.	.	.	3	9	1	2	2	1	2
Londonderry. Pop. in 1910 (Est.) 43,477.	Feb. 26,	10·8	.	9	.	.	.	.	.	.	.	.	.	2	2	.	.	1	.	.
	Mar. 5,	25·2	.	21	.	.	.	.	.	.	.	.	.	3	2	2	2	4	1	.
	,, 12,	18·0	3·6	15	.	1	.	.	.	.	.	.	2	.	2	2	1	1	.	2
	,, 19,	9·6	.	8	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.
	,, 26,	22·8	1·2	19	.	1	.	.	.	.	.	.	.	1	4	1	1	3	.	2
	Apr. 2,	13·2	1·2	11	.	.	.	.	.	.	.	.	1	1	1	.	.	1	.	.
	,, 9,	15·6	.	13	.	.	.	.	.	.	.	.	.	2	2	2	.	3	.	1
	,, 16,	20·4	.	17	.	.	.	.	.	.	.	.	.	1	2	.	1	3	.	.
Limerick. Pop. (in 1901) 38,151.	Feb. 26,	21·9	2·7	16	.	.	.	.	2	.	.	.	.	1	2	.	1	4	.	3
	Mar. 5,	13·7	4·1	10	.	.	.	.	2	.	.	.	1	1	.	.	.	.	.	.
	,, 12,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	5	.	.	1	.	2
	,, 19,	19·1	2·7	14	.	.	.	.	1	.	.	.	1	.	.	1	1	5	.	3
	,, 26,	27·3	2·7	20	.	.	.	.	2	.	.	.	.	2	1	1	.	2	.	2
	Apr. 2,	23·2	.	17	.	.	.	.	.	.	.	.	.	1	2	.	.	2	.	2
	,, 9,	17·8	.	13	.	.	.	.	.	.	.	.	.	1	1	.	.	4	.	1
	,, 16,	20·5	.	15	.	.	.	.	.	.	.	.	.	.	3	.	.	6	.	1
Waterford. Pop. (in 1901) 26,769.	Feb. 26,	17·5	.	9	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	2
	Mar. 5,	17·5	.	9	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2
	,, 12,	27·3	3·9	14	.	.	.	1	1	.	.	.	.	1	5	.	.	1	.	1
	,, 19,	13·6	1·9	7	.	.	.	.	.	.	.	.	1	.	3	.	.	2	.	1
	,, 26,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	Apr. 2,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	1	3	.	1	.	.	2
	,, 9,	17·5	.	9	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.	.
	,, 16,	33·1	5·8	17	.	.	.	2	.	.	.	.	1	1	2	1	.	1	.	3

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 16th April, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from		DEATHS.																								
			All Causes.	Diseases in Cols. 12-20.	Total No. of Deaths.	AGES AT DEATH.						DEATHS FROM																	
						Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		11			7	2	1	.	2	.	2	.	.	.	.	1	.	.	.	.	.	2	.	1	.	.	.	1	.
Do. 2 do.		18			21	3	6	.	2	4	6	.	3	.	.	.	.	1	.	.	1	1	1	2	2	.	1	2	.
Do. 3 do.		30			20	2	3	4	2	3	6	.	3	.	.	.	.	.	.	1	1	4	3	.	5	.	.	5	.
Do. 4 do.		40			15	4	2	1	6	1	1	.	2	.	.	.	.	.	.	.	2	2	.	.	.	.	.	12	.
Do. 5 do.		14			14	6	1	.	2	2	3	.	2	.	.	.	.	.	.	.	1	1	.	.	1	.	.	6	.
Do. 6 do.		14			14	2	2	2	2	2	4	.	.	.	.	.	.	.	.	.	1	.	2	.	3	.	.	1	.
Do. 7 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	349,180	4			4	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	3	.
Do. 9 do.		16			14	3	2	1	3	1	4	.	1	.	.	1	.	.	.	.	2	1	1	.	.	.	2	.
Do. 10 do.		14			15	3	2	1	2	3	4	.	2	.	.	.	.	.	.	.	2	3	.	2	2	.	.	4	.
Do. 11 do.		34			19	5	6	1	4	.	3	.	1	.	.	.	1	.	.	.	4	1	1	.	3	.	.	4	.
Do. 12 do.		27			15	5	.	2	1	3	4	.	.	.	.	1	.	.	.	.	2	3	.	1	4	.	.	2	.
Do. 13 do.		8			9	.	.	1	2	3	3	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	1	1
Do. 14 do.		.			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15† do.		11			19	3	3	1	3	1	3	.	3	.	.	2	.	.	.	.	2	4	.	2	1	.	1	4	.
Total, ...	—	247	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		187	38	34	15	32	24	44	.	17	.	.	5	1	1	.	1	16	27	8	10	22	.	2	47	1
City of Cork.																													
CORK URBAN No. 1 DISTRICT, .	12,867	9	16·2	.	4	.	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Do. 2 do. .	10,701	10	14·6	.	3	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.
Do. 3 do. .	9,978	8	41·8	.	8	1	.	.	2	2	3	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	1	1
Do. 4 do. .	8,666	4	18·1	.	3	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.
Do. 5 do. .	6,892	2	31·6	.	4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	3	.
Do. 6 do. .	10,702	4	39·0	.	3	.	1	1	2	1	3	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	2	1
Do. 7 do. .	16,616	18	9·4	.	3	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	1	1	.
Total, ...	76,122	50	22·6	.	33	2	2	2	6	6	15	.	.	.	.	.	.	.	.	.	3	9	1	2	2	1	1	11	2

*Formerly described as Simple Continued Fever.
† New district formed as from 1st Jan., 1910, and the boundaries of Nos. 1, 4 & 6 districts altered; the population of each of these districts, as at present constituted, is not available.

TABLE IX.—**City of Belfast.**—Comparative Tables of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1909–10—Week ending																								
	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.
No. of weeks in annual Series, ..	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BIRTHS registered, ...	218	202	205	174	180	168	189	190	181	170	215	278	192	180	216	214	213	196	202	239	201	240	208	207	254	247
DEATHS registered, ...	96	116	116	130	134	167	147	218	177	144	192	148	170	125	151	165	172	156	140	165	162	163	125	138	168	187
Annual Death rate per 1,000 of estimated Population, ...	12·9	15·6	15·6	17·5	18·1	22·5	19·8	29·4	23·9	19·4	25·9	19·7	22·7	16·7	20·1	22·0	22·9	20·8	18·7	22·0	21·6	21·7	16·7	18·4	22·4	24·9
AGES — Under 1 year, ...	17	22	28	30	28	41	44	62	41	33	48	36	48	25	33	28	37	31	28	33	31	29	27	27	34	38
AGES — 1–5 years, ...	11	14	11	8	14	27	14	21	18	22	25	23	21	20	21	28	21	20	21	21	16	27	15	21	33	34
AGES — 5–20 years, ...	9	9	7	11	4	11	10	18	13	10	12	8	9	9	14	2	8	13	12	11	14	16	7	18	19	15
AGES — 20–40 years, ...	14	27	22	23	22	20	20	31	22	23	28	17	24	17	22	30	18	26	19	29	26	18	19	16	21	32
AGES — 40–60 years, ...	26	13	19	27	28	31	23	33	33	20	34	26	28	23	21	30	42	31	36	37	40	35	28	22	27	24
AGES — 60 years and upwards, ..	19	31	29	31	38	37	36	53	50	36	45	38	40	27	40	47	46	35	29	34	35	38	29	34	34	44
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	5	3	6	11	17
Scarlet Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	2	.	2	.	.
Typhus, ...	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	.	5	4	4	4	7	6	15	9	10	13	12	13	13	13	19	15	17	14	11	12	12	10	6	12	5
Diphtheria, ...	.	.	.	1	.	.	1	.	.	.	1	1	.	1	.	.	.	.	1	.	.	.	.	1	1	1
*Pyrexia** (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Enteric Fever, ...	.	.	.	2	.	.	.	1	.	.	.	2	.	.	1	.	.	1	.	.	1	.	.	1	.	.
Diarrhœal Diseases, ...	5	3	4	2	2	1	3	2	1	1	1	2	.	.	.	2	.	2	.	2	2	.	1	1	.	1
Pneumonia, ...	5	8	15	13	17	25	31	25	28	22	34	12	20	9	16	14	16	11	16	12	10	12	8	14	19	16
Tuberculous Disease, Phthisis, ..	9	14	6	14	8	8	11	26	14	17	13	14	14	12	15	16	15	14	20	23	26	18	10	20	24	27
Tuberculous Disease, Other Forms, ..	5	10	2	11	3	16	4	11	4	4	6	4	10	3	10	8	4	8	7	9	7	9	8	9	12	8
Cancer, Malignant Disease, ..	4	3	5	7	7	1	3	7	5	5	3	2	10	5	4	8	7	6	5	3	5	9	10	4	8	10
Diseases of Respiratory System,	12	14	21	17	31	42	41	53	37	39	41	28	31	21	29	28	40	19	21	24	22	24	16	16	21	22
Violent Deaths, ...	4	2	3	2	2	3	5	5	6	4	3	3	8	5	7	2	2	5	3	10	9	5	3	.	4	.
Number of Uncertified Deaths, ..	1	1	2	1	.	1	3	3	2	3	1	2	1	6	3	2	1	5	2	2	1	1	1	2	1	1

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	Apr. 16,	2,372	1,387	14·8	.	46	5	8	41	8*a*	9
EDINBURGH, ...	360,276	„ 16,	139	114*b*	16·5	.	6	.	.	.	1*a*	1
GLASGOW, ...	884,505	„ 16,	492	335	19·8	.	17	1	4	4	.	6
CALCUTTA, ...	1,009,008	Mar. 12,	.	526	27·1	4	9	.	1	2	113‡	116*
BOMBAY, ...	977,822	„ 15,	338	827	44·0	63	3	.	.	.	195‡	75
MADRAS, ...	509,346	Feb. 25,	277	321	32·7	2	1	?	?	?	101	46
CAIRO, ...	677,663	„ 25,	526	379	29·2	.	4	.	11†	?	12	37
PARIS, ...	2,760,000	Mar. 12,	998	987	18·7	3	13	1	2†	4	4*a*	17
BRUSSELS, ...	720,030	„ 26,	253	189	13·6	.	3	.	1†	5	1*a*	10
ANTWERP, ...	317,171	„ 26,	117	77	12·7	.	4	.	.	3	.	4
AMSTERDAM, ...	569,712	„ 26,	261	140	12·8	.	3	.	.	.	1*a*	5
COPENHAGEN, ...	450,000	„ 26,	226	130	15·1	.	1	3	2†	2	.	4
STOCKHOLM, ...	339,582	„ 26,	155	137	21·0	.	11	6	2†	4	.	2
CHRISTIANIA, ...	235,674	April 2,	112	58	12·8	.	.	.	5†	.	.	3
ST. PETERSBURG, ...	1,620,000	Mar. 12,	1,210	771	24·8	6	44	15	10	8	17	89
MOSCOW, ...	1,493,600	„ 5,	.	723	25·2	9	24	23	23†	12	13	54
BERLIN, ...	2,126,154	„ 12,	853	590	14·5	.	4	4	10†	7	.	33
HAMBURG, ...	895,804	„ 26,	.	236	13·7	.	1	.	10†	1	.	13
BRESLAU, ...	510,053	„ 26,	.	157	16·1	.	.	.	1	1	1	11
MUNICH, ...	576,000	April 2,	.	195	17·6	.	1	1	2†	1	.	22
VIENNA (with suburbs),	2,085,888	Mar. 26,	778	708	17·7	.	22	6	5†	10	1*a*	34
BUDA-PESTH, ...	833,703	„ 26,	458	360	22·4	.	4	10	3†	3	3	11
PRAGUE and Faubourgs.	494,531	„ 12,	239	222	23·3	.	3	1	3†	2	1	14
TRIESTE, ...	218,727	„ 19,	159	126	30·0	.	1	.	1†	1	.	.
ROME, ...	584,308	Feb. 19,	313	243	21·7	.	13	5	6	2	1*a*	5
		„ 26,	281	218	19·5	.	8	.	4	2	3	9
VENICE, ...	183,224	„ 26,	93	94	26·7	.	5	1	1	1	.	1
NEW YORK, ...	4,711,956	Mar. 19,	2,593	1,642	18·2	.	20	27	60†	4	11*a*	31
PHILADELPHIA, ..	1,598,400	Feb 26,	.	652	21·2	.	.	7	13†	4	7*a*	12
BOSTON, ...	629,868	Mar. 26,	.	265	21·9	.	2	2	3	.	1	6

* Including 80 deaths from cholera in Calcutta.
† Including deaths from croup.
‡ Including 27 deaths from plague in Calcutta and 126 in Bombay.
a Enteric Fever.
b Including one death from cerebro-spinal meningitis.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 16th April, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	1	.	.	.	.	.	1	2	.	.	1	5
" " 1, West,	.	.	1	.	.	.	.	1	.	.	.	3	5
" " 2,	.	.	1	.	.	.	.	.	.	.	.	2	3
" " 3,	.	.	.	.	1	.	.	2	2	.	.	1	6
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	1	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
South City No. 1,	.	.	.	.	.	.	.	.	3	.	.	6	9
" " 2,	.	3	.	.	1	.	.	.	1	.	.	4	9
" " 3,	.	.	1	.	.	.	.	.	1	.	.	2	4
" " 4,	.	2	.	.	1	.	.	.	.	.	.	.	3
New Kilmainham,	.	.	.	.	.	.	.	1	.	.	.	.	1
Total,	.	7	3	.	3	.	1	5	9	.	.	19	47

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 16th April, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 16th April.			
	Mar. 26.	April 2.	April 9.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	3	3	2	2	1	.	3
Scarlet Fever,	57	62	62	13	16	.	59*
Typhus,	.	3	6	1	.	1	6
Diphtheria,	36	34	37	7	10	.	34
Enteric Fever,	26	22	23	4	4	.	23
Pneumonia,	36	35	39	24	8	2	53

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.Sc., F.R.MET.SOC., reports as follows on the weather during the week ended 16th April, 1910:—

"At the beginning of the week the weather was fine, the nights being cool, the days springlike in their mildness. On Tuesday, a very broken, dull and rainy spell set in, lasting over Wednesday. Thursday was fair, but gloomy wet weather was again prevalent on Friday. Saturday was dull and drizzling in the morning; afterwards fair but cold. A slight hail shower fell at 4.50 p.m. The succeeding night was clear, cold, and moonlight. Such was the weather in the Dublin district. But this record by no means represents the interesting conditions of atmospheric pressure, temperature, and weather which existed over Europe in general. On Sunday morning the centre of a deep depression (29·14 inches) lay over the east of Iceland, while an anticyclone (30·20 inches) covered the Bay of Biscay. The Icelandic depression subsequently moved across the Norwegian Sea to Norway, spreading southwards at the same time. The anticyclone passed eastwards to Germany, with the result that a warm southerly wind blew over France, England and Ireland. By Tuesday morning the barometer had fallen to 29·10 inches at Wick, whereas it had risen to 30·27 inches in the N.W. of Iceland, over which a strong N. gale was blowing, with snow and severe frost. On Wednesday morning the barometer was below 29 inches in a narrow belt extending from the Firth of Forth to the Land's End—cold polar winds passed over Ireland while a warm southerly wind prevailed in England and on the Continent, causing the thermometer to rise in the course of the day to 61° in London, 69° in Paris, and 70° in Berlin. In this last named City the maximum on Thursday was 73°. The Icelandic cold wave continued to pass over Scotland and Ireland to the end of the week, whereas England in common with the Continent enjoyed a more genial temperature. In Dublin the mean height of the barometer was 29·427 inches, pressure ranging from 30·111 inches at 9 a.m. of Sunday (wind, W.) to 28·939 inches at 4 p.m. of Wednesday (wind, N.W.). The corrected mean temperature was 43·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 43·8°. The screened thermometers rose to 56·2° on Sunday, and fell to 35·0° on Wednesday. S.W. and N.N.W. were the dominant winds. The rainfall was ·842 inch on 4 days, ·390 inch being measured on Tuesday. Sleet fell on Wednesday morning, hail on Saturday afternoon. Solar halos were seen on Monday and Thursday. Lightning occurred on Thursday night."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·259 inches. The highest reading (29·937) was on Sunday at 9 a.m., wind W., and the lowest (28·828) on Wednesday at 9 p.m., wind W.

The mean temperature for the week was 43·0°, being 0·4° below the average for the corresponding period of the 10 years, 1900–1909. The temperature was highest on Sunday, on which day the thermometer registered 57·8°, and was lowest on Thursday, the mercury having fallen to 30·7°. The mean of the Dry Bulb for the week was 42·6° and of the Wet Bulb 41·6°. The mean humidity of the air was ·93, complete saturation being represented by 1·0. The rainfall during the week measured 0·736 inch.

At Greenwich the mean temperature for the week was 48·8°, the maximum 63·8°, and the minimum 39·1°; at Glasgow the maximum was 55·8°, the minimum 33·0°, and the mean 42·1°; and at Edinburgh the maximum was 52·7°, the minimum 33·7°, and the mean 42·0°. The rainfall at Greenwich measured 1·86 ins., at Glasgow 2·60 ins., and at Edinburgh 2·46 ins.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY.			BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
			Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.				9 A.M.	9 P.M.
			(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) In.		
Sunday,	April	10,	29·846	57·8	37·7	47·8	43·4	42·0	·91	·8	9·3	·000	W.	S.W.
Monday,	„	11,	29·466	54·3	38·2	46·3	48·1	47·1	·93	·6	4·2	·000	S.W.	S.W.
Tuesday,	„	12,	29·043	51·0	39·9	45·5	45·5	44·6	·94	·6	0·0	·335	S.W.	N.
Wednesday,	„	13,	28·830	43·6	32·9	38·3	39·9	39·4	·97	·6	0·0	·240	W.N.W.	W.
Thursday,	„	14,	29·048	49·2	30·7	40·0	43·5	41·4	·84	·7	9·0	·100	S.W.	E.N.E.
Friday,	„	15,	29·109	42·7	37·9	40·3	38·5	38·4	·99	·6	0·0	·055	N.N.E.	N.N.W.
Saturday,	„	16,	29·470	47·4	37·7	42·6	39·1	38·0	·91	·6	3·8	·006	N.W.	N.W.
Mean,	.	.	29·259	49·4	36·4	43·0	42·6	41·6	·93	·6	Total 26·3	Total ·736	Prevailing Wind, S.W.	

Sunday—Fine bright day; night clear. *Monday*—Day cloudy, fine; night cloudy. *Tuesday*—Day overcast, drizzle a.m. and p.m.; night overcast, drizzle and heavy rain a.m. *Wednesday*—Day overcast, rain a.m. and p.m.; night clear. *Thursday*—Day cloudy, fine; night overcast, drizzle a.m. *Friday*—Day overcast, drizzle a.m. and p.m.; night overcast, drizzle a.m. *Saturday*—Overcast and drizzle a.m., cloudy, drizzle, and hail p.m.; night clear.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, April 16th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY.			Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperatures in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
				1 Foot.	4 Feet.	Max.	Min.	Mean.		
			°	°	°	°	°	°	hrs	ins.
Sunday,	April	10.	45·8	45·0	45·3	57·1	44·7	50·9	8·5	—
Monday,	„	11,	46·2	46·0	45·4	55·5	41·0	48·3	3·1	—
Tuesday,	„	12,	51·0	46·9	45·6	51·9	40·0	46·0	0·0	·390
Wednesday,	„	13,	40·1	45·7	45·8	41·9	34·1	39·5	0·0	·260
Thursday,	„	14,	46·2	44·6	45·7	47·9	34·9	41·4	7·6	·099
Friday,	„	15,	40·3	45·0	45·7	44·1	39·0	41·6	0·0	·091
Saturday,	„	16,	41·0	44·2	45·7	48·9	37·9	43·4	3·0	—
Weekly Mean,	.	.	44·4	45·3	45·6	50·0	38·8	44·4	Total 22·2	Total ·840

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

28459. Wt. P. 1—80/137, 375. 4. 1910. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 23RD APRIL, 1910. [No. 16.

General Register Office, Charlemont House, Dublin, 25th April, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending April 2.	April 9.	April 16.	April 23.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending April 2.	April 9.	April 16.	April 23.	Average Rate for 4 weeks.
22 Town Districts.	**20·7**	**23·2**	**23·2**	**22·4**	**22·4**	Limerick, . . .	23·2	17·8	20·5	19·1	20·2
						Lisburn, . . .	4·5	36·4	36·4	22·7	25·0
Armagh, . . .	27·5	34·4	13·7	27·5	25·8	Londonderry, . .	13·2	15·6	20·4	13·2	15·6
Ballymena, . . .	14·4	14·4	19·2	4·8	13·2	Lurgan, . . .	22·1	17·7	8·9	8·9	14·4
Belfast, ...	18·4	22·4	24·9	21·3	21·8	Newry, . . .	21·0	21·0	29·4	8·4	20·0
Clonmel, . . .	46·2	35·9	20·5	35·9	34·6	Newtownards, . .	11·4	17·2	34·3	40·1	25·7
Cork, ...	32·9	34·2	22·6	23·3	28·2	Portadown, . .	20·7	25·8	31·0	25·8	25·8
Drogheda, . . .	24·5	32·7	32·7	45·0	33·7	Queenstown, . .	13·2	33·0	19·8	19·8	21·5
Dublin Reg. Area, .	19·8	23·4	21·5	24·3	22·3	Sligo, ...	52·8	19·2	9·6	9·6	22·8
Dundalk, . .	23·9	39·9	12·0	31·9	26·9	Tralee, . . .	15·9	5·3	26·4	10·6	14·6
Galway, . . .	38·8	27·2	35·0	15·5	29·1	Waterford, . . .	19·5	17·5	33·1	29·2	24·8
Kilkenny, . . .	19·7	.	14·7	29·5	16·0	Wexford, . . .	23·3	14·0	23·3	14·0	18·7

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·9 per 1,000, the rates varying from 0·0 in thirteen of the districts to 11·4 in Newtownards, the 7 deaths from all causes for that district including one from measles and one from whooping-cough. Among the 160 deaths from all causes for Belfast are 8 from measles, 8 from whooping-cough, one each from diphtheria, *pyrexia* (origin uncertain), and enteric fever, and 3 from diarrhœal diseases. Of the 34 deaths from all causes for Cork one is from whooping-cough. Included in the 15 deaths from all causes for Waterford are one from typhus and one from diphtheria. One death from typhus is included in the 4 deaths from all causes for Galway. Among the 11 deaths from all causes for Drogheda are 2 from whooping-cough, and of the 5 deaths from all causes for Portadown one is from enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 221—126 boys and 95 girls—and the deaths to 200—92 males and 108 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of 24·3 per 1,000 of the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*). Table II. ‡ See columns 10-18 of Table II.

population, the rate for the total deaths registered in the Area being 25·9 per 1,000. Du the sixteen weeks, ending with Saturday last, the death-rate averaged 25·0, and wa below the mean rate for the corresponding portions of the ten years 1900-9.

The deaths from all causes included 5 from whooping-cough, 2 from diphtheria, and 2 f epidemic diarrhœa of children under 5 years of age ; there were also registered at this period 2 deaths—one from enteritis and one from *gastro-enteritis*. In each of the t preceding weeks, deaths from whooping-cough were one, 0, and 2 ; deaths from diphth were 0, one, and 0 ; and deaths from diarrhœal diseases were 0, 4, and 2. There wer deaths from influenza, which in the three preceding weeks caused 6, 3, and 5 dea respectively.

There were 10 deaths from broncho-pneumonia, and 10 deaths were attributed *pneumonia* (not defined).

Deaths from all forms of tuberculous disease, which had been 18, 31, and 31 in each of three preceding weeks, rose to 49 in the week under notice. The total (49) deaths include deaths from tuberculous phthisis (*phthisis*), 5 from tuberculous meningitis, one death f tuberculous peritonitis, one death from *tabes mesenterica*, and 11 deaths from other form the disease.

Carcinoma caused 5 deaths, and 6 deaths were from cancer, malignant disease (undefine

The deaths of 5 infants, prematurely born, were registered.

Diseases of the brain and nervous system accounted for 12 deaths ; there were 37 dea from diseases of the heart and blood vessels, and 21 deaths from bronchitis.

Of 3 deaths from violence one was caused by a tram accident, one by accidental poison with nitric acid, and one by a corrosive poison, self-administered.

In 8 instances the cause of death was "uncertified," there having been no med attendant during the last illness ; these cases include the deaths of 2 children under 5 y of age (including one infant under one year old) and the deaths of 4 persons aged 60 y and upwards.

Forty-nine of the persons whose deaths were registered during the week were un 5 years of age (29 being infants under one year, of whom 9 were under one month old) 68 were aged 60 years and upwards, including 34 persons aged 70 and upwards, of wh 8 were octogenarians, and one (a female) was stated to have been aged 98 years.

Ninety-three of the deaths registered during the week occurred in hospitals and ot public institutions ; of this number 15 took place in the North Dublin Union Workho 23 in the South Dublin Union Workhouse, and 3 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last we deaths in Public Institutions being assigned to the Districts from which the deceased w admitted, and the annual death-rate for each District calculated on the mortality so tributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 24·3 per 1,000 ; the rate in the City was (North City Districts, 28·2; South, 23·8) and in the Suburbs, 18·6.

The deaths from certain epidemic diseases* in the entire area equal an annual rate of 1·2 per 1,000 inhabitants, rate for the City being 1·3 (1·6 in the North City Districts, and 1·0 in the South), and for the Suburbs, 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 24·4 per 1 and include one from influenza, 3 from *pneumonia* (not defined), and 3 from *phthisis*.

No. 1 North City District, West (Summer-hill).—The deaths (25) are equal to an annual rate of 32·6 per 1 Whooping-cough caused one death, there was one death from each of broncho-pneumonia and *pneumonia* (not defi there were 6 deaths from tuberculous phthisis (*phthisis*), 3 deaths from bronchitis, and one death by accide poisoning.

No. 2 North City District (Lisburn-street).—The deaths (25) are equivalent to an annual rate of 42·4 per 1 Broncho-pneumonia caused 2 deaths, tuberculous disease 4 deaths, and bronchitis 5 deaths.

No. 3 North City District (Benburb-street).—The deaths (17) represent an annual rate of 26·4 per 1,000. Whoop cough and epidemic diarrhœa each caused 2 deaths, there were 2 deaths from broncho-pneumonia, 3 deaths *pneumonia* (not defined), and 2 deaths from tuberculous disease.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coo and Drumcondra, part of, 13·5 per 1,000 inhabitants ; Clontarf and Howth, No. 1, part of, 0·0 ; and Finglas and Glasn part of, 13·6. Of the 3 deaths for Coolock and Drumcondra, part of, one was caused by *phthisis*.

No. 1 South City District (South Earl-street).—The deaths (26) represent an annual rate of 32·7 per 1,000. Diphth caused one death, there were 11 deaths from tuberculous disease, and 2 deaths from bronchitis.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 24·0 per 1,000. There one death from broncho-pneumonia, also one death from tuberculous disease, and there were 2 deaths from bronch

No. 3 South City District (Peter-street).—The deaths (16) are equal to an annual rate of 19·3 per 1,000. Whoop cough and diphtheria each caused one death, there was one death from broncho-pneumonia, there were 6 deaths tuberculous disease, 2 deaths from bronchitis, and one accidental death.

No. 4 South City District (Grand Canal-street).—The deaths (13) are equivalent to an annual rate of 18·9 per 1 Broncho-pneumonia caused 2 deaths, there were 2 deaths from tuberculous disease, and 3 deaths from bronchitis.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 23·0 per 1,000. Of the deaths one was *pneumonia* (not defined), one from tuberculous phthisis, and one from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rath 14·1 ; Pembroke, 18·0 ; Blackrock, 23·1 ; and Kingstown, 26·6.. The only death from any of the principal epid diseases for these districts is one from whooping-cough for Kingstown. Of the 10 deaths from all causes for Rathm and Rathgar are one from influenza, one from broncho-pneumonia, and one from bronchitis. Of the 10 de from all causes for Pembroke 3 are from tuberculous disease and 2 from bronchitis. Among the 4 deaths fro causes for Blackrock are 2 from tuberculous disease, and included in the 9 deaths from all causes for Kingstown a from *pneumonia* (not defined), and 3 from tuberculous disease.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when pos in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin: Mr. Fawcett Executive Sanitary Officer for Rathmines and Rathgar Urban District: Mr. Manly, Executive Sanitary Officer for Pembroke Urban District: Mr. Heron, Executive Sanitary Officer for Blackrock Urban District: by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District: and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 23rd April, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Apr. 2,	.	—	—	7	1	.	5	.	.	5	16	.	—	—	.	—	17	—	51
	Apr. 9,	.	—	—	5	3	.	6	.	1	9	11	.	—	—	.	—	9	—	44
	Apr. 16,	.	—	—	7	3	.	3	.	1	5	9	.	—	—	.	—	19	—	47
	Apr. 23,	.	—	—	8	1	.	11	.	1	3	7	.	—	—	.	—	26	—	57
Rathmines and Rathgar Urban District.	Apr. 2,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	—	—	—	—	3
	Apr. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Apr. 16,	.	—	—	1	.	.	3	.	.	.	.	.	—	—	—	—	—	—	4
	Apr. 23,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
Pembroke Urban District.	Apr. 2,	.	.	.	.	.	.	1	.	.	.	1	.	—	1	.	—	—	—	3
	Apr. 9,	.	.	.	1	.	.	.	.	2	.	1	.	—	5	.	—	—	—	9
	Apr. 16,	.	.	.	.	.	.	1	.	.	.	.	.	—	1	.	—	—	—	2
	Apr. 23,	.	.	.	.	.	.	1	.	.	.	.	.	—	.	.	—	—	—	1
Blackrock Urban District.	Apr. 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Apr. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Apr. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Apr. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Apr. 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Apr. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Apr. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	1
	Apr. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	1
City of Belfast.*	Apr. 2,	.	—	—	12	.	.	5	.	.	2	2	.	—	—	—	—	24	—	45
	Apr. 9,	.	—	—	7	1	.	9	.	.	4	7	.	—	—	—	—	28	—	56
	Apr. 16,	.	—	—	7	.	.	6	.	.	2	10	1	—	—	—	—	12	—	38
	Apr. 23,	.	—	—	13	1	.	10	.	.	1	4	.	—	—	—	—	20	—	49

* The Registrar of Belfast Urban No. 4 reports that one death from beri-beri was registered during the week ended 23rd April.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 23rd April, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Three cases of measles remained under treatment in hospital at the close of the week.

Ten cases of scarlet fever were admitted to hospital, 12 were discharged, and 57* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 62, 62, and 59, respectively.

One case of typhus was admitted to hospital during the week, and 7 cases remained under treatment at its close.

Sixteen cases of diphtheria were admitted to hospital, 8 were discharged, there were 2 deaths, and 40 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 34, 37, and 34, respectively.

Six cases of enteric fever were admitted to hospital during the week, 6 were discharged, and 23 cases remained under treatment in hospital at the close of the week.

In addition to the above named diseases, 9 cases of pneumonia were admitted to hospital, 11 were discharged, there were 4 deaths, and 47 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 13·1) was equal to an average annual death-rate of 13·7 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·3 per 1,000, the rate for Glasgow being 15·9 and for Edinburgh 14·2.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 23rd April. From this Report it appears that of a total of 38 cases notified, 13 were phthisis, 12 scarlet fever, 9 diphtheria, 3 erysipelas, and one puerperal fever. Among the 343 cases of infectious diseases in hospital at the close of the week were 181 cases of scarlet fever, 51 of phthisis, 45 of measles, 31 of diphtheria, 15 of whooping-cough, 8 of erysipelas 4 of enteric fever, 2 of chicken-pox, and 2 of cerebro-spinal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 23rd April, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 23RD APRIL, 1910.																							METEOROLOGY. (*d*)											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 23RD APRIL, 1910.				WEEK ENDING 16TH APRIL, 1910.				WEEK ENDING 9TH APRIL, 1910.			
										DEATHS.																Air Temperature				Air Temperature				Air Temperature			
										Caused by																											
	POPULATION.		DEATHS.			BIRTHS.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia b* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
	Total.(*a*)	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10–18.																															
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS, . .	1,151,790	20·2	29·1	22·4	1·9	643	494	80	153	.	9	.	2	17	4	1	2	6	52	65	34	20	66	5	2	197	15	ɔ	ɔ	ɔ	.	ɔ	ɔ	ɔ	.	ɔ	ɔ	ɔ	.
DUBLIN REGISTRATION AREA:— TOTAL, *c*. .	402,928	29·3	28·6	24·3	1·2	221	188	28	65	.	.	.	.	5	2	.	.	2	20	28	17	10	22	3	3	81	8	*e*63·1	31·6	49·6	0·78	*e*57·8	30·7	43·0	0·74	*e*55·2	26·4	41·7	0·21
CITY of DUBLIN,	310,298	39·2	32·1	26·0	1·3	191	155	23	48	.	.	.	.	4	2	.	.	2	17	24	13	10	19	2	2	71	7	*f*61·0 *g*63·8	34·0 31·0	50·5 49·6	0·75 0·78	*f*56·2 *g*56·8	35·0 30·0	43·9 43·7	0·84 0·94	*f*55·4 *g*55·8	33·8 30·0	43·8 42·8	0·15 0·17
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	16·8	14·1	.	13	10	1	8	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	18·0	18·0	.	10	10	2	3	.	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,013	8·3	.	23·1	.	.	4	1	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	20·7	26·6	3·0	7	9	1	4	.	.	.	.	1	.	.	.	.	2	2	1	.	.	.	.	3	.	64	35	50·6	0·54	55	31	44·3	0·82	56·0	35·0	41·7	0·12
URBAN DISTRICTS.																																						
BELFAST, . .	391,167	26·6	29·9	21·3	2·9	224	160	36	40	.	8	.	.	8	1	1	1	3	19	18	7	2	30	2	4	58	1	60·0	35·0	47·7	0·49	58·8	34·0	43·3	0·78	54·0	29·5	42·2	0·08
CORK, . . .	76,122	33·6	26·7	28·3	0·7	39	34	2	12	.	.	.	.	1	.	.	.	.	2	6	1	4	2	.	1	19	.	61	35	50·1	0·42	51	35	44·2	1·11	51	35	43·4	0·28
LONDONDERRY, . .	43,477	20·1	31·2	18·2	1·2	26	11	2	2	.	.	.	.	.	.	.	.	1	1	4	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK, . .	38,151	18·1	27·3	19·1	.	20	14	1	4	.	.	.	.	.	.	.	.	.	1	4	.	1	4	.	.	7	1	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD, . .	26,789	18·7	37·0	29·2	3·9	19	15	1	5	.	.	.	1	.	1	.	.	.	3	.	3	.	.	.	.	8	2	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY, . .	18,426	2·5	35·0	16·5	3·9	9	4	.	1	.	.	.	1	.	.	.	.	.	.	3	.	.	.	.	.	3	.	56	30	48	1·03	57	30	43·5	0·61	56	34	45	0·04
DUNDALK	18,076	9·4	12·0	31·9	.	3	8	.	3	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA, . .	12,760	8·6	32·7	45·0	8·2	8	11	4	4	.	.	.	2	.	.	.	.	.	2	1	.	1	2	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY, . . .	19,405	17·8	29·4	8·4	.	7	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	60·0	30·8	43·1	0·46	57·0	35·1	43·1	0·92	55·1	31·8	43·4	0·33
LURGAN, . . .	11,782	13·8	66·4	8·9	.	15	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	60·0	30·8	43·1	0·46	57·0	35·1	43·1	0·92	55·1	31·8	43·4	0·33
LISBURN, . .	11,461	10·1	27·3	22·7	.	6	5	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	60·0	30·8	43·1	0·46	57·0	35·1	43·1	0·92	55·1	31·8	43·4	0·33
WEXFORD, . .	11,168	23·2	37·4	14·0	.	8	3	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA, . .	10,686	8·9	14·4	4·8	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO, . . .	10,570	3·7	38·4	9·6	.	8	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	58·9	26·9	46·8	0·65	57·9	27·6	42·1	0·41	56·4	27·0	43·1	0·08
KILKENNY, . .	10,609	11·5	19·7	29·5	.	4	6	1	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	4	.	63	30	51·6	0·91	58	28	42·7	0·68	55	29	43	0·29
CLONMEL, . .	10,167	7·8	10·3	35·9	.	2	7	.	3	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN, . .	10,092	13·2	46·5	25·8	5·2	9	5	3	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	60·0	30·8	43·1	0·46	57·0	35·1	43·1	0·92	55·1	31·8	43·4	0·33
TRALEE, . .	9,867	16·6	21·1	10·6	.	4	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS, . .	9,110	18·9	5·7	40·1	11·4	1	7	.	1	.	1	.	.	.	.	.	.	.	1	.	1	.	1	.	1	1	.	60	36	46·2	0·36	57	35	42·9	1·13	52	33	42·8	0·11
QUEENSTOWN, . .	7,909	14·4	19·8	19·8	.	3	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	61	35	50·1	0·42	51	35	44·2	1·11	51	35	43·4	0·28
ARMAGH, . .	7,588	22·2	27·5	27·5	.	4	4	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.	60·0	30·8	43·1	0·46	57·0	35·1	43·1	0·92	55·1	31·8	43·4	0·33

(*a*) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (*b*) Formerly described as "Simple Continued Fever." (*c*) Exclusive of 12 deaths of persons (including one under one year old and 3 at 60 years or upwards), admitted to hospital from localities outside the Area. (*d*) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. (*e*) Observations at Ordnance Survey Office, Phœnix Park. (*f*) Observations by Sir John Moore, taken at Fitzwilliam-square. (*g*) Observations by Mr. E. W. Moore taken at Botanic Gardens, Glasnevin. (*h*) Including one death from beri-beri.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 23rd April, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	1	.	2	.	.	.	.	.	1	.	.	.	.	.	1	5	.
Diphtheria,	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Pneumonia,	3	2	2	5	.	.	.	.	1	1	2	1	1	.	.	2	20	.
Tuberculous Phthisis,	3	6	3	.	.	1	.	7	.	2	1	1	.	2	.	2	28	3
Disease. Other Forms,	.	.	1	2	.	.	.	4	1	4	1	.	.	1	2	1	17	1
Cancer, Malignant Disease,	.	1	4	1	.	.	.	1	.	1	2	.	.	.	.	.	10	1
Other General Diseases,	1	1	3	.	.	.	.	2	.	.	.	1	2	1	.	.	11	.
Total,	7	11	13	12	.	1	.	15	2	10	6	3	3	4	2	6	95	5
B. LOCAL DISEASES:																		
Diseases of Nervous System,	1	2	2	1	.	1	.	.	1	.	.	.	2	.	.	.	10	2
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	2	4	4	3	.	.	1	5	3	3	2	.	4	3	.	1	35	2
Respiratory System,	1	3	5	.	.	.	.	2	2	2	3	1	1	2	.	.	22	.
Digestive System,	.	.	.	.	.	1	.	1	1	.	.	.	.	.	1	.	4	3
Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Generative System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	4	11	11	4	.	2	1	9	7	5	5	1	7	5	1	1	74	7
C. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	3	2	1	1	.	.	1	2	1	.	2	.	.	1	.	2	16	.
E. VIOLENT DEATHS,	.	1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	3	.
Deaths from all Causes	14	25	25	17	.	3	2	26	10	16	13	4	10	10	4	9	188	12
Annual Rate of Mortality from all causes in every 1,000 of the population.	24·4	32·6	42·4	26·4	.	13·5	13·6	32·7	24·0	19·3	18·9	23·0	14·1	18·0	23·1	26·6	24·3	.
	28·2							23·8					18·6					
	26·0																	
Ages at Death. Under 1 year,	1	2	5	4	.	.	.	4	2	2	2	1	1	2	1	1	28	1
1 and under 5 years,	1	2	2	3	.	.	.	3	2	3	1	.	.	1	1	1	20	.
5 „ 20 „	.	4	2	1	.	.	.	1	1	2	1	.	1	1	.	.	14	1
20 „ 40 „	4	3	2	2	.	2	.	6	1	1	3	2	.	2	.	1	29	4
40 „ 60 „	2	4	8	3	.	.	.	6	1	3	2	.	.	1	.	2	32	3
60 years and upwards,	6	10	6	4	.	1	2	6	3	5	4	1	8	3	2	4	65	3
Number of Uncertified Deaths,	2	1	.	.	.	.	.	1	2	.	1	.	.	1	.	.	8	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	9	3	2	.	1	.	7	2	6	1	1	1	4	1	.	41	11
Workhouse Hospitals,	.	4	8	4	.	.	.	9	2	3	5	1	.	1	.	3	40	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in week of the ten years 1900–1909

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Average in 16th Week of the 10 years, 1900–1909.	In the Week ending Saturday, 23rd April, 1910.								
												Deaths of Persons of the Ages of								
	April 21, 1900.	April 20, 1901.	April 19, 1902.	April 25, 1903.	April 23, 1904.	April 22, 1905.	April 21, 1906.	April 20, 1907.	April 18, 1908.	April 24, 1909.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 50·2	° 46·8	° 45·9	° 40·0	° 46·0	° 44·0	° 44·3	° 42·5	° 42·6	° 48·9	° 45·1	° 49·6								
ALL CAUSES.	204	241	174	189	178	179	215	215	183	194	197·2	200	9	20	20	15	33	35	59	9
Small-pox,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	2	.	2	1	3	4	3	10	3	3	3·1	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	2	2	2	.	.	.	.	2	.	·8	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	4	7	2	3	.	3	3	5	5	9	4·1	2	.	.	.	.	.	1	.	1
Whooping-cough,	2	9	1	1	5	4	.	7	3	6	3·8	5	.	2	3	.	.	.	.	.
Diphtheria,	2	.	1	2	1	1	.	.	.	.	·7	2	.	.	2	.	.	.	.	.
Cerebro-spinal Fever,	.	.	.	.	.	1	.	3	1	2	·7	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain)	.	.	.	.	.	.	.	.	.	2	·2	.	.	.	.	.	.	.	.	.
Enteric Fever,	3	4	.	1	.	.	2	.	.	1	1·1	.	.	.	.	.	.	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.), *Diarrhœa*, Dysentery,	3	4	.	.	.	1	.	.	.	1	1·8	2	.	1	1	.	.	.	.	.
			4	.	1	2	1	1	.	.		.	.	.	.	.	.	.	.	.
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	3	.	1	1	.	2	.	.	2	·9	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Infective Endocarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	21	15	6	1	1	1	3	3	2	3	17·0	10	1	1	3	.	.	1	4	.
Broncho-Epidemic			.	.	7	6	7	12	2	5		.	.	.	.	.	.	.	.	.
Not defined,			4	4	12	3	16	8	12	16		10	.	.	.	5	3	2	.	.
Erysipelas,	2	1	.	.	.	.	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal)) Pyæmia (not Puerperal),	.	1	.	.	.	.	1	2	.	.	·5	.	.	.	.	.	.	.	.	.
			.	.	.	1	.	.	.	.		.	.	.	.	.	.	.	.	.
Other Infective Processes,	.	.	1	1	1	.	.	.	.	.	·3	1	.	1	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*,"	27	34	4	1	8	7	9	15	11	9	26·0	14	.	.	.	1	10	3	.	.
			21	26	18	24	9	15	11	11		17	.	.	.	4	7	5	1	.
Tuberculous Meningitis,	7	3	4	6	3	3	5	5	6	1	4·3	5	.	2	1	2	.	.	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*,	7	6	1	1	.	.	4	2	.	.	2·6	1	.	.	1	.	.	.	.	.
			2	.	.	.	.	2	.	1		1	.	1	.	.	.	.	.	.
Tuberculous Dis. (other), *Scrofula*,	3	5	8	8	8	8	2	7	10	7	6·6	11	.	2	3	3	.	2	1	.
			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Alcoholism,	.	1	.	2	.	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
Rheumatic Fever,	.	.	.	.	.	1	.	1	.	1	·3	.	.	.	.	.	.	.	.	.
Gout,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Carcinoma,	4	3	2	3	3	1	2	4	4	5	7·5	5	.	.	.	.	.	.	5	.
Sarcoma,			.	.	.	2	2	1	.	.		.	.	.	.	.	.	.	.	.
Cancer (undefined)			4	6	4	1	9	5	5	5		6	.	.	.	1	5	.	.	.
Diabetes Mellitus,	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Premature Birth,	6	5	3	4	3	3	2	3	5	6	4·0	5	5	.	.	.	.	.	.	.

* The figures for the year 1900 are for

† Formerly described as

e SIXTEENTH WEEK ending Saturday, 23rd April, 1910, with the deaths from each cause in the corresponding
d the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 16th Week of the 10 years 1900-1909.	In the Week ending Saturday, 23rd April, 1910.							
	April 21, 1900.	April 20, 1901.	April 19, 1902.	April 25, 1903.	April 23, 1904.	April 22, 1905.	April 21, 1906.	April 20, 1907.	April 18, 1908.	April 24, 1909.		Deaths of Persons of the Ages of							
												All Ages.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 50·2	° 46·8	° 45·9	° 40·0	° 46·0	° 44·0	° 44·3	° 42·5	° 42·6	° 48·9	° 45·1	° 49·6								
Meningitis (not tuberc.) ...			4	5	2	3	3	2	7	3		6	.	.	1	4	1	.	.	.
Insanity, G. P. of Insane ...			2	1	2	1	1	3	2	2		2	.	.	.	.	1	.	1	.
Epilepsy			.	1	1	.	.	2	1	.		.	.	.	.	.	.	.	.	.
Convulsions			7	3	4	8	5	4	9	1		.	.	.	.	.	.	.	.	.
Locomotor Ataxy ...			.	.	.	1	.	1	.	.		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord ...			.	3	1	1	1	1	1	1		2	.	.	.	.	1	.	1	.
Nervous System (other Dis.)	40	44	5	2	4	2	.	2	1	1	43·4	2	.	.	.	.	.	.	2	.
Valv. Dis., Endocarditis ...			5	2	4	1	7	9	3	7		10	.	.	.	4	4	1	1
Cerebr. Hæm. Thromb.			1	1	4	2	9	5	.	1		10	.	.	.	.	3	6	1
Apoplexy, Hemiplegia ...			4	6	1	1	9	8	5	5		1	.	.	.	.	1	.	.	
Aneurysm ...			2	.	.	1	1	.	.	.		.	.	.	.	.	.	.	.	.
Embolism, Thromb. (not cerebral)			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Heart and Blood Vessels (other Dis.)			15	19	15	18	19	8	21	14		16	.	.	.	.	3	10	3	
Croup (not Spasm. nor Memb.)	.	1	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Bronchitis	26	31	18	28	24	22	36	29	16	22	25·2	21	.	2	.	.	1	3	14	1
Asthma, Emphysema ...	.	2	1	2	1	.	1	1	.	1	2·7	.	.	.	.	.	.	.	.	.
Pleurisy			.	1	.	.	2	.	.	2		.	.	.	.	.	.	.	.	.
Respiratory Dis. (other) ...			4	2	2	.	4	1	.	.		1	.	.	1	.	.	.	.	.
Tonsillitis, Quinsy ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.) ...	2	1	.	1	2	1	1	1	1	2	1·9	2	.	1	.	.	.	.	1	.
Gastro-enteritis			1	.	1	.	2	1	1	1		1	1	.	.	.	.	.	.	.
Peritonitis (not Puerp.) ...	.	2	.	.	1	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver ...	1	2	1	.	1	3	2	.	1	1	2·1	1	.	.	.	.	.	.	.	.
Liver Dis. (other) ...			.	.	1	2	2	1	1	2		1	.	.	.	.	.	.	.	1
Digestive Dis. (other) ...	2	7	4	6	6	8	5	6	2	5	5·1	3	.	1	.	1	.	.	1	.
Nephritis, Acute	3	14	2	2	2	1	1	2	3	1	6·1	1	.	.	.	.	1	.	.	
Bright's Dis., Albuminuria			2	3	2	5	2	1	3	5		1	.	.	.	.	.	1	.	
Urinary Sys. (other Dis.) ...			2	.	.	2	.	.	.	3		.	.	.	.	.	.	.	.	.
Generative Organs Dis. ...	.	2	2	.	1	.	.	.	1	.	·6	1	.	.	.	1	.	.	.	.
Childbirth (Accid. of) ...	.	.	1	.	1	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
Old Age	13	11	2	8	3	5	6	5	7	4	6·4	4	.	.	.	.	.	3	1	
Other Diseases	19	15	16	13	8	9	9	8	8	13	11·8	15	2	6	2	.	1	4	.	
ACCIDENT.																				
By Railways	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles and Horses ...	1	.	.	.	.	1	.	.	.	.	·2	1	.	.	1	.	.	.	.	.
By Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
By Building Operations ..	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
By Conflagrations ...	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	.	2	.	.	.	1	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
By Drowning	.	1	1	1	.	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
By Suffocation in Bed ...	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	.	.	.	.	.	.	1	1	.	·2	1	.	.	1	.	.	.	.	.
Other Deaths by Accident	2	3	.	2	2	1	4	1	3	.	1·8	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Suicide	.	.	.	1	.	.	.	.	.	.	·1	1	.	.	.	.	.	1	.	.
Execution	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.

Registration Area as then constituted.
mple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1909-10—Week ending																									
	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.
No. of weeks in Annual Series,	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
BIRTHS registered.	208	220	215	238	196	206	174	216	185	232	236	243	197	162	252	220	197	224	206	247	162	242	213	255	217	221
*Average Births in corresponding week of previous 10 years,** ..	203	210	198	195	181	202	197	190	177	175	227	204	206	203	234	212	210	213	214	219	217	211	235	190	207	224
DEATHS registered, ...	148	145	177	190	172	180	177	158	155	205	174	177	181	177	239	217	211	223	208	204	149	185	168	196	183	200
Annual Death-rate per 1,000, ..	19·4	19·0	23·2	24·9	22·5	23·6	23·2	20·7	20·3	26·8	22·5	22·9	23·4	22·9	30·9	28·1	27·3	29·5	26·9	26·4	19·3	23·9	21·7	24·1	23·7	25·9
*Average Deaths in corresponding week of previous 10 years,**	166	179	182	184	187	190	190	187	195	184	217	210	206	201	200	196	207	221	221	214	200	206	211	200	200	197
AGES, Under 5 years, ...	35	40	45	41	37	42	37	51	44	71	49	57	57	55	76	58	67	67	57	58	30	52	44	44	37	49
5—20 ,, ...	17	10	12	9	8	9	8	10	8	11	12	13	10	13	11	9	9	16	8	12	11	12	13	9	11	13
20—40 ,, ...	33	21	26	28	18	22	25	19	23	19	30	25	20	31	27	25	19	22	32	28	21	34	18	26	24	33
40—60 ,, ...	28	33	38	44	51	47	52	27	34	48	36	28	41	36	54	42	38	42	41	34	35	35	32	43	38	35
60—80 ,, ...	34	33	49	61	52	50	45	39	37	40	37	49	45	37	64	62	66	69	57	65	41	42	45	53	57	59
80 years and upwards, ..	1	8	7	7	6	10	10	12	9	6	10	10	8	5	7	21	12	12	13	12	11	10	16	11	16	9
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	2	.	1	1	.	.	2	.	.	1	.	.	2	.	.	.	.	1	.	.	.	.
Scarlet Fever, ...	.	.	1	.	1	.	1	1	1	3	.	.	.	1	.	1	2	1	1	.	1	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Whooping-cough, ...	1	1	1	2	.	.	2	2	2	1	3	5	4	1	2	4	1	.	3	2	1	2	1	.	2	5
Diphtheria, ...	.	.	1	2	1	1	.	2	.	1	1	.	3	.	2	2	.	2	.	1	1	1	.	1	.	2
Pyrexia † (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	1	1	1	.	1	1	1	.	3	2	.	1	.	2	.	.	.	1	2	.	1	1	4	1	1	.
Diarrhœal Diseases, ...	3	2	4	2	4	2	4	1	.	4	2	4	4	2	4	6	2	3	3	4	2	3	.	4	2	2
Influenza, ...	.	1	2	1	2	3	1	1	6	4	2	3	5	1	4	3	2	2	5	6	7	6	6	3	5	2
Pneumonia, ...	18	8	14	18	16	26	28	19	20	22	22	14	21	14	20	17	20	22	17	20	12	14	14	17	18	20
Tuberculous Phthisis, ..	27	19	20	20	17	22	17	15	14	15	24	19	21	23	26	19	19	23	28	26	15	26	14	21	22	31
Disease, Other Forms, ..	9	7	8	6	6	7	8	6	4	6	5	6	6	6	17	10	14	13	10	12	10	10	4	10	9	18
Cancer, Malignant Disease, ..	6	10	8	17	7	11	10	8	6	4	8	7	8	11	19	10	8	14	9	13	5	6	14	7	10	11
Diseases of Heart and Blood Vessels, ...	17	19	33	32	27	31	29	25	21	37	29	31	29	17	29	38	40	31	27	25	30	20	30	37	28	37
Diseases of Respiratory System,	14	15	22	22	32	29	28	26	30	41	20	33	29	39	48	55	41	41	39	35	26	36	28	38	39	22
Violent Deaths, ...	2	3	4	6	4	5	4	4	2	2	4	4	1	4	5	1	6	6	5	3	1	2	5	5	3	3
Number of Uncertified Deaths, ..	6	4	5	4	2	3	4	5	7	10	3	8	13	9	13	3	7	2	8	5	5	3	4	9	12	8
Mean Temperature of the Air (Phœnix Park), ...	40·3	45·0	41·9	37·7	38·4	41·8	39·1	41·4	33·5	45·9	45·4	42·1	37·6	32·5	38·1	43·7	42·3	39·2	44·0	43·6	39·8	43·4	39·7	41·7	43·0	49·6
Average Mean Temperature in corresponding week of previous 10 years, ...	47·1	47·6	45·8	43·7	42·4	43·3	43·0	41·3	42·1‡	40·3	41·3	40·0	41·1	41·7	40·0	38·9	38·9	40·1	40·1	41·1	42·9	41·9	42·1	44·2	43·4	45·1
Rainfall in inches, ...	·184	·117	·738	·037	·251	1·163	1·202	·207	1·183	·340	·128	·986	·240	1·690	·163	·264	1·160	·915	·392	·388	·174	·000	·040	·205	·736	·782
Mean Humidity of the Air, complete Saturation 1·0	·81	·88	·88	·80	·84	·87	·90	·82	·86	·88	·89	·85	·91	·88	·94	·91	·93	·94	·93	·88	·91	·91	·88	·93	·93	·91

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 23rd April, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 23RD APRIL, 1910.

CLASS	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	CAUSES OF DEATH. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS.	375,350	27·8	200	49	15	33	35	59	9	.	.	.	.	5	2	.	.	2	9	20	31	18	11	.	22	3	86	8
	CLASSES. **Deaths in Families of the—**																												
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	17·9	6	1	.	2	1	2	.	.	.	.	.	.	.	.	.	1	1	1	5	2	1	.	2	.	18	1
II.	MIDDLE CLASS, ...	87,188	17·9	30	4	2	5	2	12	5	.	.	.	.	1	2	.	.	.	3	9	6	4	3	.	7	.	15	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,428	22·2	47	10	8	5	11	11	2	.	.	.	.	1	2	.	.	.	3	6	10	7	2	.	7	1	39	6
IV.	GENERAL SERVICE CLASS, ...	154,279	25·7	76	28	3	16	11	17	1	.	.	.	.	4	.	.	.	.	4	6	10	7	2	.	7	1	39	6
V.	INMATES OF WORKHOUSES, ...	6,024	—	41	6	2	5	10	17	1	.	.	.	.	.	.	.	.	1	1	2	9	5	4	.	6	.	14	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	33·4	5	1	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.	.	1	.	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	27·0	4	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	9·5	4	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2	.
	6. Clerks and Commercial Assistants, ..	30,482	10·3	6	1	1	3	.	1	.	.	.	.	.	.	.	.	.	1	1	1	2	.	.	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	30·9	16	1	1	1	1	7	5	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	12	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades, ...	29,801	31·5	18	4	1	3	4	6	.	.	.	.	.	.	2	.	.	.	2	5	1	1	1	.	5	.	3	.
	10. Clothing Trades, ...	28,260	17·9	8	1	4	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	1	.	4	.
	11. Food Supply Trades, ...	9,242	28·2	5	2	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	24·1	14	3	2	2	4	1	2	.	.	.	.	1	.	.	.	.	1	3	4	1	1	.	1	.	3	1
	13. Petty Shopkeepers, ...	7,894	18·2	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c	13,425	15·5	4	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	15. Domestic Servants, ...	36,603	7·1	5	.	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	39·9	11	3	.	3	2	3	.	.	.	.	.	2	.	.	.	.	2	1	2	.	2	.	2	.	2	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	32·5	56	24	2	10	6	13	1	.	.	.	.	2	.	.	.	.	2	4	6	7	.	.	5	1	31	6
V.	INMATES OF WORKHOUSES.																												
	18. Workhouse Inmates, ...	6,024	—	41	6	2	5	10	17	1	.	.	.	.	.	.	.	.	1	1	2	9	5	4	.	6	.	14	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

	DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From Diseases in Cols. 5–18.	TOTAL DEATHS.	NUMBER OF DEATHS FROM: Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of).	North City, No. 1 (E.)	Mar. 5,	28·2	.	15	.	.	.	.	.	.	.	.	.	1	1	.	1	3	2	3
		„ 12,	36·6	1·7	21	.	.	.	.	.	1	.	.	.	3	3	2	1	5	1	.
		„ 19,	15·7	1·7	9	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.	.
	(*Office, Clarence-st., Nth.*)	„ 26,	20·9	.	12	.	.	.	.	.	.	.	.	.	1	2	.	.	2	.	1
		Apr. 2,	22·7	.	13	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
		„ 9,	13·2	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	3	1	.
	Pop. in 1910 (Est.) 29,908.	„ 16,	26·2	.	15	.	.	.	.	.	.	.	.	.	1	4	.	.	5	.	1
		„ 23,	24·4	.	14	.	.	.	.	.	.	.	.	.	3	3	.	.	1	.	2
	North City, No. 1 (W.)	Mar. 5,	37·8	3·9	29	.	.	.	.	1	.	.	1	1	2	3	3	2	7	.	1
		„ 12,	28·7	2·6	22	.	.	.	.	.	.	.	.	2	3	2	2	2	3	.	.
		„ 19,	23·5	1·3	18	.	.	.	.	.	.	.	.	1	4	1	1	1	6	.	.
	(*Office, Summer-hill.*)	„ 26,	30·0	2·6	23	.	.	.	.	1	.	.	.	1	3	1	4	.	6	.	.
		Apr. 2,	17·0	1·3	13	.	.	.	.	.	.	.	1	.	2	.	.	1	2	1	2
		„ 9,	36·5	.	28	.	.	.	.	.	.	.	.	.	1	4	2	.	8	.	1
	Pop. in 1910 (Est.) 39,874.	„ 16,	24·8	1·3	19	.	.	.	.	1	.	.	.	.	5	1	1	1	4	1	.
		„ 23,	32·6	1·3	25	.	.	.	.	1	.	.	.	.	2	6	.	1	3	1	1
	North City, No. 2.	Mar. 5,	32·2	3·4	19	.	.	1	.	1	.	.	.	.	2	2	1	.	2	.	.
		„ 12,	28·8	.	17	.	.	.	.	.	.	.	.	.	.	.	2	1	3	1	.
		„ 19,	18·7	.	11	.	.	.	.	.	.	.	.	.	1	2	2	.	1	.	.
	(*Office, Lisburn-street.*)	„ 26,	32·2	1·7	19	.	.	.	.	1	.	.	.	.	1	4	.	.	6	.	.
		Apr. 2,	28·8	.	17	.	.	.	.	.	.	.	.	.	3	5	.	1	2	1	.
		„ 9,	23·4	1·7	15	.	.	.	.	.	.	.	.	1	.	1	.	1	3	1	1
	Pop. in 1910 (Est.) 30,744.	„ 16,	23·7	.	14	.	.	.	.	.	.	.	.	.	1	1	.	1	4	1	.
		„ 23,	42·4	.	26	.	.	.	.	.	.	.	.	.	2	3	1	4	5	.	.
	North City, No. 3.	Mar. 5,	18·6	.	12										2	4	.	.	1	.	
		„ 12,	28·3	1·6	15									1	2	2	1	1	2	.	.
		„ 19,	24·9	1·6	16									1	2	1	.		4	.	1
	(*Office, Benburb-street.*)	„ 26,	31·1	1·6	20								1	.		4	.	1	2	.	.
		Apr. 2,	28·0	.	18										1	2		2	2	1	
		„ 9,	32·6	3·1	21									2	1	2	1		4	1	1
	Pop. in 1910 (Est.) 33,559.	„ 16,	26·4	6·2	17				2					2	2	4	.	1	4	.	
		„ 23,	26·4	6·2	17					2				2	5	.	2	1	.	.	
	South City, No. 1.	Mar. 5,	16·3	1·3	13									1	.	2	1	.	2	.	.
		„ 12,	31·4	.	25										3	3	2	1	8	.	2
		„ 19,	17·6	.	14										3	1	.	1	1	.	1
	(*Office, Sth. Earl-street.*)	„ 26,	25·1	.	20										1	4	2	1	2	.	.
		Apr. 2,	20·1	.	16										1	1			6	1	.
		„ 9,	18·9	1·3	18									1	1	4	1	.	7	1	1
	Pop. in 1910 (Est.) 41,476.	„ 16,	26·4	.	21										2	1	1	1	7	.	2
		„ 23,	32·7	1·3	26					1					.	7	4	1	2	.	1
	South City, No. 2.	Mar. 5,	31·2	.	18										3	2	2	.	3	.	1
		„ 12,	21·6	.	9										.	4	.	.	1	.	1
		„ 19,	11·6	.	5										.	1	2	2	1	.	.
	(*Office, Castle-street.*)	„ 26,	21·6	.	9										1	3	.	1	1	.	.
		Apr. 2,	14·4	.	6										.	.	.	1	1	.	1
		„ 9,	14·4	.	6										1	1	1	.	1	1	1
	Pop. in 1910 (Est.) 21,754	„ 16,	9·6	.	4										.	.	.	.	2	.	1
		„ 23,	24·0	.	10										1	.	1	.	2	.	2
	South City, No. 3.	Mar. 5,	26·5	1·2	22								1		2	1	.	1	8	1	.
		„ 12,	21·7	2·4	18					2					2	2	1	.	5	.	1
		„ 19,	19·3	1·2	16						1				.	2	1		4	.	1
	(*Office, Peter street.*)	„ 26	27·7	1·2	23		1								4	2	2		6	.	2
		Apr. 2,	21·7	.	18										1	1	2	1	5	.	.
		„ 9,	32·6	2·4	27						1		1		4	1	3	3	3	.	.
	Pop. in 1910 (Est.) 43,227.	„ 16,	29·0	.	24										1	3	3	2	1	.	.
		„ 23,	19·3	2·4	16					1	1				1	2	4	1	2	1	.
	South City, No. 4.	Mar. 5,	32·0	.	22										.	4		2	4	2	2
		„ 12,	25·3	.	16										.	2	.	2	1	.	1
		„ 19,	16·0	.	11										.	2	1	.	3	.	.
	(*Office, Grand Canal-st.*)	„ 26,	24·7	1·5	17								1		1	2	.	.	2	.	.
		Apr. 2,	17·4	.	12										1	2		2	1	.	1
		„ 9,	17·4	.	12										2	2	1	.	1	.	1
	Pop. in 1910 (Est.) 35,881.	„ 16,	16·0	.	11										.	1	.		6	.	1
		„ 23,	18·9	.	18										2	1	1	2	3	.	1

* Formerly described as "Simple Continued Fever."

certain Registrars' Districts in the City of Dublin, and of the Urban Districts of Rathmines represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes	From Diseases in Cols. 5–13.	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	Mar. 5,	19·7	1·4	14	.	.	.	.	1	.	.	.	.	2	3	.	.	4	.	.
	,, 12,	16·9	.	12	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.
	,, 19,	12·7	.	9	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	2
	,, 26,	15·5	.	11	.	.	.	.	.	.	.	.	.	.	2	.	1	3	.	.
	Apr. 2,	23·9	.	17	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.
	,, 9,	12·7	.	9	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	1
	,, 16,	12·7	.	9	.	.	.	.	.	.	.	.	.	.	3	.	.	2	.	3
	,, 23,	14·1	.	10	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	Mar. 5,	19·8	.	11	.	.	.	.	.	.	.	.	.	1	2	.	.	3	.	1
	,, 12,	25·2	.	14	.	.	.	.	.	.	.	.	.	1	3	.	2	4	1	.
	,, 19,	25·2	1·8	14	.	.	.	.	.	.	.	1	.	1	1	1	.	1	.	.
	,, 26,	7·2	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.
	Apr. 2,	10·8	.	6	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.
	,, 9,	19·8	.	11	.	.	.	.	.	.	.	.	.	1	1	.	2	2	.	1
	,, 16,	18·0	1·8	10	.	.	.	.	1	.	.	.	.	.	1	.	1	2	.	1
	,, 23,	18·0	.	10	.	.	.	.	.	.	.	.	.	.	2	1	.	2	.	1
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	Mar. 5,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	,, 12,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	,, 19,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
	,, 26,	23·7	.	8	.	.	.	.	.	.	.	.	.	2	.	.	1	2	1	.
	Apr. 2,	20·7	3·0	7	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.
	,, 9,	29·6	.	10	.	.	.	.	.	.	.	.	.	4	.	.	.	3	.	.
	,, 16,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	,, 23,	26·6	3·0	9	.	.	.	.	1	.	.	.	.	2	2	1	.	.	.	.
Belfast. Pop. in 1910 (Est.) 391,167.	Mar. 5,	22·0	1·9	165	.	1	.	.	11	.	.	.	2	12	13	9	8	24	10	2
	,, 12,	21·6	2·1	162	.	1	.	.	12	.	.	1	2	10	26	7	5	22	9	1
	,, 19,	21·7	2·5	163	.	5	2	.	12	.	.	.	.	12	18	9	9	24	5	1
	,, 26,	16·7	1·9	125	.	3	.	.	10	.	.	.	1	8	10	8	10	16	3	1
	Apr. 2,	18·4	2·3	138	.	6	2	.	6	1	.	1	1	14	20	9	4	16	.	2
	,, 9,	22·4	3·2	168	.	11	.	.	12	1	.	.	.	19	24	12	8	21	4	1
	,, 16,	24·9	3·3	187	.	17	.	.	5	1	1	.	1	16	27	8	10	22	.	1
	,, 23,	21·8	2·9	160	.	8	.	.	8	1	1	1	3	19	18	7	2	30	2	1
Cork. Pop. (in 1901) 76,122.	Mar. 5,	23·3	.	34	.	.	.	.	.	.	.	.	.	1	4	3	3	5	.	2
	,, 12,	20·5	.	30	.	.	.	.	.	.	.	.	.	3	6	1	.	3	.	3
	,, 19,	19·9	.	29	.	.	.	.	.	.	.	.	.	1	2	.	.	9	2	2
	,, 26,	22·6	.	33	.	.	.	.	.	.	.	.	.	2	8	2	3	1	.	1
	Apr. 2,	32·9	2·1	48	.	.	.	.	.	1	.	.	2	3	6	3	1	6	2	5
	,, 9,	34·4	.	50	.	.	.	.	.	.	.	.	.	3	7	2	4	6	.	5
	,, 16,	22·6	.	33	.	.	.	.	.	.	.	.	.	3	9	1	2	2	1	2
	,, 23,	23·3	0·7	34	.	.	.	.	1	.	.	.	.	2	6	1	4	2	.	.
Londonderry. Pop. in 1910 (Est.) 43,477.	Mar. 5,	25·2	.	21	.	.			.	.			.	3	2	2	2	4	1	.
	,, 12,	18·0	3·6	15	.	1			.	.			2	.	2	2	1	1	.	2
	,, 19,	9·6	.	8	.	.			.	.			.	1	1	.	1	1	.	.
	,, 26,	22·8	1·2	19	.	1			.	.			.	1	4	1	1	3	.	2
	Apr. 2,	13·2	1·2	11	.	.			.	.			1	1	1	.	.	1	.	.
	,, 9,	15·6	.	18	.	.			.	.			.	2	2	2	.	3	.	1
	,, 16,	20·4	.	17	.	.			.	.			.	1	2	.	1	3	.	.
	,, 23,	13·2	1·2	11	.	.			.	.			1	1	4	1	1	1	.	.
Limerick. Pop. (in 1901) 38,151.	Mar. 5,	13·7	4·1	10	.	.			2	.			1	1	.	.	.	.	.	.
	,, 12,	15·0	.	11	.	.			.	.			.	.	5	.	.	1	.	2
	,, 19,	19·1	2·7	14	.	.			1	.			1	.	.	1	1	5	.	3
	,, 26,	27·8	2·7	20	.	.			2	.			.	2	1	1	.	2	.	2
	Apr. 2,	23·2	.	17	.	.			.	.			.	1	2	.	.	2	.	2
	,, 9,	17·8	.	13	.	.			.	.			.	1	1	.	.	4	.	1
	,, 16,	20·5	.	15	.	.			.	.			.	.	3	.	.	6	.	1
	,, 23,	19·1	.	14	.	.			.	.			.	1	4	.	1	4	.	1
Waterford. Pop. (in 1901) 26,769.	Mar. 5,	17·5	.	9	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2
	,, 12,	27·3	3·9	14	.	.	.	1	1	.	.	.	.	1	5	.	.	1	.	1
	,, 19,	18·6	1·9	7	.	.	.	.	.	.	.	.	1	.	3	.	.	2	.	1
	,, 26,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	Apr. 2,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	1	3	.	1	.	.	2
	,, 9,	17·5	.	9	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.	.
	,, 16,	33·1	5·3	17	.	.	.	2	.	.	.	.	.	1	2	1	.	1	.	3
	,, 23,	29·2	3·9	15	.	.	.	1	.	1	.	.	1	3	.	3	.	.	.	2

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 23rd April, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901,** represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS																										
			Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.						DEATHS FROM																	
			All Causes.	Diseases in Cols. 12-20.		Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		12			6	.	.	.	1	4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	4	.
Do. 2 do, .		37			27	2	5	2	2	5	11	.	1	.	.	2	.	.	.	.	1	4	2	1	6	.	.	7	.
Do. 3 do. .		29			12	4	2	2	1	2	1	.	1	.	.	.	1	.	.	.	4	.	1	.	.	.	.	2	.
Do. 4 do. .		22			21	6	2	1	2	6	4	.	1	.	.	1	.	.	.	.	2	1	1	3	.	1	14	.
Do. 5 do. .		16			11	6	2	.	.	.	3	.	1	.	.	.	.	.	.	.	1	1	.	1	1	1	6	.
Do. 6 do. .		17			14	1	4	1	2	2	4	.	.	.	.	1	.	1	.	1	.	.	2	.	3	.	.	4	.
Do. 7 do. .		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 8 do. .	249,180	1			5	1	.	.	.	.	4	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	1	.
Do. 9 do.		14			15	2	4	4	.	2	3	.	2	.	.	.	.	.	1	.	2	1	.	.	2	1	1	6	.
Do 10 do. .		9			10	2	.	1	1	3	3	.	.	.	.	.	.	.	.	1	3	.	.	.	2	.	.	4	.
Do. 11 do. .		19			13	4	3	2	1	1	2	.	.	.	.	.	.	.	.	.	3	3	.	.	2	.	.	2	1
Do. 12 do. .		23			13	4	1	1	2	3	2	.	1	.	.	1	.	.	.	1	.	2	.	.	3	.	1	6	.
Do. 13 do. .		10			1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Do. 14 do. .		.			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15† do. .		14			11	4	3	.	2	1	1	.	1	.	.	2	.	.	.	.	2	1	.	.	1	.	.	2	.
Total, ...	—	224	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		160	36	27	14	14	29	40	.	8	.	.	8	1	1	1	3	19	13	7	2	30	2	4	58	1
City of Cork.																													
CORK URBAN No. 1 DISTRICT, .	12,867	9	12·2	.	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.
Do. 2 do. .	10,701	3	19·5	.	4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	1	.
Do. 3 do. .	9,978	3	20·9	5·2	4	1	.	.	1	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	1	2	.
Do. 4 do. .	8,666	4	24·1	.	4	.	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	2	.
Do. 5 do. .	6,592	4	55·4	.	7	1	.	.	.	3	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
Do. 6 do. .	10,702	4	24·4	.	5	.	.	.	2	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
Do. 7 do. .	16,616	12	22·0	.	7	.	.	.	.	2	5	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	5	.
Total, ...	76,122	39	23·3	0·7	34	2	.	1	9	10	12	.	.	.	.	1	.	.	.	.	2	6	1	4	2	.	1	19	.

TABLE IX.—**City of Belfast.**—Comparative Tables of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1909-10—Week ending																								
	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.
No. of weeks in annual Series, ..	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
BIRTHS registered, ...	202	205	174	180	168	189	190	181	170	215	278	192	180	216	214	213	196	202	239	201	240	208	207	254	247	224
DEATHS registered, ...	116	116	180	134	167	147	218	177	144	192	148	170	125	151	165	172	156	140	165	162	163	125	133	168	187	160
Annual Death rate per 1,000 of estimated Population, ...	15·6	15·6	17·5	18·1	22·5	19·8	29·4	23·9	19·4	25·9	19·7	22·7	16·7	20·1	22·0	22·9	20·8	18·7	22·0	21·6	21·7	16·7	18·4	22·4	24·9	21·3
AGES — Under 1 year, ...	22	28	30	28	41	44	63	41	33	48	36	43	29	33	28	37	31	23	33	31	29	27	27	34	33	36
AGES — 1-5 years, ...	14	11	8	14	27	14	21	18	22	25	23	21	20	21	28	21	20	21	21	16	27	15	21	33	34	27
AGES — 5-20 years, ...	9	7	11	4	11	10	18	18	10	12	8	9	9	14	2	8	18	12	11	14	16	7	18	19	15	14
AGES — 20-40 years, ...	27	22	28	22	20	20	31	22	28	28	17	24	17	22	30	18	26	19	29	26	18	19	16	21	32	14
AGES — 40-60 years, ...	13	19	27	28	31	28	33	33	20	34	26	28	23	21	30	42	31	36	37	40	35	28	22	27	24	29
AGES — 60 years and upwards, ..	31	29	31	38	37	36	53	50	36	45	38	40	27	40	47	46	35	29	34	35	38	29	34	34	44	40
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	5	8	6	11	17	8
Scarlet Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	2	.	2	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	5	4	4	4	7	6	15	9	10	18	12	13	18	18	19	15	17	14	11	12	13	10	6	12	5	8
Diphtheria, ...	.	.	1	.	.	1	.	.	.	1	1	.	1	.	.	.	.	1	.	.	.	.	1	1	1	1
*Pyrexia** (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1
Enteric Fever, ...	.	.	2	.	.	.	1	.	.	.	2	.	.	1	.	.	1	.	.	1	.	.	1	.	.	1
Diarrhœal Diseases, ...	3	4	2	2	1	3	2	1	1	1	2	.	.	.	2	.	2	.	2	2	.	1	1	.	1	3
Pneumonia, ...	8	15	18	17	25	31	25	28	22	34	12	20	9	16	14	16	11	16	12	10	12	8	14	19	16	19
Tuberculous Disease, Phthisis, ..	14	6	14	8	8	11	26	14	17	18	14	14	12	15	15	15	14	20	23	26	14	10	20	24	27	13
Tuberculous Disease, Other Forms, ..	10	2	11	3	16	4	11	4	4	6	4	10	3	10	8	4	8	7	9	7	9	8	9	12	8	7
Cancer, Malignant Disease, ..	3	5	7	7	1	3	7	5	5	3	2	10	5	4	8	7	6	5	3	5	9	10	4	8	10	2
Diseases of Respiratory System,	14	21	17	31	42	41	53	37	39	41	28	31	21	29	28	40	19	21	24	22	24	16	16	21	24	30
Violent Deaths, ...	2	3	2	2	3	5	5	6	4	3	3	3	5	7	2	2	5	3	10	9	5	3	.	4	.	2
Number of Uncertified Deaths, ..	1	2	1	.	1	3	3	2	3	1	2	1	6	3	2	1	5	2	2	1	1	1	2	1	1	1

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	Apr. 23,	2,334	1,226	13·1	.	27	6	5	38	3*a*	10
EDINBURGH, ...	360,276	„ 23,	137	98	14·2	.	7	.	.	1	.	3
GLASGOW, ...	884,505	„ 23,	463	270*b*	15·9	.	18	1	3	2	.	7
CALCUTTA, ...	1,009,008	Mar. 19,	.	495	25·5	.	10	.	1	.	103‡	101*
BOMBAY, ...	977,822	„ 22,	342	890	47·3	78	2	.	.	.	255‡	56
MADRAS, ...	509,346	„ 4,	299	369	37·6	2	7	?	?	?	111	43
CAIRO, ...	677,663	„ 4,	539	358	27·5	1	5	.	6†	?	5	43
PARIS, ...	2,760,000	„ 19,	971	994	18·8	.	27	5	6†	6	3*a*	27
BRUSSELS, ...	720,030	April 2,	263	214	15·5	.	3	.	3†	1	1	9
ANTWERP, ...	317,171	„ 2,	146	97	15·9	.	7	1	1†	4	.	6
AMSTERDAM, ...	569,712	„ 2,	260	125	11·4	.	2	1	.	.	.	7
COPENHAGEN, ...	450,000	„ 2,	253	144	16·7	.	.	.	1†	2	.	4
STOCKHOLM, ...	339,582	„ 2,	187	121	18·5	.	7	1	.	6	.	.
CHRISTIANIA, ...	236,674	„ 9,	109	62	13·7	.	.	1	2†	1	.	2
ST. PETERSBURG, ...	1,620,000	Mar. 19,	805	895	28·8	10	57	14	20	10	12	76
MOSCOW, ...	1,493,600	„ 12,	.	809	28·2	7	35	19	31†	7	10	58
BERLIN, ...	2,126,091	„ 19,	786	598	14·7	.	3	15	12†	8	2	33
HAMBURG, ...	895,804	April 2,	.	257	14·9	.	5	.	9†	5	2	9
BRESLAU, ...	510,053	„ 2,	.	178	18·2	.	.	1	3	2	.	7
MUNICH, ...	576,000	„ 9,	.	178	16·1	.	1	1	1†	1	.	11
VIENNA (with suburbs),	2,085,888	„ 2,	843	728	18·1	.	26	12	4†	8	1*a*	42
BUDA-PESTH, ...	833,703	„ 2,	477	374	23·3	.	10	14	8†	4	5	11
PRAGUE and Fau-bourgs.	494,531	Mar. 19,	203	254	26·7	.	8	.	1†	1	.	11
TRIESTE, ...	218,727	„ 26,	136	115	27·4	.	2	.	.	.	1*a*	2
ROME, ...	584,308	„ 5,	280	225	20·1	.	13	1	4	1	1	7
VENICE, ...	183,224	„ 5,	79	66	18·8	.	6	2	4	1	.	.
NEW YORK, ...	4,711,956	„ 26,	2,409	1,718	19·0	.	31	49	42†	3	7*a*	47
PHILADELPHIA, ..	1,598,400	„ 5,	.	621	20·2	.	1	4	15†	3	2*a*	20
BOSTON, ...	629,868	April 2,	.	290	24·0	.	5	.	3	3	.	5

* Including 60 deaths from cholera in Calcutta.
† Including deaths from croup.
‡ Including 37 deaths from plague in Calcutta and 203 in Bombay.
a Enteric Fever.
b Including one death from cerebro-spinal meningitis.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 23rd April, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	3	3
" " 1, West,	.	3	.	.	.	.	.	.	.	.	.	2	5
" " 2,	.	.	1	.	.	.	.	1	.	.	.	4	6
" " 3,	.	.	.	.	5	.	.	1	.	.	.	5	11
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	1	.	.	.	2	4
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	2	.	.	2	.	1	.	5	.	.	5	15
" " 2,	.	.	.	.	.	.	.	.	.	.	.	3	3
" " 3,	.	2	.	.	4	.	.	.	.	.	.	.	6
" " 4,	.	.	.	.	.	.	.	.	2	.	.	2	4
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	8	1	.	11	.	1	3	7	.	.	26	57

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 23rd April, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 23rd April.			
	April 2.	April 9.	April 16.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	3	2	3	.	.	.	3
Scarlet Fever,	62	62	59	10	12	.	57*
Typhus,	3	6	6	1	.	.	7
Diphtheria,	34	37	34	16	8	2	40
Enteric Fever,	22	23	23	6	6	.	23
Pneumonia,	35	39	53	9	11	4	47

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 23rd April, 1910:—

"The week opened with a brief, sharp spell of cold in the wake of a baric depression, which had passed eastwards across England during the previous day (Saturday, April 16th), causing severe thunder and hail storms in various parts of that country—notably in the northern and eastern districts of London (at Greenwich 1·5 inches of rain were recorded). On Monday a warm S.W. wind off the Atlantic sent the thermometer up to 64° in Dublin and at Colwyn Bay. This reading in Dublin was 30° over Sunday's minimum. Tuesday was gloomy and wet in this City, the wind shifting to N.E. in the afternoon, and fog forming in the evening. Wednesday was at first dull and rainy; afterwards overcast, but mild and fine. An anticyclone at this time was spreading northwards to Ireland from the Peninsula and the Bay of Biscay. Thursday was a fine, warm day, sunny intervals sending the thermometer up to 62° in Dublin and at Birr Castle, to 63° at Oxford, and to 64° in London and at various coast stations from Torquay and Bournemouth to Clacton-on-Sea and Felixstowe. In the course of the same day (Thursday) a shallow secondary depression formed over England, drawing a cool N. wind over Ireland and producing a considerable rainfall—in the Thames valley in particular. From midnight of Friday the barometer fell fast as a large depression spread southeastwards across the British Isles from Iceland and the Atlantic Ocean. Its approach was heralded by a fine lunar halo on Friday night, and was attended by squally westerly winds, showers of rain and hail, and a lower temperature. In Dublin the mean height of the barometer was 29·971 inches, the range being from 30·178 inches at 9 a.m. of Wednesday (wind, W.S.W.) to 29·435 inches at 9 p.m. of Saturday (wind, W.). The corrected mean temperature was 50·5°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 49·7°. On Sunday the screened thermometers fell to 34·0°; on Monday, they rose to 64·0°. The prevailing wind was W.S.W. Rain fell on 6 days to the amount of ·749 inch, of which ·480 inch was recorded on Tuesday. There was a gale from S.W. on Monday; fog on Tuesday evening. Hail fell on Saturday night."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·799 inches. The highest reading (30·008) was on Wednesday at 9 a.m., wind S.W., and the lowest (29·257) on Saturday at 9 p.m., wind W.S.W.

The mean temperature for the week was 49·6°, being 4·5° above the average for the corresponding period of the 10 years, 1900–1909. The temperature was highest on Monday, on which day the thermometer registered 63·1°, and was lowest on Sunday, the mercury having fallen to 31·6°. The mean of the Dry Bulb for the week was 48·3° and of the Wet Bulb 47·0°. The mean humidity of the air was ·91, complete saturation being represented by 1·0. The rainfall during the week measured 0·782 inch.

At Greenwich the mean temperature for the week was 49·3°, the maximum 65·5°, and the minimum 30·9°; at Glasgow the maximum was 58·0°, the minimum 33·5°, and the mean 44·9°; and at Edinburgh the maximum was 54·4°, the minimum 34·7° [Readings for 6 days only], and the mean 42·9°. The rainfall at Greenwich measured 0·23 in., at Glasgow 0·46 in., and at Edinburgh 0·24 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY.	BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Maximum.	Minimum.	Mean	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) In.		
Sunday, April 17,	29·716	49·9	31·6	40·8	42·1	40·2	·86	·5	8·0	·000	S.W.	S.S.E.
Monday, „ 18	29·633	63·1	41·9	52·5	54·1	53·3	·94	·7	5·2	·154	S.W.	W.S.W.
Tuesday, „ 19,	29·899	55·1	47·9	51·5	49·2	49·0	·98	·5	0·0	·460	S.W.	Calm.
Wednesday, „ 20,	29·986	57·7	47·6	52·7	53·1	52·0	·93	·7	0·0	·008	S.W.	W.S.W.
Thursday, „ 21,	29·965	61·5	50·3	55·9	52·7	50·2	·84	·6	8·7	·053	W.N.W.	W.
Friday, „ 22,	29·959	52·8	42·5	47·7	42·8	41·6	·91	·7	0·6	·012	N.N.W.	Calm.
Saturday, „ 23,	29·436	54·1	38·0	46·1	44·2	43·0	·91	·7	4·1	·095	S.W.	W.S.W.
Mean, . . .	29·799	56·3	42·8	49·6	48·3	47·0	·91	·6	Total 26·6	Total ·782	Prevailing Wind S.W.	

Sunday—Day bright to cloudy, fine; night overcast. *Monday*—Day cloudy, drizzle p.m.; night overcast, drizzle and heavy rain a.m. *Tuesday*—Day overcast and rain; night overcast, drizzle a.m. *Wednesday*—Day overcast, drizzle a.m. and p.m.; night overcast, drizzle a.m. *Thursday*—Day cloudy, light rain p.m.; night cloudy, heavy rain a.m. *Friday*—Day overcast to cloudy, drizzle a.m.; night cloudy, drizzle a.m. *Saturday*—Day overcast to cloudy, passing showers; night clear.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, April 23rd, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperatures in Shade, read at 9 p.m.			Sunshine Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
	°	°	°	°	°	°	hrs	ins.
Sunday, April 17.	43·1	44·0	46·0	50·6	33·8	42·2	7·50	·001
Monday, „ 18,	57·7	45·8	45·8	64·7	42·0	53·4	5·70	·125
Tuesday, „ 19,	50·9	48·1	45·8	56·1	47·8	52·0	—	·450
Wednesday, „ 20.	53·7	48·8	46·0	58·8	47·9	53·4	—	·005
Thursday, „ 21	54·5	50·0	46·1	62·3	51·0	56·7	6·50	·010
Friday, „ 22,	46·0	50·8	46·5	56·0	43·4	49·7	0·25	·002
Saturday, „ 23,	46·1	49·1	47·0	55·0	40·0	47·5	3·10	·100
Weekly Mean, . .	50·3	48·1	46·2	57·6	43·7	50·7	Total 23·05	Total ·693

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

28521. Wt. P. 1—80/137, 375. 4. 1910. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 30TH APRIL, 1910. [No. 17.

General Register Office, Charlemont House, Dublin, 2nd May, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending April 9.	April 16.	April 23.	April 30.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending April 9.	April 16.	April 23.	April 30.	Average Rate for 4 weeks.
22 Town Districts.	**23·2**	**23·2**	**22·4**	**22·0**	**22·7**	Limerick,	17·8	20·5	19·1	19·1	19·1
						Lisburn,	36·4	36·4	22·7	22·7	29·5
Armagh,	34·4	13·7	27·5	6·9	20·6	Londonderry,	15·6	20·4	13·2	20·4	17·4
Ballymena,	14·4	19·2	4·8	19·2	14·4	Lurgan,	17·7	8·9	8·9	8·9	11·1
Belfast,	22·4	24·9	21·3	23·1	22·9	Newry,	21·0	29·4	8·4	12·6	17·9
Clonmel,	35·9	20·5	35·9	25·6	29·5	Newtownards,	17·2	34·3	40·1	17·2	27·2
Cork,	34·2	22·6	23·3	19·9	25·0	Portadown,	25·8	31·0	25·8	15·5	24·5
Drogheda,	32·7	32·7	45·0	24·5	33·7	Queenstown,	33·0	19·8	19·8	19·8	23·1
Dublin Reg. Area,	23·4	21·5	24·3	23·9	23·3	Sligo,	19·2	9·6	9·6	4·8	10·8
Dundalk,	39·9	12·0	31·9	8·0	22·9	Tralee,	5·3	26·4	10·6	15·9	14·6
Galway,	27·2	35·0	15·5	.	19·4	Waterford,	17·5	33·1	29·2	23·4	25·8
Kilkenny,	.	14·7	29·5	29·5	18·4	Wexford,	14·0	23·3	14·0	37·4	22·2

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·8 per 1,000, the rates varying from 0·0 in fifteen of the districts to 9·1 in Lisburn, the 5 deaths from all causes for that district including 2 from whooping-cough. Among the 173 deaths from all causes for Belfast are 20 from measles, 4 from whooping-cough, one from diphtheria, and one from diarrhœa. Of the 6 deaths from all causes for Drogheda one is from whooping-cough, and one death from whooping-cough is also included in the 6 deaths from all causes for Kilkenny.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 246—121 boys and 125 girls—and the deaths to 193—102 males and 91 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, represent an annual rate of 23·9 per 1,000 of the population, the rate for the total deaths registered in the Area being 25·0 per 1,000. During the seventeen weeks, ending with Saturday last, the death-rate averaged 25·0, and was 3·0 below the mean rate for the corresponding portions of the ten years 1900-9.

The deaths from all causes include 4 deaths from whooping-cough, 2 deaths from enteric fever, and one death from epidemic diarrhœa of an infant under 5 years of age; there were also registered one death from enteritis and one death from *gastro-enteritis* at this age-period. In

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*), Table II. ‡ See columns 10-18 of Table II.

each of the three weeks preceding deaths from whooping-cough were 0, 2, and 5 ; deaths fr enteric fever were one, one, and 0 ; and deaths from diarrhœal diseases were 4, 2, and Deaths from influenza, which had been 3, 5, and 2 respectively in the three precedi weeks, were 3 in the period under notice.

The 17 deaths from pneumonia (all forms) comprise 3 deaths from lobar pneumonia, 6 fr broncho-pneumonia, and 8 from *pneumonia* (not defined).

There were 37 deaths from all forms of tuberculous disease, as against 31, 31, and 49 deat in each of the three preceding weeks. The former figure include 25 deaths from tuberculo phthisis (*phthisis*), 6 deaths from tuberculous meningitis, and 6 deaths from other forms the disease.

Of 11 deaths from malignant diseases, 4 were attributed to carcinoma and 7 to canc malignant disease (undefined).

Prematurity was the cause of the deaths of 5 infants.

Two deaths from *convulsions* of infants under one year of age are included in the 11 deat from diseases of the brain and nervous system.

Diseases of the heart and blood vessels caused 31 deaths, and of the respiratory syst 25 deaths ; of the latter figure 22 were deaths from bronchitis.

There was one death from burning of a child 2 years of age ; of two deaths by drownir one was that of an infant who was found drowned.

In 6 instances the cause of death was "uncertified," there having been no medi attendant during the last illness ; these cases include the deaths of 2 infants under one ye of age, and the death of one person aged 95 years.

Forty-six of the persons whose deaths were registered during the week were unc 5 years of age (33 being infants under one year, of whom 12 were under one month old) a 57 were aged 60 years and upwards, including 33 persons aged 70 and upwards, of wh 7 were octogenarians, and 4 (one male and 3 females) were stated to have been aged 92, 91, and 95 years, respectively.

Eighty-one of the deaths registered during the week occurred in hospitals and oth public institutions ; of this number 12 took place in the North Dublin Union Workhou and 22 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last wee deaths in Public Institutions being assigned to the Districts from which the deceased we admitted, and the annual death-rate for each District calculated on the mortality so d tributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 23·9 per 1,000 ; the rate in the City was 2 (North City Districts, 21·0; South, 25·5) and in the Suburbs, 26·5.

The deaths from certain epidemic diseases* in the entire area equal an annual rate of 0·9 per 1,000 inhabitants, rate for the City being 0·8 (0·7 in the North City Districts, and 1·0 in the South), and for the Suburbs, 1·1 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (9) are equal to an annual rate of 15·7 per 1,0 and include one death from *pneumonia* (not defined), and 4 deaths from tuberculous disease.

No. 1 *North City District, West* (Summer-hill).—The deaths (15) are equal to an annual rate of 19·6 per 1,0 The deaths included one from whooping-cough, 2 from tuberculous phthisis (*phthisis*), and 6 from diseases of respiratory organs.

No. 2 *North City District* (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 22·0 per 1,0 There was one death from broncho-pneumonia ; there were 2 deaths from *pneumonia* (not defined), 4 deaths fr tuberculous disease, and one death from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (18) represent an annual rate of 28·0 per 1,000. Ente fever caused one death, there was one death from broncho-pneumonia, also one death from *pneumonia* (not define there were 2 deaths from tuberculous disease, and 3 deaths from diseases of the respiratory organs.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are :—Cool and Drumcondra, part of, 17·9 per 1,000 inhabitants : Clontarf and Howth, No. 1, part of, 0·0 ; and Finglas and Glasnev part of, 33·9. Of the 4 deaths from all causes for Coolock and Drumcondra, part of, one was from bronchitis ; and 5 deaths from all causes for Finglas and Glasnevin, part of, include one from tuberculous phthisis and 2 deaths cau by accident or negligence.

No. 1 *South City District* (South Earl-street).—The deaths (21) represent an annual rate of 26·4 per 1,000. Ente fever caused one death, there were 2 deaths from broncho-pneumonia, 4 deaths from tuberculous disease, and 4 dea from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (9) are equal to an annual rate of 21·6 per 1,000, and inclu one death from *pneumonia* (not defined), one death from tuberculous phthisis, 2 deaths from tuberculous meningi and one death from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (20) are equal to an annual rate of 24·1 per 1,000. Whoopi cough caused one death, there was one death from lobar pneumonia, also one death from broncho-pneumon tuberculous disease caused 5 deaths, and bronchitis caused 5 deaths.

No. 4 *South City District* (Grand Canal-street).—The deaths (21) are equivalent to an annual rate of 30·5 per 1,0 The deaths included one from whooping-cough, one from each of lobar pneumonia and *pneumonia* (not defined), an deaths from tuberculous disease.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·2 per 1,000. There was no de from epidemic disease or tuberculous disease registered.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are :—Rathmines and Rathg 29·6 ; Pembroke, 28·8 ; Blackrock, 5·8 ; and Kingstown, 26·6. The deaths from the principal epidemic disea tabulated for these districts include one from whooping-cough for Pembroke and one from epidemic diarrhœa Kingstown. Among the 21 deaths from all causes for Rathmines and Rathgar are 2 from influenza, one from *pneumo* (not defined), 4 from tuberculous disease, one from bronchitis, and one death caused by drowning ; of the 16 dea from all causes for Pembroke there was one death from broncho-pneumonia, there were 2 deaths from tubercul disease, one from bronchitis, and one death of an infant who was found drowned. The 9 deaths from all causes Kingstown include one death from influenza, one from *pneumonia* (not defined), and 2 from diseases of the respirat organs.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possi in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 9," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly rnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin: Mr. Fawcett ecutive Sanitary Officer for Rathmines and Rathgar Urban District: Mr. Manly, Executive Sanitary Officer for mbroke Urban District: Mr. Heron, Executive Sanitary Officer for Blackrock Urban District: by Dr. R. A. Donovan, Medical Superintendent Officer of Health for Kingstown Urban District: and by Dr. Bailie, Medical perintendent Officer of Health for the City of Belfast.

ABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 30th April, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Apr. 9,	.	—	—	5	3	.	6	.	1	9	11	.	—	—	.	—	9	—	44
	Apr. 16,	.	—	—	7	3	.	3	.	1	5	9	.	—	—	.	—	19	—	47
	Apr. 23,	.	—	—	8	1	.	11	.	1	3	7	.	—	—	.	—	26	—	57
	Apr. 30,	.	—	—	9	1	.	6	.	.	4	10	.	—	—	.	—	20	—	50
Rathmines and Rathgar Urban District.	Apr. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Apr. 16,	.	—	—	1	.	.	3	.	.	.	.	.	—	—	—	—	—	—	4
	Apr. 23,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Apr. 30,	.	—	—	2	.	.	.	.	.	.	.	1	—	—	—	—	—	—	3
Pembroke Urban District.	Apr. 9,	.	.	.	1	.	.	.	.	2	.	1	.	—	5	.	—	—	—	9
	Apr. 16,	.	.	.	.	.	.	1	.	.	.	.	.	—	1	.	—	—	—	2
	Apr. 23,	.	.	.	.	.	.	1	.	.	.	.	.	—	.	.	—	—	—	1
	Apr. 30,	.	.	.	.	.	.	1	.	.	.	.	.	—	.	.	—	—	—	1
Blackrock Urban District.	Apr. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Apr. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Apr. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Apr. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Apr. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Apr. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	1
	Apr. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	1
	Apr. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	1
City of Belfast.*	Apr. 9,	.	—	—	7	1	.	9	.	.	4	7	.	—	—	—	—	28	—	56
	Apr. 16,	.	—	—	7	.	.	6	.	.	2	10	1	—	—	—	—	12	—	38
	Apr. 23,	.	—	—	13	1	.	10	.	.	1	4	.	—	—	—	—	20	—	49
	Apr. 30,	.	—	—	7	.	.	4	.	.	1	4	.	—	—	—	—	24	—	40

* The Registrar of Belfast Urban No. 4 reports that one death from beri-beri was registered during the week ded 23rd April.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the ublin Hospitals during the week ended 30th April, 1910, and the number under eatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Three cases of measles remained under treatment in hospital at the close of the week.

Twelve cases of scarlet fever were admitted to hospital, 10 were discharged, and 59* cases emained under treatment at the close of the week. At the close of the 3 preceding weeks ne cases in hospital were 62, 59, and 57, respectively.

One case of typhus was admitted to hospital during the week, one was discharged nd 7 cases remained under treatment at its close.

Seven cases of diphtheria were admitted to hospital, 8 were discharged, and 39 patients emained under treatment at the close of the week. The cases in hospital at the close of ne 3 preceding weeks numbered 37, 34, and 40, respectively.

Two cases of enteric fever were admitted to hospital during the week, 2 were discharged, here were 2 deaths, and 21 cases remained under treatment in hospital at the close of ne week.

In addition to the above named diseases, 11 cases of pneumonia were admitted to hospital,) were discharged, there were 3 deaths, and 45 cases remained under treatment at the nd of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the ate was 13·0) was equal to an average annual death-rate of 13·1 per 1,000 persons living; he average rate for 8 principal towns of Scotland was 17·4 per 1,000, the rate for lasgow being 16·5 and for Edinburgh 16·1.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for dinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 30th April. From is Report it appears that of a total of 48 cases notified, 18 were phthisis, 17 scarlet fever, 7 diphtheria, 5 erysipelas, nd one puerperal fever. Among the 338 cases of infectious diseases in hospital at the close of the week were 1 cases of scarlet fever, 50 of phthisis, 44 of measles, 32 of diphtheria, 19 of whooping-cough, 9 of erysipelas of enteric fever, 4 of chicken-pox, and 2 of cerebro-spinal fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 30th April, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 30TH APRIL, 1910.																							METEOROLOGY. (*d*)											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 30TH APRIL, 1910.				WEEK ENDING 23RD APRIL, 1910.				WEEK ENDING 16TH APRIL, 1910.			
									DEATHS.																												
									Caused by																													
	POPULATION.		DEATHS.			BIRTHS.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia b* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Air Temperature. Absolute Highest.	Air Temperature. Absolute Lowest.	Air Temperature. Mean.	Rainfall in Inches.	Air Temperature. Absolute Highest.	Air Temperature. Absolute Lowest.	Air Temperature. Mean.	Rainfall in Inches.	Air Temperature. Absolute Highest.	Air Temperature. Absolute Lowest.	Air Temperature. Mean.	Rainfall in Inches.
	Total.(*a*)	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10–18.																															
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS, . .	1,151,790	20·2	31·8	22·0	1·8	703	485	80	185	.	20	.	.	12	1	.	.	4	37	59	29	24	59	9	12	159	18	○ .	○ .	○ .	.	○ .	○ .	○ .	.	○ .	○ .	○ .	.
DUBLIN REGISTRATION AREA:— TOTAL, *c*. .	402,998	29·3	31·8	23·9	0·9	246	185	33	53	.	.	.	.	.	.	2	1	16	23	12	11	25	4	5	73	6	*c*58·8	30·9	43·6	0·42	*c*63·1	31·6	49·6	0·78	*c*57·8	30·7	43·0	0·74
CITY of DUBLIN,	310,298	39·2	32·8	23·2	0·8	195	138	24	31	.	.	.	8	.	.	2	.	13	12	10	8	21	2	2	61	4	*f*59·4 *g*58·8	35·0 33·0	45·3 44·3	0·41 0·42	*f*61·0 *g*63·8	34·0 31·0	50·5 49·6	0·75 0·78	*f*56·2 *g*56·8	35·0 30·0	43·9 43·7	0·84 0·94
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	18·3	29·6	.	13	21	3	10	.	.	.	.	.	.	.	.	.	1	3	1	1	1	1	1	7	1	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	1·4	28·8	1·8	23	16	5	5	.	.	.	.	1	.	.	.	.	1	1	1	1	1	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,013	8·8	34·7	5·8	.	6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	26·6	26·6	3·0	9	9	1	6	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	.	3	1	57·5	36·0	45·3	0·33	64	35	50·6	0·51	55	31	44·5	0·82
URBAN DISTRICTS.																																						
BELFAST, . .	391,167	26·6	25·5	23·1	3·5	266	173	33	34	.	20	.	.	4	1	.	.	1	14	22	9	6	15	4	4	51	8	55·0	34·0	43·5	0·72	60·0	35·0	47·7	0·49	58·8	34·0	43·3	0·73
CORK, . . .	76,122	33·6	40·5	19·9	.	30	29	3	10	.	.	.	.	.	.	.	.	.	1	3	1	1	3	.	.	15	2	56	38	46·1	0·25	61	35	50·1	0·42	51	35	44·2	1·11
LONDONDERRY, .	43,477	20·1	24·0	20·4	.	20	17	1	5	.	.	.	.	.	.	.	.	.	2	3	2	2	3	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK, . .	38,151	18·1	62·9	19·1	.	46	14	.	6	.	.	.	.	.	.	.	.	.	2	1	2	.	2	.	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD, . .	26,769	18·7	31·2	23·4	1·9	16	12	2	8	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY, . . .	18,426	2·5	19·4	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	60	34	47	0·44	56	30	48	1·03	57	30	43·5	0·64
DUNDALK . .	18,076	9·4	19·9	8·0	.	5	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA, . .	12,760	8·6	12·3	24·5	4·1	3	6	1	3	.	.	.	.	1	.	.	.	.	.	.	.	.	2	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY, . . .	12,405	17·8	12·6	12·6	.	3	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	58·8	33·2	43·7	0·62	60·0	30·8	43·1	0·46	57·0	35·1	43·1	0·92
LURGAN, . . .	11,782	13·8	8·9	8·9	.	2	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	58·8	33·2	43·7	0·62	60·0	30·8	43·1	0·46	57·0	35·1	43·1	0·92
LISBURN, . . .	11,461	10·1	36·4	22·7	9·1	8	5	3	.	.	.	.	.	2	.	.	.	1	.	.	1	.	1	.	.	.	.	58·8	33·2	43·7	0·62	60·0	30·8	43·1	0·46	57·0	35·1	43·1	0·92
WEXFORD, . . .	11,168	23·2	46·7	37·4	4·7	10	8	2	2	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA, . .	10,686	8·9	23·9	19·2	.	5	4	.	1	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	1	58·8	33·2	43·7	0·62	60·0	30·8	43·1	0·46	57·0	35·1	43·1	0·92
SLIGO, . . .	10,870	9·7	28·8	4·8	.	6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	55·3	33·4	43·7	1·07	58·9	26·9	46·8	0·65	57·9	27·6	42·1	0·41
KILKENNY, . .	10,609	11·5	29·5	29·5	4·9	6	6	2	1	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.	.	.	1	59	38	45·1	0·32	63	30	51·6	0·91	53	28	42·7	0·68
CLONMEL, . . .	10,167	7·8	15·4	25·6	.	3	5	.	2	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN, . .	10,098	18·2	31·0	15·5	.	6	3	.	1	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	58·8	33·2	43·7	0·62	60·0	30·8	43·1	0·46	57·0	35·1	43·1	0·92
TRALEE, . . .	9,867	16·6	21·1	15·2	.	4	3	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS, .	9,110	18·9	28·6	17·2	.	5	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	53	35	42·8	0·41	60	36	46·2	0·36	57	35	42·9	1·13
QUEENSTOWN, . .	7,909	14·4	26·4	9·8	.	4	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	56	38	46·1	0·25	61	35	50·1	0·42	51	35	44·2	1·11
ARMAGH, . . .	7,588	22·2	27·5	6·2	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	58·8	33·2	43·7	0·62	60·0	30·8	48·1	0·46	57·0	35·1	43·1	0·92

(*a*) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (*b*) Formerly described as "Simple Continued Fever." (*c*) Exclusive of 8 deaths of persons (including 4 at 60 years or upwards) admitted to hospital from localities outside the Area. (*d*) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for

BLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 30th April, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN REGISTRATION DISTRICTS IN Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.					URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock & Drumcondra (pt. of).	Finglas and Glasnevin (part of).	South City No. 1.	South City No. 2.	South City No. 3	South City No. 4	New Kilmainham	Rathmines and Rathgar.	Pembroke.	Blackrock.	Kingstown.		
GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	1	.	.	.	.	.	.	.	1	1	.	.	1	.	.	4	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Diarrhœal Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Pneumonia,	1	.	3	2	.	.	.	2	1	2	2	.	1	1	.	1	16	1
Tuberculous Phthisis,	3	2	2	1	.	.	1	3	1	3	3	.	3	1	.	.	23	2
Disease. Other Forms,	1	.	2	1	.	.	.	1	2	2	1	.	1	1	.	.	12	.
Cancer, Malignant Disease,	.	.	2	.	.	1	.	2	.	2	.	1	1	1	.	1	11	.
Other General Diseases,	.	1	1	3	.	2	.	1	1	1	.	.	7	2	.	2	21	.
Total,	5	4	10	8	.	3	1	10	5	11	7	1	13	7	.	5	90	3
LOCAL DISEASES:																		
Nervous System,	1	1	.	1	.	.	.	1	2	.	1	1	.	2	.	.	10	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	1	2	1	4	.	.	1	4	.	1	5	.	4	3	.	1	27	4
Respiratory System,	.	6	1	3	.	1	.	4	1	5	.	.	1	1	.	2	25	.
Digestive System,	1	1	.	1	.	.	.	1	1	1	5	.	1	1	1	.	14	.
Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	1	1	.	.	.	.	.	1	1	.	1	.	.	.	5	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
cidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
seases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	3	10	3	10	.	1	1	10	4	8	12	1	7	7	1	3	81	5
OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CAUSES ILL-DEFINED AND NOT SPECIFIED,	1	1	.	.	.	.	1	1	.	1	2	1	.	1	.	1	10	.
VIOLENT DEATHS,	.	.	.	.	.	.	2	.	.	.	.	.	1	1	.	.	4	.
aths from all Causes	9	15	13	18	.	4	5	21	9	20	21	3	21	16	1	9	185	8
nual Rate of Mortality om all causes in every 1,000 the population.	15·7	19·6	22·0	28·0	.	17·9	33·9	26·4	21·6	24·1	30·5	17·2	29·6	28·8	5·8	26·6	23·9	.
	21·0							25·5					26·5					
	23·2																	
Death. Under 1 year,	.	2	3	3	.	.	1	5	.	6	3	1	3	5	.	1	33	.
1 and under 5 years,	1	2	1	2	.	.	1	1	.	4	.	.	.	1	.	.	13	.
5 „ 20 „	2	2	.	2	.	.	.	1	2	2	3	.	1	1	.	.	16	2
20 „ 40 „	.	1	3	2	.	2	1	5	2	2	5	.	3	1	.	.	27	2
40 „ 60 „	4	6	4	5	.	.	.	4	3	3	4	1	4	3	.	2	43	.
60 years and upwards,	2	2	2	4	.	2	2	5	2	3	6	1	10	5	1	6	53	4
mber of Uncertified Deaths,	.	3	.	.	.	.	.	.	.	1	.	.	1	.	.	1	6	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

blic Hospitals, Prisons, and unatic Asylums,	3	1	2	3	.	1	1	2	2	10	5	1	6	.	.	2	39	8
rkhouse Hospitals,	.	1	5	6	.	.	.	10	2	4	2	.	1	2	.	1	34	.

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in the week of the ten years 1900–1909

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday,										Averages in 17th Week of the 10 years, 1900–1909.	In the Week ending Saturday, 30th April, 1910. Deaths of Persons of the Ages of							
	April 28, 1900.	April 27, 1901.	April 26, 1902.	May 2, 1903.	April 30, 1904.	April 29, 1905.	April 28, 1906.	April 27, 1907.	April 25, 1908.	May 1, 1909.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 47·6	° 49·1	° 49·8	° 47·1	° 48·9	° 46·8	° 41·9	° 49·8	° 39·0	° 45·6	° 46·6	° 43·6								
ALL CAUSES.	178	202	199	201	158	165	174	262	168	179	188·6	193	12	21	13	18	29	43	46	11
Small-pox,	.	.	.	3	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	.	2	1	2	2	1	10	3	2	2·3	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	2	.	2	.	.	.	.	1	1	·6	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	3	10	6	2	2	1	1	5	3	3	3·6	3	.	.	.	.	.	1	2	
Whooping-cough,	2	8	3	1	3	1	2	15	2	13	5·0	4	.	2	.	2	.	.	.	
Diphtheria,	.	.	.	.	1	.	2	1	.	.	·4	.	.	.	.	.	.	.	.	
Cerebro-spinal Fever,	.	.	.	.	.	.	.	2	2	2	·6	.	.	.	.	.	.	.	.	
Pyrexia † (origin uncertain)	.	.	.	.	.	1	.	1	.	.	·2	.	.	.	.	.	.	.	.	
Enteric Fever,	5	1	4	2	1	1	1	1	.	.	1·6	2	.	.	.	.	2	.	.	
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Epidemic Diarrhœa (Infective Enteritis.),	3	.	.	.	.	.	1	.	.	.	1·6	1	.	1	.	.	.	.	.	
Diarrhœa, Dysentery,			1	1	1	3	3	1	2	.		.	.	.	.	.	.	.	.	
Tetanus,	.	.	.	.	1	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Venereal Disease,	1	1	1	1	1	2	3	1	.	1	1·2	2	.	1	1	.	.	.	.	
Puerperal Septicæmia,	.	.	.	1	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	
Puerperal Pyæmia,			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
Puerperal Fever,			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
Infective Endocarditis	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	
Pneumonia, Lobar,	9	21	7	2	.	.	3	1	1	2	14·1	3	.	.	1	.	.	.	2	.
Pneumonia, Broncho-			5	5	5	7	2	5	4	3		6	.	3	1	.	1	1	.	.
Pneumonia, Epidemic			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Pneumonia, Not defined,			6	8	12	7	12	6	4	9		8	1	1	.	.	2	3	1	.
Erysipelas,	.	.	3	1	.	.	1	1	.	.	·6	1	.	.	.	1	.	.	.	
Septicæmia (not Puerperal)	1	1	1	1	1	1	.	.	.	.	·7	2	.	.	.	.	1	1	.	
Pyæmia (not Puerperal),				1	.	.	.	.	.	.										
Other Infective Processes,	.	.	.	1	.	.	1	2	.	1	·5	1	.	.	.	.	.	1	.	
Tuberculous Phthisis,	32	32	19	22	14	17	11	24	14	11	25·7	10	.	.	.	2	6	2	.	.
"*Phthisis*,"			1	1	5	4	11	10	13	16		15	.	.	.	4	9	1	1	.
Tuberculous Meningitis,	1	3	4	1	4	2	2	4	3	1	2·5	6	.	1	2	3	.	.	.	
Tuberculous Peritonitis,	4	3	1	1	.	1	.	5	.	.	1·9	.	.	.	.	.	.	.	.	
Tabes Mesenterica,			.	.	1	.	.	1	.	2		.	.	.	.	.	.	.	.	
Tuberculous Dis. (other),	5	5	3	8	9	7	7	10	9	3	6·9	6	.	1	1	3	1	.	.	
Scrofula,			.	2	.	.	1	.	.	.		.	.	.	.	.	.	.	.	
Alcoholism,	2	2	.	.	.	1	.	.	.	2	·7	2	.	.	.	.	1	1	.	.
Rheumatic Fever,	1	.	.	1	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Carcinoma,	10	2	2	2	1	4	6	1	2	2	7·2	4	.	.	.	.	1	3	.	
Sarcoma,			1	1	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
Cancer (undefined)			7	7	5	1	4	4	6	5		7	.	.	.	.	5	2	.	
Diabetes Mellitus,	.	.	1	.	1	.	2	.	1	.	·5	2	.	.	.	.	1	1	.	
Premature Birth,	2	3	4	3	4	1	1	9	1	7	3·5	5	5	.	.	.	.	.	.	

* The figures for the year 1900 are for

† Formerly described as

SEVENTEENTH WEEK ending Saturday, 30th April, 1910, with the deaths from each cause in the corresponding and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 17th Week of the 10 years 1900-1909.	In the Week ending Saturday, 30th April, 1910.							
	April 28, 1900.	April 27, 1901.	April 26, 1902.	May 2, 1903.	April 30, 1904.	April 29, 1905.	April 28, 1906.	April 27, 1907.	April 25, 1908.	May 1, 1909.		Deaths of Persons of the Ages of							
												ALL AGES.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 47·6	° 49·1	° 49·8	° 47·1	° 48·9	° 46·8	° 41·9	° 49·8	° 39·0	° 45·6	° 46·6	Mean Temp. ° 43·6	Under 1 month.	1 month and under a year.	1 to 5.					
Meningitis (not tubero.)			5	6	3	4	.	5	1	4		4	.	2	2	.	.	.	.	.
Insanity, G. P. of Insane			3	2	.	1	.	2	4	1		1	.	.	.	1	.	.	.	.
Epilepsy			.	.	.	2	.	.	.	.		.	.	.	.	.	.	.	.	.
Convulsions			12	7	3	8	4	10	7	3		2	1	1	.	.	.	.	.	.
Locomotor Ataxy			.	.	1	.	.	.	.	.		1	.	.	.	.	.	1	.	.
Paraplegia Dis. of Cord			1	2	3	1	.	.	2	.		2	.	.	.	.	.	.	2	.
Nervous System (other Dis.)			4	1	.	1	5	1	2	.		1	.	1	.	.	.	.	.	.
	29	42									40·4									
Valv. Dis., Endocarditis			3	4	4	10	5	8	8	3		12	.	.	.	1	2	3	6	.
Cerebr. Hæm. Thromb.			2	2	3	3	1	.	1	1		4	.	.	.	.	.	2	1	1
Apoplexy, Hemiplegia			2	4	3	7	5	5	8	6		1	.	.	.	.	.	1	1	.
Aneurysm				1	1	.	.	1	.	.		.	.	.	.	.	.	.	.	.
Embolism, Thromb. (not cerebral)			1	1	.	1	.	.	.	.		.	.	.	.	.	.	.	.	.
Heart and Blood Vessels (other Dis.)			14	11	7	13	16	22	9	16		14	.	.	.	1	5	7	1	
Croup (not Spasm. nor Memb.)	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Bronchitis	26	18	24	27	23	18	21	31	19	25	23·2	22	.	2	3	1	.	9	7	.
Asthma, Emphysema	5	1	1	.	1	.	1	.	1	1	2·6	1	.	.	.	.	.	1	.	.
Pleurisy			1	2	.	.	1	.	.	.		1	.	.	.	.	.	1	.	.
Respiratory Dis. (other)			1	1	3	.	.	2	2	2		1	.	.	.	.	.	.	.	1
Tonsillitis, Quinsy	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.)	2	.	.	1	.	.	3	3	.	.	1·6	2	.	.	1	1	.	.	.	.
Gastro-enteritis			1	1	.	3	1	1	.	.		1	.	1	.	.	.	.	.	.
Peritonitis (not Puerp.)	.	1	.	.	.	.	.	.	1	.	·2	1	.	.	.	1	.	.	.	.
Cirrhosis of Liver	1	3	1	3	3	.	.	1	1	2	2·3	4	.	.	.	.	1	2	1	.
Liver Dis. (other)			1	1	.	1	.	1	2	2		.	.	.	.	.	.	.	.	.
Digestive Dis. (other)	4	3	8	11	2	3	6	9	7	5	5·8	6	.	1	.	.	.	.	5	.
Nephritis, Acute			1	1	.	.	2	.	3	1		4	.	.	.	.	1	1	1	1
Bright's Dis., Albuminuria	7	7	4	3	7	3	5	3	2	4	6·4	1	.	.	.	.	1	.	.	.
Urinary Sys. (other Dis.)			4	3	.	1	1	1	.	1		.	.	.	.	.	.	.	.	.
Generative Organs Dis.	.	.	.	1	.	.	.	.	1	1	·3	.	.	.	.	.	.	.	.	.
Childbirth (Accid. of)	1	1	1	.	1	.	.	1	.	.	·5	.	.	.	.	.	.	.	.	.
Old Age	7	11	8	7	1	4	5	9	2	3	5·7	4	.	.	.	.	.	1	3	
Other Diseases	11	16	15	12	12	13	12	16	11	6	12·4	9	3	3	.	.	1	.	2	
ACCIDENT.																				
By Railways	.	1	.	.	1	1	.	2	.	1	·1	.	.	.	.	.	.	.	.	.
By Vehicles and Horses	.	.	.	.	.	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	.	1	.	.	1	.	.	3	1	1	·7	1	.	.	1	.	.	.	.	.
By Drowning	.	1	.	1	.	.	.	1	.	1	·4	2	1	.	.	.	.	1	.	.
By Suffocation in Bed	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other Deaths by Accident	4	2	3	2	.	3	1	1	1	1	1·8	1	1	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Suicide	.	.	1	.	.	.	1	.	1	.	·3	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.

*e Registration Area as then constituted.
Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1909-10—Week ending																							
	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.
No. of weeks in Annual Series,	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
BIRTHS registered.	220	215	238	196	206	174	216	135	232	236	243	197	162	252	220	197	224	206	247	162	242	213	255	217	221	246
*Average Births in corresponding week of previous 10 years,** ..	210	198	195	181	202	197	190	177	175	227	204	206	203	234	212	210	213	214	219	217	211	235	190	207	224	195
DEATHS registered, ...	145	177	190	172	180	177	158	155	205	174	177	181	177	239	217	241	228	208	204	149	185	168	186	188	200	193
Annual Death-rate per 1,000, ..	19·0	23·2	24·9	22·5	23·6	23·2	20·7	20·3	23·8	22·5	22·9	23·4	22·9	30·9	28·1	27·8	29·5	26·9	26·4	19·3	23·9	21·7	24·1	23·7	25·9	25·0
*Average Deaths in corresponding week of previous 10 years,**	179	182	184	187	190	190	187	195	184	217	210	206	201	200	196	207	221	221	214	200	206	211	200	200	197	189
AGES, Under 5 years, ...	40	45	41	37	42	37	51	44	71	49	57	57	55	76	58	67	67	57	53	30	52	44	44	37	49	46
5—20 ,, ...	10	12	9	8	9	8	10	8	11	12	13	10	13	11	9	9	16	8	12	11	12	18	9	11	15	18
20—40 ,, ...	21	26	28	18	22	25	19	23	19	30	25	20	31	27	25	19	22	33	28	21	34	18	26	24	33	29
40—60 ,, ...	33	38	44	51	47	52	27	34	48	36	23	41	36	54	42	58	42	49	34	35	35	31	43	38	34	43
60—80 ,, ...	33	49	61	52	50	45	39	37	40	37	49	45	37	64	62	66	69	57	65	41	42	45	53	57	59	46
80 years and upwards, ..	8	7	7	6	10	10		9	6	10	10	8	5	7	21	12	12	13	12	11	10	16	11	16	9	11
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	2	.	1	1	.	.	2	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.
Scarlet Fever, ...	.	1	.	1	.	1	1	1	3	.	.	.	1	.	1	2	1	1	.	1	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
Whooping-cough, ...	1	1	2	.	.	2	2	2	1	3	5	4	1	2	4	1	.	3	2	1	2	1	.	.	2	5	4
Diphtheria, ...	.	1	2	1	1	.	2	.	1	1	.	3	.	2	2	.	2	.	1	1	1	.	1	.	2	.
Pyrexia † (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2
Enteric Fever, ...	1	1	.	1	1	1	.	3	2	.	1	.	2	.	.	.	1	2	.	1	1	4	1	1	.	.
Diarrhœal Diseases, ...	2	4	2	4	2	4	1	.	4	2	4	4	2	4	6	2	3	3	4	2	3	.	4	2	2	1
Influenza, ...	1	2	1	2	3	1	1	6	4	2	3	5	1	4	3	2	2	5	6	7	6	6	8	5	2	3
Pneumonia, ...	8	14	18	16	20	28	19	20	22	22	14	21	14	20	17	20	22	17	20	12	14	14	17	18	20	17
Tuberculous Disease, {Phthisis,	19	20	20	17	22	17	15	14	15	24	19	21	23	26	19	19	23	28	26	15	26	14	21	22	31	25
Other Forms, ..	7	8	6	6	7	8	6	4	6	5	6	6	6	17	10	14	13	10	12	10	10	4	10	9	18	12
Cancer, Malignant Disease, ..	10	8	17	7	11	10	8	6	4	8	7	8	11	19	10	8	14	9	13	5	6	14	7	10	11	11
Diseases of Heart and Blood Vessels, ...	19	33	32	27	31	29	25	21	37	29	31	29	17	29	28	40	31	27	25	30	20	30	37	22	37	31
Diseases of Respiratory System,	15	22	22	32	29	28	26	30	41	20	33	29	39	43	55	41	41	39	35	26	36	28	38	39	22	25
Violent Deaths, ...	3	4	6	4	5	4	4	2	2	4	4	1	4	5	1	6	6	5	3	1	2	5	5	3	3	4
Number of Uncertified Deaths, ..	4	5	4	2	3	4	5	7	10	3	8	13	9	13	3	7	2	8	5	5	3	4	9	12	8	6
Mean Temperature of the Air (Phœnix Park), ...	45·0	41·9	37·7	38·4	41·8	39·1	41·4	33·5	45·9	45·4	42·1	37·6	32·5	38·1	43·7	42·3	39·2	44·0	43·6	39·8	43·4	39·7	41·7	43·0	49·6	43·6
Average Mean Temperature in corresponding week of previous 10 years, ...	47·6	45·3	43·7	42·4	43·3	43·0	41·3	42·1‡	40·3	41·3	40·0	41·1	41·7	40·0	38·9	38·9	40·1	40·1	41·1	42·9	41·9	42·1	44·2	43·4	45·1	46·6
Rainfall in inches, ...	·117	·783	·037	·251	1·163	1·202	·207	1·183	·310	·123	·986	·240	1·690	·163	·264	1·160	·915	·892	·383	·174	·000	·010	·205	·736	·782	·417
Mean Humidity of the Air, complete Saturation 1·0	·88	·88	·80	·84	·87	·90	·82	·86	·88	·89	·85	·91	·88	·94	·91	·93	·94	·93	·88	·91	·91	·88	·93	·93	·91	·82

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 30th April, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 30TH APRIL, 1910.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS, ...	375,350	26·8	193	46	18	29	43	46	11	.	.	.	.	4	.	.	2	1	7	17	25	12	11	2	25	4	90	6
	CLASSES. **Deaths in Families of the—**																												
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	38·9	13	1	.	1	1	6	4	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	9	1
II.	MIDDLE CLASS, ...	87,188	18·5	31	3	2	3	6	13	4	.	.	.	.	.	.	.	.	.	.	1	3	.	3	.	1	.	16	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,428	18·4	39	8	7	9	7	7	1	.	.	.	.	1	.	.	.	.	1	6	8	5	1	.	2	.	23	.
IV.	GENERAL SERVICE CLASS, ...	154,279	25·7	76	28	9	11	15	12	1	.	.	.	.	3	.	.	2	1	6	7	9	5	1	2	18	4	29	5
V.	INMATES OF WORKHOUSES, ...	6,024	—	34	6	.	5	14	8	1	.	.	.	.	.	.	.	.	.	.	2	4	2	5	.	8	.	13	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	60·2	9	1	.	1	1	3	3	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	5	1
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,860	24·9	4	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	40·6	6	.	.	1	1	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	14·2	6	1	.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	.
	6. Clerks and Commercial Assistants, ..	30,432	12·0	7	1	2	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	23·2	12	1	.	.	2	7	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	10	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	3	.
	9. Building and Furnishing Trades, ...	29,801	21·0	12	5	3	2	2	.	.	.	.	.	.	1	.	.	.	.	1	.	3	2	.	.	1	.	5	.
	10. Clothing Trades, ...	28,260	17·9	8	1	2	2	.	3	.	.	.	.	.	.	.	.	.	.	.	2	3	.	.	.	1	.	2	.
	11. Food Supply Trades, ...	9,242	22·6	4	.	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
	12. Other Trades and Callings ranking with Trades, ...	30,852	20·6	12	1	2	2	4	3	.	.	.	.	.	.	.	.	.	.	.	3	1	2	.	.	.	.	6	.
	13. Petty Shopkeepers, ...	7,894	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c	13,425	19·4	5	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	2	.
	15. Domestic Servants, ...	86,603	15·7	11	4	.	2	.	5	.	.	.	.	.	1	.	.	.	.	1	.	3	.	.	.	.	1	6	1
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	29·0	8	2	2	2	2	.	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	2	.	2	1
	17. Hawkers, Porters, Labourers, &c., ..	89,861	30·2	52	19	6	7	12	7	1	.	.	.	.	2	.	.	2	1	5	4	5	3	1	2	11	2	19	3
V.	INMATES OF WORKHOUSES.																												
	18. Workhouse Inmates, ...	6,024	—	34	6	.	5	14	8	1	.	.	.	.	.	.	.	.	.	.	2	4	2	5	.	8	.	13	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

	DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	From Diseases in Cols. 5–13.	TOTAL DEATHS.	NUMBER OF DEATHS FROM Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of).	North City, No. 1 (E.)	Mar. 12,	36·6	1·7	21	.	.	.	.	.	1	.	.	.	3	3	2	1	5	1	.
		,, 19,	15·7	1·7	9	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.	.
		,, 26,	20·9	.	12	.	.	.	.	.	.	.	.	.	1	2	.	.	2	.	1
	(*Office, Clarence-st., Nth.*	Apr. 2,	22·7	.	13	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
		,, 9,	12·2	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	3	1	.
		,, 16,	26·2	.	15	.	.	.	.	.	.	.	.	.	1	4	.	.	5	.	1
	Pop. in 1910 (Est.) 29,908.	,, 23,	24·4	.	14	.	.	.	.	.	.	.	.	.	3	3	.	.	1	.	2
		,, 30,	15·7	.	9	.	.	.	.	.	.	.	.	.	1	3	1	.	.	.	.
	North City, No. 1 (W.)	Mar. 12,	28·7	2·6	22	.	.	.	.	.	.	.	.	2	5	2	2	2	3	.	.
		,, 19,	28·5	1·3	18	.	.	.	.	.	.	.	.	1	4	1	1	1	6	.	.
		,, 26,	30·0	2·6	23	.	.	.	.	1	.	.	.	1	2	1	4	.	6	.	.
	(*Office, Summer-hill.*)	Apr. 2,	17·0	1·3	13	.	.	.	.	.	.	.	1	.	2	.	.	1	2	1	2
		,, 9,	36·5	.	28	.	.	.	.	.	.	.	.	.	1	4	2	.	8	.	1
		,, 16,	24·8	1·3	19	.	.	.	.	1	.	.	.	.	5	1	1	1	4	1	.
	Pop. in 1910 (Est.) 39,974.	,, 23,	32·6	1·3	25	.	.	.	.	1	.	.	.	.	2	6	.	1	3	1	1
		,, 30,	15·6	1·3	15	.	.	.	.	1	.	.	.	.	.	2	.	.	6	.	3
	North City, No. 2.	Mar. 12,	28·8	.	17	.	.	.	.	.	.	.	.	.	.	.	2	1	3	1	.
		,, 19,	18·7	.	11	.	.	.	.	.	.	.	.	.	1	2	2	.	1	.	.
		,, 26,	32·2	1·7	19	.	.	.	.	1	.	.	.	.	1	4	.	.	6	.	.
	(*Office, Lisburn-street.*)	Apr. 2,	28·8	.	17	.	.	.	.	.	.	.	.	.	3	5	.	1	2	1	.
		,, 9,	25·4	1·7	15	.	.	.	.	.	.	.	.	1	.	1	.	1	3	1	1
		,, 16,	23·7	.	14	.	.	.	.	.	.	.	.	.	1	1	.	1	4	1	.
	Pop. in 1910 (Est.) 30,744.	,, 23,	42·4	.	25	.	.	.	.	.	.	.	.	.	2	3	1	4	5	.	.
		,, 30,	22·0	.	13	.	.	.	.	.	.	.	.	.	3	2	2	2	1	.	.
	North City, No. 3.	Mar. 12,	23·3	1·6	15	.	.	.	.	.	.	.	.	1	2	2	1	1	2	.	.
		,, 19,	24·9	1·6	16	.	.	.	.	.	.	.	.	1	2	1	.	.	4	.	1
		,, 26,	31·1	1·6	20	.	.	.	.	.	.	.	1	.	.	4	.	1	2	.	.
	(*Office, Benburb-street.*)	Apr. 2,	28·0	.	18	.	.	.	.	.	.	.	.	.	1	2	.	2	2	1	.
		,, 9,	32·6	3·1	25	.	.	.	.	.	.	.	.	2	1	2	1	.	4	1	1
		,, 16,	26·4	6·2	17	.	2	.	.	.	.	.	.	2	2	4	.	1	4	.	.
	Pop. in 1910 (Est.) 33,559.	,, 23,	26·4	6·2	17	.	.	.	.	2	.	.	.	2	5	.	2	1	.	.	.
		,, 30,	28·0	1·6	18	.	.	.	.	.	.	.	1	.	2	1	1	.	3	.	.
	South City, No. 1.	Mar. 12,	31·4	.	25	.	.	.	.	.	.	.	.	.	3	3	2	1	6	.	2
		,, 19,	17·6	.	14	.	.	.	.	.	.	.	.	.	3	1	.	1	1	.	1
		,, 26,	25·1	.	20	.	.	.	.	.	.	.	.	.	1	4	2	1	2	.	.
	(*Office, Sth. Earl-street.*)	Apr. 2,	20·1	.	16	.	.	.	.	.	.	.	.	.	1	1	.	.	6	1	.
		,, 9,	28·9	1·5	23	.	.	.	.	.	.	.	.	1	1	4	1	.	7	1	1
		,, 16,	26·4	.	21	.	.	.	.	.	.	.	.	.	2	1	1	1	7	.	2
	Pop. in 1910 (Est.) 41,476.	,, 23,	32·7	1·3	26	.	.	.	.	.	1	.	.	.	.	7	4	1	2	.	.	1
		,, 30,	26·4	1·3	21	.	.	.	.	.	.	.	1	.	2	3	1	2	4	.	.
	South City, No. 2.	Mar. 12,	21·6	.	9	.	.	.	.	.	.	.	.	.	.	4	.	.	1	.	1
		,, 19,	21·6	.	9	.	.	.	.	.	.	.	.	.	.	1	2	3	1	.	.
		,, 26,	21·6	.	9	.	.	.	.	.	.	.	.	.	1	3	.	1	1	.	.
	(*Office, Castle-street.*)	Apr. 2,	14·4	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1
		,, 9,	14·4	.	6	.	.	.	.	.	.	.	.	.	1	1	1	.	1	1	1
		,, 16,	9·6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
	Pop. in 1910 (Est.) 21,754	,, 23,	24·0	.	10	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.	2
		,, 30,	21·6	.	9	.	.	.	.	.	.	.	.	.	1	1	2	.	1	.	.
	South City, No. 3.	Mar. 12,	21·7	2·4	18	.	.	.	.	2	.	.	.	.	2	2	1	.	5	.	1
		,, 19,	19·3	1·2	16	.	.	.	.	.	1	.	.	.	.	2	1	.	4	.	1
		,, 26,	27·7	1·2	23	.	1	.	.	.	.	.	.	.	4	2	2	.	6	.	2
	(*Office, Peter-street.*)	Apr. 2,	21·7	.	18	.	.	.	.	.	.	.	.	.	1	1	2	1	5	.	.
		,, 9,	32·6	2·4	27	.	.	.	.	1	.	1	.	.	4	1	3	3	3	.	.
		,, 16,	29·0	.	24	.	.	.	.	.	.	.	.	.	1	3	3	2	1	.	.
	Pop. in 1910 (Est.) 43,227.	,, 23,	19·3	2·4	16	.	.	.	.	1	1	.	.	.	1	2	4	1	2	1	.
		,, 30,	24·1	1·2	20	.	.	.	.	1	.	.	.	.	2	3	2	2	5	.	1
	South City, No. 4.	Mar. 12,	28·3	.	16	.	.	.	.	.	.	.	.	.	.	2	.	2	1	.	1
		,, 19,	16·9	.	11	.	.	.	.	.	.	.	.	.	.	2	1	.	3	.	.
		,, 26,	24·7	1·5	17	.	.	.	.	.	.	.	.	1	1	2	.	.	2	.	.
	(*Office, Grand Canal-st.*)	Apr. 2,	17·4	.	12	.	.	.	.	.	.	.	.	.	1	2	.	2	1	.	1
		,, 9,	17·4	.	12	.	.	.	.	.	.	.	.	.	2	2	1	.	1	.	1
		,, 16,	16·0	.	11	.	.	.	.	.	.	.	.	.	.	1	.	.	6	.	1
	Pop. in 1910 (Est.) 35,881.	,, 23,	18·9	.	18	.	.	.	.	.	.	.	.	.	2	1	1	2	3	.	1
		,, 30,	30·5	1·5	21	.	.	.	.	1	.	.	.	.	2	3	1	.	.	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From all Causes	From Diseases in Cols. 5-13.	Total Deaths.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	Mar. 12,	16·9	.	12	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.
	„ 19,	12·7	.	9	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	2
	„ 26,	15·5	.	11	.	.	.	.	.	.	.	.	.	.	2	.	1	3	.	.
	Apr. 2,	23·9	.	17	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.
	„ 9	12·7	.	9	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	1
	„ 16,	12·7	.	9	.	.	.	.	.	.	.	.	.	.	3	.	.	2	.	3
	„ 23,	14·1	.	10	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	„ 30,	29·6	.	21	.	.	.	.	.	.	.	.	.	1	3	1	1	1	1	1
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	Mar. 12,	25·2	.	14	.	.	.	.	.	.	.	.	.	1	3	.	2	4	1	.
	„ 19,	25·2	1·8	14	.	.	.	.	.	.	.	1	.	1	1	1	.	1	.	.
	„ 26,	7·2	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.
	Apr. 2,	10·8	.	6	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.
	„ 9,	19·8	.	11	.	.	.	.	.	.	.	.	.	1	1	.	2	2	.	1
	„ 16,	18·0	1·8	10	.	.	.	.	1	.	.	.	.	.	1	.	1	2	.	1
	„ 23,	18·0	.	10	.	.	.	.	.	.	.	.	.	.	2	1	.	2	.	1
	„ 30,	28·8	1·8	16	.	.	.	.	1	.	.	.	.	1	1	1	1	1	1	.
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	Mar. 12,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	„ 19,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
	„ 26,	23·7	.	8	.	.	.	.	.	.	.	.	.	2	.	.	1	2	1	.
	Apr. 2,	20·7	3·0	7	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.
	„ 9,	29·6	.	10	.	.	.	.	.	.	.	.	.	4	.	.	.	3	.	.
	„ 16,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	„ 23,	26·6	3·0	9	.	.	.	.	1	.	.	.	.	2	2	1	.	.	.	.
	„ 30,	26·6	3·0	9	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	1
Belfast. Pop. in 1910 (Est.) 391,167.	Mar. 12,	21·6	2·1	162	.	1	.	.	12	.	.	1	2	10	26	7	5	22	9	1
	„ 19,	21·7	2·5	163	.	5	2	.	12	.	.	.	.	12	18	9	9	24	5	1
	„ 26,	16·7	1·9	125	.	3	.	.	10	.	.	.	1	8	10	8	10	16	3	1
	Apr. 2,	18·4	2·3	138	.	6	2	.	6	1	.	1	1	14	20	9	4	16	.	2
	„ 9,	22·4	3·2	168	.	11	.	.	12	1	.	.	.	19	24	12	8	21	4	1
	„ 16,	24·9	3·3	187	.	17	.	.	5	1	1	.	1	16	27	8	10	22	.	1
	„ 23,	21·3	2·9	160	.	8	.	.	8	1	1	1	3	19	18	7	2	30	2	1
	„ 30,	23·1	3·5	173	.	20	.	.	4	1	.	.	1	14	22	9	6	15	4	3
Cork. Pop. (in 1901) 76,122.	Mar. 12,	20·5	.	30	.	.	.	.	.	.	.	.	.	3	6	1	.	3	.	3
	„ 19,	19·9	.	29	.	.	.	.	.	.	.	.	.	1	2	.	.	9	2	2
	„ 26,	22·6	.	33	.	.	.	.	.	.	.	.	.	2	8	2	3	1	.	1
	Apr. 2,	32·9	2·1	48	.	.	.	.	.	1	.	.	2	3	6	3	1	6	2	5
	„ 9,	34·2	.	50	.	.	.	.	.	.	.	.	.	3	7	2	4	6	.	5
	„ 16,	24·6	.	33	.	.	.	.	.	.	.	.	.	3	9	1	2	2	1	2
	„ 23,	23·3	0·7	34	.	.	.	.	1	.	.	.	.	2	6	1	4	2	.	.
	„ 30,	19·9	.	29	.	.	.	.	.	.	.	.	.	1	3	1	1	3	.	2
Londonderry. Pop. in 1910 (Est.) 43,477.	Mar. 12,	18·0	3·6	15	.	1	.	.	.	.	.	.	2	.	2	2	1	1	.	2
	„ 19,	9·6	.	8	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.
	„ 26,	22·8	1·2	19	.	1	.	.	.	.	.	.	.	1	4	1	1	3	.	2
	Apr. 2,	13·2	1·2	11	.	.	.	.	.	.	.	.	1	1	1	.	.	1	.	.
	„ 9,	15·6	.	13	.	.	.	.	.	.	.	.	.	2	2	2	.	3	.	1
	„ 16,	20·4	.	17	.	.	.	.	.	.	.	.	.	1	2	.	1	3	.	.
	„ 23,	13·2	1·2	11	.	.	.	.	.	.	.	.	1	1	4	1	1	1	.	.
	„ 30,	20·4	.	17	.	.	.	.	.	.	.	.	.	2	3	2	2	3	.	.
Limerick. Pop. (in 1901) 38,151.	Mar. 12,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	5	.	.	1	.	2
	„ 19,	19·1	2·7	14	.	.	.	.	1	.	.	.	1	.	.	1	1	5	.	3
	„ 26,	27·8	2·7	20	.	.	.	.	2	.	.	.	.	2	1	1	.	2	.	2
	Apr. 2,	23·2	.	17	.	.	.	.	.	.	.	.	.	1	2	.	.	2	.	2
	„ 9,	17·8	.	13	.	.	.	.	.	.	.	.	.	1	1	.	.	4	.	1
	„ 16,	20·5	.	15	.	.	.	.	.	.	.	.	.	.	3	.	.	6	.	1
	„ 23,	19·1	.	14	.	.	.	.	.	.	.	.	.	1	4	.	1	4	.	1
	„ 30,	19·1	.	14	.	.	.	.	.	.	.	.	.	2	1	2	.	2	.	1
Waterford. Pop. (in 1901) 26,769.	Mar. 12,	27·3	3·9	14	.	.	.	1	1	.	.	.	.	1	5	.	.	1	.	1
	„ 19,	13·6	1·9	7	.	.	.	.	.	.	.	.	1	.	3	.	.	2	.	1
	„ 26,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.
	Apr. 2,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	1	3	.	1	.	.	2
	„ 9,	17·5	.	9	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.	.
	„ 16,	33·1	5·8	17	.	.	.	2	.	.	.	.	1	1	2	1	.	1	.	3
	„ 23,	29·2	3·9	15	.	.	.	1	.	1	.	.	.	3	.	3	.	.	.	2
	„ 30,	23·4	1·9	12	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 30th April, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	BIRTHS No. of	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-20.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexial (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		13			7	.	1	.	.	5	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.
Do. 2 do.		45				1	3	2	2	6	2	.	4	.	.	.	.	.	.	.	.	4	.	.	.	.	1	4	.
Do. 3 do.		28			22	7	1	1	6	5	2	.	1	.	.	1	1	.	.	.	3	4	.	1	1	.	.	5	1
Do. 4 do.		32			16	5	2	2	1	2	4	.	2	.	.	.	.	.	.	.	.	1	2	.	1	.	.	9	.
Do. 5 do.		19			14	5	2	1	2	4	.	.	3	.	.	.	.	.	.	.	.	2	1	3	.	.	.	3	.
Do. 6 do.		16			12	2	.	2	2	2	4	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2	1	4	.
Do. 7 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 8 do.	349 180	1			2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 9 do.		5			13	1	2	4	1	2	3	.	4	.	.	.	.	.	.	.	2	.	3	.	.	.	.	3	1
Do 10 do.		21			12	2	.	2	3	3	2	.	1	.	.	.	.	.	.	.	.	4	.	.	1	.	.	3	.
Do. 11 do.		28			14	2	.	1	3	2	6	.	.	.	.	.	.	.	.	.	2	1	1	.	3	.	.	4	.
Do. 12 do.		31			21	4	2	4	2	7	2	.	2	.	.	1	.	.	.	1	2	2	.	.	7	2	2	6	.
Do. 13 do.		17			6	1	.	.	.	1	4	.	.	.	.	1	.	.	.	.	.	1	.	2	.	.	.	1	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15* do.		15			18	3	7	.	1	1	4	.	3	.	.	.	.	.	.	.	5	6	1	.	2	.	.	7	1
Total,	—	266	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		173	33	20	21	24	41	34	.	20	.	.	4	1	.	.	1	14	22	9	6	15	4	4	51	3
City of Cork.																													
CORK URBAN No 1 DISTRICT,	12,867	5	28·4	.	7	.	.	.	.	2	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	5	.
Do. 2 do.	10,701	4	9·7	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Do. 3 do.	9,978	6	10·5	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1
Do. 4 do.	8,666	2	6·0	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 do.	6,592	4	7·9	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 6 do.	10,702	3	24·4	.	5	.	1	1	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	2	1
Do. 7 do.	16,616	6	34·5	.	11	2	1	.	1	4	3	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	4	.
Total,	76,122	30	19·9	.	29	3	2	2	3	9	10	.	.	.	.	.	.	.	.	.	1	3	1	1	3	.	.	15	2

* New district formed as from 1st Jan., 1910, and the boundaries of Nos. 1, 4 & 6 districts altered; the population of each of these districts, as at present constituted, is not available.

TABLE IX.—**City of Belfast.**—Comparative Tables of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1909-10—Week ending																								
	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.
No. of weeks in annual Series, ..	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
BIRTHS registered, ...	205	174	180	168	189	190	181	170	215	278	192	180	216	214	213	196	202	239	201	240	208	207	254	247	224	265
DEATHS registered, ...	116	130	134	167	147	218	177	144	192	148	170	125	151	165	172	156	140	165	162	163	125	134	168	187	160	178
Annual Death rate per 1,000 of estimated Population, ...	15·6	17·5	18·1	22·5	19·8	29·4	23·9	19·4	25·9	19·7	22·7	16·7	20·1	22·0	22·9	20·8	18·7	22·0	21·6	21·7	16·7	18·4	22·4	24·9	21·3	23·1
AGES— Under 1 year, ...	28	30	28	41	44	62	41	33	48	36	48	25	33	28	37	31	23	33	31	29	27	27	34	38	36	33
1-5 years, ...	11	8	14	27	14	21	18	22	25	23	21	20	21	28	21	20	21	21	16	27	15	21	33	34	27	20
5-20 years, ...	7	11	4	11	10	18	18	10	12	8	9	9	14	2	8	13	12	11	14	16	7	18	19	15	14	21
20-40 years, ...	22	23	22	20	20	31	22	23	28	17	24	17	22	30	18	26	19	29	26	18	19	16	21	32	14	24
40-60 years, ...	19	27	28	31	23	33	33	20	34	26	28	23	21	30	42	31	36	37	40	35	28	23	27	24	29	41
60 years and upwards, ..	29	31	38	37	36	53	50	36	45	38	40	27	40	47	46	35	29	34	35	38	29	34	34	44	40	34
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	5	3	6	11	17	8	20
Scarlet Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	2	.	2	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	4	4	4	7	6	15	9	10	18	12	13	12	13	19	15	17	11	11	12	12	10	6	12	5	8	4
Diphtheria, ...	.	1	.	.	1	.	.	.	1	1	.	1	.	.	.	.	1	.	.	.	.	1	1	1	1	1
*Pyrexia** (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.
Enteric Fever, ...	.	2	.	.	.	1	.	.	.	2	.	.	1	.	.	1	.	.	1	.	.	1	.	.	1	.
Diarrhœal Diseases, ...	4	2	2	1	3	2	1	1	1	2	.	.	.	2	.	2	.	2	2	.	1	1	.	1	3	1
Pneumonia, ...	15	18	17	25	31	25	28	22	34	12	20	9	16	14	16	11	16	12	10	12	8	14	19	16	19	14
Tuberculous Disease, Phthisis, ..	6	14	8	8	11	26	14	17	18	14	14	12	15	16	15	14	20	23	26	18	10	20	24	27	18	22
Tuberculous Disease, Other Forms, ..	2	11	3	16	4	11	4	4	6	4	10	3	10	8	4	8	7	9	7	9	8	9	12	8	7	9
Cancer, Malignant Disease, ..	5	7	7	1	3	7	5	5	3	2	10	5	4	8	7	6	5	3	5	9	10	4	8	10	2	6
Diseases of Respiratory System,	21	17	31	42	41	53	37	39	41	28	31	21	29	28	40	19	21	24	22	21	16	16	21	21	33	15
Violent Deaths, ...	3	2	2	3	5	5	6	4	3	3	8	5	7	2	2	5	3	10	9	5	3	.	4	.	2	4
Number of Uncertified Deaths, ..	2	1	.	1	3	3	2	3	1	2	1	6	3	2	1	5	2	2	1	1	1	2	1	1	1	3

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	April 30,	2,372	1,217	13·0	.	33	.	6	42	2*a*	8
EDINBURGH, ...	360,276	„ 30,	166	111	16·1	.	1	.	.	.	.	.
GLASGOW, ...	884,505	„ 30,	502	280*b*	16·5	.	5	3	1	5	.	7
CALCUTTA, ...	1,009,008	Mar. 26,	.	501	25·8	1	5	.	2	.	132‡	104*
BOMBAY, ...	977,822	„ 29,	317	850	45·2	81	2	.	.	.	247‡	62*
MADRAS, ...	509,346	„ 11,	337	335	34·2	3	2	?	?	?	100	54
CAIRO, ...	677,663	„ 11,	574	345	26·5	3	7	.	3†	?	1	35
PARIS, ...	2,760,000	„ 26,	1,009	1,031	19·5	1	22	5	8†	9	3*a*	24
BRUSSELS, ...	720,030	April 9,	226	228	16·5	.	8	.	1†	5	2	5
ANTWERP, ...	317,171	„ 9,	109	88	14·5	.	3	.	.	3	.	8
AMSTERDAM, ...	569,948	„ 9,	307	147	13·5	.	2	.	2†	1	.	4
COPENHAGEN, ...	450,000	„ 9,	263	152	17·6	.	2	3	.	2	.	2
STOCKHOLM, ...	339,582	„ 9,	158	134	20·4	.	15	7	2†	2	.	1
CHRISTIANIA, ...	235,674	„ 16,	113	63	13·9	.	1	.	.	.	.	3
ST. PETERSBURG, ...	1,620,000	Mar. 26,	810	841	27·1	8	67	16	11	13	18	80
MOSCOW, ...	1,493,600	„ 19,	.	699	24·4	6	21	25	16†	7	11	33
BERLIN, ...	2,123,816	„ 26,	834	596	14·6	.	2	14	17†	1	.	38
HAMBURG, ...	895,804	April 9,	.	274	15·9	.	3	2	4†	2	.	13
BRESLAU, ...	510,053	„ 9,	.	178	18·2	.	.	1	1	1	.	15
MUNICH, ...	576,000	„ 16,	.	183	16·5	.	2	2	1†	2	.	15
VIENNA (with suburbs),	2,107,981	„ 9,	896	766	18·9	.	30	6	11†	6	2*a*	34
BUDA-PESTH, ...	833,703	„ 9,	476	380	23·6	.	19	8	2†	2	3	12
PRAGUE and Faubourgs.	494,531	Mar. 26,	251	218	22·9	.	5	1	1†	.	.	16
TRIESTE, ...	221,124	April 2,	150	107	25·2	.	3	.	.	4	2*a*	1
ROME, ...	584,308	Mar. 12,	295	236	21·1	.	21	.	6	.	4*a*	5
VENICE, ...	183,224	„ 12,	79	81	23·0	.	4	.	2	.	1*a*	5
NEW YORK, .	4,711,956	April 2,	2,414	1,666	18·4	.	30	30	44†	9	8	47
PHILADELPHIA, ..	1,598,400	Mar. 12,	.	600	19·5	.	2	2	10†	4	8*a*	25
BOSTON, ...	629,868	April 9,	.	275	22·8	.	1	2	4	1	.	6

* Including 76 deaths from cholera in Calcutta and 2 in Bombay.
† Including deaths from croup.
‡ Including 56 deaths from plague in Calcutta and 190 in Bombay.
a Enteric Fever.
b Including 2 deaths from cerebro-spinal meningitis.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 30th April, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	2	.	.	.	.	.	.	1	.	.	5	8
" " 1, West,	.	.	1	.	1	.	.	1	1	.	.	1	5
" " 2,	.	.	.	.	2	.	.	1	.	.	.	.	3
" " 3,	.	2	.	.	.	.	.	1	.	.	.	3	6
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	1	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	2	.	.	2	.	.	1	7	.	.	5	17
" " 2,	.	1	.	.	.	.	.	.	.	.	.	1	2
" " 3,	.	2	.	.	.	.	.	.	.	.	.	4	6
" " 4,	.	.	.	.	1	.	.	.	1	.	.	.	2
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	9	1	.	6	.	.	4	10	.	.	20	50

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 30th April, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 30th April.			
	April 9.	April 16.	April 23.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	2	3	3	.	.	.	3
Scarlet Fever,	62	59	57	12	10	.	59*
Typhus,	6	6	7	1	1	.	7
Diphtheria,	37	34	40	7	8	.	39
Enteric Fever,	23	23	23	2	2	2	21
Pneumonia,	39	53	47	11	10	3	45

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.Sc., F.R.MET.SOC., reports as follows on the weather during the week ended 30th April, 1910:—

"Cold, unsettled weather, of the north-westerly type held throughout the greater part of this week—only on Wednesday and Saturday were there spells of warmer and more genial conditions. In the course of the period three atmospheric depressions passed across the Norwegian Sea from Iceland, spreading southeastwards towards the British Islands as they travelled. Of these systems, the largest and deepest was centred over the north of Scotland on Sunday morning, when the barometer stood as low as 28·81 inches at Stornoway, in the Hebrides, and at 28·87 inches at both Wick and Nairn. Squalls and sharp showers of rain and hail occurred in nearly all districts of the United Kingdom, while thunder and lightning were reported from several parts of Great Britain. On Monday showers of rain and hail were again experienced in nearly all districts, but the depression was less deep, being central off the S.W. of Norway. Next day the weather improved in Ireland, but showers of hail and sleet were reported from Great Britain. Wednesday morning found a new depression off the south coast of Iceland, while a secondary V.-shaped disturbance was coming in over Ireland from the Atlantic. This latter system brought S.W. winds and a much milder temperature to this country, but as the V. passed eastward, the wind drew round to N.W. and N. with heavy rain and hail and a brisk fall of the thermometer early on Thursday morning. Heavy hail showers fell in Dublin in the course of this day and thunder occurred in Liverpool and at Yarmouth. With the advance of an anticyclone from the Atlantic on Friday the weather moderated, and after a dull morning Saturday proved fine and genial. Three points stand out in connection with the weather of this week—persistent cold and frost in Iceland, clear evening skies in Ireland permitting the planet Mercury to be well seen in Dublin, and sharp nights all over the United Kingdom. In Dublin the mean height of the barometer was 29·867 inches, pressure ranging from 29·146 inches at 9 a.m. of Sunday (wind, W. by N.) to 30·435 inches at 9 p.m. of Saturday (wind, W.N.W.). The corrected mean temperature was 45·3°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 45·1°. On Tuesday the screened thermometers sank to 35·0°, on Saturday they rose to 59·4°. N.W. winds prevailed. The rainfall was ·407 inch on four days, ·199 inch being recorded on Wednesday. Hail fell on 3 days. Swallows were seen on Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·631 inches. The highest reading (30·259) was on Saturday at 9 p.m., wind W.N.W., and the lowest (28·981) on Sunday at 9 a.m., wind W.

The mean temperature for the week was 43·6°, being 3·0° below the average for the corresponding period of the 10 years, 1900–1909. The temperature was highest on Saturday, on which day the thermometer registered 58·8°, and was lowest on Wednesday, the mercury having fallen to 30·9°. The mean of the Dry Bulb for the week was 44·3° and of the Wet Bulb 41·7°. The mean humidity of the air was ·82, complete saturation being represented by 1·0. The rainfall during the week measured 0·417 inch.

At Greenwich the mean temperature for the week was 45·4°, the maximum 60·0°, and the minimum 34·9°; at Glasgow the maximum was 57·5°, the minimum 35·0°, and the mean 44·0°; and at Edinburgh the maximum was 56·7°, the minimum 34·6°, and the mean 43·4°. The rainfall at Greenwich measured 0·43 in., at Glasgow 0·36 in., and at Edinburgh 0·20 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY.			Barometer.	Thermometer.			Hygrometer.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
			Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.				9 A.M.	9 P.M.
			(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) In.		
Sunday,	April	24,	29·051	47·9	37·2	42·6	39·7	39·3	·97	·6	5·7	·090	W.	W.S.W.
Monday,	,,	25,	29·289	49·7	35·9	42·8	41·3	38·9	·82	·5	9·4	·030	W.	W.
Tuesday,	,,	26,	29·634	51·7	32·7	42·2	43·2	40·7	·82	·6	11·0	·007	W.N.W.	Calm.
Wednesday,	,,	27,	29·667	54·8	30·9	42·9	49·3	46·2	·80	·5	6·7	·200	S.S.W.	S.
Thursday,	,,	28,	29·602	50·3	37·9	44·1	43·4	40·7	·80	·6	6·8	·090	W.S.W.	W.
Friday,	,,	29,	29·970	51·8	36·1	44·0	43·1	39·3	·73	·6	9·5	·000	W.N.W.	Calm.
Saturday,	,,	30,	30·204	58·8	34·9	46·9	49·9	47·0	·81	·4	4·3	·000	W.N.W.	W.N.W.
Mean,			29·631	52·1	35·1	43·6	44·3	41·7	·82	·5	Total 53·4	Total ·417	Prevailing Wind W. to W.N.W.	

Sunday—Day cloudy, passing showers, hail and rain; night clear. *Monday*—Day cloudy, passing showers, hail and rain; night clear. *Tuesday*—Day cloudy, passing showers; night clear. *Wednesday*—Day cloudy; night overcast, drizzle and heavy rain a.m. *Thursday*—Day cloudy, passing showers, hail and rain; night clear. *Friday*—Day cloudy; night cloudy. *Saturday*—Overcast a.m., cloudy p.m.; night cloudy.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, April 30th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY.			Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperatures in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
				1 Foot.	4 Feet.	Max.	Min.	Mean.		
			°	°	°	°	°	°	hrs.	ins.
Sunday,	April	24	40·7	48·2	47·2	49·0	38·1	43·6	?	—
Monday,	,,	25,	45·9	47·3	47·2	50·3	37·5	43·9	9·4	·030
Tuesday,	,,	26,	45·4	47·3	47·4	52·6	34·9	43·8	10·1	—
Wednesday,	,,	27,	51·0	47·4	47·4	56·0	38·9	47·5	4·4	·150
Thursday,	,,	28	43·0	48·2	47·3	51·5	41·0	46·3	5·6	·085
Friday,	,,	29,	46·3	47·7	47·5	52·9	37·2	45·1	6·0	—
Saturday,	,,	30,	50·8	47·8	47·4	60·2	39·6	49·9	4·4	—
Weekly Mean,			46·2	47·7	47·3	53·2	38·2	45·7	Total ?	Total ·265

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

28589. Wt. P. 1—80/137, 375. 4. 1910. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 7TH MAY, 1910. [No. 18.

General Register Office, Charlemont House, Dublin, 9th May, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending April 16.	April 23.	April 30.	May 7.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending April 16.	April 23.	April 30.	May 7.	Average Rate for 4 weeks.
22 Town Districts.	23·2	22·4	22·0	20·1	21·9	Limerick, . . .	20·5	19·1	19·1	12·3	17·8
Armagh, . . .	13·7	27·5	6·9	13·7	15·5	Lisburn, . . .	36·4	22·7	22·7	9·1	22·7
Ballymena, . . .	19·2	4·8	19·2	9·6	13·2	Londonderry, . .	20·4	13·2	20·4	18·0	18·0
Belfast, ...	24·9	21·3	23·1	22·3	22·9	Lurgan, . . .	8·9	8·9	8·9	4·4	7·8
Clonmel, . . .	20·5	35·9	25·6	35·9	29·5	Newry, . . .	29·4	8·4	12·6	21·0	17·9
Cork, ...	22·6	23·3	19·9	25·3	22·8	Newtownards, . .	34·3	40·1	17·2	28·6	30·0
Drogheda, . . .	32·7	45·0	24·5	61·3	40·9	Portadown, . .	31·0	25·8	15·5	25·8	24·5
Dublin Reg. Area, .	21·5	24·3	23·9	16·7	21·6	Queenstown, . .	19·8	19·8	19·8	39·6	24·7
Dundalk, . .	12·0	31·9	8·0	4·0	14·0	Sligo, ...	9·6	9·6	4·8	.	6·0
Galway, . . .	35·0	15·5	.	15·5	16·5	Tralee, . . .	26·4	10·6	15·9	26·4	19·8
Kilkenny, . . .	14·7	29·5	29·5	44·2	29·5	Waterford, . . .	33·1	29·2	23·4	29·2	28·7
						Wexford, . . .	23·3	14·0	37·4	9·3	21·0

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·9 per 1,000, the rates varying from 0·0 in twelve of the districts to 24·5 in Drogheda, the 15 deaths from all causes for that district including 6 from whooping-cough. Among the 167 deaths from all causes for Belfast are 9 from measles, 4 from whooping-cough, one from *pyrexia* (origin uncertain), and 2 from diarrhœal diseases. Included in the 37 deaths from all causes for Cork is one from enteric fever. Of the 15 deaths from all causes for Londonderry one is from measles. Among the 9 deaths from all causes for Limerick are 2 from whooping-cough. One death from enteric fever is included in the 15 deaths from all causes for Waterford. One of the 2 deaths recorded for Wexford is from diphtheria. Of the 5 deaths from all causes for Tralee one is from whooping-cough, and one death from enteric fever is among the 6 deaths from all causes or Queenstown.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 230—115 boys and 115 girls—and the deaths to 136—77 males and 59 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, represent an annual rate of 16·7 per 1,000 of the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*). Table II. ‡ See columns 10-18 of Table II.

population, the rate for the total deaths registered in the Area being 17·6 per 1,000. Dur the eighteen weeks, ending with Saturday last, the death-rate averaged 24·6, and was below the mean rate for the corresponding portions of the ten years, 1900-9.

The total deaths from all causes included one death from whooping-cough, one death fr enteric fever, and 2 deaths from diarrhœal diseases.* Of the latter, one was the death of infant from epidemic diarrhœa; there were also 2 deaths of infants attributed to *gas enteritis*, and one of a child aged one year to enteritis. In each of the three preceding wee deaths from whooping-cough were 2, 5, and 4; deaths from enteric fever were one, 0, and and deaths from diarrhœal diseases were 2, 2, and one. Influenza, which had caused 5, 2, 3 deaths in each of the three preceding weeks, caused one death in the week under noti

The deaths from pneumonia (all forms) include one death from lobar pneumonia, 3 dea from broncho-pneumonia, and 4 deaths from *pneumonia* (not defined).

Of 25 deaths from all forms of tuberculous disease, 14 were due to tuberculous phth (*phthisis*), 4 to tuberculous meningitis, one death to each of tuberculous peritonitis *tabes mesenterica*, and 5 deaths to other forms of the disease. Deaths from all forms tuberculous disease numbered 31, 49, and 37 in the three preceding weeks, respectively.

There were 3 deaths from carcinoma, also 3 deaths from cancer, malignant dise (undefined).

Prematurity was the cause of the deaths of 2 infants.

The deaths of 2 infants and one child aged 3 years from *convulsions* are included in deaths from diseases of the brain and nervous system.

Twenty-one deaths from diseases of the heart and blood vessels, and 17 deaths f bronchitis were registered.

Of 6 deaths attributed to accident or negligence, one was from scalds of a child aged year, one was by burns of a child aged 7 years, one was by drowning, and 2 were by neg at or after birth.

In 2 instances the cause of death was "uncertified," there having been no medical attend during the last illness; these cases include the death of one child aged 3 years.

Thirty-six of the persons whose deaths were registered during the week were u 5 years of age (21 being infants under one year, of whom 7 were under one month old) 43 were aged 60 years and upwards, including 23 persons aged 70 and upwards, of w 2 were octogenarians, and one (a female) was stated to have been aged 95 years.

Sixty-two of the deaths registered during the week occurred in hospitals and o public institutions; of this number 9 took place in the North Dublin Union Workh and 18 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last w deaths in Public Institutions being assigned to the Districts from which the deceased w admitted, and the annual death-rate for each District calculated on the mortality so tributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 16·7 per 1,000; the rate in the City wa (North City Districts, 17·1; South, 16·2) and in the Suburbs, 16·9.

The deaths from certain epidemic diseases† in the entire area equal an annual rate of 0·4 per 1,000 inhabitant rate for the City being 0·3 (0·3 in the North City Districts, and 0·3 in the South), and for the Suburbs, 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (7) are equal to an annual rate of 12·2 per Broncho-pneumonia caused one death and tuberculous disease 2 deaths.

No. 1 North City District, West (Summer-hill).—The deaths (15) are equal to an annual rate of 19·6 per and included 4 deaths from tuberculous disease, one death from broncho-pneumonia, and 3 deaths from bronchiti

No. 2 North City District (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 18·7 per There were 2 deaths from *phthisis* and 3 deaths from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (12) represent an annual rate of 18·6 per 1,000. O deaths one was caused by whooping-cough, one by *pneumonia* (not defined), 4 were from bronchitis, and one w accidental burning.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clo and Howth, No. 1, part of, 19·4 per 1,000 inhabitants; Coolock and Drumcondra, part of, 13·5; and Finglas and Glasn part of, 13·6. Of the 2 deaths recorded for Clontarf and Howth, No. 1, part of, one is from bronchitis, and 2 deaths for Finglas and Glasnevin, part of, one is from *phthisis*.

No. 1 South City District (South Earl-street).—The deaths (10) represent an annual rate of 12·6 per 1,000. pneumonia and *pneumonia* (not defined) each caused one death, there was one death from *phthisis*, and one death attributed to neglect.

No. 2 South City District (Castle-street).—The deaths (8) are equal to an annual rate of 19·2 per 1,000. Dyse caused one death, there were 2 deaths from tuberculous disease, and 2 deaths from bronchitis.

No. 3 South City District (Peter-street).—The deaths (14) are equal to an annual rate of 16·9 per 1,000. Amon deaths there was one from broncho-pneumonia, there were 3 from tuberculous disease, and one death from bronc

No. 4 South City District (Grand Canal-street).—The deaths (10) are equivalent to an annual rate of 14·5 per There were 3 deaths from tuberculous disease, one death from bronchitis, and 2 accidental deaths, one of which from scalds.

New Kilmainham District.—The deaths (5) are equal to an annual rate of 28·7 per 1,000. The deaths inc 2 from tuberculous disease.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rat 14·1; Pembroke, 18·0; Blackrock, 5·8; and Kingstown, 26·6. The only death from any of the principal epi diseases tabulated for these districts is one from enteric fever for Rathmines and Rathgar. Of the 10 deaths o all causes for that district one is from tuberculous disease. Of the 10 deaths from all causes for Pembroke ar from tuberculous disease, and 2 from bronchitis. The only death recorded for Blackrock is one from tuberc meningitis. Among the 9 deaths from all causes for Kingstown are one from influenza, 2 from *pneumonia* (not de and one caused by drowning.

* See Note (c) at foot of Table II. † See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when p in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 7th May, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Apr. 16,	.	—	—	7	3	.	3	.	1	5	9	.	—	—	.	—	19	—	47
	Apr. 23,	.	—	—	8	1	.	11	.	1	3	7	.	—	—	.	—	26	—	57
	Apr. 30,	.	—	—	9	1	.	6	.	.	4	10	.	—	—	.	—	20	—	50
	May 7,	.	—	—	13	.	.	6	.	2	6	11	.	—	—	.	—	11	—	49
Rathmines and Rathgar Urban District.	Apr. 16,	.	—	—	1	.	.	3	.	.	.	.	.	—	—	—	—	—	—	4
	Apr. 23,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Apr. 30,	.	—	—	2	.	.	.	.	.	.	.	1	—	—	—	—	—	—	3
	May 7,	.	—	—	.	.	.	2	.	.	.	1	.	—	—	—	—	—	—	3
Pembroke Urban District.	Apr. 16,	.	.	.	.	.	.	1	.	.	.	.	.	—	1	.	—	—	—	2
	Apr. 23,	.	.	.	.	.	.	1	.	.	.	.	.	—	.	.	—	—	—	1
	Apr. 30,	.	.	.	.	.	.	1	.	.	.	.	.	—	.	.	—	—	—	1
	May 7,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	—	.
Blackrock Urban District.	Apr. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Apr. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Apr. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	May 7,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Apr. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	1
	Apr. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	1
	Apr. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	1
	May 7,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.*	Apr. 16,	.	—	—	7	.	.	6	.	.	2	10	1	—	—	—	—	12	—	38
	Apr. 23,	.	—	—	13	1	.	10	.	.	1	4	.	—	—	—	—	20	—	49
	Apr. 30,	.	—	—	7	.	.	4	.	.	1	4	.	—	—	—	—	24	—	40
	May 7,	.	—	—	8	.	.	2	.	1	2	5	1	—	—	—	—	22	—	41

* The Registrar of Belfast Urban No. 4 reports that one death from beri-beri was registered during the week ended 23rd April.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 7th May, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Two cases of measles were admitted to hospital during the week, one was discharged, and 4 cases remained under treatment at its close.

Fifteen cases of scarlet fever were admitted to hospital, 12 were discharged, and 62* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 59, 57, and 59, respectively.

Three cases of typhus were discharged from hospital during the week, and 4 cases remained under treatment at its close.

Seven cases of diphtheria were admitted to hospital, 15 were discharged, and 31 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 34, 40, and 39, respectively.

Four cases of enteric fever were admitted to hospital during the week, one was discharged, and 24 cases remained under treatment in hospital at the close of the week.

In addition to the above named diseases, 11 cases of pneumonia were admitted to hospital 19 were discharged, and 37 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 12·5) was equal to an average annual death-rate of 13·1 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 15·6 per 1,000, the rate for Glasgow being 14·7 and for Edinburgh 16·4.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 7th May. From this Report it appears that of a total of 48 cases notified, 20 were scarlet fever, 14 phthisis, 9 diphtheria, and 5 erysipelas. Among the 334 cases of infectious diseases in hospital at the close of the week were 158 cases of scarlet fever, 52 of phthisis, 47 of measles, 35 of diphtheria, 21 of whooping-cough, 8 of erysipelas, 5 of chicken-pox, 4 of enteric fever, and one of cerebro-spinal fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 7th May, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 7TH MAY, 1910.																							METEOROLOGY. (a)											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 7TH MAY, 1910.				WEEK ENDING 30TH APRIL, 1910.				WEEK ENDING 23RD APRIL, 1910.			
	POPULATION.		DEATHS.			BIRTHS.	DEATHS.																			Air Temperature				Air Temperature				Air Temperature			
	Total.a	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10–18.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by																	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
									Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia	Phthisis.	Tuber-culous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.										
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·6	28·5	20·1	1·9	629	443	68	121	.	20	.	.	14	1	1	1	3	33	56	19	17	60	9	15	130	14	.	.	.	.	.	.	.	.	.	.	.	.
DUBLIN REGISTRATION AREA:—																																							
TOTAL, c.	402,928	29·8	29·8	16·7	0·4	230	129	19	42	.	.	.	.	1	.	.	1	1	8	13	10	6	17	6	3	55	2	61·9	35·4	46·1	0·67	58·8	30·9	43·6	0·42	63·1	31·6	49·6	0·78
CITY OF DUBLIN,	310,298	39·2	35·5	16·6	0·3	211	99	16	28	.	.	.	.	1	.	.	.	1	6	13	7	5	15	4	1	46	1	62·8 62·2	36·8 36·0	47·1 46·7	0·67 0·61	59·4 58·8	33·0 33·0	43·8 44·3	0·41 0·42	64·0 63·8	34·0 31·0	50·5 49·6	0·75 0·78
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	9·9	14·1	1·4	7	10	.	5	.	.	.	.	.	1	.	.	.	.	.	1	1	.	.	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	19·8	18·0	.	11	10	2	4	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,013	8·3	5·8	5·8	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	.	26·6	.	.	9	.	5	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	1	2	.	61·5	36·0	47·5	0·64	57·5	36·0	45·3	0·33	64	35	50·6	0·54
URBAN DISTRICTS.																																							
BELFAST,	391,167	26·6	31·3	22·3	3·5	285	167	31	33	.	19	.	.	4	.	1	.	2	15	20	6	8	21	3	10	30	1	60·2	36·0	46·7	1·04	55·0	34·0	43·5	0·72	60·0	35·0	47·7	0·49
CORK,	76,122	33·6	19·2	25·3	0·7	28	37	3	10	.	.	.	.	.	.	1	.	.	2	8	1	1	3	.	2	19	4	62	39	47·9	0·29	56	38	46·1	0·25	64	35	50·1	0·42
LONDONDERRY,	43,477	20·1	28·8	18·0	1·2	24	15	1	5	.	1	.	.	.	.	.	.	.	.	2	.	.	7	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	16·4	12·3	2·7	12	9	1	.	.	.	2	.	.	.	.	.	.	.	5	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD,	26,769	18·7	40·9	29·2	1·9	21	15	3	8	.	.	.	.	.	.	.	1	.	.	.	1	.	5	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	2·5	27·2	15·5	.	7	4	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1	61	37	49	0·90	60	34	47	0·44	56	30	48	1·03
DUNDALK	13,076	9·4	19·9	4·0	.	5	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	20·4	61·3	24·5	5	15	3	8	.	.	.	.	6	.	.	.	4	1	1	.	.	.	.	.	4	2	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,405	17·8	12·6	21·0	.	3	5	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	64·0	34·7	46·0	0·88	58·8	33·2	43·7	0·62	60·0	30·8	48·1	0·46
LURGAN,	11,782	13·8	26·6	4·4	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	64·0	34·7	46·0	0·88	58·8	33·2	43·7	0·62	60·0	30·8	48·1	0·46
LISBURN,	11,461	10·1	13·6	9·1	.	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	64·0	34·7	46·0	0·88	58·8	33·2	43·7	0·62	60·0	30·8	48·1	0·46
WEXFORD,	11,168	28·2	37·4	9·3	4·7	8	2	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,886	8·9	28·7	9·6	.	6	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,870	3·7	4·8	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	60·7	32·8	44·8	1·77	55·3	33·4	43·7	1·07	58·9	26·9	46·8	0·65
KILKENNY,	10,609	11·5	24·6	44·2	.	5	9	1	5	.	.	.	.	.	.	.	.	.	.	1	.	.	5	.	.	8	.	61	35	44·9	0·69	59	38	45·1	0·82	63	30	51·6	0·91
CLONMEL,	10,167	7·8	35·9	35·9	.	7	7	1	1	.	.	.	.	.	.	.	.	.	4	.	.	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,092	18·2	51·7	25·8	.	10	5	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	64·0	34·7	46·0	0·88	58·8	33·2	43·7	0·62	60·0	30·8	48·1	0·46
TRALEE,	9,867	16·6	21·1	26·4	5·3	4	5	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	11·4	28·6	.	2	5	.	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	59	35	45·0	0·65	53	35	42·8	0·41	60	36	46·2	0·36
QUEENSTOWN,	7,909	14·4	18·2	39·6	6·6	2	6	.	3	.	.	.	.	.	.	1	.	.	1	1	.	.	1	.	.	1	.	62	39	47·9	0·29	56	38	46·1	0·25	61	35	50·1	0·42
ARMAGH,	7,588	22·2	34·4	18·7	.	5	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	64·0	34·7	46·0	0·88	58·8	33·2	43·7	0·62	60·0	30·8	48·1	0·46

(*a*) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (*b*) Formerly described as "Simple Continued Fever." (*c*) Exclusive of 7 deaths of persons (including 2 under one year old and one at 60 years), admitted to hospital from localities outside the Area; of the 7 deaths one was from epidemic diarrhœa. (*d*) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards,

LE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 7th May, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF					
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Diarrhœal Diseases,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	1
Pneumonia,	1	1	.	1	.	.	.	2	.	1	.	.	.	.	.	2	8	.
Tuberculous Disease. } Phthisis,	1	3	2	.	.	.	1	1	.	2	2	1	.	.	.	.	13	1
} Other Forms,	1	1	.	.	.	.	.	.	2	1	1	1	1	1	1	.	10	1
Cancer, Malignant Disease,	.	.	1	.	1	1	.	1	.	.	.	1	1	.	.	.	6	.
Other General Diseases,	.	2	2	.	.	1	.	1	.	.	.	.	2	.	.	2	10	1
Total,	3	7	5	2	1	2	1	5	3	4	3	3	5	1	1	4	50	4
LOCAL DISEASES:																		
Nervous System,	1	3	2	.	.	.	1	.	.	3	1	.	1	.	.	.	12	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	2	1	.	.	1	.	.	1	1	3	3	2	2	3	.	1	20	1
Respiratory System,	.	3	3	4	1	.	.	.	2	1	1	.	.	2	.	.	17	.
Digestive System,	1	.	1	2	.	.	.	2	1	2	.	.	1	2	.	3	15	1
Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	.	2	.	.	.	.	.	1	.	.	.	1	.	.	4	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
idents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
eases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	4	7	6	8	1	1	1	3	4	10	5	2	4	8	.	4	68	3
THER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	1	.	1	.	.	.	1	1	.	.	.	1	.	.	.	5	.
VIOLENT DEATHS,	.	.	.	1	.	.	.	1	.	.	2	.	.	1	.	1	6	.
aths from all Causes	7	15	11	12	2	3	2	10	8	14	10	5	10	10	1	9	129	7
nual Rate of Mortality om all causes in every 1,000 the population.	12·2	19·6	18·7	18·6	19·4	13·5	13·6	12·6	19·2	16·9	14·5	28·7	14·1	18·0	5·8	26·6	16·7	.
	17·1							16·2					16·9					
	16·6																	
Deaths at Ages— Under 1 year,	2	2	.	5	.	1	1	1	2	2	.	.	.	2	1	.	19	2
1 and under 5 years,	1	3	2	1	.	.	.	2	2	2	1	.	1	.	.	.	15	.
5 " 20 "	.	1	.	1	.	.	.	1	.	.	1	1	.	1	.	.	6	.
20 " 40 "	1	3	1	3	.	.	1	1	.	3	3	1	3	1	.	2	23	3
40 " 60 "	.	3	7	.	.	.	.	2	1	2	2	2	1	2	.	2	24	1
60 years and upwards,	3	3	1	2	2	2	.	3	3	5	3	1	5	4	.	5	42	1
mber of Uncertified Deaths,	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

blic Hospitals, Prisons, and unatic Asylums,	.	4	3	2	.	.	.	4	2	2	4	1	4	2	.	2	30	5
rkhouse Hospitals,	2	.	3	2	.	.	.	4	3	6	2	2	1	.	.	.	25	2

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in the week of the ten years 1900–1909

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Averages in 18th Week of the 10 years, 1900–1909.	In the Week ending Saturday, 7th May, 1910.							
												Deaths of Persons of the Ages of							
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
	May 5, 1900.	May 4, 1901.	May 3, 1902.	May 9, 1903.	May 7, 1904.	May 6, 1905.	May 5, 1906.	May 4, 1907.	May 2, 1908.	May 8, 1909.		Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 48·6	° 46·3	° 46·9	° 47·0	° 46·7	° 46·4	° 44·3	° 44·1	° 48·5	° 50·4	° 46·9	° 46·1								
ALL CAUSES.	204	183	191	192	178	164	191	205	175	153	183·6	136	7	14	15	6	26	25	40	3
Small-pox,	.	.	.	4	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	.	3	.	4	3	.	3	1	2	1·6	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	3	5	2	3	1	2	2	2	2	3	2·5	1	.	.	.	.	.	1	.	.
Whooping-cough,	4	9	3	4	11	1	1	10	3	4	5·0	1	.	1	.	.	.	.	.	.
Diphtheria,	.	1	2	1	.	.	.	.	2	.	·6	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever,	.	.	.	.	.	.	.	.	2	.	·2	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	6	2	1	3	2	3	1	.	1	.	1·9	1	.	.	.	.	1	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.), *Diarrhœa*, Dysentery,	1	2	. 1	. 1	. 1	. 1	.	. 1	. 3	2 .	1·3	1 .	.	1 .	.	.	.	.	. 1	.
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	.	2	1	1	2	2	2	4	.	1·1	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*,	1	.	.	.	.	.	.	.	.	.	·1	. 1	.	.	.	.	. 1	.	.	.
Infective Endocarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar, Broncho-Epidemic, Not defined,	10	11	1 2 10	1 2 10	1 8 8	. 4 8	2 11 8	1 5 9	3 10 9	2 9 7	15·2	1 3 4	.	. 1 1	. 1 1	.	.	.	1 1 .	.
Erysipelas,	.	1	1	1	1	1	1	.	.	.	·6	.	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal)) Pyæmia (not Puerperal),	2	.	.	.	.	1	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
Other Infective Processes,	.	.	.	2	.	.	.	3	.	1	·6	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*,"	29	29	4 21	3 24	5 17	7 18	14 22	19 20	11 5	13 10	27·1	3 11	.	.	.	. 1	3 8	. 2	.	.
Tuberculous Meningitis,	2	3	3	3	2	2	3	3	3	3	2·7	4	.	1	3	.	.	.	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*,	6	4	1 3	1	3	3	2	1	2 1	.	2·7	1 1	.	. 1	1	.	.	.	.	.
Tuberculous Dis. (other), *Scrofula*,	4	6	3	6	7	6	10	10	8	3	6·3	5	.	.	1	2	2	.	.	.
Alcoholism,	1	.	1	2	.	2	.	1	.	.	·7	1	.	.	.	.	1	.	.	.
Rheumatic Fever,	1	1	1	.	1	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Gout,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Carcinoma, Sarcoma, Cancer (undefined)	4	8	. 1 6	1 . 5	1 . 3	5 . 3	4 . 2	1 . 2	3 . 3	3 . 5	6·0	3 . 3	.	.	.	.	.	2	3 . 1	.
Diabetes Mellitus,	.	.	2	.	1	.	.	.	2	.	·5	2	.	.	.	.	.	1	1	.
Premature Birth,	2	3	3	4	5	2	2	3	3	6	3·3	2	2	.	.	.	.	.	.	.

* The figures for the year 1900 are for

† Formerly described as

HTEENTH WEEK ending Saturday, 7th May, 1910, with the deaths from each cause in the corresponding the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 18th Week of the 10 years 1900-1909.	In the Week ending Saturday, 7th May, 1910.							
	May 5, 1900.	May 4, 1901.	May 3, 1902.	May 9, 1903.	May 7, 1904.	May 6, 1905.	May 5, 1906.	May 4, 1907.	May 2, 1908.	May 8, 1909.		Deaths of Persons of the Ages of							
												All Ages.	0 to 5.						
													Under 1 month.	1 month and under a year.	1 to 5.	5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 48·6	° 46·3	° 46·9	° 47·0	° 46·7	° 46·4	° 44·3	° 44·1	° 48·5	° 50·4	° 46·9	Mean Temp. ° 46·1							
eningitis (not tuberc.) ...			9	2	3	1	3	6	2	5		2	.	1	.	.	1	.	.
sanity, G. P. of Insane ...			.	1	3	2	2	.	1	1		1	.	.	.	.	.	1	.
pilepsy			1	2	.	.	.	.	.	1		2	.	.	1	.	1	.	.
onvulsions			6	8	7	3	4	6	4	1		3	1	1	1	.	.	.	.
ocomotor Ataxy ...			.	.	.	.	.	.	.	.		.	.	.	.	.	.	2	.
raplegia Dis. of Cord ...			.	2	1	1	2	1	1	.		3	.	.	.	.	1	2	.
ervous System (other Dis.)			6	4	.	3	.	4	3	1		1	.	.	.	.	.	1	.
alv. Dis., Endocarditis ...	57	36	2	6	5	5	4	5	7	5	40·9	5	.	.	.	.	1	1	2	1
erebr. Hæm. Thromb.			4	2	1	2	.	2	2	4		4	.	.	.	.	.	4	.
oplexy, Hemiplegia ...			6	5	9	2	5	5	3	2		3	.	.	.	.	1	2	.
neurysm ...			1	1	.	.	2	.	1	.		.	.	.	.	.	.	.	.
mbolism, Thromb. (not cerebral)			.	.	.	1	.	.	.	1		.	.	.	.	.	.	.	.
eart and Blood Vessels (other Dis.)			14	15	16	15	11	12	11	9		9	.	.	.	1	.	5	2	1
roup (not Spasm. nor Memb.)	.	2	1	2	.	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
ronchitis	19	25	14	16	15	16	33	16	22	13	18·9	17	.	4	.	.	3	10	.
sthma, Emphysema ...	.	2	2	3	.	.	1	.	1	.	2·4	.	.	.	.	.	.	.	.
eurisy			.	.	1	.	.	1	.	.		.	.	.	.	.	.	.	.
espiratory Dis. (other) ...			2	1	1	4	2	2	1	.		.	.	.	.	.	.	.	.
nsillitis, Quinsy ...	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1	.	.
nteritis (not Epid.) ...	1	.	.	.	2	.	5	2	.	.	1·5	2	.	.	1	.	1	.	.
astro-enteritis			2	1	.	1	1	.	.	.		3	.	2	.	.	.	1	.
ritonitis (not Puerp.) ...	1	.	.	1	2	.	1	.	.	1	·5	2	.	.	1	.	1	.	.
rrhosis of Liver ...	1	5	.	1	.	2	4	2	1	1	3·2	2	.	.	.	.	1	1	.
ver Dis. (other) ...			3	3	2	1	2	1	1	2		4	.	1	.	.	2	1	.
igestive Dis. (other) ...	5	6	9	5	3	4	5	4	6	8	5·5	1	.	.	.	1	.	.	.
ephritis, Acute	6	6	3	1	.	.	4	.	1	1	6·0	1	.	.	.	1	.	.	.
right's Dis., Albuminuria			1	4	5	2	2	6	2	3		4	.	.	.	1	2	1	.
rinary Sys. (other Dis.) ...			.	.	2	1	2	2	3	3		.	.	.	.	.	.	.	.
enerative Organs Dis. ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
ildbirth (Accid. of) ...	.	.	.	1	.	2	.	.	.	.	·3	.	.	.	.	.	.	.	.
d Age	16	5	8	3	5	3	5	5	3	2	5·5	3	.	.	.	.	.	2	1
ther Diseases	16	9	13	15	7	17	6	16	13	13	12·5	6	3	.	1	.	1	1	.
ACCIDENT.																			
v Railways	.	.	.	.	1	.	.	1	.	.	·2	.	.	.	.	.	.	.	.
y Vehicles and Horses ...	1	.	.	.	.	1	.	2	.	.	·4	.	.	.	.	.	.	.	.
Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagrations ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
y Burns, Scalds, Explosions	3	.	2	1	1	.	1	1	2	2	1·3	2	.	.	1	1	.	.	.
y Drowning	.	.	1	.	.	.	.	.	.	.	·1	1	.	.	.	.	1	.	.
y Suffocation in Bed ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
y Poison or Poisonous Vapours	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ther Deaths by Accident	2	1	2	1	2	.	2	3	1	2	1·6	3	1	.	1	.	1	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																			
omicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
icide	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
xecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.
mple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1909-10—Week ending																							
	Nov. 18.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.
No. of weeks in Annual Series,	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
BIRTHS registered.	215	238	196	206	[illegible]	216	185	282	236	243	197	162	252	220	197	224	206	247	162	242	218	255	217	221	246	230
*Average Births in corresponding week of previous 10 years,** ..	198	195	181	202	197	190	177	175	227	204	206	203	234	212	210	213	214	219	217	211	235	190	207	224	195	270
DEATHS registered.	177	190	172	180	177	158	155	205	174	177	181	177	239	217	211	228	208	204	149	185	168	186	183	200	193	136
Annual Death-rate per 1,000, ..	23·2	24·9	22·5	23·6	23·2	20·7	20·3	26·8	22·5	22·9	23·4	22·9	30·9	28·1	27·3	29·5	26·9	26·4	19·3	23·9	21·7	24·1	23·7	25·9	25·0	17·6
Average Deaths in corresponding week of previous 10 years,†	182	184	187	190	190	187	195	184	217	210	206	201	200	196	207	221	221	214	200	206	211	200	200	197	189	184
AGES, Under 5 years, ...	45	41	37	43	37	51	44	71	49	57	57	55	76	58	67	67	57	58	30	52	44	44	37	49	45	36
5—20 ,, ...	12	9	8	9	8	10	8	11	12	13	10	13	11	9	9	16	8	12	11	12	18	9	11	15	18	6
20—40 ,, ...	26	28	18	22	25	19	28	19	30	25	20	31	27	25	19	22	33	28	21	34	18	26	24	33	29	26
40—60 ,, ...	38	44	51	47	52	27	34	43	36	23	41	36	54	42	38	42	40	34	35	35	32	43	38	35	43	25
60—80 ,, ...	49	61	52	50	45	39	37	50	37	42	45	37	64	62	66	69	57	65	41	42	45	53	57	59	46	40
80 years and upwards, ..	7	7	6	10	10	12	9	6	10	10	8	5	7	21	12	12	13	12	11	10	16	11	16	9	11	3
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	2	.	1	1	.	.	2	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Scarlet Fever, ...	1	.	1	.	1	1	1	3	.	.	.	1	.	1	2	1	1	.	1	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Whooping-cough, ...	1	2	.	.	2	2	2	1	3	5	4	1	2	4	1	.	3	2	1	2	1	.	2	5	4	1
Diphtheria, ...	1	2	1	1	.	2	.	1	1	.	3	.	2	2	.	2	.	1	1	1	.	1	.	2	.	.
Pyrexia † (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	1	.	1	1	1	.	3	2	.	1	.	2	.	.	.	1	2	.	1	1	4	1	1	.	2	1
Diarrhœal Diseases, ...	4	2	4	2	4	1	.	4	2	4	4	2	4	6	2	3	3	4	2	3	.	4	2	2	1	2
Influenza, ...	2	1	2	3	1	1	6	4	2	3	5	1	4	3	2	2	5	6	7	6	6	3	5	2	3	1
Pneumonia, ...	14	18	16	20	28	19	20	22	22	14	21	14	20	17	20	22	17	20	12	14	14	17	13	20	17	8
Tuberculous Phthisis,	20	20	17	22	17	15	14	15	24	19	21	28	26	19	19	28	28	26	15	26	14	21	22	31	25	14
Disease, Other Forms, ..	8	6	6	7	8	6	4	6	5	6	6	6	17	10	14	13	10	12	10	10	4	10	9	18	12	11
Cancer, Malignant Disease, ..	8	17	7	11	10	8	6	4	8	7	8	11	19	10	8	14	9	13	5	6	14	7	10	11	11	6
Diseases of Heart and Blood Vessels, ...	33	32	27	31	29	25	21	37	29	31	29	17	29	38	40	31	27	25	30	20	30	37	28	37	31	21
Diseases of Respiratory System,	22	22	32	29	23	26	30	41	20	33	29	39	43	55	41	41	39	35	26	36	23	38	39	22	25	17
Violent Deaths, ...	4	6	4	5	4	4	2	2	4	4	1	4	5	1	6	6	5	3	1	2	5	5	3	3	4	6
Number of Uncertified Deaths, ..	5	4	2	3	4	5	7	10	3	2	18	9	13	3	7	2	8	5	5	3	4	9	12	8	6	2
Mean Temperature of the Air (Phœnix Park), ...	41·9	37·7	38·4	41·8	39·1	41·4	33·5	45·9	45·4	42·1	37·6	32·5	38·1	43·7	42·3	39·2	44·0	43·6	39·8	43·4	39·7	41·7	43·0	49·6	43·6	46·1
Average Mean Temperature in corresponding week of previous 10 years, ...	45·3	43·7	42·4	43·3	43·0	41·3	42·1‡	40·3	41·3	40·0	41·1	41·7	40·0	38·9	38·9	40·1	40·1	41·1	42·9	41·9	42·1	44·2	43·4	45·1	46·6	46·9
Rainfall in inches, ...	·733	·037	·251	1·163	1·202	·207	1·188	·340	·123	·986	·240	1 690	·163	·264	1·160	·915	·892	·383	·174	·000	·040	·205	·735	·782	4·7	·670
Mean Humidity of the Air, complete Saturation 1·0	·88	·80	·84	·87	·90	·82	·86	·88	·89	·85	·91	·88	·94	·91	·93	·94	·98	·88	·91	·91	·88	·93	·93	·91	·82	·77

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 7th May, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 7TH MAY, 1910. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Colls. 10–18.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Convulsions.	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS.	375,850	18·9	136	36	6	26	25	40	3	.	.	.	.	1	.	.	1	2	4	8	14	11	6	3	17	6	67	2
	CLASSES. **Deaths in Families of the—**																												
I.	Professional and Independent Class, ..	17,486	9·0	3	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
II.	Middle Class, ...	87,188	19·2	32	2	1	10	3	14	2	.	.	.	.	.	.	.	1	1	2	1	3	2	3	.	2	1	18	.
III.	Artisan Class and Petty Shopkeepers, ..	110,423	14·2	30	14	2	4	6	4	.	.	.	.	.	1	.	.	.	.	1	3	6	2	1	1	1	2	18	2
IV.	General Service Class, ...	154,279	14·9	44	14	2	10	7	10	1	.	.	.	.	.	.	.	.	.	.	3	4	5	.	2	9	2	19	.
V.	Inmates of Workhouses, ...	6,024	—	27	6	1	2	9	9	.	.	.	.	.	.	.	.	.	1	1	.	1	2	2	.	5	1	15	.
I.	Professional and Independent Class.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,789	20·1	3	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,860	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	Middle Class.																												
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	40·6	6	.	.	2	.	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	18·9	8	.	.	3	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	6. Clerks and Commercial Assistants, ..	30,482	17·1	10	1	1	4	1	3	.	.	.	.	.	.	.	.	1	1	2	1	1	2	.	.	.	1	6	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	15·4	8	1	.	1	1	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	5	.
III.	Artisan Class and Petty Shopkeepers.																												
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	21·1	4	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	1	.
	9. Building and Furnishing Trades, ...	29,801	10·5	6	1	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	3	1
	10. Clothing Trades, ...	28,260	9·0	4	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	2	.
	11. Food Supply Trades, ...	9,242	22·6	4	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	1	1
	12. Other Trades and Callings ranking with Trades, ...	30,352	20·6	12	5	2	2	1	2	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.	2	6	.
	13. Petty Shopkeepers, ...	7,894	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	General Service Class.																												
	14. Army, Police, Postal Delivery, and Prison Services, &c	13,425	7·8	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.
	15. Domestic Servants, ...	86,603	4·3	3	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	21·7	6	.	.	3	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2	.	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	19·1	33	12	1	7	5	7	1	.	.	.	.	.	.	.	.	.	.	1	4	4	.	1	7	2	14	.
V.	Inmates of Workhouses.																												
	18. Workhouse Inmates, ...	6,024	—	27	6	1	2	9	9	.	.	.	.	.	.	.	.	.	1	1	.	1	2	2	.	5	1	15	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

	DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From Diseases in Cols. 5–18.	TOTAL DEATHS.	NUMBER OF DEATHS FROM: Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of).	North City, No. 1 (E.)	Mar. 19,	15·7	1·7	9					1									3		
		,, 26,	20·9	.	12										1	2	.		2		1
		Apr. 2,	22·7	.	13												2				
	(*Office*,	,, 9,	12·2	.	7											2	.		3	1	
	Clarence-st., Nth.	,, 16,	26·2	.	15										1	4	.		5		1
		,, 23,	24·4	.	14										3	3	.		1		2
	Pop. in 1910	,, 30,	15·7	.	9										1	3	1				
	(Est.) 29,908.	May 7,	12·2	.	7										1	1	1				
	North City, No. 1 (W.)	Mar. 19,	23·5	1·3	18									1	4	1	1	1	6		
		,, 26,	20·0	2·6	28					1				1	2	1	4		6		
		Apr. 2,	17·0	1·3	13										2			1	2	1	2
	(*Office*,	,, 9,	36·5	.	28										1	4	2		8	1	1
	Summer-hill.)	,, 16,	24·8	1·3	19					1					5	1	1	1	4	1	
		,, 23,	32·6	1·3	25					1					2	6	.	1	3	1	1
	Pop. in 1910	,, 30,	19·6	1·3	15					1						2	.		6		3
	(Est.) 39,974.	May 7,	19·6	.	15										1	3	1		3		1
	North City, No. 2.	Mar. 19,	18·7	.	11										1	2	2		1		
		,, 26,	32·2	1·7	19					1					1	4	.		6		
		Apr. 2,	28·8	.	17										3	5	.	1	2		
	(*Office*,	,, 9,	25·4	1·7	15									1	.	1	.	1	3	1	1
	Lisburn-street.)	,, 16,	23·7	.	14										1	1	.	1	4	1	
		,, 23,	42·4	.	25										2	3	1	4	5		
	Pop. in 1910	,, 30,	22·0	.	13										3	2	2	2	1		
	(Est.) 30,744.	May 7,	18·7	.	11											2	.	1	3		
	North City, No. 3.	Mar. 19,	24·9	1·6	16									1	2	1	.		4		1
		,, 26,	31·1	1·6	20								1			4	.	1	2		
		Apr. 2,	28·0	.	18										1	2	.	2	2	1	
	(*Office*,	,, 9,	32·6	3·1	25								2		1	2	1		4	1	1
	Benburb-street.)	,, 16,	26·4	6·2	17				2				2		2	4	.	1	4		
		,, 23,	26·4	6·2	17					2			2		5	.	2	1	.		
	Pop. in 1910	,, 30,	28·0	1·6	18									1	2	1	1	.	3		
	(Est.) 33,559.	May 7,	18·6	1·6	12					1					1	.	.	.	4	1	
	South City, No. 1.	Mar. 19,	17·6	.	14										3	1	.	1	1		1
		,, 26,	25·1	.	20										1	4	2	1	2		
		Apr. 2,	20·1	.	16										1	1	.	.	6	1	
	(*Office*,	,, 9,	28·9	1·3	23									1	1	4	1	.	7	1	1
	Sth. Earl-street.)	,, 16,	26·4	.	21										2	1	1	1	7		2
		,, 23,	32·7	1·3	26					1					.	7	4	1	2		1
	Pop. in 1910	,, 30,	26·4	1·3	21									1	2	3	1	2	4		
	(Est.) 41,476.	May 7,	12·6	.	10										2	1	.	1	.	1	
	South City, No. 2.	Mar. 19,	21·6	.	9										.	1	2	2	1		
		,, 26,	21·6	.	9										1	3	.	1	1		
		Apr. 2,	14·4	.	6										.	.	.	1	1		1
	(*Office*,	,, 9,	14·4	.	6										1	1	1	.	1	1	1
	Castle-street.)	,, 16,	9·6	.	4										.	.	.	.	2		1
		,, 23,	24·0	.	10										1	.	1	.	2		2
	Pop. in 1910	,, 30,	21·6	.	9										1	1	2	.	1		
	(Est.) 21,754	May 7,	19·2	2·4	8									1	.	.	2		2		
	South City, No. 3.	Mar. 19,	19·3	1·2	16						1				.	2	1	.	4		1
		,, 26,	27·7	1·2	28		1								4	2	2	.	6		2
		Apr. 2,	21·7	.	18										1	1	2	1	5		
	(*Office*,	,, 9,	32·6	2·4	27						1		1		4	1	3	3	3		
	Peter street.)	,, 16,	29·0	.	24										1	3	3	2	1		
		,, 23,	19·3	2·4	16					1	1				1	2	4	1	2	1	
	Pop. in 1910	,, 30,	24·1	1·2	20					1					2	3	2	2	5		1
	(Est.) 43,227.	May 7,	16·9	.	14										1	2	1		1		
	South City, No. 4.	Mar. 19,	16·0	.	11									1	.	2	1	.	3		
		,, 26,	24·7	1·5	17										1	2	.		2		
	(*Office*,	Apr. 2,	17·4	.	12										1	2		2	1		1
	Grand Canal-st.)	,, 9,	17·4	.	12										2	2	1	.	1		1
		,, 16,	16·0	.	11										.	1	1		6		1
	Pop. in 1910	,, 23,	18·9	.	18										2	1	1	2	3		1
	(Est.) 35,881.	,, 30,	30·5	1·5	21					1					2	3	1				
		May 7,	14·5	.	10										.	2	1	.	1	2	

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910- Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From Diseases in Cols. 5–18.	TOTAL DEATHS.	NUMBER OF DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (excl. of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	Mar. 19,	12·7	.	9	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	2
	,, 16,	15·5	.	11	.	.	.	.	.	.	.	.	.	.	2	.	1	3	.	.
	Apr. 2,	23·9	.	17	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.
	,, 9,	12·7	.	9	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	1
	,, 16,	12·7	.	9	.	.	.	.	.	.	.	.	.	.	3	.	.	2	.	3
	,, 23,	14·1	.	10	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	,, 30,	29·6	.	21	.	.	.	.	.	.	.	.	.	1	3	1	1	1	1	1
	May 7,	14·1	1·4	10	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	1
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	Mar. 19,	25·2	1·8	14	.	.	.	.	.	.	.	1	.	1	1	1	.	1	.	.
	,, 26,	7·2	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.
	Apr. 2,	10·8	.	6	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.
	,, 9,	19·8	.	11	.	.	.	.	.	.	.	.	.	1	1	.	2	2	.	1
	,, 16,	18·0	1·8	10	.	.	.	.	1	.	.	.	.	.	1	.	1	2	.	1
	,, 23,	18·0	.	10	.	.	.	.	.	.	.	.	.	.	2	1	.	2	.	1
	,, 30,	18·8	1·8	16	.	.	.	.	1	.	.	.	.	1	1	1	1	1	1	.
	May 7,	16·0	.	10	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.
Kingstown Urban District. Pop. in 1910 (Est.) 17,022.	Mar. 19,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
	,, 26,	23·7	.	8	.	.	.	.	.	.	.	.	.	2	.	.	1	2	1	.
	Apr. 2,	20·7	3·0	7	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.
	,, 9,	29·6	.	10	.	.	.	.	.	.	.	.	.	4	.	.	.	3	.	.
	,, 16,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	,, 23,	26·6	3·0	9	.	.	.	.	1	.	.	.	.	2	2	1	.	.	.	.
	,, 30,	26·6	3·0	9	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	1
	May 7,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.
Belfast. Pop. in 1910 (Est.) 391,167.	Mar. 19,	21·7	2·5	163	.	5	2	.	12	.	.	.	.	12	18	9	9	24	5	1
	,, 26,	16·7	1·9	125	.	3	.	.	10	.	.	.	1	8	10	8	10	16	3	1
	Apr. 2,	18·4	2·3	138	.	6	2	.	6	1	.	1	1	14	20	9	4	16	.	2
	,, 9,	22·4	3·2	168	.	11	.	.	12	1	.	.	.	19	24	12	8	21	4	1
	,, 16,	24·9	3·3	187	.	17	.	.	5	1	1	.	1	16	27	8	10	22	.	1
	,, 23,	21·3	2·9	160	.	8	.	.	8	1	1	1	3	19	18	7	2	30	2	1
	,, 30,	23·1	3·5	173	.	20	.	.	4	1	.	.	1	14	22	9	6	15	4	3
	May 7,	22·3	3·5	167	.	19	.	.	4	.	1	.	2	15	20	6	8	21	3	1
Cork. Pop. (in 1901) 76,122.	Mar. 19,	19·9	.	29	.	.	.	.	.	.	.	.	.	1	2	.	.	9	2	2
	,, 26,	22·6	.	33	.	.	.	.	.	.	.	.	.	2	8	2	3	1	.	1
	Apr. 2,	32·9	2·1	48	.	.	.	.	.	1	.	.	2	3	6	3	1	6	2	5
	,, 9,	34·2	.	50	.	.	.	.	.	.	.	.	.	3	7	2	4	6	.	5
	,, 16,	22·6	.	33	.	.	.	.	.	.	.	.	.	3	9	1	2	2	1	2
	,, 23,	23·3	0·7	34	.	.	.	.	1	.	.	.	.	2	6	1	4	2	.	.
	,, 30,	19·9	.	29	.	.	.	.	.	.	.	.	.	1	3	1	1	3	.	2
	May 7,	25·3	0·7	37	.	.	.	.	.	.	.	1	.	2	8	1	1	3	.	4
Londonderry. Pop. in 1910 (Est.) 43,477.	Mar. 19,	9·6	.	8	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.
	,, 26,	22·8	1·2	19	.	1	.	.	.	.	.	.	.	1	4	1	1	3	.	2
	Apr 2,	13·2	1·2	11	.	.	.	.	.	.	.	.	1	1	1	.	.	1	.	.
	,, 9,	15·6	.	18	.	.	.	.	.	.	.	.	.	2	2	2	.	3	.	1
	,, 16,	20·4	.	17	.	.	.	.	.	.	.	.	.	1	2	.	1	3	.	.
	,, 23,	18·2	1·2	11	.	.	.	.	.	.	.	.	1	1	4	1	1	1	.	.
	,, 30,	20·4	.	17	.	.	.	.	.	.	.	.	.	2	3	2	2	3	.	.
	May 7,	18·0	1·2	15	.	1	.	.	.	.	.	.	.	.	2	.	.	7	.	.
Limerick. Pop. (in 1901) 38,151.	Mar. 19,	19·1	2·7	14	.	.	.	.	1	.	.	.	1	.	.	1	1	5	.	3
	,, 26,	27·3	2·7	20	.	.	.	.	2	.	.	.	.	2	1	1	.	2	.	2
	Apr. 2,	23·2	.	17	.	.	.	.	.	.	.	.	.	1	2	.	.	2	.	2
	,, 9,	17·8	.	13	.	.	.	.	.	.	.	.	.	1	1	.	.	4	.	1
	,, 16,	20·5	.	15	.	.	.	.	.	.	.	.	.	.	3	.	.	6	.	1
	,, 23,	19·1	.	14	.	.	.	.	.	.	.	.	.	1	4	.	1	4	.	1
	,, 30,	19·1	.	14	.	.	.	.	.	.	.	.	.	2	1	2	.	2	.	1
	May 7,	12·8	2·7	9	.	.	.	.	2	.	.	.	.	.	5	.	.	.	.	.
Waterford. Pop. (in 1901) 26,769.	Mar. 19,	18·6	1·9	7	.	.	.	.	.	.	.	.	1	.	3	.	.	2	.	1
	,, 26,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	Apr. 2,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	1	3	.	1	.	.	2
	,, 9,	17·5	.	9	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.	.
	,, 16,	33·1	5·8	17	.	.	.	2	.	.	.	.	1	1	2	1	.	1	.	3
	,, 23,	22·2	3·9	15	.	.	.	1	.	1	.	.	.	3	.	3	.	.	.	2
	,, 30,	23·4	1·9	12	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.
	May 7,	29·2	1·9	15	.	.	.	.	.	.	.	1	.	.	.	1	.	5	.	3

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 7th May, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS																										
			Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.						DEATHS FROM																	
			All Causes.	Diseases in Cols. 12-20.		Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia† (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		8			12	3	2	1	3	1	2	.	1	.	.	.	.	.	.	.	.	1	1	.	1	2	2	5	.
Do. 2 do. .		28			20	5	6	1	5	2	1	.	5	.	.	.	.	.	.	.	1	8	.	1	2	.	1	.	.
Do. 3 do. .		48			19	2	5	1	3	5	3	.	2	.	.	2	.	.	.	.	2	3	.	3	3	.	1	1	.
Do. 4 do. .		30			13	3	1	.	.	5	4	.	.	.	.	1	.	.	.	.	.	2	.	.	2	1	1	5	.
Do. 5 do. .		9			13	5	4	1	.	2	1	.	3	.	.	.	.	.	2	1	.	.	.	.	.	.	3	.
Do. 6 do. .		16			17	2	2	1	2	3	7	.	1	.	.	.	.	1	.	.	2	1	1	2	.	.	.	3	.
Do 7 do. .		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 8 do. .	349,180	5			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do. .		16			9	1	3	1	.	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do 10 do. .		19			14	1	2	.	5	2	4	.	3	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	1
Do. 11 do. .		17			13	2	1	1	4	3	2	.	.	.	.	.	.	.	.	.	.	4	.	.	1	.	1	3	.
Do. 12 do. .		23			17	2	4	3	1	4	3	.	.	.	.	1	.	.	.	.	2	5	1	1	2	.	3	2	.
Do. 13 do. .		11			5	1	.	.	1	.	3	.	.	.	.	.	.	.	.	.	3	1	.	.	6	.	.	7	.
Do. 14 do. .		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15* do. .		5			14	3	6	2	1	1	1	.	4	.	.	.	.	.	.	.	2	.	1	1	1	.	1	1	.
Total, ...	—	235	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		167	31	36	12	25	30	33	.	19	.	.	4	.	1	.	2	15	20	6	8	21	3	10	30	1
City of Cork.																													
CORK URBAN No. 1 DISTRICT, .	12,867	6	14·6	.	11	1	2	1	1	4	2	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	.	6	1
Do. 2 do. .	10,701	4	9·7	.	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 3 do. .	9,978		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do. 4 do. .	8,666		18·1	.	3	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 do. .	6,592	.	31·6	.	4	.	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.
Do. 6 do. .	10,702	4	29·2	4·9	6	1	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Do. 7 do. .	16,616	6	34·5	.	11	.	.	.	3	3	5	.	.	.	.	.	.	.	1	.	1	2	.	.	2	.	2	7	.
Total, ...	76,122	28	25·3	0·7	37	3	3	4	8	9	10	.	.	.	.	.	.	.	1	.	2	8	1	1	3	.	2	19	4

* New district formed as from 1st Jan., 1910, and the boundaries of Nos. 1, 4 & 6 districts altered: the population of each of these districts, as at present constituted, is not available.

TABLE IX.—**City of Belfast.**—Comparative Tables of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1909-10—Week ending																								
	Nov. 18.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.
No. of weeks in annual Series, ..	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
BIRTHS registered, ...	174	180	168	189	190	181	170	215	278	192	180	216	214	213	196	202	239	201	240	208	207	254	247	224	265	235
DEATHS registered, ...	130	134	167	147	218	177	144	192	148	170	125	151	165	172	156	140	165	162	168	125	138	168	187	160	178	167
Annual Death rate per 1,000 of estimated Population, ...	17·5	18·1	22·5	19·8	29·4	23·9	19·4	25·9	19·7	22·7	16·7	20·1	22·0	22·9	20·8	18·7	22·0	21·6	21·7	16·7	18·4	22·4	24·9	21·3	23·1	22·3
AGES — Under 1 year, ...	30	28	41	44	62	41	33	48	36	43	25	33	28	37	31	23	33	31	29	27	27	34	38	36	33	31
AGES — 1-5 years, ...	8	14	27	14	21	18	22	25	23	21	20	21	28	21	20	21	21	16	27	15	21	33	34	27	20	36
AGES — 5-20 years, ...	11	4	11	10	18	13	10	12	8	9	9	14	2	8	13	12	11	14	16	7	18	19	15	14	21	12
AGES — 20-40 years, ...	28	22	20	20	31	22	23	28	17	24	17	22	30	18	26	19	29	26	18	19	16	21	32	14	24	25
AGES — 40-60 years, ...	27	28	31	23	33	33	20	34	26	28	23	21	30	42	31	36	37	40	35	28	22	27	24	29	41	30
AGES — 60 years and upwards, ..	31	38	37	36	53	50	36	45	38	40	27	40	47	46	35	29	34	35	38	29	34	34	44	40	34	33
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	5	3	6	11	17	8	20	19
Scarlet Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	2	.	2	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	4	4	7	6	15	9	10	13	12	13	13	13	19	15	17	14	11	12	12	10	6	12	5	8	4	4
Diphtheria, ...	1	.	.	1	.	.	.	1	1	.	1	.	.	.	.	1	.	.	.	.	1	1	1	1	1	.
*Pyrexia** (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	1
Enteric Fever, ...	2	.	.	.	1	.	.	.	2	.	.	1	.	.	1	.	.	1	.	.	1	.	.	1	.	.
Diarrhœal Diseases, ...	2	2	1	3	2	1	1	1	2	.	.	.	2	.	2	.	2	2	.	1	1	.	1	3	1	2
Pneumonia, ...	13	17	25	31	25	28	22	34	12	20	9	16	14	16	11	16	13	10	12	8	14	19	16	19	14	15
Tuberculous Disease, Phthisis, ..	14	8	8	11	26	14	17	13	14	14	12	15	16	15	14	20	23	26	18	10	20	24	27	13	22	20
Tuberculous Disease, Other Forms, ..	11	3	16	4	11	4	4	6	4	10	3	10	8	4	8	7	9	7	9	8	9	12	8	7	9	6
Cancer, Malignant Disease, ..	7	7	1	3	7	5	5	3	2	10	5	4	8	7	6	5	3	5	9	10	4	8	10	2	6	8
Diseases of Respiratory System,	17	31	42	41	53	37	39	41	28	31	21	29	28	40	19	21	24	22	24	16	16	21	22	30	15	21
Violent Deaths, ...	2	2	3	5	5	6	4	3	3	8	5	7	2	2	5	3	10	9	5	3	.	4	.	2	4	3
Number of Uncertified Deaths, ..	1	.	1	3	3	2	3	1	2	1	6	3	2	1	5	2	2	1	1	1	2	1	1	1	3	1

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	May 7,	2,229	1,167	12·5	.	40	6	6	46	1*a*	11
EDINBURGH, ...	360,276	„ 7,	131	113	16·4	.	7	1	1	1	.	2
GLASGOW, ...	884,505	„ 7,	514	250	14·7	.	13	5	1	7	.	5
CALCUTTA, ...	1,009,008	April 2,	.	537	27·6	1	4	.	2	.	157‡	118*
BOMBAY, ...	977,822	„ 5,	365	813	43·2	86	3	.	.	.	217‡	54
MADRAS, ...	509,346	Mar. 18,	341	386	39·4	1	8	?	?	?	113	67*
CAIRO, ...	677,663	„ 18,	584	414	31·9	.	6	.	13†	?	2	32*b*
PARIS, ...	2,760,000	April 2,	1,002	1,036	19·6	1	23	3	4†	15	2*a*	21*b*
BRUSSELS, ...	720,030	„ 16,	254	235	17·0	.	5	1	1†	6	2	10
ANTWERP, ...	317,171	„ 16,	121	94	15·5	.	8	1	1†	6	1	9*b*
AMSTERDAM, ...	569,948	„ 16,	271	158	14·5	.	1	.	.	.	2	1*b*
COPENHAGEN, ...	450,000	„ 16,	228	115	13·3	.	1	3	1†	.	.	4
STOCKHOLM, ...	341,816	„ 16,	142	144	21·9	.	12	9	6†	4	1	3
CHRISTIANIA, ...	235,674	„ 23,	128	57	12·6	.	.	.	2†	.	1*a*	2
ST. PETERSBURG, ...	1,620,000	„ 2,	795	832	26·8	8	71	14	14	14	19	75
MOSCOW, ...	1,493,600	Mar. 26,	.	742	25·9	14	21	21	21†	3	9	58
BERLIN, ...	2,120,593	April 2,	811	624	15·3	.	5	8	14†	4	.	31
HAMBURG, ...	895,804	„ 16,	.	282	16·4	.	4	.	5†	.	1	18
BRESLAU, ...	508,897	„ 16,	.	192	19·7	.	.	.	.	3	1	12
MUNICH, ...	576,000	„ 23,	.	183	16·5	.	.	1	1†	.	.	21
VIENNA (with suburbs),	2,107,981	„ 16,	862	774	19·1	.	36	.	10†	10	1*a*	31*b*
BUDA-PESTH, ...	833,703	„ 16,	424	351	21·8	.	10	6	3†	3	3	16*b*
PRAGUE and Faubourgs.	494,531	„ 2,	181	186	19·5	.	3	.	.	1	.	7*b*
TRIESTE, ...	221,124	„ 9,	134	132	31·1	.	5	.	.	2	.	2*b*
ROME, ...	584,308	Mar. 19,	286	213	19·0	.	13	.	1	.	3*a*	6
VENICE, ...	183,224	„ 19,	73	78	22·2	.	5	1	2†	.	.	4
NEW YORK, ...	4,711,956	April 9,	2,697	1,737	19·2	.	36	40	46†	5	7	63
PHILADELPHIA, ..	1,598,400	Mar. 19,	.	589	19·2	.	.	4	7†	3	8*a*	23
BOSTON, ...	629,868	April 16,	.	238	19·7	.	2	3	3	.	.	7

* Including 71 deaths from cholera in Calcutta and 3 in Madras.
† Including deaths from croup.
‡ Including 69 deaths from plague in Calcutta and 168 in Bombay.
a Enteric Fever.
b Deaths from diarrhœal diseases and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 7th May, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—*Continued Fever*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	.	.	.	.	.	.	1	1	.	.	.	2
" " 1, West,	.	1	.	.	1	.	.	.	.	.	.	.	2
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	.	.	.	.	.	1	1	.	.	.	.	2
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	3	.	.	.	.	.	.	.	.	.	.	3
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	3	.	.	3	.	1	1	5	.	.	5	18
" " 2,	.	1	.	.	.	.	.	.	1	.	.	2	4
" " 3,	.	2	.	.	1	.	.	1	1	.	.	1	6
" " 4,	.	2	.	.	1	.	.	.	2	.	.	1	6
New Kilmainham,	.	1	.	.	.	.	.	2	1	.	.	2	6
Total,	.	13	.	.	6	.	2	6	11	.	.	11	49

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 7th May, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 7th May.			
	April 16.	April 23.	April 30.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	3	3	3	2	1	.	4
Scarlet Fever,	59	57	59	15	12	.	62*
Typhus,	6	7	7	.	3	.	4
Diphtheria,	34	40	39	7	15	.	31
Enteric Fever,	23	23	21	4	1	.	24
Pneumonia,	53	47	45	11	19	.	37

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.Sc., F.R.MET.SOC., reports as follows on the weather during the week ended 7th May, 1910:—

"Sunday was a fine, mild, though cloudy day; but the remainder of the week was unsettled, cold, and generally unseasonable. On Thursday and Friday it was actually inclement, with strong and bitter N.W. winds, and frequent hailstorms—to which thunder and lightning were added on Friday afternoon. On Sunday a vast anticyclone, in which the barometer stood above 30·6 inches in its centre out on the Atlantic, stretched across the British Isles to Norway, the Low Countries, France, and the Peninsula. In the course of the day the screened thermometer rose to 66° at Aberdeen, 65° at Wick and Shields, 63° at Birr Castle, and 62° in Dublin. This was the only warmth of any account experienced during the week. Early on Monday some local irregularities of atmospheric pressure caused rain and a fall of temperature. On Tuesday a brisk and general fall of the barometer took place all over Northwestern Europe, and by 7 a.m. of Wednesday pressure had become as low as 29·4 inches at Sunburgh Head in the Shetlands. The weather was changeable, cold showers and fine intervals alternating in quick succession. On Thursday morning another and still deeper depression was central over the Faeröe, the barometer reading 29·09 inches at Thorshavn. A V.-shaped secondary, extending southwards across the British Isles to Brittany, caused very broken, cold, squally and showery weather in all parts of the United Kingdom. These depressions grew deeper, so that on Friday, at 7 a.m., the barometer stood as low as 28·85 inches at Thorshavn and 28·96 inches at Sunburgh Head. This day proved most inclement, snow and sleet falling in Scotland and the S.W. of Ireland, and hailstorms with thunder and lightning occurring in Dublin. The weather moderated on Saturday, but temperature remained very low—at 7 a.m. the barometer read only 28·82 inches in the Shetlands. The planet Mercury was seen in the N.W. sky after sunset on several evenings. Solar halos were observed from Dublin on Wednesday and Friday. In Dublin the mean height of the barometer was 29·888 inches, the range of pressure being from 30·443 inches at 9 a.m. of Sunday (wind, W.N.W.) to 29·435 inches at 9 p.m. of Thursday (wind, W.). The corrected mean temperature was 47·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 46·8°. The screened thermometers rose to 62·3° on Sunday and fell to 36·9° on Wednesday and again on Friday. The prevalent wind was N.W. Rain fell on six days, the amount being ·674 inch, of which ·237 inch was recorded on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·718 inches. The highest reading (30·267) was on Sunday at 9 a.m., wind W.N.W., and the lowest (29·257) on Thursday at 9 p.m., wind S.W.

The mean temperature for the week was 46·1°, being 0·8° below the average for the corresponding period of the 10 years, 1900-1909. The temperature was highest on Sunday, on which day the thermometer registered 61·9°, and was lowest on Wednesday and Friday, the mercury having fallen to 35·4°. The mean of the Dry Bulb for the week was 45·9° and of the Wet Bulb 42·6°. The mean humidity of the air was ·77, complete saturation being represented by 1·0. The rainfall during the week measured 0·670 inch.

At Greenwich the mean temperature for the week was 46·3°, the maximum 58·3°, and the minimum 36·6°; at Glasgow the maximum was 58·0°, the minimum 34·5°, and the mean 45·0°; and at Edinburgh the maximum was 59·5°, the minimum 34·3°, and the mean 45·0°. The rainfall at Greenwich measured 0·74 in., at Glasgow 0·52 in., and at Edinburgh 0·13 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. Month and Day.			Barometer.	Thermometer.			Hygrometer.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
			Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.				9 A.M.	9 P.M.
			(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) In.		
Sunday,	May	1,	30·215	61·9	40·7	51·3	53·7	51·0	·83	6	2·5	0·0	N.W.	W.
Monday,	,,	2.	30·121	56·6	44·7	50·7	46·8	42·6	·71	·7	7·8	·000	N.W.	N.W.
Tuesday,	,,	3.	29·843	50·2	38·2	44·2	44·5	40·5	·72	·7	2·3	·080	S.S.W.	W.
Wednesday,	,,	4,	29·772	52·4	35·4	43·9	45·5	41·4	·71	·7	6·9	·095	W.	W.S.W.
Thursday,	,,	5.	29·339	51·8	41·4	46·6	46·2	42·9	·79	·7	6·6	·190	W.N.W.	S.W.
Friday,	,,	6,	29·312	49·2	35·4	42·3	41·3	39·8	·89	·7	9·2	·165	W.	W.S.W.
Saturday,	,,	7,	29·427	51·4	35·9	43·7	43·5	40·1	·76	·6	10·4	·090	W.	W.S.W.
Mean,			29·718	53·4	38·8	46·1	45·9	42·6	·77	·7	Total 45·7	Total ·670	Prevailing Wind W.	

Sunday—Day cloudy; night overcast, drizzle a.m. *Monday*—Day cloudy; night cloudy. *Tuesday*—Day overcast to cloudy, rain; night clear. *Wednesday*—Day cloudy, passing showers; night overcast, drizzle a.m. *Thursday*—Day cloudy, passing showers; night clear, light rain a.m. *Friday*—Day cloudy, passing showers, rain, hail; night cloudy, drizzle a.m. *Saturday*—Day cloudy, heavy rain p.m.; night cloudy.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, May 7th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. Month and Day.			Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperatures in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
				1 Foot.	4 Feet.	Max.	Min.	Mean.		
			°	°	°	°	°	°	hrs	ins.
Sunday,	May	1.	52·3	49·0	47·6	62·4	43·5	53·0	1·7	·400
Monday,	,,	2,	49·8	50·2	47·5	57·2	46·7	52·0	6·0	—
Tuesday,	,,	3,	50·4	50·1	47·9	52·4	41·8	47·1	1·4	·063
Wednesday,	,,	4.	46·7	48·8	48·0	53·4	46·5	50·0	7·5	·050
Thursday,	,,	5	48·5	49·0	48·1	53·2	43·0	48·1	6·6	·180
Friday,	,,	6,	47·7	48·8	48·1	50·5	36·7	43·6	8·0	·240
Saturday,	,,	7,	45·7	47·4	48·1	52·3	37·0	44·7	11·3	·085
Weekly Mean,			48·7	49·0	47·9	54·5	42·2	48·4	Total 42·5	Total 1·018

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

28650. Wt. P. 1—80/137, 375. 4. 1910. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 14TH MAY, 1910. [No. 19.

General Register Office, Charlemont House, Dublin, 17th May, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending				Average Rate for 4 weeks.	TOWNS, &c.	Week ending				Average Rate for 4 weeks.
	April 23.	April 30.	May 7.	May 14.			April 23.	April 30.	May 7.	May 14.	
22 Town Districts.	**22·4**	**22·0**	**20·1**	**21·3**	**21·5**	Limerick, . . .	19·1	19·1	12·3	13·7	16·1
						Lisburn, . . .	22·7	22·7	9·1	9·1	15·9
Armagh, . . .	27·5	6·9	13·7	13·7	15·5	Londonderry, . .	13·2	20·4	18·0	19·2	17·7
Ballymena, . . .	4·8	19·2	9·6	4·8	9·6	Lurgan, . . .	8·9	8·9	4·4	44·3	16·6
Belfast, ...	21·3	23·1	22·3	22·7	22·3	Newry, ...	8·4	12·6	21·0	21·0	15·8
Clonmel, . . .	35·9	25·6	35·9	51·3	37·2	Newtownards, . .	40·1	17·2	28·6	22·9	27·2
Cork, ...	23·3	19·9	25·3	18·5	21·7	Portadown, . .	25·8	15·5	25·8	36·2	25·8
Drogheda, . . .	45·0	24·5	61·3	4·1	33·7	Queenstown, . .	19·8	19·8	39·6	39·6	29·7
Dublin Reg. Area, .	24·3	23·9	16·7	22·0	21·7	Sligo, ...	9·6	4·8	.	9·6	6·0
Dundalk, . .	31·9	8·0	4·0	8·0	13·0	Tralee, . . .	10·6	15·9	26·4	26·4	19·8
Galway, . . .	15·5	.	15·5	11·7	10·7	Waterford, . . .	29·2	23·4	29·2	11·7	23·4
Kilkenny, . . .	29·5	29·5	44·2	39·3	35·6	Wexford, . . .	14·0	37·4	9·3	18·7	19·9

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·9 per 1,000, the rates varying from 0·0 in sixteen of the districts to 4·7 in Wexford, the 4 deaths from all causes for that district including one from diarrhœa. Among the 170 deaths from all causes for Belfast are 23 from measles, 6 from whooping-cough, one from diphtheria, and one from enteric fever. Of the 27 deaths from all causes for Cork one is from whooping-cough. One death from measles is included in the 16 deaths from all causes for Londonderry, and of the 2 deaths recorded for Lisburn one is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 241—120 boys and 121 girls—and the deaths to 180—90 males and 90 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of 22·0 per 1,000 of the population, the rate for the total deaths registered in the Area being 23·3 per 1,000. During the nineteen weeks, ending with Saturday last, the death-rate averaged 24·5, and was 3·1 below the mean rate for the corresponding portions of the ten years, 1900–9.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*), Table II. ‡ See columns 10-18 of Table II.

Among the deaths registered are one from scarlet fever, one from whooping-cough, 3 fro enteric fever, and one from epidemic diarrhœa of an infant under one year of age; the deat of one infant from *gastro-enteritis* was also registered. In the three weeks preceding, death from scarlet fever were 0, 0, and 0; deaths from whooping-cough were 5, 4, and one; death from enteric fever were 0, 2, and one; and deaths from diarrhœal diseases were 2, one, and respectively. Influenza caused 3 deaths, the respective deaths in the three preceding weel numbering 2, 3, and one.

One death from lobar pneumonia, 8 deaths from broncho-pneumonia, and 5 deaths fro *pneumonia* (not defined) were registered.

All forms of tuberculous disease, which in the three previous weeks caused, respectivel 49, 37, and 25 deaths, caused the deaths of 40 persons during the week under notice, th latter comprising 31 deaths from tuberculous phthisis (*phthisis*), 2 deaths from tuberculou peritonitis, one death from *tabes mesenterica*, and 6 deaths from other forms of tuberculou disease.

There were 6 deaths from carcinoma, and 4 deaths from cancer, malignant disea (undefined).

The deaths of 3 infants were ascribed to prematurity.

The 5 deaths from diseases of the brain and nervous system include the death of on infant under one month old from *convulsions*.

Twenty-five deaths were ascribed to diseases of the heart and blood vessels, and 26 t bronchitis.

To accident or negligence 9 deaths were attributed; of these 4 were by burns or scald (one of the latter being that of a child 4 years of age) and one by drowning.

There were 2 deaths by suicide.

In 2 instances the cause of death was "uncertified," there having been no medical attendan during the last illness; both these cases were of persons aged 60 years and upwards.

Thirty-eight of the persons whose deaths were registered during the week were unde 5 years of age (27 being infants under one year, of whom 9 were under one month old) an 60 were aged 60 years and upwards, including 31 persons aged 70 and upwards, of whon 10 were octogenarians.

Eighty-eight of the deaths registered during the week occurred in hospitals and othe public institutions; of this number 15 took place in the North Dublin Union Workhous and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 22·0 per 1,000; the rate in the City was 22· (North City Districts, 23·0; South, 21·4) and in the Suburbs, 21·4.

The deaths from certain epidemic diseases* in the entire area equal an annual rate of 0·8 per 1,000 inhabitants, the rate for the City being 1·0 (1·3 in the North City Districts, and 0·7 in the South), and for the Suburbs, 0·0.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (15) are equal to an annual rate of 26·2 per 1,000. Among them are one death from enteric fever, one from *pneumonia* (not defined), 4 deaths from tuberculous phthisis (*phthisis*) and 2 from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (17) are equal to an annual rate of 22·2 per 1,000. There were 3 deaths from tuberculous phthisis (*phthisis*), 5 deaths from diseases of the respiratory system, and one from accidental burns.

No. 2 *North City District* (Lisburn-street).—The deaths (9) are equivalent to an annual rate of 15·3 per 1,000, and include one death from epidemic diarrhœa, one from broncho-pneumonia, 4 from tuberculous phthisis (*phthisis*), and one from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (13) represent an annual rate of 20·2 per 1,000. Tuberculous disease caused 3 deaths and bronchitis 2 deaths.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 29·1 per 1,000 inhabitants; Coolock and Drumcondra, part of, 31·4; and Finglas and Glasnevin, part of, 40·7. Among the 7 deaths from all causes for Coolock and Drumcondra, part of, are one from influenza, 2 from *phthisis*, and one death by suicide; and of the 6 deaths from all causes for Finglas and Glasnevin, part of, one was from whooping cough, one from enteric fever, 2 were from tuberculous disease, and one from bronchitis.

No. 1 *South City District* (South Earl-street).—The deaths (13) represent an annual rate of 16·3 per 1,000. One death from lobar pneumonia, one from tuberculous phthisis, 3 deaths from bronchitis, and one death attributed to accident were recorded.

No. 2 *South City District* (Castle-street).—The deaths (4) are equal to an annual rate of 9·6 per 1,000. There was one death each from broncho-pneumonia, *pneumonia* (not defined), and tuberculous disease.

No. 3 *South City District* (Peter-street).—The deaths (23) are equal to an annual rate of 27·7 per 1,000, and include one death from scarlet fever, one death each from broncho-pneumonia, and *pneumonia* (not defined), 7 deaths from tuberculous disease, 3 deaths from bronchitis, one death caused by accident, and one by suicide.

No. 4 *South City District* (Grand Canal-street).—The deaths (13) are equivalent to an annual rate of 18·9 per 1,000. Two deaths were attributed to broncho-pneumonia, 2 to *phthisis*, 6 to bronchitis, and one death to neglect.

New Kilmainham District.—The deaths (9) are equal to an annual rate of 51·7 per 1,000. Among them are one from enteric fever, one from *pneumonia* (not defined), 2 from tuberculous disease, 2 from bronchitis, and one death caused by drowning.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 25·5; Pembroke, 12·6; Blackrock, 5·8; and Kingstown, 41·4. There was no death from any of the principal epidemic diseases tabulated for these districts. Of the 16 deaths from all causes for Rathmines and Rathgar are one from influenza, 2 from broncho-pneumonia, 2 from tuberculous disease, and 2 deaths caused by burns or scalds; the 7 deaths from all causes for Pembroke include one from broncho-pneumonia, and one from tuberculous phthisis; the only death recorded for Blackrock was one death caused by burns; and of the 14 deaths from all causes for Kingstown there was one death each from influenza, *pneumonia* (not defined), and tuberculous phthisis, and there were 2 deaths from bronchitis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly urnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin ; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District ; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District : Mr. Heron, Executive Sanitary Officer for Blackrock Urban District : by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District ; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 14th May, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) / *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Apr. 23,	.	—	—	8	1	.	11	.	1	3	7	.	—	—	.	—	26	—	57
	Apr. 30,	.	—	—	9	1	.	6	.	.	4	10	.	—	—	.	—	20	—	50
	May 7,	.	—	—	13	.	.	6	.	2	6	11	.	—	—	.	—	11	—	49
	May 14,	.	—	—	8	.	.	4	.	2	2	12	.	—	—	.	—	24	—	52
Rathmines and Rathgar Urban District.	Apr. 23,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Apr. 30,	.	—	—	2	.	.	.	.	.	.	.	1	—	—	—	—	—	—	3
	May 7,	.	—	—	.	.	.	2	.	.	.	1	.	—	—	—	—	—	—	3
	May 14,	.	—	—	3	.	.	1	.	.	.	1	.	—	—	—	—	—	—	5
Pembroke Urban District.	Apr. 23,	.	.	.	.	.	.	1	.	.	.	.	.	—	.	.	—	—	—	1
	Apr. 30,	.	.	.	.	.	.	1	.	.	.	.	.	—	.	.	—	—	—	1
	May 7,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	—	.
	May 14,	.	1	.	1	.	.	.	.	.	.	.	.	—	3	.	—	—	—	5
Blackrock Urban District.	Apr. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Apr. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	May 7,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	May 14,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Apr. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	1
	Apr. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	1
	May 7,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	May 14,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.*	Apr. 23,	.	—	—	13	1	.	10	.	.	1	4	.	—	—	—	—	20	—	49
	Apr. 30,	.	—	—	7	.	.	4	.	.	1	4	.	—	—	—	—	24	—	40
	May 7,	.	—	—	8	.	.	2	.	1	2	5	1	—	—	—	—	22	—	41
	May 14,	.	—	—	8	.	.	9	1	.	1	8	1	—	—	—	—	17	—	45

* The Registrar of Belfast Urban No. 4 reports that one death from beri-beri was registered during the week ended 23rd April.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 14th May, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Four cases of measles were admitted to hospital during the week, one was discharged, and 7 cases remained under treatment at its close.

Eighteen cases of scarlet fever were admitted to hospital, 9 were discharged, there was one death, and 70* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 57, 59, and 62, respectively.

One case of typhus was discharged from hospital during the week, and 3 cases remained under treatment at its close.

Seven cases of diphtheria were admitted to hospital, 5 were discharged, there was one death, and 32 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 40, 39, and 31, respectively.

Six cases of enteric fever were admitted to hospital during the week, one was discharged, there was one death, and 28 cases remained under treatment in hospital at the close of the week.

In addition to the above named diseases, 13 cases of pneumonia were admitted to hospital. 8 were discharged, and 42 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 13·9) was equal to an average annual death-rate of 13·8 per 1,000 persons living ; the average rate for 8 principal towns of Scotland was 15·3 per 1,000, the rate for Glasgow being 14·6 and for Edinburgh 13·2.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 14th May. From this Report it appears that of a total of 51 cases notified, 26 were scarlet fever, 12 phthisis, 8 diphtheria, 4 erysipelas, and one enteric fever. Among the 339 cases of infectious diseases in hospital at the close of the week were 165 cases of scarlet fever, 53 of phthisis, 41 of measles, 37 of diphtheria, 20 of whooping-cough, 9 of erysipelas, 6 of chicken-pox, and 3 of enteric fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 14th May, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 14TH MAY, 1910.																							METEOROLOGY. (c)											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 14TH MAY, 1910.				WEEK ENDING 7TH MAY, 1910.				WEEK ENDING 30TH APRIL, 1910.			
	POPULATION.		DEATHS.			BIRTHS.	DEATHS.																			Air Temperature				Air Temperature				Air Temperature			
	Total. (a)	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10–18.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by																Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
										Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.										
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS. .	1,151,790	20·8	29·7	21·3	1·9	657	471	79	126	.	24	1	.	9	1	.	4	2	52	71	20	21	68	14	20	146	16	.	.	.	.	.	.	.	.	.	.	.	.
DUBLIN REGISTRATION AREA:— TOTAL, c. .	402,928	29·3	31·2	22·0	0·8	241	170	27	58	.	.	1	.	1	.	.	3	1	14	19	6	10	27	10	11	78	2	e57·5	29·9	44·7	0·25	e61·9	35·4	46·1	0·67	e53·8	30·9	43·6	0·42
CITY OF DUBLIN.	310,298	39·2	35·3	22·2	1·0	210	152	20	40	.	.	1	.	1	.	.	3	1	10	26	5	5	25	7	9	62	2	f58·6 g56·8	35·0 32·0	46·5 45·3	0·30 0·24	f62·8 g62·2	36·9 36·0	47·1 46·7	0·67 0·61	f59·4 g58·8	35·0 33·0	45·8 44·3	0·41 0·42
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	18·3	22·5	.	13	16	3	9	.	.	.	.	.	.	.	.	.	2	1	1	1	.	2	1	5	.	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	14·4	12·6	.	8	7	1	4	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,618	8·3	13·1	5·8	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	17·8	41·4	.	6	14	3	5	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	6	.	57·0	33·5	46·8	0·48	61·5	36·0	47·5	0·64	57·5	36·0	45·3	0·33
URBAN DISTRICTS.																																							
BELFAST, .	391,167	26·6	28·5	22·7	4·1	214	170	29	31	.	23	.	.	6	1	.	1	.	26	24	4	8	14	4	7	41	2	64·0	35·0	45·7	0·42	60·2	36·0	46·7	1·04	55·0	34·0	43·5	0·72
CORK, . .	76,122	33·6	24·0	18·5	0·7	35	27	6	6	.	.	.	.	1	.	.	.	.	2	8	3	1	5	.	.	11	1	56	38	47·4	0·90	62	39	47·9	0·29	56	38	46·1	0·25
LONDONDERRY, .	43,477	20·1	33·6	19·2	1·2	28	16	2	7	.	1	.	.	.	.	.	.	.	2	2	1	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK, . .	38,151	18·1	24·6	18·7	.	18	10	2	3	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD, .	26,769	18·7	42·9	11·7	.	22	6	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY, . .	18,426	9·5	28·8	11·7	.	6	3	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2	1	58	36	49	0·35	61	37	49	0·90	60	34	47	0·44
DUNDALK . .	18,076	9·4	43·9	8·0	.	11	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA, . .	12,760	8·6	49·0	4·1	.	12	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY, . .	12,405	17·8	8·4	21·0	.	2	5	.	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	1	.	63·0	33·8	46·7	0·88	64·0	34·7	46·0	0·88	58·8	33·2	43·7	0·62
LURGAN, . .	11,782	18·8	26·6	44·8	.	6	10	3	2	.	.	.	.	.	.	.	.	.	.	2	.	.	2	.	.	3	2	63·0	33·3	46·7	0·88	64·0	34·7	46·0	0·88	58·8	33·2	43·7	0·62
LISBURN, . .	11,461	10·1	18·2	9·1	4·5	4	2	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	63·0	33·3	46·7	0·38	64·0	34·7	46·0	0·88	58·8	33·2	43·7	0·62
WEXFORD, . .	11,168	28·2	65·4	18·7	4·7	14	4	1	2	.	.	.	.	.	.	.	.	1	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA, .	10,866	8·9	9·6	4·8	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO, . .	10,870	8·7	24·0	9·6	.	5	2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	65·0	33·0	48·0	0·61	60·7	32·8	44·8	1·77	55·3	33·4	43·7	1·07
KILKENNY, . .	10,609	11·5	14·7	39·3	.	3	8	1	.	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.	.	3	1	60	34	47·9	0·61	61	35	44·9	0·69	59	33	45·1	0·32
CLONMEL, . .	10,167	7·8	5·1	51·3	.	1	10	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	63·0	33·3	46·7	0·88	64·0	34·7	46·0	0·88	58·8	33·2	43·7	0·62
PORTADOWN, .	10,092	18·2	41·3	36·2	.	8	7	3	4	.	.	.	.	.	.	.	.	.	2	.	.	.	6	.	1	8	.	.	.	.	.	.	.	.	.	.	.	.	.
TRALEE, . .	9,867	16·6	37·0	26·4	.	7	5	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	63·0	33·3	46·7	0·88	64·0	34·7	46·0	0·88	58·8	33·2	43·7	0·62
NEWTOWNARDS, .	9,110	18·9	45·8	22·9	.	8	4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	1	.	.	58	36	45·7	0·36	59	35	45·0	0·65	58	35	42·8	0·41
QUEENSTOWN, .	7,909	14·4	38·0	39·6	.	5	6	.	1	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	1	.	56	38	47·4	0·90	62	39	47·9	0·29	56	38	46·1	0·25
ARMAGH, . .	7,588	22·2	34·4	18·7	.	5	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	63·0	33·3	46·7	0·34	64·0	34·7	46·0	0·88	58·8	33·2	43·7	0·62

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910.

(b) Formerly described as "Simple Continued Fever."

(c) Exclusive of 10 deaths of persons (including 2 at 60 years or upwards), admitted to hospital from localities outside the Area.

(d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations for which returns are obtained are substituted.

LE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin nd in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during he Week ending Saturday, the 14th May, 1910, with the number of uncertified deaths: also the deaths rom all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which he deceased were admitted.*

AMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF					
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia* (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	.	.	.	.	.	1	.	.	.	.	1	.	.	.	3	.	.
Diarrhœal Diseases,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Pneumonia,	1	.	1	.	.	.	.	1	2	2	2	1	2	1	.	1	14	.
Tuberculous Disease. } Phthisis,	4	3	4	2	.	2	1	1	.	6	2	1	1	1	.	1	29	2
Other Forms,	.	.	.	1	.	.	1	.	1	1	.	1	1	.	.	.	6	3
Cancer, Malignant Disease,	1	.	.	1	.	1	.	1	.	1	.	.	1	3	.	1	10	.
Other General Diseases,	.	3	.	1	.	1	.	.	1	.	.	.	2	1	.	5	14	.
Total,	7	6	6	5	.	4	4	3	4	11	4	4	7	6	.	8	79	5
LOCAL DISEASES:																		
Nervous System,	.	1	.	1	.	.	.	1	.	.	.	.	2	.	.	.	5	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	3	2	1	3	2	2	.	1	.	5	1	.	2	1	.	1	24	1
Respiratory System,	2	5	1	2	.	.	1	3	.	3	6	2	.	.	.	2	27	.
Digestive System,	2	1	.	.	1	.	.	1	.	2	.	.	2	.	.	1	10	2
Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	1	.	.	.	.	.	1	.	.	.	1	.	.	.	.	3	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Integumentary System,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Total,	7	10	3	6	3	2	1	8	.	10	7	3	6	1	.	4	71	4
OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CAUSES ILL-DEFINED AND NOT SPECIFIED,	1	.	.	2	.	.	1	1	.	.	1	1	1	.	.	2	10	.
VIOLENT DEATHS,	.	1	.	.	.	1	.	1	.	2	1	1	2	.	1	.	10	1
Deaths from all Causes	15	17	9	13	3	7	6	13	4	23	13	9	16	7	1	14	170	10
Annual Rate of Mortality in all causes in every 1,000 of the population.	26·2	22·2	15·3	20·2	29·1	31·4	40·7	16·3	9·6	27·7	18·9	51·7	22·5	12·6	5·8	41·4	22·0	.
	23·0							21·4					21·4					
	22·2																	
Under 1 year,	1	4	1	4	.	.	1	2	2	.	4	1	3	1	.	3	27	.
1 and under 5 years,	1	1	2	.	.	.	1	1	.	2	.	1	1	.	.	1	11	.
5 „ 20 „	3	.	.	2	1	.	2	1	.	2	.	1	1	.	.	.	13	3
20 „ 40 „	5	4	1	1	.	2	.	3	.	7	.	2	1	1	1	2	30	4
40 „ 60 „	1	4	4	3	.	2	.	1	.	5	5	1	1	1	.	3	31	1
60 years and upwards,	4	4	1	3	2	3	2	5	2	7	4	3	9	4	.	5	58	2
Number of Uncertified Deaths,	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	7	5	2	3	2	1	2	1	.	9	2	2	4	2	1	6	49	8
Workhouse Hospitals,	4	3	4	3	.	.	.	.	2	6	3	1	1	2	.	.	29	2

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in the week of the ten years 1900–1909

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Averages in 19th Week of the 10 years, 1900–1909.	In the Week ending Saturday, 14th May, 1910.							
												Deaths of Persons of the Ages of							
	May 12, 1900.	May 11, 1901.	May 10, 1902.	May 16, 1903.	May 14, 1904.	May 13, 1905.	May 12, 1906.	May 11, 1907.	May 9, 1908.	May 15, 1909.		All Ages.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 48·7	° 46·3	° 43·3	° 48·1	° 49·7	° 49·9	° 50·2	° 50·3	° 52·5	° 45·8	° 48·5	° 44·7								
ALL CAUSES.	179	189	173	175	173	181	165	195	199	153	178·2	180	9	18	11	16	34	32	50	10
Small-pox,	.	.	.	4	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	1	6	5	2	4	1	6	2	3	3·0	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	2	.	1	1	.	.	.	1	.	·5	1	.	.	1	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	5	5	2	7	2	2	2	3	5	4	3·7	3	.	.	.	.	.	.	2	1
Whooping-cough,	1	7	.	3	10	.	1	8	1	5	3·6	1	.	1	.	.	.	.	.	.
Diphtheria,	.	1	2	.	1	1	.	1	3	.	·9	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever,	.	.	1	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain)	.	1	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	1	2	1	2	1	3	1	1	2	1·5	3	.	.	.	2	.	.	1	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.),	3	3	.	.	.	.	.	.	.	1	1·9	1	.	1	.	.	.	.	.	.
Diarrhœa, Dysentery,			2	2	.	3	3	1	1	.		.	.	.	.	.	.	.	.	.
Tetanus,	.	.	.	1	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	1	2	2	2	1	1	2	2	.	1	1·4	1	.	1	.	.	.	.	.	.
Puerperal Septicæmia,	.	.	.	1	2	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Puerperal Pyæmia,			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Puerperal Fever,			.	.	.	.	1	.	.	.		.	.	.	.	.	.	.	.	.
Infective Endocarditis	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	14	13	.	2	1	1	1	3	.	1	13·4	1	.	.	.	.	1	.	.	.
Broncho-			.	7	1	6	7	6	6	5		8	.	3	2	.	.	.	3	.
Epidemic			9	4	6	8	10	7	9	7		.	.	.	.	.	.	.	.	.
Not defined,			.	.	.	.	.	.	.	.		5	.	.	.	.	1	3	1	.
Erysipelas,	.	1	.	.	1	2	1	1	.	.	·6	.	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal)	.	1	1	.	.	.	.	.	.	1	·6	.	.	.	.	.	.	.	.	.
Pyæmia (not Puerperal),			.	1	.	1	1	.	.	.		1	.	.	.	.	1	.	.	.
Other Infective Processes,	.	.	.	1	1	.	.	2	.	.	·4	2	.	.	.	.	.	1	1	.
Tuberculous Phthisis,	32	25	3	4	6	6	3	5	12	7	21·9	13	.	.	1	3	7	2	.	.
"*Phthisis*,"			20	20	13	13	15	11	14	10		18	.	.	.	1	9	8	.	.
Tuberculous Meningitis,	11	7	3	.	3	4	1	2	2	1	3·4	.	.	.	.	.	.	.	.	.
Tuberculous Peritonitis,	8	8	2	1	2	.	.	2	.	.	2·6	2	.	.	1	.	1	.	.	.
Tabes Mesenterica,			.	.	1	1	.	.	.	1		1	.	.	1	.	.	.	.	.
Tuberculous Dis. (other),	7	3	4	3	7	8	9	7	9	2	6·0	6	.	2	.	2	1	1	.	.
Scrofula,			.	1	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Alcoholism,	1	.	.	1	1	1	1	.	.	.	·5	.	.	.	.	.	.	.	.	.
Rheumatic Fever,	1	.	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carcinoma,	6	4	.	3	5	2	2	1	5	4	8·6	6	.	.	.	.	.	1	5	.
Sarcoma,			.	.	1	.	.	1	1			.	.	.	.	.	.	.	.	.
Cancer (undefined)			8	6	6	6	3	10	9	3		4	.	.	.	.	1	2	1	.
Diabetes Mellitus,	.	.	.	.	.	2	4	.	.	.	·6	.	.	.	.	.	.	.	.	.
Premature Birth,	1	4	9	4	5	2	2	4	4	5	4·0	3	3	.	.	.	.	.	.	.

* The figures for the year 1900 are for

† Formerly described as

NETEENTH WEEK ending Saturday, 14th May, 1910, with the deaths from each cause in the corresponding
l the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 19th Week of the 10 years 1900-1909.	In the Week ending Saturday, 14th May, 1910.							
	May 12, 1900.	May 11, 1901.	May 10, 1902.	May 16, 1903.	May 14, 1904.	May 13, 1905.	May 12, 1906.	May 11, 1907.	May 9, 1908.	May 15, 1909.		Deaths of Persons of the Ages of							
												All Ages.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 48·7	° 46·3	° 43·3	° 48·1	° 49·7	° 49·9	° 50·2	° 50·3	° 52·5	° 45·8	° 48·5	° 44·7								
Meningitis (not tuberc.)			4	1	2	3	1	1	3	1		1	.	.	.	.	1	.	.	.
Insanity, G. P. of Insane			1	4	.	.	1	1	3	1		.	.	.	.	.	.	.	.	.
Epilepsy			1	.	3	1	1					.	.	.	.	.	.	.	.	.
Convulsions			7	9	8	2	3	4	11	3		1	1	.	.	.	.	.	.	.
Locomotor Ataxy			.	.	1	1	.	.	.	1		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord			.	1	.	4	1	3	.	1		1	.	.	.	.	.	1	.	.
Nervous System (other Dis.)			5	1	1	4	2	1	2	2		2	.	.	.	1	.	1	.	.
	31	36									37·1									
Valv. Dis., Endocarditis			5	5	4	8	5	7	2	8		10	.	.	.	1	1	3	4	1
Cerebr. Hæm. Thromb.			3	1	1	2	1	1	5	3		2	.	.	.	.	.	.	2	.
Apoplexy, Hemiplegia			3	5	5	3	5	6	1	6		1	.	.	.	.	.	1	.	.
Aneurysm			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Embolism, Thromb. (not cerebral)			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Heart and Blood Vessels (other Dis.)			8	11	7	16	11	16	14	16		12	.	.	.	1	1	.	7	3
Croup (not Spasm. nor Memb.)	3	.	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Bronchitis	13	21	18	21	20	22	27	21	27	16	20·6	26	.	5	2	1	1	4	13	.
Asthma, Emphysema	4	5	.	1	.	1	1	.	2	1	2·7	.	.	.	.	.	.	.	.	.
Pleurisy			.	.	.	.	2	.	.	.		.	.	.	.	.	.	.	.	.
Respiratory Dis. (other)			2	.	1	2	1	2	1	1		1	.	1	.	.	.	.	.	.
Tonsillitis, Quinsy	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.)	2	.	1	.	.	.	.	3	1	1	1·1	.	.	.	.	.	.	.	.	.
Gastro-enteritis			.	1	.	.	.	1	1	.		1	1	.	.	.	.	.	.	.
Peritonitis (not Puerp.)	1	1	.	.	.	.	1	.	.	1	·4	2	.	.	.	1	1	.	.	.
Cirrhosis of Liver	.	3	1	.	1	4	.	.	1	.	2·5	2	.	.	.	.	.	1	1	.
Liver Dis. (other)			2	3	3	2	1	2	2			1	.	.	.	1	.	.	.	.
Digestive Dis. (other)	5	1	3	7	5	6	5	4	5	4	4·5	6	.	2	.	1	1	1	1	.
Nephritis, Acute			4	2	1	2	1	3	.	2		1	.	.	.	.	1	.	.	.
Bright's Dis., Albuminuria	5	6	1	2	2	3	6	6	5	7	6·6	1	.	.	.	.	.	1	.	.
Urinary Sys. (other Dis.)			.	3	1	.	1	1	2	.		2	.	.	.	.	.	2	.	.
Generative Organs Dis.	.	.	.	.	1	1	1	.	.	2	·5	.	.	.	.	.	.	.	.	.
Childbirth (Accid. of)	.	.	2	.	.	.	.	1	.	1	·4	1	.	.	.	.	1	.	.	.
Old Age	13	15	6	5	10	5	3	3	5	3	6·8	4	.	.	.	.	.	1	3	
Other Diseases	5	10	16	6	12	10	10	17	10	7	10·3	11	3	1	2	.	.	3	.	
ACCIDENT.																				
By Railways	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles and Horses	1	.	1	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
In Building Operations	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	1	1	.	.	1	2	.	.	.	.	·5	4	.	.	1	.	2	.	.	1
By Drowning	1	1	2	.	.	1	.	1	1	1	·8	1	.	.	.	1	.	.	.	.
By Suffocation in Bed	.	.	.	.	.	.	.	2	1	.	·3	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other Deaths by Accident	1	.	1	.	.	1	1	2	5	1	1·2	4	1	1	.	1	1	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Suicide	.	.	.	.	.	.	.	.	2	1	·3	2	.	.	.	.	1	1	.	.
Execution	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.

* Registration Area as then constituted.
Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA	1909-10—Week ending																								
	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.
No. of weeks in Annual Series,	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
BIRTHS registered.	238	196	206	174	216	185	282	286	243	197	162	252	220	197	224	206	247	162	242	213	255	217	221	246	230	241
*Average Births in corresponding week of previous 10 years,** ..	195	181	202	197	190	177	175	227	204	206	203	234	212	210	213	214	219	217	211	235	190	207	224	195	270	229
DEATHS registered, ...	190	172	180	177	158	155	205	174	177	181	177	239	217	211	228	208	204	149	185	168	186	183	200	193	136	180
Annual Death-rate per 1,000, ..	21·9	22·5	23·6	23·2	20·7	20·3	26·8	22·5	22·9	23·4	22·9	30·9	28·1	27·8	29·5	26·9	26·4	19·3	23·9	21·7	24·1	23·7	25·9	25·0	17·6	23·3
*Average Deaths in corresponding week of previous 10 years,**	184	187	190	190	187	195	184	217	210	206	201	200	196	207	221	221	214	200	206	211	200	200	197	189	184	178
AGES, Under 5 years, ...	41	37	42	37	51	44	71	49	57	57	55	76	58	67	67	57	58	30	52	44	44	37	49	46	36	38
5—20 ,, ...	9	8	9	8	10	8	11	12	13	10	13	11	9	9	16	8	12	11	12	13	9	11	15	13	6	16
20—40 ,, ...	28	18	22	25	19	23	19	30	25	20	31	27	25	19	22	33	28	21	34	18	26	24	33	29	26	34
40—60 ,, ...	44	51	47	52	27	34	48	36	28	41	36	54	42	38	42	40	34	35	35	32	43	38	35	43	25	32
60—80 ,, ...	61	52	50	45	39	37	50	37	49	45	37	64	62	66	69	57	65	41	42	45	53	57	59	46	40	50
80 years and upwards, ..	7	6	10	10	12	9	6	10	10	8	5	7	21	12	12	13	12	11	10	16	11	16	9	11	8	10
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	2	.	1	1	.	.	2	.	.	1	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1
Scarlet Fever, ...	.	1	.	1	1	1	3	.	.	.	1	.	1	2	1	1	.	1	.	.	.	2	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	3	2	1	2	1	.	.	5	4	1	1
Whooping-cough, ...	2	.	.	2	2	2	1	3	5	4	1	2	4	1	.	.	1	1	1	.	1	.	2	.	.	.
Diphtheria, ...	2	1	1	.	2	.	1	1	.	3	.	2	2	.	2	.	1	1	1	.	.	.	.	.	.	.
Pyrexia † (origin uncertain), ..	.	.	.	.	.	3	2	.	1	.	2	.	.	1	.	.	.	.	.	.	.	.	.	2	1	3
Enteric Fever, ...	.	1	1	1	.	.	4	4	2	4	6	2	3	3	1	2	4	2	3	.	4	2	2	1	2	1
Diarrhœal Diseases, ...	2	4	2	4	1	.	4	2	3	5	1	4	3	2	2	5	6	7	6	6	8	5	2	3	1	3
Influenza, ...	1	2	3	1	1	6	4	2	3	5	1	4	3	2	2	5	6	7	6	6	8	5	2	3	1	3
Pneumonia, ...	18	16	20	28	19	20	22	22	14	21	14	20	17	20	22	17	20	12	14	14	17	18	20	17	8	14
Tuberculous Disease, Phthisis, ..	20	17	22	17	15	14	15	24	19	21	28	26	19	19	23	23	26	15	26	14	21	22	31	25	14	31
Tuberculous Disease, Other Forms, ..	6	6	7	8	6	4	6	5	6	6	6	17	10	14	18	10	12	10	10	4	10	9	18	12	11	9
Cancer, Malignant Disease, ..	17	7	11	10	8	6	4	8	7	8	11	19	10	8	14	9	13	5	6	14	7	10	11	11	6	10
Diseases of Heart and Blood Vessels, ...	32	27	31	29	25	21	37	29	31	29	17	29	38	40	31	27	25	30	20	30	37	28	37	31	21	25
Diseases of Respiratory System,	22	32	29	23	26	30	41	20	33	29	39	43	55	41	41	39	35	26	36	23	38	39	22	25	17	27
Violent Deaths, ...	6	4	5	4	4	2	2	4	4	1	4	5	1	6	6	5	3	1	2	5	5	3	3	4	6	11
Number of Uncertified Deaths, ..	4	2	3	4	5	7	10	3	8	13	9	13	3	7	2	8	5	5	3	4	9	12	8	6	2	2
Mean Temperature of the Air (Phœnix Park), ...	37·7	38·4	41·8	39·1	41·4	38·5	45·9	45·4	42·1	37·6	32·5	38·1	43·7	42·3	39·2	44·0	43·6	39·8	43·4	39·7	41·7	43·0	49·6	43·6	46·1	44·7
Average Mean Temperature in corresponding week of previous 10 years, ...	43·7	42·4	43·3	43·0	41·3	42·1‡	40·3	41·3	40·0	41·1	41·7	40·0	38·9	38·9	40·1	40·1	41·1	42·9	41·9	42·1	44·2	43·4	45·1	46·6	46·9	43·5
Rainfall in inches, ...	·037	·251	1·163	1·202	·207	1·183	·340	·128	·986	·240	1·690	·163	·264	1·160	·915	·392	·383	·174	·000	·010	·205	·786	·782	·417	·670	·230
Mean Humidity of the Air, complete Saturation 1·0	·80	·84	·87	·90	·82	·86	·88	·89	·85	·91	·88	·94	·91	·93	·94	·93	·88	·91	·91	·88	·93	93	·91	·82	·77	·81

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS of SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 14th May, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 24 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 14TH MAY, 1910. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	CAUSES OF DEATH. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Convulsions.	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS, ...	375,350	25·0	180	38	16	34	32	50	10	.	.	1	.	1	.	.	3	1	6	14	31	9	10	1	27	11	71	2
	CLASSES. **Deaths in Families of the—**																												
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	17·9	6	.	.	.	4	2		.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	3	.
II.	MIDDLE CLASS, ...	87,188	20·9	35	6	4	7	12	4		.	.	.	.	1	.	.	1	.	2	1	6	2	4	1	.	1	18	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,428	14·6	31	4	3	7	10	6	1	.	.	.	.	.	.	.	2	.	2	3	6	2	2	.	1	.	15	.
IV.	GENERAL SERVICE CLASS, ...	154,279	26·0	77	23	6	16	16	15	1	.	.	1	.	.	.	.	.	.	1	7	11	4	2	.	18	7	27	1
V.	INMATES OF WORKHOUSES, ...	6,024	—	31	5	3		4	18	2	.	.	.	.	.	.	.	.	1	1	2	8	1	1	.	8	2	8	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,792	26·7	4	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class,	1,277	40·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	3. Persons of Rank and Property, not otherwise described, ...	8,860	6·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
II.	MIDDLE CLASS.																												
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	33·8	5	2	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	28,016	16·6	7	1	.	.	.	4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	6	1
	6. Clerks and Commercial Assistants, ..	30,482	17·1	10	1	3	5	1	.	.	.	.	.	.	.	.	.	1	.	1	.	5	1	.	1	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	25·1	13	2	1	1	1	6	2	.	.	.	.	1	.	.	.	.	1	.	1	.	2	.	.	.	9	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	21·1	4	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	29,801	17·5	10	1	.	2	4	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	7	.
	10. Clothing Trades, ...	25,260	6·7	3	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	11. Food Supply Trades, ...	9,242	5·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,852	20·6	12	1	2	3	4	2	.	.	.	.	.	.	.	.	1	.	1	1	2	1	.	.	1	.	6	.
	13. Petty Shopkeepers, ...	7,894	6·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																												
	14. Army, Police, Postal Delivery, and Prison Services, &c	13,425	38·8	10	2	1	3	2	2	.	.	.	1	.	.	.	.	.	.	1	.	2	1	.	.	2	2	2	.
	15. Domestic Servants, ...	36,603	8·5	6	1	1	2	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	4	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	25·4	7	1	.	2	1	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	1	.	3	1
	17. Hawkers, Porters, Labourers, &c., ..	89,861	31·3	54	19	4	9	13	9	.	.	.	.	.	.	.	.	.	.	.	6	7	3	1	.	15	4	18	.
V.	INMATES OF WORKHOUSES.																												
	18. Workhouse Inmates, ...	6,024	—	31	5	3	4	4	13	2	.	.	.	.	.	.	.	.	1	1	2	8	1	1	.	8	2	8	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

	DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	From Diseases in Cols. 5–18.	TOTAL DEATHS.	NUMBER OF DEATHS FROM Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of).	North City, No. 1 (E.)	Mar. 26,	20·9	.	12										1	2	.		2	.	1
		Apr. 2,	22·7	.	13										.	.	2		.	.	
		,, 9,	12·2	.	7										.	2	.		3	1	
	(*Office*,	,, 16,	26·2	.	15										1	4	.		5	.	1
	Clarence-st., Nth.	,, 23,	24·4	.	14										3	3	.		1	.	2
		,, 30,	15·7	.	9										1	3	1		.	.	
	Pop. in 1910	May 7,	12·2	.	7										1	1	1		.	.	
	(Est.) 29,908.	,, 14,	26·2	1·7	15								1		1	4		1	2	.	
	North City, No. 1 (W.)	Mar. 26,	30·0	2·6	23					1				1	2	1	4		6	.	
		Apr. 2,	17·0	1·8	13								1		2	.	.	1	2	1	2
		,, 9,	36·5	.	28										1	4	2		8	.	1
	(*Office*,	,, 16,	24·8	1·8	19					1					5	1	1	1	4	1	
	Summer-hill.)	,, 23,	32·6	1·8	25					1					2	6	.	1	3	1	1
		,, 30,	19·6	1·3	15					1					.	2	.		6	.	3
		May 7,	19·6	.	15										1	3	1		3	.	1
	Pop. in 1910	,, 14,	22·2	.	17										.	3	.		5	1	
	(Est.) 39,974.																				
	North City, No. 2.	Mar. 26,	32·2	1·7	19					1					1	4	.		6	.	
		Apr. 2,	28·8	.	17										3	5	.	1	2	1	
		,, 9,	25·4	1·7	15									1	.	1	.	1	3	1	1
	(*Office*,	,, 16,	28·7	.	14										1	1	.	1	4	1	
	Lisburn-street.)	,, 23,	42·4	.	25										2	3	1	4	5	.	
		,, 30,	22·0	.	13										3	2	2	2	1	.	
		May 7,	18·7	.	11										.	2	.	1	3	.	
	Pop. in 1910	,, 14,	15·3	1·7	9									1	1	4	.		1	.	
	(Est.) 30,744.																				
	North City, No. 3.	Mar. 26,	31·1	1·6	20								1		.	4	.	1	2	.	
		Apr. 2,	28·0	.	18										1	2	.	2	2	1	
		,, 9,	32·6	3·1	25									2	1	2	1	.	4	1	1
	(*Office*,	,, 16,	26·4	6·2	17			2						2	2	4	.	1	4	.	
	Benburb-street.)	,, 23,	26·4	6·3	17					2				2	5	.	2	1	.	.	
		,, 30,	28·0	1·6	18								1		2	1	1	.	3	.	
		May 7,	18·6	1·6	12					1					1	.	.		4	1	
	Pop. in 1910	,, 14,	20·2	.	13										.	2	1	1	2	.	1
	(Est.) 33,559.																				
	South City, No. 1.	Mar. 26,	25·1	.	20										1	4	2	1	2	.	
		Apr. 2,	20·1	.	16										1	1	.	.	6	1	
		,, 9,	28·9	1·3	23									1	1	4	1		7	1	1
	(*Office*,	,, 16,	26·4	.	21										2	1	1	1	7	.	2
	Sth. Earl-street.)	,, 23,	34·7	1·3	26						1				.	7	4	1	2	.	1
		,, 30,	26·4	1·3	21								1		2	3	1	2	4	.	
	Pop. in 1910	May 7,	12·6	.	10										2	1	.	1	.	1	
	(Est.) 41,476.	,, 14,	16·3	.	13										1	1	.	1	3	1	
	South City, No. 2.	Mar. 26,	21·6	.	9										1	3	.	1	1	.	
		Apr. 2,	14·4	.	6										.	.	.	1	1	.	1
		,, 9,	14·4	.	6										1	1	1	.	1	1	1
	(*Office*,	,, 16,	9·6	.	4										.	.	.	.	2	.	1
	Castle-street.)	,, 23,	24·0	.	10										1	.	1	.	2	.	2
		,, 30,	21·6	.	9										1	1	2	.	1	.	
	Pop. in 1910	May 7,	19·2	2·4	8									1	.	.	2	.	2	.	
	(Est.) 21,754	,, 14,	9·6	.	4										2	.	1	.	.	.	
	South City, No. 3.	Mar. 26,	27·7	1·2	23		1								4	2	2		6	.	2
		Apr. 2,	21·7	.	18										1	1	2	1	3	.	
		,, 9,	32·6	2·4	27						1		1		4	1	3	3	3	.	
	(*Office*,	,, 16,	29·0	.	24										1	3	3	2	1	.	
	Peter street.)	,, 23,	19·3	2·4	16					1	1				1	2	4	1	2	1	
		,, 30,	24·1	1·2	20					1					2	3	2	2	5	.	1
	Pop. in 1910	May 7,	16·9		14										1	2	1		1	.	
	(Est.) 13,227.	,, 14,	27·7	1·2	23			1							2	6	1	1	3	2	1
	South City, No. 4.	Mar. 26,	24·7	1·5	17									1	1	2	.	.	2	.	
		Apr. 2,	17·4	.	12										1	2	.	2	1	.	1
		,, 9,	17·4	.	12										2	2	1	.	1	.	1
	(*Office*,	,, 16,	16·0	.	11										.	1	.	.	6	.	1
	Grand Canal-st.)	,, 23,	18·9	.	13										2	1	1	2	3	.	1
		,, 30,	30·5	1·5	21					1					2	3	1		.	.	
	Pop. in 1910	May 7,	14·5	.	10										.	2	1	.	1	2	
	(Est.) 35,881.	,, 14,	18·9	.	13										2	2	.	.	6	1	

* Formerly described as "Simple Continued Fever."

certain Registrars' Districts in the City of Dublin, and of the Urban Districts of Rathmines represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes	From Diseases in Cols. 5–18.	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia * (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District.	Mar. 26,	15·5	.	11	.	.	.	.	.	.	.	.	.	.	2	.	1	3	.	.
	Apr. 2,	23·9	.	17	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.
	,, 9	12·7	.	9	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	1
	,, 16,	12·7	.	9	.	.	.	.	.	.	.	.	.	.	3	.	.	2	.	3
	,, 23,	14·1	.	10	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	,, 30,	29·6	.	21	.	.	.	.	.	.	.	.	.	1	3	1	1	1	1	1
Pop. in 1910 (Est.) 37,047.	May 7,	14·1	1·4	10	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	1
	,, 14,	22·5	.	16	.	.	.	.	.	.	.	.	.	2	1	1	1	.	2	.
Pembroke Urban District.	Mar. 26,	7·2	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.
	Apr. 2,	10·8	.	6	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.
	,, 9,	19·8	.	11	.	.	.	.	.	.	.	.	.	1	1	.	2	2	.	1
	,, 16,	18·0	1·8	10	.	.	.	.	1	.	.	.	.	.	1	.	1	2	.	1
	,, 23,	18·0	.	10	.	.	.	.	.	.	.	.	.	.	2	1	.	2	.	1
Pop. in 1910 (Est.) 28,948.	,, 30,	28·8	1·8	16	.	.	.	.	1	.	.	.	.	1	1	1	1	1	1	.
	May 7,	18·0	.	10	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.
	,, 14,	12·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.	.
Kingstown Urban District.	Mar. 26,	23·7	.	8	.	.	.	.	.	.	.	.	.	2	.	.	1	2	1	.
	Apr. 2,	20·7	8·0	7	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.
	,, 9,	29·6	.	10	.	.	.	.	.	.	.	.	.	4	.	.	.	3	.	.
	,, 16,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	,, 23,	26·6	8·0	9	.	.	.	.	1	.	.	.	.	2	2	1	.	.	.	.
Pop. in 1910 (Est.) 17,622.	,, 30,	26·6	8·0	9	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	1
	May 7,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.
	,, 14,	41·4	.	14	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.
Belfast. Pop. in 1910 (Est.) 391,167.	Mar. 26,	16·7	1·9	125	.	8	.	.	10	.	.	.	1	8	10	8	10	16	3	1
	Apr. 2,	18·4	2·3	138	.	6	2	.	6	1	.	1	1	14	20	9	4	16	.	2
	,, 9,	22·4	3·2	168	.	11	.	.	12	1	.	.	.	19	24	12	8	21	4	1
	,, 16,	24·9	3·8	187	.	17	.	.	5	1	1	.	1	16	27	8	10	22	.	1
	,, 23,	21·3	2·9	160	.	8	.	.	8	1	1	1	3	19	18	7	2	30	2	1
	,, 30,	23·1	3·5	178	.	20	.	.	4	1	.	.	1	14	22	9	6	15	4	3
	May 7,	22·3	3·5	167	.	19	.	.	4	.	1	.	2	15	20	6	8	21	3	1
	,, 14,	22·7	4·1	170	.	23	.	.	6	1	.	1	.	26	24	4	8	14	4	2
Cork. Pop. (in 1901) 76,122.	Mar. 26,	22·6	.	33	.	.	.	.	.	.	.	.	.	2	8	2	3	1	.	1
	Apr. 2,	33·9	2·1	48	.	.	.	.	.	1	.	.	2	3	6	3	1	6	2	5
	,, 9,	34·2	.	50	.	.	.	.	.	.	.	.	.	8	7	2	4	6	.	5
	,, 16,	22·6	.	33	.	.	.	.	.	.	.	.	.	3	9	1	2	2	1	2
	,, 23,	23·3	0·7	34	.	.	.	.	1	.	.	.	.	2	6	1	4	2	.	.
	,, 30,	19·9	.	29	.	.	.	.	.	.	.	.	.	1	3	1	1	3	.	2
	May 7,	25·3	0·7	37	.	.	.	.	.	.	.	1	.	2	8	1	1	3	.	4
	,, 14,	18·5	0·7	27	.	.	.	1	.	.	.	.	.	2	8	2	1	5	.	1
Londonderry. Pop. in 1910 (Est.) 43,477.	Mar. 26,	22·8	1·2	19	.	1	.	.	.	.	.	.	.	1	4	1	1	3	.	2
	Apr 2,	13·2	1·2	11	.	.	.	.	.	.	.	.	1	1	1	.	.	1	.	.
	,, 9,	15·6	.	18	.	.	.	.	.	.	.	.	.	2	2	2	.	3	.	1
	,, 16,	20·4	.	17	.	.	.	.	.	.	.	.	.	1	2	.	1	3	.	.
	,, 23,	13·2	1·2	11	.	.	.	.	.	.	.	.	1	1	4	1	1	1	.	.
	,, 30,	20·4	.	17	.	.	.	.	.	.	.	.	.	2	3	2	2	3	.	.
	May 7,	18·0	1·2	15	.	1	.	.	.	.	.	.	.	.	2	.	.	7	.	.
	,, 14,	19·2	1·2	16	.	1	.	.	.	.	.	.	.	2	2	1	.	7	.	.
Limerick. Pop. (in 1901) 38,151.	Mar. 26,	27·8	2·7	20	.	.	.	.	2	.	.	.	.	2	1	1	.	2	.	2
	Apr. 2,	23·2	.	17	.	.	.	.	.	.	.	.	.	1	2	.	.	2	.	2
	,, 9,	17·8	.	13	.	.	.	.	.	.	.	.	.	1	1	.	.	4	.	1
	,, 16,	20·5	.	15	.	.	.	.	.	.	.	.	.	.	3	.	.	6	.	1
	,, 23,	19·1	.	14	.	.	.	.	.	.	.	.	.	1	4	.	1	4	.	1
	,, 30,	19·1	.	14	.	.	.	.	.	.	.	.	.	2	1	2	.	2	.	1
	May 7,	12·3	2·7	9	.	.	.	.	2	.	.	.	.	.	5	.	.	.	.	.
	,, 14,	13·7	.	10	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
Waterford. Pop. (in 1901) 26,769.	Mar. 26,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	Apr. 2,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	1	3	.	1	.	.	2
	,, 9,	17·5	.	9	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.	.
	,, 16,	33·1	5·8	17	.	.	.	2	.	.	.	.	1	1	2	1	.	1	.	3
	,, 23,	22·2	3·9	15	.	.	.	1	.	1	.	.	1	3	.	3	.	.	.	2
	,, 30,	23·4	1·9	12	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.
	May 7,	22·2	1·9	15	.	.	.	.	.	.	.	1	.	.	.	1	.	5	.	3
	,, 14,	11·7	.	6	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 14th May, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: Diseases in Cols. 12-20.	DEATHS: Total No. of Deaths.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia† (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,			11			7	.	1	1	.	2	3	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	2	.
Do.	2	do,	27			15	2	3	1	2	3	4	.	5	.	.	.	.	.	.	.	.	2	.	3	1	.	.	3	.
Do.	3	do.	22			34	3	3	4	6	8	5	.	3	.	.	.	1	.	.	.	4	6	.	.	1	1	3	10	.
Do.	4	do.	26			23	7	.	3	2	4	7	.	1	.	.	1	.	.	.	.	2	.	3	3	1	1	9	1
Do.	5	do.	11			7	1	2	.	.	3	1	.	.	.	.	.	.	.	.	.	3	2	.	.	.	.	.	1	.
Do.	6	do.	18			12	2	.	.	4	4	2	.	.	.	.	.	.	.	.	.	1	1	2	1	3	2	2	1	.
Do.	7	do.	.			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do	8	do.	(349,180)			3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.
Do.	9	do.	6			16	3	4	2	3	2	2	.	3	.	.	.	.	.	1	.	5	2	.	.	2	.	.	6	.
Do	10	do.	18			13	6	6	1	.	.	.	.	5	.	.	3	.	.	.	.	1	2	.	.	.	.	.	1	1
Do.	11	do.	21			8	2	1	1	3	.	1	.	1	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.
Do.	12	do.	31			14	2	3	.	6	1	2	.	.	.	.	2	.	.	.	.	1	4	1	.	2	.	1	6	.
Do.	13	do.	11			5	.	.	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do.	14	do.	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do.	15*	do.	17			12	1	7	.	1	1	2	.	.	.	.	.	.	.	.	.	6	1	.	1	1	.	.	1	.
Total,		—	214			170	29	35	15	30	30	31	.	23	.	.	6	1	.	1	.	26	24	4	8	14	4	7	41	2
City of Cork.																														
CORK URBAN No. 1 DISTRICT,		12,867	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do.	2	do.	10,701	7	34·1	.	7	2	2	.	1	1	1	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	3	.
Do.	3	do.	9,978	4	15·7	.	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	2	.
Do.	4	do.	8,666	7	18·1	6·0	3	1	.	.	1	1	.	.	.	.	1	.	.	.	.	.	2	.	.	.	.	.	.	.
Do.	5	do.	6,592	1	15·8	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.
Do.	6	do.	10,702	2	9·7	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Do.	7	do.	16,616	10	31·4	.	10	2	.	2	1	2	3	.	.	.	.	.	.	.	.	1	3	.	1	2	.	.	4	.
Total,			76,122	35	18·5	0·7	27	6	2	2	4	7	6	.	.	.	.	1	.	.	.	2	8	2	1	5	.	.	11	1

The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.

* New district formed as from 1st Jan., 1910, and the boundaries of Nos. 1, 4 & 6 districts altered; the population of each of these districts, as at present constituted, is not available.
† Formerly described as Simple Continued Fever.

TABLE IX.—**City of Belfast.**—Comparative Tables of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1909–10—Week ending																								
	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14
No. of weeks in annual Series, ..	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
BIRTHS registered, ...	180	168	189	190	181	170	215	278	192	180	216	214	213	196	202	237	201	240	208	207	254	247	224	263	235	214
DEATHS registered, ...	134	67	147	218	177	144	192	148	170	125	151	165	172	156	140	165	162	163	125	138	168	187	160	178	167	170
Annual Death rate per 1,000 of estimated Population, ...	18·1	22·5	19·8	29·4	23·9	19·4	25·9	19·7	22·7	16·7	20·1	22·0	22·9	20 8	18·7	22·0	21·6	21·7	16·7	18·4	22·4	24·9	21·3	23·1	22·3	22·7
AGES — Under 1 year, ...	28	41	44	62	41	33	48	36	43	29	33	28	37	31	23	33	31	29	27	27	34	38	36	33	31	29
AGES — 1-5 years, ...	14	27	14	21	18	22	25	23	21	20	21	28	21	20	21	21	16	27	15	21	33	34	27	20	36	35
AGES — 5-20 years, ...	4	11	10	18	13	10	12	8	9	9	14	2	8	13	12	11	14	16	7	18	19	15	14	21	12	15
AGES — 20-40 years, ...	22	20	20	31	22	23	28	17	24	17	22	30	18	26	19	29	26	18	19	16	21	33	14	24	25	30
AGES — 40-60 years, ...	28	31	23	33	33	20	34	26	28	23	21	30	42	31	36	37	40	35	28	22	27	24	29	41	30	30
AGES — 60 years and upwards, ..	38	37	36	53	50	36	45	38	40	27	40	47	46	35	29	34	35	38	29	34	34	44	40	34	33	31
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	5	3	6	11	17	8	20	19	23
Scarlet Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	2	.	2	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	4	7	6	15	9	10	18	12	13	13	13	19	15	17	14	11	12	12	10	6	12	5	8	4	4	6
Diphtheria, ...	.	.	1	.	.	.	1	1	.	1	.	.	.	.	1	.	.	.	.	1	1	1	1	1	.	1
*Pyrexia** (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	1	.
Enteric Fever, ...	.	.	.	1	.	.	.	2	.	.	1	.	.	1	.	.	1	.	.	1	.	.	1	.	.	1
Diarrhœal Diseases, ...	2	1	3	2	1	1	1	2	.	.	.	2	.	2	.	2	2	.	1	1	.	1	3	1	2	.
Pneumonia, ...	17	25	31	25	28	22	34	12	20	9	16	14	16	11	16	12	10	12	8	14	19	16	19	14	15	26
Tuberculous Disease, Phthisis, ..	8	8	11	26	14	17	13	14	14	12	15	16	15	14	20	23	26	18	10	20	24	27	13	21	20	24
Tuberculous Disease, Other Forms, ..	3	16	4	11	4	4	6	4	10	3	10	8	4	8	7	9	7	9	8	9	12	8	7	9	6	4
Cancer, Malignant Disease, ..	7	1	3	7	5	5	3	2	10	5	4	8	7	6	5	3	5	9	10	4	8	10	2	6	8	8
Diseases of Respiratory System,	31	42	41	53	37	39	41	28	31	21	29	28	40	19	21	24	22	24	16	16	21	21	30	15	21	1
Violent Deaths, ...	2	3	5	5	6	4	3	3	3	5	7	2	2	5	3	10	9	5	3	.	4	.	2	4	3	1
Number of Uncertified Deaths, ..	.	1	3	3	2	3	1	2	1	6	3	2	1	5	2	2	1	1	1	2	1	1	1	3	1	

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	May 14,	2,529	1,299 *c*	13·9	.	55	3	11	32	2*a*	15
EDINBURGH, ...	360,276	„ 14,	184	91	13·2	.	3	.	.	.	.	2
GLASGOW, ...	884,505	„ 14,	498	248 *c*	14·6	.	9	3	2	6	.	7
CALCUTTA, ...	1,009,008	April 9,	.	545	28·0	4	4	.	.	.	153‡	113*
BOMBAY, ...	977,822	„ 12,	351	890	47·3	85	3	.	.	.	276‡	53*
MADRAS, ...	509,346	Mar. 25,	299	389	39·7	.	10	?	?	?	128	62
CAIRO, ...	677,663	„ 25,	602	378	29·1	1	7	.	4†	?	1*a*	32*b*
PARIS, ...	2,760,000	April 9,	980	1,096	20·8	.	32	1	8†	12	6*a*	22*b*
BRUSSELS, ...	720,030	„ 23,	230	213	15·4	.	5	.	1†	3	1	12
ANTWERP, ...	317,171	„ 23,	111	80	13·2	.	6	.	.	3	.	7*b*
AMSTERDAM, ...	569,948	„ 23,	230	149	13·6	.	2	.	1†	.	3	6*b*
COPENHAGEN, ...	450,000	„ 23,	201	123	14·3	.	.	3	.	1	.	3
STOCKHOLM, ...	341,816	„ 23,	154	123	18·7	.	8	1	4†	1	.	.
CHRISTIANIA, ...	235,674	„ 30,	100	58	12·8	.	.	.	.	.	.	.
ST. PETERSBURG, ...	1,620,000	„ 9,	1,000	980	31·5	14	80	9	16	14	13*a*	78
MOSCOW, ...	1,493,600	„ 2,	.	693	24·2	2	29	19	17†	4	12	54
BERLIN, ...	2,114,751	„ 9,	818	602	14·8	.	7	8	19†	6	1	24
HAMBURG, ...	895,804	„ 23,	.	241	14·0	.	3	.	8†	1	.	9
BRESLAU, ...	508,897	„ 23,	.	185	19·0	.	.	.	.	2	1	10
MUNICH, ...	576,000	„ 30,	.	182	16·4	.	1	3	.	1	.	12
VIENNA (with suburbs),	2,107,981	„ 23,	927	738	18·2	.	32	6	6†	7	2*a*	33
BUDA-PESTH, ...	853,703	„ 23,	452	332	20·7	.	15	8	4†	2	3	12*b*
PRAGUE and Faubourgs.	497,905	„ 9,	201	215	22·4	.	6	1	1†	1	.	10*b*
TRIESTE, ...	221,124	„ 16,	160	105	24·8	.	1	.	1†	1	1*a*	3*b*
ROME, ...	584,308	Mar. 26,	291	207	18·5	.	18	.	.	1	.	9
VENICE, ...	183,224	„ 26,	81	70	19·9	.	2	2	2†	.	1*a*	4
NEW YORK, ...	4,711,956	April 16,	2,486	1,644	18·2	.	32	32	58†	13	10*a*	53
PHILADELPHIA, ..	1,598,400	Mar. 26,	.	624	20·3	.	.	3	14†	4	3*a*	21*b*
BOSTON, ...	629,868	April 23,	.	222	18·4	.	4	.	3	1	1	5

* Including 76 deaths from cholera in Calcutta and one in Bombay.
† Including deaths from croup.
‡ Including 74 deaths from plague in Calcutta and 224 in Bombay.
a Enteric Fever.
b Deaths from diarrhœal diseases and from enteritis of children under two years of age.
c Including one death from cerebro-spinal fever in London and one death from cerebro-spinal meningitis in Glasgow.

ABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 14th May, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	2	.	.	.	2
„ „ 1, West,	.	.	.	.	.	.	.	.	2	.	.	3	5
„ „ 2,	.	.	.	.	.	.	.	1	1	.	.	.	2
„ „ 3,	.	2	.	.	.	.	2	1	.	.	.	4	9
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	1	.	.	.	1
Finglas and Glasnevin (part of),	.	3	.	.	.	.	.	.	.	.	.	.	3
South City No. 1,	.	.	.	.	1	.	.	.	5	.	.	11	17
„ „ 2,	.	.	.	.	.	.	.	.	.	.	.	2	2
„ „ 3,	.	2	.	.	3	.	.	.	.	.	.	1	6
„ „ 4,	.	1	.	.	.	.	.	.	.	.	.	3	4
New Kilmainham,	.	.	.	.	.	.	.	.	1	.	.	.	1
Total,	.	8	.	.	4	.	2	2	12	.	.	24	52

ABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 14th May, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 14th May.			
	April 23.	April 30.	May 7.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	3	3	4	4	1	.	7
Scarlet Fever,	57	59	62	18	9	1	70*
Typhus,	7	7	4	.	1	.	3
Diphtheria,	40	39	31	7	5	1	32
Enteric Fever,	23	21	24	6	1	1	28
Pneumonia,	47	45	37	13	8	.	42

* Exclusive of 15 patients in "Benevavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ded 14th May, 1910:—

"In keeping with many weeks of the present spring, the second week of May was cold, unsettled, and showery. e most striking feature of the meteorology of the period was the passage across Europe in a northwesterly rection of two large and deep atmospheric depressions. Of these the first was central over the Gulf of Danzig on onday morning. Thence it passed across Norway, disappearing within the Arctic Circle on Tuesday night. In its ke the barometer rose nearly an inch over the south of Norway within the 24 hours ended 7 a.m. of Wednesday. this time a new and rather complex depression had appeared over Italy, Switzerland, and the south of Germany. is disturbance travelled across France to the English Channel carrying with it clouds, gloom, rain, and to the stern and southern parts of England and to the south and west of Ireland, thunder and lightning. The electrical sturbances were connected, as usual, with a steep thermometric gradient—on Wednesday temperature rose to ° in Berlin, whereas on Thursday the highest reading of the thermometer in Dublin was 49°, that is, 30° lower, and the early morning of that day (Thursday) Birr Castle reported a minimum of 32° in the screen. Thursday was truth a winter's day of gloom and rain in Dublin. Friday and Saturday were finer and milder, the prevailing sterly and northeasterly winds carrying to the British and Irish shores some of the warmth which on Wednesday d Thursday had given a foretaste of summer to Germany, Denmark, and Sweden. In Dublin the mean height of e barometer was 29·927 inches, pressure rising from 29·713 inches at 9 a.m. of Sunday (wind, W.N.W.) to a aximum of 30·228 inches at 9 a.m. of Wednesday (wind, E.S.E.), and then falling to a minimum of 29·701 inches at .m. of Friday (wind, N.E.). The corrected mean temperature was 46·5°, the mean dry bulb reading at 9 a.m. d 9 p.m. being 47·4°. On Monday the screened thermometers fell to 35·0°, on Wednesday they rose to 58·6°. The evailing winds were N.W. at first, E. afterwards. Rain fell on five days to the amount of ·297 inch, ·192 inch ing recorded on Thursday. Hail fell on Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height o the barometer during the week was 29·757 inches. The highest reading (30·055) was o Wednesday at 9 a.m., wind S.E., and the lowest (29·539) on Sunday and Friday at 9 a.m. wind W.N.W. and N N.E. respectively.

The mean temperature for the week was 44·7°, being 3·8° below the average for th corresponding period of the 10 years, 1900–1909. The temperature was highest o Wednesday, on which day the thermometer registered 57·5°, and was lowest o Thursday, the mercury having fallen to 29·9°. The mean of the Dry Bulb for the wee was 45·8° and of the Wet Bulb 43·0°. The mean humidity of the air was ·81, complet saturation being represented by 1·0. The rainfall during the week measured 0·250 inch.

At Greenwich the mean temperature for the week was 47·5°, the maximum 67·0°, an the minimum 30·4°; at Glasgow the maximum was 64·7°, the minimum 30·5°, and th mean 47·2°; and at Edinburgh the maximum was 60·4°, the minimum 30·3°, and th mean 44·6°. The rainfall at Greenwich measured 0·42 in., at Glasgow 0·34 in., and a Edinburgh 0·62 in.

The information in the preceding paragraph has been kindly furnished by the Registrars General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY.			BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
			Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.				9 A.M.	9 P.M.
			(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) In		
Sunday,	May	8,	29·592	46·6	36·4	41·5	39·1	36·4	·80	·5	10·3	·055	W.N.W.	W.N.W.
Monday,	„	9	29·724	52·2	32·9	42·6	41·7	39·8	·86	·6	5·9	·020	W.N.W.	Calm
Tuesday,	„	10,	29·901	51·5	36·7	44·1	44·2	41·7	·83	·0	1·2	·000	N.W.	Calm
Wednesday,	„	11,	30·028	57·5	31·1	44·3	45·8	41·8	·74	·6	14·0	·005	S.E.	Calm
Thursday,	„	12,	29·682	49·3	29·9	39·6	47·2	44·6	·83	·7	0·0	·170	N.W.	N.N.E
Friday,	„	13,	29·600	55·1	46·9	51·0	50·1	47·8	·85	·0	5·5	·000	N.N.E.	E.S.E
Saturday,	„	14,	29·771	56·1	43·4	49·8	52·6	49·1	·78	·6	4·3	·000	E.	N.E.
Mean, . . .			29·757	52·6	36·8	44·7	45·8	43·0	·81	·4	Total 41·2	Total ·250	Prevailing Wind W.N.W.	

Sunday—Day cloudy, passing showers, hail, rain; night clear to cloudy. *Monday*—Day cloudy, passing showers night clear. *Tuesday*—Day cloudy to overcast; night clear. *Wednesday*—Beautiful bright day; night clea *Thursday*—Day overcast and rain; night overcast. *Friday*—Day overcast to cloudy, fine; night cloud *Saturday*—Day cloudy; night cloudy.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, May 14th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him this Table.

1910. MONTH AND DAY.			Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperatures in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
				1 Foot.	4 Feet.	Max.	Min.	Mean.		
			°	°	°	°	°	°	hrs	ins.
Sunday,	May	8	43·5	47·4	48·1	48·0	37·7	42·9	9·6	·062
Monday,	„	9,	42·1	47·0	48·0	53·0	34·9	44·0	5·3	·015
Tuesday,	„	10,	49·6	47·8	48·0	52·9	39·4	46·2	1·2	—
Wednesday,	„	11,	53·2	48·1	48·0	58·4	36·8	47·6	13·3	·005
Thursday,	„	12,	46·6	48·8	48·0	53·1	39·1	46·1	—	·181
Friday,	„	13,	50·2	48·4	48·0	54·8	47·0	50·9	4·2	—
Saturday,	„	14,	53·9	49·5	48·2	56·5	47·0	51·8	4·5	—
Weekly Mean,			48·4	48·1	48·0	53·8	40·3	47·1	Total 38·1	Total ·263

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

28742. Wt. P. 1—80/137, 375. 4. 1910. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 21ST MAY, 1910. [No. 20.

General Register Office, Charlemont House, Dublin, 23rd May, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending April 30.	May 7.	May 14.	May 21.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending April 30.	May 7.	May 14.	May 21.	Average Rate for 4 weeks.
22 Town Districts.	**22·0**	**20·1**	**21·3**	**19·5**	**20·7**	Limerick,	19·1	12·3	13·7	10·9	14·0
						Lisburn,	22·7	9·1	9·1	18·2	14·8
Armagh,	6·9	13·7	13·7	.	8·6	Londonderry,	20·4	18·0	19·2	15·6	18·3
Ballymena,	19·2	9·6	4·8	9·6	10·8	Lurgan,	8·9	4·4	44·3	8·9	16·6
Belfast,	23·1	22·3	22·7	23·6	22·9	Newry,	12·6	21·0	21·0	21·0	18·9
Clonmel,	25·6	35·9	51·3	20·5	33·3	Newtownards,	17·2	28·6	22·9	22·9	22·9
Cork,	19·9	25·3	18·5	22·6	21·6	Portadown,	15·5	25·8	36·2	15·5	23·2
Drogheda,	24·5	61·3	4·1	12·3	25·5	Queenstown,	19·8	39·6	39·6	6·6	26·4
Dublin Reg. Area,	23·9	16·7	22·0	15·9	19·6	Sligo,	4·8	.	9·6	24·0	9·6
Dundalk,	8·0	4·0	8·0	19·9	10·0	Tralee,	15·9	26·4	26·4	37·0	26·4
Galway,	.	15·5	11·7	38·8	16·5	Waterford,	23·4	29·2	11·7	17·5	20·5
Kilkenny,	29·5	44·2	39·3	24·6	34·4	Wexford,	37·4	9·3	18·7	37·4	25·7

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 2·7 per 1,000, the rates varying from 0·0 in sixteen of the districts to 6·4 in Belfast, the 177 deaths from all causes for that district including 44 from measles and 4 from whooping-cough. Among the 33 deaths from all causes for Cork are one from scarlet fever and one from enteric fever. Of the 5 deaths from all causes for Dundalk one is from scarlet fever. One death from whooping-cough is among the 4 deaths from all causes for Lisburn, and of the 4 deaths from all causes for Newtownards one is from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 181—105 boys and 76 girls—and the deaths to 131—76 males and 55 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, represent an annual rate of 15·9 per 1,000 of the population, the rate for the total deaths registered in the Area being 17·0 per 1,000. During the twenty weeks, ending with Saturday last, the death-rate averaged 24·1, and was 3·4 below the mean rate for the corresponding portions of the ten years, 1900–9.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*), Table II. ‡ See columns 10-18 of Table II.

There was one death from scarlet fever, also one death from whooping-cough. There were 5 deaths of children under 5 years of age from diarrhœal diseases ;* this figure does not include one death from *gastro-enteritis* at this age period. In each of the three weeks preceding, deaths from scarlet fever were 0, 0, and one ; deaths from whooping-cough were 4, one, and one ; and deaths from diarrhœal diseases were one, 2, and one. Influenza caused 2 deaths ; in the three preceding weeks 3, one, and 3 deaths from this disease were registered, respectively.

Of 13 deaths from pneumonia, 2 were from lobar pneumonia, 5 from broncho-pneumonia, and 6 from *pneumonia* (not defined).

Tuberculous disease, which in each of the three preceding weeks had caused 37, 25, and 40 deaths, in the period under notice accounted for 24 deaths ; this latter figure includes 15 deaths from tuberculous phthisis (*phthisis*), one death from tuberculous meningitis, and 8 deaths from other forms of the disease.

Three deaths were due to cancer (undefined).

Prematurity was the registered cause of death in 4 instances.

Among 9 deaths attributed to diseases of the brain and nervous system, 4 were of infants under one year of age from *convulsions*.

Diseases of the heart and blood vessels caused 20 deaths, and there were 15 deaths from bronchitis.

Of 2 deaths from violence, one was accidental and one was by suicide.

In 6 instances the cause of death was "uncertified, there having been no medical attendant during the last illness ; these cases include the deaths of 2 infants under one year of age and the deaths of 3 persons aged 60 years and upwards.

Thirty-seven of the persons whose deaths were registered during the week were under 5 years of age (23 being infants under one year, of whom 11 were under one month old) and 39 were aged 60 years and upwards, including 22 persons aged 70 and upwards, of whom 3 were octogenarians.

Sixty-seven of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 13 took place in the North Dublin Union Workhouse and 20 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 15·9 per 1,000 ; the rate in the City was 17·3 (North City Districts, 14·4; South, 20·3) and in the Suburbs, 11·3.

The deaths from certain epidemic diseases† in the entire area equal an annual rate of 0·8 per 1,000 inhabitants, the rate for the City being 0·8 (1·0 in the North City Districts, and 0·7 in the South), and for the Suburbs, 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (9) are equal to an annual rate of 15·7 per 1,000. One death from influenza, one death from *phthisis*, and 2 deaths from bronchitis were recorded.

No. 1 North City District, West (Summer-hill).—The deaths (14) are equal to an annual rate of 18·3 per 1,000 and include one death from whooping-cough, one from influenza, one from broncho-pneumonia, and 4 deaths from tuberculous disease.

No. 2 North City District (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 13·7 per 1,000. Among them are one from epidemic diarrhœa, one from broncho-pneumonia, 2 from tuberculous disease, and 4 from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (8) represent an annual rate of 12·4 per 1,000. Epidemic diarrhœa caused one death, *pneumonia* (not defined) 2 deaths, and tuberculous phthisis one death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are :—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants ; Coolock and Drumcondra, part of, 4·5 ; and Finglas and Glasnevin, part of, 0·0.

No. 1 South City District (South Earl-street).—The deaths (14) represent an annual rate of 17·6 per 1,000. There was one death each from lobar pneumonia and broncho-pneumonia ; tuberculous disease caused 3 deaths, and bronchitis 2 deaths.

No. 2 South City District (Castle-street).—The deaths (6) are equal to an annual rate of 14·4 per 1,000. One death was due to *pneumonia* (not defined) and one to bronchitis.

No. 3 South City District (Peter-street).—The deaths (23) are equal to an annual rate of 27·7 per 1,000, and include one death from scarlet fever, 2 from broncho-pneumonia, 4 from tuberculous disease, and 5 from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (16) are equivalent to an annual rate of 23·3 per 1,000. Among them are one from *diarrhœa*, 5 from tuberculous disease, and one from bronchitis.

New Kilmainham District.—There was no death recorded for this district during the week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are :—Rathmines and Rathgar, 12·7; Pembroke, 12·6 ; Blackrock, 5·8 : and Kingstown, 8·9. The only death from any of the principal epidemic diseases tabulated for these districts was one from *diarrhœa* for Rathmines and Rathgar, the 9 deaths from all causes for that district including one from tuberculous phthisis, and one death by suicide. Of the 7 deaths from all causes for Pembroke there was one death each from lobar pneumonia, *pneumonia* (not defined), and tuberculous phthisis ; the only death recorded for Blackrock was one from *pneumonia* (not defined) ; and the 3 deaths from all causes for Kingstown include also one death from *pneumonia* (not defined).

* See Note (*c*) at foot of Table II. † See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

ETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, ," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly nished by:—

ir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin: Mr. Fawcett, cutive Sanitary Officer for Rathmines and Rathgar Urban District: Mr. Manly, Executive Sanitary Officer for nbroke Urban District: Mr. Heron, Executive Sanitary Officer for Blackrock Urban District: by Dr. R. A. onovan, Medical Superintendent Officer of Health for Kingstown Urban District: and by Dr. Bailie, Medical erintendent Officer of Health for the City of Belfast.

BLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 21st May, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Apr. 30,	.	—	—	9	1	.	6	.	.	4	10	.	—	—	.	—	20	—	50
	May 7,	.	—	—	13	.	.	6	.	2	6	11	.	—	—	.	—	11	—	49
	May 14,	.	—	—	8	.	.	4	.	2	2	12	.	—	—	.	—	24	—	52
	May 21,	.	—	—	17	.	.	8	.	1	9	8	.	—	—	.	—	22	—	65
Rathmines and Rathgar Urban District.	Apr. 30,	.	—	—	2	.	.	.	.	.	.	.	1	—	—	—	—	—	—	3
	May 7,	.	—	—	.	.	.	2	.	.	.	1	.	—	—	—	—	—	—	3
	May 14,	.	—	—	3	.	.	1	.	.	.	1	.	—	—	—	—	—	—	5
	May 21,	.	—	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	—	3
Pembroke Urban District.	Apr. 30,	.	.	.	.	.	.	1	.	.	.	.	.	—	.	.	—	—	—	1
	May 7,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	—	.
	May 14,	.	1	.	1	.	.	.	.	.	.	.	.	—	3	.	—	—	—	5
	May 21,	.	.	.	.	.	.	1	.	.	.	.	.	—	1	.	—	—	—	2
Blackrock Urban District.	Apr. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	May 7,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	May 14,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	May 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Apr. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	1
	May 7,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	May 14,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	May 21,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	Apr. 30,	.	—	—	7	.	.	4	.	.	1	4	.	—	—	—	—	24	—	40
	May 7,	.	—	—	8	.	.	2	.	1	2	5	1	—	—	—	—	22	—	41
	May 14,	.	—	—	8	.	.	9	1	.	1	8	1	—	—	—	—	17	—	45
	May 21,	.	—	—	8	.	.	2	.	.	2	4	.	—	—	—	—	13	—	29

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the ublin Hospitals during the week ended 21st May, 1910, and the number under eatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Three cases of measles were admitted to hospital during the week, and 10 cases remained der treatment at its close.

Nineteen cases of scarlet fever were admitted to hospital, 4 were discharged, there was one ath, and 84* cases remained under treatment at the close of the week. At the close of e 3 preceding weeks the cases in hospital were 59, 62, and 70, respectively.

Two cases of typhus were discharged from hospital during the week, and one case mained under treatment at its close.

Twenty cases of diphtheria were admitted to hospital, 6 were discharged, and 46 patients mained under treatment at the close of the week. The cases in hospital at the close of e 3 preceding weeks numbered 39, 31, and 32, respectively.

Four cases of enteric fever were admitted to hospital during the week, one was discharged, d 31 cases remained under treatment in hospital at the close of the week.

In addition to the above named diseases, 15 cases of pneumonia were admitted to hospital, were discharged, there was one death, and 48 cases remained under treatment at the end the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the te was 11·4) was equal to an average annual death-rate of 12·4 per 1,000 persons living; e average rate for 8 principal towns of Scotland was 15·5 per 1,000, the rate for lasgow being 15·8 and for Edinburgh 15·9.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for dinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 21st May. From is Report it appears that of a total of 31 cases notified, 13 were scarlet fever, 12 phthisis, 3 diphtheria, 2 erysipelas, d one enteric fever. Among the 309 cases of infectious diseases in hospital at the close of the week were 148 ses of scarlet fever, 56 of phthisis, 32 of diphtheria, 30 of measles, 18 of whooping-cough, 10 of erysipelas, 8 of icken-pox, and 4 of enteric fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 21st May, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 21ST MAY, 1910.																							METEOROLOGY. (a)											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 21ST MAY, 1910.				WEEK ENDING 14TH MAY, 1910.				WEEK ENDING 7TH MAY, 1910.			
	POPULATION.		DEATHS.			BIRTHS.	DEATHS.																			Air Temperature				Air Temperature				Air Temperature			
	Total.a	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10–18.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by														No. in Public Institutions.	Number of Uncertified Deaths.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
										Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.												
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·8	22·7	19·5	2·7	501	431	70	102	.	45	3	.	6	.	.	1	4	39	68	22	21	45	5	11	184	12	.	.	.	.	.	.	.	.	.	.	.
DUBLIN REGISTRATION AREA:— TOTAL, c.	402,928	29·3	23·4	15·9	0·8	181	123	22	37	.	.	1	.	1	.	.	.	4	13	14	8	3	16	1	2	59	6	c64·0	38·4	51·4	1·26	c57·5	29·9	44·7	0·25	c51·9	35·4	46·1	0·67
CITY of DUBLIN,	210,298	39·2	27·2	17·8	0·8	166	103	20	27	.	.	1	.	1	.	.	.	3	9	12	8	2	15	.	1	53	4	f65·1 g63·8	45·2 40·0	53·8 52·3	1·27 1·31	f58·6 g56·8	35·0 32·0	46·5 45·3	0·80 0·24	f53·8 g52·2	36·9 36·0	47·1 46·7	0·67 0·61
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	9·9	12·7	1·4	7	9	.	6	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	7·2	12·6	.	4	7	2	2	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,013	8·3	.	5·8	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	11·8	8·9	.	4	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	63·0	45·0	52·6	0·92	57·0	35·5	46·8	0·48	61·5	36·0	47·5	0·64
URBAN DISTRICTS.																																							
BELFAST,	391,167	26·6	22·5	23·6	6·4	169	177	30	28	.	44	.	.	4	.	.	.	.	22	29	6	7	17	1	2	42	1	68·5	42·0	55·0	0·35	64·0	35·0	45·7	0·42	60·2	36·0	46·7	1·04
CORK,	76,122	33·6	32·9	22·6	1·4	48	33	2	7	.	.	1	.	.	.	.	1	.	.	10	2	4	2	2	2	15	2	70	45	55·0	0·19	56	38	47·4	0·90	62	39	47·9	0·29
LONDONDERRY,	43,477	20·1	24·0	15·6	.	20	13	2	5	.	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	15·0	10·9	.	11	8	2	4	.	.	.	.	.	.	.	.	.	.	1	1	.	4	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD,	26,769	18·7	21·4	17·5	.	11	9	.	4	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	13,426	2·5	31·1	38·8	.	8	10	4	1	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	.	2	1	72	47	56	0·35	58	36	49	0·35	61	37	49	0·90
DUNDALK	13,076	9·4	31·9	19·9	4·0	8	5	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	12·3	12·3	.	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	69·0	40·0	54·2	0·48	63·0	33·3	46·7	0·38	64·0	34·7	46·0	0·83
NEWRY,	13,405	17·8	8·4	21·0	.	2	5	.	2	.	.	.	.	.	.	.	.	.	2	1	1	1	.	.	.	1	.	69·0	40·0	54·2	0·48	63·0	33·3	46·7	0·38	64·0	34·7	46·0	0·83
LURGAN,	11,782	13·8	22·1	8·9	.	5	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	69·0	40·0	54·2	0·48	63·0	33·3	46·7	0·38	64·0	34·7	46·0	0·83
LISBURN,	11,461	10·1	13·6	18·2	4·5	3	4	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	69·0	40·0	54·2	0·48	63·0	33·3	46·7	0·38	64·0	34·7	46·0	0·83
WEXFORD,	11,168	23·2	32·7	37·4	.	7	8	1	3	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,886	8·9	9·6	9·6	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,870	8·7	4·8	24·0	.	1	5	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	69·2	41·3	55·1	1·10	65·0	33·0	48·0	0·61	60·7	32·8	44·8	1·77
KILKENNY,	10,609	11·5	4·9	24·6	.	1	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	72	40	56·6	0·76	60	34	47·9	0·61	61	35	44·9	0·69
CLONMEL,	10,167	7·8	35·9	20·5	.	7	4	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,092	13·2	20·7	15·5	.	4	3	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	69·0	40·0	54·2	0·48	63·0	33·3	46·7	0·38	64·0	34·7	46·0	0·83
TRALEE,	9,867	16·6	5·3	37·0	.	1	7	1	2	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	28·6	22·9	5·7	5	4	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	62	45	51·8	0·53	58	36	45·7	0·36	59	35	45·0	0·65
QUEENSTOWN,	7,909	14·4	18·2	6·6	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	70	45	55·0	0·19	56	38	47·4	0·90	62	39	47·9	0·29
ARMAGH,	7,588	22·2	18·7	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	69·0	40·0	54·2	0·48	63·0	33·3	46·7	0·38	64·0	34·7	46·0	0·83

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (b) Formerly described as "Simple Continued Fever." (c) Exclusive of 8 deaths of persons (including 1 under one year old and 2 at 60 years or upwards), admitted to hospital from localities outside the Area; of the 8 deaths one was from epidemic diarrhœa. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for New-

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 21st May, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF					
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	.	1	1	.	.	.	.	.	.	1	.	1	.	.	.	4	1
Pneumonia,	.	1	1	2	.	.	.	2	1	2	.	.	.	2	1	1	13	.
Tuberculous Phthisis,	1	2	1	1	.	.	.	1	.	3	3	.	1	1	.	.	14	1
Disease. Other Forms,	.	2	1	.	.	.	.	2	.	1	2	.	.	.	.	.	8	1
Cancer, Malignant Disease,	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	3	.
Other General Diseases,	1	3	2	.	.	.	.	.	2	2	1	.	.	1	.	.	12	1
Total,	2	9	6	4	.	.	.	5	4	9	8	.	3	4	1	1	56	4
LOCAL DISEASES:																		
Nervous System,	2	.	.	.	.	.	.	1	1	3	.	.	.	1	.	.	8	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	2	1	1	1	1	.	.	4	.	3	.	.	5	.	.	1	19	1
Respiratory System,	2	.	4	.	.	.	.	2	1	5	1	.	.	1	.	.	16	.
Digestive System,	.	1	.	1	.	.	.	.	.	1	2	.	.	.	.	1	6	.
Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	2	.	1	.	.	.	2	.	1	1	.	.	.	.	.	7	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	7	4	5	3	1	.	.	9	2	13	4	.	5	2	.	2	57	3
OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	1	.	1	.	1	.	.	.	1	4	.	.	1	.	.	9	.
VIOLENT DEATHS,	.	.	.	.	.		.	.	.	.	.	.	1	.	.	.	1	1
Deaths from all Causes	9	14	11	8	1	1	.	14	6	23	16	.	9	7	1	3	123	8
Annual Rate of Mortality in all causes in every 1,000 the population.	15·7	18·3	18·7	12·4	9·7	4·5	.	17·6	14·4	27·7	23·3	.	12·7	12·6	5·8	8·9	15·9	
	14·4							20·3					11·3					
	17·3																	
Under 1 year,	2	3	2	1	.	1	.	1	4	2	4	.	.	2	.	.	22	1
1 and under 5 years,	1	3	2	2	.	.	.	2	.	1	1	.	1	.	.	.	13	1
5 " 20 "	.	.	1	1	.	.	.	.	.	3	.	.	.	1	.	.	6	1
20 " 40 "	3	1	3	2	1	.	.	2	.	.	3	.	1	1	1	1	19	1
40 " 60 "	1	4	2	1	.	.	.	2	.	9	5	.	1	1	.	.	26	2
60 years and upwards,	2	3	1	1	.	.	.	7	2	8	3	.	6	2	.	2	37	2
Number of Uncertified Deaths,	1	.	.	1	.	.	.	.	.	1	1	.	1	.	.	1	6	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	2	4	1	.	.	.	4	2	6	2	.	.	3	.	1	27	7
Workhouse Hospitals,	1	4	2	5	.	.	.	3	.	9	6	.	1	1	.	.	32	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in th week of the ten years 1900–1909

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Averages in 20th Week of the 10 years, 1900–1909.	In the Week ending Saturday, 21st May, 1910. Deaths of Persons of the Ages of							
	May 19, 1900.	May 18, 1901.	May 17, 1902.	May 23, 1903.	May 21, 1904.	May 20, 1905.	May 19, 1906.	May 18, 1907.	May 16, 1908.	May 22, 1909.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 47·0	° 48·2	° 47·2	° 50·2	° 49·3	° 50·1	° 46·8	° 47·3	° 50·1	° 50·2	° 48·6	° 51·4								
ALL CAUSES.	168	187	186	173	173	149	169	208	155	176	174·4	131	11	12	14	7	20	28	36	3
Small-pox,	.	.	.	4	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	2	.	3	1	2	2	.	2	2	.	1·4	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	1	1	1	.	.	.	.	.	·3	1	.	.	1	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	3	1	3	1	2	2	.	4	7	5	2·8	2	.	.	.	.	.	2	.	.
Whooping-cough,	1	8	3	1	5	1	.	4	2	4	2·9	1	.	.	1	.	.	.	.	.
Diphtheria,	1	.	3	.	1	.	2	1	2	1	1·1	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever,	.	.	.	.	.	.	.	2	1	.	·3	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain)	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	1	2	2	3	.	.	.	.	4	1·4	.	.	.	.	.	.	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.), *Diarrhœa*, Dysentery,	2	1	1	.	1	1	.	.	.	.	1·5	3	1	2	.	.	.	.	.	.
			.	2	2	2	1	1	1	.		2	.	1	1	.	.	.	.	.
Tetanus,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Venereal Disease,	1	2	.	1	1	3	2	2	.	1	1·3	1	.	1	.	.	.	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*,	2	1	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Infective Endocarditis	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	13	15	1	1	.	2	1	5	.	2	14·0	2	.	.	.	.	1	.	1	.
Broncho-Epidemic			6	3	9	3	2	7	4	5		5	.	.	2	.	.	1	2	.
Not defined,			5	7	6	3	10	11	10	9		6	.	1	1	2	1	.	1	.
Erysipelas,	.	1	.	.	1	.	2	.	.	.	·4	.	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal)) Pyæmia (not Puerperal),	.	1	.	.	.	.	.	2	.	.	·3	1	.	.	.	1	.	.	.	.
			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other Infective Processes,	.	.	.	.	.	.	2	.	1	.	·3	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*,"	30	30	3	4	4	3	4	12	7	11	23·9	8	.	.	.	.	5	3	.	.
			27	20	19	15	12	17	15	6		7	.	.	1	.	2	3	1	.
Tuberculous Meningitis,	6	4	3	6	4	4	4	5	4	3	4·3	1	.	.	1	.	.	.	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*,	4	5	1	2	1	1	.	2	1	.	1·9	.	.	.	.	.	.	.	.	.
			1	.	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
Tuberculous Dis. (other), *Scrofula*,	4	5	9	2	3	5	10	12	3	8	6·3	8	.	2	2	.	1	3	.	.
			.	.	.	.	2	.	.	.		.	.	.	.	.	.	.	.	.
Alcoholism,	.	.	1	1	1	1	1	1	1	1	·8	.	.	.	.	.	.	.	.	.
Rheumatic Fever,	1	.	.	.	.	.	.	.	.	3	·4	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carcinoma,	7	5	.	2	6	2	6	6	2	2	7·7	.	.	.	.	.	.	.	.	.
Sarcoma,			.	1	1	1	.	.	.	.		.	.	.	.	.	.	.	.	.
Cancer (undefined)			4	3	4	3	9	5	4	4		3	.	.	.	.	1	.	2	.
Diabetes Mellitus,	.	.	2	.	.	.	2	.	.	.	·4	1	.	.	.	.	.	.	1	.
Premature Birth,	1	4	2	7	2	2	7	2	4	4	3·5	4	4	.	.	.	.	.	.	.

* The figures for the year 1900 are fo
† Formerly described u

WENTIETH WEEK ending Saturday, 21st May, 1910, with the deaths from each cause in the corresponding
d the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 20th Week of the 10 years 1900-1909.	In the Week ending Saturday, 21st May, 1910.							
												Deaths of Persons of the Ages of							
	May 19, 1900.	May 18, 1901.	May 17, 1902.	May 23, 1903.	May 21, 1904.	May 20, 1905.	May 19, 1906.	May 18, 1907.	May 16, 1908.	May 22, 1909.		All Ages	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
													Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 47·0	° 48·2	° 47·2	° 50·2	° 49·3	° 50·1	° 46·8	° 47·3	° 50·1	° 50·2	° 48·6	Mean Temp. ° 51·4								
Meningitis (not tuberc.)			6	1	3	3	3	8	4	2		3	.	1	.	2	.	.	.	.
Insanity, G. P. of Insane			.	1	1	1	1	1	.	4		1	.	.	.	.	1	.	.	.
Epilepsy			.	.	2	.	.	1	1	2		1	.	.	.	.	.	1	.	.
Convulsions			5	6	5	13	6	4	5	3		4	2	2	.	.	.	.	.	.
Locomotor Ataxy			.	1	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord			1	2	1	2	2	2	1	2		.	.	.	.	.	.	.	.	.
Nervous System (other Dis.)			4	2	2	3	2	2	2	2		.	.	.	.	.	.	.	.	.
Valv. Dis., Endocarditis	33	39	4	5	1	5	6	4	8	7	40·0	6	.	.	.	2	3	1	.	
Cerebr. Hæm. Thromb.			2	3	2	1	2	3	.	1		2	.	.	.	.	.	2	.	
Apoplexy, Hemiplegia			4	3	6	1	1	7	3	6		2	.	.	.	1	.	1	.	
Aneurysm			.	1	1	1	1	.	.	.		.	.	.	.	.	.	.	.	
Embolism, Thromb. (not cerebral)			.	1	.	.	.	1	.	.		.	.	.	.	.	.	.	.	
Heart and Blood Vessels (other Dis.)			16	13	14	11	18	12	16	12		10	.	.	.	1	1	7	1	
Croup (not Spasm. nor Memb.)	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	
Bronchitis	11	22	16	20	19	14	13	16	21	21	17·3	15	.	1	1	.	1	4	7	1
Asthma, Emphysema			.	3	.	.	.	.	.	2		.	.	.	.	.	.	.	.	
Pleurisy	.	.	.	1	.	2	.	1	.	.	2·3	.	.	.	.	.	.	.	.	
Respiratory Dis. (other)			2	1	2	1	2	2	1	3		1	.	.	.	.	1	.	.	
Consillitis, Quinsy	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Enteritis (not Epid.)	.	.	2	.	1	.	.	1	.	.	1·2	.	.	.	.	.	.	.	.	
Gastro-enteritis			.	.	2	1	1	2	.	2		1	.	.	1	.	.	.	.	
Peritonitis (not Puerp.)	.	.	.	.	1	.	.	1	.	.	·2	1	.	.	.	1	.	.	.	
Cirrhosis of Liver	4	3	.	2	1	2	2	2	1	2	3·2	1	.	.	.	1	.	.	.	
Liver Dis. (other)			2	3	.	4	1	2	1	.		.	.	.	.	.	.	.	.	
Digestive Dis. (other)	2	8	6	3	5	5	4	8	1	7	4·9	3	.	.	.	.	2	1	.	
Nephritis, Acute	2	5	3	.	1	3	.	3	.	.	5·0	2	.	1	.	1	.	.	.	
Bright's Dis., Albuminuria			4	1	5	2	3	3	2	4		5	.	.	1	.	2	2	.	
Urinary Sys. (other Dis.)			1	1	1	.	2	.	4	.		.	.	.	.	.	.	.	.	
Generative Organs Dis.	1	.	1	1	.	.	.	1	1	.	·5	.	.	.	.	.	.	.	.	
Childbirth (Accid. of)	.	1	1	.	.	.	2	.	.	1	·5	1	.	.	.	1	.	.	.	
Old Age	14	9	7	8	8	7	6	3	1	2	6·5	3	.	.	.	.	.	2	1	
Other Diseases	14	7	13	11	7	6	8	11	8	13	9·8	11	4	.	2	1	.	2	2	.
ACCIDENT.																				
By Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses	1	1	.	1	.	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations	1	.	.	1	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
In Conflagrations	.	3	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	.	1	.	1	.	1	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
By Drowning	1	2	.	.	.	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
By Suffocation in Bed	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	.	.	.	.	2	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Other Deaths by Accident	2	1	2	2	3	2	2	2	2	2	2·0	1	.	.	.	.	1	.	.	
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	1	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Suicide	.	.	1	1	.	.	.	.	.	1	·3	1	.	.	.	.	1	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.
mple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA	1909-10—Week ending																								
	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.
No. of weeks in Annual Series,	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
BIRTHS registered.	196	206	174	216	185	232	226	243	197	162	252	220	197	224	206	217	162	212	213	255	217	221	246	230	241	181
*Average Births in corresponding week of previous 10 years,** ..	181	202	197	190	177	175	227	204	206	203	234	212	210	213	214	219	217	211	235	190	207	224	195	270	229	211
DEATHS registered, ...	172	180	177	158	155	205	174	177	181	177	239	217	211	228	208	204	149	185	168	186	183	200	198	186	180	181
Annual Death-rate per 1,000, ..	22·5	23·6	23·2	20·7	20·3	26·8	22·5	22·9	23·4	22·9	30·9	28·1	27·8	29·5	28·9	26·4	19·8	23·9	21·7	24·1	23·7	25·9	25·0	17·6	23·3	17·0
*Average Deaths in corresponding week of previous 10 years,**	187	190	190	187	195	184	217	210	206	201	200	196	207	221	221	214	200	206	211	200	200	197	189	184	178	174
AGES, Under 5 years.	37	42	37	51	44	71	49	57	57	55	76	58	67	67	57	58	30	52	44	44	37	49	46	36	38	37
5—20 ,, ...	8	9	8	10	8	11	12	18	10	13	11	9	9	16	8	12	11	12	18	9	11	15	18	6	16	7
20—40 ,, ...	18	22	25	19	28	19	30	25	20	31	27	25	19	22	33	28	21	34	18	26	24	33	29	26	34	20
40—60 ,, ...	51	47	52	27	34	48	36	28	41	36	54	42	88	42	49	34	35	35	32	43	38	35	43	25	32	28
60—80 ,, ...	52	50	45	39	37	50	37	49	45	37	64	62	66	69	57	65	41	42	45	53	57	59	46	40	50	36
80 years and upwards, ..	6	10	10	12	9	6	10	10	8	5	7	21	12	12	13	12	11	10	16	11	16	9	11	3	10	3
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Measles, ...	2	.	1	1	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Scarlet Fever, ...	1	.	1	1	1	3	.	.	.	1	.	1	2	1	1	.	1	.	.	.	2	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	2	1	2	1	2	5	4	1	1	1
Whooping-cough, ...	.	.	2	2	2	1	3	5	4	1	2	4	1	.	.	1	1	1	1	.	1	2	.	.	.	.
Diphtheria, ...	1	1	.	2	.	1	1	.	3	.	2	2	.	2	.	.	1	1	.	1	.	.	.	.	.	.
Pyrexia † (origin uncertain), ..	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	2	1	3	.
Enteric Fever, ...	1	1	1	.	3	2	.	1	.	2	.	.	.	1	2	.	1	1	4	1	1	2	1	2	1	5
Diarrhœal Diseases, ...	4	2	4	1	.	4	2	4	4	2	4	6	2	3	3	4	2	3	.	4	2	2	1	2	1	2
Influenza, ...	2	3	1	1	0	4	2	3	5	1	4	3	2	2	5	6	7	6	6	8	5	2	3	1	3	2
Pneumonia, ...	16	20	28	19	20	22	22	14	21	14	20	17	20	22	17	20	12	14	14	17	18	20	17	8	14	13
Tuberculous Phthisis, ..	17	22	17	15	14	15	24	19	21	23	26	19	19	23	28	26	15	26	14	21	22	31	25	14	31	15
Disease, Other Forms, ..	6	7	8	6	4	6	5	6	6	6	17	10	14	18	10	12	10	10	4	10	9	18	12	11	9	9
Cancer, Malignant Disease, ..	7	11	10	8	6	4	8	7	8	11	19	10	8	14	9	13	5	6	14	7	10	11	11	6	10	3
Diseases of Heart and Blood Vessels, ...	27	31	29	25	21	37	29	31	29	17	29	38	40	31	27	25	30	20	30	37	28	37	31	21	25	20
Diseases of Respiratory System,	32	29	23	26	30	41	20	33	29	39	43	55	41	41	39	35	26	36	23	38	39	22	25	17	27	16
Violent Deaths, ...	4	5	4	4	2	2	4	4	1	4	5	1	6	6	5	3	1	2	5	5	3	3	4	6	11	2
Number of Uncertified Deaths, ..	2	3	4	5	7	10	3	8	13	9	13	3	7	2	8	5	5	3	4	9	12	8	6	2	2	6
Mean Temperature of the Air (Phœnix Park), ...	38·4	41·8	39·1	41·4	38·5	45·9	45·4	42·1	37·6	32·5	38·1	43·7	42·8	39·2	44·0	43·6	39·8	48·4	39·7	41·7	43·0	49·6	43·6	46·1	44·7	51·4
Average Mean Temperature in corresponding week of previous 10 years, ...	42·4	43·3	43·0	41·3	42·1‡	40·3	41·3	40·0	41·1	41·7	40·0	38·9	38·9	40·1	40·1	41·1	42·9	41·9	42·1	44·2	43·4	45·1	46·6	46·9	43·5	48·6
Rainfall in inches, ...	·251	1·168	1·202	·207	1·188	·340	·123	·986	·240	1·690	·163	·264	1·160	·915	·892	·383	·174	·000	·040	·205	·738	·782	·417	·670	·250	1·263
Mean Humidity of the Air, complete Saturation 1·0	·84	·87	·90	·82	·86	·88	·89	·85	·91	·88	·94	·91	·93	·94	·93	·88	·91	·91	·88	·93	93	·91	·82	·77	·81	·90

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS OF SOCIAL POSITION OF THE PERSONS [illegible] Dublin Registration Area during the Week ending Saturday, 21st May, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 21ST MAY, 1910.																										
			Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES.						CAUSES OF DEATH.																		
					Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases	Total Cols. 10-18.	Pneumonia.	Tubercuous Disease. Phthisis.	Tubercuous Disease. Other Forms.	Cancer, Malignant Disease.	*Contusions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS.	375,350	18·2	131	37	7	20	28	36	3	.	.	1	.	1	.	.	.	5	7	13	15	9	3	4	16	2	62	6
	CLASSES.																												
	Deaths in Families of the—																												
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	9·0	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	1	2	3	.	1	.	2	.	15	.
II.	MIDDLE CLASS.	87,188	13·8	23	4	2	2	4	9	2	.	.	.	.	.	.	.	.	1	1	5	1	.	.	.	6	.	9	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,428	10·4	22	5	2	3	6	6	.	.	.	1	.	1	.	.	.	1	3	5	3	3	2	3	3	1	27	4
IV.	GENERAL SERVICE CLASS, ...	154,279	16·9	50	18	3	10	5	13	1	.	.	1	.	1	.	.	.	1	3	5	3	3	2	3	3	1	27	4
V.	INMATES OF WORKHOUSES, ...	6,024	—	33	9	.	4	12	8	.	.	.	.	.	.	.	.	.	2	2	.	8	6	.	1	5	.	11	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	13·4	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	14·2	6	2	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	4	.
	6. Clerks and Commercial Assistants, ..	30,432	8·6	5	1	1	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	19·3	10	.	1	1	3	5	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	8	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	10·6	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
	9. Building and Furnishing Trades, ...	29,801	1·7	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	10. Clothing Trades, ...	28,260	13·5	6	1	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	4	.
	11. Food Supply Trades, ...	9,242	16·9	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	13·7	8	.	2	1	2	3	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	3	.	2	2
	13. Petty Shopkeepers, ...	7,894	13·2	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.	.	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c	13,425	3·9	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	15. Domestic Servants, ...	36,603	8·5	6	1	1	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	4	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	14·5	4	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	22·6	39	16	2	7	8	10	1	.	.	1	.	1	.	.	.	1	3	5	2	3	.	3	2	1	20	4
V.	INMATES OF WORKHOUSES.																												
	18. Workhouse Inmates, ...	6,024	—	33	9	.	4	12	8	.	.	.	.	.	.	.	.	.	2	2	.	8	6	.	1	5	.	11	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

	DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	From Diseases in Cols. 5–13	Total Deaths.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
	Cols.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of).	North City, No. 1 (E.)	Apr. 2.	22·7	.	18	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
		,, 9,	12·2	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	3	1	.
		,, 16,	26·2	.	15	.	.	.	.	.	.	.	.	.	1	4	.	.	3	.	1
	(*Office*,	,, 23,	24·4	.	14	.	.	.	.	.	.	.	.	.	3	3	.	.	1	.	2
	Clarence-st., Nth.	,, 30,	15·7	.	9	.	.	.	.	.	.	.	.	.	1	3	1	.	.	.	.
		May 7,	12·2	.	7	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	Pop. in 1910	,, 14,	26·2	1·7	15	.	.	.	.	.	.	.	1	.	1	4	.	1	2	.	.
	(Est.) 29,908.	,, 21,	15·7	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	1
	North City, No. 1 (W.)	Apr. 2,	17·0	1·3	13	.	.	.	.	.	.	.	1	.	2	.	.	1	2	1	2
		,, 9,	36·5	.	28	.	.	.	.	.	.	.	.	.	1	4	2	.	8	.	1
		,, 16,	24·8	1·3	19	.	.	.	.	1	.	.	.	.	5	1	1	1	4	1	.
	(*Office*,	,, 23,	32·6	1·3	25	.	.	.	.	1	.	.	.	.	2	6	.	1	3	1	1
	Summer-hill.)	,, 30,	19·6	1·3	15	.	.	.	.	1	.	.	.	.	.	2	.	.	6	.	3
		May 7,	19·6	.	15	.	.	.	.	.	.	.	.	.	1	3	1	.	3	.	1
	Pop. in 1910	,, 14,	22·2	.	17	.	.	.	.	.	.	.	.	.	.	3	.	.	5	1	.
	(Est.) 39,974.	,, 21,	18·3	1·3	14	.	.	.	.	1	.	.	.	.	1	2	2	.	.	.	.
	North City, No. 2.	Apr. 2,	28·8	.	17	.	.	.	.	.	.	.	.	.	3	5	.	1	2	1	.
		,, 9,	25·4	1·7	15	.	.	.	.	.	.	.	.	1	.	1	.	1	3	1	1
		,, 16	23·7	.	14	.	.	.	.	.	.	.	.	.	1	1	.	1	4	1	.
	(*Office*,	,, 23,	42·4	.	25	.	.	.	.	.	.	.	.	.	2	3	1	4	5	.	.
	Lisburn-street.)	,, 30,	22·0	.	13	.	.	.	.	.	.	.	.	.	3	2	2	2	1	.	.
		May 7,	18·7	.	11	.	.	.	.	.	.	.	.	.	.	2	.	1	3	.	.
	Pop. in 1910	,, 14,	15·3	1·7	9	.	.	.	.	.	.	.	.	1	1	1	.	.	1	.	.
	(Est.) 30,744.	,, 21,	18·7	1·7	11	.	.	.	.	.	.	.	.	1	1	1	1	.	4	.	.
	North City, No. 3.	Apr. 2,	28·0	.	18	.	.	.	.	.	.	.	.	.	1	2	.	2	2	1	.
		,, 9,	32·6	8·1	25	.	.	.	.	.	.	.	.	2	1	2	1	.	4	1	1
		,, 16,	26·4	6·2	17	.	.	.	2	.	.	.	.	2	2	4	.	1	4	.	.
	(*Office*,	,, 23,	26·4	6·2	17	.	.	.	.	2	.	.	.	2	5	.	2	1	.	.	.
	Benburb-street.)	,, 30,	28·0	1·6	18	.	.	.	.	.	.	.	1	.	2	1	1	.	3	.	.
		May 7,	18·6	1·6	12	.	.	.	.	1	.	.	.	.	1	.	.	.	4	1	.
	Pop. in 1910	,, 14,	20·2	.	13	.	.	.	.	.	.	.	.	.	.	2	1	1	2	.	1
	(Est.) 33,559.	,, 21,	12·4	1·6	8	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.	1
	South City, No. 1.	Apr. 2,	20·1	.	16	.	.	.	.	.	.	.	.	.	1	1	.	.	6	1	.
		,, 9,	28·9	1·3	23	.	.	.	.	.	.	.	.	1	1	4	1	.	7	1	1
		,, 16,	26·4	.	21	.	.	.	.	.	.	.	.	.	2	1	1	1	7	.	2
	(*Office*,	,, 23,	32·7	1·3	26	.	.	.	.	.	1	.	.	.	.	7	4	1	2	.	1
	Sth. Earl-street.)	,, 30,	26·4	1·3	21	.	.	.	.	.	.	.	1	.	2	3	1	2	4	.	.
		May 7,	12·6	.	10	.	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.
	Pop. in 1910	,, 14,	16·3	.	13	.	.	.	.	.	.	.	.	.	1	1	.	1	3	1	.
	(Est.) 41,476.	,, 21,	17·6	.	14	.	.	.	.	.	.	.	.	.	2	1	2	.	2	.	.
	South City, No. 2.	Apr. 2,	14·4	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1
		,, 9,	14·4	.	6	.	.	.	.	.	.	.	.	.	1	1	1	.	1	1	1
		,, 16,	9·6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
		,, 23,	24·0	.	10	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.	2
	(*Office*,	,, 30,	21·6	.	9	.	.	.	.	.	.	.	.	.	1	1	2	.	1	.	.
	Castle-street.)	May 7,	19·2	2·4	8	.	.	.	.	.	.	.	1	.	.	.	2	.	2	.	.
	Pop. in 1910	,, 14,	9·6	.	4	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.
	(Est.) 21,754	,, 21,	14·4	.	6	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.
	South City, No. 3.	Apr. 2,	21·7	.	18	.	.	.	.	.	.	.	.	.	1	1	2	1	5	.	.
		,, 9,	32·6	2·4	27	.	.	.	.	.	1	.	1	.	4	1	3	3	3	.	.
		,, 16,	29·0	.	24	.	.	.	.	.	.	.	.	.	1	3	3	2	1	.	.
	(*Office*,	,, 23,	19·3	2·4	16	.	.	.	.	1	1	.	.	.	1	2	4	1	2	1	.
	Peter street.)	,, 30,	24·1	1·2	20	.	.	.	.	1	.	.	.	.	2	3	2	2	5	.	1
		May 7,	16·9	.	14	.	.	.	.	.	.	.	.	.	1	2	1	.	1	.	.
	Pop. in 1910	,, 14,	27·7	1·2	23	.	.	1	.	.	.	.	.	.	2	6	1	1	3	2	1
	(Est.) 43,227.	,, 21,	27·7	1·2	23	.	.	1	.	.	.	.	.	.	2	3	1	.	5	.	1
	South City, No. 4.	Apr. 2,	17·4	.	12	.	.	.	.	.	.	.	.	.	1	2	.	2	1	.	1
		,, 9,	17·4	.	12	.	.	.	.	.	.	.	.	.	2	2	1	.	1	.	1
		,, 16,	16·0	.	11	.	.	.	.	.	.	.	.	.	.	1	.	.	6	.	1
	(*Office*,	,, 23,	18·9	.	13	.	.	.	.	.	.	.	.	.	2	1	1	2	3	.	1
	Grand Canal-st.)	,, 30,	30·5	1·5	21	.	.	.	.	1	.	.	.	.	2	3	1	.	.	.	.
		May 7,	14·5	.	10	.	.	.	.	.	.	.	.	.	.	2	1	.	1	2	.
	Pop. in 1910	,, 14,	18·9	.	13	.	.	.	.	.	.	.	.	.	2	2	.	.	6	1	.
	(Est.) 35,881.	,, 21,	23·3	1·5	16	.	.	.	.	.	.	.	.	1	.	3	2	1	1	.	1

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From Diseases in Cols. 5–18.	Total Deaths.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	Apr. 2,	23·9	.	17	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.
	,, 9	12·7	.	9	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	1
	,, 16,	12·7	.	9	.	.	.	.	.	.	.	.	.	.	3	.	.	2	.	3
	,, 23,	14·1	.	10	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	,, 30,	29·6	.	21	.	.	.	.	.	.	.	.	.	1	3	1	1	1	1	1
	May 7,	14·1	1·4	10	.	.	.	.	.	.	.	1	.	.	.	1	1	.	1	1
	,, 14,	23·5	.	16	.	.	.	.	.	.	.	.	.	2	1	1	1	.	2	.
	,, 21,	12·7	1·4	9	.	.	.	.	.	.	1	.	.	.	1	.	1	.	1	1
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	Apr. 2,	10·8	.	6	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.
	,, 9,	19·8	.	11	.	.	.	.	.	.	.	.	.	1	1	.	2	2	.	1
	,, 16,	18·0	1·8	10	.	.	.	.	1	.	.	.	.	.	1	.	1	2	.	1
	,, 23,	18·0	.	10	.	.	.	.	.	.	.	.	.	.	2	1	.	2	.	1
	,, 30,	28·8	1·8	16	.	.	.	.	1	.	.	.	.	1	1	1	1	1	1	.
	May 7,	18·0	.	10	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.
	,, 14,	12·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.	.
	,, 21,	12·6	.	7	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	Apr. 2,	20·7	3·0	7	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.
	,, 9,	29·6	.	10	.	.	.	.	.	.	.	.	.	4	.	.	.	3	.	.
	,, 16,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	,, 23,	26·6	3·0	9	.	.	.	.	1	.	.	.	.	2	2	1	.	.	.	.
	,, 30,	26·6	3·0	9	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	1
	May 7,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.
	,, 14,	41·4	.	14	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.
	,, 21,	8·9	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Belfast. Pop. in 1910 (Est.) 391,167.	Apr. 2,	18·4	2·3	138	.	6	2	.	6	1	.	1	1	14	20	9	4	16	.	2
	,, 9,	22·4	3·2	168	.	11	.	.	12	1	.	.	.	19	24	13	8	21	4	1
	,, 16,	24·9	3·3	187	.	17	.	.	5	1	1	.	1	16	27	8	10	22	.	1
	,, 23,	21·8	2·9	160	.	8	.	.	8	1	1	1	3	19	13	7	2	30	2	1
	,, 30,	23·1	3·5	173	.	20	.	.	4	1	.	.	1	14	22	9	6	15	4	3
	May 7,	22·3	3·5	167	.	19	.	.	4	.	1	.	2	15	20	6	8	21	3	1
	,, 14,	22·7	4·1	170	.	23	.	.	6	1	.	1	.	26	24	4	8	14	4	2
	,, 21,	23·6	6·4	177	.	44	.	.	4	.	.	.	.	22	29	6	7	17	1	1
Cork. Pop. (in 1901) 76,122.	Apr. 2,	32·9	2·1	48	.	.	.	.	.	1	.	.	2	3	6	3	1	6	2	5
	,, 9,	34·2	.	50	.	.	.	.	.	.	.	.	.	3	7	2	4	6	.	5
	,, 16,	22·6	.	33	.	.	.	.	.	.	.	.	.	3	9	1	2	2	1	2
	,, 23,	23·3	0·7	34	.	.	.	.	1	.	.	.	.	2	6	1	4	2	.	.
	,, 30,	19·9	.	29	.	.	.	.	.	.	.	.	.	1	3	1	1	3	.	2
	May 7,	25·3	0·7	37	.	.	.	.	.	.	.	1	.	2	8	1	1	3	.	4
	,, 14,	18·5	0·7	27	.	.	.	.	1	.	.	.	.	2	8	2	1	5	.	1
	,, 21,	22·6	1·4	33	.	.	1	.	.	.	.	1	.	.	10	2	4	2	2	2
Londonderry. Pop. in 1910 (Est.) 43,477.	Apr. 2,	13·2	1·2	11	.	.	.	.	.	.	.	.	1	1	1	.	.	1	.	.
	,, 9,	15·6	.	18	.	.	.	.	.	.	.	.	.	2	2	2	.	3	.	1
	,, 16,	20·4	.	17	.	.	.	.	.	.	.	.	.	1	2	.	1	3	.	.
	,, 23,	13·2	1·2	11	.	.	.	.	.	.	.	.	1	1	4	1	1	1	.	.
	,, 30,	20·4	.	17	.	.	.	.	.	.	.	.	.	2	3	2	2	3	.	.
	May 7,	18·0	1·2	15	.	1	.	.	.	.	.	.	.	.	2	.	.	7	.	.
	,, 14,	19·2	1·2	16	.	1	.	.	.	.	.	.	.	2	2	1	.	7	.	.
	,, 21,	15·6	.	13	.	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.
Limerick. Pop. (in 1901) 38,151.	Apr. 2,	23·2	.	17	.	.	.	.	.	.	.	.	.	1	2	.	.	2	.	2
	,, 9,	17·8	.	13	.	.	.	.	.	.	.	.	.	1	1	.	.	4	.	1
	,, 16,	20·5	.	15	.	.	.	.	.	.	.	.	.	.	3	.	.	6	.	1
	,, 23,	19·1	.	14	.	.	.	.	.	.	.	.	.	1	4	.	1	4	.	1
	,, 30,	19·1	.	14	.	.	.	.	.	.	.	.	.	2	1	2	.	2	.	1
	May 7,	12·8	2·7	9	.	.	.	.	2	.	.	.	.	.	5	.	.	.	.	2
	,, 14,	18·7	.	10	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	,, 21,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1	.	4	.	.
Waterford. Pop. (in 1901) 26,769.	Apr. 2,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	1	3	.	1	.	.	2
	,, 9,	17·5	.	9	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.	.
	,, 16,	33·1	5·8	17	.	.	.	2	.	.	.	.	1	1	2	1	.	1	.	3
	,, 23,	29·2	3·9	15	.	.	.	1	.	1	.	.	.	3	.	3	.	.	.	2
	,, 30,	28·4	1·9	12	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.
	May 7,	29·2	1·9	15	.	.	.	.	.	.	.	1	.	.	.	1	.	5	.	3
	,, 14,	11·7	.	6	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	,, 21,	17·5	.	9	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 21st May, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	BIRTHS No. of	DEATHS																										
			Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.						DEATHS FROM																	
			All Causes.	Diseases in Cols. 12-20.		Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia† (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		11			5	.	.	.	2	1	2	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	1	.
Do. 2 do. .		22			26	2	2	3	5	3	4	.	7	.	.	2	.	.	.	.	2	4	1	1	3	.	.	6	.
Do. 3 do. .		20			32	3	9	3	5	5	2	.	11	.	.	.	.	.	.	.	9	4	.	1	2	.	1	7	.
Do. 4 do. .		14			14	3	7	.	1	1	2	.	4	.	.	.	.	.	.	.	2	1	.	.	1	.	.	5	.
Do. 5 do. .		8			9	2	1	1	3	2	.	.	1	.	.	1	.	.	.	.	2	1	2	.	1	.	.	3	.
Do. 6 do. .		13			17	3	.	2	3	3	6	.	1	.	.	1	.	.	.	.	2	5	1	.	1	.	.	6	.
Do. 7 do. .		1			1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Do. 8 do. .	349,180	1			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do. .		12			7	1	1	.	1	4	.	.	1	.	.	.	.	.	.	.	1	2	.	.	1	.	.	2	.
Do. 10 do. .		12			18	3	4	2	.	1	3	.	5	.	.	.	.	.	.	.	.	1	.	1	1	.	.	1	.
Do. 11 do. .		17			12	3	3	.	3	1	2	.	2	.	.	.	.	.	.	.	3	1	.	.	1	.	.	2	1
Do. 12 do. .		13			15	3	1	2	4	2	3	.	2	.	.	.	.	.	.	.	.	5	.	2	3	.	.	3	.
Do. 13 do. .		12			2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Do. 14 do. .		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15* do. .		13			23	2	11	1	1	4	4	.	10	.	.	.	.	.	.	.	.	2	2	2	2	1	.	5	.
Total, ...	—	169	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		177	30	47	15	28	29	28	.	44	.	.	4	.	.	.	.	22	29	6	7	17	1	2	42	1
City of Cork.																													
CORK URBAN No. 1 DISTRICT, .	12,867	10	16·2	.	4	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	2	.	2	.	.	.	2	.
Do. 2 do. .	10,701	6	29·2	9·7	6	.	1	1	2	2	.	.	.	1	.	.	.	.	1	.	.	1	1	.	.	.	.	2	1
Do. 3 do. .	9,978	8	10·5	.	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
Do. 4 do. .	8,666	6	24·1	.	4	1	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.
Do. 5 do. .	6,592	3	39·6	.	5	.	.	.	3	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	3	.
Do. 6 do. .	10,702	5	19·5	.	4	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2	1
Do. 7 do. .	16,616	10	25·1	.	8	.	2	.	6	.	.	.	.	.	.	.	.	.	.	.	.	4	1	.	.	1	1	4	.
Total, . . .	76,122	48	22·6	1·4	33	2	3	3	13	5	7	.	.	1	.	.	.	.	1	.	.	10	2	4	2	2	2	15	2

* New district formed as from 1st Jan., 1910, and the boundaries of Nos. 1, 4 & 6 districts altered; the population of each of these districts

TABLE IX.—**City of Belfast.**—Comparative Tables of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1909-10—Week ending																								
	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.
No. of weeks in annual Series, ..	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
BIRTHS registered, ...	168	189	190	181	170	215	278	192	180	216	214	213	196	202	239	201	240	208	207	254	247	224	266	235	214	169
DEATHS registered, ...	167	147	218	177	144	192	148	170	125	151	165	172	156	140	165	162	163	125	138	168	187	160	178	167	170	177
Annual Death rate per 1,000 of estimated Population, ...	22·5	19·8	29·4	23·9	19·4	25·9	19·7	22·7	16·7	20·1	22·0	22·9	20·8	18·7	22·0	21·6	21·7	16·7	18·4	22·4	24·9	21·3	23·1	22·3	22·7	23·6
AGES — Under 1 year, ...	41	44	62	41	33	48	36	48	25	33	28	37	31	23	33	31	29	27	27	34	38	36	33	31	29	30
AGES — 1-5 years, ...	27	14	21	18	23	25	23	21	20	21	28	21	20	21	21	16	27	15	21	33	34	27	20	36	35	47
AGES — 5-20 years, ...	11	10	18	13	10	12	8	9	9	14	2	8	13	12	11	14	16	7	18	19	15	14	21	12	15	15
AGES — 20-40 years, ...	20	20	31	22	23	28	17	24	17	22	30	18	26	19	29	26	18	19	16	21	32	14	24	25	30	28
AGES — 40-60 years, ...	31	23	33	33	20	34	26	28	23	21	30	42	31	36	37	40	35	28	22	27	24	29	41	30	30	29
AGES — 60 years and upwards, ..	37	36	53	50	36	45	38	40	27	40	47	46	35	29	34	35	38	29	34	34	44	40	34	33	31	28
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	5	3	6	11	17	8	20	19	23	44
Scarlet Fever, ...	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	2	.	2	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	7	6	15	9	10	13	12	13	13	13	19	15	17	14	11	12	12	10	6	12	5	8	4	4	6	4
Diphtheria, ...	.	1	.	.	.	1	1	.	1	.	.	.	.	1	.	.	.	.	1	1	1	1	1	.	1	.
*Pyrexia** (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	1	.	.
Enteric Fever, ...	.	.	1	.	.	.	2	.	.	1	.	.	1	.	.	1	.	.	1	.	.	1	.	.	1	.
Diarrhœal Diseases, ...	1	3	2	1	1	1	2	.	.	.	2	.	2	.	2	2	.	1	1	.	1	3	1	2	.	.
Pneumonia, ...	25	31	25	28	22	34	12	20	9	16	14	16	11	16	12	10	12	8	14	19	16	19	14	15	26	22
Tuberculous Disease — Phthisis, ..	8	11	26	14	17	13	14	14	12	15	16	15	14	20	23	26	18	10	20	24	27	13	22	20	24	29
Tuberculous Disease — Other Forms, ..	16	4	11	4	4	6	4	10	3	10	8	4	8	7	9	7	9	8	9	12	8	7	9	6	4	6
Cancer, Malignant Disease, ..	1	3	7	5	5	3	2	10	5	4	8	7	6	5	3	5	9	10	4	8	10	2	6	8	8	7
Diseases of Respiratory System,	42	41	58	37	39	41	28	31	21	29	28	40	19	21	24	22	24	16	16	21	22	30	15	21	14	17
Violent Deaths, ...	3	5	5	6	4	3	3	8	5	7	2	2	5	3	10	9	5	3	.	4	.	2	4	3	4	1
Number of Uncertified Deaths, ..	1	3	3	2	3	1	2	1	6	3	2	1	5	2	2	1	1	1	2	1	1	1	3	1	2	1

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN.—Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	May 21,	1,610	1,063	11·4	.	48	4	8	42	1*a*	14
EDINBURGH, ...	360,276	„ 21,	139	110	15·9	.	1	.	.	.	.	3
GLASGOW, ...	884,505	„ 21,	392	267*c*	15·8	.	10	1	1	5	.	6
CALCUTTA, ...	1,009,008	April 16,	.	469	24·1	6	6	.	1	1	113‡	101*
BOMBAY, ...	977,822	„ 19,	343	857	45·6	54	4	.	.	.	279‡	64*
MADRAS, ...	509,346	„ 1,	388	369	37·6	6	7	?	?	?	96	49*
CAIRO, ...	677,663	„ 1,	627	394	30·3	2	4	.	11†	?	.	44*b*
PARIS, ...	2,760,000	„ 16,	1,077	1,092	20·7	.	30	1	4†	8	1*a*	18*b*
BRUSSELS, ...	720,030	„ 30,	255	196	14·2	.	3	1	3†	1	1	8
ANTWERP, ...	317,171	„ 30,	112	64	10·5	.	1	1	.	2	.	7*b*
AMSTERDAM, ...	569,948	„ 30,	274	152	13·9	.	4	.	1†	7	1	9*b*
COPENHAGEN, ...	450,000	„ 30,	246	129	14·9	.	.	3	1†	4	.	3
STOCKHOLM, ...	341,816	„ 30,	164	128	19·5	.	4	7	3†	3	1*a*	1
CHRISTIANIA, ...	235,674	May 7,	117	45	9·9	.	.	.	.	.	.	1
ST. PETERSBURG, ...	1,620,000	April 16,	942	919	29·6	4	73	9	14	11	10*a*	84
MOSCOW, ...	1,493,600	„ 9,	.	691	24·1	14	16	16	22†	7	3	59
BERLIN, ...	2,114,440	„ 16,	849	644	15·9	.	10	9	10†	5	1	32
HAMBURG, ...	895,804	„ 30,	.	238	13·8	.	3	.	10†	2	.	14
BRESLAU, ...	508,897	„ 30,	.	185	19·0	.	.	1	1†	1	.	17
MUNICH, ...	576,000	May 7,	.	193	17·4	.	.	1	3†	4	.	15
VIENNA (with suburbs),	2,107,981	April 30,	875	727	17·9	.	31	3	8†	8	3*a*	32*b*
BUDA-PESTH, ...	833,703	„ 30,	423	295	18·4	.	9	9	1†	3	3	8*b*
PRAGUE and Faubourgs.	497,905	„ 16,	201	218	22·8	.	3	1	.	.	.	17*b*
TRIESTE, ...	221,124	„ 23,	134	87	20·5	.	3	.	.	2	1*a*	.
ROME, ...	584,308	„ 2,	314	217	19·4	.	18	2	2	1	2*a*	8
VENICE, ...	183,224	„ 2,	82	71	20·2	.	2	1	.	.	.	2
NEW YORK, ...	4,711,956	„ 23,	2,213	1,561	17·3	1	33	31	50†	4	5*a*	41*b*
PHILADELPHIA, ..	1,598,400	„ 2,	.	.	.	.	.	.	.	.	.	.
BOSTON, ...	629,868	„ 30,	.	262	21·7	.	1	.	3	3	1	5

* Including 65 deaths from cholera in Calcutta, one in Bombay and 2 in Madras.
† Including deaths from croup.
‡ Including 60 deaths from plague in Calcutta and 218 in Bombay.
a Enteric Fever.
b Deaths from diarrhœal diseases and from enteritis of children under two years of age.
c Including one death from cerebro-spinal meningitis.

BLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 21st May, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
orth City No. 1, East,	.	.	.	.	.	.	.	1	.	.	.	2	3
" " 1, West,	.	1	.	.	2	.	.	2	1	.	.	.	6
" " 2,	.	.	.	.	1	.	1	1	.	.	.	1	4
" " 3,	.	4	.	.	1	.	.	2	.	.	.	5	12
ontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
olock and Drumcondra (part of),	.	2	.	.	.	.	.	.	.	.	.	.	2
nglas and Glasnevin (part of), .	.	4	.	.	1	.	.	.	.	.	.	.	5
uth City No. 1, ...	.	1	.	.	.	.	.	2	5	.	.	10	18
" " 2, ...	.	.	.	.	1	.	.	.	.	.	.	1	2
" " 3, ...	.	3	.	.	1	.	.	.	2	.	.	1	7
" " 4, ...	.	2	.	.	1	.	.	1	.	.	.	2	6
ew Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	17	.	.	8	.	1	9	8	.	.	22	5

BLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 21st May, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 21st May.			
	April 30.	May 7.	May 14.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
all-pox, . . .	.	.	.	.	.	.	.
asles, . . .	3	4	7	3	.	.	10
arlet Fever, . .	59	62	70	19	4	1	84*
phus, . .	7	4	3	.	2	.	1
phtheria, . .	39	31	32	20	6	.	46
teric Fever, . .	21	24	28	4	1	.	31
eumonia, . . .	45	37	42	15	8	1	48

* Exclusive of 10 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ed 21st May, 1910:—

As in the previous week so in this, the 'set' of the aërial currents was from E.S.E. to W.N.W. across Western ope. During the first two days a large area of low atmospheric pressure in which, however, the gradients were erate or slight, was central off the western shores of the Iberian Peninsula. Secondary local irregularities of sure were found over the Low Countries and over England and Ireland. On Sunday afternoon rain fell heavily ublin with a light breeze from E.N.E. At night a dense vapour fog formed which persisted till 9 a.m. of Mon- That day proved very fine and bright, temperature rising to 74° at Bath, 72° at Oxford, 71° at Liverpool, 70° ondon, 69° at Birr Castle, but only 62° in Dublin. The Iberian depression now spread northwards towards and, so that after a fine spell the weather quite broke down, thunderstorms occurring over Munster on Tuesday rain falling heavily in Dublin on Wednesday. Early on Thursday morning also thunder, lightning and heavy were reported from London and the southeast of England in general. Gloomy wet weather prevailed in the blin district on Thursday and also on Friday until 1 p.m., after which hour the rain ceased and a bright mer's evening followed. Saturday was brilliantly fine, for some hours, with a moderate southeasterly sea- ze blowing in along the east coast of Ireland. At the close of the week, the atmospheric depressions had ed out over the Atlantic, as an area of high barometer spread southwestwards across the British Isles from sia and Scandinavia. In Dublin the mean height of the barometer was 29·806 inches, pressure ranging from 25 inches at 9 p.m. of Wednesday (wind, S.) to 30·075 inches at 9 p.m. of Saturday (wind, calm). The corrected an temperature was 53·8°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 53·7°. On Sunday the ened thermometers fell to 45·2°, on Saturday they rose to 65·1°. Northeasterly winds prevailed. The rainfall 1·274 inches, on five days, ·368 inch being recorded on Wednesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height o the barometer during the week was 29·637 inches. The highest reading (29·912) was o Saturday at 9 p.m. air calm, and the lowest (29·454) on Wednesday at 9 p.m., wind E.

The mean temperature for the week was 51·4°, being 2·8° above the average for th corresponding period of the 10 years, 1900–1909. The temperature was highest o Saturday, on which day the thermometer registered 64·0°, and was also lowest o that day, the mercury having fallen to 38·4°. The mean of the Dry Bulb for the wee was 52·5° and of the Wet Bulb 50·9°. The mean humidity of the air was ·90, complet saturation being represented by 1·0. The rainfall during the week measured 1·263 inches

At Greenwich the mean temperature for the week was 58·9°, the maximum 76·0°, an the minimum 48·2°; at Glasgow the maximum was 69·8°, the minimum 43·0°, and th mean 54·1°; and at Edinburgh the maximum was 55·1°, the minimum 41·7°, and th mean 47·4°. The rainfall at Greenwich measured 0·89 in., at Glasgow 0·29 in., and a Edinburgh 0·53 in.

The information in the preceding paragraph has been kindly furnished by the Registrars General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY.	BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind	
	Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) In		
Sunday, May 15,	29·603	55·8	40·4	48·1	52·1	49·6	·84	·5	2·7	·275	N.E.	Calm.
Monday, „ 16,	29·663	61·6	45·7	53·7	50·4	49·8	·96	·5	8·8	·000	Calm.	Calm.
Tuesday, „ 17,	29·691	62·8	40·4	51·6	50·5	49·5	·94	·6	7·8	·000	N.E.	Calm.
Wednesday, „ 18,	29·495	51·8	43·9	47·8	50·7	49·6	·92	·5	0·0	·450	N.E.	E.
Thursday, „ 19,	29·503	61·5	43·5	52·5	51·4	52·1	·86	·6	5·1	·295	E.	Calm.
Friday, „ 20,	29·602	60·3	49·4	54·9	51·4	50·8	96	·4	3·2	·235	Calm.	Calm.
Saturday, „ 21,	29·900	64·0	38·4	51·2	57·8	55·0	·83	·4	12·4	·008	W.	Calm.
Mean, . . .	29·637	59·7	43·1	51·4	52·5	50·9	·90	·5	Total 40·0	Total 1·263	—	

Sunday—Day cloudy to overcast, rain p.m.: night overcast, fog. *Monday*—Overcast a.m., bright, fine p.m.; nigh clear. *Tuesday*—Day overcast to cloudy: night cloudy. *Wednesday*—Day overcast and rain: night cloud *Thursday*—Day cloudy to overcast, rain p.m.: night overcast, rain a.m. *Friday*—Day overcast to cloudy, rai a.m. and p.m.: night cloudy. *Saturday*—Day bright to cloudy; night overcast, drizzle a.m.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Tempera tures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinit College, Dublin, in the Week ending Saturday, May 21st, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him f this Table.

1910. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperatures in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder), read at 9 p.m	Rainfall read at 9 a.m.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
	°	°	°	°	°	°	hrs	ins.
Sunday, May 15	56·2	50·0	48·2	50·7	50·0	50·4	2·9	·302
Monday, „ 16,	54·0	50·4	48·3	61·2	45·7	53·5	8·1	—
Tuesday, „ 17,	55·1	52·0	48·4	63·8	46·9	55·4	7·1	—
Wednesday, „ 18,	51·0	53·0	48·8	54·0	48·5	51·3	—	·364
Thursday „ 19	56·1	52·3	49·0	61·0	48·0	54·5	3·5	·288
Friday, „ 20,	53·3	53·0	49·3	62·5	49·7	56·1	3·1	·275
Saturday, „ 21,	59·5	52·8	49·6	63·8	44·2	54·0	7·4	·025
Weekly Mean,	55·0	51·9	48·8	59·6	47·6	53·6	Total 32·1	Total 1·254

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

28786. Wt. P. 1—80/137. 375. 4. 1910. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN:

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

L. XLVII.] WEEK ENDING SATURDAY, 28TH MAY, 1910. [No. 21.

General Register Office, Charlemont House, Dublin, 30th May, 1910.

TWENTY-TWO TOWN DISTRICTS.

he average annual death-rate represented by the deaths registered* last week as apper-ing to the Dublin Registration Area and the twenty-one principal provincial Urban tricts of Ireland was 21·1 per 1,000 of their aggregate population, which, for the purposes these Returns, is estimated at 1,151,790.† The deaths registered in each of the past weeks and during the whole of that period, as appertaining to the several Districts, abetically arranged, corresponded to the following annual rates per 1,000. In some ances, owing to deaths not having been registered within the week in which they urred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending				Average Rate for 4 weeks.
	May 7.	May 14.	May 21.	May 28.	
2 Town Districts.	20·1	21·3	19·5	21·1	20·5
rmagh,	13·7	13·7	.	.	6·9
llymena,	9·6	4·8	9·6	14·4	9·6
lfast,	22·3	22·7	23·6	23·5	23·0
onmel,	35·9	51·3	20·5	25·6	33·3
rk,	25·3	18·5	22·6	26·7	23·3
rogheda,	61·3	4·1	12·3	12·3	22·5
blin Reg. Area,	16·7	22·0	15·9	19·5	18·5
ndalk,	4·0	8·0	19·9	35·9	17·0
lway,	15·5	11·7	38·8	11·7	19·4
lkenny,	44·2	39·3	24·6	29·5	34·4
Limerick,	12·3	13·7	10·9	24·6	15·4
Lisburn,	9·1	9·1	18·2	13·6	12·5
Londonderry,	18·0	19·2	15·6	24·0	19·2
Lurgan,	4·4	44·3	8·9	4·4	15·5
Newry,	21·0	21·0	21·0	8·4	17·9
Newtownards,	28·6	22·9	22·9	11·4	21·4
Portadown,	25·8	36·2	15·5	25·8	25·8
Queenstown,	39·6	39·6	6·6	13·2	24·7
Sligo,	.	9·6	24·0	4·8	9·6
Tralee,	26·4	26·4	37·0	21·1	27·7
Waterford,	29·2	11·7	17·5	21·4	20·0
Wexford,	9·3	18·7	37·4	14·0	19·9

he deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts ing last week* were equal to an annual rate of 2·3 per 1,000, the rates varying from 0·0 in enteen of the districts to 10·3 in Portadown, the 5 deaths from all causes for that district uding 2 from whooping-cough. Among the 176 deaths from all causes for Belfast are rom measles, one from scarlet fever, 5 from whooping-cough, one from diphtheria, and om diarrhœal diseases; and included in the 18 deaths from all causes for Limerick are from whooping-cough and one from diphtheria.

DUBLIN REGISTRATION AREA.

n the Dublin Registration Area the births registered during the week amounted to 242—boys and 121 girls—and the deaths to 160—80 males and 80 females.

DEATHS.

he deaths registered, omitting the deaths (numbering 9) of persons admitted into public itutions from localities outside the Area, represent an annual rate of 19·5 per 1,000 of the ulation, the rate for the total deaths registered in the Area being 20·7 per 1,000. During twenty-one weeks, ending with Saturday last, the death-rate averaged 24·0, and was 3·2 ow the mean rate for the corresponding portions of the ten years, 1900–9.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*). Table II. ‡ See columns 10–18 of Table II.

The mortality from the principal epidemic diseases included one death from enteric fev and 2 deaths from epidemic diarrhœa, the latter being of infants under one year of age; the was also one death at this age period from enteritis. In the 3 preceding weeks deaths fro enteric fever were one, 3, and 0; and deaths from diarrhœal diseases were 2, one, and respectively.

There were 3 deaths from broncho-pneumonia, and 5 from *pneumonia* (not defined).

Twenty-five deaths were caused by tuberculous diseases; this number includes 14 deat from tuberculous phthisis (*phthisis*), 3 deaths from tuberculous meningitis, 2 deaths fro tuberculous peritonitis, one death from *tabes mesenterica*, and 5 deaths from other forms the disease. In each of the 3 preceding weeks deaths from tuberculous diseases were 25, 4 and 24, respectively.

Of 10 deaths from malignant diseases 7 were referred to carcinoma and 3 to cancer, mali nant disease (undefined).

The deaths of 8 infants, prematurely born, were recorded.

Included in the deaths from diseases of the brain and nervous system, 12 in numbe were the deaths of 4 infants under one year of age from *convulsions*.

Diseases of the heart and blood vessels accounted for 29 deaths, and there were 15 deat from bronchitis.

Of 3 deaths from violence, 2 were attributed to accidental causes and one was by suicide.

In 3 instances the cause of death was "uncertified, there having been no medical attenda during the last illness; these cases were all of infants under one year of age.

Thirty-nine of the persons whose deaths were registered during the week were und 5 years of age (29 being infants under one year, of whom 13 were under one month old) a 46 were aged 60 years and upwards, including 26 persons aged 70 and upwards, of who 4 were octogenarians.

Seventy-five of the deaths registered during the week occurred in hospitals and oth public institutions; of this number 16 took place in the North Dublin Union Workhou and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last wee deaths in Public Institutions being assigned to the Districts from which the deceased we admitted, and the annual death-rate for each District calculated on the mortality so di tributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·5 per 1,000; the rate in the City was 2 (North City Districts, 22·0; South, 19·3) and in the Suburbs, 15·8.

The deaths from certain epidemic diseases* in the entire area equal an annual rate of 0·4 per 1,000 inhabitants, t rate for the City being 0·5 (0·3 in the North City Districts, and 0·7 in the South), and for the Suburbs, 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (11) are equal to an annual rate of 19·2 per 1,0 There were 2 deaths from tuberculous disease and 3 from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (16) are equal to an annual rate of 20·9 per 1,0 and include one death from epidemic diarrhœa, one from broncho-pneumonia, 2 from *phthisis*, and 2 from diseas of the respiratory system.

No. 2 North City District (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 22·0 per 1,0 Among them are 2 deaths from bronchitis, and one accidental death.

No. 3 North City District (Benburb street).—The deaths (18) represent an annual rate of 28·0 per 1,000. Tw deaths from tuberculous disease and one death by suicide were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clonta and Howth, No. 1, part of, 9·7 per 1,000 inhabitants: Coolock and Drumcondra, part of, 22·4; and Finglas and Glasnevi part of, 20·3. Of the 5 deaths from all causes for Coolock and Drumcondra, part of, 2 were from tuberculous diseas and the 3 deaths recorded for Finglas and Glasnevin, part of, were caused by tuberculous phthisis (*phthisis*).

No. 1 South City District (South Earl-street).—The deaths (18) represent an annual rate of 22·6 per 1,000. Ente fever caused one death, *phthisis* one death, and bronchitis, 4 deaths.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 16·8 per 1,000. There we 3 deaths from tuberculous disease and 2 from bronchitis.

No. 3 South City District (Peter-street).—The deaths (20) are equal to an annual rate of 24·1 per 1,000. Amo them are 2 deaths from *pneumonia* (not defined), one from broncho-pneumonia, 6 deaths from tuberculous disease, a 2 deaths from diseases of the respiratory system.

No. 4 South City District (Grand Canal-street).—The deaths (9) are equivalent to an annual rate of 13·1 per 1,0 and include one death from epidemic diarrhœa, and 2 deaths from tuberculous disease.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·5 per 1,000. There was one death fro *pneumonia* (not defined).

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathg 22·5; Pembroke, 14·4; Blackrock, 5·8; and Kingstown, 8·9. There was no death from any of the principal epiden diseases tabulated for these districts. The 16 deaths from all causes for Rathmines and Rathgar, include one dea each from broncho-pneumonia, *pneumonia* (not defined), and *phthisis*. Of the 8 deaths from all causes for Pembro 2 were from bronchitis; the only death recorded for Blackrock was one from *pneumonia* (not defined); and of th deaths from all causes for Kingstown, one was caused accidentally.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possi in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 89," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly rnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin ; Mr. Fawcett, xecutive Sanitary Officer for Rathmines and Rathgar Urban District ; Mr. Manly, Executive Sanitary Officer for embroke Urban District : Mr. Heron, Executive Sanitary Officer for Blackrock Urban District : by Dr. R. A. 'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District : and by Dr. Bailie, Medical aperintendent Officer of Health for the City of Belfast.

ABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz. :—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 28th May, 1910, and each of the preceding three weeks A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	May 7,	.	—	—	13	.	.	6	.	2	6	11	.	—	—	.	—	11	—	49
	May 14,	.	—	—	8	.	.	4	.	2	2	12	.	—	—	.	—	24	—	52
	May 21,	.	—	—	17	.	.	8	.	1	9	8	.	—	—	.	—	22	—	65
	May 28,	.	—	—	13	.	.	6	.	.	4	20	.	—	—	.	—	23	—	66
Rathmines and Rathgar Urban District.	May 7,	.	—	—	.	.	.	2	.	.	.	1	.	—	—	—	—	—	—	3
	May 14,	.	—	—	3	.	.	1	.	.	.	1	.	—	—	—	—	—	—	5
	May 21,	.	—	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	—	3
	May 28.	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	—	2
Pembroke Urban District.	May 7,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	—	.
	May 14,	.	1	.	1	.	.	.	.	.	.	.	.	—	3	.	—	—	—	5
	May 21,	.	.	.	.	.	.	1	.	.	.	.	.	—	1	.	—	—	—	2
	May 28,	.	.	1	1	.	.	4	.	.	.	.	.	—	.	.	—	—	—	6
Blackrock Urban District.	May 7,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	May 14,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	May 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	May 28,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	May 7,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	May 14,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	May 21,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	May 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	May 7,	.	—	—	8	.	.	2	.	1	2	5	1	—	—	—	—	22	—	41
	May 14,	.	—	—	8	.	.	9	1	.	1	8	1	—	—	—	—	17	—	45
	May 21,	.	—	—	8	.	.	2	.	.	2	4	.	—	—	—	—	13	—	29
	May 28,	.	—	—	14	.	.	5	1	.	1	6	.	—	—	—	—	31	—	58

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 28th May, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

One case of measles was admitted to hospital during the week, 7 were discharged, and 4 cases remained under treatment at its close.

Twelve cases of scarlet fever were admitted to hospital, 12 were discharged, and 84* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 62, 70, and 84, respectively.

One case of typhus was discharged from hospital during the week, and no case remained under treatment at its close.

Nine cases of diphtheria were admitted to hospital, 11 were discharged, and 44 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 31, 32, and 46, respectively.

Five cases of enteric fever were admitted to hospital during the week, 3 were discharged, there was one death, and 32 cases remained under treatment in hospital at the close of the week.

In addition to the above named diseases, 11 cases of pneumonia were admitted to hospital, were discharged, and 50 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 11·8) was equal to an average annual death-rate of 12·7 per 1,000 persons living ; the average rate for 8 principal towns of Scotland was 14·0 per 1,000, the rate for Glasgow being 14·7 and for Edinburgh 10·7.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 28th May. From this Report it appears that of a total of 37 cases notified, 19 were scarlet fever, 13 phthisis, 3 diphtheria, one erysipelas, and one puerperal fever. Among the 289 cases of infectious diseases in hospital at the close of the week were 136 cases of scarlet fever, 57 of phthisis, 33 of measles, 29 of diphtheria, 14 of whooping-cough, 8 of erysipelas, 8 of chicken-pox, and 3 of enteric fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 28th May, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 28TH MAY, 1910.																							METEOROLOGY. (c)								
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED																				WEEK ENDING 28TH MAY, 1910.				WEEK ENDING 21ST MAY, 1910.				WEEK ENDING 14TH MAY, 1910.			
										DEATHS.																Air Temperature				Air Temperature				Air Temperature			
	POPULATION.		DEATHS			BIRTHS.	DEATHS.			Caused by																								
	Total. (a)	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10–18.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia b* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28).	(29)	(30)	(31)	(32).	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·8	32·9	21·1	2·3	725	467	88	121	.	33	1	.	8	2	.	1	5	33	41	28	17	57	5	9	147	12	°	°	-	.	-	-	-	.	°	°	.
DUBLIN REGISTRATION AREA:— TOTAL,	402,948	29·3	31·3	19·5	0·4	242	151	29	43	.	.	.	.	.	.	.	1	2	8	14	10	8	18	3	4	66	3	68·3	36·9	55·1	0·14	64·0	38·4	51·4	1·26	65·5	29·9	44·7	0·25
CITY of DUBLIN,	310,298	39·2	34·3	20·7	0·5	204	123	27	28	.	.	.	.	.	.	.	1	2	5	13	10	5	15	2	2	54	2	69·2 69·9	40·0 40·0	57·4 56·3	0·11 0·09	65·1 63·8	45·2 40·0	53·8 52·3	1·27 1·31	58·6 55·8	35·0 32·0	46·5 45·3	0·80 0·24
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	14·1	22·5	.	10	16	1	10	.	.	.	.	.	.	.	.	.	2	1	.	2	1	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	34·2	14·4	.	19	8	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,018	8·3	17·4	5·8	.	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	17·8	8·9	.	6	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	68·0	44·0	57·5	0·04	63·0	45·0	52·6	0·32	57·0	35·5	46·8	0·48
URBAN DISTRICTS.																																						
BELFAST,	391,167	26·6	35·2	23·5	5·6	264	176	37	27	.	33	1	.	5	1	.	.	2	21	14	13	3	14	1	5	41	.	65·5	45·0	56·6	0·08	63·5	42·0	53·0	0·35	64·0	35·0	45·7	0·42
CORK,	76,122	33·6	26·0	16·7	.	38	39	5	17	.	.	.	.	.	.	.	.	.	3	3	1	3	5	.	.	11	1	69	43	56·8	0·02	70	45	55·0	0·19	56	38	47·4	0·90
LONDONDERRY,	43,477	10·1	31·2	24·0	.	26	20	4	4	.	.	.	.	.	.	.	.	.	.	3	1	.	7	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	10·5	24·6	2·7	15	18	4	4	.	.	.	.	.	1	1	.	.	.	2	.	.	3	.	.	8	2	.	.	.	.	.	.	.	.	.	.	.
WATERFORD,	26,769	18·7	48·7	21·4	.	25	11	2	7	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	4	4	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	2·5	15·5	11·7	.	4	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	74	47	58	0·05	72	47	56	0·35	58	36	49	0·35
DUNDALK	13,076	9·4	35·9	25·9	.	9	9	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	28·6	12·3	.	7	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,405	17·8	46·2	8·4	.	11	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	68·9	43·1	57·1	0·06	69·0	40·0	54·2	0·48	63·0	33·3	46·7	0·38
LURGAN,	11,782	13·8	57·5	4·4	.	13	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	68·9	43·1	57·1	0·06	69·0	40·0	54·2	0·48	63·0	33·3	46·7	0·38
LISBURN,	11,461	10·1	40·9	18·6	.	9	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	68·9	43·1	57·1	0·06	69·0	40·0	54·2	0·48	63·0	33·3	46·7	0·38
WEXFORD,	11,168	23·2	32·7	14·0	.	7	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,886	8·9	7·6	14·4	.	16	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,870	3·7	38·4	4·8	.	8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	69·0	31·4	54·6	0·25	69·2	41·3	55·1	1·10	65·0	33·0	48·0	0·61
KILKENNY,	10,609	11·5	14·7	29·5	.	3	6	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	3	.	73	42	59·1	0·03	72	40	56·6	0·76	60	34	47·9	0·61
CLONMEL,	10,167	7·8	20·5	25·6	.	4	5	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,092	13·2	31·0	25·8	10·3	6	5	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.	.	.	.	68·9	43·1	57·1	0·06	69·0	40·0	54·2	0·48	63·0	33·3	46·7	0·38
TRALEE,	9,867	16·6	37·0	21·1	5·3	7	4	1	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	34·3	11·4	.	6	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	61	46	53·1	0·20	62	45	51·8	0·58	58	36	45·7	0·36
QUEENSTOWN,	7,909	14·4	39·6	13·2	.	6	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	69	48	56·8	0·02	70	45	55·0	0·19	56	38	47·4	0·90
ARMAGH,	7,588	22·2	6·9	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	68·9	43·1	57·1	0·06	69·0	40·0	54·2	0·48	63·0	33·3	46·7	0·38

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (b) Formerly described as "Simple Continued Fever." (c) Exclusive of 9 deaths of persons (including 3 at 60 years or upwards), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. (e) Observations at Ordnance Survey Office, Phœnix Park.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 28th May, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN REGISTRATION DISTRICTS IN Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.					URBAN DISTRICTS OF					
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.
Diarrhœal Diseases,	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	2	2	.
Pneumonia,	.	1	.	.	.	.	.	.	.	3	.	1	2	.	1	.	8	.
Tuberculous Disease. Phthisis,	1	2	.	1	.	1	3	1	1	2	1	.	1	.	.	.	14	.
Tuberculous Disease. Other Forms,	1	.	.	1	.	1	.	.	2	4	1	.	.	.	.	.	10	1
Cancer, Malignant Disease,	.	.	1	1	.	.	.	2	.	1	.	.	2	.	.	1	8	2
Other General Diseases,	1	2	3	4	1	.	.	3	.	3	1	.	2	1	.	.	21	1
Total,	3	6	4	7	1	2	3	7	3	13	4	1	7	1	1	1	64	4
B. LOCAL DISEASES:																		
Diseases of Nervous System,	1	1	1	3	.	1	.	.	.	3	1	.	.	1	.	.	12	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Heart and Blood Vessels,	2	3	3	2	.	1	.	4	.	.	3	.	4	4	.	1	27	.
Diseases of Respiratory System,	3	2	2	.	.	.	.	4	2	2	.	.	1	2	.	.	18	.
Diseases of Digestive System,	.	3	.	3	.	1	.	1	2	2	1	.	2	.	.	.	15	1
Diseases of Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	1	.	.	1	.	.	.	1	.	.	.	1	2	.	.	.	6	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	8	9	6	9	.	3	.	10	4	7	5	1	9	7	.	1	79	5
C. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	1	2	1	.	.	.	1	.	.	.	.	.	.	.	.	5	.
E. VIOLENT DEATHS,	.	.	1	1	.		.	.	.	.	.	.	.	.	.	1	3	.
Deaths from all Causes	11	16	13	18	1	5	3	18	7	20	9	2	16	8	1	3	151	9
Annual Rate of Mortality from all causes in every 1,000 of the population.	19·2	20·9	22·0	28·0	9·7	22·4	20·3	22·6	16·8	24·1	13·1	11·5	22·5	14·4	5·8	8·9	19·5	.
	22·0							19·3					15·8					
	20·7																	
Ages at Death. Under 1 year,	2	3	4	7	.	1	.	2	1	5	2	.	1	1	.	.	29	.
Ages at Death. 1 and under 5 years,	.	1	1	.	.	1	.	.	1	4	1	.	1	.	.	.	10	.
Ages at Death. 5 „ 20 „	.	1	.	3	.	.	1	2	.	.	1	.	.	.	.	.	8	.
Ages at Death. 20 „ 40 „	3	2	4	3	.	1	.	1	3	4	.	1	1	.	1	.	24	1
Ages at Death. 40 „ 60 „	3	5	3	3	.	1	2	4	1	4	2	1	3	3	.	2	37	3
Ages at Death. 60 years and upwards,	3	4	1	2	1	1	.	9	1	3	3	.	10	4	.	1	43	3
Number of Uncertified Deaths,	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	3	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	7	3	6	.	.	.	3	3	2	2	1	5	1	.	1	36	7
Workhouse Hospitals,	2	5	4	4	.	.	.	2	4	5	3	.	1	.	.	.	30	2

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in the week of the ten years 1900–1909

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Average in 21st Week of the 10 years, 1900–1909.	In the Week ending Saturday, 28th May, 1910. Deaths of Persons of the Ages of							
	May 26, 1901.	May 25, 1901.	May 24, 1902.	May 30, 1903.	May 28, 1904.	May 27, 1905.	May 26, 1906.	May 25, 1907.	May 23, 1908.	May 30, 1909.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 51·2	° 51·2	° 49·7	° 53·3	° 50·5	° 50·5	° 47·3	° 45·0	° 52·8	° 53·8	° 50·5	° 55·1								
ALL CAUSES.	176	178	149	170	163	143	173	203	176	175	170·6	160	13	16	10	10	25	40	42	4
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	.	2	.	.	1	.	6	1	.	1·0	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	2	2	2	.	.	.	1	.	·7	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	2	3	.	1	2	.	.	1	2	2	1·3	.	.	.	.	.	.	.	.	.
Whooping-cough,	3	5	.	2	4	1	3	10	1	6	3·5	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	1	.	.	.	4	·5	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever,	.	.	1	.	.	.	.	2	.	1	·4	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain)	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	.	1	1	1	1	.	1	.	2	·9	1	.	.	1	.	.	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.),	.	3	.	1	.	.	.	.	.	.	1·4	2	.	2	.	.	.	.	.	.
Diarrhœa, Dysentery,			2	2	1	.	3	.	1	1		.	.	.	.	.	.	.	.	.
Tetanus,	.	.	.	1	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	1	1	.	.	1	3	1	.	1	.	·8	1	.	.	1	.	.	.	.	.
Puerperal Septicæmia,	.	.	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Puerperal Pyæmia,			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Puerperal Fever,			1	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Infective Endocarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	14	15	1	1	2	.	2	4	.	.	13·5	3	.	1	1	.	.	.	1	.
Broncho-Epidemic			3	2	4	4	3	8	1	7		.	.	.	.	.	.	.	.	.
Not defined,			4	7	7	5	8	13	10	10		5	.	.	1	.	1	2	1	.
Erysipelas,	.	2	.	.	.	.	.	.	.	1	·3	1	.	.	.	.	.	.	1	.
Septicæmia (not Puerperal)	1	1	.	1	.	1	.	.	.	.	·8	1	.	.	.	1	.	.	.	.
Pyæmia (not Puerperal),			.	.	1	.	1	.	1	1		.	.	.	.	.	.	.	.	.
Other Infective Processes,	.	.	.	.	.	.	.	2	.	1	·3	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis,	32	25	2	4	8	13	9	12	14	12	26·3	7	.	.	.	1	3	3	.	.
"*Phthisis*,"			23	25	18	20	13	15	12	6		7	.	.	.	3	4	.	.	.
Tuberculous Meningitis,	8	2	2	5	6	1	.	4	6	5	3·9	3	.	.	2	1	.	.	.	.
Tuberculous Peritonitis,	4	4	.	4	3	1	1	1	.	1	2·5	2	.	.	1	1	.	.	.	.
Tabes Mesenterica,			.	1	2	.	1	1	1	.		1	.	1	.	.	.	.	.	.
Tuberculous Dis. (other),	11	5	2	4	8	5	5	11	5	7	6·4	5	.	.	3	.	2	.	.	.
Scrofula,			.	.	.	1	.	.	.	.		.	.	.	.	.	.	.	.	.
Alcoholism,	1	.	.	.	.	1	.	.	.	1	·3	1	.	.	.	.	.	1	.	.
Rheumatic Fever,	.	.	.	.	2	.	.	.		.	·2	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	1	1	.	.	·2	.	.	.	.	.	.	.	.	.
Carcinoma,	6	8	1	2	1	2	3	4	2	7	8·9	7	.	.	.	.	.	4	3	.
Sarcoma,			.	.	.	.	.	1	2	.		.	.	.	.	.	.	.	.	.
Cancer (undefined)			6	11	5	3	5	6	10	4		3	.	.	.	.	.	2	1	.
Diabetes Mellitus,	.	.	.	1	.	.	2	3	1	.	·7	2	.	.	.	.	.	1	1	.
Premature Birth,	1	5	2	3	5	7	2	6	2	6	3·9	8	7	1	.	.	.	.	.	.

* The figures for the year 1900 are for

† Formerly described as

ENTY-FIRST WEEK ending Saturday, 28th May, 1910, with the deaths from each cause in the corresponding
the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday									Averages in 21st Week of the 10 years 1900-1909.	In the Week ending Saturday, 28th May, 1910. Deaths of Persons of the Ages of							
	May 26, 1900.	May 25, 1901.	May 24, 1902.	May 30, 1903.	May 28, 1904.	May 27, 1905.	May 26, 1906.	May 25, 1907.	May 23, 1908.	May 29, 1909.		All Ages.	0 to 5.						
													Under 1 month.	1 month and under a year.	1 to 5.	5 to 20.	20 and under 40.	40 and under 60	60 and under 80.	80 and upwards.
Mean Temperature.	° 51·2	° 51·2	° 49·7	° 53·3	° 50·5	° 50·5	° 47·3	° 45·0	° 52·8	° 53·8	° 50·5	Mean Temp. ° 55·1								
Meningitis (not tuberc.) ...			8	4	7	4	6	2	.	2		3	.	1	1	1	.	.	.	.
Insanity, G. P. of Insane ...			4	2	2	.	1	.	2	2		1	.	.	.	1	.	.	.	.
Epilepsy			1	1	.	.	.	1	.	.		1	.	.	.	.	1	.	.	.
Convulsions			9	7	5	3	7	6	6	2		4	2	2	.	.	.	.	.	.
Locomotor Ataxy ...			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord ...			.	.	1	2	2	1	.	1		2	.	.	.	.	1	1	.	.
Nervous System (other Dis.)			4	1	.	5	2	.	2	1		1	.	.	.	1	.	.	.	.
	31	36									38·5									
Valv. Dis., Endocarditis ...			4	3	2	3	8	7	4	9		7	.	.	.	.	2	4	1	.
Cerebr. Hæm. Thromb.			.	1	.	2	3	3	10	3		7	.	.	.	.	.	.	7	.
Apoplexy, Hemiplegia ...			2	5	6	4	6	5	6	7		4	.	.	.	.	.	4	.	.
Aneurysm ...			.	.	.	.	1	.	.	.		1	.	.	.	.	1	.	.	.
Embolism, Thromb. (not cerebral)			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Heart and Blood Vessels (other Dis.)			9	15	13	15	12	8	15	11		10	.	1	.	.	1	4	4	.
Croup (not Spasm. nor Memb.)	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Bronchitis	15	19	14	11	14	9	23	22	14	19	16·0	15	.	2	.	.	.	5	7	1
Asthma, Emphysema ...			.	1	.	.	.	1	2	.		.	.	.	.	.	.	.	.	.
Pleurisy	.	1	.	2	.	.	1	.	.	.	1·7	.	.	.	.	.	.	.	.	.
Respiratory Dis. (other) ...			1	3	2	1	2	.	.	.		3	.	.	.	.	1	2	.	.
Tonsillitis, Quinsy ...	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
Enteritis (not Epid.) ...	.	1	.	1	1	.	1	1	3	1	1·2	2	1	.	.	.	1	.	.	.
Gastro-enteritis			.	.	.	2	.	.	1	.		.	.	.	.	.	.	.	.	.
Peritonitis (not Puerp.) ...	1	1	.	.	1	2	.	.	.	.	·5	1	.	.	.	1	.	.	.	.
Cirrhosis of Liver ...	5	2	2	1	1	.	.	1	3	.	2·1	3	.	.	.	.	3	.	.	.
Liver Dis. (other) ...			3	2	.	.	.	1	.	.		3	.	.	.	.	.	1	2	.
Digestive Dis. (other) ...	5	7	3	6	6	3	9	2	10	5	5·6	7	.	1	.	.	2	.	3	1
Nephritis, Acute			4	1	.	.	1	3	.	2		2	.	1	.	1	.	.	.	.
Bright's Dis., Albuminuria	3	4	3	1	5	.	3	4	3	5	5·0	3	.	.	.	.	2	1	.	.
Urinary Sys. (other Dis.) ...			.	2	.	1	2	1	2	.		1	.	.	.	.	1	.	.	.
Generative Organs Dis. ...	.	1	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Childbirth (Accid. of) ...	.	.	1	.	.	1	1	1	.	1	·5	1	.	.	.	.	1	.	.	.
Old Age	11	12	4	3	4	2	1	4	3	3	4·7	2	.	.	.	.	.	.	.	2
Other Diseases	17	11	13	7	8	9	11	11	9	10	10·6	12	2	3	1	.	2	1	3	.
ACCIDENT.																				
By Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses ...	.	.	1	2	.	3	1	1	.	1	·9	1	.	.	.	.	1	.	.	.
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	.	.	.	1	1	1	2	1	2	1	·9	.	.	.	.	.	.	.	.	.
By Drowning	1	.	.	4	.	1	2	1	.	.	·9	.	.	.	.	.	.	.	.	.
By Suffocation in Bed ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Other Deaths by Accident	.	2	3	1	1	.	.	1	2	3	1·3	1	.	.	.	.	1	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Suicide	.	.	.	1	1	.	.	1	.	.	·3	1	.	.	.	.	1	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.
Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA	1909-10—Week ending																								
	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.
No. of weeks in Annual Series,	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
BIRTHS registered.	206	174	216	185	232	236	243	197	162	252	220	197	224	206	247	162	242	213	255	217	221	246	230	241	181	242
*Average Births in corresponding week of previous 10 years,** ..	202	197	190	177	175	227	204	206	203	234	212	210	213	214	219	217	211	235	190	207	224	195	270	220	211	202
DEATHS registered, ...	180	177	158	155	205	174	177	181	177	239	217	211	228	208	204	149	185	168	186	133	200	198	186	180	131	160
Annual Death-rate per 1,000, ..	23·6	23·2	20·7	20·3	23·8	22·5	22·9	23·4	22·9	30·9	28·1	27·3	29·5	26·9	26·4	19·3	23·9	21·7	24·1	23·7	25·9	25·0	17·6	23·3	17·0	20·7
*Average Deaths in corresponding week of previous 10 years,**	190	190	187	195	184	217	210	206	201	200	196	207	221	221	214	200	206	211	200	200	197	189	184	178	174	171
AGES, Under 5 years, ...	42	37	51	44	71	49	57	57	55	76	58	67	67	57	58	30	52	44	44	37	49	46	36	38	37	39
AGES, 5—20 ,, ...	9	8	10	8	11	12	13	10	13	11	9	9	16	8	12	11	12	13	9	11	15	18	6	16	7	10
AGES, 20—40 ,, ...	22	25	19	23	19	30	25	20	31	27	25	19	22	33	28	21	34	18	26	24	33	29	26	34	20	25
AGES, 40—60 ,, ...	47	52	27	34	48	36	28	41	36	54	42	88	42	40	34	35	35	32	43	38	35	43	25	32	28	40
AGES, 60—80 ,, ...	50	45	39	37	50	37	49	45	37	64	62	66	69	57	65	41	42	45	53	57	59	46	40	50	36	42
AGES, 80 years and upwards, ..	10	10	12	9	6	10	10	8	5	7	21	12	12	13	12	11	10	16	11	16	9	11	3	10	3	4
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	1	.	.	2	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	1	1	1	3	.	.	.	1	.	1	2	1	1	.	1	.	.	.	.	.	.	.	1	1	.
Typhus, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	3	2	1	2	1	.	2	.	.	.	.	.	.
Whooping-cough, ...	.	2	2	2	1	3	5	4	1	2	4	1	.	.	2	1	2	1	.	2	5	4	1	1	1	.
Diphtheria, ...	1	.	2	.	1	1	.	3	.	2	2	.	2	.	1	1	1	.	1	.	2	.	.	.	.	.
Pyrexia † (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	1	1	1	3	2	.	1	.	2	.	.	.	1	2	.	1	1	4	1	1	.	2	1	3	.	1
Diarrhœal Diseases, ..	2	4	1	.	4	2	4	4	2	4	6	2	3	3	4	2	3	.	4	2	2	1	2	1	5	2
Influenza, ...	3	1	1	6	4	2	3	5	1	4	3	2	2	5	6	7	6	6	3	5	2	3	1	3	2	.
Pneumonia, ...	20	28	19	20	22	22	14	21	14	20	17	20	22	17	20	12	14	14	17	13	20	17	8	14	13	8
Tuberculous Phthisis, ..	22	17	15	14	15	24	19	21	23	26	19	19	23	28	26	15	26	14	21	22	31	25	14	31	15	14
Disease, Other Forms, ..	7	8	6	4	6	5	6	6	6	17	10	14	13	10	12	10	10	4	10	9	18	12	11	9	9	11
Cancer, Malignant Disease, ..	11	10	8	6	4	8	7	8	11	19	10	8	14	9	13	5	6	14	7	10	11	11	6	10	3	10
Diseases of Heart and Blood Vessels, ...	31	29	25	21	37	29	31	29	17	29	38	40	31	27	25	30	20	30	37	24	37	31	21	25	20	29
Diseases of Respiratory System,	29	28	26	30	41	20	33	29	39	43	55	41	41	39	35	26	36	23	38	39	22	25	17	27	16	18
Violent Deaths, ...	5	4	4	2	2	4	4	1	4	5	1	6	6	5	3	1	2	5	5	3	3	4	6	11	2	3
Number of Uncertified Deaths, ..	3	4	5	7	10	3	8	18	9	13	3	7	2	8	5	5	3	4	9	12	8	6	2	2	6	3
Mean Temperature of the Air (Phœnix Park), ...	41·8	39·1	41·4	38·5	45·9	45·4	42·1	37·6	32·5	38·1	43·7	42·3	39·2	44·0	43·6	39·8	43·4	39·7	41·7	43·0	49·6	43·6	46·1	44·7	51·4	55·1
Average Mean Temperature in corresponding week of previous 10 years, ...	43·3	43·0	41·3	42·1‡	40·3	41·3	40·0	41·1	41·7	40·0	38·9	38·9	40·1	40·1	41·1	42·9	41·9	42·1	44·2	43·4	45·1	46·6	46·9	43·5	48·6	50·5
Rainfall in inches, ...	1·163	1·202	·207	1·183	·840	·128	·986	·240	1·690	·163	·264	1·160	·915	·892	·383	·174	·000	·010	·205	·736	·782	·417	·670	·250	1·263	·135
Mean Humidity of the Air, complete Saturation 1·0	·87	·90	·82	·86	·88	·89	·85	·91	·88	·94	·91	·93	·91	·93	·88	·91	·91	·88	·93	93	·91	·82	·77	·81	·90	·83

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 28th May, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 28TH MAY, 1910. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards.	CAUSES OF DEATH. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (excl. of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS.	375,850	22·2	160	39	10	25	40	42	4	.	.	.	.	.	.	.	1	2	3	8	14	11	10	4	18	3	89	8
	CLASSES. **Deaths in Families of the—**																												
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	23·9	8	1	.	.	2	4	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	1	4	.
II.	MIDDLE CLASS, ...	87,188	11·4	24	4	1	5	6	8	.	.	.	.	.	.	.	.	.	.	.	1	4	1	1	1	2	.	14	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,428	15·6	33	6	4	3	7	11	2	.	.	.	.	.	.	.	.	.	.	2	2	2	3	.	3	.	21	.
IV.	GENERAL SERVICE CLASS, ...	154,279	21·3	68	22	5	12	14	10	.	.	.	.	.	.	.	.	1	1	2	5	4	4	3	3	6	2	34	3
V.	INMATES OF WORKHOUSES, ...	6,024	—	32	6	.	5	11	9	1	.	.	.	.	.	.	.	.	1	1	.	4	3	2	.	6	.	16	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	33·4	5	1	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.
	2. Merchants and Manufacturers, Higher Class,	1,277	40·8	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,860	12·5	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS.																												
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	18·5	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	21·3	1	.	2	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	7	.
	6. Clerks and Commercial Assistants, ..	30,482	10·3	2	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	13·5	7	1	.	1	1	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	21·1	4	.	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.
	9. Building and Furnishing Trades, ...	29,801	19·2	11	2	2	.	3	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	9	.
	10. Clothing Trades, ...	23,260	11·2	5	1	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	2	.
	11. Food Supply Trades, ...	9,242	5·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	18·2	11	2	1	1	3	3	1	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	1	.	6	.
	13. Petty Shopkeepers, ...	7,894	5·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																												
	14. Army, Police, Postal Delivery, and Prison Services, &c	18,425	27·2	7	1	1	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	5	1
	15. Domestic Servants, ...	36,603	7·1	5	.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	21·7	6	3	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	4	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	26·1	45	18	3	11	6	7	.	.	.	.	.	.	.	.	1	1	2	3	2	4	3	3	4	2	23	2
V.	INMATES OF WORKHOUSES.																												
	18. Workhouse Inmates, ...	6,024	—	32	6	.	5	11	9	1	.	.	.	.	.	.	.	.	1	1	.	4	3	2	.	6	.	16	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

	DISTRICTS	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	From Diseases in Cols. 5–13.	Total Deaths.	NUMBER OF DEATHS FROM Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of).	North City, No. 1 (E.)	Apr. 9,	12·2	.	7	.	.	.	.	.	.	.	.	.	1	2	.	.	3	1	.
		„ 16,	26·2	.	15	.	.	.	.	.	.	.	.	.	1	4	.	.	5	.	1
		„ 23,	24·4	.	14	.	.	.	.	.	.	.	.	.	3	3	.	.	1	.	2
	(*Office*,	„ 30,	15·7	.	9	.	.	.	.	.	.	.	.	.	1	3	1	.	.	.	.
	Clarence-st., Nth.	May 7,	12·2	.	7	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
		„ 14,	26·2	1·7	15	.	.	.	.	.	.	.	1	.	1	4	.	1	2	.	.
	Pop. in 1910	„ 21,	15·7	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	1
	(Est.) 29,908.	„ 28,	19·2	.	11	.	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.
	North City, No. 1 (W.)	Apr. 9,	36·5	.	28	.	.	.	.	.	.	.	.	.	1	4	2	.	8	.	1
		„ 16,	24·8	1·3	19	.	.	.	.	1	.	.	.	.	5	1	1	1	4	1	.
		„ 23,	32·6	1·3	25	.	.	.	.	1	.	.	.	.	2	6	.	1	3	1	1
	(*Office*,	„ 30,	19·6	1·3	15	.	.	.	.	1	.	.	.	.	.	2	.	.	6	.	3
	Summer-hill.)	May 7,	19·6	.	15	.	.	.	.	.	.	.	.	.	1	3	1	.	3	.	1
		„ 14,	22·2	.	17	.	.	.	.	.	.	.	.	.	.	3	.	.	5	1	.
	Pop. in 1910	„ 21,	18·8	1·3	14	.	.	.	.	1	.	.	.	.	1	2	2	.	.	.	.
	(Est.) 39,974.	„ 28,	20·9	1·3	6	.	.	.	.	.	.	.	.	1	1	2	.	.	2	.	.
	North City, No. 2.	Apr. 9,	25·4	1·7	15	.	.	.	.	.	.	.	.	1	.	1	.	1	3	1	1
		„ 16,	23·7	.	14	.	.	.	.	.	.	.	.	.	1	1	.	1	4	1	.
		„ 23,	42·4	.	25	.	.	.	.	.	.	.	.	.	2	3	1	4	5	.	.
	(*Office*,	„ 30,	22·0	.	13	.	.	.	.	.	.	.	.	.	3	2	2	2	1	.	.
	Lisburn-street.)	May 7,	18·7	.	11	.	.	.	.	.	.	.	.	.	.	2	.	1	3	.	.
		„ 14,	15·3	1·7	9	.	.	.	.	.	.	.	.	1	1	4	.	.	1	.	.
	Pop. in 1910	„ 21,	18·7	1·7	11	.	.	.	.	.	.	.	.	1	1	1	1	.	4	.	.
	(Est.) 30,744.	„ 28,	22·0	.	13	.	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.
	North City, No. 3.	Apr. 9,	32·6	3·1	25	.	.	.	.	.	.	.	.	2	1	2	1	.	4	1	1
		„ 16,	26·4	6·2	17	.	.	.	2	.	.	.	.	2	2	4	.	1	4	.	.
		„ 23,	26·4	6·2	17	.	.	.	.	2	.	.	.	2	5	.	2	1	.	.	.
	(*Office*,	„ 30,	28·0	1·6	18	.	.	.	.	.	.	.	1	.	2	1	1	.	3	.	.
	Benburb-street.)	May 7,	8·6	1·6	12	.	.	.	.	1	.	.	.	.	1	.	.	.	4	1	.
		„ 14,	20·2	.	13	.	.	.	.	.	.	.	.	.	.	2	1	1	2	.	1
	Pop. in 1910	„ 21,	12·4	1·6	8	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.	1
	(Est.) 33,559.	„ 28,	28·0	.	18	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.
	South City, No. 1.	Apr. 9,	28·9	1·3	23	.	.	.	.	.	.	.	.	1	1	4	1	.	7	1	1
		„ 16,	26·4	.	21	.	.	.	.	.	.	.	.	.	2	1	1	1	7	.	2
		„ 23,	32·7	1·3	26	.	.	.	.	.	1	.	.	.	.	7	4	1	2	.	1
	(*Office*,	„ 30,	26·4	1·3	21	.	.	.	.	.	.	.	1	.	2	3	1	2	4	.	.
	Sth. Earl-street.)	May 7,	12·6	.	10	.	.	.	.	.	.	.	.	.	2	1	.	1	.	1	.
		„ 14,	16·8	.	18	.	.	.	.	.	.	.	.	.	1	1	.	1	3	1	.
	Pop. in 1910	„ 21,	17·6	.	14	.	.	.	.	.	.	.	.	.	2	1	2	.	2	.	.
	(Est.) 41,476.	„ 28,	22·6	1·3	18	.	.	.	.	.	.	.	1	.	.	1	.	2	4	.	.
	South City, No. 2.	Apr. 9,	14·4	.	6	.	.	.	.	.	.	.	.	.	1	1	1	.	1	1	1
		„ 16,	9·6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
		„ 23,	24·0	.	10	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.	2
	(*Office*,	„ 30,	21·6	.	9	.	.	.	.	.	.	.	.	.	1	1	2	.	1	.	.
	Castle-street.)	May 7,	19·2	2·4	8	.	.	.	.	.	.	.	.	1	.	.	2	.	2	.	.
		„ 14,	9·6	.	4	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.
	Pop. in 1910	„ 21,	14·4	.	6	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.
	(Est.) 21,754	„ 28,	16·8	.	7	.	.	.	.	.	.	.	.	.	.	1	2	.	2	.	.
	South City, No. 3.	Apr. 9,	32·6	2·4	27	.	.	.	.	.	1	.	1	.	4	1	3	3	3	.	.
		„ 16,	29·0	.	24	.	.	.	.	.	.	.	.	.	1	3	3	2	1	.	.
		„ 23,	19·3	2·4	16	.	.	.	.	1	1	.	.	.	1	2	4	1	2	1	.
	(*Office*,	„ 30,	24·1	1·2	20	.	.	.	.	1	.	.	.	.	2	3	2	2	5	.	1
	Peter-street.)	May 7,	16·9	.	14	.	.	.	.	.	.	.	.	.	1	2	1	.	1	.	.
		„ 14,	27·7	1·2	28	.	.	1	.	.	.	.	.	.	2	6	1	1	3	2	1
	Pop. in 1910	„ 21,	27·7	1·2	28	.	.	1	.	.	.	.	.	.	2	3	1	.	5	.	1
	(Est.) 43,227.	„ 28,	24·1	.	20	.	.	.	.	.	.	.	.	.	3	2	4	1	2	.	2
	South City, No. 4.	Apr. 9,	17·4	.	12	.	.	.	.	.	.	.	.	.	2	2	1	.	1	.	1
		„ 16,	16·0	.	11	.	.	.	.	.	.	.	.	.	.	1	.	.	6	.	1
		„ 23,	18·9	.	13	.	.	.	.	.	.	.	.	.	2	1	1	2	3	.	1
	(*Office*,	„ 30,	30·5	1·5	21	.	.	.	.	1	.	.	.	.	2	3	1	.	.	.	.
	Grand Canal-st.)	May 7,	14·5	.	10	.	.	.	.	.	.	.	.	.	.	2	1	.	1	2	.
		„ 14,	18·9	.	18	.	.	.	.	.	.	.	.	.	2	2	.	.	6	1	.
	Pop. in 1910	„ 21,	23·3	1·5	16	.	.	.	.	.	.	.	.	1	.	3	2	1	1	.	1
	(Est.) 35,881.	„ 28,	13·1	1·5	9	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From all Causes	From Diseases in Cols. 5–18.	Total Deaths.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	Apr. 9,	12·7	.	9		.			.	.		.	.	.	1	1	1	1	.	1
	,, 16,	12·7	.	9		.			.	.		.	.	.	3	.		2	.	8
	,, 23,	14·1	.	10		.			.			.	.	1	.	.		1	.	.
	,, 30,	29·6	.	21		.			.	.		.	.	1	3	1	1	1	1	1
	May 7,	14·1	1·4	10								1	.	.	.	1	1	.	.	1
	,, 14,	22·5	.	16					.	.		.	.	2	1	1	1	.	2	.
	,, 21,	12·7	1·4	9		.	.						1	.	1		1		1	1
	,, 28,	22·5	.	16		.	.		.	.	.	.	.	2	1	.	2	1	.	.
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	Apr. 9,	19·8	.	11		.	.		.	.	.	.	.	1	1	.	2	2	.	1
	,, 16,	18·0	1·8	10		.	.		1	.	.	.	.	.	1	.	1	2	.	1
	,, 23,	18·0	.	10		.			.	.		.	.	.	2	1	.	2	.	1
	,, 30,	28·8	1·8	16	.	.			1	.		.	.	1	1	1	1	1	1	.
	May 7,	18·0	.	10		.			.	.		.	.	.		1	.	2	1	.
	,, 14,	12·6	.	7	.	.			.	.	.	.	.	1	1	.	3	.	.	.
	,, 21,	12·6	.	7	.	.			.	.		.	.	2	1	.	.	1	.	.
	,, 28,	14·4	.	8	.	.	.		.	.		.	.	.	.	.	.	2	.	1
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	Apr. 9,	29·6	.	10	.	.	.	.	.	.	.	.	.	4	.	.	.	3	.	.
	,, 16,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	,, 23,	26·6	8·0	9	.	.	.	.	1	.		.	.	2	2	1	.	.	.	.
	,, 30,	26·6	8·0	9	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	1
	May 7,	26·6	.	9	.	.			.	.		.	.	2	.	.		.	1	.
	,, 14,	41·4	.	14		.	.		.	.	.	.	.	1	1	.	1	2	.	1
	,, 21,	8·9	.	3		.	.		.	.		.	.	1	.	.		.	.	1
	,, 28,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
Belfast. Pop. in 1910 (Est.) 391,167.	Apr. 9,	22·4	5·2	168	.	11	.	.	12	1	.	.	.	19	24	12	8	21	4	1
	,, 16,	24·9	3·3	187	.	17	.	.	5	1	1	.	1	16	27	8	10	22	.	1
	,, 23,	21·3	2·9	160	.	8	.		8	1	1	1	3	19	18	7	2	30	2	1
	,, 30,	23·1	3·5	173	.	20	.	.	4	1	.	.	1	14	22	9	6	15	4	3
	May 7,	22·3	3·5	167	.	19	.	.	4	.	1	.	2	15	20	6	8	21	3	1
	,, 14,	22·7	4·1	170	.	23	.	.	6	1	.	1	.	26	24	4	8	14	4	2
	,, 21,	23·6	6·4	177	.	44	.	.	4	.	.	.	.	22	29	6	7	17	1	1
	,, 28,	28·5	5·6	176	.	33	1	.	5	1	.	.	3	21	14	13	3	14	1	.
Cork. Pop. (in 1901) 76,122.	Apr. 9,	34·3	.	50		.	.	.	.	.	.	.	.	3	7	2	4	6	.	5
	,, 16,	23·6	.	35		.	.	.	.	.	.	.	.	3	9	1	2	2	1	2
	,, 23,	28·3	0·7	34		.	.	.	1	.	.	.	.	2	6	1	4	2	.	.
	,, 30,	19·9	.	29		.	.		.	.	.	.	.	1	3	1	1	3	.	2
	May 7,	25·8	0·7	37	.	.	.	.	.	.	.	1	.	2	3	1	1	3	.	4
	,, 14,	18·5	0·7	27		.	.	.	1	.	.	.	.	2	3	2	1	5	.	1
	,, 21,	22·6	1·4	33	.	.	1	.	.	.	.	1	.	.	10	2	4	2	2	2
	,, 28,	26·7	.	39		.	.		.	.		.	.	3	3	1	3	5	.	1
Londonderry. Pop. in 1910 (Est.) 43,477.	Apr. 9,	15·6	.	13	.	.			.	.	.	.	.	2	2	2	.	3	.	1
	,, 16,	20·4	.	17		.			.	.	.	.	.	1	2	.	1	3	.	.
	,, 23,	13·2	1·2	11		.	.		.	.		.	1	1	4	1	1	1	.	.
	,, 30,	20·4	.	17		.			.	.	.	.	.	2	3	2	2	3	.	.
	May 7,	18·0	1·2	15		1			.	.		.	.	.	2			7	.	.
	,, 14,	19·2	1·2	16		1							.	2	2	1		7	.	.
	,, 21,	15·6	.	13	.	.			.	.			.	2	1	1	1	1	.	.
	,, 28,	24·0	.	20		.			.	.			.	.	3	1		7	.	.
Limerick. Pop. (in 1901) 38,151.	Apr 9,	17·8	.	13			.		.			.	.	1	1	.	.	4	.	1
	,, 16,	20·5	.	15		.			.	.		.		.	3	.	.	6	.	1
	,, 23,	19·1	.	14		.			.	.		.		1	4	.	1	4	.	1
	,, 30,	19·1	.	14		.			.	.		.	.	2	1	2	.	2	.	1
	May 7,	12·3	2·7	9		.	.		2	.		.	.	.	5	.	.	.	.	.
	,, 14,	13·7	.	10		.			.	.		.	.	.	.	1	.	.	.	2
	,, 21,	10·9	.	8		.			.	.		.	.	.	1	1	.	4	.	.
	,, 28,	24·6	2·7	18					1	1				.	2	.	.	3	.	2
Waterford. Pop. (in 1901) 26,769.	Apr. 9,	17·5	.	9		.			.	.	.	.	.	.	2	1	.	1	.	.
	,, 16,	33·1	5·8	17		.		2	.	.	.	.	1	1	2	1	.	1	.	3
	,, 23,	29·2	3·9	15		.	.	1	.	1	.	.	.	3	.	3	.	.	.	2
	,, 30,	28·4	1·9	12		.			.	.		.	1	1	.	.	.	1	.	.
	May 7,	29·2	1·9	15		.			.	.		1	.		.	1	.	5	.	3
	,, 14,	11·7	.	6		.			.	.		.	.	1	.	.		1	.	.
	,, 21,	17·5	.	9		.			.	.		.	.	1	1	.	1	.	.	.
	,, 28,	21·4	.	11		.			.	.		.	.	1	.	.		1	.	4

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 28th May, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS																										
			Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.						DEATHS FROM																	
			All Causes.	Diseases in Cols. 12-20.		Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercuious Disease		Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
																						Phthisis.	Other Forms						
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		9	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		5	2	.	1	1	1	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	1	.
Do. 2 do.		26			16	3		.	2	4	3	.	3	.	.	1	.	.	.	1	3	1	.	1	1	.	1	6	.
Do. 3 do.		39			22	3	9	.	4	3	3	.	8	1	.	1	.	.	.	.	2	1	1	.	.	.	1	4	.
Do. 4 do.		37			24	6	4	2	2	4	6	.	3	.	.	.	.	.	.	.	.	2	2	.	1	.	.	11	.
Do. 5 do.		7			13	3	3	2	2	1	2	.	1	.	.	1	.	.	.	.	3	.	3	.	1	.	.	6	.
Do. 6 do.		13			13	1	3	1	2	3	3	.	3	.	.	.	.	.	.	.	3	.	1	1	2	.	.	2	.
Do 7 do.		2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 8 do.	349,180	1			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do. 9 do.		19			22	4	6	3	6	.	3	.	4	.	.	.	.	.	.	.	4	1	1	.	1	1	1	5	.
Do 10 do.		22			8	1	4	.	1	1		.	2	.	.	2	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 11 do.		31			13	2	1	1	2	4	3	.	.	.	.	.	1	.	.	.	2	3	1	.	2	.	.	1	.
Do. 12 do.		35			17	6	3	2	2	2	2	.	1	.	.	.	.	.	.	.	.	3	1	1	5	.	1	1	.
Do. 13 do.		9			9	1	3	2	2	.	1	.	5	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		14			13	5	3		.	5	.	.	3	.	.	.	.	.	.	.	3	1	.	.	1	.	.	4	.
Total, ...	—	264			176	37	43	15	26	28	27	.	33	1	.	5	1	.	.	2	21	14	13	3	14	1	5	41	.
City of Cork.																													
CORK URBAN No. 1 DISTRICT, .	12,867	3	36·5	.	9	.	.	.	1	1	7	.	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	4	.
Do. 2 do. .	10,701	5	24·4	.	5	2	1	.	1	1	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	2	.
Do. 3 do. .	9,978	6	15·7	.	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.
Do. 4 do. .	8,666	2	18·1	.	3	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 do. .	6,592	5	31·6	.	4	1	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do. .	10,702	9	9·7	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Do. 7 do. .	16,616	8	40·8	.	13	.	2	.	3	1	7	.	.	.	.	.	.	.	.	.	.	.	1	1	3	.	.	4	1
Total, ...	76,122	38	26·7	.	39	5	4	1	7	5	17	.	.	.	.	.	.	.	.	.	3	3	1	3	5	.	.	11	1

TABLE IX.—**City of Belfast.**—Comparative Tables of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1909-10—Week ending																								
	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.
No. of weeks in annual Series, ..	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
BIRTHS registered, ...	189	190	181	170	215	278	192	180	216	214	213	196	202	239	201	240	208	207	254	247	224	265	235	214	169	264
DEATHS registered, ...	147	218	177	144	192	148	170	125	151	165	172	156	140	165	162	163	125	138	168	187	160	173	167	170	177	176
Annual Death rate per 1,000 of estimated Population, ...	19·8	29·4	23·9	19·4	25·9	19·7	22·7	16·7	20·1	22·0	22·9	20·8	18·7	22·0	21·6	21·7	16·7	18·4	22·4	24·9	21·3	23·1	22·3	22·7	23·6	23·5
AGES — Under 1 year, ...	44	62	41	33	48	36	48	25	33	28	37	31	23	33	31	29	27	27	34	38	36	33	31	29	30	37
AGES — 1-5 years, ...	14	21	18	22	25	23	21	20	21	28	21	20	21	21	16	27	15	21	33	34	27	20	36	35	47	43
AGES — 5-20 years, ...	10	18	13	10	12	8	9	9	14	2	8	13	12	11	14	16	7	18	19	15	14	21	12	15	15	15
AGES — 20-40 years, ...	20	31	22	23	28	17	24	17	22	30	18	26	19	29	26	18	19	16	21	33	14	24	25	30	28	26
AGES — 40-60 years, ...	23	33	33	20	34	26	28	23	21	30	42	31	36	37	40	35	28	22	27	24	29	41	30	30	29	28
AGES — 60 years and upwards, ..	36	53	50	36	45	38	40	27	40	47	46	35	29	34	35	38	29	34	34	44	40	34	33	31	28	27
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	5	3	6	11	17	8	20	19	28	44	33
Scarlet Fever, ...	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	2	.	2	.	.	.	.	.	.	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	6	15	9	10	13	12	13	13	13	19	15	17	14	11	12	12	10	6	12	5	8	4	4	6	4	5
Diphtheria, ...	1	.	.	.	1	1	.	1	.	.	.	.	1	.	.	.	.	1	1	1	1	1	.	1	.	1
*Pyrexia** (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	1	.	.	.
Enteric Fever, ...	.	1	.	.	.	2	.	.	1	.	.	1	.	.	1	.	.	1	.	.	1	.	.	1	.	.
Diarrhœal Diseases, ...	3	2	1	1	1	2	.	.	.	2	.	2	.	2	2	.	1	1	.	1	3	1	2	.	.	2
Pneumonia, ...	31	25	28	22	34	12	20	9	16	14	16	11	16	12	10	12	8	14	19	16	19	14	15	26	22	21
Tuberculous Disease, Phthisis, ..	11	26	14	17	13	14	14	12	15	16	15	14	20	23	26	18	10	20	24	27	13	22	20	24	29	14
Tuberculous Disease, Other Forms, ..	4	11	4	4	6	4	10	3	10	8	4	8	7	9	7	9	8	9	12	8	7	9	6	4	6	13
Cancer, Malignant Disease, ..	3	7	5	5	3	2	10	5	4	8	7	6	5	3	5	9	10	4	8	10	2	6	8	8	7	3
Diseases of Respiratory System,	41	53	37	39	41	28	31	21	29	28	40	19	21	24	22	24	16	16	21	23	30	15	21	14	17	14
Violent Deaths, ...	5	5	6	4	3	3	8	5	7	2	2	5	3	10	9	5	3	.	4	.	2	4	3	4	1	1
Number of Uncertified Deaths, ..	3	3	2	3	1	2	1	6	3	2	1	5	2	2	1	1	1	2	1	1	1	3	1	2	1	.

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	May 28,	2,697	1,107*c*	11·8	.	50	3	2	36	2*a*	15
EDINBURGH, ...	360,276	„ 28,	142	74	10·7	.	2	1	.	.	.	.
GLASGOW, ...	884,505	„ 28,	479	250	14·7	.	9	2	2	4	1*a*	7
CALCUTTA, ...	1,009,008	April 23,	.	467	24·0	.	8	.	1	.	120‡	91*
BOMBAY, ...	977,822	„ 26,	349	831	44·2	48	3	.	.	.	247‡	54*
MADRAS, ...	509,346	„ 8,	343	338	34·5	3	4	?	?	?	92	65
CAIRO, ...	677,663	„ 8,	639	490	37·7	.	13	.	5†	?	3*a*	71*b*
PARIS, ...	2,760,000	„ 23,	953	1,098	20·8	.	27	2	11†	10	5*a*	18*b*
BRUSSELS, ...	720,030	May 7,	225	226	16·3	.	5	1	1†	4	.	14
ANTWERP, ...	317,171	„ 7,	123	91	15·0	.	8	.	.	1	.	7*b*
AMSTERDAM, ...	569,948	„ 7,	285	138	12·6	.	3	.	1†	2	.	4*b*
COPENHAGEN, ...	450,000	„ 7,	209	129	14·9	.	.	4	.	.	.	2
STOCKHOLM, ...	341,816	„ 7,	166	121	18·4	.	3	7	4†	.	1*a*	1
CHRISTIANIA, ...	235,674	„ 14,	139	54	11·9	.	.	.	.	.	.	2
ST. PETERSBURG, ...	1,620,000	April 23,	807	863	27·8	3	81	16	7	9	13*a*	70
MOSCOW, ...	1,493,600	„ 16,	.	714	24·9	8	21	10	20†	8	8	64
BERLIN, ...	2,115,912	„ 23,	774	610	15·0	.	5	7	13†	3	.	30
HAMBURG, ...	895,804	May 7,	.	239	13·9	.	5	.	10†	2	1	11
BRESLAU, ...	508,897	„ 7,	.	185	19·0	.	.	1	1†	1	1	19
MUNICH, ...	576,000	„ 14,	.	193	17·4	.	1	.	1†	1	.	20
VIENNA (with suburbs),	2,107,981	„ 7,	876	808	19·9	.	41	3	6†	12	3*a*	46*b*
BUDA-PESTH, ...	833,703	„ 7,	405	364	22·7	.	8	6	4†	7	3	15*b*
PRAGUE and Faubourgs.	497,905	April 23,	208	200	22·9	.	2	.	.	2	.	10*b*
TRIESTE, ...	221,124	„ 30,	127	93	21·9	.	.	.	1†	2	.	2*b*
ROME, ...	587,096	„ 9,	297	237	21·0	.	29	2	4	1	3	7
VENICE, ...	183,224	„ 9,	87	72	20·5	.	4	.	.	.	.	8
NEW YORK, .	4,711,956	„ 30,	2,159	1,527	16·9	.	27	39	55†	5	1*a*	68
PHILADELPHIA, ..	1,598,400	„ 2,	.	.	.	.	.	.	.	.	.	.
BOSTON, ...	629,868	May 7,	.	235	19·5	.	4	5	6	.	1	7

* Including 61 deaths from cholera in Calcutta, and one in Bombay.
† Including deaths from croup.
‡ Including 56 deaths from plague in Calcutta and 203 in Bombay.
a Enteric Fever.
b Deaths from diarrhœal diseases and from enteritis of children under two years of age.
c Including 2 deaths from cerebro-spinal fever.

ABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 28th May, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	.	.	.	.	.	.	1	3	.	.	3	7
" " 1, West,	.	2	.	.	.	.	.	.	2	.	.	3	7
" " 2,	.	1	.	.	.	.	.	.	1	.	.	2	4
" " 3,	.	6	.	.	.	.	.	2	3	.	.	3	14
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	1	.	.	1	2	.	.	.	4
Finglas and Glasnevin (part of),	.	1	.	.	1	.	.	.	.	.	.	.	2
South City No. 1,	.	1	.	.	.	.	.	.	6	.	.	9	16
" " 2,	.	.	.	.	1	.	.	.	.	.	.	1	2
" " 3,	.	2	.	.	2	.	.	.	.	.	.	1	5
" " 4,	.	.	.	.	1	.	.	.	2	.	.	1	4
New Kilmainham,	.	.	.	.	.	.	.	.	1	.	.	.	1
Total,	.	13	.	.	6	.	.	4	20	.	.	23	66

ABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 28th May, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 28th May.			
	May 7.	May 14.	May 21.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	4	7	10	1	7	.	4
Scarlet Fever,	62	70	84	12	12	.	84*
Typhus,	4	3	1	.	1	.	.
Diphtheria,	31	32	46	9	11	.	44
Enteric Fever,	24	28	31	5	3	1	32
Pneumonia,	37	42	48	11	9	.	50

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week nded 28th May, 1910:—

"Favourable weather held throughout the week. Until Friday anticyclonic conditions prevailed, but on that lay an area of low atmospheric pressure spread eastwards and southwards, throwing the weather in Ireland and cotland and afterwards in England into an unsettled showery state. Temperature, however, remained tolerably igh to the close of the period. Sunday was brilliant and summerlike in England and Ireland, cloudy and cool in Scotland. In St. James's Park, London, the thermometer rose to 76° in the shade, at Manchester to 75°, at Oxford to 4°, in Dublin to 69°. In this City the wind and the lower clouds came from N.N.W., while the upper clouds travelled rom S.S.E. Similar conditions as to superimposed air-currents were observed on Monday, when the screened hermometers rose to 75° at Bath and Oxford, 76° at Southsea and 77° at Bournemouth. In Dublin the maximum was 7°. A reshening of the northerly winds of the anticyclonic system now brought lower temperatures, so that with louded kies the thermometer in London rose no higher than 57° on Wednesday. Dublin at this time enjoyed sunny if cool weather—the maximum on Wednesday was 59·9°, the minimum during the succeeding night being 46·0° in the screen, 42·7° on the ground. Clouds increased on Thursday, slight rain falling after 4.40 p.m. But it was not until 7.30 p.m. of Friday that rain fell in Dublin in any quantity. Saturday was overcast and dull, with frequent showers, the wind freshening and blowing in squalls at times. On this day the temperature range was only from 54·7° to 58·8°. In Dublin the mean height of the barometer was 30·191 inches, the range of pressure being from 30·359 inches at 9 a.m. of Wednesday (wind, N.N.E.) to 29·876 inches at 9 p.m. of Saturday (wind, W.). The corrected mean temperature was 57·4°, the mean dry bulb readings at 9 a.m. and 9 p.m. being 57·3°. The prevailing winds were N.N.E. and W. Rain fell on 2 days to the amount of ·112 inch, ·078 inch being recorded on Saturday. Halley's comet was seen on each of the first four nights of the week."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·023 inches. The highest reading (30·181) was on Wednesday at 9 a.m., wind N.E., and the lowest (29·702) on Saturday at 9 p.m., wind W.S.W. The mean temperature for the week was 55·1°, being 4·6° above the average for the corresponding period of the 10 years, 1900–1909. The temperature was highest on Sunday, on which day the thermometer registered 68·3°, and was lowest on Thursday, the mercury having fallen to 36·9°. The mean of the Dry Bulb for the week was 55·5° and of the Wet Bulb 52·8°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The rainfall during the week measured 0·135 inch.

At Greenwich the mean temperature for the week was 57·8°, the maximum 78·0°, and the minimum 45·6°; at Glasgow the maximum was 71·0°, the minimum 44·7°, and the mean 56·3°; and at Edinburgh the maximum was 65·2°, the minimum 41·8°, and the mean 52·2°. The rainfall at Greenwich measured 0·08 in., at Glasgow 0·09 in., and at Edinburgh 0·02 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. Month and Day	Barometer.	Thermometer.			Hygrometer.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) In		
Sunday, May 22,	30·008	68·3	51·4	59·9	58·1	54·1	·76	·5	7·6	·000	W.	Calm.
Monday, „ 23,	30·055	66·1	45·9	56·0	55·0	52·4	·83	·5	14·0	·000	N.W.	Calm.
Tuesday, „ 24,	30·131	61·5	43·9	52·7	52·4	51·1	·88	·4	9·7	·000	N.E.	Calm.
Wednesday, „ 25,	30·168	59·8	43·6	51·7	51·0	48·2	·82	·4	13·5	·000	N.E.	Calm.
Thursday, „ 26,	30·121	64·2	36·9	50·6	60·6	56·0	·75	·5	6·7	·000	W.	Calm.
Friday, „ 27,	29·934	65·7	52·9	59·3	56·3	54·4	·88	·5	2·0	·050	W.N.W.	Calm.
Saturday, „ 28,	29·711	58·1	53·3	55·7	54·9	53·4	·90	·5	0·0	·085	W.S.W.	W.S.W.
Mean, . . .	30·023	63·4	46·8	55·1	55·5	52·8	·83	·5	Total 53·5	Total ·135	——	

Sunday—Day overcast to cloudy, fine; night clear. *Monday*—Bright a.m., cloudy p.m. fine; night cloudy. *Tuesday*—Day bright to cloudy, fine; night clear. *Wednesday*—Beautiful bright day; night clear. *Thursday*—Bright a.m., overcast p.m.; night overcast. *Friday*—Overcast a.m.; cloudy, rain p.m.; night overcast. *Saturday*—Day overcast, passing showers; night overcast.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, May 28th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperatures in Shade, read at 9 p.m.			Sunshine Campbell-Stokes Recorder; read at 9 p.m.	Rainfall read at 9 a.m.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
	°	°	°	°	°	°	hrs	ins.
Sunday, May 22,	60·5	55·0	50·0	70·1	53·1	61·6	6·6	—
Monday, „ 23,	60·0	55·9	50·1	68·4	49·2	58·8	12·6	—
Tuesday, „ 24,	57·2	56·9	50·6	62·0	51·9	57·0	9·5	—
Wednesday, „ 25,	56·1	56·7	51·0	58·1	48·0	53·1	13·0	—
Thursday, „ 26	63·9	56·8	51·5	66·0	46·2	56·1	7·0	—
Friday, „ 27,	58·4	52·1	51·6	65·4	54·4	59·9	1·7	·066
Saturday, „ 28,	57·5	57·0	52·0	59·2	54·2	56·7	—	·066
Weekly Mean,	59·1	55·8	51·0	64·2	51·0	57·6	Total 50·4	Total ·132

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

28846. Wt. P. 1—80/137, 375. 4. 1910. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 4TH JUNE, 1910. [No. 22.

General Register Office, Charlemont House, Dublin, 6th June, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending				Average Rate for 4 weeks.	TOWNS, &c.	Week ending				Average Rate for 4 weeks.
	May 14.	May 21.	May 28.	June 4.			May 14.	May 21.	May 28.	June 4.	
22 Town Districts.	**21·3**	**19·5**	**21·1**	**18·0**	**20·0**	Limerick, . . .	13·7	10·9	24·6	17·8	16·8
						Lisburn, . . .	9·1	18·2	13·6	4·5	11·4
Armagh, . . .	13·7	.	.	20·6	8·6	Londonderry, . .	19·2	15·6	24·0	13·2	18·0
Ballymena, . . .	4·8	9·6	14·4	9·6	9·6	Lurgan, . . .	44·3	8·9	4·4	4·4	15·5
Belfast, ...	22·7	23·6	23·5	22·1	23·0	Newry, . . .	21·0	21·0	8·4	16·8	16·8
Clonmel, . . .	51·3	20·5	25·6	20·5	29·5	Newtownards, .	22·9	22·9	11·4	5·7	15·7
Cork, ...	18·5	22·6	26·7	16·4	21·0	Portadown, . .	36·2	15·5	25·8	10·3	21·9
Drogheda, . . .	4·1	12·3	12·3	20·4	12·3	Queenstown, . .	39·6	6·6	13·2	26·4	21·4
Dublin Reg. Area, .	22·0	15·9	19·5	15·7	18·3	Sligo, ...	9·6	24·0	4·8	4·8	10·8
Dundalk, . .	8·0	19·9	35·9	12·0	19·0	Tralee, . . .	26·4	37·0	21·1	5·3	22·4
Galway, ...	11·7	38·8	11·7	19·4	20·4	Waterford, . . .	11·7	17·5	21·4	31·2	20·4
Kilkenny, . . .	39·3	24·6	29·5	39·3	33·2	Wexford, . .	18·7	37·4	14·0	4·7	18·7

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 2·6 per 1,000, the rates varying from 0·0 in sixteen of the districts to 6·5 in Belfast, the 166 deaths from all causes for that district including 38 from measles, one from scarlet fever, 7 from whooping-cough, and 3 from diarrhœal diseases. Among the 11 deaths from all causes for Londonderry is one from measles. Of the 2 deaths from all causes for Portadown one is from whooping-cough, and the only death recorded for Newtownards is one from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 253—119 boys and 134 girls—and the deaths to 135—78 males and 57 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 14) of persons admitted into public institutions from localities outside the Area, represent an annual rate of 15·7 per 1,000 of the population, the rate for the total deaths registered in the Area being 17·5 per 1,000. During

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*). Table II. ‡ See columns 10–18 of Table II.

the twenty-two weeks, ending with Saturday last, the death-rate averaged 23·7, and was 3 below the mean rate for the corresponding portions of the ten years, 1900–9.

Of the deaths registered, 2 were from scarlet fever, 2 from whooping-cough, and one fro *diarrhœa* of an infant under one year of age; there were also registered, at this age, 2 deatl of infants from enteritis and one from *gastro-enteritis*. In the three preceding weeks, deatl from scarlet fever were one, one, and 0; deaths from whooping-cough were also one, one, an 0; and deaths from diarrhœal diseases were one, 5, and 2, respectively.

There were 2 deaths from lobar pneumonia, 2 from broncho-pneumonia, and 4 fro *pneumonia* (not defined).

Tuberculous diseases caused 32 deaths, including 17 from tuberculous phthisis (*phthisis*), from tuberculous meningitis, one from tuberculous peritonitis, 2 from *tabes mesenterica*, an 10 from other forms of tuberculous disease. In the three preceding weeks, deaths from a forms of tuberculous diseases numbered 40, 24, and 25, respectively.

Four deaths were caused by carcinoma and 6 deaths by cancer, malignant disease (un defined).

To prematurity the deaths of 6 infants were attributed.

There were 7 deaths from diseases of the brain and nervous system, including one deat of an infant under one month old from *convulsions*.

Diseases of the heart and blood vessels caused 21 deaths, and bronchitis 11 deaths.

The 5 accidental deaths include one death caused by a fall in building operations, an 2 by burns or scalds of children aged one year and 13 months, respectively.

There was one death by suicide.

In 3 instances the cause of death was "uncertified, there having been no medical attendan during the last illness; these cases include the death of one infant under one year of age.

Thirty-one of the persons whose deaths were registered during the week were unde 5 years of age (21 being infants under one year, of whom 12 were under one month old) an 38 were aged 60 years and upwards, including 21 persons aged 70 and upwards, of whon 3 were octogenarians, and 2 (males) were stated to have been aged 90 and 95 years respectively.

Seventy-nine of the deaths registered during the week occurred in hospitals and othe public institutions; of this number 13 took place in the North Dublin Union Workhouse 18 in the South Dublin Union Workhouse, and 4 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 15·7 per 1,000; the rate in the City was 15·6 (North City Districts, 16·1; South, 15·2) and in the Suburbs, 15·8.

The deaths from certain epidemic diseases* in the entire area equal an annual rate of 0·6 per 1,000 inhabitants, the rate for the City being 0·8 (0·7 in the North City Districts, and 1·0 in the South), and for the Suburbs, 0·0.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (6) are equal to an annual rate of 10·5 per 1,000. There were 2 deaths from tuberculous phthisis (*phthisis*) and one from *pneumonia* (not defined).

No. 1 *North City District, West* (Summer-hill).—The deaths (10) are equal to an annual rate of 13·0 per 1,000, and include one death from whooping-cough, 2 deaths from tuberculous disease, 2 deaths from bronchitis, and one death caused by burns.

No. 2 *North City District* (Lisburn-street).—The deaths (10) are equivalent to an annual rate of 17·0 per 1,000. Two deaths from tuberculous disease, 2 from diseases of the respiratory system, one accidental death, and one death by suicide were recorded.

No. 3 *North City District* (Benburb-street).—The deaths (15) represent an annual rate of 23·3 per 1,000. Among them are one death from whooping-cough, one death from *pneumonia* (not defined), 5 deaths from tuberculous disease, and one from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants; Coolock and Drumcondra, part of, 9·0; and Finglas and Glasnevin, part of, 33·9. Of the 5 deaths from all causes for the last-named district one death was caused by tuberculous phthisis and one by bronchitis.

No. 1 *South City District* (South Earl-street).—The deaths (14) represent an annual rate of 17·6 per 1,000. Scarlet fever and *diarrhœa* each caused one death, tuberculous disease caused 5 deaths, and bronchitis one death.

No. 2 *South City District* (Castle-street).—The deaths (6) are equal to an annual rate of 14·4 per 1,000. One of the deaths was caused by tuberculous disease.

No. 3 *South City District* (Peter-street).—The deaths (17) are equal to an annual rate of 20·5 per 1,000, and include one death from scarlet fever, one death each from broncho-pneumonia and *pneumonia* (not defined), 2 deaths from tuberculous disease, one death from bronchitis and one accidental death.

No. 4 *South City District* (Grand Canal-street).—The deaths (7) are equivalent to an annual rate of 10·2 per 1,000. There were 2 deaths from tuberculous disease, one death from broncho-pneumonia, and 2 deaths from bronchitis.

New Kilmainham District.—There was no death recorded for this district during last week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 18·3; Pembroke, 10·8; Blackrock, 11·6; and Kingstown, 20·7. There was no death from any of the principal epidemic diseases tabulated for these districts. Among the 13 deaths from all causes for Rathmines and Rathgar are 3 deaths from *phthisis*, one death from bronchitis, and one from accidental scalds; the 6 deaths from all causes for Pembroke include one death from tuberculous phthisis and one accidental death; of the 2 deaths recorded for Blackrock one was caused by tuberculous disease and one by bronchitis; and of the 7 deaths from all causes for Kingstown there was one death each from *pneumonia* (not defined) and *phthisis*.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 89," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly rnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, xecutive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for embroke Urban District: Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by Dr. R. A. Donovan, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical perintendent Officer of Health for the City of Belfast.

ABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 4th June, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	May 14,	.	—	—	8	.	.	4	.	2	2	12	.	—	—	.	—	24	—	52
	May 21,	.	—	—	17	.	.	8	.	1	9	8	.	—	—	.	—	22	—	65
	May 28,	.	—	—	13	.	.	6	.	.	4	20	.	—	—	.	—	23	—	66
	June 4,	.	—	—	8	.	.	13	.	.	.	12	.	—	—	.	—	38	—	71
Rathmines and Rathgar Urban District.	May 14,	.	—	—	3	.	.	1	.	.	.	1	.	—	—	—	—	—	—	5
	May 21,	.	—	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	—	3
	May 28,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	—	2
	June 4,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
Pembroke Urban District.	May 14,	.	1	.	1	.	.	.	.	.	.	.	.	—	3	.	—	—	—	5
	May 21,	.	.	.	.	.	.	1	.	.	.	.	.	—	1	.	—	—	—	2
	May 28,	.	.	1	1	.	.	4	.	.	.	.	.	—	.	.	—	—	—	6
	June 4,	.	.	.	1	.	.	1	.	.	1	1	.	—	.	.	—	—	—	4
Blackrock Urban District.	May 14,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	May 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	May 28,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	June 4,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	.	—	—	—	2
Kingstown Urban District.	May 14,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	May 21,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	May 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	June 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	May 14,	.	—	—	8	.	.	9	1	.	1	8	1	—	—	—	—	17	—	45
	May 21,	.	—	—	8	.	.	2	.	.	2	4	.	—	—	—	—	13	—	29
	May 28,	.	—	—	14	.	.	5	1	.	1	6	.	—	—	—	—	31	—	58
	June 4,	.	—	—	8	.	.	5	.	.	1	9	1	—	—	—	—	46	—	70

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 4th June, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

One case of measles was discharged, from hospital during the week, and 3 cases remained under treatment at its close.

Ten cases of scarlet fever were admitted to hospital, 16 were discharged, there were 2 deaths, and 76* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 70, 84, and 84, respectively.

Fourteen cases of diphtheria were admitted to hospital, 5 were discharged, and 53 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 32, 46, and 44, respectively.

Three cases of enteric fever were admitted to hospital during the week, 7 were discharged, and 28 cases remained under treatment in hospital at the close of the week.

In addition to the above named diseases, 14 cases of pneumonia were admitted to hospital, 10 were discharged, there was one death, and 43 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 11·6) was equal to an average annual death-rate of 11·8 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 14·3 per 1,000, the rate for Glasgow being 15·3 and for Edinburgh 11·4.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 4th June. From his Report it appears that of a total of 41 cases notified, 16 were scarlet fever, 9 phthisis, 9 erysipelas, and 7 diphtheria. Among the 292 cases of infectious diseases in hospital at the close of the week were 133 cases of scarlet fever, 57 of phthisis, 28 of measles, 28 of diphtheria, 18 of whooping-cough, 16 of chicken-pox, 7 of erysipelas, and 2 of enteric fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 4th June, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 4TH JUNE, 1910.																							METEOROLOGY.(d)											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 4TH JUNE, 1910.				WEEK ENDING 28TH MAY, 1910.				WEEK ENDING 21ST MAY, 1910.			
	POPULATION.		DEATHS.			BIRTHS.	DEATHS.																			Air Temperature				Air Temperature				Air Temperature			
	Total.(a)	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10–18.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease: Phthisis.	Tubercular Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(34)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·8	31·9	18·0	2·6	704	397	77	91	.	39	3	.	11	.	.	.	5	30	55	22	18	45	15	18	136	14	.	.	.	.	.	.	.	.	.	.	.	.
DUBLIN REGISTRATION AREA:—TOTAL, c.	402,998	29·3	32·7	15·7	0·6	253	121	20	86	.	.	2	.	2	.	.	.	1	6	17	11	9	12	6	6	65	8	c59·8	37·7	50·6	0·69	c68·3	36·9	55·1	0·14	c64·0	38·4	51·4	1·26
CITY of DUBLIN.	310,298	39·2	36·1	15·6	0·8	215	93	15	28	.	.	2	.	2	.	.	.	1	5	12	10	4	10	4	5	52	2	/61·9 g59·8	42·9 39·0	52·1 51·3	0·88 0·67	/69·2 g69·9	46·0 40·0	57·4 56·3	0·11 0·09	/65·1 g68·8	45·2 40·0	53·8 52·3	1·27 1·31
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	25·8	18·3	.	18	13	1	4	.	.	.	.	.	.	.	.	.	.	3	.	2	1	1	.	6	1	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	16·2	10·8	.	9	6	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,013	8·3	23·1	11·6	.	4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	20·7	20·7	.	7	7	3	3	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	4	.	61·0	43·0	53·0	0·72	68·0	44·0	57·5	0·04	63·0	45·0	52·6	0·92
URBAN DISTRICTS.																																							
BELFAST,	391,167	26·6	28·7	22·1	6·5	215	166	37	17	.	38	1	.	7	.	.	.	3	18	21	8	4	18	5	8	25	3	62·0	39·5	51·7	0·69	65·5	45·0	56·6	0·03	63·5	42·0	53·0	0·85
CORK,	76,122	33·6	27·4	16·4	.	40	24	3	11	.	.	.	.	.	.	.	.	.	1	5	1	.	3	1	1	15	1	62	42	52·6	1·04	69	43	56·8	0·02	70	45	55·0	0·19
LONDONDERRY,	43,477	20·1	33·6	18·2	1·2	28	11	3	3	.	1	.	.	.	.	.	.	.	1	1	2	.	3	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,161	18·1	36·0	17·8	.	41	18	3	4	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.	7	2	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD,	26,769	18·7	19·5	31·2	1·9	10	16	2	3	.	.	.	.	.	.	.	.	1	1	4	.	.	3	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	2·5	11·7	19·4	.	3	5	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4	.	64	40	52	0·64	74	47	58	0·05	72	47	56	0·35
DUNDALK	18,076	9·4	55·8	12·0	.	14	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	8·2	20·4	.	2	5	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,405	17·8	37·8	16·8	.	4	4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LURGAN,	11,782	13·8	26·6	4·4	.	6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1	1	63·0	41·0	51·2	0·57	68·9	43·1	57·1	0·06	69·0	40·0	54·2	0·48
LISBURN,	11,461	10·1	59·1	4·5	.	13	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	62·0	41·0	51·2	0·57	68·9	43·1	57·1	0·06	69·0	40·0	54·2	0·48
WEXFORD,	11,168	23·2	32·7	4·7	.	7	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	62·0	41·0	51·2	0·57	68·9	43·1	57·1	0·06	69·0	40·0	54·2	0·48
BALLYMENA,	10,886	8·9	28·7	9·6	.	6	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,870	3·7	33·6	4·8	.	7	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
KILKENNY,	10,609	11·5	9·3	39·8	.	20	1	1	4	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	1	7	1	58·8	35·8	49·5	0·75	69·0	34·4	54·6	0·25	69·2	41·3	55·1	1·10
CLONMEL,	10,167	7·8	20·5	20·5	.	4	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	61	38	52·0	1·12	73	42	59·1	0·03	72	40	56·6	0·76
PORTADOWN,	10,092	18·2	31·0	10·3	5·2	6	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TRALEE,	9,867	16·6	21·1	5·8	.	4	1	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	1	.	62·0	41·0	51·2	0·57	68·9	43·1	57·1	0·06	69·0	40·0	54·2	0·48
NEWTOWNARDS,	9,110	18·9	28·6	5·7	5·7	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
QUEENSTOWN,	7,908	14·4	19·8	26·4	.	8	4	.	1	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	1	.	59	40	49·6	0·52	61	46	53·1	0·20	62	45	51·8	0·53
ARMAGH,	7,588	22·2	55·0	20·6	.	8	3	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	62	42	52·6	1·04	69	43	56·8	0·02	70	45	55·0	0·19
																											62·0	41·0	51·2	0·57	68·9	43·1	57·1	0·06	69·0	40·0	54·2	0·48

(*a*) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (*b*) Formerly described as "Simple Continued Fever." (*c*) Exclusive of 14 deaths of persons (including one under one year old and 2 at 60 years or upwards), admitted to hospital from localities outside the Area. (*d*) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Monaghan for Clonmel, those at Tralee for Queenstown, those at Dundalk for Drogheda, those at Galway for Wexford, those at Limerick for Waterford, those at Sligo for Ballymena, those at Kilkenny for Tralee, those at Dublin for Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown.

BLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 4th June, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	.	.	.	1	.	.	.	.	.	2	1	.	.	.	.	1	6	2
Pneumonia,	1	.	.	4	.	.	1	2	.	1	.	.	3	1	.	1	17	.
Tuberculous Phthisis,	2	1	1	1	.	.	.	3	1	1	2	.	.	.	1	.	11	4
Disease. Other Forms,	.	1	1	.	.	.	.	1	.	1	1	.	2	1	.	2	9	1
Cancer, Malignant Disease,	.	.	1	.	1	1	1	1	1	.	.	.	.	1	.	3	9	2
Other General Diseases,	.	.	.	.														
Total,	3	3	3	7	1	1	2	9	2	6	4	.	5	3	1	7	57	9
LOCAL DISEASES:																		
Nervous System,	1	.	1	3	.	.	.	.	.	.	.	.	.	1	.	.	6	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Heart and Blood Vessels,	.	2	.	2	.	.	.	2	2	6	1	.	5	1	.	.	21	.
Respiratory System,	.	2	2	1	.	.	1	1	.	1	2	.	1	.	1	.	12	1
Digestive System,	1	1	.	.	.	1	1	1	.	1	.	.	1	.	.	.	7	1
Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	1	2	2	.	.	.	.	.	1	.	.	.	.	.	.	6	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
cidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
seases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Total,	2	6	5	8	.	1	2	4	3	9	3	.	7	2	1	.	53	5
OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CAUSES ILL-DEFINED AND NOT SPECIFIED,	1	.	.	.	.	.	1	1	1	1	.	.	.	.	.	.	5	.
VIOLENT DEATHS,	.	1	2	.	.	.	.	.	.	1	.	.	1	1	.	.	6	.
eaths from all Causes	6	10	10	15	1	2	5	14	6	17	7	.	13	6	2	7	121	14
nnual Rate of Mortality rom all causes in every 1,000 f the population.	10·5	13·0	17·0	23·3	9·7	9·0	33·9	17·6	14·4	20·5	10·2	.	18·3	10·8	11·6	20·7	15·7	.
	16·1							15·2					15·8					
	15·6																	
Death. Under 1 year,	1	.	1	1	.	.	3	5	2	2	.	.	1	1	.	3	20	1
1 and under 5 years,	.	2	.	1	.	1	.	2	.	2	.	.	1	.	.	.	9	1
5 „ 20 „	.	1	.	2	.	.	.	1	.	.	2	.	1	.	1	.	8	5
20 „ 40 „	1	3	3	4	.	.	.	3	1	2	1	.	3	1	.	.	22	4
40 „ 60 „	2	2	4	3	1	1	1	1	.	2	1	.	3	3	1	1	26	1
60 years and upwards,	2	2	2	4	.	.	1	2	3	9	3	.	4	1	.	3	36	2
umber of Uncertified Deaths,	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	3	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.																		
ublic Hospitals, Prisons, and Lunatic Asylums,	.	3	4	3	.	1	1	3	.	6	2	.	6	3	.	.	32	12
Workhouse Hospitals,	2	2	2	6	.	.	.	7	4	4	2	.	.	.	.	4	33	2

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in the week of the ten years 1900–1909

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Averages in 22nd Week of the 10 years, 1900–1909.	In the Week ending Saturday, 4th June, 1910. Deaths of Persons of the Ages of							
	June 2, 1900.	June 1, 1901.	May 31, 1902.	June 6, 1903.	June 4, 1904.	June 3, 1905.	June 2, 1906.	June 1, 1907.	May 29, 1908.	June 5, 1909.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 52·3	° 54·8	° 50·0	° 53·3	° 56·2	° 56·4	° 55·7	° 52·9	° 54·2	° 53·2	° 53·9	° 50·6								
ALL CAUSES.	157	164	165	177	150	145	154	181	126	147	156·6	135	12	9	10	13	26	27	33	5
Small-pox,	.	.	.	3	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	.	2	2	5	3	2	4	2	2	2·2	.	.	.	.	.	.	.	.	.
Scarlet Fever,	1	.	1	.	.	1	.	.	.	1	·4	2	.	.	2	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	2	1	2	2	2	3	2	1	3	1·8	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	2	1	1	9	3	3	8	.	4	3·1	2	.	.	1	1	.	.	.	.
Diphtheria,	.	1	2	.	1	.	.	.	2	.	·6	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever,	.	.	.	.	.	.	1	3	1	.	·5	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain)	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	1	1	3	2	.	.	1	.	3	1·2	.	.	.	.	.	.	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.),	1	.								1	1·0									
Diarrhœa, Dysentery,			1	1	.	1	2	.	3	.		1	.	1	.	.	.	.	.	.
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	2	1	.	1	.	2	.	.	1	3	1·0	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia,																				
Puerperal Pyæmia,	.	2	1	.	2	.	1	1	.	.	·8	.	.	.	.	.	.	.	.	.
Puerperal Fever,			1	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Infective Endocarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,			1	2	1	1	.	3	.	1		2	.	.	.	2	.	.	.	.
Pneumonia, Broncho-	6	12	2	7	1	5	3	9	7	7	13·8	2	.	1	.	1	.	.	.	.
Pneumonia, Epidemic						1							.							
Pneumonia, Not defined,			8	10	8	9	7	11	8	8		4	.	.	1	.	1	2	.	
Erysipelas,	1	.	1	2	1	.	.	.	1	.	·6	.	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal)	.	.	.	1	.	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
Pyæmia (not Puerperal),			.	1	.	1	.	.	.	.		.	.	.	.	.	.	.	.	.
Other Infective Processes,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis,	13	33	2	2	7	4	8	8	6	12	20·0	6	.	.	.	2	3	1	.	
"*Phthisis*,"			25	14	16	19	12	6	7	6		11	.	.	.	1	9	1	.	
Tuberculous Meningitis,	5	.	3	4	1	1	3	3	5	1	2·6	2	.	1	1	.	.	.	.	.
Tuberculous Peritonitis,	7	6	.	.	.	.	1	2	1	1	2·5	1	1	.	.	.	.	.	.	.
Tabes Mesenterica,			.	.	1	.	.	2	3	1		2	.	.	.	2	.	.	.	.
Tuberculous Dis. (other),	3	3	4	4	4	7	4	4	5	7	4·5	10	.	1	1	7	1	.	.	.
Scrofula,			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Alcoholism,	2	2	1	.	.	.	1	.	4	.	1·0	1	.	.	.	.	1	.	.	.
Rheumatic Fever,	1	.	.	.	.	.	2	.	.	.	·3	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Carcinoma,			.	3	2	2	4	3	1	4		4	.	.	.	.	1	2	1	.
Sarcoma,	6	5	.	1	.	1	.	.	1	.	6·6	.	.	.	.	.	.	.	.	.
Cancer (undefined)			6	4	4	4	6	3	2	4		6	.	.	.	.	3	3	.	
Diabetes Mellitus,	.	.	1	.	.	.	1	1	.	.	·3	1	.	.	.	.	1	.	.	.
Premature Birth,	1	5	6	6	2	2	3	3	2	.	3·0	6	6	.	.	.	.	.	.	.

* The figures for the year 1900 are for

† Formerly described as

ENTY-SECOND WEEK ending Saturday, 4th June, 1910, with the deaths from each cause in the corresponding
d the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 22nd Week of the 10 years 1900–1909.	In the Week ending Saturday, 4th June, 1910.							
												Deaths of Persons of the Ages of							
	June 2, 1900.	June 1, 1901.	May 31, 1902.	June 6, 1903.	June 4, 1904.	June 3, 1905.	June 2, 1906.	June 1, 1907.	May 29, 1908.	June 6, 1909.		All Ages.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 52·3	° 54·8	° 50·0	° 53·3	° 56·2	° 56·4	° 55·7	° 52·9	° 54·2	° 53·2	° 53·9	° 50·6								
Meningitis (not tuberc.)			2	.	2	3	6	3	2	2		1	.	.	.	1	.	.	.	.
Insanity, G. P. of Insane			1	1	.	1	.	.	1	2		2	.	.	.	.	1	.	.	1
Epilepsy			.	1	3	.	1	1	.	.		1	.	.	.	.	.	1	.	.
Convulsions			11	5	3	4	6	5	1	4		1	1	.	.	.	.	.	.	.
Locomotor Ataxy			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord			.	.	2	3	1	1	.	1		.	.	.	.	.	.	.	.	.
Nervous System (other Dis.)			5	4	2	2	3	3	.	2		2	.	.	.	1	1	.	.	.
	36	28									34·3									
Valv. Dis., Endocarditis			3	3	2	2	3	8	6	5		7	.	.	.	2	1	3	1	
Cerebr. Hæm. Thromb.			.	2	2	1	3	3	1	3		1	.	.	.	.	.	1	.	
Apoplexy, Hemiplegia			2	1	2	2	.	5	4	2		.	.	.	.	.	.	.	.	
Aneurysm			.	1	.	.	1	.	.	1		.	.	.	.	.	.	.	.	
Embolism, Thromb. (not cerebral)			.	.	.		1	.	.	.		.	.	.	.	.	.	.	.	
Heart and Blood Vessels (other Dis.)			16	24	15	11	7	16	11	10		13	.	.	.	1	1	9	2	
Croup (not Spasm. nor Memb.)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	14	15	14	21	14	9	13	22	12	12	14·6	11	.	1	.	.	5	4	1	
Asthma, Emphysema			1	2	.	.	.	1	1	.		2	.	.	.	.	.	2	.	
Pleurisy	3	1	1	.	1	.	1	.	.	.	2·7	.	.	.	.	.	.	.	.	
Respiratory Dis. (other)			5	1	.	4	1	1	.	3		.	.	.	.	.	.	.	.	
Tonsillitis, Quinsy	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.)	.	2	1	1	.	1	.	.	.	.	1·5	3	.	2	.	.	.	1	.	
Gastro-enteritis			.	3	1	1	2	.	2	1		1	.	1	.	.	.	.	.	
Peritonitis (not Puerp.)	.	2	1	.	.	1	1	1	.	1	·7	.	.	.	.	.	.	.	.	
Cirrhosis of Liver	1	.	.	3	.	.	1	.	.	.	1·9	.	.	.	.	.	.	.	.	
Liver Dis. (other)			2	2	3	1	2	2	1	1		1	.	.	.	.	.	1	.	
Digestive Dis. (other)	9	5	2	6	9	3	9	5	2	3	5·3	3	.	.	.	1	1	1	.	
Nephritis, Acute			1	2	.	1	3	.	.	1		1	.	.	.	1	.	.	.	
Bright's Dis., Albuminuria	7	9	2	3	5	5	2	6	3	3	6·3	6	.	.	.	1	4	1	.	
Urinary Sys. (other Dis.)			.	.	1	.	2	2	2	3		.	.	.	.	.	.	.	.	
Generative Organs Dis.	1	.	1	.	.	.	.	1	1	.	·4	.	.	.	.	.	.	.	.	
Childbirth (Accid. of)	1	2	.	1	.	1	.	.	.	1	·6	.	.	.	.	.	.	.	.	
Old Age	9	7	6	2	5	1	1	4	1	4	4·0	2	.	.	.	.	.	2	.	
Other Diseases	20	13	13	10	6	12	13	7	7	10	11·1	8	4	1	2	.	.	1	.	
ACCIDENT.																				
By Railways	.	2	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	
By Vehicles and Horses	.	.	.	.	1	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	1	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	
In Building Operations	1	.	.	.	.	.	.	.	.	.	·1	1	.	.	.	.	1	.	.	
In Conflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
By Burns, Scalds, Explosions	.	1	2	1	1	.	2	.	.	.	·7	2	.	.	2	.	.	.	.	
By Drowning	.	.	1	1	.	3	.	3	.	.	·8	.	.	.	.	.	.	.	.	
By Suffocation in Bed	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	
By Poison or Poisonous Vapours	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	
Other Deaths by Accident	4	1	1	2	.	3	2	1	2	2	1·8	2	.	.	.	1	.	1	.	
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	.	.	.	.	1	.	.	.	1	·2	.	.	.	.	.	.	.	.	
Suicide	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

ne Registration Area as then constituted.
Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1909-10—Week ending																								
	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.
No. of weeks in Annual Series,	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
BIRTHS registered.	174	216	185	282	186	243	197	162	252	220	197	224	206	247	162	242	213	255	217	221	246	230	241	181	242	253
*Average Births in corresponding week of previous 10 years,** ..	197	190	177	175	227	204	206	203	234	212	210	213	214	219	217	211	235	190	207	224	195	270	229	211	202	232
DEATHS registered, ...	177	158	155	205	174	177	181	177	239	217	211	228	208	204	149	185	168	186	183	200	193	186	180	131	160	135
Annual Death-rate per 1,000, ..	23·2	20·7	20·3	26·8	22·5	22·9	23·4	22·9	30·9	28·1	27·3	29·5	26·9	26·4	19·3	23·9	21·7	24·1	23·7	25·9	25·0	17·6	23·3	17·0	20·7	17·5
*Average Deaths in corresponding week of previous 10 years,**	190	187	195	184	217	210	206	201	200	196	207	221	221	214	200	206	211	200	200	197	189	184	178	174	171	157
AGES, Under 5 years, ...	37	51	44	71	49	57	57	55	76	58	67	67	57	58	30	52	44	44	37	49	46	36	38	37	39	31
AGES, 5—20 „	8	10	8	11	12	18	10	13	11	9	9	16	8	12	11	12	18	9	11	15	18	6	16	7	10	13
AGES, 20—40 „	25	19	23	19	30	25	20	31	27	25	19	22	33	23	21	34	18	26	24	33	29	26	34	10	25	26
AGES, 40—60 „	52	27	34	48	36	23	41	36	54	42	38	42	40	34	35	35	32	43	38	35	43	25	32	28	40	27
AGES, 60—80 „	45	39	37	30	37	49	45	37	64	62	66	69	57	65	41	42	45	53	57	59	46	40	50	36	42	38
AGES, 80 years and upwards, ..	10	12	9	6	10	10	8	5	7	21	12	12	18	12	11	10	16	11	16	9	11	8	10	3	4	5
Deaths from—																										
Small-pox, ...	1	1	.	.	2	.	.	1	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	2
Measles, ...	1	1	1	3	.	.	.	1	.	1	2	1	1	.	1	.	.	.	2	.	.	.	.	1	1	.	.
Scarlet Fever, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Typhus, ...	2	2	2	1	3	5	4	1	2	4	1	.	3	2	1	2	1	.	2	5	4	1	1	1	.	.
Whooping-cough, ...	.	2	.	1	1	.	3	.	2	2	.	2	.	1	1	1	.	1	.	2	.	.	.	.	.	.
Diphtheria, ...	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Pyrexia † (origin uncertain), ..	1	.	3	2	.	1	.	2	.	6	.	1	2	.	1	1	4	1	1	.	2	1	3	.	1	1
Enteric Fever, ...	4	1	.	4	2	4	4	2	4	6	2	3	3	4	2	3	.	4	2	2	1	2	1	5	2	1
Diarrhœal Diseases, ...	1	1	6	4	2	3	5	1	4	3	2	2	5	6	7	6	6	8	5	2	3	1	3	2	.	.
Influenza, ...	28	19	20	22	22	14	21	14	20	17	20	22	17	20	12	11	14	17	18	20	17	8	14	13	8	8
Pneumonia, ...	17	15	14	15	24	19	21	28	26	19	19	28	23	26	15	26	14	21	22	31	25	14	31	15	14	17
Tuberculous Phthisis, ..	8	6	4	6	5	6	6	6	17	10	14	18	10	12	10	10	4	10	9	18	12	11	9	9	11	15
Disease, Other Forms, ..	10	8	6	4	8	7	8	11	19	10	8	14	9	13	5	6	14	7	10	11	11	6	10	3	10	10
Cancer, Malignant Disease, ..	29	25	21	37	29	31	29	17	29	38	40	31	27	25	30	26	30	37	28	37	31	21	25	20	29	21
Diseases of Heart and Blood Vessels, ...	23	26	30	41	20	33	29	39	43	25	41	41	39	35	26	36	28	38	39	22	25	17	27	16	18	18
Diseases of Respiratory System,	4	4	2	2	4	4	1	4	5	1	6	6	5	3	1	2	5	5	3	3	4	6	11	2	3	6
Violent Deaths, ...	4	5	7	10	3	8	18	9	13	3	7	2	8	5	5	8	4	9	12	8	6	2	2	6	3	3
Number of Uncertified Deaths, ..	39·1	41·4	38·5	43·9	45·4	42·1	37·6	32·5	38·1	43·7	42·3	39·2	44·0	43·6	39·8	43·4	39·7	41·7	43·0	49·6	43·6	46·1	44·7	51·4	55·1	50·6
Mean Temperature of the Air (Phœnix Park), ...	43·0	41·3	42·1	40·3	41·3	40·0	41·1	41·7	40·0	38·9	38·9	40·1	40·1	41·1	42·9	41·9	42·1	44·2	43·4	45·1	46·6	46·9	43·5	48·6	50·5	53·9
Average Mean Temperature in corresponding week of previous 10 years, ...	1·202	·207	1·188	·840	·128	·986	·240	1·690	·163	·254	1·160	·915	·892	·383	·174	·000	·010	·205	·736	·782	·4·7	·670	·930	1·263	·135	·692
Rainfall in inches, ...	·90	·82	·86	·88	·89	·85	·91	·88	·94	·91	·93	·94	·93	·88	·91	·91	·88	·93	93	·91	·82	·77	·81	·90	·83	·81
Mean Humidity of the Air, complete Saturation 1·0																										

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 4th June, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 4TH JUNE, 1910.																													
			Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES.						CAUSES OF DEATH.																					
					Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Convulsions.	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS, ...	375,350	18·8	135	31	18	26	27	33	5	.	.	2	.	2	.	.	.	1	5	8	17	15	10	1	13	6	60	3
	CLASSES. **Deaths in Families of the—**																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,436	9·0	3	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	3	2	1	2	.	3	.	13	.
II.	MIDDLE CLASS, ...	87,168	14·4	24	4	1	5	7	6	1	.	.	.	.	.	.	.	.	.	1	2	3	2	3	.	1	3	9	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,423	11·3	24	8	1	4	5	5	1	.	.	.	.	1	.	.	.	1	4	2	6	9	.	.	4	3	21	2
IV.	GENERAL SERVICE CLASS, ...	154,279	16·6	49	14	9	11	7	8	.	.	.	.	.	1	.	.	.	.	.	2	6	3	5	1	5	.	14	.
V.	INMATES OF WORKHOUSES, ...	6,024	—	35	5	1	6	7	13	3	.	.	.	.	.	.	.	.	.	.	1	6	3	5	1	5	.	14	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	13·4	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	38·8	5	1	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	9·5	4	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.
	6. Clerks and Commercial Assistants, ..	30,482	15·4	9	2	.	5	1	1	.	.	.	.	.	.	.	.	.	.	.	3	2	.	.	.	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	11·6	6	1	.	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades, ..	29,801	17·5	10	5	.	1	2	2	.	.	.	.	.	1	.	.	.	.	1	1	.	1	1	.	.	3	3	1
	10. Clothing Trades, ...	23,260	4·5	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	11. Food Supply Trades, ...	9,242	5·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	17·2	10	.	1	3	3	3	.	.	.	.	.	.	.	.	.	.	.	.	3	1	2	.	1	.	3	.
	13. Petty Shopkeepers, ...	7,894	6·6	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c	13,425	11·7	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.
	15. Domestic Servants, ...	36,603	7·1	5	.	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	10·9	3	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	22·0	88	11	8	9	5	5	.	.	.	2	.	1	.	.	.	1	4	1	4	8	.	.	2	2	17	2
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	35	5	1	6	7	13	3	.	.	.	.	.	.	.	.	.	.	1	6	3	5	1	5	.	14	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	From Diseases in Cols. 5–13.	TOTAL DEATHS.	NUMBER OF DEATHS FROM Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of).																				
North City, No. 1 (E.)	Apr. 16,	26·2	.	15	.	.	.	.	.	.	.	.	.	1	4	.	.	5	.	1
	,, 23,	24·4	.	14	.	.	.	.	.	.	.	.	.	3	3	.	.	1	.	2
	,, 30,	15·7	.	9	.	.	.	.	.	.	.	.	.	1	3	1	.	.	.	.
(*Office*,	May 7,	12·2	.	7	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
Clarence-st., Nth.	,, 14,	26·2	1·7	15	.	.	.	.	.	.	.	1	.	1	4	.	1	2	.	.
	,, 21,	15·7	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	1
Pop. in 1910	,, 28,	19·2	.	11	.	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.
(Est.) 29,908.	June 4,	1·5	.	6	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.
North City, No. 1 (W.)	Apr. 16,	24·8	1·3	19	.	.	.	.	1	.	.	.	.	5	1	1	1	4	1	.
	,, 23,	32·6	1·3	25	.	.	.	.	1	.	.	.	.	2	6	.	1	3	1	1
	,, 30,	19·5	1·3	15	.	.	.	.	1	.	.	.	.	.	2	.	.	6	.	3
(*Office*,	May 7,	19·6	.	15	.	.	.	.	.	.	.	.	.	1	3	1	.	3	.	1
Summer-hill.)	,, 14,	22·2	.	17	.	.	.	.	.	.	.	.	.	.	3	.	.	5	1	.
	,, 21,	18·3	1·3	14	.	.	.	.	1	.	.	.	.	1	2	2	.	.	.	.
Pop. in 1910	,, 28,	20·9	1·3	16	.	.	.	.	.	.	.	.	1	1	2	.	.	2	.	.
(Est.) 39,974.	June 4,	13·0	1·3	10	.	.	.	.	1	.	.	.	.	.	1	1	.	2	1	.
North City, No. 2.	Apr. 16,	23·7	.	14	.	.	.	.	.	.	.	.	.	1	1	.	1	4	1	.
	,, 23,	42·4	.	25	.	.	.	.	.	.	.	.	.	2	3	1	4	5	.	.
	,, 30,	22·0	.	13	.	.	.	.	.	.	.	.	.	3	2	2	2	1	.	.
(*Office*,	May 7,	18·7	.	11	.	.	.	.	.	.	.	.	.	.	2	.	1	3	.	.
Lisburn-street.)	,, 14,	15·3	1·7	9	.	.	.	.	.	.	.	.	1	1	4	.	.	1	.	.
	,, 21,	18·7	1·7	11	.	.	.	.	.	.	.	.	1	1	1	1	.	4	.	.
Pop. in 1910	,, 28,	22·0	.	13	.	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.
(Est.) 30,744.	June 4,	17·0	.	10	.	.	.	.	.	.	.	.	.	.	1	1	1	2	2	.
North City, No. 3.	Apr. 16,	26·4	6·2	17	.	.	.	2	.	.	.	.	2	2	4	.	1	4	.	.
	,, 23,	26·4	6·2	17	.	.	.	.	2	.	.	.	2	5	.	2	1	.	.	.
	,, 30,	28·0	1·6	18	.	.	.	.	.	.	.	1	.	2	1	1	.	3	.	.
(*Office*,	May 7,	18·6	1·6	12	.	.	.	.	1	.	.	.	.	1	.	.	.	4	1	.
Benburb-street.)	,, 14,	20·2	.	13	.	.	.	.	.	.	.	.	.	.	2	1	1	2	.	1
	,, 21,	12·4	1·6	8	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.	1
	,, 28,	28·0	.	18	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.
Pop. in 1910	June 4,	23·8	1·6	15	.	.	.	.	1	.	.	.	.	1	4	1	.	1	.	.
(Est.) 33,559.																				
South City, No. 1.	Apr. 16,	26·4	.	21	.	.	.	.	.	.	.	.	.	2	1	1	1	7	.	2
	,, 23,	32·7	1·3	26	.	.	.	.	.	1	.	.	.	.	7	4	1	2	.	1
	,, 30,	26·4	1·3	21	.	.	.	.	.	.	.	1	.	2	3	1	2	4	.	.
(*Office*,	May 7,	12·6	.	10	.	.	.	.	.	.	.	.	.	2	1	.	1	.	1	.
Sth. Earl-street.)	,, 14,	16·3	.	13	.	.	.	.	.	.	.	.	.	1	1	.	1	3	.	.
	,, 21,	17·6	.	14	.	.	.	.	.	.	.	.	.	2	1	2	.	2	1	.
Pop. in 1910	,, 28,	22·6	1·3	18	.	.	.	.	.	.	.	1	.	.	1	.	2	4	.	.
(Est.) 41,476.	June 4,	17·6	1·5	14	.	.	1	.	.	.	.	.	1	.	2	3	1	1	.	.
South City, No. 2.	Apr. 16,	9·6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
	,, 23,	24·0	.	10	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.	2
	,, 30,	21·6	.	9	.	.	.	.	.	.	.	.	.	1	1	2	.	1	.	.
	May 7,	19·2	2·4	8	.	.	.	.	.	.	.	.	1	.	1	2	.	2	.	.
(*Office*,	,, 14,	9·6	.	4	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.
Castle-street.)	,, 21,	14·4	.	6	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.
Pop. in 1910	,, 28,	16·8	.	7	.	.	.	.	.	.	.	.	.	.	1	2	.	2	.	.
(Est.) 21,754	June 4,	14·4	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
South City, No. 3.	Apr. 16,	29·0	.	24	.	.	.	.	1	1	.	.	.	1	3	3	2	1	.	.
	,, 23,	19·3	2·4	16	.	.	.	.	1	.	.	.	.	1	2	4	1	2	1	.
	,, 30,	24·1	1·2	20	.	.	.	.	1	.	.	.	.	2	3	2	2	5	.	1
(*Office*,	May 7,	16·9	.	14	.	.	.	.	.	.	.	.	.	1	2	1	.	1	.	.
Peter street.)	,, 14,	27·7	1·2	23	.	.	1	.	.	.	.	.	.	2	6	1	1	3	2	1
	,, 21,	27·7	1·2	23	.	.	1	.	.	.	.	.	.	2	3	1	.	5	.	1
Pop. in 1910	,, 28,	24·1	.	20	.	.	.	.	.	.	.	.	.	3	2	4	1	2	.	2
(Est.) 43,227.	June 4,	20·5	1·2	17	.	.	1	.	.	.	.	.	.	2	1	1	1	1	1	1
South City, No. 4.	Apr. 16,	16·0	.	11	.	.	.	.	.	.	.	.	.	.	1	.	.	6	.	1
	,, 23,	18·9	.	13	.	.	.	.	.	.	.	.	.	2	1	1	2	3	.	1
	,, 30,	30·5	1·5	21	.	.	.	.	1	.	.	.	.	2	3	1	.	.	.	.
(*Office*,	May 7,	14·5	.	10	.	.	.	.	.	.	.	.	.	.	2	1	.	1	2	.
Grand Canal-st.)	,, 14,	18·9	.	13	.	.	.	.	.	.	.	.	.	2	2	.	.	6	1	.
	,, 21,	23·3	1·5	16	.	.	.	.	.	.	.	.	1	.	3	2	1	1	.	1
Pop. in 1910	,, 28,	18·1	1·5	9	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.
(Est.) 35,881.	June 4,	10·2	.	7	.	.	.	.	.	.	.	.	.	1	.	2	1	2	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From Diseases in Cols. 5-18.	Total Deaths.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia* * (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District.	Apr. 16,	12·7	.	9	.	.	.	.	.	.	.	.	.	.	3	.	.	2	.	3
	„ 23,	14·1	.	10	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	„ 30,	29·6	.	21	.	.	.	.	.	.	.	.	.	1	3	1	1	1	1	1
	May 7,	14·1	1·4	10	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	1
	„ 14,	22·5	.	16	.	.	.	.	.	.	.	.	.	2	1	1	1	.	2	.
	„ 21,	12·7	1·	9	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	1
	„ 28,	22·5	.	16	.	.	.	.	.	.	.	.	.	2	1	.	2	1	.	.
Pop. in 1910 (Est.) 37,047.	June 4,	18·8	.	13	.	.	.	.	.	.	.	.	.	.	3	.	2	1	1	1
Pembroke Urban District.	Apr. 16,	18·0	1·8	10	.	.	.	.	1	.	.	.	.	.	1	.	1	2	.	1
	„ 23,	18·0	.	10	.	.	.	.	.	.	.	.	.	.	2	1	.	2	.	1
	„ 30,	28·8	1·8	16	.	.	.	.	1	.	.	.	.	1	1	1	1	1	1	.
	May 7,	18·0	.	10	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.
	„ 14,	12·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.	.
Pop. in 1910 (Est.) 28,948.	„ 21,	12·6	.	7	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.
	„ 28,	14·4	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
	June 4,	10·8	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.
Kingstown Urban District.	Apr. 16,	26·6	3·0	9	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.
	„ 23,	26·6	3·0	9	.	.	.	.	.	.	.	.	.	2	2	1	.	.	.	.
	„ 30,	26·6	3·0	9	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	1
	May 7,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.
	„ 14,	41·4	.	14	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.
Pop. in 1910 (Est.) 17,622.	„ 21,	8·9	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
	„ 28,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
	June 4,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.
Belfast. Pop. in 1910 (Est.) 391,167.	Apr. 16,	24·9	3·8	187	.	17	.	.	5	1	1	.	1	16	27	8	10	22	.	1
	„ 23,	21·3	2·9	160	.	8	.	.	8	1	1	1	3	19	18	7	2	30	2	1
	„ 30,	23·1	3·5	173	.	20	.	.	4	1	.	.	1	14	22	9	6	15	4	3
	May 7,	22·3	3·5	167	.	19	.	.	4	.	1	.	2	15	20	6	3	21	3	1
	„ 14,	22·7	4·1	170	.	23	.	.	6	1	.	1	.	26	24	4	8	14	4	2
	„ 21,	23·6	6·4	177	.	44	.	.	4	.	.	.	.	22	29	6	7	17	1	1
	„ 28,	25·5	5·6	176	.	33	1	.	5	1	.	.	2	21	14	13	3	14	1	.
	June 4,	22·1	6·5	166	.	33	1	.	7	.	.	.	3	18	21	8	4	18	5	3
Cork. Pop. (in 1901) 76,122.	Apr. 16,	22·6	.	33	.	.	.	.	.	.	.	.	.	3	9	1	2	2	1	2
	„ 23,	23·3	0·7	34	.	.	.	.	1	.	.	.	.	2	6	1	4	2	.	.
	„ 30,	19·9	.	29	.	.	.	.	.	.	.	.	.	1	3	1	1	3	.	2
	May 7,	25·3	0·7	37	.	.	.	.	.	.	.	1	.	2	8	1	1	3	.	4
	„ 14,	18·5	0·7	27	.	.	.	.	1	.	.	.	.	3	8	2	1	5	.	1
	„ 21,	22·6	1·4	33	.	.	1	.	.	.	.	1	.	.	10	2	4	2	2	2
	„ 28,	26·7	.	39	.	.	.	.	.	.	.	.	.	3	3	1	3	5	.	1
	June 4,	16·4	.	24	.	.	.	.	.	.	.	.	.	1	5	1	.	3	1	1
Londonderry. Pop. in 1910 (Est.) 43,477.	Apr 16,	20·4	.	17	.	.	.	.	.	.	.	.	.	1	2	.	1	3	.	.
	„ 23,	13·2	1·2	11	.	.	.	.	.	.	.	.	1	1	4	1	1	1	.	.
	„ 30,	20·4	.	17	.	.	.	.	.	.	.	.	.	2	3	2	2	3	.	.
	May 7,	18·0	1·2	15	.	1	.	.	.	.	.	.	.	.	2	.	.	7	.	.
	„ 14,	19·2	1·2	16	.	1	.	.	.	.	.	.	.	2	2	1	.	7	.	.
	„ 21,	15·6	.	13	.	.	.	.	.	.	.	.	.	2	1	1	1	1	.	
	„ 28,	24·0	.	20	.	.	.	.	.	.	.	.	.	.	3	1	.	7	.	
	June 4,	13·2	1·2	11	.	1	.	.	.	.	.	.	.	1	1	2	.	3	.	.
Limerick. Pop. (in 1901) 38,151.	Apr 16,	20·5	.	15	.	.	.	.	.	.	.	.	.	.	3	.	.	6	.	1
	„ 23,	19·1	.	14	.	.	.	.	.	.	.	.	.	1	4	.	1	4	.	1
	„ 30,	19·1	.	14	.	.	.	.	.	.	.	.	.	2	1	2	.	2	.	1
	May 7,	12·8	2·7	9	.	.	.	.	2	.	.	.	.	.	5	.	.	.	.	.
	„ 14,	13·7	.	10	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	„ 21,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1	.	4	.	.
	„ 28,	24·6	2·7	18	.	.	.	.	1	1	.	.	.	.	2	.	.	3	.	2
	June 4,	17·8	.	13	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	2
Waterford. Pop. (in 1901) 26,769.	Apr. 16,	33·1	5·8	17	.	.	.	2	.	.	.	.	1	1	2	1	.	1	.	3
	„ 23,	29·2	3·9	15	.	.	.	1	.	1	.	.	.	3	.	3	.	.	.	2
	„ 30,	23·4	1·9	12	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.
	May 7,	29·2	1·9	15	.	.	.	.	.	.	.	1	.	.	.	1	.	5	.	3
	„ 14,	11·7	.	6	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	„ 21,	17·5	.	9	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.
	„ 28,	21·4	.	11	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	4
	June 4,	31·2	1·9	16	.	.	.	.	.	.	.	.	1	1	4	.	.	3	1	1

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 4th June, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from		Total No. of Deaths.	DEATHS																								
						AGES AT DEATH.						DEATHS FROM																		
			All Causes.	Diseases in Cols. 12-20.		Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms	Cancer, Malignant Disease	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,		7			8	1	2	.	1	3	1	.	3	.	.	.	.	.	.	.	.	1	.	.	1	.	2	2	.
Do. 2 do.		26			19	4	7	1	1	4	2	.	7	.	.	.	.	.	.	.	.	2	.	1	2	.	.	3	.
Do. 3 do.		34			28	7	7	3	3	2	1	.	7	1	.	1	.	.	.	2	5	5	.	.	.	2	3	6	.
Do. 4 do.		12			14	1	2	2	2	3	4	.	1	.	.	.	.	.	.	.	1	4	.	.	1	1	1	3	.
Do. 5 do.		10			10	4	3	.	2	.	1	.	4	.	.	.	.	.	.	.	.	1	1	.	.	.	.	4	.
Do. 6 do.		12			18	4	5	4	2	1	2	.	6	.	.	.	.	.	.	1	3	.	1	.	3	.	.	1	.
Do 7 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 8 do.	349,180	1			1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Do. 9 do.		10			8	1	1	1	3	2	.	.	3	.	.	.	.	.	.	.	.	2	1	.	2	.	.	1	.
Do 10 do.		24			14	3	6	2	.	3	.	.	4	.	.	4	.	.	.	.	1	3	.	.	1	.	.	1	1
Do. 11 do.		23			15	4	5	.	.	4	2	.	2	.	.	.	.	.	.	.	1	.	2	1	3	2	2	1	1
Do. 12 do.		33			11	5	2	.	2	.	2	.	.	.	.	.	.	.	.	.	2	1	1	1	4	.	.	2	.
Do. 13 do.		13			6	.	1	.	3	2	.	.	1	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15* do.		10			14	3	4	1	2	2	2	.	.	.	.	2	.	.	.	.	4	1	2	1	.	.	.	1	.
Total, ...	—	215	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		166	37	45	14	26	27	17	.	38	1	.	7	.	.	.	3	18	21	8	4	18	5	8	25	3
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	2	12·2	.	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.
Do. 2 do.	10,701	9	4·9	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 3 do.	9,978	1	10·5	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.
Do. 4 do.	8,666	1	24·1	.	4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	3	.
Do. 5 do.	6,592	4	15·8	.	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 6 do.	10,702	9	29·2	.	6	.	1	1	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	1
Do. 7 do.	16,616	14	18·8	.	6	2	.	.	2	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	5	.
Total, ...	76,122	40	16·4	.	24	3	1	1	6	2	11	.	.	.	.	.	.	.	.	.	1	5	1	.	3	1	1	15	1

TABLE IX.—**City of Belfast.**—Comparative Tables of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1909–10—Week ending																								
	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.
No. of weeks in annual Series, ..	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
BIRTHS registered, ...	190	181	170	215	278	192	180	216	214	213	196	202	289	201	240	208	207	254	247	224	263	235	274	169	264	215
DEATHS registered, ...	218	177	144	192	148	170	125	151	165	172	156	140	165	162	163	125	133	168	187	160	173	167	170	177	176	166
Annual Death rate per 1,000 of estimated Population, ...	29·4	23·9	19·4	25·9	19·7	22·7	16·7	20·1	22·0	22·9	20·8	18·7	22·0	21·6	21·7	16·7	18·4	22·4	24·9	21·3	23·1	22·3	22·7	23·6	23·5	22·1
AGES — Under 1 year, ...	62	41	33	46	36	43	25	33	28	37	31	23	33	31	29	27	27	34	38	36	33	31	29	30	37	37
AGES — 1-5 years, ...	21	18	22	25	23	21	20	21	28	21	20	21	21	16	27	15	21	33	34	27	20	36	35	47	43	45
AGES — 5-20 years, ...	18	18	10	12	8	9	9	14	2	8	18	12	11	14	16	7	18	19	15	14	21	12	15	15	15	14
AGES — 20-40 years, ...	31	22	23	28	17	24	17	22	30	18	26	19	29	26	18	19	16	21	32	14	24	25	30	28	26	26
AGES — 40-60 years, ...	33	33	20	34	26	28	23	21	30	42	31	36	37	40	35	28	22	27	24	29	41	30	30	29	28	27
AGES — 60 years and upwards, ..	53	50	36	45	38	40	27	40	47	46	35	29	34	35	38	29	34	34	44	40	34	33	31	28	27	17
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	1	.	1	1	5	3	6	11	17	8	20	19	23	44	33	38
Scarlet Fever, ...	.	.	.	.	.	.	.	.	.	2	.	1	.	.	2	.	2	.	.	.	.	.	.	.	1	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	15	9	10	18	12	13	13	13	19	15	17	14	11	12	12	10	6	12	5	8	4	4	6	4	5	7
Diphtheria, ...	.	.	.	1	1	.	1	.	.	.	.	1	.	.	.	.	1	1	1	1	1	.	1	.	1	.
*Pyrexia** (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	1	.	.	.	.
Enteric Fever, ...	1	.	.	.	2	.	.	1	.	.	1	.	.	1	.	.	1	.	.	1	.	.	1	.	.	.
Diarrhœal Diseases, ...	2	1	1	1	2	.	.	.	2	.	2	.	2	2	.	1	1	.	1	3	1	2	.	.	2	3
Pneumonia, ...	25	28	22	34	12	20	9	16	14	16	11	16	12	10	12	8	14	19	16	19	14	15	26	22	21	18
Tuberculous Disease, Phthisis, ..	26	14	17	13	14	14	12	15	16	15	14	20	23	26	18	10	20	24	27	13	22	20	24	29	14	21
Tuberculous Disease, Other Forms, ..	11	4	4	6	4	10	3	10	8	4	8	7	9	7	9	8	9	12	8	7	9	6	4	6	13	
Cancer, Malignant Disease, ..	7	5	5	3	2	10	5	4	8	7	6	5	3	5	9	10	4	8	10	2	6	8	8	7	3	4
Diseases of Respiratory System,	53	37	39	41	28	31	21	29	28	40	19	21	24	22	24	16	16	21	23	30	15	21	14	17	14	1
Violent Deaths, ...	5	6	4	3	3	8	5	7	2	2	5	3	10	9	5	3	.	4	.	2	4	3	4	1	1	5
Number of Uncertified Deaths, ..	3	2	3	1	2	1	6	3	2	1	5	2	2	1	1	1	2	1	1	1	3	1	2	1	.	

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	June 4,	2,434	1,087	11·6	.	51	6	5	29	1*a*	21
EDINBURGH, ...	360,276	„ 4,	154	79	11·4	.	2	.	.	.	.	2
GLASGOW,... ...	884,505	„ 4,	460	259*c*	15·3	.	.	2	2	4	1*a*	7
CALCUTTA, ...	1,009,008	April 30,	.	483	24·8	3	4	.	1	.	122‡	97*
BOMBAY, ...	977,822	May 3,	346	876	46·6	38	.	.	.	3	317‡	55*
MADRAS, ...	509,346	April 15,	324	364	37·1	4	8	?	?	?	99	69
CAIRO, ...	677,663	„ 15,	638	459	35·3	1	9	.	3†	?	3*a*	65*b*
PARIS, ...	2,760,000	„ 30,	967	1,002	19·0	.	26	5	10†	8	.	11*b*
BRUSSELS,.. ...	720,030	May 14,	235	196	14·2	.	1	.	1†	1	3	8
ANTWERP,... ...	317,171	„ 14,	107	88	14·5	.	8	2	.	3	.	7*b*
AMSTERDAM, ...	570,149	„ 14,	263	148	13·5	.	.	.	.	2	1	8*b*
COPENHAGEN, ...	450,000	„ 14,	240	130	15·1	.	.	.	.	1	.	9
STOCKHOLM, ...	341,816	„ 14,	158	123	18·7	.	5	2	2†	3	.	1
CHRISTIANIA, ...	235,674	„ 21,	89	54	11·9	.	.	1	1†	1	.	1
ST. PETERSBURG, ...	1,620,000	April 30,	524	863	27·8	9	81	13	12	9	14	66
MOSCOW, ...	1,493,600	„ 23,	.	726	25·3	9	25	17	21†	8	8	54
BERLIN, ...	2,117,081	„ 30,	755	590	14·5	.	14	11	14†	5	1	29
HAMBURG, ...	895,804	May 14,	.	247	14·3	.	6	2	9†	1	1	14
BRESLAU, ...	510,126	„ 14,	.	168	17·2	.	.	.	1†	2	.	12
MUNICH, ...	576,000	„ 21,	.	191	17·2	.	.	.	1†	3	.	21
VIENNA (with suburbs),	2,107,981	„ 14,	832	706	17·5	.	26	3	8†	3	5*a*	37*b*
BUDA-PESTH, ...	833,703	„ 14,	401	300	18·7	.	10	9	4†	3	1	17*b*
PRAGUE and Faubourgs.	497,905	April 30,	204	205	21·4	.	3	.	1†	2	2*a*	6*b*
TRIESTE, ...	221,124	May 7,	139	100	23·6	.	.	.	.	.	.	5*b*
ROME, ...	587,096	April 16,	261	272	24·2	.	36	.	5	.	3	13
VENICE, ...	183,224	„ 16,	67	64	18·2	.	1	.	.	.	.	5
NEW YORK, ...	4,711,956	May 7,	2,565	1,425	15·8	.	24	29	40†	10	8*a*	59
PHILADELPHIA, ..	1,598,400	April 2,	.	538	17·5	.	1	2	9†	6	5*a*	20*b*
BOSTON, ...	629,868	May 14,	.	203	16·8	.	9	6	2	.	.	1

* Including 65 deaths from cholera in Calcutta, and 2 in Bombay.
† Including deaths from croup.
‡ Including 66 deaths from plague in Calcutta and 257 in Bombay.
a Enteric Fever.
b Deaths from diarrhœal diseases and from enteritis of children under two years of age.
c Including one death from cerebro-spinal meningitis.

ABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 4th June, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis.*)	Total.
North City No. 1, East,	.	.	.	.	1	.	.	.	.	.	.	2	3
" " 1, West,	.	.	.	.	1	.	.	.	3	.	.	3	7
" " 2,	.	1	.	.	.	.	.	.	.	.	.	3	4
" " 3,	.	3	.	.	2	.	.	.	1	.	.	1	7
Glontarf and Howth No. 1 (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	1	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	5	.	.	.	7	.	.	13	25
" " 2,	.	1	.	.	.	.	.	.	.	.	.	4	5
" " 3,	.	2	.	.	1	.	.	.	.	.	.	5	8
" " 4,	.	.	.	.	3	.	.	.	.	.	.	6	9
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	1	1
Total,	.	8	.	.	13	.	.	.	12	.	.	38	71

BLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 4th June, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 4th June.			
	May 14.	May 21.	May 28.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	7	10	4	.	1	.	3
Scarlet Fever,	70	84	84	10	16	2	76*
Typhus,	3	1	.	.	.	.	.
Diphtheria,	32	46	44	14	5	.	53
Enteric Fever,	28	31	32	3	7	.	28
Pneumonia,	42	48	50	14	20	1	43

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.Sc., F.R.MET.SOC., reports as follows on the weather during the week ded 4th June, 1910 :—

In vivid contrast to the previous week, with its high barometer, fine weather, and genial warmth, the period w under review was extremely unsettled, showery, and cold for the time of year. In Dublin rain fell daily, and ursday in particular was cold, gloomy, and wet—the range of temperature being only from 48·5° to 52·2°. The tribution of atmospheric pressure was throughout cyclonic. On Sunday morning a large depression with the rometer below 29·4 inches lay between Iceland and Scotland. This system travelled slowly southeastwards, owing gradually deeper until Tuesday morning, when the low reading of 28·95 inches was reported from Sumburgh ad, in the Shetlands. During all this time there were passing showers and squalls from westerly points, ernating with fine, bright intervals. Hail fell at Liverpool on Monday, and thunderstorms occurred in Scotland d the North of England on Tuesday. The northern depression now moved eastwards to Norway, but on Wednesday hallow 'secondary' formed over Ireland : at first the weather was fine, but as the centre passed eastwards a cold rtherly current, of little strength, apparently acted as a condenser over the shores of the Irish Sea, leading to a omy wet day on Thursday. By Friday morning a new disturbance had reached the Faeroe from Iceland, and s was quickly followed by secondaries, which caused a renewal of unsettled weather in Ireland on Saturday. In blin the mean height of the barometer was 29·642 inches, pressure falling to 29·230 inches at 9 a.m. of Tuesday ind, W.S.W.) and rising to 29·871 inches at 9 a.m. of Friday (wind, S.W.). The corrected mean temperature was 1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 52·4°. On Sunday the screened thermometers rose to 9°; on Wednesday they fell to 42·9°. The prevalent winds were W. and E.S.E. Rain fell daily to the amount of 8 inch, ·286 inch being recorded on Wednesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·475 inches. The highest reading (29·706) was on Friday at 9 a.m., wind W.S.W., and the lowest (29·059) on Tuesday at 9 a.m., wind S.W.

The mean temperature for the week was 50·6°, being 3·3° below the average for the corresponding period of the 10 years, 1900–1909. The temperature was highest on Sunday and Tuesday, on which days the thermometer registered 59·8°, and was lowest on Wednesday, the mercury having fallen to 37·7°. The mean of the Dry Bulb for the week was 51·4° and of the Wet Bulb 48·4°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. The rainfall during the week measured 0·692 inch.

At Greenwich the mean temperature for the week was 56·9°, the maximum 74·9°, and the minimum 45·1°; at Glasgow the maximum was 64·0°, the minimum 41·0°, and the mean 51·1°; and at Edinburgh the maximum was 61·1°, the minimum 41·6°, and the mean 49·7°. The rainfall at Greenwich measured 0·27 in., at Glasgow 0·36 in., and at Edinburgh 0·20 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY			BAROMETER. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	THERMOMETER. Maximum.	THERMOMETER. Minimum.	THERMOMETER. Mean.	HYGROMETER. Dry Bulb.	HYGROMETER. Wet Bulb.	HYGROMETER. Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
			(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday,	May	29,	29·533	59·8	47·0	53·4	52·8	49·5	·79	6	3·5	·011	S.W.	W.
Monday,	„	30,	29·368	54·6	43·9	49·3	50·1	46·4	·77	·5	6·7	·035	W.	S.W.
Tuesday,	„	31,	29·197	59·8	46·4	53·1	52·7	48·8	·77	·6	7·6	·095	S.W.	S.W.
Wednesday,	June	1,	29·446	57·7	37·7	47·7	52·1	48·0	·76	·7	8·7	·210	Calm.	Calm.
Thursday,	„	2,	29·584	50·8	47·4	49·1	49·1	48·4	·95	·6	0·0	·130	N.E.	Calm.
Friday,	„	3,	29·652	58·8	41·4	50·1	51·0	47·9	·81	·7	6·8	·011	W.S.W.	Calm.
Saturday,	„	4,	29·545	54·8	47·5	51·2	52·1	49·5	·83	·6	0·8	·200	S.W.	N.E.
Mean,			29·475	56·6	44·5	50·6	51·4	48·4	·81	·6	Total 34·1	Total ·692	Prevailing Wind, S.W.	

Sunday—Day overcast to cloudy, passing showers; night cloudy. *Monday*—Day cloudy to overcast, passing showers; night overcast, rain a.m. *Tuesday*—Day cloudy, passing showers; night clear. *Wednesday*—Day cloudy, passing showers; night overcast, heavy and light rain a.m. *Thursday*—Day overcast, rain a.m. and p.m.; night clear. *Friday*—Cloudy a.m., overcast, light rain p.m.; night overcast, light rain a.m. *Saturday*—Day overcast to cloudy, drizzle a.m.; night overcast, heavy rain and drizzle a.m.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, June 4th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY.			Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Min.	Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
			°	°	°	°	°	°	hrs.	ins.
Sunday,	May	29	60·0	57·0	52·2	61·6	49·1	55·4	2·6	·020
Monday,	„	30,	52·1	55·7	52·4	58·0	45·1	51·6	3·8	·056
Tuesday,	„	31,	58·5	55·0	52·5	60·0	48·1	54·1	6·0	·090
Wednesday,	June	1,	54·0	54·8	52·5	57·0	42·6	49·8	6·2	·275
Thursday,	„	2	49·7	54·9	52·6	56·4	47·7	52·1	—	·141
Friday,	„	3,	59·1	54·0	52·6	60·2	44·2	52·2	5·5	·001
Saturday,	„	4,	54·0	55·0	52·7	55·4	49·2	52·3	1·1	·215
Weekly Mean,			55·3	55·2	52·5	58·4	46·6	52·5	Total 25·2	Total ·798

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

28920. Wt. P. 1—80/137, 375. 4. 1910. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 11TH JUNE, 1910. [No. 23.

General Register Office, Charlemont House, Dublin, 13th June, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending May 21.	Week ending May 28.	Week ending June 4.	Week ending June 11.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending May 21.	Week ending May 28.	Week ending June 4.	Week ending June 11.	Average Rate for 4 weeks.
22 Town Districts.	**19·5**	**21·1**	**18·0**	**17·8**	**19·1**	Limerick, . . .	10·9	24·6	17·8	16·4	17·4
						Lisburn, . . .	18·2	13·6	4·5	27·3	15·9
Armagh, . . .	.	.	20·6	27·5	12·0	Londonderry, . .	15·6	24·0	13·2	9·6	15·6
Ballymena, . . .	9·6	14·4	9·6	9·6	10·8	Lurgan, . . .	8·9	4·4	4·4	22·1	10·0
Belfast, ...	23·6	23·5	22·1	19·7	22·2	Newry, . . .	21·0	8·4	16·8	4·2	12·6
Clonmel, . . .	20·5	25·6	20·5	25·6	23·0	Newtownards, .	22·9	11·4	5·7	22·9	15·7
Cork, ...	22·6	26·7	16·4	19·9	21·4	Portadown, . .	15·5	25·8	10·3	15·5	16·8
Drogheda, . . .	12·3	12·3	20·4	12·3	14·3	Queenstown, . .	6·6	13·2	26·4	13·2	14·9
Dublin Reg. Area, .	15·9	19·5	15·7	16·4	16·9	Sligo, ...	24·0	4·8	4·8	48·0	20·4
Dundalk, . .	19·9	35·9	12·0	.	17·0	Tralee, . . .	37·0	21·1	5·3	10·6	18·5
Galway, . . .	38·8	11·7	19·4	15·5	21·3	Waterford, . . .	17·5	21·4	31·2	29·2	24·8
Kilkenny, . . .	24·6	29·5	39·3	9·8	25·8	Wexford, . .	37·4	14·0	4·7	4·7	15·2

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 2·6 per 1,000, the rates varying from 0·0 in fourteen of the districts to 6·1 in Belfast, the 148 deaths from all causes for that district including 38 from measles, 5 from whooping-cough, and one from each of diphtheria, enteric fever, and diarrhœa. Among the 8 deaths from all causes for Londonderry is one from measles. Of the 12 deaths from all causes for Limerick one is from whooping-cough, and one death from whooping-cough is also among the 3 deaths from all causes for Drogheda.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 268—146 boys and 122 girls—and the deaths to 133—75 males and 58 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, represent an annual rate of 16·4 per 1,000 of the population, the rate for the total deaths registered in the Area being 17·2 per 1,000. During

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*). Table II. ‡ See columns 10-18 of Table II.

the twenty-three weeks, ending with Saturday last, the death-rate averaged 23·4, and was 3·3 below the mean rate for the corresponding portions of the ten years, 1900–9.

The deaths from all causes included one death from each of measles and whooping-cough, and 3 deaths from diarrhœal diseases of infants under one year of age; there were also registered at this age the deaths of 2 infants from enteritis and one from *gastro-enteritis*. In the three weeks preceding, deaths from measles were 0, 0, and 0; deaths from whooping-cough were one, 0, and 2; and deaths from diarrhœal diseases were 5, 2, and one, respectively.

The deaths from pneumonia (all forms) included 2 deaths from lobar pneumonia, 3 from broncho-pneumonia, and 5 from *pneumonia* (not defined).

Of 22 deaths from all forms of tuberculous disease, 15 were from tuberculous phthisis (*phthisis*), 4 were from tuberculous meningitis, one was from *tabes mesenterica*, and 2 were from other forms of the disease. The deaths from all forms of the disease, registered in each of the three preceding weeks, were 24, 25, and 32.

Three deaths from carcinoma, one from sarcoma, and 2 from cancer, malignant disease (undefined) were recorded.

There were 2 deaths of infants prematurely born.

Convulsions was the registered cause of death in 9 instances; this figure includes the deaths, of 4 infants under one month, 4 over one month and under one year, and one aged 2 years and 10 months.

Twenty-one deaths were attributed to diseases of the heart and blood vessels, and 16 to bronchitis.

Among 6 deaths resulting from accidental violence or negligence, there was one by a railway accident and one by burning.

There was one death caused homicidally, of a man who was admitted to hospital from without the Dublin Registration Area.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 infants under one year of age and the death of one person aged 66 years.

Thirty-seven of the persons whose deaths were registered during the week were under 5 years of age (26 being infants under one year, of whom 9 were under one month old) and 35 were aged 60 years and upwards, including 19 persons aged 70 and upwards, of whom 7 were octogenarians.

Fifty-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 16 took place in the North Dublin Union Workhouse and 13 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 16·4 per 1,000; the rate in the City was 17·1 (North City Districts, 20·0; South, 14·1) and in the Suburbs, 14·1.

The deaths from certain epidemic diseases* in the entire area equal an annual rate of 0·6 per 1,000 inhabitants, the rate for the City being 0·8 (0·7 in the North City Districts, and 1·0 in the South), and for the Suburbs, 0·0.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (15) are equal to an annual rate of 26·2 per 1,000. Whooping-cough, *pneumonia*, and *phthisis* each caused one death, there was also one death from neglect at birth.

No. 1 *North City District, West* (Summer-hill).—The deaths (18) are equal to an annual rate of 23·5 per 1,000. There were 2 deaths from *pneumonia* (not defined), 6 deaths from tuberculous phthisis (*phthisis*), one death from bronchitis, and one accidental death.

No. 2 *North City District* (Lisburn-street).—The deaths (7) are equivalent to an annual rate of 11·9 per 1,000. *Phthisis* and tuberculous meningitis each caused one death, and there were 3 deaths from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (11) represent an annual rate of 17·1 per 1,000. *Pneumonia* not defined), and *phthisis* each caused one death, and there were 3 deaths from diseases of the respiratory system.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 13·5 per 1,000 inhabitants: Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 47·4. One of the 3 deaths from all causes for Coolock and Drumcondra, part of, was from bronchitis; and of the 7 deaths from all causes for Finglas and Glasnevin, part of, one was from epidemic diarrhœa, and one from *phthisis*.

No. 1 *South City District* (South Earl-street).—The deaths (12) represent an annual rate of 15·1 per 1,000. There was one death from measles, also one death from each of the following causes:—Lobar pneumonia, tuberculous phthisis, and tuberculous meningitis; there were 2 deaths from accidental violence.

No. 2 *South City District* (Castle-street).—The deaths (5) are equal to an annual rate of 12·0 per 1,000, and include one death from *phthisis*, one death from bronchitis, and one accidental death.

No. 3 *South City District* (Peter-street).—The deaths (10) are equal to an annual rate of 12·1 per 1,000. Among the deaths were 2 from *diarrhœa*, one from broncho-pneumonia, one from *pneumonia* (not defined), one from tuberculous disease, and 3 from bronchitis.

No. 4 *South City District* (Grand Canal-street).—The deaths (14) are equivalent to an annual rate of 20·3 per 1,000. Of the total deaths 2 were from tuberculous disease, one was from *pneumonia* (not defined), 2 were from bronchitis, and one was caused accidentally.

New Kilmainham District.—There was no death recorded for this district during last week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 22·5; Pembroke, 7·2; Blackrock, 5·8; and Kingstown, 11·8. There was no death from any of the principal epidemic diseases tabulated for these districts. Among the 16 deaths from all causes for Rathmines and Rathgar are 5 from tuberculous disease; of the 4 deaths from all causes for Pembroke one was from lobar pneumonia, and 2 were from bronchitis; and the only death recorded for Blackrock is one from tuberculous phthisis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

URNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly ned by:—

Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin: Mr. Fawcett, tive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for roke Urban District: Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by Dr. R. A. ovan, Medical Superintendent Officer of Health for Kingstown Urban District: and by Dr. Bailie, Medical intendent Officer of Health for the City of Belfast.

E I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area iz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and ingstown), and in the City of Belfast during the week ended 11th June, 1910, and each of the preceding ree weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

TIES AND URBAN STRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	May 21,	.	—	—	17	.	.	8	.	1	9	8	.	—	—	.	—	22	—	65
	May 28,	.	—	—	13	.	.	6	.	.	4	20	.	—	—	.	—	23	—	66
	June 4,	.	—	—	8	.	.	13	.	.	.	12	.	—	—	.	—	38	—	71
	June 11,	.	—	—	7	.	.	10	.	3	5	4	.	—	—	.	—	24	—	53
Rathmines and Rathgar Urban District.	May 21,	.	—	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	—	3
	May 28.	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	—	2
	June 4,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	June 11,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	—	2(*a*)
Pembroke Urban District.	May 21,	.	.	.	.	.	.	1	.	.	.	.	.	—	1	.	—	—	—	2
	May 28,	.	.	1	1	.	.	4	.	.	.	.	.	—	.	.	—	—	—	6
	June 4,	.	.	.	1	.	.	1	.	.	1	1	.	—	.	.	—	—	—	4
	June 11,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	—	.
Blackrock Urban District.	May 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	May 28,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	June 4,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	.	—	—	—	2
	June 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	May 21,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	May 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	June 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	June 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	2	—	2
City of Belfast.	May 21,	.	—	—	8	.	.	2	.	.	2	4	.	—	—	—	—	13	—	29
	May 28,	.	—	—	14	.	.	5	1	.	1	6	.	—	—	—	—	31	—	58
	June 4,	.	—	—	8	.	.	5	.	.	1	9	1	—	—	—	—	46	—	70
	June 11,	.	—	—	9	.	.	3	.	1	2	1	.	—	—	—	—	25	—	41

(*a*) Not including one case of dysentery, as returned.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the blin Hospitals during the week ended 11th June, 1910, and the number under atment at the close of each of the 3 preceding weeks.

From this it appears that:—

Two cases of measles were admitted were admitted to hospital during the week, one was charged, and 4 cases remained under treatment at its close.

Eight cases of scarlet fever were admitted to hospital, 20 were discharged, and 64* cases mained under treatment at the close of the week. At the close of the 3 preceding weeks e cases in hospital were 84, 84, and 76, respectively.

Eighteen cases of diphtheria were admitted to hospital, 16 were discharged, and 55 patients mained under treatment at the close of the week. The cases in hospital at the close of e 3 preceding weeks numbered 46, 44, and 53, respectively.

Eleven cases of enteric fever were admitted to hospital during the week, 6 were discharged, d 33 cases remained under treatment in hospital at the close of the week.

In addition to the above named diseases, 8 cases of pneumonia were admitted to hospital, were discharged, and 33 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the te was 10·5) was equal to an average annual death-rate of 11·4 per 1,000 persons living; ie average rate for 8 principal towns of Scotland was 14·2 per 1,000, the rate for lasgow being 15·0 and for Edinburgh 13·2.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for dinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 11th June. From is Report it appears that of a total of 46 cases notified, 21 were scarlet fever, 12 phthisis, 7 diphtheria, 3 enteric ver, 2 erysipelas, and one puerperal fever. Among the 314 cases of infectious diseases in hospital at the close of e week were 140 cases of scarlet fever, 59 of phthisis, 33 of diphtheria, 32 of measles, 20 of whooping-cough, 19 of icken-pox, 6 of erysipelas, and 4 of enteric fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 11th June, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 11TH JUNE, 1910.																							METEOROLOGY. ( )											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 11TH JUNE, 1910.				WEEK ENDING 4TH JUNE, 1910.				WEEK ENDING 28TH MAY, 1910.			
	POPULATION.		DEATHS			BIRTHS.	DEATHS.																			Air Temperature				Air Temperature				Air Temperature			
	Total.a	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10–18.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by																Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
										Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.										
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS.	1,151,790	20·8	31·3	17·8	2·6	691	893	88	99	.	40	.	.	8	1	.	1	7	28	54	15	15	50	10	9	120	17	.	.	.	.	.	.	.	.	.	.	.	.
DUBLIN REGISTRATION AREA:—TOTAL, c.	402,928	29·8	34·7	16·4	0·6	268	127	26	34	.	1	.	.	1	.	.	.	3	10	15	7	6	16	6	3	46	7	c70·3	46·4	57·8	1·87	c59·8	37·7	50·6	0·69	c68·3	36·9	55·1	0·14
CITY of DUBLIN.	310,298	39·2	38·5	17·1	0·8	229	102	21	25	.	1	.	.	1	.	.	.	3	9	11	5	4	14	6	3	40	4	70·4 71·9	47·1 46·0	57·7 57·8	2·05 2·07	61·9 59·8	42·9 39·0	52·1 54·3	0·88 0·67	69·2 69·9	46·0 40·0	57·4 56·3	0·11 0·09
Urban Dists. RATHMINES AND RATHGAR.	87,047	21·6	26·7	22·5	.	19	16	4	5	.	.	.	.	.	.	.	.	.	.	3	2	1	.	.	.	4	3	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	23·4	7·2	.	18	4	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,018	8·8	5·8	5·8	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	17·8	11·8	.	6	4	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	70·0	48·0	56·9	1·95	61·0	48·0	53·0	0·72	68·0	44·0	57·5	0·04
URBAN DISTRICTS.																																						
BELFAST,	391,167	26·6	25·7	19·7	6·1	193	148	20	21	.	38	.	.	5	1	.	1	1	13	19	5	4	17	1	2	23	1	72·0	42·5	56·6	0·07	62·0	39·5	51·7	0·63	65·5	45·0	56·6	0·03
CORK,	76,122	33·6	38·4	19·9	.	56	29	2	12	.	.	.	.	.	.	.	.	.	.	6	.	1	3	1	.	21	2	65	48	56·1	0·69	62	42	52·6	1·04	69	43	56·8	0·02
LONDONDERRY,	43,477	20·1	37·2	9·6	1·2	31	8	1	2	.	1	.	.	.	.	.	.	.	.	1	.	1	1	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	15·0	16·4	1·4	11	12	1	2	.	.	.	.	1	.	.	.	.	2	2	1	1	1	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD,	26,769	18·7	42·9	29·2	.	22	15	1	7	.	.	.	.	.	.	.	.	.	.	5	.	1	1	1	2	6	2	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	2·5	35·0	15·5	.	9	4	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	75	40	62	1·17	64	40	52	0·64	74	47	58	0·05
DUNDALK	18,076	9·4	16·0	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	28·6	12·3	4·1	7	8	.	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,405	17·8	37·8	4·2	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	72·2	43·3	58·9	0·76	62·0	41·0	51·2	0·57	68·9	43·1	57·1	0·06
LURGAN,	11,782	13·8	39·8	22·1	.	9	5	.	1	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	4	.	72·2	43·3	58·9	0·76	62·0	41·0	51·2	0·57	68·9	43·1	57·1	0·06
LISBURN,	11,461	10·1	31·8	27·3	4·5	7	6	1	3	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	72·2	43·3	58·9	0·76	62·0	41·0	51·2	0·57	68·9	43·1	57·1	0·06
WEXFORD,	11,168	23·2	18·7	4·7	.	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	72·2	43·3	58·9	0·76	62·0	41·0	51·2	0·57	68·9	43·1	57·1	0·06
BALLYMENA,	10,686	8·9	43·1	9·6	.	9	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,870	8·7	28·8	48·0	4·8	6	10	.	5	.	.	.	.	.	.	.	.	1	.	3	1	.	2	.	.	8	.	74·8	43·5	57·1	1·52	58·8	35·8	49·5	0·75	69·0	34·4	54·6	0·25
KILKENNY,	10,609	11·5	24·6	9·8	.	5	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	71	44	58·0	0·60	61	38	52·0	1·12	73	42	59·1	0·08
CLONMEL,	10,167	7·8	5·1	25·6	.	1	5	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,092	18·2	23·0	15·5	.	18	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	72·2	43·3	58·9	0·76	62·0	41·0	51·2	0·57	68·9	43·1	57·1	0·06
TRALEE,	9,867	16·6	26·4	10·6	1·3	5	2	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	45·8	22·9	.	8	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	67	45	53·9	0·02	59	40	49·6	0·52	61	46	53·1	0·20
QUEENSTOWN,	7,909	14·4	52·7	18·2	.	8	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	65	48	56·1	0·69	62	42	52·6	1·04	69	43	56·8	0·02
ARMAGH,	7,588	22·2	6·9	27·5	.	1	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	1	72·2	43·3	58·9	0·76	62·0	41·0	51·2	0·57	68·9	43·1	57·1	0·06

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (b) Formerly described as "Simple Continued Fever." (c) Exclusive of 6 deaths of persons (including one at 79 years), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Town

BLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 11th June, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
I. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	3	.
Pneumonia,	1	2	.	1	.	.	.	1	1	2	1	.	.	1	.	.	10	.
Tuberculous Phthisis,	1	6	1	1	.	.	1	1	.	.	.	.	3	.	1	.	15	.
Disease. Other Forms,	.	.	1	.	.	.	.	1	.	1	2	.	2	.	.	.	7	.
Cancer, Malignant Disease,	1	1	.	.	.	.	1	.	.	.	1	.	1	.	.	1	6	.
Other General Diseases,	1	2	.	1	.	.	.	.	.	1	.	.	.	.	.	.	5	1
Total,	5	11	2	3	.	.	3	4	1	6	4	.	6	1	1	1	48	1
II. LOCAL DISEASES:																		
Nervous System,	5	1	.	1	.	1	.	.	1	.	2	.	2	.	.	.	13	2
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	.	2	1	3	.	.	.	3	1	.	4	.	4	.	.	2	20	1
Respiratory System,	.	1	3	3	.	1	.	2	1	3	2	.	1	2	.	.	16	1
Digestive System,	2	1	1	1	.	1	1	2	.	.	.	.	1	.	.	.	10	.
Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	.	.	.	.	2	.	.	.	.	.	2	1	.	.	5	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	7	5	5	8	.	3	3	5	3	3	8	.	9	3	.	2	64	4
III. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CAUSES ILL-DEFINED AND NOT SPECIFIED,	2	1	.	.	.	.	1	1	.	1	1	.	1	.	.	1	9	.
V. VIOLENT DEATHS,	1	1	.	.	.	.	.	2	1	.	1	.	.	.	.	.	6	1
Deaths from all Causes	15	18	7	11	.	3	7	12	5	10	14	.	16	4	1	4	127	6
Annual Rate of Mortality from all causes in every 1,000 of the population.	26·2	23·5	11·9	17·1	.	13·5	47·4	15·1	12·0	12·1	20·3	.	22·5	7·2	5·8	11·8	16·4	.
	20·0							14·1					14·1					
	17·1																	
Ages at Death. Under 1 year,	8	2	1	.	.	.	1	1	1	4	3	.	4	.	.	1	26	.
1 and under 5 years,	3	.	.	1	.	1	1	1	1	.	.	.	2	1	.	.	11	.
5 „ 20 „	1	3	.	2	.	.	.	2	.	1	1	.	1	.	.	1	10	.
20 „ 40 „	1	6	2	1	.	.	3	2	.	1	.	.	1	1	.	.	19	3
40 „ 60 „	1	5	3	3	.	1	1	1	1	2	5	.	3	.	1	.	27	2
60 years and upwards,	1	2	1	4	.	1	1	5	2	3	5	.	5	2	.	2	34	1
Number of Uncertified Deaths,	.	2	.	.	.	.	.	.	.	.	2	.	3	.	.	.	7	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	3	1	2	.	.	.	3	2	.	2	.	3	.	1	1	20	3
Workhouse Hospitals,	.	5	2	6	.	.	.	3	1	5	3	.	1	.	.	.	26	3

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in week of the ten years 1900–19

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Averages in 23rd Week of the 10 years, 1900–1909.	In the Week ending Saturday, 11th June, 1910.						
	June 9, 1900.	June 8, 1901.	June 7, 1902.	June 13, 1903.	June 11, 1904.	June 10, 1905.	June 9, 1906.	June 8, 1907.	June 6, 1908.	June 12, 1909.		Deaths of Persons of the Ages of						
												All Ages.	0 to 5.					
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.
Mean Temperature.	° 56·6	° 53·1	° 53·5	° 52·9	° 53·1	° 50·8	° 56·1	° 52·7	° 54·4	° 50·1	° 53·3	° 57·8						
ALL CAUSES.	161	152	156	172	143	148	142	180	134	151	153·9	133	9	17	11	10	22	29
Small-pox,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	1	3	.	1	3	.	6	3	1	1·8	1	.	1	.	.	.	.
Scarlet Fever,	.	1	1	1	1	.	.	.	1	1	·6	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	3	2	3	2	1	2	2	6	2	6	2·9	.	.	.	.	.	.	.
Whooping-cough,	5	5	2	5	1	2	1	4	3	4	3·2	1	.	1	.	.	.	.
Diphtheria,	2	.	1	.	.	.	.	1	2	.	·6	.	.	.	.	.	.	.
Cerebro-spinal Fever,	.	.	.	.	1	.	.	.		.	·1	.	.	.	.	.	.	.
Pyrexia † (origin uncertain)	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.
Enteric Fever,	2	.	.	2	1	.	.	.	1	1	·7	.	.	.	.	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.),	2	2	.	.	.	.	.	.	.	.	·8	1	.	1	.	.	.	.
Diarrhœa, Dysentery,			1	.	.	.	1	.	1	1		2	.	2	.	.	.	.
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	.	2	1	.	2	.	1	.	2	·8	.	.	.	.	.	.	.
Puerperal Septicæmia,	.	.	.	.	.	.	.	.	.	2	·5	.	.	.	.	.	.	.
Puerperal Pyæmia,			.	1	.	.	.	.	.	.		.	.	.	.	.	.	.
Puerperal Fever,			1	1	.	.	.	.	.	.		.	.	.	.	.	.	.
Infective Endocarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	10	10	4	3	1	3	3	3	4	1	10·2	2	.	.	1	.	.	1
Pneumonia, Broncho-			.	.	.	.	.	7	.	2		3	.	.	2	.	1	.
Pneumonia, Epidemic			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.
Pneumonia, Not defined,			3	11	12	3	3	8	5	6		5	.	.	.	2	2	1
Erysipelas,	.	.	.	2	.	1	.	.	1	.	·4	.	.	.	.	.	.	.
Septicæmia (not Puerperal)	.	.	.	1	.	.	.	.	.	2	·3	.	.	.	.	.	.	.
Pyæmia (not Puerperal),			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	2	1	1	.	1	1	·6	.	.	.	.	.	.	.
Tuberculous Phthisis,	28	30	3	5	8	6	6	10	7	10	23·8	6	.	.	.	2	1	3
"*Phthisis*,"			37	15	22	9	11	6	11	14		9	.	.	.	2	6	1
Tuberculous Meningitis,	3	1	1	6	2	3	4	6	3	5	3·4	4	.	1	1	2	.	.
Tuberculous Peritonitis,	3	4	1	3	4	1	1	2	3	.	2·9	.	.	.	.	.	.	.
Tabes Mesenterica,			.	1	3	1	1	.	.	1		1	.	.	1	.	.	.
Tuberculous Dis. (other),	7	5	3	2	5	10	7	8	8	1	5·7	2	.	1	.	.	1	.
Scrofula,			.	1	.	.	.	.	.	.		.	.	.	.	.	.	.
Alcoholism,	1	1	.	1	1	.	1	1	.	.	·6	1	.	.	.	.	1	.
Rheumatic Fever,	2	.	1	.	.	.	1	.	.	.	·4	.	.	.	.	.	.	.
Gout,	.	1	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.
Carcinoma,	6	4	2	3	2	7	3	1	3	2	7·7	3	.	.	.	.	2	1
Sarcoma,			5	1	7	2	1	2	1	3		1	.	.	.	.	.	1
Cancer (undefined)				2		5	2	7	6			2	.	.	.	.	1	1
Diabetes Mellitus,	.	.	.	1	.	1	1	1	.	.	·4	.	.	.	.	.	.	.
Premature Birth,	5	.	5	4	5	4	7	2	4	8	4·4	2	2	.	.	.	.	.

* The figures for the year 1900 ar
† Formerly describe

TWENTY-THIRD WEEK ending Saturday, 11th June, 1910, with the deaths from each cause in the corresponding and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 23rd Week of the 10 years 1900-1909.	In the Week ending Saturday, 11th June, 1910.							
												Deaths of Persons of the Ages of							
	June 9, 1900.	June 8, 1901.	June 7, 1902.	June 13, 1903.	June 11, 1904.	June 10, 1905.	June 9, 1906.	June 8, 1907.	June 6, 1908.	June 12, 1909.		All Ages.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 56·6	° 53·1	° 53·5	° 52·9	° 53·1	° 50·8	° 56·1	° 52·7	° 54·4	° 50·1	° 53·3	° 57·8								
Meningitis (not tuberc.)			3	3	3	2	7	2	2	.		2	.	.	1	1	.	.	.
Insanity, G. P. of Insane			1	3	.	.	3	2	3	4		1	.	.	.	.	.	1	.
Epilepsy			.	.	.	.	1	2	1	2		.	.	.	.	.	.	.	.
Convulsions			9	6	3	6	7	2	5	2		9	4	4	1	.	.	.	.
Locomotor Ataxy			.	.	1	.	.	.	.	.		.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord			.	4	.	1	1	.	.	2		3	.	.	.	1	2	.	.
Nervous System (other Dis.)			4	2	1	5	3	4	1	1		.	.	.	.	.	.	.	.
	27	28									34·5								
Valv. Dis., Endocarditis			3	13	5	4	8	10	1	5		7	.	.	.	2	2	2	1
Cerebr. Hæm. Thromb.			3	2	1	2	4	4	.	5		4	.	.	.	1	.	1	2
Apoplexy, Hemiplegia			1	2	5	1	1	6	3	2		.	.	.	.	.	.	.	.
Aneurysm			.	.	.	1	1	.	.	.		.	.	.	.	.	.	.	.
Embolism, Thromb. (not cerebral)			.	.	1	.	.	.	.	.		.	.	.	.	.	.	.	.
Heart and Blood Vessels (other Dis.)			5	7	9	12	15	16	10	8		10	.	.	.	1	1	3	4	1
Croup (not Spasm. nor Memb.)	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Bronchitis	9	20	17	13	14	12	9	16	13	9	13·2	16	.	.	1	.	2	5	8	.
Asthma, Emphysema			.	.	.	.	.	.	.	.		1	.	.	.	.	.	1	.	.
Pleurisy	4	1	.	1	.	.	1	.	.	.	1·8	.	.	.	.	.	.	.	.	.
Respiratory Dis. (other)			1	2	2	1	.	2	2	1		.	.	.	.	.	.	.	.	.
Tonsillitis, Quinsy	.	.	.	.	.	.	.	.	2	.	·2	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.)	2	1	.	.	.	1	.	1	1	1	1·0	3	.	2	.	.	.	1	.
Gastro-enteritis			.	1	1	.	.	.	1	.		1	.	1	.	.	.	.	.	.
Peritonitis (not Puerp.)	.	2	1	3	.	2	.	1	.	1	1·0	2	.	.	.	1	.	1	.	.
Cirrhosis of Liver	4	1	.	.	.	2	3	2	1	1	2·3	.	.	.	.	.	.	.	.	.
Liver Dis. (other)			2	2	1	1	.	2	1	.		.	.	.	.	.	.	.	.	.
Digestive Dis. (other)	4	5	4	3	3	8	3	3	1	2	3·6	4	.	.	3	.	.	1	.	.
Nephritis, Acute			1	2	3	2	1	3	.	1		2	.	.	.	2	.	.	.	.
Bright's Dis., Albuminuria	4	5	1	3	2	1	5	5	3	4	4·9	3	.	.	.	1	2	.	.	.
Urinary Sys. (other Dis.)			.	.	.	1	.	2	.	.		.	.	.	.	.	.	.	.	.
Generative Organs Dis.	.	1	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Childbirth (Accid. of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Old Age	6	7	4	4	1	4	3	.	2	8	3·9	4	.	.	.	.	.	2	2
Other Diseases	18	11	10	14	5	8	6	7	8	14	10·1	8	2	3	.	1	.	1	1	.
ACCIDENT.																				
By Railways	.	.	2	.	.	.	.	.	.	.	·2	1	.	.	.	1	.	.	.	.
By Vehicles and Horses	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning)	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
In Building Operations	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
In Conflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	2	.	1	1	1	1	.	.	1	1	·8	1	.	.	.	.	.	.	.	1
By Drowning	1	.	.	1	.	1	1	3	1	.	·8	.	.	.	.	.	.	.	.	.
By Suffocation in Bed	.	.	.	.	1	.	.	1	1	.	·3	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident	1	.	3	4	.	1	2	1	.	1	1·3	4	1	.	.	.	.	1	2	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	1	.	.	.	.	.	.	.	.	·1	1	.	.	.	1	.	.	.	.
Suicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

the Registration Area as then constituted.
"Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1909-10—Week ending																								
	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr 2	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.
No. of weeks in Annual Series,	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
BIRTHS registered.	216	185	232	236	243	197	162	252	220	197	224	206	247	162	242	213	255	217	221	246	230	241	181	242	253	268
*Average Births in corresponding week of previous 10 years,** ..	190	177	175	227	204	206	203	234	212	210	213	214	219	217	211	235	190	207	224	195	270	229	211	202	232	222
DEATHS registered, ...	158	155	205	174	177	181	177	239	217	211	228	208	204	149	185	168	186	138	200	193	186	180	131	160	185	138
Annual Death-rate per 1,000, ..	20·7	20·3	26·8	22·5	22·9	23·4	22·9	30·9	28·1	27·3	29·5	26·9	26·4	19·3	23·9	21·7	24·1	23·7	25·9	25·0	17·6	23·3	17·0	20·7	17·5	17·2
*Average Deaths in corresponding week of previous 10 years,**	187	195	184	217	210	206	201	200	196	207	221	221	214	200	206	211	200	200	197	189	184	178	174	171	157	154
AGES, Under 5 years, ...	51	44	71	49	57	57	55	76	58	67	67	57	58	30	52	44	44	37	49	46	36	38	37	39	31	37
5—20 ,, ...	10	8	11	12	18	10	13	11	9	9	16	8	12	11	12	18	9	11	15	18	6	16	7	10	18	10
20—40 ,, ...	19	23	19	30	25	20	31	27	25	19	22	33	28	21	34	18	26	24	33	29	26	34	20	25	26	22
40—60 ,, ...	27	34	48	36	28	41	36	54	42	38	42	40	34	35	35	32	43	38	35	43	25	32	28	40	27	29
60—80 ,, ...	39	37	50	37	49	45	37	64	62	66	69	57	65	41	42	45	53	57	59	46	40	50	36	42	33	24
80 years and upwards, ..	12	9	6	10	10	8	5	7	21	12	12	18	12	11	10	16	11	16	9	11	3	10	3	4	5	7
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Measles, ...	1	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	1	3	.	.	.	1	.	1	2	1	1	.	1	.	.	.	.	.	.	.	1	1	.	2	.
Typhus, ...	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
Whooping-cough, ...	2	2	1	3	5	4	1	2	4	1	.	3	2	1	2	1	.	2	5	4	1	1	1	.	2	1
Diphtheria, ...	2	.	1	1	.	3	.	2	2	.	2	.	1	1	1	.	1	.	2	.	.	.	.	.	.	.
Pyrexia † (origin uncertain), ..	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	.	3	2	.	1	.	2	.	.	.	1	2	.	1	1	4	1	1	.	2	1	3	.	1	.	.
Diarrhœal Diseases, ...	1	.	4	2	4	4	2	4	6	2	3	3	4	2	3	.	4	2	2	1	2	1	5	2	1	3
Influenza, ...	1	6	4	2	3	5	1	4	3	2	2	5	6	7	6	6	8	5	2	3	1	3	2	.	.	.
Pneumonia, ...	19	20	22	22	14	21	14	20	17	20	22	17	20	12	14	14	17	13	20	17	8	14	13	8	8	10
Tuberculous Phthisis, ..	15	14	15	24	19	21	23	26	19	19	23	28	26	15	26	14	21	22	31	25	14	31	15	14	17	15
Disease, Other Forms, ..	6	4	6	5	6	6	6	17	10	14	13	10	12	10	10	4	10	9	18	12	11	9	9	11	15	7
Cancer, Malignant Disease, ..	8	6	4	8	7	8	11	19	10	8	14	9	13	5	6	14	7	10	11	11	6	10	3	10	10	6
Diseases of Heart and Blood Vessels, ...	25	21	37	29	31	29	17	29	38	40	31	27	25	30	20	30	37	28	37	31	21	25	20	29	21	21
Diseases of Respiratory System,	26	30	41	20	33	29	39	43	55	41	41	39	35	26	36	28	38	39	22	25	17	27	16	18	13	17
Violent Deaths, ...	4	2	2	4	4	1	4	5	1	6	6	5	3	1	2	5	5	3	3	4	6	11	2	3	6	7
Number of Uncertified Deaths, ..	5	7	10	3	3	13	9	13	3	7	2	8	5	5	3	4	9	12	8	6	2	2	6	3	3	7
Mean Temperature of the Air (Phœnix Park), ...	41·4	33·5	43·9	45·4	42·1	37·6	32·5	38·1	43·7	42·3	39·2	44·0	43·6	39·8	43·4	39·7	41·7	43·0	49·6	43·6	46·1	44·7	51·4	55·1	50·6	57·8
Average Mean Temperature in corresponding week of previous 10 years, ...	41·3	42·1‡	40·3	41·3	40·0	41·1	41·7	40·0	38·9	38·9	40·1	40·1	41·1	42·9	41·9	42·1	44·2	43·4	45·1	46·6	46·9	48·5	48·6	50·5	53·9	53·3
Rainfall in inches, ...	·207	1·183	·340	·123	·986	·240	1·690	·163	·264	1·160	·915	·892	·383	·174	·000	·040	·205	·786	·782	·417	·670	·250	1·263	·135	·692	1·870
Mean Humidity of the Air, complete Saturation 1·0	·82	·86	·88	·89	·85	·91	·88	·94	·91	·93	·94	·93	·88	·91	·91	·88	·93	93	·91	·82	·77	·81	·90	·83	·81	·92

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever. ‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS OF SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 11th June, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS	OCCUPATION OF SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 11TH JUNE, 1910.																												
			Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES.						CAUSES OF DEATH.																				
					Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Convulsions.	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS.	375,850	18·5	133	37	10	22	28	29	7	.	1	.	.	1	.	.	.	3	5	10	15	7	6	9	17	7	57	7
	CLASSES. **Deaths in Families of the—**																												
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	20·9	7	1	.	1	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	4	.
II.	MIDDLE CLASS, ...	87,188	12·6	21	1	.	5	8	7	.	.	.	.	.	.	.	.	.	1	1	.	4	.	2	.	1	1	12	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,428	9·9	21	7	.	7	2	4	1	.	.	.	.	.	.	.	.	.	.	3	2	1	1	3	3	.	8	1
IV.	GENERAL SERVICE CLASS, ...	154,279	18·6	55	26	8	6	6	6	3	.	1	.	.	1	.	.	.	2	4	3	6	5	.	6	4	5	22	5
V.	INMATES OF WORKHOUSES, ...	6,024	—	29	2	2	3	12	9	1	.	.	.	.	.	.	.	.	.	.	4	3	1	1	.	8	1	11	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	40·1	6	1	.	1	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	3	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,860	6·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	16·6	7	1	.	2	3	1	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	.	.	4	.
	6. Clerks and Commercial Assistants, ..	30,482	8·6	5	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	1	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	15·4	8	.	.	1	2	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	7	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	5·3	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	29,801	8·7	5	2	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	1	.
	10. Clothing Trades, ...	28,260	2·2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	11. Food Supply Trades, ...	9,249	28·2	5	3	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	2	1
	12. Other Trades and Callings ranking with Trades, ...	30,352	15·5	9	2	.	4	.	2	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	1	.	4	.
	13. Petty Shopkeepers, ...	7,894	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c	13,425	15·5	4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	2	.
	15. Domestic Servants, ...	36,603	4·3	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	29·0	8	5	.	.	1	1	1	.	1	.	.	.	.	.	.	1	2	1	.	.	2	.	1	.	2	3
	17. Hawkers, Porters, Labourers, &c., ..	89,861	28·2	40	19	8	5	3	4	1	.	.	.	.	1	.	.	.	1	2	2	5	4	.	4	2	4	17	2
V.	INMATES OF WORKHOUSES.																												
	18. Workhouse Inmates, ...	6,024	—	29	2	2	3	12	9	1	.	.	.	.	.	.	.	.	.	.	4	3	1	1	.	8	1	11	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																
		FROM ALL CAUSES.	FROM DISEASES IN COLS. 5-18.		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st., Nth.*) Pop. in 1910 (Est.) 29,908.	Apr. 23,	24·4	·	14	·	·	·	·	·	·	·	·	·	3	3	·	·	1	·	2
	,, 30,	15·7	·	9	·	·	·	·	·	·	·	·	·	1	3	1	·	·	·	·
	May 7,	12·2	·	7	·	·	·	·	·	·	·	·	·	1	1	1	·	·	·	·
	,, 14,	26·2	1·7	15	·	·	·	·	·	·	·	1	·	1	4	·	1	2	·	·
	,, 21,	15·7	·	9	·	·	·	·	·	·	·	·	·	·	1	1	·	2	·	1
	,, 28,	19·2	·	11	·	·	·	·	·	·	·	·	·	·	1	1	·	3	·	·
	June 4,	10·5	·	6	·	·	·	·	·	·	·	·	·	1	2	·	·	·	·	·
	,, 11,	26·2	1·7	15	·	·	·	·	1	·	·	·	·	1	1	·	1	·	1	·
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1910 (Est.) 39,974.	Apr. 23,	32·6	1·3	25	·	·	·	·	1	·	·	·	·	2	6	·	1	3	1	1
	,, 30,	15·6	1·3	15	·	·	·	·	1	·	·	·	·	·	2	·	·	6	·	3
	May 7,	19·6	·	15	·	·	·	·	·	·	·	·	·	1	3	1	·	3	·	·
	,, 14,	22·2	·	17	·	·	·	·	·	·	·	·	·	·	3	·	·	5	1	·
	,, 21,	18·3	1·3	14	·	·	·	·	1	·	·	·	·	1	2	2	·	·	·	·
	,, 28,	20·9	1·3	16	·	·	·	·	·	·	·	·	1	1	2	·	·	2	·	·
	June 4,	13·0	1·3	10	·	·	·	·	1	·	·	·	·	·	1	1	·	2	1	·
	,, 11,	23·5	·	18	·	·	·	·	·	·	·	·	·	2	6	·	1	1	1	2
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1910 (Est.) 30,744.	Apr. 23,	42·4	·	25	·	·	·	·	·	·	·	·	·	2	3	1	4	5	·	·
	,, 30,	22·0	·	13	·	·	·	·	·	·	·	·	·	3	2	2	2	1	·	·
	May 7,	18·7	·	11	·	·	·	·	·	·	·	·	·	·	2	·	1	3	·	·
	,, 14,	15·3	1·7	9	·	·	·	·	·	·	·	·	1	1	4	·	·	1	·	·
	,, 21,	18·7	1·7	11	·	·	·	·	·	·	·	·	1	1	1	1	·	4	·	·
	,, 28,	22·0	·	13	·	·	·	·	·	·	·	·	·	·	·	·	1	2	1	·
	June 4,	17·0	·	10	·	·	·	·	·	·	·	·	·	·	1	1	1	2	2	·
	,, 11,	11·9	·	7	·	·	·	·	·	·	·	·	·	·	1	1	·	3	·	·
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1910 (Est.) 33,559.	Apr. 23,	26·4	6·2	17	·	·	·	·	2	·	·	·	2	5	·	2	1	·	·	·
	,, 30,	28·0	1·6	18	·	·	·	·	·	·	·	1	·	2	1	1	·	3	·	·
	May 7,	18·6	1·6	12	·	·	·	·	1	·	·	·	·	1	·	·	·	4	1	·
	,, 14,	20·2	·	13	·	·	·	·	·	·	·	·	·	·	2	1	1	2	·	·
	,, 21,	12·4	1·6	8	·	·	·	·	·	·	·	·	1	2	1	·	·	·	·	1
	,, 28,	28·0	·	18	·	·	·	·	·	·	·	·	·	·	1	1	1	·	1	·
	June 4,	23·3	1·6	15	·	·	·	·	1	·	·	·	·	1	4	1	·	1	·	·
	,, 11,	17·1	·	11	·	·	·	·	·	·	·	·	·	1	1	·	·	3	·	·
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1910 (Est.) 41,476.	Apr. 23,	32·7	1·3	26	·	·	·	·	·	1	·	·	·	·	7	4	1	2	·	1
	,, 30,	26·4	1·3	21	·	·	·	·	·	·	·	1	·	2	3	1	2	4	·	·
	May 7,	12·6	·	10	·	·	·	·	·	·	·	·	·	2	1	·	1	·	1	·
	,, 14,	16·3	·	13	·	·	·	·	·	·	·	·	·	1	1	·	1	3	1	·
	,, 21,	17·6	·	14	·	·	·	·	·	·	·	·	·	2	1	2	·	2	·	·
	,, 28,	23·6	1·3	18	·	·	·	·	·	·	·	1	·	·	1	·	3	4	·	·
	June 4,	17·6	2·5	14	·	·	1	·	·	·	·	·	1	·	2	3	1	1	·	·
	,, 11,	15·1	1·3	12	·	1	·	·	·	·	·	·	·	1	1	1	·	·	2	·
South City, No. 2. (*Office, Castle-street.*) Pop. in 1910 (Est.) 21,754	Apr. 23,	24·0	·	10	·	·	·	·	·	·	·	·	·	1	·	1	·	2	·	2
	,, 30,	21·6	·	9	·	·	·	·	·	·	·	·	·	1	1	2	·	1	·	·
	May 7,	19·2	2·4	8	·	·	·	·	·	·	·	·	1	·	·	2	·	2	·	·
	,, 14,	9·6	·	4	·	·	·	·	·	·	·	·	·	2	·	1	·	·	·	·
	,, 21,	14·4	·	6	·	·	·	·	·	·	·	·	·	1	·	·	1	1	·	·
	,, 28,	16·8	·	7	·	·	·	·	·	·	·	·	·	·	1	2	·	2	·	·
	June 4,	14·4	·	6	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
	,, 11,	12·0	·	5	·	·	·	·	·	·	·	·	·	1	·	·	·	1	1	·
South City, No. 3. (*Office, Peter street.*) Pop. in 1910 (Est.) 43,227.	Apr. 23,	19·3	2·4	16	·	·	·	·	1	1	·	·	·	1	2	4	1	2	1	·
	,, 30,	24·1	1·2	20	·	·	·	·	1	·	·	·	·	2	3	2	2	5	·	·
	May 7,	16·9	·	14	·	·	·	·	·	·	·	·	·	1	2	1	·	1	·	·
	,, 14,	27·7	1·2	23	·	·	1	·	·	·	·	·	·	2	6	1	1	3	2	·
	,, 21,	27·7	1·2	23	·	·	1	·	·	·	·	·	·	2	3	1	·	5	·	·
	,, 28,	24·1	·	20	·	·	·	·	·	·	·	·	·	3	2	4	1	2	·	·
	June 4,	20·5	1·2	17	·	·	1	·	·	·	·	·	·	2	1	1	1	1	1	·
	,, 11,	12·1	2·4	10	·	·	·	·	·	·	·	·	2	2	·	1	·	3	·	·
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1910 (Est.) 35,881.	Apr. 23,	18·9	·	13	·	·	·	·	·	·	·	·	·	2	1	1	2	3	·	·
	,, 30,	30·5	1·5	21	·	·	·	·	1	·	·	·	·	2	3	1	·	·	2	·
	May 7,	14·5	·	10	·	·	·	·	·	·	·	·	·	·	2	1	·	1	·	·
	,, 14,	18·9	·	13	·	·	·	·	·	·	·	·	·	2	2	·	·	6	1	·
	,, 21,	23·3	1·5	16	·	·	·	·	·	·	·	·	1	·	3	2	1	1	·	·
	,, 28,	18·1	1·5	9	·	·	·	·	·	·	·	·	1	·	1	1	·	·	·	·
	June 4,	10·2	·	7	·	·	·	·	·	·	·	·	·	1	·	2	1	2	1	·
	,, 11,	20·3	·	14	·	·	·	·	·	·	·	·	·	1	·	2	1	3	1	2

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From all Causes	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From Diseases in Cols. 5-18.	Total Deaths.	NUMBER OF DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia* * (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercuous Disease. Phthisis.	Tubercuous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (excluzive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	Apr 23,	14·1	.	10	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	
	„ 30,	29·6	.	21	.	.	.	.	.	.	.	.	.	1	3	1	1	1	1	1
	May 7,	14·1	1·4	10	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	1
	„ 14,	22·5	.	16	.	.	.	.	.	.	.	.	.	2	1	1	1	.	2	
	„ 21,	12·7	1·4	9	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	1
	„ 28,	22·5	.	16	.	.	.	.	.	.	.	.	.	2	1	.	2	1	.	
	June 4,	18·3	.	13	.	.	.	.	.	.	.	.	.	.	3	.	2	1	1	1
	„ 11,	22·5	.	16	.	.	.	.	.	.	.	.	.	.	3	2	1	.	.	3
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	Apr. 23,	18·0	.	10	.	.	.	.	.	.	.	.	.	.	2	1	.	2	.	1
	„ 30,	18·8	1·8	16	.	.	.	.	1	.	.	.	.	1	1	1	1	1	1	.
	May 7,	18·0	.	10	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.
	„ 14,	12·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.	.
	„ 21,	12·6	.	7	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	
	„ 28,	14·4	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
	June 4,	10·8	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	
	„ 11,	7·2	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	Apr. 23,	26·6	3·0	9	.	.	.	.	1	.	.	.	.	2	2	1	.	.	.	.
	„ 30,	26·6	3·0	9	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	1
	May 7,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.
	„ 14,	41·4	.	14	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.
	„ 21,	8·9	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
	„ 28,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
	June 4,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.
	„ 11,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Belfast. Pop. in 1910 (Est.) 391,167.	Apr. 23,	21·3	2·9	160	.	8	.	.	8	1	1	1	3	19	13	7	2	30	2	1
	„ 30,	23·1	3·5	173	.	20	.	.	4	1	.	.	1	14	22	9	6	15	4	3
	May 7,	22·3	3·5	167	.	19	.	.	4	.	1	.	2	15	20	6	8	21	3	1
	„ 14,	22·7	4·1	170	.	23	.	.	6	1	.	1	.	26	24	4	8	14	4	2
	„ 21,	23·6	6·4	177	.	44	.	.	4	.	.	.	.	22	29	6	7	17	1	1
	„ 28,	23·5	5·6	176	.	33	1	.	5	1	.	.	2	21	14	13	3	14	1	
	June 4,	22·1	6·5	166	.	38	1	.	7	.	.	.	3	18	21	8	4	18	5	3
	„ 11,	19·7	6·1	148	.	28	.	.	5	1	.	1	1	13	19	5	4	17	1	1
Cork. Pop. (in 1901) 76,122.	Apr. 23,	23·3	0·7	34	.	.	.	.	1	.	.	.	.	2	6	1	4	2	.	.
	„ 30,	19·9	.	29	.	.	.	.	.	.	.	.	.	1	3	1	1	3	.	2
	May 7,	25·3	0·7	37	.	.	.	.	.	.	.	1	.	2	8	1	1	3	.	4
	„ 14,	18·5	0·7	27	.	.	.	.	1	.	.	.	.	2	8	2	1	5	.	1
	„ 21,	22·6	1·4	38	.	.	1	.	.	.	.	1	.	.	10	2	4	2	2	2
	„ 28,	26·7	.	39	.	.	.	.	.	.	.	.	.	3	3	1	3	5	.	1
	June 4,	16·4	.	24	.	.	.	.	.	.	.	.	.	1	5	1	.	3	1	1
	„ 11,	19·9	.	29	.	.	.	.	.	.	.	.	.	.	6	.	1	3	1	2
Londonderry. Pop. in 1910 (Est.) 43,477.	Apr 23,	13·2	1·2	11	.	.	.	.	.	.	.	.	1	1	4	1	1	1	.	.
	„ 30,	20·4	.	17	.	.	.	.	.	.	.	.	.	2	3	2	2	3	.	.
	May 7,	18·0	1·2	15	.	1	.	.	.	.	.	.	.	.	2	.	.	7	.	.
	„ 14,	19·2	1·2	16	.	1	.	.	.	.	.	.	.	2	2	1	.	7	.	.
	„ 21,	15·6	.	13	.	.	.	.	.	.	.	.	.	2	1	1	1	1	.	2
	„ 28,	24·0	.	20	.	.	.	.	.	.	.	.	.	.	3	1	.	7	.	.
	June 4,	13·2	1·2	11	.	1	.	.	.	.	.	.	.	1	1	2	.	3	.	.
	„ 11,	9·6	1·2	8	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	1
Limerick. Pop. (in 1901) 38,151.	Apr. 23,	19·1	.	14	.	.	.	.	.	.	.	.	.	1	4	.	1	4	.	1
	„ 30,	19·1	.	14	.	.	.	.	.	.	.	.	.	2	1	2	.	2	.	1
	May 7,	12·3	2·7	9	.	.	.	.	2	.	.	.	.	.	5	.	.	.	.	.
	„ 14,	13·7	.	10	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	„ 21,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1	.	4	.	.
	„ 28,	24·6	2·7	18	.	.	.	.	1	1	.	.	.	.	2	.	.	3	.	2
	June 4,	17·8	.	13	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	2
	„ 11,	16·4	1·4	12	.	.	.	.	.	.	.	.	.	2	2	1	1	1	.	1
Waterford. Pop. (in 1901) 26,769.	Apr. 23,	29·2	3·9	15	.	.	.	1	.	1	.	.	.	3	.	3	.	.	.	2
	„ 30,	23·4	1·9	12	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.
	May 7,	29·2	1·9	15	.	.	.	.	.	.	.	1	.	.	.	1	.	5	.	3
	„ 14,	11·7	.	6	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	„ 21,	17·5	.	9	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.
	„ 28,	21·4	.	11	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	4
	June 4,	31·2	1·9	16	.	.	.	.	.	.	.	.	1	1	4	.	.	3	1	1
	„ 11,	29·2	.	15	.	.	.	.	.	.	.	.	.	.	5	.	1	1	1	2

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 11th June, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-20.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexial (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		11			9	3	2	.	2	.	2	.	.	.	.	.	1	.	.	.	.	1	.	.	2	.	.	3	.
Do. 2 do.		19			18	1	7	1	2	2	.	.	3	.	.	.	.	.	.	1	1	2	1	1	2	.	.	.	.
Do. 3 do.		30			28	4	9	2	2	3	3	.	7	.	.	1	.	.	.	.	1	2	.	.	2	1	1	4	1
Do. 4 do.		26			15	3	7	.	3	2	.	.	4	.	.	1	.	.	.	.	.	4	.	.	3	.	.	2	.
Do. 5 do.		11			10	.	3	.	2	1	4	.	2	.	.	.	.	.	1	.	3	1	1	.	1	.	.	3	.
Do. 6 do.		16			6	.	1	2	1	.	2	.	2	.	.	1	.	.	.	.	.	1	1	.	.	.	.	.	.
Do 7 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 8 do.	349,180	1			1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		9			15	.	5	4	1	2	3	.	4	.	.	.	.	.	.	.	2	2	2	2	2	.	.	1	.
Do 10 do.		13			12	3	6	.	2	.	1	.	5	.	.	1	.	.	.	.	1	1	.	.	.	.	.	1	.
Do. 11 do.		16			11	.	3	.	3	3	2	.	1	.	.	.	.	.	.	.	1	1	.	1	1	.	.	2	.
Do. 12 do.		17			18	3	5	3	5	2	.	.	6	.	.	.	.	.	.	.	2	3	.	.	3	.	1	5	.
Do. 13 do.		5			6	1	.	.	1	1	3	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	1	.
Do. 14 do.		2			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15* do.		9			2	1	6	.	1	.	1	.	4	.	.	1	.	.	.	.	1	.	.	.	.	.	.	1	.
Total, ...	—	193	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		148	20	54	12	25	16	21	.	38	.	.	5	1	.	1	1	13	19	5	4	17	1	2	23	1
City of Cork.																													
CORK URBAN No. 1 DISTRICT, .	12,867	7	28·4	.	7	2	.	1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	6	1
Do. 2 do. .	10,701	10	9·7	.	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1
Do. 3 do. .	9,978	15	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 4 do. .	8,666	1	12·0	.	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 5 do. .	6,592	4	31·6	.	4	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.
Do. 6 do. .	10,702	4	29·2	.	6	.	.	1	1	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
Do. 7 do. .	16,616	15	25·1	.	8	.	2	.	1	2	3	.	.	.	.	.	.	.	.	.	.	2	.	.	2	.	.	5	.
Total, ...	76,122	56	19·9	.	29	2	3	2	3	7	12	.	.	.	.	.	.	.	.	.	.	6	.	1	3	1	.	21	2

* New district formed as from 1st Jan., 1910, and the boundaries of Nos. 1, 4 & 6 districts altered; the population of each of these districts, as at present constituted, is not available.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1909-10—Week ending																									
	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.
No. of weeks in annual Series, ..	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
BIRTHS registered, ...	181	170	215	278	192	180	216	214	213	196	202	289	201	240	208	207	254	247	224	266	235	214	169	264	215	193
DEATHS registered, ...	177	144	192	148	170	125	151	165	172	156	140	165	162	163	125	133	168	187	160	173	167	170	177	176	166	148
Annual Death rate per 1,000 of estimated Population, ...	28·9	19·4	25·9	19·7	22·7	16·7	20·1	22·0	22·9	20·8	18·7	22·0	21·6	21·7	16·7	18·4	22·4	24·9	21·3	23·1	22·3	22·7	23·6	23·5	22·1	19·7
AGES — Under 1 year, ...	41	33	48	36	48	25	33	28	37	31	28	33	31	29	27	27	34	38	36	33	31	29	30	37	37	20
AGES — 1-5 years, ...	18	22	25	23	21	20	21	23	21	20	21	21	16	27	15	21	33	34	27	20	36	35	47	43	45	54
AGES — 5-20 years, ...	18	10	12	8	9	9	14	2	8	13	12	11	14	16	7	18	19	15	14	21	12	15	15	15	14	12
AGES — 20-40 years, ...	22	23	28	17	24	17	22	30	18	26	19	29	26	18	19	16	21	33	14	24	25	30	28	26	26	25
AGES — 40-60 years, ...	33	20	34	26	28	23	21	30	42	31	36	37	40	35	28	22	27	24	29	41	30	30	29	28	27	16
AGES — 60 years and upwards, ..	50	36	45	38	40	27	40	47	46	35	29	34	35	38	29	34	34	44	40	34	33	31	28	27	17	21
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	1	.	1	1	5	3	6	11	17	8	20	19	23	44	33	38	38
Scarlet Fever, ...	.	.	.	.	.	.	.	.	2	.	1	.	.	2	.	2	.	.	.	.	.	.	.	1	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	9	10	13	12	13	13	13	19	15	17	14	11	12	12	10	6	12	5	8	4	4	6	4	5	7	5
Diphtheria, ...	.	.	1	1	.	1	.	.	.	.	1	.	.	.	.	1	1	1	1	1	.	1	.	1	.	1
*Pyrexia** (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.
Enteric Fever, ...	.	.	.	2	.	.	1	.	.	1	.	.	1	.	.	1	.	.	1	.	.	1	.	.	.	.	1
Diarrhœal Diseases, ...	1	1	1	2	.	.	.	2	.	2	.	2	2	.	1	1	.	1	3	1	2	.	.	2	3	1
Pneumonia, ...	28	22	34	12	20	9	16	14	16	11	16	12	10	12	8	14	19	16	19	14	15	26	23	21	18	13
Tuberculous Disease, Phthisis, ..	14	17	13	14	14	12	15	15	15	14	20	23	26	18	10	20	24	27	13	22	20	24	29	14	21	19
Tuberculous Disease, Other Forms, ..	4	4	6	4	10	3	10	8	4	8	7	9	7	9	8	9	12	8	7	9	6	4	6	13	8	5
Cancer, Malignant Disease, ..	5	5	3	2	10	5	4	8	7	6	5	3	5	9	10	4	8	10	2	6	8	8	7	3	4	4
Diseases of Respiratory System,	37	39	41	28	31	21	29	28	40	19	21	24	22	24	16	16	21	22	30	15	21	14	17	14	18	17
Violent Deaths, ...	6	4	3	3	8	5	7	2	2	5	3	10	9	5	3	.	4	.	2	4	3	4	1	1	5	1
Number of Uncertified Deaths, ..	2	3	1	2	1	6	3	3	1	5	2	2	1	1	1	2	1	1	1	3	1	2	1	.	3	1

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	June 11,	2,243	984	10·5	.	47	5	5	23	3*a*	8
EDINBURGH, ...	360,276	„ 11,	143	91	13·2	.	.	.	.	.	1*a*	1
GLASGOW, ...	884,505	„ 11,	483	255	15·0	.	5	5	4	5	.	15
CALCUTTA, ...	1,009,008	May 7,	.	526	27·1	1	3	.	.	.	145‡	108*
BOMBAY, ...	977,822	„ 10,	319	838	44·6	38	5	.	.	.	290‡	50
MADRAS, ...	509,346	April 22,	354	351	35·8	3	2	?	?	?	79	79
CAIRO, ...	677,663	„ 22,	637	489	37·6	3	11	.	.	?	3*a*	79*b*
PARIS, ...	2,760,000	May 7,	973	986	18·7	.	30	2	5†	9	2*a*	19*b*
BRUSSELS, ...	720,030	„ 21,	247	196	14·2	.	1	.	3†	.	3	10
ANTWERP, ...	317,171	„ 21,	124	68	11·2	.	8	2	1†	3	.	8*b*
AMSTERDAM, ...	570,149	„ 21,	256	158	14·5	.	2	.	.	1	.	2*b*
COPENHAGEN, ...	450,000	„ 21,	239	122	14·1	.	.	3	1†	1	.	10
STOCKHOLM, ...	341,816	„ 21,	109	109	16·6	.	1	3	2†	1	.	4
CHRISTIANIA, ...	235,674	„ 28,	81	53	11·7	.	.	.	2†	1	.	1
ST. PETERSBURG, ...	1,620,000	„ 7,	1,549	972	31·3	10	80	15	9	12	16	80
MOSCOW, ...	1,493,600	April 30,	.	742	25·9	10	26	18	18†	14	9	69
BERLIN, ...	2,117,604	May 7,	855	569	14·0	.	9	10	23†	7	.	24
HAMBURG, ...	895,804	„ 21,	.	286	16·6	.	4	.	8†	.	1	32
BRESLAU, ...	510,126	„ 21,	.	182	18·6	.	2	3	.	5	2	16
MUNICH, ...	576,000	„ 28,	.	206	18·6	.	1	.	3†	2	1	21
VIENNA (with suburbs),	2,107,981	„ 21,	855	808	19·9	.	33	5	7†	9	2*a*	54*b*
BUDA-PESTH, ...	833,703	„ 21,	469	321	20·0	.	7	10	1†	3	.	22*b*
PRAGUE and Faubourgs.	497,905	„ 7,	219	201	21·0	.	2	.	1†	1	1*a*	11*b*
TRIESTE, ...	221,124	„ 14,	98	80	18·9	.	.	.	.	1	1*a*	1*b*
ROME, ...	587,096	April 23,	251	230	20·4	.	27	1	6	.	1	6
VENICE, ...	183,224	„ 23,	84	70	19·9	.	2	.	.	.	1*a*	5
NEW YORK, ...	4,711,956	May 14,	2,441	1,406	16·5	.	29	26	45†	6	3*a*	62
PHILADELPHIA, ..	1,598,400	April 9,	.	567	18·5	.	3	4	9†	6	5*a*	19*b*
BOSTON, ...	629,868	May 21,	.	214	17·7	.	8	.	4	1	1	6

* Including 63 deaths from cholera in Calcutta.
† Including deaths from croup.
‡ Including 75 deaths from plague in Calcutta and 229 in Bombay.
a Enteric Fever.
b Deaths from diarrhœal diseases and from enteritis of children under two years of age.

BLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 11th June, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
orth City No. 1, East,	.	.	.	.	.	.	1	1	.	.	.	2	4
" " 1, West,	.	.	.	.	.	.	.	.	.	.	.	4	4
" " 2,	.	.	.	.	2	.	.	1	.	.	.	3	6
" " 3,	.	5	.	.	2	.	1	.	1	.	.	5	14
ontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
ollock and Drumcondra (part of),	.	.	.	.	.	.	1	.	.	.	.	1	2
nglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
uth City No. 1,	.	.	.	.	5	.	.	2	3	.	.	6	16
" " 2,	.	.	.	.	.	.	.	.	.	.	.	1	1
" " 3,	.	1	.	.	1	.	.	1	.	.	.	2	5
" " 4,	.	1	.	.	.	.	.	.	.	.	.	.	1
ew Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	7	.	.	10	.	3	5	4	.	.	24	53

BLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 11th June, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 11th June.			
	May 21.	May 28.	June 4.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
mall-pox,	.	.	.	.	.	.	.
easles,	10	4	3	2	1	.	4
arlet Fever,	84	84	76	8	20	.	64*
yphus,	1	.	.	.	.	.	.
phtheria,	46	44	53	18	16	.	55
steric Fever,	31	32	28	11	6	.	33
eumonia,	48	50	43	8	18	.	33

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ed 11th June, 1910 :—

Great heat in Germany, fine, cool weather in Scotland, frequent thunderstorms in England and Ireland were the standing features in the weather of this week. An area of comparatively high atmospheric pressure stretched r Scotland from the Norwegian Sea or Scandinavia up to and during Thursday. On the other hand, a wide- hing but shallow depression, with many secondary local and shifting irregularities of pressure, was found over nce and the Bay of Biscay. Northeasterly and easterly winds prevailed and there was an unusually steep ther- metric gradient from Central Europe to Scotland and Iceland. These conditions were probably the causal factors letermining the exceptionally violent and persistent electrical disturbances of the period between Sunday and lay. The first two days of the week were cold in Dublin—on Sunday the range of temperature was only from ° to 56·2°, on Monday it was from 47·1° to 59·6°. At 4 p.m. of the former day a downpour of rain began, lasting l the following morning—the measurement was 1·259 inches at Fitzwilliam Square, 1·45 inches at the Royal anic Gardens, Glasnevin. On Tuesday temperature rose sharply to 65·1°, and a succession of severe thunder- ms passed over Dublin or its vicinity—at 2 p.m., 4 p.m., 7.15 p.m., and from 1 a.m. to 4 a.m. of Wednesday. The mpanying rainfall was ·754 inch. The last three days were finer in this City, overcast dull mornings being eeded by warm and brighter afternoons. On Friday the screened thermometer rose to 70·4° in the shade— rday was cooler, the maximum being 66·0°. In Dublin the mean height of the barometer was 29·965 inches, the e of pressure being between 30·127 inches at 9 p.m. of Monday (wind, N.E.) and 29·823 inches at 4 p.m. of Friday d, N.N.W.). The corrected mean temperature was 57·7°, the mean dry bulb reading at 9 a.m. and 9 p.m. g 55·8°. On Monday the screened thermometers fell to 47·1°, on Friday they rose to 70·4°. The prevalent winds e at first N.E., afterwards N.W. Rain fell on 5 days to the large amount of 2·047 inches, 1·259 inches being rded on Sunday and ·754 inch on Tuesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·794 inches. The highest reading (29·963) was on Monday at 9 p.m., wind N.E., and the lowest (29·685) on Friday at 9 p.m., air calm.

The mean temperature for the week was 57·8°, being 4·5° above the average for the corresponding period of the 10 years, 1900–1909. The temperature was highest on Friday and Saturday, on which days the thermometer registered 70·3°, and was lowest on Monday, the mercury having fallen to 46·4°. The mean of the Dry Bulb for the week was 54·9° and of the Wet Bulb 53·7°. The mean humidity of the air was ·92, complete saturation being represented by 1·0. The rainfall during the week measured 1·870 inches.

At Greenwich the mean temperature for the week was 62·2°, the maximum 79·9°, and the minimum 50·9°; at Glasgow the maximum was 76·3°, the minimum 41·6°, and the mean 58·1°; and at Edinburgh the maximum was 68·6°, the minimum 43·7°, and the mean 52·7°. The rainfall at Greenwich measured 0·44 in., at Glasgow 0·21 in., and at Edinburgh 0·01 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY			BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
			Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.				9 A.M.	9 P.M.
			(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) In		
Sunday,	June	5,	29·759	55·7	48·9	52·3	50·0	48·8	·92	·6	1·2	1·215	N.E.	N.E.
Monday,	„	6,	29·946	59·4	46·4	52·9	50·6	49·0	·89	·6	7·9	·000	N.E.	N.E.
Tuesday,	„	7,	29·908	64·3	50·0	57·2	56·8	54·8	·88	·6	7·1	·625	N.E.	Calm.
Wednesday,	„	8,	29·804	61·9	52·4	58·7	56·5	56·0	·97	·6	5·7	·010	N.E.	Calm.
Thursday,	„	9,	29·715	68·3	53·9	61·1	57·6	56·5	·93	·6	6·0	·020	N.E.	Calm.
Friday,	„	10,	29·707	70·3	51·9	61·1	59·4	57·8	91	·6	5·0	·000	N.W.	Calm.
Saturday,	„	11,	29·719	70·3	51·9	61·1	53·7	52·7	·94	·6	3·5	·000	Calm.	Calm.
Mean,	.	. .	29·794	64·7	50·8	57·8	54·9	53·7	·92	·6	Total 36·4	Total 1·870	Prevailing Wind, N.E.	

Sunday—Day overcast to cloudy, light and heavy rain; night overcast, heavy rain a.m. *Monday*—Day cloudy night cloudy. *Tuesday*—Day cloudy, thunderstorm and rain; night overcast, thunderstorm, heavy rain, a.m *Wednesday*—Day cloudy, rain a.m. and p.m.: night cloudy. *Thursday*—Day cloudy, light rain a.m.: night overcast. *Friday*—Day overcast to cloudy; night overcast. *Saturday*—Day overcast to cloudy, fine; night clear.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, June 11th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY.			Air Temperature in Shade, a.m.	Earth Temperature, 9 a.m.		Air Temperatures in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m	Rainfall.
				1 Foot.	4 Feet.	Max.	Min.	Mean.		
			°	°	°	°	°	°	hrs.	ins.
Sunday,	June	5,	51·0	55·0	52·5	55·2	49·0	52·1	—	1·275
Monday,	„	6,	50·0	54·0	52·8	60·0	46·6	53·3	6·7	—
Tuesday,	„	7,	59·0	55·0	52·8	65·0	50·9	58·0	6·4	·890
Wednesday,	„	8,	58·8	57·0	52·9	64·0	51·9	58·0	4·0	·002
Thursday,	„	9,	56·3	57·7	53·0	65·6	54·5	60·1	5·0	·005
Friday,	„	10,	59·0	58·4	53·1	72·0	55·6	63·8	4·2	—
Saturday,	„	11,	54·0	59·0	53·5	66·3	52·8	59·6	2·0	—
Weekly Mean,			55·4	56·6	52·9	64·0	51·6	57·8	Total 28·3	Total 2·172

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

29036. Wt. P. 1—80/137, 375. 4. 1910. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 18TH JUNE, 1910. [No. 24.

General Register Office, Charlemont House, Dublin, 20th June, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending				Average Rate for 4 weeks.	TOWNS, &c.	Week ending				Average Rate for 4 weeks.
	May 28.	June 4.	June 11.	June 18.			May 28.	June 4.	June 11.	June 18.	
22 Town Districts.	**21·1**	**18·0**	**17·8**	**18·9**	**19·0**	Limerick, . . .	24·6	17·8	16·4	20·5	19·8
						Lisburn, . . .	13·6	4·5	27·3	13·6	14·8
Armagh, . . .	.	20·6	27·5	6·9	13·8	Londonderry, . .	24·0	13·2	9·6	10·8	14·4
Ballymena, . . .	14·4	9·6	9·6	19·2	13·2	Lurgan, . . .	4·4	4·4	22·1	35·4	16·6
Belfast, ...	23·5	22·1	19·7	24·4	22·4	Newry, . . .	8·4	16·8	4·2	16·8	11·6
Clonmel, . . .	25·6	20·5	25·6	10·3	20·5	Newtownards, . .	11·4	5·7	22·9	28·6	17·2
Cork, ...	26·7	16·4	19·9	15·1	19·5	Portadown, . .	25·8	10·3	15·5	15·5	16·8
Drogheda, . . .	12·3	20·4	12·3	16·3	15·3	Queenstown, . .	13·2	26·4	13·2	6·6	14·9
Dublin Reg. Area, .	19·5	15·7	16·4	17·1	17·2	Sligo, ...	4·8	4·8	48·0	9·6	16·8
Dundalk, . .	35·9	12·0	.	12·0	15·0	Tralee, . . .	21·1	5·3	10·6	21·1	14·5
Galway, . . .	11·7	19·4	15·5	7·8	13·6	Waterford, . . .	21·4	31·2	29·2	15·6	24·3
Kilkenny, . . .	29·5	39·3	9·8	.	19·6	Wexford, . .	14·0	4·7	4·7	14·0	9·4

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 3·1 per 1,000, the rates varying from 0·0 in seventeen of the districts to 7·9 in Belfast, the 183 deaths from all causes for that district including 49 from measles, 4 from whooping-cough, 2 from diphtheria, and 4 from diarrhœal diseases. Among the 9 deaths from all causes for Londonderry are 2 from measles, and of the 4 deaths from all causes for Drogheda one is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 272—132 boys and 140 girls—and the deaths to 140—67 males and 73 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, represent an annual rate of 17·1 per 1,000 of the population, the rate for the total deaths registered in the Area being 18·1 per 1,000. During

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*), Table II. ‡ See columns 10-18 of Table II.

the twenty-four weeks, ending with Saturday last, the death-rate averaged 23·2, and w
3·3 below the mean rate for the corresponding portions of the ten years, 1900-9.

The total deaths from all causes include one death from measles, 2 deaths from whoopi
cough, 2 deaths from enteric fever,* and one death from epidemic diarrhœa of an infa
There were also registered 2 deaths from enteritis and one death from *gastro-enteriti*
children under 5 years of age. In each of the three preceding weeks, deaths from mea
were 0, 0, and one ; deaths from whooping-cough were 0, 2, and one ; deaths from ente
fever were one, 0, and 0 ; and deaths from diarrhœal diseases were 2, one, and 3. There
one death from influenza, no death from this disease having been registered in the three p
ceding weeks.

There were 4 deaths from lobar pneumonia and 3 deaths from *pneumonia* (not defined).

Thirty-seven deaths were attributed to tuberculous disease ; the total includes 22 dea
from tuberculous phthisis (*phthisis*), 7 deaths from tuberculous meningitis, one death fr
tuberculous peritonitis, and 7 deaths from other forms of the disease. In the three preced
weeks deaths from all forms of tuberculous disease numbered 25, 32, and 22, respectively.

Carcinoma caused 5 deaths, sarcoma one death, and cancer (undefined) one death.

The deaths of 3 infants, prematurely born, were registered.

The 14 deaths from diseases of the brain and nervous system include 2 deaths fr
convulsions, one being that of an infant under one year, and one aged 13 months.†

Diseases of the heart and blood vessels accounted for 25 deaths, and there were 9 dea
from bronchitis.

Of 7 violent deaths 6 were attributed to accident or negligence, and one to suicide. Of
former 3 were by drowning and one was that of a child aged 2 years by scalds.

In 5 instances the cause of death was "uncertified," there having been no medical attend
during the last illness ; these cases include the deaths of 3 infants under one year of age
the death of one person aged 62 years.

Twenty-five of the persons whose deaths were registered during the week were un
5 years of age (13 being infants under one year, of whom 5 were under one month old)
41 were aged 60 years and upwards, including 21 persons aged 70 and upwards, of wh
3 were octogenarians.

Seventy-four of the deaths registered during the week occurred in hospitals and ot
public institutions ; of this number 18 took place in the North Dublin Union Workho
and 20 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last we
deaths in Public Institutions being assigned to the Districts from which the deceased w
admitted, and the annual death-rate for each District calculated on the mortality so
tributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·1 per 1,000 ; the rate in the City was
(North City Districts, 17·1; South, 20·7) and in the Suburbs, 11·3.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 0·6 per 1,000 inhabitants,
rate for the City being 0·8 (1·0 in the North City Districts, and 0·7 in the South), and for the Suburbs, 0·0.

No. 1 North City District, East (Clarence-street, North).—The deaths (9) are equal to an annual rate of 15·7 per 1
Whooping-cough and epidemic diarrhœa each caused one death ; there were 2 deaths from *phthisis*, one f
bronchitis, and one from accidental drowning.

No. 1 North City District, West (Summer-hill).—The deaths (14) are equal to an annual rate of 18·3 per 1
Among them are one death from enteric fever, one from *pneumonia* (not defined), and 5 deaths from tubercu
disease.

No. 2 North City District (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 18·7 per 1
There were 3 deaths from tuberculous disease and 2 from diseases of the respiratory system.

No. 3 North City District (Benburb-street).—The deaths (12) represent an annual rate of 18·6 per 1,000, and inc
one death from *pneumonia* (not defined), 3 from tuberculous disease, and one from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clon
and Howth, No. 1, part of, 9·7 per 1,000 inhabitants ; Coolock and Drumcondra, part of, 9·0; and Finglas and Glasn
part of, 20·3. The only death recorded for Clontarf and Howth, No. 1, part of, was one from tuberculous phthisis ;
one of the 2 deaths recorded for Coolock and Drumcondra, part of, was also caused by tuberculous phthisis.

No. 1 South City District (South Earl-street).—The deaths (18) represent an annual rate of 22·6 per 1,000. T
were 6 deaths from tuberculous disease, one death from *pneumonia* (not defined), and 3 deaths from bronchitis.

No. 2 South City District (Castle-street).—The deaths (4) are equal to an annual rate of 9·6 per 1,000, and inc
one death from lobar pneumonia and one accidental death.

No. 3 South City District (Peter-street).—The deaths (16) are equal to an annual rate of 19·3 per 1,000. Tubercu
disease caused 8 deaths.

No. 4 South City District (Grand Canal-street).—The deaths (16) are equivalent to an annual rate of 23·3 per
Of the deaths one was caused by whooping-cough, one by lobar pneumonia, 2 were caused by tuberculous disea
by bronchitis, and 2 by drowning.

New Kilmainham District.—The deaths (6) are equal to an annual rate of 34·5 per 1,000. One death cause
measles, one by *phthisis*, one by accident, and one death by suicide were recorded.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rat
16·9; Pembroke, 7·2; Blackrock, 0·0; and Kingstown, 11·8. There was no death from any of the principal epid
diseases tabulated for these districts. Among the 12 deaths from all causes for Rathmines and Rathgar are one
influenza, one from lobar pneumonia, 3 from tuberculous disease, and one from bronchitis ; and the 4 deaths
all causes for Pembroke include one death from *phthisis* and one death caused by accidental scalds.

* See Note (*c*) at foot of Table II. † See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when po
in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 18th June, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	May 28,	.	—	—	13	.	.	6	.	.	4	20	.	—	—	.	—	23	—	66
	June 4,	.	—	—	8	.	.	13	.	.	.	12	.	—	—	.	—	38	—	71
	June 11,	.	—	—	7	.	.	10	.	3	5	4	.	—	—	.	—	24	—	53
	June 18,	.	—	—	17	3	.	9	.	1	7	15	1	—	—	.	—	20	—	73
Rathmines and Rathgar Urban District.	May 28,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	—	2
	June 4,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	June 11,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	—	2(*a*)
	June 18,	.	—	—	1	.	.	.	.	.	.	.	1	—	—	—	—	—	—	2
Pembroke Urban District.	May 28,	.	.	1	1	.	.	4	.	.	.	.	.	—	.	.	—	—	—	6
	June 4,	.	.	.	1	.	.	1	.	.	1	1	.	—	.	.	—	—	—	4
	June 11,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	—	.
	June 18,	.	.	1	1	.	.	.	.	.	.	.	.	—	5	.	—	—	—	7
Blackrock Urban District.	May 28,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	June 4,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	.	—	—	—	2
	June 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	June 18,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	May 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	June 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	June 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	2	—	2
	June 18,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	May 28,	.	—	—	14	.	.	5	1	.	1	6	.	—	—	—	—	31	—	58
	June 4,	.	—	—	8	.	.	5	.	.	1	9	1	—	—	—	—	46	—	70
	June 11,	.	—	—	9	.	.	3	.	1	2	1	.	—	—	—	—	25	—	41
	June 18,	.	—	—	2	.	.	2	.	.	.	1	.	—	—	—	—	14	—	19

(*a*) Not including one case of dysentery, as returned.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 18th June, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

One case of measles was admitted to hospital during the week, and 5 cases remained under treatment at its close.

Twenty-five cases of scarlet fever were admitted to hospital, 14 were discharged, there was one death, and 74* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 84, 76, and 64, respectively.

Three cases of typhus were admitted to hospital during the week, and remained under treatment at its close.

Seven cases of diphtheria were admitted to hospital, 12 were discharged, and 50 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 44, 53, and 55, respectively.

Six cases of enteric fever were admitted to hospital during the week, 8 were discharged, and 31 cases remained under treatment in hospital at the close of the week.

In addition to the above named diseases, 9 cases of pneumonia were admitted to hospital, 8 were discharged, there was one death, and 33 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 10·6) was equal to an average annual death-rate of 11·1 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 13·9 per 1,000, the rate for Glasgow being 13·5 and for Edinburgh 10·4.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 18th June. From this Report it appears that of a total of 28 cases notified, 12 were scarlet fever, 7 phthisis, 6 diphtheria, 2 erysipelas, and one enteric fever. Among the 279 cases of infectious diseases in hospital at the close of the week were 128 cases of scarlet fever, 55 of phthisis, 33 of diphtheria, 29 of measles, 17 of chicken-pox, 8 of whooping-cough, 5 of erysipelas, and 3 of enteric fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 18th June, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 18TH JUNE, 1910.																							METEOROLOGY. (*d*)											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 18TH JUNE, 1910.				WEEK ENDING 11TH JUNE, 1910.				WEEK ENDING 4TH JUNE, 1910.			
	POPULATION.			DEATHS.			DEATHS.																			Air Temperature				Air Temperature				Air Temperature			
	Total. (*a*)	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10–18.	BIRTHS.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by																Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
										Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.										
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS.	1,151,790	20·8	31·8	18·9	3·1	702	418	70	107	.	52	.	.	7	2	.	1	6	31	63	24	16	31	7	8	129	15	°	°	°	.	°	°	°	.	°	°	°	.
DUBLIN REGISTRATION AREA:—TOTAL, *c*.	402,998	29·3	35·2	17·1	0·6	272	182	18	40	.	1	.	.	2	.	.	1	1		21	15	6	11	7	5	66	5	*e*70·1	42·1	56·4	0·01	*e*70·8	46·4	57·8	1·87	*e*59·8	37·7	50·6	0·69
CITY of DUBLIN.	310,298	39·2	41·7	18·8	0·8	248	112	12	31	.	1	.	.	2	.	.	1	1	5	19	13	6	10	6	5	59	3	*f*69·1 *g*69·9	47·0 43·0	58·9 57·9	0·02 0·02	*f*70·4 *g*71·9	47·1 46·0	57·7 57·8	2·05 2·07	*f*61·9 *g*59·8	42·9 39·0	52·1 51·3	0·89 0·67
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	18·3	16·9	.	18	12	1	4	.	.	.	.	.	.	.	.	.	1	1	2	.	1	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	10·3	7·2	.	6	4	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,013	8·3	17·4	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	5·9	11·8	.	2	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	73	47	53·3	0·00	70·0	48·0	56·9	1·95	61·0	43·0	53·0	0·72
URBAN DISTRICTS.																																							
BELFAST,	391,167	26·6	30·8	24·4	7·9	231	168	44	34	.	49	.	.	4	2	.	.	4	17	24	3	6	14	.	3	40	2	69·0	44·0	58·0	0·24	72·0	42·5	56·6	0·07	62·0	39·5	51·7	0·68
CORK,	76,122	33·6	30·1	15·1	.	44	22	2	8	.	.	.	.	.	.	.	.	.	2	3	.	1	2	.	.	7	.	63	46	56·2	0·01	65	48	56·1	0·69	62	42	52·6	1·04
LONDONDERRY,	43,477	20·1	24·0	10·8	2·4	20	9	1	4	.	2	.	.	.	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	24·6	20·5	1·4	18	15	5	3	.	.	.	.	.	.	.	1	.	1	3	.	.	.	.	.	6	4	68·5	39·9	56·7	0·03	71·0	47·1	57·9	0·43	61·6	38·8	51·6	0·52
WATERFORD,	26,769	18·7	23·4	15·6	.	12	8	.	3	.	.	.	.	.	.	.	.	.	4	.	1	.	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	2·5	38·8	7·8	.	10	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	72	44	58	0·26	75	40	62	1·17	64	40	52	0·64
DUNDALK	18,076	9·4	43·9	12·0	.	11	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	32·7	16·3	4·1	8	4	.	2	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,405	17·8	50·4	16·8	.	12	4	.	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	69·9	41·0	57·2	0·16	72·2	43·3	58·9	0·76	62·0	41·0	51·2	0·57
LURGAN,	11,782	13·8	31·0	35·4	.	7	8	1	3	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	1	.	69·9	41·0	57·2	0·16	72·2	43·3	58·9	0·76	62·0	41·0	51·2	0·57
LISBURN,	11,461	10·1	36·4	18·6	.	8	8	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	69·9	41·0	57·2	0·16	72·2	43·3	58·9	0·76	62·0	41·0	51·2	0·57
WEXFORD,	11,168	23·2	37·4	14·0	.	8	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,886	8·9	19·2	19·2	.	4	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,870	3·7	28·8	9·6	.	6	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	71·4	40·3	55·7	0·78	74·8	43·5	57·1	1·52	58·8	35·3	49·5	0·75
KILKENNY,	10,609	11·5	29·5	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	69	41	58·4	0·00	71	43	58·0	0·60	61	38	52·0	1·12
CLONMEL,	10,167	7·8	25·6	10·3	.	5	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,092	18·2	36·2	15·5	.	7	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	69·9	41·0	57·2	0·16	72·2	43·3	58·9	0·76	62·0	41·0	51·2	0·57
TRALEE,	9,867	16·6	31·7	21·1	.	6	4	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	17·2	28·6	.	3	5	1	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1	1	67	45	55·8	0·19	67	45	53·9	0·02	59	40	49·6	0·53
QUEENSTOWN,	7,909	14·4	19·8	6·6	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	63	46	56·2	0·01	65	48	56·1	0·69	62	42	52·6	1·04
ARMAGH,	7,588	22·2	6·9	6·9	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	69·9	41·0	57·2	0·16	72·2	43·3	58·9	0·76	62·0	41·0	51·2	0·57

(*a*) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (*b*) Formerly described as "Simple Continued Fever." (*c*) Exclusive of 8 deaths of persons (including one at 70 years), admitted to hospital from localities outside the Area; of the 8 deaths one was from enteric fever. (*d*) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Maynooth College. (*e*) Observations at Ordnance Survey Office, Phœnix Park. (*f*) Observations by Sir John Moore, taken at Fitzwilliam-square. (*g*) Observations by

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 18th June, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF					
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Diarrhœal Diseases,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Pneumonia,	.	1	.	1	.	.	.	1	1	.	1	.	1	.	.	.	6	1
Tuberculous Phthisis,	2	2	2	2	1	1	.	3	.	4	1	1	1	1	.	.	21	1
Tuberculous Other Forms,	.	3	1	1	.	.	.	3	.	4	1	.	2	.	.	.	15	.
Cancer, Malignant Disease,	1	.	.	1	.	.	1	.	.	2	.	1	.	.	.	.	6	1
Other General Diseases,	.	.	1	1	.	.	.	1	.	1	3	.	2	.	.	.	9	1
Total,	5	7	4	6	1	1	1	8	1	11	7	3	6	1	.	.	62	5
B. LOCAL DISEASES:																		
Diseases of Nervous System,	.	2	1	1	.	1	.	3	.	1	2	.	.	.	.	.	11	3
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	2	2	4	3	.	3	2	.	1	25	.
Diseases of Heart and Blood Vessels,	1	4	1	2	.	.	.	3	.	.	2	.	1	.	.	.	11	.
Diseases of Respiratory System,	1	.	2	1	.	.	1	2	.	.	.	1	1	.	.	1	8	.
Diseases of Digestive System,	.	1	1	.	.	.	1	.	.	.	.	.	1	.	.	.	1	.
Diseases of Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Generative System,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	3	7	5	5	.	1	2	10	2	5	7	1	6	2	.	2	58	3
C. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	2	5	.
E. VIOLENT DEATHS,	1	.	.	.	.	.	.	.	1	.	2	2	.	1	.	.	7	.
Deaths from all Causes	9	14	11	12	1	2	3	18	4	16	16	6	12	4	.	4	132	8
Annual Rate of Mortality from all causes in every 1,000 of the population.	15·7	18·3	18·7	18·6	9·7	9·0	20·3	22·6	9·6	19·3	23·3	34·5	13·9	7·2	.	11·8	17·1	.
	17·1							20·7					11·3					
	18·8																	
Ages at Death. Under 1 year,	1	.	2	2	.	.	.	3	.	.	4	.	1	.	.	.	13	.
Ages at Death. 1 and under 5 years,	1	2	1	1	.	.	.	2	.	2	.	2	.	1	.	.	12	.
Ages at Death. 5 „ 20 „	2	1	1	.	.	.	.	2	.	2	.	.	2	1	.	.	11	1
Ages at Death. 20 „ 40 „	2	6	.	1	1	1	2	3	1	5	2	1	.	.	.	.	25	2
Ages at Death. 40 „ 60 „	1	2	4	5	.	1	1	3	.	3	3	2	5	.	.	1	31	4
Ages at Death. 60 years and upwards,	2	3	3	3	.	.	.	5	3	4	7	1	4	2	.	3	40	1
Number of Uncertified Deaths,	.	.	.	.	.	.	.	.	.	.	3	.	1	.	.	1	5	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	5	2	2	.	.	1	2	2	3	2	1	3	2	.	1	29	7
Workhouse Hospitals,	3	3	6	5	.	.	1	7	2	2	6	1	.	1	.	.	37	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in the week of the ten years 1900–1909,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Averages in 24th Week of the 10 years, 1900–1909.	In the Week ending Saturday, 18th June, 1910. Deaths of Persons of the Ages of							
	June 16, 1900.	June 15, 1901.	June 14, 1902.	June 20, 1903.	June 18, 1904.	June 17, 1905.	June 16, 1906.	June 15, 1907.	June 13, 1908.	June 19, 1909.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 57·8	° 50·7	° 48·5	° 49·1	° 56·3	° 55·6	° 55·0	° 54·6	° 53·6	° 55·9	° 53·7	° 56·4								
ALL CAUSES.	167	148	155	151	169	132	126	191	150	128	151·7	140	5	8	12	12	27	35	38	3
Small-pox,	.	.	.	3	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	.	4	1	2	.	.	3	3	3	1·6	1	.	.	1	.	.	.	.	.
Scarlet Fever,	1	.	.	1	.	1	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	1	1	2	2	1	1	3	.	.	1·2	1	.	.	.	1	.	.	.	.
Whooping-cough,	.	3	3	6	3	2	2	8	2	3	3·2	2	.	1	1	.	.	.	.	.
Diphtheria,	2	.	1	1	.	1	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever,	.	.	.	.	.	.	.	5	1	.	·6	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	1	1	.	1	.	1	.	.	1	·7	2	.	.	.	1	1	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.), *Diarrhœa*, Dysentery,	1	4	1	.	.	.	1 3	. 1	. .	. 3	1·4	1 .	.	1	.	.	.	.	.	.
Tetanus,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	.	.	1	.	3	.	1	1	1	·7	1	.	.	.	.	1	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*,	.	.	.	.	.	.	1	.	.	.	·1	1 .	.	.	.	1	.	.	.	.
Infective Endocarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	11	12	1	3 7	2	4	2	9	1 3	1 6	11·1	4 .	.	.	.	.	1	1	2	.
Broncho-Epidemic			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Not defined,			5	4	11	9	4	6	4	6		3	.	.	1	.	.	2	.	.
Erysipelas,	.	.	1	1	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	1	.	.	1	.	.	1	.	.	1	·4	.	.	.	.	.	.	.	.	.
Other Infective Conditions,	.	.	1	1	.	1	.	.	1	1	·5	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*,"	28	28	2 24	3 13	6 20	9 17	9 8	12 15	8 8	4 15	22·9	9 13	.	.	3 .	.	4 3	2 3	1	.
Tuberculous Meningitis,	6	2	2	3	3	2	2	5	4	3	3·2	7	.	1	3	3	.	.	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*,	4	2	. .	. .	1 1	. 1	.	1 .	. .	. .	1·0	1 .	.	1 .	.	.	.	.	.	.
Tuberculous Dis. (other), *Scrofula*,	7	4	4 .	7 .	7 .	1 .	10 .	5 .	7 .	3 .	5·5	7 .	.	1 .	.	1	1	3	1	.
Alcoholism,	2	.	1	2	.	.	2	1	1	.	·9	.	.	.	.	.	.	.	.	.
Rheumatic Fever,	1	1	.	.	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carcinoma,	8	4	1	1	2	2	2	3	2	2	7·2	5	.	.	.	.	1	3	.	1
Sarcoma,			.	1	2	.	.	.	1	3		1	.	.	.	.	.	1	.	.
Cancer (undefined)			7	4	4	5	6	7	5	3		1	.	.	.	.	.	1	.	.
Diabetes Mellitus,	.	.	.	.	1	.	1	.	1	1	·4	1	.	.	.	.	.	.	1	.
Premature Birth,	1	3	2	4	3	3	.	4	6	1	2·7	3	3	.	.	.	.	.	.	.

* The figures for the year 1900 are for

† Formerly described as

VENTY-FOURTH WEEK ending Saturday, 18th June, 1910, with the deaths from each cause in the corresponding
d the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 24th Week of the 10 years 1900-1909.	In the Week ending Saturday, 18th June, 1910.							
	June 16, 1900.	June 15, 1901.	June 14, 1902.	June 20, 1903.	June 18, 1904.	June 17, 1905.	June 16, 1906.	June 15, 1907.	June 13, 1908.	June 19, 1909.		Deaths of Persons of the Ages of							
												All Ages.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 57·8	° 50·7	° 48·5	° 49·1	° 56·3	° 55·6	° 55·0	° 54·6	° 53·6	° 55·9	° 53·7	° 56·4								
Meningitis (not tuberc.)			6	.	3	3	.	3	7	2		1	.	.	.	1	.	.	.
Insanity, G. P. of Insane			.	1	1	.	.	2	.	.		4	.	.	.	.	3	1	.
Epilepsy			.	.	1	1	.	.	.	.		3	.	.	.	1	1	1	.
Convulsions			8	4	6	5	2	5	5	2		2	1	.	1	.	.	.	.
Locomotor Ataxy			1	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord			1	1	2	1	1	3	4	1		3	.	1	.	1	1	.	.
Nervous System (other Dis.)			1	1	2	2	2	3	.	2		1	.	.	.	.	.	1	.
	29	33									33·9								
Valv. Dis., Endocarditis			3	4	7	4	6	9	6	5		11	.	.	.	2	2	6	1
Cerebr. Hæm. Thromb.			1	1	5	2	5	3	2	2		1	.	.	.	.	.	1	.
Apoplexy, Hemiplegia			2	4	7	5	4	4	2	1		5	.	.	.	.	1	4	.
Aneurysm			1	.	.	1	.	1	1	.		.	.	.	.	.	.	.	.
Embolism, Thromb. (not cerebral)			.	.	2	1	.	.	.	.		.	.	.	.	.	.	.	.
Heart and Blood Vessels (other Dis.)			11	4	13	5	11	12	14	11		8	.	.	.	1	1	6	.
Croup (not Spasm. nor Memb.)	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
Bronchitis	17	10	8	21	14	15	10	19	17	8	13·9	9	.	.	.	.	4	4	1
Asthma, Emphysema			.	2	.	.	.	1	.	1		1	.	.	.	.	1	.	.
Pleurisy	5	3	.	1	.	.	1	.	.	.	2·2	.	.	.	.	.	.	.	.
Respiratory Dis. (other)			2	1	1	1	.	1	1	1		1	.	.	.	1	.	.	.
Tonsillitis, Quinsy	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.)			2	.	.	2	1	1	1	2	1·4	2	.	1	1	.	.	.	.
Gastro-enteritis	.	.	1	.	.	1	.	1	1	1		1	.	.	1	.	.	.	.
Peritonitis (not Puerp.)	1	.	.	2	2	3	.	1	.	1	1·0	1	.	.	.	1	.	.	.
Cirrhosis of Liver	3	6	2	.	3	.	3	.	.	2	2·2	2	.	.	.	.	2	.	.
Liver Dis. (other)			.	.	.	1	1	.	.	1		1	.	.	.	.	1	.	.
Digestive Dis. (other)	4	4	5	9	4	3	5	6	3	4	4·7	1	.	.	.	.	1	.	.
Nephritis, Acute			2	2	1	1	1	1	.	2									
Bright's Dis., Albuminuria	.	3	1	2	3	3	5	7	5	7	5·3	.	.	.	.	.	.	.	.
Urinary Sys. (other Dis.)			.	2	2	.	.	1	1	1		.	.	.	.	.	.	.	.
Generative Organs Dis.	.	.	1	.	.	.	.	1	.	.	·2	1	.	.	.	1	.	.	.
Childbirth (Accid. of)	.	1	1	1	.	.	.	.	1	.	·4	1	.	.	.	1	.	.	.
Old Age	11	6	8	3	3	2	3	5	1	4	4·6	4	.	.	.	.	.	4	.
Other Diseases	19	10	14	13	15	6	6	11	14	8	11·6	5	1	1	.	1	1	1	.
ACCIDENT.																			
By Railways	.	.	.	.	.	.	.	.	.	.									
By Vehicles and Horses	.	.	1	.	.	1	.	.	.	.	·2	1	.	.	.	1	.	.	.
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations	.	2	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	.	.	4	.	.	.	.	.	.	.	·4	1	.	.	1	.	.	.	.
By Drowning	1	.	2	1	1	1	.	1	2	.	·9	3	.	.	.	1	1	1	.
By Suffocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident	.	3	3	1	.	.	2	.	1	.	1·0	1	.	.	.	.	.	1	.
VIOLENCE OTHER THAN ACCIDENTAL.																			
Homicide	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.
Suicide	.	2	.	.	.	.	.	.	.	.	·2	1	.	.	.	1	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ie Registration Area as then constituted.
Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1909-10—Week ending																								
	Dec. 26.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.
No. of weeks in Annual Series,	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
BIRTHS registered.	135	232	236	243	197	162	252	220	197	224	206	247	162	242	213	255	217	221	246	230	241	181	242	253	268	272
*Average Births in corresponding week of previous 10 years,** ..	177	175	227	204	206	203	234	212	210	213	214	219	217	211	235	190	207	224	195	270	220	211	202	232	222	199
DEATHS registered, ...	155	205	174	177	181	177	239	217	211	228	208	204	149	185	168	186	183	200	193	196	180	131	160	135	133	140
Annual Death-rate per 1,000, ..	20·3	26·8	22·5	22·9	23·4	22·9	30·9	28·1	27·3	29·5	26·9	26·4	19·3	23·9	21·7	24·1	23·7	25·9	25·0	17·6	23·3	17·0	20·7	17·5	17·2	18·1
*Average Deaths in corresponding week of previous 10 years,**	195	184	217	210	206	201	200	196	207	221	221	214	200	206	211	200	200	197	189	184	178	174	171	157	154	152
AGES, Under 5 years, ...	44	71	49	57	57	55	76	58	67	67	57	53	30	52	44	44	37	49	46	36	38	37	39	31	37	25
5—20 ,, ...	8	11	12	13	10	13	11	9	9	16	8	12	11	12	13	9	11	15	18	6	16	7	10	13	10	12
20—40 ,, ...	23	19	30	25	20	31	27	25	19	22	33	28	21	34	18	26	24	33	29	26	34	20	25	26	22	27
40—60 ,, ...	34	48	36	23	41	36	54	42	38	42	40	31	35	35	32	43	38	35	43	25	32	28	40	27	29	35
60—80 ,, ...	37	70	37	49	45	37	64	62	66	69	57	65	41	42	45	53	57	59	46	40	50	36	42	33	28	38
80 years and upwards, ..	9	6	10	10	8	5	7	21	12	12	13	12	11	10	16	11	16	9	11	3	10	3	4	5	7	3
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	2	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	1
Scarlet Fever, ...	1	3	.	.	.	1	.	1	2	1	1	.	1	.	.	.	.	.	.	1	.	1	.	2	.	.
Typhus, ...	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	2	1	3	5	4	1	2	4	1	.	3	2	1	2	1	.	2	5	4	1	1	1	.	2	1	2
Diphtheria, ...	.	1	1	.	3	.	2	2	.	2	.	1	1	1	.	1	.	2	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain), ..	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	3	2	.	1	.	2	.	.	.	1	2	.	1	1	4	1	1	.	2	1	3	.	1	.	.	2
Diarrhœal Diseases, ...	.	4	2	4	4	2	4	6	2	3	3	4	2	3	.	4	2	2	1	2	1	5	2	1	3	1
Influenza, ...	6	4	2	3	5	1	4	3	2	2	5	6	7	6	6	8	5	2	8	1	3	2	.	.	.	1
Pneumonia, ...	20	22	22	14	21	14	20	17	20	22	17	20	12	14	14	17	18	20	17	8	14	13	8	8	10	7
Tuberculous Phthisis,	14	15	24	19	21	23	26	19	19	23	28	26	15	26	14	21	22	31	25	14	31	15	14	17	15	22
Disease, Other Forms, ..	4	6	5	6	6	6	17	10	14	13	10	12	10	10	4	10	9	18	12	11	9	9	11	15	7	15
Cancer, Malignant Disease, ..	6	4	8	7	8	11	19	10	8	14	9	13	5	6	14	7	10	11	11	6	10	3	10	10	6	7
Diseases of Heart and Blood Vessels, ...	21	37	29	31	29	17	29	38	40	31	27	25	30	20	30	37	28	37	31	21	25	20	29	21	21	25
Diseases of Respiratory System,	30	41	20	38	29	39	48	35	41	41	39	35	26	36	23	38	39	22	25	17	27	16	18	13	17	11
Violent Deaths, ...	2	2	4	4	1	4	5	1	6	6	5	3	1	2	5	5	3	3	4	6	11	2	3	6	7	7
Number of Uncertified Deaths, ..	7	10	3	8	13	9	13	3	7	2	8	5	5	3	4	9	12	8	6	2	2	6	3	3	7	5
Mean Temperature of the Air (Phœnix Park), ...	38·5	45·9	45·4	42·1	37·6	32·5	38·1	43·7	42·3	39·2	44·0	43·6	39·8	43·4	39·7	41·7	43·0	49·6	43·6	46·1	44·7	51·4	55·1	50·6	57·8	56·4
Average Mean Temperature in corresponding week of previous 10 years, ...	42·1‡	40·3	41·3	40·0	41·1	41·7	40·0	38·9	38·9	40·1	40·1	41·1	42·9	41·9	42·1	44·2	43·4	45·1	46·6	46·9	43·5	48·6	50·5	53·9	53·3	53·7
Rainfall in inches, ...	1·188	·340	·123	·986	·240	1·690	·168	·264	1·160	·915	·392	·383	·174	·000	·010	·205	·736	·782	·417	·670	·250	1·263	·135	·692	1·870	·010
Mean Humidity of the Air, complete Saturation 1·0	·86	·88	·89	·85	·91	·88	·94	·91	·93	·94	·93	·88	·91	·91	·88	·93	93	·91	·82	·77	·81	·90	·88	·81	·92	·87

* See note (*) at foot of Table IV

† Formerly described as "Simple Continued Fever."

‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS OF SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 18th June, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 18TH JUNE, 1910. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS, ...	375,850	19·4	140	25	12	27	35	38	3	.	1	.	.	2	.	.	2	1	6	7	22	15	7	2	11	7	63	5
	CLASSES. **Deaths in Families of the—**																												
I.	Professional and Independent Class, ..	17,436	9·0	3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	1	.
II.	Middle Class, ...	87,188	19·1	32	2	4	7	10	8	1	.	1	.	.	.	.	.	1	.	2	1	4	4	5	.	.	1	15	2
III.	Artisan Class and Petty Shopkeepers, ..	110,428	14·2	30	2	2	10	11	5	.	.	.	.	.	.	.	.	.	.	.	.	6	5	.	.	3	2	14	.
IV.	General Service Class, ...	154,279	12·5	37	12	4	6	8	6	1	.	.	.	.	2	.	.	1	.	3	2	3	4	2	2	3	3	15	3
V.	Inmates of Workhouses, ...	6,024	—	38	9	2	3	6	18	.	.	.	.	.	.	.	.	.	1	1	3	8	2	.	.	5	1	18	.
I.	Professional and Independent Class.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	20·1	3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,560	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	Middle Class.																												
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	26·1	11	.	2	2	2	4	1	.	.	.	.	.	.	.	.	.	.	.	1	1	3	.	.	.	6	1
	6. Clerks and Commercial Assistants, ..	30,482	15·4	9	1	.	3	2	3	.	.	1	.	.	.	.	.	1	.	2	1	.	1	.	.	.	.	5	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	21·2	11	1	2	2	5	1	.	.	.	.	.	.	.	.	.	.	.	.	3	2	2	.	.	1	3	.
III.	Artisan Class and Petty Shopkeepers.																												
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	21·1	4	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.
	9. Building and Furnishing Trades, ...	29,801	10·5	6	.	.	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	.	2	.
	10. Clothing Trades, ...	23,260	11·2	5	.	2	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4	.
	11. Food Supply Trades, ...	9,242	11·3	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,852	22·3	13	1	.	4	4	4	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	3	1	6	.
	13. Petty Shopkeepers, ...	7,894	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	General Service Class.																												
	14. Army, Police, Postal Delivery, and Prison Services, &c	18,425	3·9	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	15. Domestic Servants, ...	36,608	2·8	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	14·5	4	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	17·4	30	12	3	3	8	3	1	.	.	.	.	2	.	.	1	.	3	.	1	4	2	2	3	2	13	3
V.	Inmates of Workhouses.																												
	18. Workhouse Inmates, ...	6,024	—	38	9	2	3	6	18	.	.	.	.	.	.	.	.	.	1	1	3	8	2	.	.	5	1	18	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

	DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From Diseases in Cols. 5–18.	TOTAL DEATHS.	NUMBER OF DEATHS FROM Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of).	North City, No. 1 (E.)	Apr. 30,	15·7	.	9		.	.	.	.	.	.	.	.	1	3	1	.	.	.	.
		May 7,	12·2	.	7	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
		,, 14,	26·2	1·7	15	.	.	.	.	.	.	.	1	.	1	4	.	1	2	.	.
	(*Office*,	,, 21,	15·7	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	1
	Clarence-st., Nth.,	,, 28,	19·2	.	11	.	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.
		June 4,	10·5	.	6	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.
	Pop. in 1910	,, 11,	26·2	1·7	15	.	.	.	.	1	.	.	.	.	1	1	.	1	.	1	.
	(Est.) 29,908.	,, 18,	15·7	3·5	9	.	.	.	.	1	.	.	.	1	.	9	.	1	1	1	.
	North City, No. 1 (W.)	Apr. 30,	19·6	1·3	15	.	.	.	.	1	.	.	.	.	.	2	.	.	6	.	3
		May 7,	19·6	.	15	.	.	.	.	.	.	.	.	.	1	3	1	.	3	.	1
		,, 14,	22·2	.	17	.	.	.	.	.	.	.	.	.	.	3	.	.	5	1	.
	(*Office*,	,, 21,	18·3	1·3	14	.	.	.	.	1	.	.	.	.	1	2	2	.	.	.	.
	Summer-hill.)	,, 28,	20·9	1·3	16	.	.	.	.	.	.	.	.	1	1	2	.	.	2	.	.
		June 4,	15·0	1·3	10	.	.	.	.	1	.	.	.	.	.	1	1	.	2	1	.
		,, 11,	28·5	.	18	.	.	.	.	.	.	.	.	.	2	6	.	1	1	1	2
	Pop. in 1910	,, 18,	18·3	1·3	14	.	.	.	.	.	.	.	1	.	1	2	3	.	.	.	.
	(Est.) 39,974.																				
	North City, No. 2.	Apr. 30,	22·0	.	13	.	.	.	.	.	.	.	.	.	3	2	2	2	1	.	.
		May 7,	18·7	.	11	.	.	.	.	.	.	.	.	.	.	2	.	1	3	.	.
		,, 14,	15·3	1·7	9	.	.	.	.	.	.	.	.	1	1	4	.	.	1	.	.
	(*Office*,	,, 21,	18·7	1·7	11	.	.	.	.	.	.	.	.	1	1	1	1	.	4	.	.
	Lisburn-street.)	,, 28,	22·0	.	13	.	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.
		June 4,	17·0	.	10	.	.	.	.	.	.	.	.	.	.	1	1	1	2	2	.
		,, 11,	11·9	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.
	Pop. in 1910	,, 18,	18·7	.	11	.	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.
	(Est.) 30,744.																				
	North City, No. 3.	Apr. 30,	28·0	1·6	18	.	.	.	.	.	.	.	1	.	2	1	1	.	3	.	.
		May 7,	18·6	1·6	12	.	.	.	.	1	.	.	.	.	1	.	.	.	4	1	.
		,, 14,	20·2	.	13	.	.	.	.	.	.	.	.	.	.	2	1	1	2	.	.
	(*Office*,	,, 21,	12·4	1·6	8	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.	1
	Benburb-street.)	,, 28,	23·0	.	18	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	1
		June 4,	23·3	1·6	15	.	.	.	.	1	.	.	.	.	1	4	1	.	1	.	.
		,, 11,	17·1	.	11	.	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.
	Pop. in 1910	,, 18,	18·6	.	12	.	.	.	.	.	.	.	.	.	1	2	1	1	1	.	.
	(Est.) 33,559.																				
	South City, No. 1.	Apr. 30,	26·4	1·3	21	.	.	.	.	.	.	.	1	.	2	3	1	2	4	.	.
		May 7,	12·6	.	10	.	.	.	.	.	.	.	.	.	2	1	.	1	.	1	.
		,, 14,	16·3	.	13	.	.	.	.	.	.	.	.	.	1	1	.	1	3	1	.
	(*Office*,	,, 21,	17·6	.	14	.	.	.	.	.	.	.	.	.	2	1	2	.	2	.	.
	Sth. Earl-street.)	,, 28,	22·6	1·3	18	.	.	.	.	.	.	.	1	.	.	1	.	2	4	.	.
		June 4,	17·6	2·5	14	.	.	1	.	.	.	.	.	1	.	2	3	1	1	.	.
	Pop. in 1910	,, 11,	15·1	1·3	12	.	1	.	.	.	.	.	.	.	1	1	1	.	.	2	.
	(Est.) 41,476.	,, 18,	22·6	.	18	.	.	.	.	.	.	.	.	.	1	3	3	.	3	.	.
	South City, No. 2.	Apr. 30,	21·6	.	9	.	.	.	.	.	.	.	.	.	1	1	2	.	1	.	.
		May 7,	19·2	2·4	8	.	.	.	.	.	.	.	.	1	.	2	.	2	.	.	.
		,, 14,	9·6	.	4	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.
	(*Office*,	,, 21,	14·4	.	6	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.
	Castle-street.)	,, 28,	16·8	.	7	.	.	.	.	.	.	.	.	.	.	1	2	.	2	.	.
		June 4,	14·4	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	Pop. in 1910	,, 11,	12·0	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.
	(Est.) 21,754	,, 18,	9·6	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	South City, No. 3.	Apr. 30,	24·1	1·2	20	.	.	.	.	1	.	.	.	.	2	3	2	2	5	.	1
		May 7,	16·9	.	14	.	.	.	.	.	.	.	.	.	1	2	1	.	1	.	1
		,, 14,	27·7	1·2	23	.	.	1	.	.	.	.	.	.	2	6	1	1	3	2	1
	(*Office*,	,, 21,	27·7	1·2	23	.	.	1	.	.	.	.	.	.	2	3	1	.	5	.	1
	Peter-street.)	,, 28,	24·1	.	20	.	.	.	.	.	.	.	.	.	3	2	4	1	4	.	1
		June 4,	20·5	1·2	17	.	.	1	.	.	.	.	.	.	2	1	1	1	1	1	1
	Pop. in 1910	,, 11,	12·1	2·4	10	.	.	.	.	.	.	.	.	2	2	.	1	.	3	.	.
	(Est.) 43,227.	,, 18,	19·3	.	16	.	.	.	.	.	.	.	.	.	.	4	4	2	.	.	.
	South City, No. 4.	Apr. 30,	30·5	1·5	21	.	.	.	.	1	.	.	.	.	2	3	1	.	.	.	.
		May 7,	14·5	.	10	.	.	.	.	.	.	.	.	.	.	2	1	.	1	2	.
		,, 14,	18·9	.	13	.	.	.	.	.	.	.	.	.	2	2	.	.	6	1	.
	(*Office*,	,, 21,	23·3	1·5	16	.	.	.	.	.	.	.	.	1	.	3	2	1	1	.	1
	Grand Canal-st.)	,, 28,	18·1	1·5	9	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.
		June 4,	10·3	.	7	.	.	.	.	.	.	.	.	.	1	.	2	1	2	.	.
	Pop. in 1910	,, 11,	20·8	.	14	.	.	.	.	.	.	.	.	.	1	.	2	1	2	1	2
	(Est.) 35,881.	,, 18,	23·3	1·5	16	.	.	.	.	1	.	.	.	.	1	1	1	.	2	2	3

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From ALL CAUSES	From DISEASES IN COLS. 5–18.	TOTAL DEATHS.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia* * (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	Apr 30,	29 6	.	21	.	.	.	.	.	.	.	.	.	1	3	1	1	1	1	1
	May 7,	14·1	1·4	10	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	1
	„ 14,	22·5	.	16	.	.	.	.	.	.	.	.	.	2	1	1	1	.	2	.
	„ 21,	12·7	1·4	9	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	1
	„ 28,	22·5	.	16	.	.	.	.	.	.	.	.	.	2	1	.	2	1	.	.
	June 4,	18·8	.	13	.	.	.	.	.	.	.	.	.	.	8	.	2	1	1	1
	„ 11,	22·5	.	16	.	.	.	.	.	.	.	.	.	.	3	2	1	.	.	8
	„ 18,	16·9	.	12	.	.	.	.	.	.	.	.	.	1	1	2	.	1	.	1
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	Apr. 30,	28·8	1·8	16	.	.	.	.	1	.	.	.	.	1	1	1	1	1	1	.
	May 7,	18·0	.	10	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.
	„ 14,	12·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.	.
	„ 21,	12·6	.	7	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.
	„ 28,	14·4	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
	June 4,	10·8	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.
	„ 11,	7·2	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.
	„ 18,	7·2	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	Apr. 30,	26·6	3·0	9	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	1
	May 7,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.
	„ 14,	41·4	.	14	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.
	„ 21,	8·9	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
	„ 28,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
	June 4,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.
	„ 11,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	„ 18,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Belfast. Pop. in 1910 (Est.) 391,167.	Apr. 30,	23·1	3·5	173	.	20	.	.	4	1	.	.	1	14	22	9	6	15	4	3
	May 7,	22·3	3 5	167	.	19	.	.	4	.	1	.	2	15	20	6	8	21	3	1
	„ 14,	12·7	4·1	170	.	23	.	.	6	1	.	1	.	26	24	4	8	14	4	2
	„ 21,	23·6	6·4	177	.	44	.	.	4	.	.	.	.	22	29	6	7	17	1	1
	„ 28,	23·5	5·6	176	.	33	1	.	5	1	.	.	2	21	14	13	3	14	1	.
	June 4,	22·1	6·5	166	.	38	1	.	7	.	.	.	3	18	21	8	4	18	5	3
	„ 11,	19·7	6·1	148	.	38	.	.	5	1	.	1	1	18	19	5	4	17	1	1
	„ 18,	24·4	7·9	183	.	49	.	.	4	2	.	.	4	17	24	3	6	14	.	2
Cork. Pop. (in 1901) 76,122.	Apr. 30,	19·9	.	29	.	.	.	.	.	.	.	.	.	1	3	1	1	3	.	2
	May 7,	25·8	0·7	37	.	.	.	.	.	.	.	1	.	2	3	1	1	3	.	4
	„ 14,	18·5	0·7	27	.	.	.	.	1	.	.	.	.	2	3	2	1	5	.	1
	„ 21,	22·6	1·4	33	.	.	1	.	.	.	.	1	.	.	10	2	4	2	2	2
	„ 28,	26·7	.	39	.	.	.	.	.	.	.	.	.	3	3	1	3	5	.	1
	June 4,	16·4	.	24	.	.	.	.	.	.	.	.	.	1	5	1	.	3	1	1
	„ 11,	19·9	.	29	.	.	.	.	.	.	.	.	.	.	6	.	1	3	1	2
	„ 18,	15·1	.	22	.	.	.	.	.	.	.	.	.	2	3	.	1	2	.	.
Londonderry. Pop. in 1910 (Est.) 43,477.	Apr. 30,	20·4	.	17	.	.	.	.	.	.	.	.	.	2	3	2	2	3	.	.
	May 7,	18·0	1·2	15	.	1	.	.	.	.	.	.	.	.	2	.	.	7	.	.
	„ 14,	19·2	1·2	16	.	1	.	.	.	.	.	.	.	2	2	1	.	7	.	.
	„ 21,	15·6	.	13	.	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.
	„ 28,	24·0	.	20	.	.	.	.	.	.	.	.	.	.	3	1	.	7	.	.
	June 4,	13·2	1·2	11	.	1	.	.	.	.	.	.	.	1	1	2	.	3	.	.
	„ 11,	9·6	1·2	8	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	1
	„ 18,	10·8	2·4	9	.	2	.	.	.	.	.	.	.	1	3	.	.	.	.	.
Limerick. Pop. (in 1901) 38,151.	Apr. 30,	19·1	.	14	.	.	.	.	.	.	.	.	.	2	1	2	.	2	.	1
	May 7,	12·3	2·7	9	.	.	.	.	2	.	.	.	.	.	5	.	.	.	.	.
	„ 14,	18·7	.	10	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	„ 21,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1	.	4	.	.
	„ 28,	24·6	2·7	18	.	.	.	.	1	1	.	.	.	.	2	.	.	3	.	2
	June 4,	17·8	.	13	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	2
	„ 11,	16·4	1·4	12	.	.	.	.	1	.	.	.	.	2	2	1	1	1	.	1
	„ 18,	20·5	1·4	15	.	.	.	.	.	.	.	.	1	1	3	.	.	.	.	4
Waterford. Pop. (in 1901) 26,769.	Apr. 30,	23·4	1·9	12	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.
	May 7,	29·2	1·9	15	.	.	.	.	.	.	.	1	.	.	1	.	.	5	.	3
	„ 14,	11·7	.	6	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	„ 21,	17·5	.	9	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.
	„ 28,	21·4	.	11	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	4
	June 4,	31·2	1·9	16	.	.	.	.	.	.	.	.	1	1	4	.	.	3	1	1
	„ 11,	29·2	.	15	.	.	.	.	.	.	.	.	.	.	5	.	1	1	1	2
	„ 18,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 18th June, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-20.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexiat (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		11			11	2	.	1	1	2	5	.	.	.	.	.	.	.	.	.	1	3	.	1	.	.	.	5	.
Do. 2 do.		35			14	2	2	.	1	5	4	.	1	.	.	.	.	.	.	2	2	.	1	.	1	.	.	2	.
Do. 3 do.		26			25	9	6	1	3	2	4	.	10	.	.	.	.	.	.	1	3	2	.	.	1	.	1	2	1
Do. 4 do.		28			13	3	3	1	1	2	3	.	3	.	.	.	.	.	.	.	.	2	1	.	.	.	1	6	.
Do. 5 do.		9			13	2	7	.	3	.	1	.	2	.	.	1	.	.	.	.	3	1	.	1	2	.	.	3	.
Do. 6 do.		16			18	3	2	3	2	1	7	.	2	.	.	.	1	.	.	1	2	5	.	1	2	.	.	6	.
Do 7 do.		2			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do 8 do.	349,180	10			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		10			11	1	5	1	1	2	1	.	4	.	.	.	1	.	.	.	.	2	.	.	2	.	.	4	.
Do 10 do.		16			14	4	4	.	2	3	1	.	3	.	.	1	.	.	.	.	.	2	.	1	1	.	.	1	.
Do. 11 do.		23			14	4	.	3	1	3	3	.	2	.	.	1	.	.	.	.	.	2	.	.	2	.	.	2	.
Do. 12 do.		28			14	2	6	2	2	1	1	.	3	.	.	1	.	.	.	.	.	3	.	1	2	.	.	1	.
Do. 13 do.		8			6	1	3	1	.	.	1	.	4	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15* do.		14			29	11	9	2	2	2	3	.	15	.	.	.	.	.	.	.	5	1	1	1	1	.	1	7	1
Total, ...	—	231	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		183	44	47	15	20	23	34	.	49	.	.	4	2	.	.	4	17	24	3	6	14	.	3	40	2
City of Cork.																													
CORK URBAN No. 1 DISTRICT, .	12,867	6	12·2	.	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
Do. 2 do. .	10,701	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 3 do. .	9,978	7	10·5	.	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 4 do. .	8,666	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 do. .	6,592	4	28·7	.	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.
Do. 6 do. .	10,702	8	43·9	.	9	.	1	.	.	3	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	4	.
Do. 7 do. .	16,616	6	15·7	.	5	.	1	.	.	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	2	.
Total, ...	76,122	44	15·1	.	22	2	2	.	2	8	8	.	.	.	.	.	.	.	.	.	2	3	.	1	2	.	.	7	.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted *from without the City are omitted.*

BELFAST.	1909–10—Week ending																								
	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14	May 21.	May 28.	June 4.	June 11.	June 18.
No. of weeks in annual Series, ..	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
BIRTHS registered, ...	170	215	278	192	180	216	214	213	196	202	239	201	240	208	207	254	247	224	266	235	214	169	264	215	193	231
DEATHS registered, ...	144	192	148	170	125	151	165	172	156	140	165	162	163	125	139	168	187	160	173	167	170	177	176	166	148	183
Annual Death rate per 1,000 of estimated Population, ...	19·4	25·9	19·7	22·7	16·7	20·1	22·0	22·9	20·8	18·7	22·0	21·6	21·7	16·7	18·4	22·4	24·9	21·3	23·1	22·3	22·7	23·6	23·5	22·1	19·7	24·4
AGES — Under 1 year, ...	33	48	36	48	25	33	28	37	31	23	33	31	29	27	27	34	38	36	33	31	29	30	37	37	20	44
AGES — 1–5 years, ...	22	25	28	21	20	21	28	21	20	21	21	16	27	15	21	33	34	27	20	36	35	47	43	45	54	47
AGES — 5–20 years, ...	10	12	8	9	9	14	2	8	13	12	11	14	16	7	18	19	15	14	21	12	15	15	15	15	14	12	15
AGES — 20–40 years, ...	28	28	17	24	17	22	30	18	26	19	29	26	18	19	16	21	32	14	24	25	30	28	26	26	25	20
AGES — 40–60 years, ...	20	34	26	28	23	21	30	42	31	36	37	40	35	28	22	27	24	29	41	30	30	29	28	27	16	23
AGES — 60 years and upwards, ..	36	45	38	40	27	40	47	46	35	29	34	35	38	29	34	34	44	40	34	33	31	28	27	17	21	34
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	1	.	1	1	5	3	6	11	17	8	20	19	28	44	33	38	38	49
Scarlet Fever, ...	.	.	.	.	.	.	.	2	.	1	.	.	2	.	2	.	.	.	.	.	.	.	1	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	10	13	12	13	13	13	19	15	17	14	11	12	12	10	6	12	5	8	4	4	6	4	5	7	5	4
Diphtheria, ...	.	1	1	.	1	.	.	.	.	1	.	.	.	.	1	1	1	1	1	.	1	.	1	.	1	2
*Pyrexia** (origin uncertain), ..	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.
Enteric Fever, ...	.	.	2	.	.	1	.	.	1	.	.	1	.	.	1	.	.	1	.	.	1	.	.	.	1	.
Diarrhœal Diseases, ...	1	1	2	.	.	.	2	.	2	.	2	2	.	1	1	.	1	3	1	2	.	.	2	3	1	4
Pneumonia, ...	22	34	12	20	9	16	14	16	11	16	12	10	12	8	14	19	16	19	14	15	26	22	21	18	13	17
Tuberculous Disease, Phthisis, ..	17	13	14	14	12	15	16	15	14	20	23	26	18	10	20	24	27	13	22	20	24	29	14	21	19	24
Tuberculous Disease, Other Forms, ..	4	6	4	10	3	10	8	4	8	7	9	7	9	8	9	12	8	7	9	6	4	6	13	8	5	3
Cancer, Malignant Disease, ..	5	3	2	10	5	4	8	7	6	5	3	5	2	10	4	8	10	2	6	8	8	7	3	4	4	6
Diseases of Respiratory System,	39	41	28	31	21	29	28	40	19	21	24	22	24	16	16	21	23	30	15	21	14	17	14	18	17	14
Violent Deaths, ...	4	3	3	3	5	7	2	2	5	3	10	9	5	3	.	4	.	2	4	3	4	1	1	5	1	.
Number of Uncertified Deaths, ..	3	1	2	1	6	3	2	1	5	2	2	1	1	1	2	1	1	1	3	1	2	1	.	3	1	2

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	June 18,	2,424	993	10·6	.	47	3	7	32	1*a*	23
EDINBURGH, ...	360,276	„ 18,	147	72	10·4	.	1	.	.	1	.	1
GLASGOW, ...	884,505	„ 18,	438	229	13·5	.	5	2	.	5	.	6
CALCUTTA, ...	1,009,008	May 14,	.	542	27·9	5	6	.	.	.	150‡	110*
BOMBAY, ...	977,822	„ 17,	324	782	41·6	31	10	.	.	.	270‡	46*
MADRAS, ...	509,346	April 29,	315	387	39·5	4	3	?	?	?	99	69
CAIRO, ...	677,663	„ 29,	564	512	39·4	2	13	.	5	?	2*a*	90*b*
PARIS, ...	2,760,000	May 14,	899	938	17·8	.	29	6	8†	8	5*a*	15*b*
BRUSSELS, ...	720,030	„ 28,	228	199	14·4	.	2	.	1†	1	1	12
ANTWERP, ...	317,171	„ 28,	128	76	12·5	.	4	2	1†	4	1*a*	9
AMSTERDAM, ...	570,149	„ 28,	243	105	9·6	.	.	.	.	2	1*a*	5
COPENHAGEN, ...	450,000	„ 28,	265	135	15·6	.	2	2	2†	1	2*a*	6
STOCKHOLM, ...	341,816	„ 28,	150	120	18·3	.	2	12	2†	3	.	.
CHRISTIANIA, ...	235,674	June 4,	136	39	8·6	.	.	.	.	2	.	2
ST. PETERSBURG, ...	1,620,000	May 14,	942	895	28·8	4	68	18	8	12	8	66
MOSCOW, ...	1,493,600	„ 7,	.	734	25·6	6	30	19	25†	9	5	80
BERLIN, ...	2,118,841	„ 21,	764	621	15·3	.	11	5	7†	1	1	40
HAMBURG, ...	895,804	„ 28,	.	293	17·1	.	2	1	10†	2	1	29
BRESLAU, ...	510,126	„ 28,	.	176	18·1	.	1	1	2†	1	.	22
MUNICH, ...	576,000	June 4,	.	152	13·7	.	1	1	1†	.	.	23
VIENNA (with suburbs),	2,107,981	May 28,	782	677	16·7	.	31	.	5†	8	.	48
BUDA-PESTH, ...	833,703	„ 28,	425	325	20·2	.	11	13	5†	1	1*a*	20
PRAGUE and Faubourgs.	497,905	„ 14,	184	223	23·3	.	4	1	1†	2	.	13
TRIESTE, ...	221,124	„ 21,	144	92	21·7	.	2	.	1†	1	1*a*	4
ROME, ...	587,096	April 30,	.	.	.	.	.	.	.	.	.	.
VENICE, ...	183,224	„ 30,	97	60	17·1	.	5	.	.	1	.	3
NEW YORK, ...	4,711,956	May 21,	2,324	1,454	16·1	.	18	23	41†	8	3*a*	62
PHILADELPHIA, ..	1,598,400	April 16,	.	.	.	.	.	.	.	.	.	.
BOSTON, ...	629,868	May 28,	.	215	17·8	.	3	1	3	.	2	3

* Including 74 deaths from cholera in Calcutta and one in Bombay.
† Including deaths from croup.
‡ Including 87 deaths from plague in Calcutta and 214 in Bombay.
a Enteric Fever.
b Deaths from diarrhœal diseases and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 18th June, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	1	1	.	.	.	.	.	.	.	.	.	2
" " 1, West,	.	.	2	.	.	.	.	.	1	.	.	.	3
" " 2,	.	1	.	.	1	.	1	2	3	.	.	7	15
" " 3,	.	4	.	.	1	.	.	.	.	.	.	2	7
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	2	.	.	2	.	.	1	.	.	.	.	5
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	1	.	.	1	.	.	.	8	.	.	6	16
" " 2,	.	4	.	.	2	.	.	.	.	.	.	.	6
" " 3,	.	3	.	.	.	.	.	1	2	.	.	1	7
" " 4,	.	1	.	.	2	.	.	1	1	1	.	3	9
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	1	1
Total,	.	17	3	.	9	.	1	7	15	1	.	20	73

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 18th June, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 18th June.			
	May 28.	June 4.	June 11.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	4	3	4	1	.	.	5
Scarlet Fever,	84	76	64	25	14	1	74*
Typhus,	.	.	.	3	.	.	3
Diphtheria,	44	53	55	7	12	.	50
Enteric Fever,	32	28	33	6	8	.	31
Pneumonia,	50	43	33	9	8	1	33

* Exclusive of 23 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 18th June, 1910:—

"Anticyclonic conditions held throughout this week, which was signalised by fine summer weather, only a few light showers falling in the afternoons of Tuesday and Wednesday. During the first three days an area of high atmospheric pressure spread northeastwards over the British Isles from the Azores and adjoining Atlantic Ocean. Its N.W. winds kept the weather cool; but in other respects it was summerlike, fine and dry. By Wednesday the anticyclone had advanced directly over these Islands, and its S.W. winds had caused a rapid rise of temperature in Ireland. This in turn determined the setting in of an easterly seabreeze along the east coast, with the result that clouds formed and a shower fell in and near Dublin on Wednesday afternoon. A more decided rainfall (·19 inch) was reported from Donaghadee, Co. Down. From this day onward the anticyclone remained almost stationary, its central area being found off the N.E. of England and E. of Scotland, in which districts the barometer stood at, or slightly above, 30·4 inches. Thick haze was observed on Thursday afternoon, the sun showing blood-red in the north-western sky as it neared the horizon in the evening. On Friday the atmosphere cleared, but on Saturday there was much cirrus cloud, in which a solar halo appeared at times. In Dublin the mean height of the barometer was 30·193 inches, the range being from 29·847 inches at 9 p.m. of Sunday (wind, calm) to 30·327 inches at 9 a.m. of Wednesday (wind, S.W.). The corrected mean temperature was 58·9°, the mean dry bulb reading at 9 a.m. and 1 p.m. being 58·8°. The screened thermometers fell to 47·0° on Tuesday and rose to 69·1° on Thursday. N.W. and E. were the prevalent winds. The rainfall was only ·016 inch, of which ·012 inch fell on Wednesday—the only 'rain-day.'"

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·025 inches. The highest reading (30·160) was on Wednesday at 9 a.m., wind S.W., and the lowest (29·680) on Sunday at 9 p.m., air calm. The mean temperature for the week was 56·4°, being 2·7° above the average for the corresponding period of the 10 years, 1900–1909. The temperature was highest on Saturday, on which day the thermometer registered 70·1°, and was lowest on Tuesday, the mercury having fallen to 42·1°. The mean of the Dry Bulb for the week was 56·9° and of the Wet Bulb 54·6°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The rainfall during the week measured 0·010 inch.

At Greenwich the mean temperature for the week was 58·8°, the maximum 74·2°, and the minimum 43·6°; at Glasgow the maximum was 74·0°, the minimum 40·4°, and the mean 58·7°; and at Edinburgh the maximum was 71·2°, the minimum 42·2°, and the mean 56·5°. The rainfall at Greenwich measured 0·01 in., and at Edinburgh 0·08 in. There was no rainfall recorded at Glasgow.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. Month and Day.	Barometer.	Thermometer.			Hygrometer.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) In		
Sunday, June 12,	29·725	66·8	46·9	56·9	57·5	55·2	·85	·5	9·6	·000	Calm.	Calm.
Monday, „ 13	29·863	60·0	46·9	53·5	50·4	47·4	·80	·6	6·6	·000	W.N.W.	Calm.
Tuesday, „ 14,	30·092	60·8	42·1	51·5	55·7	54·7	·96	·7	6·0	·010	W.S.W.	Calm.
Wednesday, „ 15,	30·160	68·8	51·7	60·3	59·6	57·6	·88	·0	3·1	·000	S.W.	Calm.
Thursday, „ 16	30·133	68·8	52·8	60·8	57·7	55·7	·91	·0	8·9	·000	E.	Calm.
Friday, „ 17,	30·109	64·8	44·9	54·9	56·3	53·8	·85	·0	12·5	·000	E.	Calm.
Saturday, „ 18,	30·094	70·1	43·9	57·0	60·8	57·6	·81	·4	2·9	·000	Calm.	Calm.
Mean, . . .	30·025	65·7	47·0	56·4	56·9	54·6	·87	·3	Total 49·6	Total ·010	—	

Sunday—Day cloudy, fine; night cloudy. *Monday*—Day cloudy; night cloudy. *Tuesday*—Day cloudy, light shower p.m.; night cloudy. *Wednesday*—Day overcast to cloudy; night cloudy. *Thursday*—Day cloudy, fine night overcast, fog. *Friday*—Day bright, light clouds; night cloudy. *Saturday*—Day cloudy, fine; night cloudy.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, June 18th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. Month and Day.	Air Temperature in Shade, a.m.	Earth Temperature, 9 a.m.		Air Temperatures in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
	°	°	°	°	°	°	hrs.	ins.
Sunday, June 12,	61·7	58·7	53·8	66·8	50·0	58·4	5·5	—
Monday, „ 13,	55·1	60·0	54·0	61·1	52·4	56·8	9·2	—
Tuesday, „ 14,	57·1	59·0	54·1	62·0	46·0	54·0	5·1	·001
Wednesday, „ 15,	63·0	59·1	54·4	68·0	41·3	54·7	2·9	·001
Thursday, „ 16	61·0	60·0	54·3	62·5	54·4	58·5	8·5	—
Friday, „ 17,	62·0	61·0	54·9	64·2	52·4	58·3	11·5	—
Saturday, „ 18,	64·0	60·6	55·0	68·9	51·2	60·1	3·0	—
Weekly Mean,	60·6	59·8	54·4	64·8	49·7	57·3	Total 45·7	Total ·002

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

29096. Wt. P. 1—80/137, 375. 4. 1910. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 25TH JUNE, 1910. [No. 25.

General Register Office, Charlemont House, Dublin, 27th June, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending June 4.	Week ending June 11.	Week ending June 18.	Week ending June 25.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending June 4.	Week ending June 11.	Week ending June 18.	Week ending June 25.	Average Rate for 4 weeks.
22 Town Districts.	18·0	17·8	18·9	17·9	18·2	Limerick, . . .	17·8	16·4	20·5	19·1	18·4
						Lisburn, . . .	4·5	27·3	13·6	9·1	13·6
Armagh, . . .	20·6	27·5	6·9	6·9	15·5	Londonderry, . .	13·2	9·6	10·8	12·0	11·4
Ballymena, . . .	9·6	9·6	19·2	4·8	10·8	Lurgan, . . .	4·4	22·1	35·4	17·7	19·9
Belfast, ...	22·1	19·7	24·4	20·9	21·8	Newry, . .	16·8	4·2	16·8	29·4	16·8
Clonmel, . . .	20·5	25·6	10·3	25·6	20·5	Newtownards,	5·7	22·9	28·6	11·4	17·2
Cork, ...	16·4	19·9	15·1	18·5	17·5	Portadown, . .	10·3	15·5	15·5	20·7	15·5
Drogheda, . . .	20·4	12·3	16·3	28·6	19·4	Queenstown, . .	26·4	13·2	6·6	13·2	14·9
Dublin Reg. Area, .	15·7	16·4	17·1	15·5	16·2	Sligo, ...	4·8	48·0	9·6	14·4	19·2
Dundalk, . .	12·0	.	12·0	16·0	10·0	Tralee, . . .	5·3	10·6	21·1	10·6	11·9
Galway, . . .	19·4	15·5	7·8	15·5	14·6	Waterford, . . .	31·2	29·2	15·6	19·5	23·9
Kilkenny, . . .	39·3	9·8	.	29·5	19·6	Wexford, . .	4·7	4·7	14·0	18·7	10·5

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 2·3 per 1,000, the rates varying from 0·0 in sixteen of the districts to 5·5 in Belfast, the 157 deaths from all causes for that district including 36 from measles, one from whooping-cough, one from enteric fever, and 3 from diarrhœal diseases. Of the 27 deaths from all causes for Cork, one is from diphtheria. Among the 10 deaths from all causes for Londonderry 3 are from measles. One death from enteric fever is included in the 14 deaths from all causes for Limerick, and of the 4 deaths from all causes for Portadown one is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 183—100 boys and 83 girls—and the deaths to 130—66 males and 64 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of 15·5 per 1,000 of the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*), Table II. ‡ See columns 10-18 of Table II.

population, the rate for the total deaths registered in the Area being 16·8 per 1,000. Durin the twenty-five weeks, ending with Saturday last, the death-rate averaged 22·9, and wa 3·3 below the mean rate for the corresponding portions of the ten years, 1900-9.

The total deaths from all causes registered during the week included one death from eac of the following diseases :—typhus, whooping-cough, epidemic diarrhœa (the latter being tha of an infant) and cerebro-spinal fever. Deaths from these diseases numbered :—from typhu 0, 0, and 0 ; from whooping-cough 2, one, and 2 ; from diarrhœal diseases one, 3, and one and from cerebro-spinal fever 0, 0, and 0, in each of the three weeks preceding.

Of 10 deaths from pneumonia (all forms), 4 were attributed to lobar pneumonia, one t broncho-pneumonia, and 5 to *pneumonia* (not defined).

Tuberculous disease which had caused 32, 22, and 37 deaths respectively, in the precedin three weeks, in the week under notice caused 34 deaths ; this latter figure includes 24 death from tuberculous phthisis (*phthisis*), 4 deaths from tuberculous meningitis, one death fro tuberculous peritonitis, and 5 deaths from other forms of the disease.

Carcinoma and cancer (undefined) each caused 5 deaths.

The deaths of 5 infants were assigned to prematurity.

Four deaths of infants from *convulsions* are included in the 12 deaths classified to disease of the brain and nervous system.

There were 16 deaths from diseases of the heart or blood vessels, and 15 deaths fro diseases of the organs of respiration ; the latter figure includes 13 deaths from bronchitis.

The one death attributed to accidental violence occurred on a railway.

In 6 instances the cause of death was "uncertified," there having been no medical attendan during the last illness ; these cases include the deaths of 4 children under 5 years of age (in cluding 3 infants under one year old), and the death of one person aged 68 years.

Twenty-seven of the persons whose deaths were registered during the week were unde 5 years of age (20 being infants under one year, of whom 6 were under one month old) an 30 were aged 60 years and upwards, including 8 persons aged 70 and upwards, of whom 2 were octogenarians.

Sixty-one of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 8 took place in the North Dublin Union Workhouse and 9 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 15·5 per 1,000 ; the rate in the City was 17·3 (North City Districts, 16·1; South, 18·6) and in the Suburbs, 9·6.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·4 per 1,000 inhabitants, the rate for the City being 0·5 (0·7 in the North City Districts, and 0·3 in the South), and for the Suburbs, 0·0.

No. 1 North City District, East (Clarence-street, North).—The deaths (8) are equal to an annual rate of 13·9 per 1,000, and included one death from *phthisis*.

No. 1 North City District, West (Summer-hill).—The deaths (14) are equal to an annual rate of 18·3 per 1,000. Typhus caused the death of one person ; there were 4 deaths from tuberculous phthisis (*phthisis*), and 2 deaths from diseases of the respiratory organs.

No. 2 North City District (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 20·4 per 1,000. The deaths included 2 from *pneumonia* (not defined), and 7 from tuberculous disease.

No. 3 North City District (Benburb-street).—The deaths (11) represent an annual rate of 17·1 per 1,000. Epidemic diarrhœa caused one death: there was one death from lobar pneumonia, there were 3 deaths from tuberculous disease, and there was one death from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are :—Coolock and Drumcondra, part of, 13·5 per 1,000 inhabitants ; Clontarf and Howth, No. 1, part of, 0·0 ; and Finglas and Glasnevin, part of, 6·8. Of the 3 deaths from all causes for Coolock and Drumcondra, part of, one is from tuberculous disease, and the one death for Finglas and Glasnevin, part of, is from *phthisis*.

No. 1 South City District (South Earl-street).—The deaths (16) represent an annual rate of 20·1 per 1,000. Whooping-cough caused one death ; there were 2 deaths from *phthisis*, and 3 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 16·8 per 1,000, and include one death from *pneumonia* (not defined), 3 deaths from tuberculous disease, and one death from bronchitis.

No. 3 South City District (Peter-street).—The deaths (14) are equal to an annual rate of 16·9 per 1,000. Of the deaths one was from lobar pneumonia, 2 were from *phthisis*, and 3 were from diseases of the respiratory organs.

No. 4 South City District (Grand Canal-street).—The deaths (13) are equivalent to an annual rate of 18·9 per 1,000. There were 3 deaths from tuberculous disease and 3 from bronchitis.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 23·0 per 1,000. The deaths included one from broncho-pneumonia and 2 from tuberculous disease.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are :—Rathmines and Rathgar, 11·3; Pembroke, 14·4 ; Blackrock, 5·8 ; and Kingstown, 0·0. There were no deaths from any of the principal epidemic diseases tabulated for these districts. Of the 8 deaths from all causes for Rathmines and Rathgar 2 are from tuberculous disease, and one is from bronchitis. Among the 8 deaths from all causes for Pembroke are one from cerebro-spinal fever, one from *pneumonia* (not defined), one from *phthisis*, and one from bronchitis; and the one death for Blackrock is from *pneumonia* (not defined).

* See Columns 10-18 of Table IV.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District: Mr. Manly, Executive Sanitary Officer for Pembroke Urban District: Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District: and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 25th June, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	June 4,	.	—	—	8	.	.	13	.	.	.	12	.	—	—	.	—	38	—	71
	June 11,	.	—	—	7	.	.	10	.	3	5	4	.	—	—	.	—	24	—	53
	June 18,	.	—	—	17	3	.	9	.	1	7	15	1	—	—	.	—	26	—	73
	June 25,	.	—	—	13	.	.	12	.	1	10	10	.	—	—	.	—	26	—	72
Rathmines and Rathgar Urban District.	June 4,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	—	1
	June 11,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2(*a*)
	June 18,	.	—	—	1	.	.	.	.	.	.	1	1	—	—	—	—	—	—	2
	June 25,	.	—	—	.	.	.	.	.	.	1	1	.	—	—	—	—	—	—	2
Pembroke Urban District.	June 4,	.	.	.	1	.	.	1	.	.	1	1	.	—	.	.	—	—	—	4
	June 11,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	—	.
	June 18,	.	.	1	1	.	.	.	.	.	.	.	.	—	5	.	—	—	—	7
	June 25,	.	.	.	.	.	.	1	.	.	.	.	.	—	.	.	—	—	—	1
Blackrock Urban District.	June 4,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	.	—	—	—	2
	June 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	June 18,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	June 25	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	June 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	June 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	2	—	2
	June 18,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	June 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	June 4,	.	—	—	8	.	.	5	.	.	1	9	1	—	—	—	—	46	—	70
	June 11,	.	—	—	9	.	.	3	.	1	2	1	.	—	—	—	—	25	—	41
	June 18,	.	—	—	2	.	.	2	.	.	.	1	.	—	—	—	—	14	—	19
	June 25,	.	—	—	10	.	.	3	.	.	3	6	.	—	—	—	—	24	—	46

(*a*) Not including one case of dysentery, as returned.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 25th June, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Two cases of measles were admitted to hospital during the week, 3 were discharged, and 4 cases remained under treatment at its close.

Eighteen cases of scarlet fever were admitted to hospital, 14 were discharged, and 78* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 76, 64, and 74, respectively.

There was one death from typhus in hospital during the week, and 2 cases remained under treatment at its close.

Sixteen cases of diphtheria were admitted to hospital, 5 were discharged, and 61 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 53, 55, and 50, respectively.

Twelve cases of enteric fever were admitted to hospital during the week, 6 were discharged, and 37 cases remained under treatment in hospital at the close of the week.

In addition to the above named diseases, 7 cases of pneumonia were admitted to hospital, 14 were discharged, there were 3 deaths, and 23 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 10·5) was equal to an average annual death-rate of 11·2 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 13·3 per 1,000, the rate for Glasgow being 12·9 and for Edinburgh 13·3.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., D.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 25th June. From this Report it appears that of a total of 45 cases notified, 25 were scarlet fever, 12 phthisis, 5 diphtheria, and 3 erysipelas. Among the 284 cases of infectious diseases in hospital at the close of the week were 124 cases of scarlet fever, 56 of phthisis, 36 of measles, 31 of diphtheria, 16 of chicken-pox, 13 of whooping-cough, 5 of erysipelas, and 3 of enteric fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 25th June, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 25TH JUNE, 1910.																							METEOROLOGY. (d)									
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 25TH JUNE, 1910.				WEEK ENDING 18TH JUNE, 1910.				WEEK ENDING 11TH JUNE, 1910.			
										DEATHS.																Air Temperature				Air Temperature				Air Temperature			
	POPULATION.		DEATHS.			BIRTHS.	DEATHS.			Caused by																											
	Total.(a)	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10-18.		Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·8	24·4	17·9	2·3	539	396	66	102	.	39	.	1	2	1	.	2	4	29	59	26	24	43	7	15	114	13	.	.	.	.	.	.	.	.	.	.	.	.
DUBLIN REGISTRATION AREA:— TOTAL, c.	402,928	29·3	23·7	15·5	0·4	188	120	20	27	.	.	.	1	1	.	.	.	1	8	23	9	9	15	.	2	51	6	c74·0	46·9	58·1	1·29	c70·1	42·1	56·4	0·01	c70·8	46·4	57·8	1·87
CITY OF DUBLIN,	310,298	39·2	26·0	17·3	0·5	155	103	19	21	.	.	.	1	1	.	.	.	1	6	21	8	9	13	.	2	44	6	f78·6 g72·9	52·0 48·0	59·6 58·5	2·04 1·16	g69·1 g69·9	47·0 48·0	58·9 57·9	0·02 0·02	f70·4 g71·9	47·1 46·0	57·7 57·8	2·05 2·07
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	9·9	11·8	.	7	8	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	18·0	14·4	.	10	8	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,018	8·3	11·6	5·8	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	26·6	.	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	69	50	57·8	1·73	78	47	53·3	0·00	70·0	48·0	56·9	1·95
URBAN DISTRICTS.																																						
BELFAST,	391,167	26·6	26·9	20·9	5·5	202	157	33	26	.	36	.	1	.	.	1	3	.	17	22	9	4	16	4	9	29	.	73·5	47·0	59·2	1·94	69·0	44·0	58·0	0·24	72·0	42·5	56·6	0·07
CORK,	76,122	33·6	22·6	18·5	0·7	33	27	2	14	.	.	.	.	1	.	.	.	.	1	4	4	5	.	1	1	11	1	63	52	57·3	2·53	63	46	56·2	0·01	65	48	56·1	0·69
LONDONDERRY,	43,477	20·1	12·0	12·0	3·6	10	10	.	1	.	3	.	.	.	.	.	.	.	1	1	.	3	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	9·6	16·1	1·4	7	14	4	4	.	.	.	.	.	.	1	.	.	.	2	.	1	1	.	.	8	1	73·2	48·9	58·5	1·91	68·5	39·9	56·7	0·03	71·0	47·1	57·9	0·48
WATERFORD,	26,769	18·7	29·2	19·5	.	15	10	.	6	.	.	.	.	.	.	.	.	.	.	2	.	1	1	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	2·5	38·8	15·5	.	10	4	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.	73	49	60	1·23	72	44	58	0·26	75	40	62	1·17
DUNDALK,	18,076	9·4	27·9	16·0	.	7	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	28·6	28·6	.	7	7	1	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	13,405	17·8	12·6	22·4	.	8	7	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	1	1	73·3	47·0	59·6	1·90	69·9	41·0	57·2	0·16	72·2	43·3	58·9	0·76
LURGAN,	11,782	13·8	26·6	17·7	.	6	4	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	73·3	47·0	59·6	1·90	69·9	41·0	57·2	0·16	72·2	43·3	58·9	0·76
LISBURN,	11,461	10·1	9·1	9·1	.	2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	73·3	47·0	59·6	1·90	69·9	41·0	57·2	0·16	72·2	43·3	58·9	0·76
WEXFORD,	11,168	23·2	28·0	18·7	.	6	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	73·3	47·0	59·6	1·90	69·9	41·0	57·2	0·16	72·2	43·3	58·9	0·76
BALLYMENA,	10,886	8·9	19·2	4·8	.	4	1	.	1	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,870	8·7	43·2	14·4	.	9	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
KILKENNY,	10,609	11·5	4·9	29·5	.	1	6	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	67·9	43·0	58·4	1·61	71·1	40·3	55·7	0·78	74·8	43·5	57·1	1·52
CLONMEL,	10,167	7·8	15·4	25·6	.	8	5	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	4	.	73	46	58·9	1·52	69	41	58·4	0·00	71	45	58·0	0·60
PORTADOWN,	10,092	13·2	36·2	20·7	5·2	7	4	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
TRALEE,	9,867	16·6	42·3	10·6	.	8	2	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	73·3	47·0	59·6	1·90	69·9	41·0	57·2	0·16	72·2	43·3	58·9	0·76
NEWTOWNARDS,	9,110	18·9	34·8	11·4	.	6	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
QUEEN-TOWN,	7,909	14·4	19·8	13·2	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	68	48	55·6	0·83	67	45	55·3	0·19	67	45	58·9	0·02
ARMAGH,	7,588	23·2	48·1	6·9	.	7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	63	52	57·3	2·53	68	46	56·2	0·01	65	48	56·1	0·69
																												78·3	47·0	59·6	1·90	69·9	41·0	57·2	0·16	72·2	43·3	58·9	0·76

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910.

(b) Formerly described as "Simple Continued Fever."

(c) Exclusive of 10 deaths of persons (including 3 at 60 years or upwards), admitted to hospital from localities outside the Area.

(d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The figures for Limerick are supplied by Mungret College.

(e) Observations at Ordnance Survey Office, Phœnix Park.

BLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 25th June, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Pneumonia,	.	.	2	1	.	.	.	.	1	1	.	1	.	1	1	.	8	2
Tuberculous Phthisis,	1	4	5	2	.	.	1	2	2	2	1	1	1	1	.	.	23	1
Disease. Other Forms,	.	.	2	1	.	1	.	.	1	.	2	1	1	.	.	.	9	1
Cancer, Malignant Disease,	.	1	1	2	.	.	.	2	1	.	2	.	.	.	.	.	9	1
Other General Diseases,	.	2	.	1	.	1	.	1	1	1	1	.	2	1	.	.	11	1
Total,	1	8	10	8	.	2	1	6	6	4	6	3	4	3	1	.	63	6
LOCAL DISEASES:																		
Nervous System,	3	1	1	1	.	.	.	2	.	1	2	.	1	.	.	.	12	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	.	1	.	1	.	.	.	3	.	3	1	1	1	3	.	.	14	2
Respiratory System,	.	2	.	1	.	.	.	3	1	3	3	.	1	1	.	.	15	.
Digestive System,	2	1	.	.	.	1	.	.	.	3	.	.	.	.	.	.	7	1
Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	5	5	1	3	.	1	.	8	1	10	6	1	3	5	.	.	49	3
OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CAUSES ILL-DEFINED AND NOT SPECIFIED,	2	1	1	.	.	.	.	2	.	.	1	.	1	.	.	.	8	.
VIOLENT DEATHS,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Deaths from all Causes	8	14	12	11	.	3	1	16	7	14	13	4	8	8	1	.	120	10
Annual Rate of Mortality from all causes in every 1,000 of the population.	13·9	18·3	20·4	17·1	.	13·5	6·8	20·1	16·8	16·9	18·9	23·0	11·3	14·4	5·8	.	15·5	.
	15·1							18·6					9·6					
	17·3																	
Deaths. Under 1 year,	2	2	.	2	.	1	.	4	2	2	4	.	1	.	.	.	20	.
1 and under 5 years,	2	.	2	1	.	.	.	.	.	.	1	.	1	.	.	.	7	.
5 „ 20 „	1	1	2	1	.	.	.	1	.	.	.	2	.	.	.	.	8	1
20 „ 40 „	2	6	3	2	.	1	1	1	.	4	1	.	3	2	1	.	27	5
40 „ 60 „	.	2	5	2	.	1	.	4	3	6	3	2	2	1	.	.	31	1
60 years and upwards,	1	3	.	3	.	.	.	6	2	2	4	.	1	5	.	.	27	3
Number of Uncertified Deaths,	2	.	.	.	.	.	.	1	.	2	1	.	.	.	.	.	6	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	1	7	3	.	1	.	5	1	6	3	1	1	4	1	.	35	9
Workhouse Hospitals,	.	4	.	3	.	.	.	1	3	1	2	1	.	1	.	.	16	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in the week of the ten years 1900–1909,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Average in 25th Week of the 10 years, 1900–1909.	In the Week ending Saturday, 25th June, 1910.							
												Deaths of Persons of the Ages of							
	June 23, 1900.	June 22, 1901.	June 21, 1902.	June 27, 1903.	June 25, 1904.	June 24, 1905.	June 23, 1906.	June 22, 1907.	June 20, 1908.	June 26, 1909.		All Ages.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
													Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 55·8	° 55·6	° 53·5	° 55·0	° 55·4	° 60·4	° 60·1	° 52·7	° 51·4	° 52·7	° 55·3	Mean Temp. ° 58·1								
ALL CAUSES.	122	153	139	170	149	138	149	171	126	155	147·2	130	6	14	7	9	32	32	28	2
Small-pox,	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	.	5	4	1	2	.	9	5	.	2·6	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	1	1	.	.	1	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	1	.	.	·1	1	.	.	.	.	1	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	2	3	.	1	1	1	.	.	.	.	·8	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	3	.	2	.	.	2	5	3	5	2·1	1	.	1	.	.	.	.	.	.
Diphtheria,	1	1	1	2	3	1	1	1	2	.	1·3	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever,	.	.	.	1	1	.	.	2	2	1	·7	1	.	.	.	.	1	.	.	.
Pyrexia † (origin uncertain)	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	2	1	2	.	1	.	.	.	.	·8	.	.	.	.	.	.	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.),	1	3	.	1	.	.	.	2	2		1·7	1	1	.		.	.	.	.	.
Diarrhœa, Dysentery,			.	.	.	2	.	3	2	1		.	.	.	.	.	.	.	.	.
Tetanus,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	1	1	1	.	.	2	.	.	.	2	·7	1	.	.	1	.	.	.	.	.
Puerperal Septicæmia,			1	.	.	.	.	.	.	.	·2	1	.	.	.	.	1	.	.	.
Puerperal Pyæmia,	.	1	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Puerperal Fever,			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Infective Endocarditis	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	11	11	.	1	2	1	.	3	.	4	10·3	4	.	.	.	.	2	1	1	.
Pneumonia, Broncho-Epidemic			.	4	6	1	3	8	.	1		1	.	.	.	.	.	1	.	.
Pneumonia, Not defined,			4	7	5	3	10	4	9	6		5	.	.	.	.	2	2	1	.
Erysipelas,	.	.	.	1	1	.	.	1	1	.	·4	.	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal)			.	.	1	1	.		.	.	·4	1	.	.	.	.	1	.	.	.
Pyæmia (not Puerperal),	.	1	.	.	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
Other Infective Conditions,	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis,	22	22	7	1	4	6	11	13	8	10	23·3	9	.	.	.	1	4	4	.	.
"*Phthisis*,"			19	14	19	15	18	16	7	21		15	.	.	.	2	9	4	.	.
Tuberculous Meningitis,	2	2	3	1	7	3	6	6	7	4	4·1	4	.	1	1	1	1	.	.	.
Tuberculous Peritonitis,	3	4	1	3	.	.	.	.	.	1	2·0	1	.	.	.	1	.	.	.	.
Tabes Mesenterica,			2	2	.	1	2	.	.	1		.	.	.	.	.	.	.	.	.
Tuberculous Dis. (other),	3	4	4	5	4	.	3	8	7	8	4·7	5	.	1	1	.	3	.	.	.
Scrofula,			.	1	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Alcoholism,	1	.	1	3	.	1	.	.	.	.	·6	.	.	.	.	.	.	.	.	.
Rheumatic Fever,	.	.	1	1	2	.	.	.		.	·4	1	.	.	.	1	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carcinoma,	4	8	2	4	4	3	.	5	1	3	6·4	5	.	.	.	.	3	2	.	
Sarcoma,			1	.	2	1	1	.	.	.		.	.	.	.	.	.	.	.	
Cancer (undefined)			2	2	4	4	5	5	2	1		5	.	.	.	.	2	3	.	
Diabetes Mellitus,	.	.	.	.	.	.	.	1	.	2	·3	.	.	.	.	.	.	.	.	.
Premature Birth,	2	2	8	5	1	3	4	3	4	5	3·7	5	4	1	.	.	.	.	.	.

* The figures for the year 1900 are for

† Formerly described as

NTY-FIFTH WEEK ending Saturday, 25th June, 1910, with the deaths from each cause in the corresponding the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 25th Week of the 10 years 1900-1909.	In the Week ending Saturday, 25th June, 1910.								
	June 23, 1900.	June 22, 1901.	June 21, 1902.	June 27, 1903.	June 25, 1904.	June 24, 1905.	June 23, 1906.	June 22, 1907.	June 20, 1908.	June 26, 1909.		Deaths of Persons of the Ages of								
												All Ages.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	55·8	55·6	53·5	55·0	55·4	60·4	60·1	52·7	51·4	52·7	55·3	Mean Temp. 58·1	Under 1 month.	1 month and under a year.	1 to 5.					
Meningitis (not tuberc.)			2	4	3	2	2	5	1	1		3	.	.	1	1	1	.	.	.
Insanity, G. P. of Insane			.	4	1	.	.	2	2	1		.	.	.	.	.	.	.	.	.
Epilepsy			.	.	.	1	.	.	1	1		.	.	.	.	.	.	.	.	.
Convulsions			4	7	5	3	1	3	2	7		4	.	4	.	.	.	.	.	.
Locomotor Ataxy			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord			.	2	.	1	2	1	.	1		3	.	.	.	1	.	.	2	.
Nervous System (other Dis.)			3	4	3	5	5	2	.	.		2	.	.	.	.	1	1	.	.
Valv. Dis., Endocarditis	25	38	1	2	9	2	9	5	2	5	33·8	8	.	.	.	2	2	4	.	
Cerebr. Hæm. Thromb.			1	9	.	.	1	3	2	1		1	.	.	.	.	.	1	.	
Apoplexy, Hemiplegia			5	3	8	2	.	1	3	.		2	.	.	.	.	1	1	.	
Aneurysm			1	.	.	1	.	.	.	3		.	.	.	.	.	.	.	.	
Embolism, Thromb. (not cerebral)			.	.	.	1	.	.	.	.		.	.	.	.	.	.	.	.	
Heart and Blood Vessels (other Dis.)			14	14	11	19	11	12	10	10		5	.	.	.	.	2	2	1	
Croup (not Spasm. nor Memb.)	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	
Bronchitis	16	12	4	16	13	12	17	13	10	11	12·4	13	.	3	.	.	3	7	.	
Asthma, Emphysema	.	.	.	1	.	1	.	1	1	1	1·4	.	.	.	.	.	.	.	.	
Pleurisy			.	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.	
Respiratory Dis. (other)			2	2	2	.	.	2	1	.		2	.	.	.	.	2	.	.	
Tonsillitis, Quinsy	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	
Enteritis (not Epid.)	1	2	1	.	.	2	1	2	2	3	2·1	1	.	.	.	1	.	.	.	
Gastro-enteritis			.	2	1	.	2	1	1	.		1	.	.	.	.	.	.	.	
Peritonitis (not Puerp.)	.	.	1	1	.	1	.	.	.	.	·3	2	.	.	.	1	1	.	.	
Cirrhosis of Liver	1	2	.	.	1	4	1	1	2	.	1·6	1	.	.	.	.	1	.	.	
Liver Dis. (other)			3	.	1															
Digestive Dis. (other)	2	4	9	4	3	13	9	2	8	4	5·8	3	1	.	.	1	1	.	.	
Nephritis, Acute			3	.	.	.	1	.	.	1	4·4	.	.	.	.	.	.	.	.	
Bright's Dis., Albuminuria	5	3	.	1	5	1	3	7	2	3		.	.	.	.	.	.	.	.	
Urinary Sys. (other Dis.)			1	1	1	.	1	.	2	3		1	.	.	.	.	.	1	.	
Generative Organs Dis.	.	1	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	
Childbirth (Accid. of)	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	
Old Age	7	7	8	3	2	.	2	3	2	1	3·5	2	.	.	.	.	.	1	1	
Other Diseases	8	8	8	18	6	9	9	8	8	17	9·9	8	.	3	3	.	1	1	.	
ACCIDENT.																				
Railways	.	.	.	.	.	1	.	.	.	.	·1	1	.	.	.	1	.	.	.	
Vehicles and Horses	.	.	.	.	2	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	
Ships, Boats, Docks (exclusive of Drowning)	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	
Building Operations	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	
Conflagrations	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	
Burns, Scalds, Explosions	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	
Drowning	1	2	1	.	.	1	.	.	.	.	·5	.	.	.	.	.	.	.	.	
Suffocation in Bed	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	
Poison or Poisonous Vapours	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Deaths by Accident	.	2	2	.	1	2	3	.	2	1	1·3	.	.	.	.	.	.	.	.	
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Suicide	.	1	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

Registration Area as then constituted.
ple Continued Fever."

Table V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1910—Week ending																								
	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.
No. of weeks in Annual Series,	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
Births registered.	232	236	248	197	162	252	220	197	224	206	247	162	242	213	255	217	221	246	230	241	181	242	258	268	272	188
*Average Births in corresponding week of previous 10 years,**	175	227	204	206	203	234	212	210	213	214	219	217	211	235	190	207	224	195	270	229	211	202	232	222	199	225
Deaths registered,	205	174	177	181	177	239	217	211	228	208	204	149	185	168	186	138	200	193	186	180	131	160	185	133	140	130
Annual Death-rate per 1,000,	26·8	22·5	22·9	23·4	22·9	30·9	28·1	27·3	29·5	26·9	26·4	19·3	23·9	21·7	24·1	23·7	25·9	25·0	17·6	23·3	17·0	20·7	17·5	17·2	18·1	16·8
*Average Deaths in corresponding week of previous 10 years,**	184	217	210	206	201	200	196	207	221	221	214	200	206	211	200	200	197	189	184	178	174	171	157	154	152	147
Ages, Under 5 years,	71	49	57	57	55	76	58	67	67	57	58	30	52	44	44	37	49	46	36	38	37	39	31	37	24	27
5—20 ,,	11	12	13	10	13	11	9	9	16	8	12	11	12	18	9	11	15	18	6	16	7	10	18	10	12	9
20—40 ,,	19	30	25	20	31	27	25	19	22	33	28	21	34	18	26	24	33	29	26	34	20	25	26	22	27	32
40—60 ,,	48	36	28	41	36	54	42	38	42	40	34	35	35	32	43	38	35	43	25	32	28	40	27	29	35	34
60—80 ,,	50	37	49	45	37	64	62	66	69	57	65	41	42	45	53	57	59	46	40	50	36	42	33	24	38	28
80 years and upwards,	6	10	10	8	5	7	21	12	12	13	12	11	10	16	11	16	9	11	3	10	3	4	5	7	3	2
Deaths from—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Measles,	.	2	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.	2	.	.	.
Scarlet Fever,	3	.	.	.	1	.	1	2	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Typhus,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	3	3	4	1	2	4	1	.	3	2	1	2	1	.	2	5	4	1	1	1	.	2	1	2	1
Diphtheria,	1	1	.	3	.	2	2	.	2	.	1	1	1	.	1	.	2	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain),	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Enteric Fever,	2	.	1	.	2	.	.	1	2	.	1	1	4	1	1	.	2	1	3	.	5	2	1	3	1	1
Diarrhœal Diseases,	4	2	4	4	2	4	6	2	3	3	4	2	3	.	4	2	2	1	2	1	5	2	1	3	1	.
Influenza,	4	2	3	5	1	4	3	2	2	5	6	7	6	6	8	5	2	3	1	3	2	.	.	.	1	.
Pneumonia,	22	22	14	21	14	20	17	20	22	17	20	12	14	14	17	13	20	17	8	14	13	8	8	10	7	10
Tuberculous Disease, Phthisis,	15	24	19	21	23	26	19	19	23	28	26	15	26	14	21	22	31	25	14	31	15	14	17	15	22	24
Tuberculous Disease, Other Forms,	6	5	6	6	6	17	10	14	13	10	12	10	10	4	10	9	18	12	11	9	9	11	15	7	15	10
Cancer, Malignant Disease,	4	8	7	8	11	19	10	8	14	9	13	5	6	14	7	10	11	11	6	10	3	10	10	6	7	10
Diseases of Heart and Blood Vessels,	37	29	31	29	17	29	38	40	31	27	25	30	20	30	37	28	37	31	21	25	20	29	21	21	25	16
Diseases of Respiratory System,	41	20	33	29	39	43	55	41	41	39	35	26	36	23	38	39	22	25	17	27	16	18	18	17	11	13
Violent Deaths,	2	4	4	1	4	5	1	6	6	5	3	1	2	5	5	3	3	4	6	11	2	3	6	7	7	1
Number of Uncertified Deaths,	10	3	8	18	9	18	3	7	2	8	5	5	3	4	9	12	8	6	2	2	6	3	3	7	5	6
Mean Temperature of the Air (Phœnix Park),	45·9	45·4	42·1	37·6	32·5	38·1	43·7	42·3	39·2	44·0	43·6	39·8	43·4	39·7	41·7	43·0	49·6	43·6	46·1	44·7	51·4	55·1	50·6	57·8	56·4	58·1
Average Mean Temperature in corresponding week of previous 10 years,	40·3	41·3	40·0	41·1	41·7	40·0	38·9	38·9	40·1	40·1	41·1	42·9	41·9	42·1	44·2	43·4	45·1	46·6	46·9	43·5	48·6	50·5	53·9	53·3	53·7	55·3
Rainfall in inches,	·340	·123	·986	·240	1·690	·168	·264	1·160	·915	·392	·383	·174	·000	·040	·205	·786	·782	·417	·670	·250	1·268	·185	·692	1·870	·010	1·291
Mean Humidity of the Air, complete Saturation 1·0	·88	·89	·85	·91	·88	·94	·91	·93	·94	·93	·88	·91	·91	·88	·93	93	·91	·82	·77	·81	·90	·88	·81	·92	·87	·92

* See note (*) at foot of Table IV

† Formerly described as "Simple Continued Fever."

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 25th June, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 25TH JUNE, 1910. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	CAUSES OF DEATH. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases	Total Cols. 10-18.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS.	375,350	18·1	130	27	9	32	32	28	2	.	.	.	1	1	.	.	.	1	3	10	24	10	10	4	15	1	58	6
	CLASSES.																												
	Deaths in Families of the—																												
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	6·0	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS, ...	87,188	12·6	21	.	.	9	4	8	.	.	.	.	.	.	.	.	.	.	.	1	6	1	3	.	1	.	9	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,428	14·6	31	4	3	6	9	7	2	.	.	.	.	1	.	.	.	.	1	2	8	.	1	.	6	.	13	.
IV.	GENERAL SERVICE CLASS, ...	154,279	19·9	59	20	4	13	17	5	.	.	.	.	1	.	.	.	.	.	1	7	5	8	5	4	4	1	24	6
V.	INMATES OF WORKHOUSES, ...	6,024	—	17	3	2	4	2	6	.	.	.	.	.	.	.	.	.	1	1	.	5	1	1	.	4	.	5	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,789	6·7	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																												
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	11·8	5	.	.	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	2	.
	6. Clerks and Commercial Assistants, ..	30,432	10·3	6	.	.	2	3	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,088	15·4	8	.	.	3	.	5	.	.	.	.	.	.	.	.	.	.	.	1	1	1	2	.	1	.	2	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	10·6	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
	9. Building and Furnishing Trades, ...	29,801	14·0	8	3	1	1	2	1	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	3	.	3	.
	10. Clothing Trades, ...	28,360	6·7	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.
	11. Food Supply Trades, ...	9,242	11·3	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	80,352	17·2	10	.	.	2	2	4	1	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	1	.	5	.
	13. Petty Shopkeepers, ...	7,894	39·6	6	.	1	.	3	1	1	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.	2	.
IV.	GENERAL SERVICE CLASS.																												
	14. Army, Police, Postal Delivery, and Prison Services, &c	13,425	11·7	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.
	15. Domestic Servants, ...	86,608	7·1	5	2	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,320	7·2	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	28·4	49	16	4	11	15	3	.	.	.	.	1	.	.	.	.	.	1	6	4	6	2	4	4	1	21	6
V.	INMATES OF WORKHOUSES.																												
	18. Workhouse Inmates, ...	6,024	—	17	3	2	4	2	6	.	.	.	.	.	.	.	.	.	1	1	.	5	1	1	.	4	.	5	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	From Diseases in Cols. 5–13.	TOTAL DEATHS.	NUMBER OF DEATHS FROM Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of), North City, No. 1 (E.)	May 7,	12·2		7		.		.	.			.		1	1	1	.	.		
	„ 14,	26·2	1·7	15		.	.		.	.		1	.	1	4	.	1	2	.	.
	„ 21,	15·7	.	9		.	.		.	.		.	.		1	.	.	2	.	1
(*Office, Clarence-st., Nth.*)	„ 28,	19·2	.	11		.	.	.	.	.		.	.		1	1	.	3	.	.
	June 4,	10·5	.	6	.	.	.	.	.	.		.	.	1	2	.	.	.	.	.
	„ 11,	26·2	1·7	15	.	.	.		1	.	.	.	.	1	1	.	1	.	1	.
Pop. in 1910 (Est.) 29,908.	„ 18,	15·7	3·5	9	.	.	.		1	.		.	1	.	2	.	1	1	1	.
	„ 25,	18·9	.	8	.	.	.		.	.		.	.	.	1	.	.	.	.	2
North City, No. 1 (W.)	May 7,	19·6	.	15		.	.	.	.	.	.	.	.	1	3	1	.	3	.	1
	„ 14,	22·2	.	17	.	.	.		.	.	.	.	.	.	3	.		5	1	.
	„ 21,	18·3	1·3	14	.	.	.		1	.	.	.	.	1	2	2		.	.	.
(*Office, Summer-hill.*)	„ 28,	20·9	1·3	16		.	.		.	.	.	.	1	1	2	.		2	.	.
	June 4,	18·0	1·3	10		.	.		1	.	.	.	.	.	1	1	.	2	1	.
	„ 11,	23·5	.	18		.	.	.	.	.	.	.	.	2	6	.	1	1	1	2
	„ 18,	18·3	1·3	14		.	.		.	.	.	1	.	1	2	3	.	.	.	.
Pop. in 1910 (Est.) 39,974.	„ 25,	18·3	1·3	14		.	.	1	.	.	.	.	.	.	4	.	1	2	.	.
North City, No. 2.	May 7,	18·7	.	11	.	.	.	.	.	.	.	.	.	.	2	.	1	3	.	.
	„ 14,	16·3	1·7	9	.	.	.	.	.	.	.	1	1	1	4	.	.	1	.	.
	„ 21,	18·7	1·7	11	.	.	.	.	.	.	.	1	1	1	1	.	.	4	.	.
(*Office, Lisburn-street.*)	„ 28,	22·0	.	18	.	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.
	June 4,	17·0	.	10	.	.	.	.	.	.	.	.	.	.	1	1	1	2	2	.
	„ 11,	11·9	.	7		.	.	.	.	.	.	.	.	.	1	1	.	3	.	.
	„ 18,	18·7	.	11		.	.	.	.	.	.	.	.	.	2	1	.	2	.	.
Pop. in 1910 (Est.) 30,744.	„ 25,	20·4	.	14		.	.	.	.	.	.	.	.	2	5	2	1	.	.	.
North City, No. 3.	May 7,	18·6	1·6	12	.	.		.	1			.	.	1	.	.	.	4	1	.
	„ 14,	20·2	.	13		.			.	.	.	.	.	.	2	1	1	2	.	.
	„ 21,	12·4	1·6	8		.			.	.	.	.	1	2	1	.		.	.	1
(*Office, Benburb-street.*)	„ 28,	28·0	.	18		.		.	.	.	.	.	.	.	1	1	1	.	1	1
	June 4,	23·8	1·6	15		.		.	1	.	.	.	.	1	4	1		1	.	.
	„ 11,	17·1	.	11		.		.	.	.	.	.	.	1	1	.	.	3	.	.
	„ 18,	18·1	.	12		.		.	.	.	.	.	.	1	2	1	1	1	.	.
Pop. in 1910 (Est.) 33,559.	„ 25,	17·1	1·6	11	.	.	.	.	.	.	.	.	1	1	2	1	2	1	.	.
South City, No. 1.	May 7,	12·6	.	10		.	.	.	.	.	.	.	.	2	1	.	1		1	.
	„ 14,	16·3	.	13		.	.	.	.	.	.	.	.	1	1	.	1	3	1	.
	„ 21,	17·6	.	14		.	.	.	.	.	.	.	.	2	1	2		2	.	.
(*Office, Sth. Earl-street.*)	„ 28,	22·6	1·3	18		.	.	.	.	.	.	1	.	.	1	.	2	4	.	.
	June 4,	17·6	2·5	14		.	1	.	.	.	.	.	1	.	2	3	1	1	2	.
	„ 11,	15·1	1·3	12		1	.	.	.	.	.	.	.	1	1	1	.	.	.	.
Pop. in 1910 (Est.) 41,476.	„ 18,	22·6	.	18		.	.	.	1	.	.	.	.	1	3	3	.	3	.	1
	„ 25,	20·1	1·3	16		.	.	.	.	.	.	.	.	.	2	.	2	3	.	.
South City, No. 2.	May 7,	19·2	2·4	8		.	.	.	.	.	.	.	1	.	.	2	.	2	.	.
	„ 14,	9·6	.	4		.	.	.	.	.	.	.	.	2	.	1	.	.	.	.
	„ 21,	14·4	.	6		.	.	.	.	.	.	.	.	1	.	.	1	1	.	.
(*Office, Castle-street.*)	„ 28,	16·8	.	7		.	.	.	.	.	.	.	.	.	1	2	.	2	.	.
	June 4,	14·4	.	6		.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 11,	12·0	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.
Pop. in 1910 (Est.) 21,754	„ 18,	9·6	.	4		.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	„ 25,	16·8	.	7		.	.	.	.	.	.	.	.	1	2	1	1	1	.	.
South City, No. 3.	May 7,	16·9	.	14		.	.	.	.	.	.	.	.	1	2	1	.	1	.	.
	„ 14,	27·7	1·2	23		.	.	1	.	.	.	.	.	2	6	1	1	3	2	1
	„ 21,	27·7	1·2	23		.	.	1	.	.	.	.	.	2	3	1	.	5	.	1
(*Office, Peter street.*)	„ 28,	24·1	.	20		.	.	.	.	.	.	.	.	3	2	4	1	2	.	2
	June 4,	20·5	1·2	17		.	1	.	.	.	.	.	.	2	1	1	1	1	1	1
	„ 11,	12·1	2·4	10		.	.	.	.	.	.	.	2	2	.	1	.	3	.	.
Pop. in 1910 (Est.) 43,227.	„ 18,	19·8	.	16		.	.	.	.	.	.	.	.	.	4	4	2	.	.	.
	„ 25,	16·9	.	14		.	.	.	.	.	.	.	.	1	2	.	.	3	.	2
South City, No. 4.	May 7,	14·5	.	10		.	.	.	.	.	.	.	.	.	2	1	.	1	2	.
	„ 14,	18·9	.	13		.	.	.	.	.	.	.	.	2	2	.	.	6	1	.
	„ 21,	23·3	1·5	16		.	.	.	.	.	.	.	1	.	3	2	1	1	.	1
(*Office, Grand Canal-st.*)	„ 28,	18·1	1·5	9		.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	June 4,	10·2	.	7		.	.	.	.	.	.	.	.	1	.	2	1	2	.	.
	„ 11,	20·8	.	14		.	.	.	.	.	.	.	.	1	.	2	1	2	1	2
Pop. in 1910 (Est.) 35,881.	„ 18,	23·3	1·5	16		.	.	.	1	.	.	.	.	1	1	1	.	2	2	3
	„ 25,	18·9	.	13		.	.	.	.	.	.	.	.	.	1	2	2	3	.	1

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From all Causes	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From Diseases in Cols. 5–18.	Total Deaths.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	May 7,	14·1	1·4	10	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	1
	„ 14,	22·5	.	16	.	.	.	.	.	.	.	.	.	2	1	1	1	.	2	.
	„ 21,	12·7	1·4	9	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	1
	„ 28,	22·5	.	16	.	.	.	.	.	.	.	.	.	2	1	.	2	1	.	.
	June 4,	18·3	.	13	.	.	.	.	.	.	.	.	.	.	3	.	2	1	1	1
	„ 11,	22·5	.	16	.	.	.	.	.	.	.	.	.	.	3	2	1	.	.	3
	„ 18,	16·9	.	12	.	.	.	.	.	.	.	.	.	1	1	2	.	1	.	1
	„ 25,	11·3	.	8	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	May 7,	18·0	.	10	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.
	„ 14,	12·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.	.
	„ 21,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.
	„ 28,	14·4	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
	June 4,	10·8	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.
	„ 11,	7·2	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.
	„ 18,	7·2	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	„ 25,	14·4	.	8	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	May 7,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.
	„ 14,	41·4	.	14	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.
	„ 21,	8·9	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
	„ 28,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
	June 4,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.
	„ 11,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	„ 18,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 25,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Belfast. Pop. in 1910 (Est.) 391,167.	May 7,	22·3	3·5	167	.	19	.	.	4	.	1	.	2	15	20	6	8	21	3	1
	„ 14,	22·7	4·1	170	.	28	.	.	6	1	.	1	.	26	24	4	8	14	4	2
	„ 21,	23·6	6·4	177	.	44	.	.	4	.	.	.	.	22	29	6	7	17	1	1
	„ 28,	23·5	5·6	176	.	33	1	.	5	1	.	.	2	21	14	13	3	14	1	.
	June 4,	22·1	6·5	166	.	38	1	.	7	.	.	.	3	18	21	8	4	18	5	3
	„ 11,	19·7	6·1	148	.	38	.	.	5	1	.	1	1	13	19	5	4	17	1	1
	„ 18,	24·4	7·9	183	.	49	.	.	4	2	.	.	4	17	24	3	6	14	.	2
	„ 25,	20·9	5·5	157	.	36	.	.	1	.	.	1	3	17	22	9	4	16	4	.
Cork. Pop. (in 1901) 76,122.	May 7,	25·3	0·7	37	.	.	.	.	.	.	.	1	.	2	8	1	1	3	.	4
	„ 14,	18·5	0·7	27	.	.	.	.	1	.	.	.	.	2	8	2	1	5	.	1
	„ 21,	22·6	1·4	33	.	1	.	.	.	.	.	1	.	.	10	2	4	2	2	2
	„ 28,	16·7	.	39	.	.	.	.	.	.	.	.	.	3	3	1	3	5	.	1
	June 4	16·4	.	24	.	.	.	.	.	.	.	.	.	1	5	1	.	3	1	1
	„ 11,	19·9	.	29	.	.	.	.	.	.	.	.	.	.	6	.	1	3	1	2
	„ 18,	15·1	.	22	.	.	.	.	.	.	.	.	.	2	3	.	1	2	.	.
	„ 25,	18·5	0·7	27	.	.	.	.	.	1	.	.	.	1	4	4	5	.	1	1
Londonderry. Pop. in 1910 (Est.) 43,477.	May 7,	18·0	1·2	15	.	1	.	.	.	.	.	.	.	.	2	.	.	7	.	.
	„ 14,	19·2	1·2	16	.	1	.	.	.	.	.	.	.	2	2	1	.	7	.	.
	„ 21,	15·6	.	13	.	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.
	„ 28,	24·0	.	20	.	.	.	.	.	.	.	.	.	.	3	1	.	7	.	.
	June 4,	13·2	1·2	11	.	1	.	.	.	.	.	.	.	1	1	2	.	3	.	.
	„ 11,	9·6	1·2	8	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	1
	„ 18,	10·8	2·4	9	.	2	.	.	.	.	.	.	.	1	3	.	.	.	.	.
	„ 25,	12·0	3·6	10	.	3	.	.	.	.	.	.	.	1	1	.	3	1	.	.
Limerick. Pop. (in 1901) 38,151.	May 7,	12·3	2·7	9	.	.	.	.	2	.	.	.	.	.	5	.	.	.	.	.
	„ 14,	13·7	.	10	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	„ 21,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1	.	4	.	.
	„ 28,	24·6	2·7	18	.	.	.	.	1	1	.	.	.	.	2	.	.	3	.	2
	June 4	17·8	.	13	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	2
	„ 11,	16·4	1·4	12	.	.	.	.	1	.	.	.	.	2	2	1	1	1	.	1
	„ 18,	20·5	1·4	15	.	.	.	.	.	.	.	.	1	1	3	.	.	.	.	4
	„ 25,	19·1	1·4	14	.	.	.	.	.	.	.	1	.	.	2	.	1	1	.	1
Waterford. Pop. (in 1901) 26,769.	May 7,	29·2	1·9	15	.	.	.	.	.	.	.	1	.	.	.	1	.	5	.	3
	„ 14,	11·7	.	6	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	„ 21,	17·5	.	9	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.
	„ 28,	21·4	.	11	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	4
	June 4,	21·2	1·9	16	.	.	.	.	.	.	.	.	1	1	4	.	.	9	1	1
	„ 11,	22·2	.	15	.	.	.	.	.	.	.	.	.	.	5	.	1	1	1	2
	„ 18,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1
	„ 25,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 25th June, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	BIRTHS: No. of	DEATHS: Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-20.	Total No. of Deaths.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexial (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		6			13	3	3	2	2	1	2	.	4	.	.	.	.	.	.	.	.	4	.	.	2	1	1	3	.
Do. 2 do.		25			21	4	7	2	.	5	3	.	3	.	.	.	.	.	.	.	.	4	1	1	3	.	1	5	.
Do. 3 do.		24			19	3	9	1	4	1	1	.	3	.	.	.	.	.	.	.	2	4	2	.	1	.	.	1	.
Do. 4 do.		20			15	4	6	2	2	.	1	.	3	.	.	.	.	.	.	.	3	2	1	.	1	.	.	6	.
Do. 5 do.		9			3	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Do. 6 do.		14			9	1	2	.	2	1	3	.	2	.	.	.	.	.	1	.	1	1	1	1	1	.	1	1	.
Do 7 do.		1			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Do 8 do.	349,180	2	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 9 do.		18			12	2	4	3	1	.	2	.	3	.	.	.	.	.	.	.	1	3	.	.	.	1	1	2	.
Do 10 do.		16			7	3	.	2	.	2	.	.	3	.	.	.	.	.	.	2	1	.	.	.	.	.	1	.	.
Do. 11 do.		20			15	4	3	1	2	3	2	.	1	.	.	.	.	.	.	1	1	2	1	.	2	1	1	3	.
Do. 12 do.		26			17	4	6	3	.	3	1	.	4	.	.	1	.	.	.	.	4	1	1	1	1	.	1	2	.
Do. 13 do.		10			10	1	.	.	3	3	3	.	1	.	.	.	.	.	.	.	3	1	.	.	3	1	1	4	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		16			13	4	3	.	1	.	5	.	4	.	.	.	.	.	.	.	1	.	2	1	1	.	.	1	.
Total, ...	—	202			157	33	45	16	17	20	26	.	36	.	.	1	.	.	1	3	17	22	9	4	16	4	9	29	.
City of Cork.																													
CORK URBAN No. 1 DISTRICT,	12,867	2	12·2	.	3	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.
Do. 2 do.	10,701	3	34·1	4·9	7	1	2	.	.	1	3	.	.	.	.	.	1	.	.	.	.	.	1	1	.	.	.	3	1
Do. 3 do.	9,978	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 4 do.	8,666	4	42·1	.	7	.	.	1	.	1	5	.	.	.	.	.	.	.	.	.	.	2	1	2	.	1	1	3	.
Do. 5 do.	6,592	4	7·9	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.	10,702	7	19·5	.	4	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	2	.
Do. 7 do.	16,616	8	15·7	.	5	.	.	.	1	.	4	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2	.
Total, ...	76,122	33	18·5	0·7	27	2	3	2	3	3	14	.	.	.	.	.	1	.	.	.	1	4	4	5	.	1	1	11	1

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910—Week ending																								
	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14	May 21	May 28.	June 4.	June 11.	June 18.	June 25.
No. of weeks in annual Series, ..	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
BIRTHS registered, ...	215	278	192	180	216	214	213	196	202	239	201	240	208	207	254	247	224	266	235	214	169	264	215	193	231	202
DEATHS registered, ...	192	148	170	125	151	165	172	156	140	165	162	163	125	133	168	187	160	178	167	170	177	176	166	148	183	157
Annual Death rate per 1,000 of estimated Population, ...	25·9	19·7	22·7	16·7	20·1	22·0	22·9	20·8	18·7	22·0	21·6	21·7	16·7	18·4	22·4	24·9	21·3	23·1	22·3	22·7	23·6	23·5	22·1	19·7	24·4	20·9
AGES — Under 1 year, ...	48	36	48	25	33	28	37	31	23	33	31	29	27	27	34	38	36	33	31	29	30	37	37	20	44	33
AGES — 1–5 years, ...	25	23	21	20	21	28	21	20	21	21	16	27	15	21	33	34	27	20	36	35	47	43	45	54	47	45
AGES — 5–20 years, ...	12	8	9	9	14	2	8	13	12	11	14	16	7	18	19	15	14	21	12	15	15	15	14	12	15	16
AGES — 20–40 years, ...	28	17	24	17	22	30	18	26	19	29	26	18	19	16	21	32	14	24	25	30	28	26	26	25	20	17
AGES — 40–60 years, ...	34	26	28	23	21	30	42	31	36	37	40	35	28	22	27	24	29	41	30	30	29	28	27	16	23	20
AGES — 60 years and upwards, ..	45	38	40	27	40	47	46	35	29	34	35	38	29	34	34	44	40	34	33	31	28	27	17	21	34	26
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	1	.	1	1	5	3	6	11	17	8	20	19	28	44	33	38	38	49	36
Scarlet Fever, ...	.	.	.	.	.	.	2	.	1	.	.	2	.	2	.	.	.	.	.	.	.	1	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	13	12	13	13	13	19	15	17	14	11	12	12	10	6	12	5	8	4	4	6	4	5	7	5	4	1
Diphtheria, ...	1	1	.	1	.	.	.	.	1	.	.	.	.	1	1	1	1	1	.	1	.	1	.	1	2	.
*Pyrexia** (origin uncertain), ..	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.
Enteric Fever, ...	.	2	.	.	1	.	.	1	.	.	1	.	.	1	.	.	1	.	.	1	.	.	.	1	.	1
Diarrhœal Diseases, ...	1	2	.	.	.	2	.	2	.	2	2	.	1	1	.	1	3	1	2	.	.	2	3	1	4	3
Pneumonia, ...	34	12	20	9	16	14	16	11	16	12	10	12	8	14	19	16	19	14	15	26	22	21	18	13	17	17
Tuberculous Disease, Phthisis, ..	13	14	14	12	15	16	15	14	20	23	26	18	10	20	24	27	13	22	20	24	29	14	21	19	24	22
Tuberculous Disease, Other Forms, ..	6	4	10	3	10	8	4	8	7	9	7	9	8	9	12	8	7	9	6	4	6	13	8	5	3	9
Cancer, Malignant Disease, ..	3	2	10	5	4	8	7	6	5	3	5	9	10	4	8	10	2	6	8	8	7	3	4	4	6	4
Diseases of Respiratory System,	41	28	31	21	29	28	40	19	21	24	22	24	16	16	21	23	30	15	21	14	17	14	18	17	14	16
Violent Deaths, ...	3	3	8	5	7	2	2	5	3	10	9	5	3	.	4	.	2	4	3	4	1	1	5	1	.	4
Number of Uncertified Deaths, ..	1	2	1	6	3	2	1	5	2	2	1	1	1	2	1	1	1	3	1	2	1	.	3	1	2	..

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	June 25,	2,260	983	10·5	.	35	3	2	25	1*a*	11
EDINBURGH, ...	360,276	„ 25,	152	92	13·3	.	1	3	1	1	1*a*	1
GLASGOW, ...	884,505	„ 25,	444	218*c*	12·9	.	4	5	6	7	.	9
CALCUTTA, ...	1,009,008	May 21,	.	489	25·2	.	1	.	.	.	146‡	88*
BOMBAY, ...	977,822	„ 24,	338	707	37·6	28	4	.	.	.	217‡	46
MADRAS, ...	509,346	„ 6,	362	361	36·8	1	3	?	?	?	98	69
CAIRO, ...	677,663	„ 6,	630	585	45·0	3	20	.	3	?	4*a*	135*b*
PARIS, ...	2,760,000	„ 21,	1,031	1,033	19·6	.	33	2	3†	10	3*a*	30*b*
BRUSSELS, ...	720,030	June 4,	243	162	11·7	.	2	.	1†	1	.	15
ANTWERP, ...	317,171	„ 4,	119	62	10·2	.	9	.	.	2	.	4*b*
AMSTERDAM, ...	570,149	„ 4,	268	150	13·7	.	3	.	.	2	.	5*b*
COPENHAGEN, ...	450,000	„ 4,	207	125	14·5	.	2	3	.	1	.	6
STOCKHOLM, ...	341,816	„ 4,	151	95	14·5	.	4	2	2†	2	.	3
CHRISTIANIA, ...	235,674	„ 11,	100	51	11·3	.	.	.	1†	.	2*a*	4
ST. PETERSBURG, ...	1,620,000	May 21,	845	836	26·9	16	74	9	22	8	10	88
MOSCOW, ...	1,493,600	„ 14,	.	750	26·2	3	23	17	23†	5	12	103
BERLIN, ...	2,119,095	„ 28,	744	590	14·5	.	14	7	11†	3	.	60
HAMBURG, ...	895,804	June 4,	.	234	13·6	.	7	1	9†	..	.	131
BRESLAU, ...	510,126	„ 4,	.	182	18·6	.	.	.	.	2	1	22
MUNICH, ...	576,000	„ 11,	.	192	14·3	.	1	.	3†	2	.	22
VIENNA (with suburbs),	2,107,981	„ 4,	769	700	17·3		30	6	8†	5	6	52*b*
BUDA-PESTH, ...	833,703	„ 4,	437	309	19·2	.	5	6	2†	4	1*a*	14*b*
PRAGUE and Faubourgs.	497,905	„ 21,	202	188	19·6	.	4	.	.	1	.	15*b*
TRIESTE, ...	221,124	„ 28,	120	89	21·0	.	2	.	1†	1	.	4*b*
ROME, ...	587,096	April 30,	286	246	21·8	.	23	1	8	2	2*a*	14
VENICE, ...	183,224	May 7,	63	66	18·8	.	.	.	1†	.	.	2
NEW YORK, .	4,711,956	„ 28,	2,394	1,384	15·3	1	26	27	40†	3	5*a*	62
PHILADELPHIA, ..	1,598,400	April 16,	.	.	.	.	.	.	.	.	.	.
BOSTON, ...	629,868	June 4,	.	213	17·6	.	4	2	1	1	3*a*	5

* Including 58 deaths from cholera in Calcutta.
† Including deaths from croup.
‡ Including 78 deaths from plague in Calcutta and 162 in Bombay.
a Enteric Fever.
b Deaths from diarrhœal diseases and from enteritis of children under two years of age.
c Including 2 deaths from cerebro-spinal meningitis.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 25th June, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—*Continued Fever*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	.	.	.	1	.	.	2	.	.	.	.	3
" " 1, West,	.	3	.	.	1	.	1	.	.	.	.	2	7
" " 2,	.	1	.	.	.	.	.	.	1	.	.	3	5
" " 3,	.	5	.	.	2	.	.	2	1	.	.	5	15
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	1	2	.	.	.	3
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	1	.	.	2	.	.	.	6	.	.	6	15
" " 2,	.	1	.	.	.	.	.	2	.	.	.	3	6
" " 3,	.	2	.	.	3	.	.	.	.	.	.	3	8
" " 4,	.	.	.	.	3	.	.	3	.	.	.	4	10
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	13	.	.	12	.	1	10	10	.	.	26	72

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 25th June, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 25th June.			
	June 4.	June 11.	June 18.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	3	4	5	2	3	.	4
Scarlet Fever,	76	64	74	18	14	.	78*
Typhus,	.	.	3	.	.	1	2
Diphtheria,	53	55	50	16	5	.	61
Enteric Fever,	28	33	31	12	6	.	37
Pneumonia,	43	33	33	7	14	3	23

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.Sc., F.R.MET.SOC., reports as follows on the weather during the week ded 25th June, 1910:—

The week opened with anticyclonic conditions and fine, warm, summerlike weather such as had prevailed ring the greater part of the previous week. On Sunday afternoon a dense sea-fog lay upon St. George's Channel d swept in along the coast-line from time to time. The violent electrical disturbances which soon followed haps owed their genesis to this sea-fog coincident with great warmth overland. By Monday morning the anti-clone had retreated to Norway and Denmark, while a large area of relatively low atmospheric pressure was eading in over Ireland from the Atlantic. This day was very warm in Dublin, the thermometer rising to 74° in screen—the maximum for the week. Electrical cirro-cumulus and turreted cumulus came up from S. in the ernoon: rain fell heavily at 7.45 p.m. and was followed by much thunder and lightning. Three several thunder-rms passed over or near the City during the evening and night, the accompanying rainfall amounting to ·684 inch. the course of the two following days heavy showers and thunderstorms occurred—torrents of rain falling at 9 p.m. of Wednesday. The next day was chiefly fine, but a solar halo in the forenoon presaged further rainy ather, which duly set in at night. All this time the barometer was falling slowly over Northwestern Europe, d the rainfall was extending to all parts of the British Isles. By Saturday morning the central area of a complex ression had passed eastwards from Ireland to Great Britain, so that the wind shifted to N.E. in the former intry with finer and drier but yet cloudy weather. In Dublin the mean height of the barometer was 29·792 inches, observed range being from 30·271 inches at 9 a.m. of Sunday (wind, W.N.W.) to 29·453 inches at 9 p.m. of Friday nd, N.W.). The corrected mean temperature was 59·6°, the mean dry bulb reading at 9 a.m. and 9 p.m. being °. The screened thermometers rose to 73·6° on Monday and fell to 52·0° on Thursday. Variable light winds vailed. Rain fell on 5 days to the amount of 2·012 inches, ·730 inch being recorded on Wednesday, and ·684 inch Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·618 inches. The highest reading (30·103) was on Sunday at 9 a.m., wind S.W., and the lowest (29·280) on Friday at 9 p.m., air calm.

The mean temperature for the week was 58·1°, being 2·8° above the average for the corresponding period of the 10 years, 1900–1909. The temperature was highest on Monday, on which day the thermometer registered 74·0°, and was lowest on Saturday, the mercury having fallen to 46·9°. The mean of the Dry Bulb for the week was 56·0° and of the Wet Bulb 54·6°. The mean humidity of the air was ·92, complete saturation being represented by 1·0. The rainfall during the week measured 1·291 inches.

At Greenwich the mean temperature for the week was 62·3°, the maximum 82·2°, and the minimum 50·1°; at Glasgow the maximum was 71·4°, the minimum 46·5°, and the mean 60·1°; and at Edinburgh the maximum was 68·3°, the minimum 49·0°, and the mean 57·1°. The rainfall at Greenwich measured 1·11 ins., at Glasgow 2·40 ins.; and at Edinburgh 0·50 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY			BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
			Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.				9 A.M.	9 P.M.
			(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) In		
Sunday,	June	19,	30·082	68·8	52·7	60·8	59·0	58·1	·95	·2	4·6	·000	S.W.	Calm.
Monday,	„	20,	29·801	74·0	53·3	63·7	56·1	55·4	·95	·4	6·6	·790	E.N.E.	W.N.W.
Tuesday,	„	21,	29·610	64·8	51·9	58·4	54·8	53·7	·93	·3	3·4	·106	S.W.	Calm.
Wednesday,	„	22,	29·572	63·4	48·7	56·1	51·9	53·2	·89	·4	5·6	·075	S.	Calm.
Thursday,	„	23.	29·564	63·8	47·0	55·4	58·7	54·7	·81	·4	3·9	·135	W.S.W.	S.W.
Friday,	„	24,	29·307	62·8	53·5	58·2	54·7	54·1	·96	·5	1·8	·180	W.S.W.	Calm.
Saturday,	„	25,	29·391	61·9	46·9	54·4	53·9	52·8	·93	·4	3·7	·005	N.E.	Calm.
Mean,	.	. .	29·618	65·6	50·6	58·1	56·0	54·6	·92	·4	Total 29·6	Total 1·291	—	

Sunday—Day overcast to cloudy, fine: night cloudy. *Monday*—Day cloudy to overcast, thunderstorm, passing showers: night overcast, thunderstorm, heavy rain a.m. *Tuesday*—Day cloudy, passing showers: night cloudy. *Wednesday*—Day cloudy, passing showers, thunder; night cloudy. *Thursday*—Day cloudy, passing showers p.m. night overcast passing showers a.m. *Friday*—Day overcast to cloudy, thunder, passing shower: night cloudy. *Saturday*—Day overcast to cloudy, light rain a.m. and p.m.; night cloudy.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, June 25th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY.			Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperatures in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall
				1 Foot.	4 Feet.	Max.	Min.	Mean.		
			°	°	°	°	°	°	hrs.	ins.
Sunday,	June	19,	63·3	61·0	55·1	63·1	54·1	58·6	5·9	—
Monday,	„	20,	57·2	61·2	55·5	65·0	51·8	58·4	9·9	·630
Tuesday,	„	21,	59·8	62·0	55·6	66·5	51·6	60·6	3·0	·100
Wednesday,	„	22	59·0	61·1	55·7	64·1	53·7	58·9	4·8	·536
Thursday,	„	23	60·7	60·6	56·1	63·9	52·0	58·0	5·4	·202
Friday,	„	24,	56·2	60·4	56·1	65·0	54·0	59·5	1·8	·223
Saturday,	„	25,	56·0	60·1	56·2	63·0	51·6	57·3	3·1	—
Weekly Mean,			58·9	60·9	55·8	64·4	53·1	58·8	Total 33·9	Total 1·691

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

29150. Wt. P. 1—80/137, 375. 4. 1910. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 2ND JULY, 1910. [No. 26.

General Register Office, Charlemont House,
Dublin, 4th July, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 16·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending June 11.	Week ending June 18.	Week ending June 25.	Week ending July 2.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending June 11.	Week ending June 18.	Week ending June 25.	Week ending July 2.	Average Rate for 4 weeks.
22 Town Districts.	**17·8**	**18·9**	**17·9**	**16·1**	**17·7**	Limerick,	16·4	20·5	19·1	20·5	19·1
Armagh,	27·5	6·9	6·9	6·9	12·1	Lisburn,	27·3	13·6	9·1	13·6	15·9
Ballymena,	9·6	19·2	4·8	9·6	10·8	Londonderry,	9·6	10·8	12·0	7·2	9·9
Belfast,	19·7	24·4	20·9	18·3	20·8	Lurgan,	22·1	35·4	17·7	4·4	19·9
Clonmel,	25·6	10·3	25·6	20·5	20·5	Newry,	4·2	16·8	29·4	16·8	16·8
Cork,	19·9	15·1	18·5	17·8	17·8	Newtownards,	22·9	28·6	11·4	5·7	17·2
Drogheda,	12·3	16·3	28·6	16·3	18·4	Portadown,	15·5	15·5	20·7	5·2	14·2
Dublin Reg. Area,	16·4	17·1	15·5	15·3	16·1	Queenstown,	13·2	6·6	13·2	26·4	14·9
Dundalk,	.	12·0	16·0	4·0	8·0	Sligo,	48·0	9·6	14·4	33·6	26·4
Galway,	15·5	7·8	15·5	27·2	16·5	Tralee,	10·6	21·1	10·6	5·3	11·9
Kilkenny,	9·8	.	29·5	4·9	11·1	Waterford,	29·2	15·6	19·5	15·6	20·0
						Wexford,	4·7	14·0	18·7	14·0	12·9

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·8 per 1,000, the rates varying from 0·0 in fifteen of the districts to 6·6 in Queenstown, the 4 deaths from all causes for that district including one from measles. Among the 137 deaths from all causes for Belfast are 25 from measles, one from whooping-cough, one from enteric fever, and one from diarrhœa. Of the 26 deaths from all causes for Cork, one is from diphtheria. Included in the 8 deaths from all causes for Waterford is one from whooping-cough, and one death from whooping-cough is also among the 7 deaths from all causes for Galway.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 223—118 boys and 105 girls—and the deaths to 127—63 males and 64 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of 15·3 per 1,000 of the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*), Table II. ‡ See columns 10-18 of Table II.

population, the rate for the total deaths registered in the Area being 16·4 per 1,000. Duri the twenty-six weeks, ending with Saturday last, the death-rate averaged 22·7, and w 3·2 below the mean rate for the corresponding portions of the ten years, 1900–9.

The total deaths from all causes included one death from scarlet fever, 3 deaths fr whooping-cough, one death from diphtheria, and one death from epidemic diarhœa of infant (there were also registered 2 deaths of infants from enteritis).

In each of the 3 preceding weeks deaths from scarlet fever were 0, 0, and 0; deaths fr whooping-cough one, 2, and one; deaths from diphtheria were 0, 0, and 0; and deaths fr diarrhœal diseases were 3, one, and one. There were 2 deaths from influenza, which in t 3 preceding weeks had caused 0, one, and 0 deaths, respectively.

There was one death from lobar pneumonia, and 2 deaths were caused by *pneumonia* (n defined).

Tuberculous disease accounted for the deaths of 37 persons, the total including 23 deat from tuberculous phthisis (*phthisis*), 5 deaths from tuberculous meningitis, 4 from tuberculo peritonitis, one death from *tabes mesenterica*, and 4 deaths from other forms of the disease. each of the three weeks preceding deaths from tuberculous disease (all forms) were 22, 37, a 34.

Carcinoma caused 5 deaths, there was one death from sarcoma, and 4 deaths were attribut to cancer, malignant disease (undefined).

The death of one infant, prematurely born, was registered.

Of 3 deaths from *convulsions*, one was of an infant under one month of age, one was betwe the ages of one month and one year, and one was aged one year and 3 months.

Twenty-three deaths occurred from diseases of the heart and blood vessels, and bronchi caused the death of 7 persons.

Two deaths from violence were ascribed to accidental causes.

In 3 instances the cause of death was "uncertified," there having been no medical attenda during the last illness; all these cases were deaths of children under 5 years of age (includi one infant under one year old).

Thirty-one of the persons whose deaths were registered during the week were und 5 years of age (15 being infants under one year, of whom 3 were under one month old) a 39 were aged 60 years and upwards, including 25 persons aged 70 and upwards, of who 5 were octogenarians, and one (a male) was stated to have been aged 91 years, respectively.

Seventy-one of the deaths registered during the week occurred in hospitals and other publ institutions; of this number 10 took place in the North Dublin Union Workhouse, in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week deaths in Public Institutions being assigned to the Districts from which the deceased we admitted, and the annual death-rate for each District calculated on the mortality so di tributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 15·3 per 1,000; the rate in the City was 16 (North City Districts, 14·4; South, 18·3) and in the Suburbs, 11·8.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·8 per 1,000 inhabitants, th rate for the City being 1·0 (0·7 in the North City Districts, and 1·0 in the South), and for the Suburbs, 0·0.

No. 1 North City District, East (Clarence-street, North).—The deaths (8) are equal to an annual rate of 13·9 per 1,00 and include one death from epidemic diarrhœa, one from influenza, and 2 deaths from tuberculous disease.

No. 1 North City District, West (Summer-hill).—The deaths (10) are equal to an annual rate of 13·0 per 1,00 Whooping-cough caused one death; tuberculous disease caused 4 deaths, and there was one death from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (10) are equivalent to an annual rate of 17·0 per 1,00 There was one death from lobar-pneumonia, 4 from tuberculous disease, and one from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (12) represent an annual rate of 18·6 per 1,000. The death included one from whooping-cough and 3 from tuberculous disease,

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Cooloc and Drumcondra, part of, 9·0 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevi part of, 13·6. Of the 2 deaths from all causes for Finglas and Glasnevin, part of, one was from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (21) represent an annual rate of 26·4 per 1,000, and include one from each of scarlet fever, whooping-cough, and diphtheria, one from *pneumonia* (not defined), 7 from tuberculou disease, one from bronchitis, and one ascribed to accident.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 16·8 per 1,000. Influenz caused one death, tuberculous disease 3 deaths, and bronchitis one death.

No. 3 South City District (Peter-street).—The deaths (15) are equal to an annual rate of 18·1 per 1,000, and include deaths from tuberculous disease and one from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (8) are equivalent to an annual rate of 11·6 per 1,000.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·5 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathga 11·3; Pembroke, 12·6; Blackrock, 17·4; and Kingstown, 8·9. There were no deaths from any of the principal epidemi diseases tabulated for these districts. Of the 8 deaths from all causes for Rathmines and Rathgar one is fro *pneumonia* (not defined), and one from *phthisis*. Of the 7 deaths from all causes for Pembroke 3 are from tuberculou phthisis and one by an accident; and of the 3 deaths from all causes for Blackrock one is from tuberculous menin gitis and one from bronchitis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possibl in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly urnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District: Mr. Heron, Executive Sanitary Officer for Blackrock Urban District: by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 2nd July, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	June 11,	.	—	—	7	.	.	10	.	3	5	4	.	—	—	.	—	24	—	53
	June 18,	.	—	—	17	3	.	9	.	1	7	15	1	—	—	.	—	26	—	73
	June 25,	.	—	—	13	.	.	12	.	1	10	10	.	—	—	.	—	26	—	72
	July 2,	.	—	—	21	1	.	12	.	2	5	13	.	—	—	.	—	31	—	85
Rathmines and Rathgar Urban District.	June 11,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	—	2(*a*)
	June 18,	.	—	—	1	.	.	.	.	.	.	.	1	—	—	—	—	—	—	2
	June 25,	.	—	—	.	.	.	.	.	.	1	1	.	—	—	—	—	—	—	2
	July 2,	.	—	—	1	.	.	2	.	.	2	2	.	—	—	—	—	—	—	7
Pembroke Urban District.	June 11,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	—	.
	June 18,	.	.	1	1	.	.	.	.	.	.	.	.	—	5	.	—	—	—	7
	June 25,	.	.	.	.	.	.	1	.	.	.	.	.	—	.	.	—	—	—	1
	July 2,	.	.	.	1	.	.	.	.	.	.	.	.	—	11	.	—	—	—	12
Blackrock Urban District.	June 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	June 18,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	June 25	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	July 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	June 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	2	—	2
	June 18,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	June 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	June 11,	.	—	—	9	.	.	3	.	1	2	1	.	—	—	—	—	25	—	41
	June 18,	.	—	—	2	.	.	2	.	.	.	1	.	—	—	—	—	14	—	19
	June 25,	.	—	—	10	.	.	3	.	.	3	6	.	—	—	—	—	24	—	46
	July 2,	.	—	—	7	.	.	1	.	.	1	4	.	—	—	—	—	13	—	26

(*a*) Not including one case of dysentery, as returned.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 2nd July, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

One case of measles was admitted to hospital during the week, one was discharged, and 4 cases remained under treatment at its close.

Twenty-one cases of scarlet fever were admitted to hospital, 16 were discharged, there was one death, and 82* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 64, 74, and 78, respectively.

One case of typhus was admitted to hospital during the week, one was discharged, and 2 cases remained under treatment at its close.

Eighteen cases of diphtheria were admitted to hospital, 22 were discharged, there was one death, and 56 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 55, 50, and 61, respectively.

Three cases of enteric fever were admitted to hospital during the week, 4 were discharged, and 36 cases remained under treatment in hospital at the close of the week.

In addition to the above named diseases, 7 cases of pneumonia were admitted to hospital, 13 were discharged, and 17 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 10·3) was equal to an average annual death-rate of 11·0 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 13·2 per 1,000, the rate for Glasgow being 12·7 and for Edinburgh 11·7.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 2nd July. From this Report it appears that of a total of 51 cases notified, 22 were scarlet fever, 14 phthisis, 11 diphtheria, and 4 erysipelas. Among the 283 cases of infectious diseases in hospital at the close of the week were 129 cases of scarlet fever, 55 of phthisis, 33 of measles, 32 of diphtheria, 15 of chicken-pox, 11 of whooping-cough, 3 of erysipelas, and 3 of enteric fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 2nd July, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 2ND JULY, 1910.																							METEOROLOGY. (f)											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 2ND JULY, 1910.				WEEK ENDING 25TH JUNE, 1910.				WEEK ENDING 18TH JUNE, 1910.			
	POPULATION.		DEATHS.			BIRTHS.	DEATHS.																			Air Temperature				Air Temperature				Air Temperature			
	Total. (a)	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10–18.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease: Phthisis.	Tubercular Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·8	30·1	16·1	1·8	665	355	50	100	.	26	1	.	6	2	.	1	3	17	42	28	23	26	5	11	124	20	.	.	.	.	.	.	.	.	.	.	.	.
DUBLIN REGISTRATION AREA:—TOTAL, c.	402,928	29·3	28·9	15·8	0·8	223	118	14	38	.	.	1	.	3	1	.	.	1	3	21	12	9	7	2	2	62	3	e62·8	47·1	54·7	1·78	e74·0	46·9	58·1	1·29	e70·1	42·1	56·4	0·01
CITY of DUBLIN,	310,298	39·2	32·3	16·3	1·0	192	97	12	28	.	.	1	.	3	1	.	.	1	2	17	11	6	6	1	1	56	2	f64·8 g63·8	49·1 47·0	55·2 55·0	1·60 1·39	f78·6 g72·9	52·0 48·0	59·6 58·5	2·04 1·46	f69·1 g63·9	47·0 48·0	58·9 57·9	0·02 0·02
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	21·1	11·3	.	15	8	1	4	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	18·0	12·6	.	10	7	1	2	.	.	.	.	.	.	.	.	.	.	3	.	2	.	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,013	8·3	11·6	17·4	.	2	3	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	11·8	8·9	.	4	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	64	49	56	1·01	69	50	57·8	1·73	73	47	53·3	0·00
URBAN DISTRICTS.																																							
BELFAST,	391,167	26·6	28·4	18·3	3·7	213	137	24	28	.	25	.	.	1	.	.	1	1	11	11	8	9	7	.	4	24	2	63·4	46·5	54·4	1·21	73·5	47·0	59·2	1·94	69·0	44·0	58·0	0·24
CORK,	76,122	38·6	37·7	17·8	0·7	55	26	4	6	.	.	1	.	.	.	.	.	.	2	3	1	1	5	.	2	8	2	62	50	55·5	0·20	68	52	57·3	2·53	68	46	56·2	0·01
LONDONDERRY,	43,477	20·1	21·6	7·2	.	18	6	1	1	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	49·2	20·5	.	36	15	1	4	.	.	.	.	.	.	.	.	.	.	2	1	.	1	2	.	10	3	62·8	43·1	52·5	0·54	73·2	48·9	58·5	1·91	68·5	39·9	56·7	0·03
WATERFORD,	26,769	18·7	23·4	15·6	1·9	12	8	.	3	.	.	.	1	.	.	.	.	.	.	1	2	2	.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	2·5	35·0	27·2	3·9	9	7	1	3	.	.	.	1	.	.	.	.	.	.	1	1	.	1	.	.	3	2	68	48	56	0·66	73	49	60	1·23	72	44	58	0·26
DUNDALK	13,076	9·4	23·9	4·0	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	28·6	16·3	.	7	4	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,405	17·8	12·6	16·8	4·2	8	4	.	4	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	1	61·8	47·3	54·3	1·33	73·3	47·0	59·6	1·90	69·9	41·0	57·2	0·16
LURGAN,	11,782	13·8	31·0	4·4	.	7	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	61·8	47·3	54·8	1·33	73·3	47·0	59·6	1·90	69·9	41·0	57·2	0·16
LISBURN,	11,461	10·1	36·4	13·6	.	8	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	61·8	47·3	54·3	1·33	73·3	47·0	59·6	1·90	69·9	41·0	57·2	0·16
WEXFORD,	11,168	23·2	18·7	14·0	.	4	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,886	8·9	9·6	9·6	.	2	2	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	7	.	61·3	47·6	58·7	1·96	67·9	43·0	58·4	1·61	71·4	40·3	55·7	0·78
SLIGO,	10,870	8·7	38·4	33·6	.	8	7	.	5	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	68	47	55·7	0·84	73	46	58·9	1·52	69	41	58·4	0·00
KILKENNY,	10,609	11·5	33·9	4·9	.	13	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
CLONMEL,	10,167	7·8	46·2	20·5	.	9	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,092	18·2	51·7	8·2	.	10	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	61·8	47·3	54·8	1·33	73·3	47·0	59·6	1·90	69·9	41·0	57·2	0·16
TRALEE,	9,867	16·6	37·0	5·8	.	7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	45·8	5·7	.	8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	64	46	53·0	0·79	68	48	55·6	0·83	67	45	55·8	0·19
QUEENSTOWN,	7,909	14·4	26·4	26·4	6·6	4	4	.	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	62	50	55·5	0·20	63	52	57·3	2·53	63	46	56·2	0·01
ARMAGH,	7,588	22·2	10·6	6·9	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	61·8	47·3	54·8	1·33	73·3	47·0	59·6	1·90	69·9	41·0	57·2	0·16

(*a*) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (*b*) Formerly described as "Simple Continued Fever." (*c*) Exclusive of 9 deaths of persons (including one under 1 year old and one at 68 years), admitted to hospital from localities outside the Area. (*d*) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The figures for Limerick are supplied by Mungret College. (*e*) Observations at Ordnance Survey Office, Phœnix Park. (*f*) Observations by Sir John Moore taken at Fitzwilliam-square. (*g*) Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 2nd July, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN REGISTRATION DISTRICTS IN													URBAN DISTRICTS OF					
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.											
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																			
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	3	.
Diphtheria,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Pneumonia,	.	.	1	.	.	.	.	1	.	.	.	.	1	.	.	.	.	3	.
Tuberculous Phthisis,	1	3	3	1	.	.	.	5	2	2	.	.	1	3	.	.	.	21	2
Disease. Other Forms,	1	1	1	2	.	.	.	2	1	3	.	.	.	.	1	.	.	12	2
Cancer, Malignant Disease,	.	1	.	1	.	1	.	.	.	2	1	.	.	2	.	1	.	9	1
Other General Diseases,	2	1	.	2	.	.	.	1	1	.	.	.	1	.	.	.	.	8	1
Total,	5	7	5	7	.	1	.	12	4	7	1	.	3	5	1	1		59	6
B. LOCAL DISEASES:																			
Nervous System,	1	.	.	1	.	.	.	1	1	1	1	1	.	1	.	.		8	2
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Heart and Blood Vessels,	2	.	1	2	.	.	.	5	1	3	1	1	4	.	1	1		22	1
Respiratory System,	.	1	1	.	.	.	1	1	1	1	.	.	.	.	1	.		7	.
Digestive System,	.	.	1	1	.	1	.	.	.	1	2	.	.	.	.	.		6	.
Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Urinary System,	.	.	2	.	.	.	1	.	.	2	1	.	1	.	.	1		8	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Accidents of Childbirth,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Total,	3	2	5	4	.	1	2	7	3	8	5	2	5	1	2	2		52	3
C. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	1	.	1	.	.	.	1	.	.	2	.	.	.	.	.		5	.
E. VIOLENT DEATHS,	.	.	.	.	.	.	.	1	.	.		.	.	1	.	.		2	.
Deaths from all Causes	8	10	10	12	.	2	2	21	7	15	8	2	8	7	3	3		118	9
Annual Rate of Mortality from all causes in every 1,000 of the population,	13·9	13·0	17·0	18·6	.	9·0	13·6	26·4	16·8	18·1	11·6	11·5	11·3	12·6	17·4	8·9		15·3	.
	14·4							18·3					11·8						
	15·3																		
Ages at Death. Under 1 year,	1	2	3	1	.	.	.	3	.	1	.	1	1	1	.	.		14	1
1 and under 5 years,	2	1	1	4	.	1	.	3	2	1	1	.	2	2	.	.		16	1
5 „ 20 „	.	.	.	.	.	.	.	1	1	2	1	.	2	2	1	.		10	1
20 „ 40 „	1	2	2	.	.	.	.	5	2	3	1	.	1	2	1	.		20	3
40 „ 60 „	3	2	1	3	.	.	.	3	.	6	2	.	.	.	.	.		20	3
60 years and upwards,	1	3	3	4	.	1	2	6	2	2	3	1	4	2	1	3		33	1
Number of Uncertified Deaths,	1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.		3	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	2	3	2	.	1	.	5	2	4	1	.	3	2	.	.		26	8
Workhouse Hospitals,	2	1	4	3	.	.	.	9	4	6	5	1	.	.	1	.		36	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in the week of the ten years 1900–1909,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Averages in 26th Week of the 10 years, 1900-1909.	In the Week ending Saturday, 2nd July, 1910.							
	June 30, 1900.	June 29, 1901.	June 28, 1902.	July 4, 1903.	July 2, 1904.	July 1, 1905.	June 30, 1906.	June 29, 1907.	June 27, 1908.	July 3, 1909.		Deaths of Persons of the Ages of							
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 55·7	° 56·1	° 60·6	° 59·2	° 54·8	° 60·1	° 56·6	° 51·8	° 55·9 ‡	° 55·6	° 56·6	Mean Temp. ° 54·7	Under 1 month.	1 month and under a year.	1 to 5.					
ALL CAUSES.	144	135	149	127	126	116	125	152	133	150	135·7	127	3	12	16	11	23	23	33	6
Small-pox,	·	·	·	1	·	·	·	·	·	·	·1	·	·	·	·	·	·	·	·	·
Cowpox,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles (Morbilli),	·	·	3	3	2	2	·	1	4	2	1·7	·	·	·	·	·	·	·	·	·
Scarlet Fever,	·	1	2	·	2	·	·	·	·	1	·6	1	·	·	1	·	·	·	·	·
Typhus,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Plague,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza,	2	1	1	·	·	1	3	2	1	4	1·5	2	·	·	·	·	1	1	·	
Whooping-cough,	2	3	·	·	1	1	1	8	·	4	2·0	3	·	·	3	·	·	·	·	
Diphtheria,	·	1	·	·	1	1	·	·	2	1	·6	1	·	·	1	·	·	·	·	
Cerebro-spinal Fever,	·	·	·	·	·	·	·	2	1	·	·3	·	·	·	·	·	·	·	·	
Pyrexia † (origin uncertain)	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Enteric Fever,	·	1	4	·	·	1	2	·	1	·	·9	·	·	·	·	·	·	·	·	
Asiatic Cholera,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Epidemic Diarrhœa (Infective Enteritis.), *Diarrhœa*, Dysentery,	1	·	·	1	1	1	1	1	2	5	1·9	1 ·	·	1 ·	·	·	·	·	·	
Tetanus,	·	·	·	·	·	·	1	·	·	·	·1	·	·	·	·	·	·	·	·	
Rabies, Hydrophobia,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Glanders,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Anthrax (Splenic Fever),	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Venereal Disease,	·	1	·	·	·	1	·	1	1	1	·5	·	·	·	·	·	·	·	·	
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*,	·	·	1 · ·	·	·	·	·	·	·	·	·2	· · ·	·	·	·	·	·	·	·	
Infective Endocarditis	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	
Pneumonia, Lobar, Broncho-Epidemic, Not defined,	13	6	2 3 6	5	4	1 2	1	3 4	1 6	6	9·1	1 · 2	·	1 ·	·	1	·	·	·	
Erysipelas,	·	2	2	·	1	·	·	·	·	·	·5	1	·	·	·	·	·	1	·	
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	1	1	2 ·	1 ·	· ·	·	1	·	1	·	·7	· ·	·	·	·	·	·	·	·	
Other Infective Conditions,	·	·	1	·	·	1	·	1	·	·	·3	1	·	1	·	·	·	·	·	
Tuberculous Phthisis, "*Phthisis*,"	21	17	2 13	4 13	3 11	6 10	7 14	17 8	15 7	11 4	18·3	14 9	·	·	·	1 1	9 7	3 1	1 ·	
Tuberculous Meningitis,	7	4	5	4	2	3	4	5	·	3	3·7	5	·	2	·	3	·	·	·	
Tuberculous Peritonitis, *Tabes Mesenterica*,	1	6	· ·	· 2	· ·	1 1	1 ·	· ·	1 1	1 1	1·5	4 1	·	1 ·	· 1	2	· 1	·	·	
Tuberculous Dis. (other), *Scrofula*,	4	1	6 1	3 ·	10 ·	3 ·	4 ·	6 ·	3 ·	6 ·	4·7	4 ·	·	·	3 ·	·	1 ·	·	·	
Alcoholism,	·	·	·	1	·	·	·	·	·	·	·1	·	·	·	·	·	·	·	·	
Rheumatic Fever,	·	·	·	·	2	·	·	·	·	·	·2	·	·	·	·	·	·	·	·	
Gout,	·	·	·	·	·	·	·	·	1	·	·1	·	·	·	·	·	·	·	·	
Carcinoma, Sarcoma, Cancer (undefined)	8	6	1 1 1	3 · 6	· 2	2 3	5 7	· 4	3 1 5	6 1 1	6·5	5 1 4	·	·	·	·	· 1	3 1 3	1 · ·	1
Diabetes Mellitus,	·	·	·	·	·	·	1	·	·	1	·2	·	·	·	·	·	·	·	·	
Premature Birth,	2	2	8	2	6	2	1	4	5	6	3·8	1	1	·	·	·	·	·	·	

* The figures for the year 1900 are for
† Formerly described as
‡ For six

ENTY-SIXTH WEEK ending Saturday, 2nd July, 1910, with the deaths from each cause in the corresponding
the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 26th Week of the 10 years 1900-1909.	In the Week ending Saturday, 2nd July, 1910.								
	June 30, 1900.	June 29, 1901.	June 28, 1902.	July 4, 1903.	July 2, 1904.	July 1, 1905.	June 30, 1906.	June 29, 1907.	June 27, 1908.	July 3, 1909.		Deaths of Persons of the Ages of								
												All Ages.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 55·7	° 56·1	° 60·6	° 59·2	° 54·8	° 60·1	° 56·6	° 51·8	° 55·9 ‡	° 55·6	° 56·6	Mean Temp. ° 54·7	Under 1 month.	1 month and under a year.	1 to 5.					
Meningitis (not tuberc.)			5	2	6	1	3	4	.	4		4	1	.	1	1	.	1	.	.
Insanity, G. P. of Insane			1	1	.	.	.	1	5	2		1	.	.	.	.	.	.	1	.
Epilepsy			1	1	1	4	.	.	1	.		.	.	.	.	.	.	.	.	.
Convulsions			5	7	3	4	3	5	6	4		3	1	1	1	.	.	.	.	.
Locomotor Ataxy			.	.	.	1	.	1	.	.		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord			.	3	.	3	1	2	1	.		1	.	.	.	.	.	.	1	.
Nervous System (other Dis.)			1	1	2	4	3	2	.	.		1	.	.	.	.	.	.	1	.
	34	30									33·6									
Valv. Dis., Endocarditis			1	6	4	3	3	8	7	4		9	.	.	.	.	4	5	.	
Cerebr. Hæm. Thromb.			3	2	1	1	2	1	2	3		3	.	.	.	.	2	.	1	
Apoplexy, Hemiplegia			2	5	6	4	5	3	1	2		1	.	.	.	.	.	1	.	
Aneurysm			.	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	
Embolism, Thromb. (not cerebral)			.	.	.	.	1	.	1	.		.	.	.	.	.	.	.	.	
Heart and Blood Vessels (other Dis.)			15	13	10	7	3	12	10	15		10	.	.	.	.	2	1	5	2
Croup (not Spasm. nor Memb.)	.	1	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Bronchitis	13	15	12	12	13	5	3	7	11	12	10·3	7	.	.	1	.	.	5	1	
Asthma, Emphysema			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
Pleurisy	3	1	.	1	.	.	.	1	.	.	1·8	.	.	.	.	.	.	.	.	
Respiratory Dis. (other)			2	3	.	2	2	1	.	2		.	.	.	.	.	.	.	.	
Tonsillitis, Quinsy	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.)	2	.	.	1	1	.	1	2	1	3	1·4	2	.	2	.	.	.	.	.	.
Gastro-enteritis			.		1	.	2	.	.			1	.	.	.	.	.	.	1	.
Peritonitis (not Puerp.)	.	.	.	1	1	.	.	.	.	2	·4	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver	2	3	2	.	2	1	.	.	1	.	1·6	.	.	.	.	.	.	.	.	.
Liver Dis. (other)			.	.	.	.	3	1	.	1		.	.	.	.	.	.	.	.	.
Digestive Dis. (other)	4	4	5	.	4	7	6	6	3	8	4·7	3	.	.	3	.	.	.	.	.
Nephritis, Acute			2	1	1	.	5	3	.	1		3	.	.	1	.	2	.	.	
Bright's Dis., Albuminuria	5	4	1	1	6	1	5	3	1	5	5·1	5	.	.	.	.	1	2	.	
Urinary Sys. (other Dis.)			.	.	1	.	2	2	.	1		.	.	.	.	.	.	.	.	.
Generative Organs Dis.	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Childbirth (Accid. of)	.	.	.	.	.	.	1	.	.	.	·1	1	.	.	.	.	1	.	.	.
Old Age	3	8	7	4	1	6	4	2	5	3	4·3	3	.	.	.	.	.	2	1	
Other Diseases	10	14	15	6	7	7	6	6	8	8	8·7	6	.	2	.	1	.	2	1	.
ACCIDENT.																				
By Railways	.	.	.	.	1	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
By Vehicles and Horses	1	.	.	.	.	.	.	2	.	.	·3	1	.	.	.	1	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
In Conflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	1	.	1	.	3	1	.	1	.	.	·7	.	.	.	.	.	.	.	.	.
By Drowning	2	.	1	.	.	.	1	.	.	1	·5	.	.	.	.	.	.	.	.	.
By Suffocation in Bed	.	.	1	.	.	.	1	.	2	.	·4	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Other Deaths by Accident	1	2	1	2	.	1	.	1	1	.	·9	1	.	1	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Suicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

e Registration Area as then constituted.
imple Continued Fever."
ys only.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910—Week ending																									
	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr 2.	Apr. 9.	Apr. 16.	Apr. 28.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.
No. of weeks in Annual Series,	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
BIRTHS registered.	236	248	197	169	252	220	197	224	206	247	162	242	213	255	217	221	246	280	241	181	242	258	268	272	183	228
*Average Births in corresponding week of previous 10 years,** ..	227	204	206	203	234	212	210	213	214	219	217	211	235	190	207	224	195	270	223	211	202	232	222	199	225	237
DEATHS registered, ...	174	177	181	177	239	217	211	228	208	204	149	185	168	196	188	200	193	186	180	131	160	135	133	140	130	127
Annual Death-rate per 1,000, ..	22·5	22·9	23·4	22·9	30·9	28·1	27·3	29·5	26·9	26·4	19·3	23·9	21·7	24·1	23·7	25·9	25·0	17·6	23·3	17·0	20·7	17·5	17·2	18·1	16·8	16·4
*Average Deaths in corresponding week of previous 10 years,**	217	210	206	201	200	196	207	221	221	214	200	206	211	200	200	197	189	184	178	174	171	157	154	152	147	136
AGES, Under 5 years, ..	49	57	57	55	76	58	67	67	57	58	30	52	14	44	37	49	46	36	38	37	39	31	37	25	27	31
5—20 „	12	18	10	18	11	9	9	16	8	12	11	12	13	9	11	14	18	6	16	7	10	13	10	12	9	11
20—40 „	30	25	20	31	27	25	19	22	33	28	21	34	18	26	24	33	29	26	34	20	25	26	22	27	32	23
40—60 „	36	28	41	36	54	42	38	42	40	34	35	35	32	43	38	34	43	25	32	28	40	27	29	35	34	23
60—80 „	37	49	45	37	64	62	66	69	57	65	41	42	45	53	57	59	46	40	50	36	42	33	24	38	28	33
80 years and upwards, ..	10	10	8	5	7	21	12	12	13	12	11	10	16	11	16	9	11	8	10	8	4	5	7	8	2	6
Deaths from—																										
Small-pox, ...	2	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.
Measles, ...	.	.	.	1	.	1	2	1	1	.	1	.	.	.	.	.	.	.	1	1	.	2	.	.	.	1
Scarlet Fever, ...	.	.	.	1	.	1	2	1	1	.	.	.	.	.	2	.	.	.	.	1	.	.	.	.	.	1	.
Typhus, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ..	3	5	4	1	3	4	1	.	3	2	1	2	1	.	2	5	4	1	1	1	.	3	1	2	1	3
Diphtheria, ...	1	.	3	.	2	2	.	2	.	1	1	1	.	1	.	2	.	.	.	.	.	.	.	.	.	1
Pyrexia † (origin uncertain), ..	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	.	1	.	2	.	.	.	1	2	.	1	1	4	1	1	.	2	1	3	.	1	.	.	2	.	.
Diarrhœal Diseases, ...	2	4	4	2	4	6	2	3	3	4	2	3	.	4	2	2	1	2	1	5	2	1	3	1	1	1
Influenza, ...	2	3	5	1	4	3	2	2	5	6	7	6	6	3	5	2	3	1	3	2	.	.	.	1	.	2
Pneumonia, ...	22	14	21	14	20	17	20	22	17	20	12	14	14	17	13	20	17	8	14	13	8	8	10	7	10	3
Tuberculous Disease, { Phthisis, ..	24	19	21	23	26	19	19	25	23	26	15	26	14	21	22	31	25	14	31	15	14	17	15	22	24	23
Other Forms, ..	5	6	6	6	17	10	14	13	10	12	10	10	4	10	9	18	12	11	9	9	11	15	7	15	10	14
Cancer, Malignant Disease, ..	8	7	8	11	19	10	8	14	9	13	5	6	14	7	10	11	11	6	10	3	10	10	6	7	10	10
Diseases of Heart and Blood Vessels, ...	29	31	29	17	29	38	40	31	27	25	30	20	30	37	28	37	31	21	25	20	29	21	21	25	16	23
Diseases of Respiratory System,	20	33	29	29	48	55	41	41	39	35	26	36	23	38	39	22	25	17	27	16	18	18	17	11	15	7
Violent Deaths, ...	4	4	1	4	5	1	6	6	5	3	1	2	5	5	3	3	4	6	11	2	3	6	7	7	1	2
Number of Uncertified Deaths, ..	3	8	13	9	13	3	7	2	8	5	5	3	4	9	12	8	6	2	2	6	3	3	7	5	6	3
Mean Temperature of the Air (Phœnix Park), ...	45·4	42·1	37·6	32·5	38·1	43·7	42·3	39·2	44·0	43·6	39·8	45·4	39·7	41·7	43·0	49·6	48·6	48·1	44·7	51·4	55·1	50·6	57·8	56·4	58·1	54·7
Average Mean Temperature in corresponding week of previous 10 years, ...	41·3	40·0	41·1	41·7	40·0	38·9	38·9	40·1	40·1	41·1	42·9	41·9	42·1	44·2	43·4	45·1	46·6	46·9	43·5	48·6	50·5	53·9	53·3	53·7	55·3	56·6
Rainfall in inches, ...	·128	·986	·240	1·690	·163	·264	1·160	·915	·892	·833	·174	·000	·040	·205	·736	·782	·417	·670	·250	1·253	·135	·692	1·870	·010	1·291	1·780
Mean Humidity of the Air, complete Saturation 1·0	·89	·85	·91	·88	·94	·91	·93	·94	·98	·88	·91	·91	·88	·93	93	·91	·82	·77	·81	·90	·88	·81	·92	·87	·92	·87

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever."

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 2nd July, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 2ND JULY, 1910. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	CAUSES OF DEATH. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Convulsions.	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS, ...	376,850	17·6	127	31	11	23	23	33	6	.	.	1	.	3	1	.	.	1	6	3	23	14	10	3	7	2	59	3
	CLASSES.																												
	Deaths in Families of the—																												
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	12·0	4	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
II.	MIDDLE CLASS, ...	87,188	12·0	20	2	3	2	3	7	3	.	.	.	.	.	.	.	.	.	.	1	3	1	3	.	1	.	11	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,428	9·9	21	1	2	6	2	7	.	.	.	.	.	1	.	.	.	.	1	.	6	2	1	1	2	.	8	.
IV.	GENERAL SERVICE CLASS, ...	154,279	16·2	45	17	5	6	11	6	.	.	.	1	.	2	1	.	.	.	4	2	5	9	3	2	2	1	17	3
V.	INMATES OF WORKHOUSES, ...	6,024	—	37	8	1	9	7	11	1	.	.	.	.	.	.	.	.	1	1	.	9	2	2	.	2	1	20	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	13·4	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,860	12·5	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
II.	MIDDLE CLASS.																												
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	16·6	7	.	.	1	2	2	2	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	1	.	3	.
	6. Clerks and Commercial Assistants, ..	30,482	8·6	5	2	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	11·6	6	.	.	1	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	10·6	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	29,801	10·5	6	1	1	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	3	.
	10. Clothing Trades, ...	38,260	4·5	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	11. Food Supply Trades, ...	9,242	11·3	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	30,852	12·0	7	2	1	1	2	1	.	.	.	.	.	1	.	.	.	.	1	.	1	2	.	.	1	.	2	.
	13. Petty Shopkeepers, ...	7,894	13·2	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
IV.	GENERAL SERVICE CLASS.																												
	14. Army, Police, Postal Delivery, and Prison Services, &c	13,425	11·7	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	1
	15. Domestic Servants, ...	86,608	7·1	5	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	1	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	10·9	3	1	.	.	1	1	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	19·7	34	13	5	5	8	3	.	.	.	1	.	1	1	.	.	.	3	2	5	8	1	1	1	1	12	2
V.	INMATES OF WORKHOUSES.																												
	18. Workhouse Inmates, ...	6,024	—	37	8	1	9	7	11	1	.	.	.	.	.	.	.	.	1	1	.	9	2	2	.	2	1	20	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															
		FROM ALL CAUSES.	FROM DISEASES IN COLS. 5–18.		Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of). North City, No. 1 (E.)	May 14,	28·2	1·7	15	.	.	.	.	.	.	.	1	.	1	4	.	1	2	.	.
	„ 21,	15·7	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	1
	„ 28,	19·2	.	11	.	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.
(*Office*,	June 4,	10·5	.	6	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.
Clarence-st., Nth.	„ 11,	26·2	1·7	15	.	.	.	.	1	.	.	.	.	1	1	.	1	.	1	.
	„ 18,	15·7	3·5	9	.	.	.	.	1	.	.	.	1	.	2	.	1	1	1	.
Pop. in 1910	„ 25,	18·9	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2
(Est.) 29,908.	July 2,	18·9	1·7	8	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	1
North City, No. 1 (W.)	May 14,	22·2	.	17	.	.	.	.	.	.	.	.	.	.	3	.	.	5	1	.
	„ 21,	18·8	1·8	14	.	.	.	.	1	.	.	.	.	1	2	2	.	.	.	.
	„ 28,	20·9	1·3	16	.	.	.	.	.	.	.	.	1	1	2	.	.	2	.	.
(*Office*,	June 4,	18·0	1·3	10	.	.	.	.	1	.	.	.	.	.	1	1	.	2	1	.
Summer-hill.)	„ 11,	23·5	.	18	.	.	.	.	.	.	.	.	.	2	6	.	1	1	1	2
	„ 18,	18·3	1·3	14	.	.	.	.	.	.	.	1	.	1	2	3	.	.	.	.
Pop. in 1910	„ 25,	18·3	1·3	14	.	.	.	1	.	.	.	.	.	.	4	.	1	2	.	.
(Est.) 39,974.	July 2,	13·0	1·3	10	.	.	.	.	1	.	.	.	.	.	3	1	1	1	.	.
North City, No. 2.	May 14,	15·3	1·7	9	.	.	.	.	.	.	.	.	1	1	4	.	.	1	.	.
	„ 21,	18·7	1·7	11	.	.	.	.	.	.	.	.	1	1	1	1	.	4	.	.
	„ 28,	22·0	.	13	.	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.
(*Office*,	June 4,	17·0	.	10	.	.	.	.	.	.	.	.	.	.	1	1	1	2	2	.
Lisburn-street.)	„ 11,	11·9	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.
	„ 18,	18·7	.	11	.	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.
Pop. in 1910	„ 25,	20·4	.	12	.	.	.	.	.	.	.	.	.	2	5	2	1	.	.	.
(Est.) 30,744.	July 2,	17·0	.	10	.	.	.	.	.	.	.	.	.	1	3	1	.	1	.	.
North City, No. 3.	May 14,	20·2	.	13	.	.	.	.	.	.	.	.	.	.	2	1	1	2	.	.
	„ 21,	12·4	1·6	8	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.	1
	„ 28,	28·0	.	18	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	1
(*Office*,	June 4,	23·3	1·6	15	.	.	.	.	1	.	.	.	.	1	4	1	.	1	.	.
Benburb-street.)	„ 11,	17·1	.	11	.	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.
	„ 18,	18·6	.	12	.	.	.	.	.	.	.	.	.	1	3	1	1	1	.	.
	„ 25,	17·1	1·6	11	.	.	.	.	.	.	.	.	1	1	2	1	1	1	.	.
Pop. in 1910	July 2,	18·6	1·6	12	.	.	.	.	1	.	.	.	.	.	1	2	1	.	.	.
(Est.) 33,559.																				
South City, No. 1.	May 14,	16·8	.	13	.	.	.	.	.	.	.	.	.	1	1	.	1	3	1	.
	„ 21,	17·6	.	14	.	.	.	.	.	.	.	.	.	2	1	2	.	2	.	.
	„ 28,	22·6	1·8	18	.	.	.	.	.	.	.	1	.	.	1	.	2	4	.	.
(*Office*,	June 4,	17·6	2·5	14	.	.	1	.	.	.	.	.	1	.	2	3	1	1	.	.
Sth. Earl-street.)	„ 11,	15·1	1·3	12	.	1	.	.	.	.	.	.	.	1	1	1	.	.	2	.
	„ 18,	22·6	.	18	.	.	.	.	.	.	.	.	.	1	3	3	.	3	.	.
Pop. in 1910	„ 25,	20·1	1·3	16	.	.	.	.	1	.	.	.	.	.	2	.	2	3	.	1
(Est.) 41,476.	July 2,	26·4	3·8	21	.	.	1	.	1	1	.	.	.	1	5	2	.	1	1	.
South City, No. 2.	May 14,	9·6	.	4	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.
	„ 21,	14·4	.	6	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.
	„ 28,	16·8	.	7	.	.	.	.	.	.	.	.	.	.	1	2	.	2	.	.
(*Office*,	June 4,	14·4	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Castle-street.)	„ 11,	12·0	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.
	„ 18,	9·6	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Pop. in 1910	„ 25,	16·8	.	7	.	.	.	.	.	.	.	.	.	1	2	1	1	1	.	.
(Est.) 21,754	July 2,	16·8	.	7	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.	1
South City, No. 3.	May 14,	27·7	1·2	23	.	.	1	.	.	.	.	.	.	2	6	1	1	3	2	1
	„ 21,	27·7	1·2	23	.	.	1	.	.	.	.	.	.	2	3	1	.	5	.	1
	„ 28,	24·1	.	20	.	.	.	.	.	.	.	.	.	3	2	4	1	2	.	2
(*Office*,	June 4,	20·5	1·2	17	.	.	1	.	.	.	.	.	.	2	1	1	1	1	1	1
Peter-street.)	„ 11,	12·1	2·4	10	.	.	.	.	.	.	.	.	2	2	.	1	.	3	.	.
	„ 18,	19·3	.	16	.	.	.	.	.	.	.	.	.	.	4	4	2	.	.	.
Pop. in 1910	„ 25,	16·2	.	14	.	.	.	.	.	.	.	.	.	1	2	.	.	3	.	2
(Est.) 43,227.	July 2,	18·1	.	15	.	.	.	.	.	.	.	.	.	.	2	3	2	1	.	.
South City, No. 4.	May 14,	18·9	.	13	.	.	.	.	.	.	.	.	.	2	2	.	.	6	1	.
	„ 21,	23·3	1·5	16	.	.	.	.	.	.	.	.	1	.	3	2	1	1	.	1
	„ 28,	18·1	1·5	9	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.
(*Office*,	June 4,	10·2	.	7	.	.	.	.	.	.	.	.	.	1	.	2	1	2	.	.
Grand Canal-st.)	„ 11,	20·3	.	14	.	.	.	.	.	.	.	.	.	1	.	2	1	2	1	2
	„ 18,	23·5	1·5	16	.	.	.	1	.	.	.	.	.	1	1	1	.	2	2	3
Pop. in 1910	„ 25,	18·9	.	13	.	.	.	.	.	.	.	.	.	.	1	2	2	3	.	1
(Est.) 35,881.	July 2,	11·6	.	8	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From all Causes	From Diseases in Cols. 5–18.	TOTAL DEATHS.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (excl. Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	19	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	May 14,	22·5	.	16	.	.	.	.	.	.	.	.	.	2	1	1	1	.	2	.
	,, 21,	12·7	1·4	9	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	1
	,, 28	22·5	.	16	.	.	.	.	.	.	.	.	.	2	1	.	2	1	.	.
	June 4,	18·8	.	13	.	.	.	.	.	.	.	.	.	.	3	.	2	1	1	1
	,, 11,	22·5	.	16	.	.	.	.	.	.	.	.	.	.	3	2	1	.	.	3
	,, 18,	16·9	.	12	.	.	.	.	.	.	.	.	.	1	1	2	.	1	.	1
	,, 25,	11·3	.	8	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	July 2,	11·3	.	8	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	May 14,	12·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.	.
	,, 21,	12·6	.	7	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.
	,, 28,	14·4	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
	June 4,	10·8	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.
	,, 11,	7·2	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.
	,, 18,	7·2	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	,, 25,	14·4	.	8	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	July 2,	12·6	.	7	.	.	.	.	.	.	.	.	.	.	3	.	2	.	1	1
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	May 14,	41·4	.	14	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.
	,, 21,	8·9	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
	,, 28,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
	June 4,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.
	,, 11,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	,, 18,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	,, 25,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	July 2,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Belfast. Pop. in 1910 (Est.) 391,167.	May 14,	22·7	4·1	170	.	23	.	.	6	1	.	1	.	26	24	4	8	14	4	2
	,, 21,	23·6	6·4	177	.	44	.	.	4	.	.	.	.	22	29	6	7	17	1	1
	,, 28,	23·5	5·6	176	.	33	1	.	5	1	.	.	2	21	14	18	3	14	1	.
	June 4,	22·1	6·5	166	.	38	1	.	7	.	.	.	3	18	21	8	4	18	5	3
	,, 11,	19·7	6·1	148	.	38	.	.	5	1	.	1	1	18	19	5	4	17	1	1
	,, 18,	24·4	7·9	183	.	49	.	.	4	2	.	.	4	17	24	3	6	14	.	2
	,, 25,	20·9	5·5	157	.	36	.	.	1	.	.	1	3	17	23	9	4	16	4	.
	July 2,	18·3	3·7	137	.	25	.	.	1	.	.	1	1	11	11	3	9	7	.	2
Cork. Pop. (in 1901) 76,122.	May 14,	18·5	0·7	27	.	.	.	.	1	.	.	.	.	2	8	2	1	5	.	1
	,, 21,	22·6	1·4	38	.	.	1	.	.	.	.	1	.	.	10	3	4	2	2	2
	,, 28,	16·7	.	39	.	.	.	.	.	.	.	.	.	3	3	1	3	5	.	1
	June 4,	16·4	.	24	.	.	.	.	.	.	.	.	.	1	5	1	.	3	1	1
	,, 11,	19·9	.	29	.	.	.	.	.	.	.	.	.	.	6	.	1	3	1	2
	,, 18,	15·1	.	22	.	.	.	.	.	.	.	.	.	2	3	.	1	2	.	.
	,, 25,	18·5	0·7	27	.	.	.	.	.	1	.	.	.	1	4	4	5	.	1	1
	July 2,	17·8	0·7	26	.	.	.	.	.	1	.	.	.	2	3	1	1	5	.	0
Londonderry. Pop. in 1910 (Est.) 43,477.	May 14,	19·2	1·2	16	.	1	.	.	.	.	.	.	.	2	2	1	.	7	.	.
	,, 21,	15·6	.	13	.	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.
	,, 28,	24·0	.	20	.	.	.	.	.	.	.	.	.	.	3	1	.	7	.	.
	June 4,	13·2	1·2	11	.	1	.	.	.	.	.	.	.	1	1	2	.	3	.	.
	,, 11,	9·6	1·2	8	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	1
	,, 18,	10·8	2·4	9	.	2	.	.	.	.	.	.	.	1	3	.	.	.	.	.
	,, 25,	12·0	3·6	10	.	3	.	.	.	.	.	.	.	1	1	.	3	1	.	.
	July 2.	7·2	.	6	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.
Limerick. Pop. (in 1901) 38,151.	May 14,	13·7	.	10	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	,, 21,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1	.	4	.	.
	,, 28,	24·6	2·7	18	.	.	.	.	1	1	.	.	.	.	2	.	.	3	.	2
	June 4,	17·8	.	13	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	2
	,, 11,	16·4	1·4	12	.	.	.	.	1	.	.	.	.	2	2	1	1	1	.	1
	,, 18,	20·5	1·4	15	.	.	.	.	.	.	.	.	1	1	3	.	.	.	.	4
	,, 25,	19·1	1·4	14	.	.	.	.	.	.	1	.	.	.	2	.	1	1	.	1
	July 2.	20·5	.	15	.	.	.	.	.	.	.	.	.	.	2	1	.	1	2	8
Waterford. Pop. (in 1901) 26,769.	May 14,	11·7	.	6	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	,, 21,	17·5	.	9	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.
	,, 28,	21·4	.	11	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	4
	June 4,	31·2	1·9	16	.	.	.	.	.	.	.	.	1	1	4	.	.	3	1	1
	,, 11,	29·2	.	15	.	.	.	.	.	.	.	.	.	.	5	.	1	1	1	2
	,, 18,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1
	,, 25,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.
	July 2,	15·6	1·9	8	.	.	.	.	1	.	.	.	.	.	1	2	2	.	.	1

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 2nd July, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS																												
			Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.						DEATHS FROM																			
			All Causes.	Diseases in Cols. 12-20.		Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexiat (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)		
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,		5			9	.	2	1	2	1	3	.	1	.	.	.	.	.	.	.	2	1	.	1	.	.	.	3	1		
Do. 2 do.		26			18	3	2	1	2	4	6	.	2	.	.	.	.	.	.	.	2	2	.	2	.	.	.	5	1		
Do. 3 do.		24			10	2	3	.	1	1	3	.	2	.	.	.	.	.	.	1	.	1	1	.	.	.	.	1	.		
Do. 4 do.		25			11	4	3	.	2	1	1	.	4	.	.	.	.	.	.	.	1	.	.	1	.	.	1	4	.		
Do. 5 do.		18			10	5	1	1	1	.	2	.	2	.	.	.	.	.	.	.	1	1	.	1	.	.	.	1	.		
Do. 6 do.		14			15	.	1	2	4	3	5	.	1	.	.	.	.	.	1	.	.	1	1	3	1	.	.	2	.		
Do 7 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Do 8 do.	349,180	1	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.		
Do. 9 do.		15			11	1	3	.	2	3	2	.	3	.	.	.	.	.	.	.	.	1	1	.	2	.	.	2	.		
Do 10 do.		18			9	1	2	1	1	2	2	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	1	.	.		
Do. 11 do.		25			12	1	5	2	2	1	1	.	4	.	.	.	.	.	.	.	.	1	3	.	1	.	.	1	.		
Do. 12 do.		23			16	4	7	2	1	1	1	.	4	.	.	1	.	.	.	.	1	.	1	1	2	.	2	1	.		
Do. 13 do.		12			6	2	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Do. 15 do.		12			9	.	3	.	.	4	2	.	2	.	.	.	.	.	.	.	2	1	.	1	.	.	.	4	.		
Total, ...	—	218			137	24	33	13	18	21	28	.	25	.	.	1	.	.	1	1	11	11	8	9	7	.	4	24	2		
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	12,867	11	8·1	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.		
Do. 2 do.	10,701	8	43·9	4·9	9	.	.	3	3	2	1	.	.	.	.	.	1	.	.	.	.	2	1	1	2	.	1	4	.		
Do. 3 do.	9,978	7	20·9	.	4	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.		
Do. 4 do.	8,666	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Do. 5 do.	6,592	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Do. 6 do.	10,702	8	24·4	.	5	.	1	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1		
Do. 7 do.	16,616	8	18·8	.	6	1	1	1	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	2	1		
Total, ...	76,122	55	17·8	0·7	26	4	3	4	5	4	6	.	.	.	.	.	1	.	.	.	2	3	1	1	5	.	2	8	2		

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910—Week ending																								
	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14	May 21	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.
No. of weeks in annual Series, ..	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
BIRTHS registered, ...	278	192	180	216	214	213	196	202	239	201	240	208	207	254	247	224	263	235	214	169	264	215	193	231	202	213
DEATHS registered, ...	148	170	125	151	165	172	156	140	165	162	163	125	133	168	187	160	173	167	170	177	176	166	148	183	157	137
Annual Death rate per 1,000 of estimated Population, ...	19·7	22·7	16·7	20·1	22·0	22·9	20·8	18·7	22·0	21·6	21·7	16·7	18·4	22·4	24·9	21·3	23·1	22·3	22·7	23·6	23·5	22·1	19·7	24·4	20·9	18·3
AGES — Under 1 year, ...	36	48	25	33	28	37	31	23	33	31	29	27	27	34	38	36	33	31	29	30	37	37	20	44	33	24
AGES — 1-5 years, ...	23	21	20	21	28	21	20	21	21	16	27	15	21	33	34	27	20	36	35	47	41	45	54	47	45	33
AGES — 5-20 years, ...	8	9	9	14	9	8	13	12	11	14	16	7	18	19	15	14	21	12	15	15	15	14	12	15	16	13
AGES — 20-40 years, ...	17	24	17	22	30	18	26	19	29	26	18	19	16	21	32	14	24	25	30	28	26	26	25	20	17	18
AGES — 40-60 years, ...	26	28	23	21	30	42	31	36	37	40	35	28	22	27	24	29	41	30	30	29	28	27	16	23	20	21
AGES — 60 years and upwards, ..	38	40	27	40	47	46	35	29	34	35	38	29	34	34	44	40	34	33	31	28	27	17	21	34	26	28
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	1	.	1	1	5	3	6	11	17	8	20	19	28	44	33	38	38	49	35	25
Scarlet Fever, ...	.	.	.	.	.	2	.	1	.	.	2	.	2	.	.	.	.	.	.	.	1	1	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	12	13	13	13	19	15	17	14	11	12	13	10	6	12	5	8	4	4	6	4	5	7	5	4	1	1
Diphtheria, ...	1	.	1	.	.	.	.	1	.	.	.	.	1	1	1	1	1	.	1	.	1	.	1	2	.	.
*Pyrexia** (origin uncertain), ..	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.
Enteric Fever, ...	2	.	.	1	.	.	1	.	.	1	.	.	1	.	.	1	.	.	1	.	.	.	1	.	1	1
Diarrhœal Diseases, ...	2	.	.	.	2	.	2	.	2	2	.	1	1	.	1	3	1	2	.	.	2	3	1	4	3	1
Pneumonia, ...	12	20	2	16	14	16	11	16	12	10	12	8	14	19	16	19	14	15	26	22	21	18	13	17	17	11
Tuberculous Disease, Phthisis, ..	14	14	12	15	16	15	14	20	23	26	18	10	20	24	27	18	23	20	24	29	14	21	19	24	22	11
Tuberculous Disease, Other Forms, ..	4	10	3	10	8	4	8	7	9	7	9	8	9	12	8	7	9	6	4	6	13	8	5	3	9	8
Cancer, Malignant Disease, ..	2	10	5	4	8	7	6	5	3	5	9	10	4	8	10	2	6	8	8	7	3	4	4	6	4	9
Diseases of Respiratory System,	28	31	21	29	28	40	19	21	24	22	24	16	16	21	21	30	15	21	14	17	14	18	17	14	16	7
Violent Deaths, ...	3	8	5	7	2	2	5	3	10	9	5	3	.	4	.	2	4	3	4	1	1	5	1	.	4	.
Number of Uncertified Deaths, ..	2	1	6	3	2	1	5	2	2	1	1	1	2	1	1	1	3	1	2	1	.	3	1	2	.	2

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	July 2,	2,329	964	10·3	.	32	2	5	21	2*a*	14
EDINBURGH, ...	360,276	„ 2,	150	81	11·7	.	.	1	1	1	.	3
GLASGOW, ...	884,505	„ 2,	445	215*c*	12·7	.	1	2	2	5	.	10
CALCUTTA, ...	1,009,008	May 28,	.	381	19·6	.	1	.	1	.	86‡	71*
BOMBAY, ...	977,822	June 2,	360	652	34·7	20	6	.	.	.	172‡	53
MADRAS, ...	509,346	May 13,	429	321	32·7	.	2	?	?	?	91	69
CAIRO, ...	677,663	„ 13,	582	600	46·2	1	31	.	6	?	3*a*	130*b*
PARIS, ...	2,760,000	„ 28,	956	868	16·4	.	31	4	8†	12	7*a*	16*b*
BRUSSELS, ...	720,030	June 11,	232	207	14·9	.	3	2	.	2	1	22
ANTWERP, ...	317,171	„ 11,	155	55	9·0	.	4	.	.	.	.	7*b*
AMSTERDAM, ...	570,101	„ 11,	254	143	13·1	.	2	.	1†	2	1*a*	6*b*
COPENHAGEN, ...	450,000	„ 11,	234	127	14·7	.	.	2	.	1	.	8
STOCKHOLM, ...	341,816	„ 11,	179	100	15·2	.	1	1	.	.	.	3
CHRISTIANIA, ...	240,178	„ 18,	109	70	15·2	.	.	.	.	.	.	7
ST. PETERSBURG, ...	1,620,000	May 28,	992	1,006	32·4	8	72	8	14	4	10*a*	73
MOSCOW, ...	1,493,600	„ 21,	.	711	24·8	5	15	19	25†	7	3	111
BERLIN, ...	2,119,607	June 4,	791	580	14·3	.	15	10	10†	2	1	44
HAMBURG, ...	895,804	„ 11,	.	244	14·2	.	5	.	5†	1	1	23
BRESLAU, ...	510,126	„ 11,	.	219	22·4	.	.	1	1	4	1	45
MUNICH, ...	576,000	„ 18,	.	134	12·1	.	2	.	1†	1	.	17
VIENNA (with suburbs),	2,107,981	„ 11,	891	740	18·3	.	25	1	4†	5	3	12*b*
BUDA-PESTH, ...	833,703	„ 11,	419	285	17·7	.	7	6	6†	.	1*a*	18*b*
PRAGUE and Faubourgs.	497,905	May 28,	187	177	18·5	.	2	1	2†	.	1*a*	12*b*
TRIESTE, ...	221,124	June 4,	157	94	22·2	.	1	.	.	1	.	5*b*
ROME, ...	587,096	May 7,	251	230	20·4	.	21	1	1	2	6	16
VENICE, ...	183,224	„ 14,	71	71	20·2	.	1	.	2†	.	1	4
NEW YORK, ..	4,711,956	June 4,	2,350	1,348	14·9	1	21	21	40†	5	7*a*	63
PHILADELPHIA, ..	1,598,400	April 16,	.	.	.	.	.	.	.	.	.	.
BOSTON, ...	629,868	June 11,	.	206	17·1	.	3	.	2	.	.	8

* Including 40 deaths from cholera in Calcutta.
† Including deaths from croup.
‡ Including 46 deaths from plague in Calcutta, 128 in Bombay, and one in Moscow.
a Enteric Fever.
b Deaths from diarrhœal diseases and from enteritis of children under two years of age.
c Including one death from cerebro-spinal meningitis.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 2nd July, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	.	.	.	.	.	1	2	.	.	.	2	5
" " 1, West,	.	.	.	.	1	.	.	1	2	.	.	2	6
" " 2,	.	1	.	.	.	.	.	.	.	.	.	7	8
" " 3,	.	5	1	.	1	.	1	.	1	.	.	4	13
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	2	.	.	.	3
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	5	.	.	2	.	.	1	4	.	.	11	23
" " 2,	.	2	.	.	4	.	.	1	2	.	.	1	10
" " 3,	.	5	.	.	3	.	.	.	.	.	.	1	8
" " 4,	.	2	.	.	2	.	.	.	2	.	.	2	8
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	1	1
Total,	.	21	1	.	12	.	2	5	13	.	.	31	85

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 2nd July, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 2nd July.			
	June 11.	June 18.	June 25.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	4	5	4	1	1	.	4
Scarlet Fever,	64	74	78	21	16	1	82*
Typhus,	.	3	2	1	1	.	2
Diphtheria,	55	50	61	18	22	1	56
Enteric Fever,	33	31	37	3	4	.	36
Pneumonia,	33	33	23	7	13	.	17

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ded 2nd July, 1910 :—

The weather was again in a very unsettled, rainy, cool, and generally unseasonable state. Throughout the riod a cyclonic distribution of atmospheric pressure was observed over Northwestern Europe. The central area low pressure stretched from Scotland to the South of Norway, and in that region the barometer remained below 4 inches day after day, while shallow secondary depressions passed eastwards from time to time across the British es. Sunday was the only dry day in the neighbourhood of Dublin, but even on that day the weather was seasonable owing to a brisk N. wind, and a clouded sky—the temperature range was only from 52·0° to 60·1°. Monday the wind backed towards S.W., and rain set in as a subsidiary depression advanced over Ireland in the riphery of the main disturbance then central over the Christiania Fjord. On Tuesday morning the barometer s down to 29·28 inches at Malin Head in Donegal—steady rain fell over the S.E. of England, and heavy showers in ny districts. A beautiful double rainbow spanned the storm-clouds as seen from Dublin at 6.15 p.m. A shallow ondary passed right over this City on Wednesday afternoon. Rain fell in torrents and great gloom prevailed, ile the wind temporarily shifted to N.E., afterwards backing through N. to N.W. Low temperatures for the time year, clouds, and frequent showers continued to the close of the week. On Saturday the barometer began to rise newhat decidedly and the wind veered to N.N.W. In Dublin the mean atmospheric pressure was 29·596 inches, range being only from 29·716 inches at 9 p.m. of Sunday (wind, N.W.) to 29·446 inches at 9 p.m. of Monday (wind, S.W.). The corrected mean temperature was 55·2°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 54·2°. e screened thermometers rose to 64·3° on Tuesday and fell to 49·1° on Friday. The dominant wind was N.W. in fell on 6 days to the large amount of 1·602 inches, ·925 inch being measured on the 29th."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·428 inches. The highest reading (29·541) was on Sunday at 9 p.m., wind W., and the lowest (29·277) on Monday at 9 p.m., wind S.W.

The mean temperature for the week was 54·7°, being 1·9° below the average for the corresponding period of the 10 years, 1900–1909. The temperature was highest on Tuesday, on which day the thermometer registered 62·8°, and was lowest on Friday, the mercury having fallen to 47·1°. The mean of the Dry Bulb for the week was 53·3° and of the Wet Bulb 51·3°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The rainfall during the week measured 1·730 inches.

At Greenwich the mean temperature for the week was 56·5°, the maximum 69·0°, and the minimum 45·1°; at Glasgow the maximum was 63·2°, the minimum 42·0°, and the mean 54·0°; and at Edinburgh the maximum was 59·6°, the minimum 43·6°, and the mean 52·4°. The rainfall at Greenwich measured 1·00 in., at Glasgow 0·38 in.; and at Edinburgh 0·53 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY.			BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
			Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.				9 A.M.	9 P.M.
			(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) In.		
Sunday,	June	26,	29·534	59·0	48·7	53·9	53·5	50·2	·79	6	5·2	·000	N.N.W.	W.
Monday,	„	27.	29·377	60·8	49·8	55·3	55·2	53·5	·89	·6	1·8	·080	S.W.	S.W.
Tuesday,	„	28.	29·305	62·8	51·4	57·1	55·6	52·1	·79	·6	10·0	·320	W.S.W.	W.S.W.
Wednesday,	„	29.	29·377	57·8	49·1	53·5	51·5	50·2	·88	·5	0·6	·800	S.W.	W.
Thursday,	„	30	29·461	61·1	48·5	54·8	52·0	51·2	·95	·5	3·5	·225	W.	Calm.
Friday,	July	1,	29·463	61·3	47·1	54·2	53·3	51·2	·87	·6	7·6	·175	W.S.W.	Calm.
Saturday,	„	2,	29·480	59·8	47·5	53·7	52·1	50·4	·89	·5	7·2	·130	W.N.W.	N.W.
Mean,	.	. .	29·428	60·4	48·9	54·7	53·3	51·3	·87	·6	Total 35·9	Total 1·730	Prevailing Wind, W. to W.S.W.	

Sunday—Day cloudy, fine: night overcast. *Monday*—Day overcast to cloudy, rain p.m.: night cloudy, rain a.m. *Tuesday*—Day cloudy, passing showers: night cloudy. *Wednesday*—Day overcast to cloudy, passing showers; night overcast, light rain a.m. *Thursday*—Day overcast to cloudy, passing showers: night cloudy, rain a.m. *Friday*—Day cloudy, passing showers; night cloudy. *Saturday*—Day cloudy, passing showers; night cloudy, light rain a.m.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, July 2nd, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY.			Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperatures in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
				1 Foot.	4 Feet.	Max.	Min.	Mean.		
			°	°	°	°	°	°	hrs.	ins.
Sunday,	June	26.	55·0	60·0	56·1	60·7	50·9	55·8	5·3	—
Monday,	„	27.	55·2	59·1	56·3	62·1	50·4	56·3	1·6	·060
Tuesday,	„	28.	60·2	59·5	56·5	60·0	50·0	55·0	9·2	·350
Wednesday,	„	29.	53·8	59·0	56·3	58·0	49·2	53·6	0·1	·880
Thursday.	„	30	52·8	58·0	56·3	62·3	50·0	56·2	3·0	·129
Friday,	July	1,	56·0	57·8	56·3	64·0	48·5	56·3	6·8	·062
Saturday,	„	2,	53·9	58·1	56·3	62·5	49·0	55·8	7·1	·112
Weekly Mean,			55·3	58·8	56·3	61·4	49·7	55·6	Total 33·1	Total 1·593

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

29203. Wt. P. 1—80/137, 375. 4. 1910. G. III.

FOR OFFICIAL USE.

QUARTERLY SUMMARY OF THE WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

DUBLIN:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY (LTD.), 116, GRAFTON STREET, DUBLIN; or
WYMAN AND SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

Price 1½*d.*

VOL. XLVII.] QUARTER ENDING SATURDAY, 2ND JULY, 1910. [No. 26A.

DUBLIN REGISTRATION AREA.—Births.—In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, the total area thereof being 13,759 statute acres, and the population, estimated to the middle of 1910, 402,928 there were registered during the thirteen weeks ended on Saturday, 2nd July, 1910, 3,032 births—1,565 boys and 1,467 girls—being equal to an annual ratio of 1 in 33·2, or 30·1 in every 1,000 of the population.

The number of births registered in the city was 2,628, equivalent to an annual rate of 33·9 in every 1,000 of the population; and in the urban districts named above, 404, equal to an annual rate of 17·4 in every 1,000 of the population.

There were registered in London during the same period 30,253 births—being equal to an annual birth-rate of 24·8 in every 1,000 of the estimated population; in Glasgow there were registered 6,102, being equal to 27·6 per 1,000; and in Edinburgh, 1,940 —a number affording an annual birth-rate of 21·5 in every 1,000 of the estimated population.

Deaths.—Omitting the deaths (123) of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the deaths for the Area, numbering 1,911, are equivalent to an annual rate of 19·0 per 1,000 of the estimated population, the total number of deaths registered in the Dublin Registration Area during the quarter being 2,034—1,043 males and 991 females—affording an annual ratio of 1 in 49·5, or 20·2 in every 1,000 of the estimated population. The annual mean mortality represented by the deaths registered during the second quarter of the ten years, 1900–1909, in the Dublin Registration Area as then constituted, was 23·4 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants* of the North City districts registered last quarter was 792, representing an annual mortality of 19·9 in every 1,000 of the population; and the number in the South City districts was 752, equivalent to a rate of 19·9 per 1,000. In the urban districts the number of deaths registered was 367, being equal to an annual death-rate of 15·8 in every 1,000.

The number of deaths registered in London during the same period was 14,852—a number equal to an annual rate of mortality of 12·2 in every 1,000 of the inhabitants; in Glasgow the number was 3,388, equal to 15·3 in every 1,000; and in Edinburgh, 1,226, affording an annual death-rate of 13·6 in every 1,000 of the estimated population.

Diseases.—The number of deaths from the principal epidemic diseases† registered in the Dublin Registration Area during last quarter was 74, being 32 below the number for the preceding quarter; and the annual rate per 1,000 of the population represented by the deaths from these diseases was 0·73, being 0·37 below the rate for the preceding three months.

The following tabular statement shows the mortality from each of the principal epidemic diseases in the period under notice, and the average number of deaths from these diseases which occurred in the corresponding period of the 10 years, 1900–1909:—

NAMES OF DISEASES.	No. of Deaths in June Quarter, 1910.	Average No. of Deaths in June Quarters, 1900–1909.
Small-pox,	–	3
Measles,	2	28
Scarlet Fever,	5	7
Typhus,	3	–
Whooping-cough,	23	46
Diphtheria,	4	10
Pyrexia (origin uncertain),	–	1
Enteric Fever,	11	16
Diarrhœal Diseases,	26	20

Small-pox.—During the quarterly period under notice, there was no death from small-pox recorded, neither was the presence of the disease notified to this office.

Measles.—Deaths from measles, which had numbered 11, 5, and 4, in each of the three preceding quarters were 2 in the period under review. The average for the corresponding period in the June quarter of the preceding 10 years was 28. One of the 2 deaths appertained to South City No. 1 District, and the other to New Kilmainham District.

Scarlet Fever.—There were 5 deaths from scarlet fever, as against an average of 7 in the corresponding period of the previous 10 years, and 6, 10, and 7 deaths registered in each of the three preceding quarters. From Table I., on page 428, it appears that there were 62 cases of scarlet fever under treatment at the end of the March quarter; in the period under notice 189 cases were admitted, 163 were discharged, there were 6 deaths, and 82 cases remained under treatment at the close of the quarter. There were also 14 patients in Beneavin, the Convalescent Home of Cork-street Fever Hospital. Of the 5 deaths, two were of inhabitants of South City No. 1 district, and three were of South City No. 3 district.

* The death-rates referring to the several Dublin Districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in Public Institutions according to the localities from which the deceased persons were admitted.

† See note (*), p. 432*b*.

Typhus.—Of the 3 deaths from typhus, one was of a person belonging to North City No. 1, W. district, and 2 were deaths of persons belonging to North City No. 3 district. The hospital statistics, on page 428, show that 3 cases of typhus were in hospital at the termination of the last quarter, 11 cases were admitted during the 13 weeks ended July 2nd, 9 were discharged, 3 died, and 2 cases remained under treatment at the close of the period under notice.

Whooping-cough.—The fatalities from whooping-cough, 23 in number, are just half the average number for the second quarter of the past ten years, and equal an annual rate of 0·23 per 1,000 of the population of the Dublin Registration Area, estimated to the middle of the year 1910. Of the total deaths, 14 appertained to the districts of North Dublin City, 6 to the districts of South Dublin City, 2 to Pembroke urban district, and one to Kingstown urban district. In the three preceding quarters, deaths from whooping-cough were 23, 16, and 29 respectively.

Diphtheria.—The deaths from diphtheria, which numbered 18, 10, and 13, in each of the three preceding quarterly periods, declined to 4 deaths in the June quarter, now under notice, the average for the corresponding quarter of the preceding 10 years being 10. During the quarter, 157 cases were admitted to hospital—34 being under treatment at the close of the March quarter—131 were discharged, there were 4 deaths, and 56 cases remained under treatment at the close of the quarter. Of the 4 deaths, 2 appertained to South City No. 1 district, and 2 to South City No. 3 district.

Enteric Fever.—The deaths from enteric fever—11 in number, were below the average—16; in the three preceding quarters such deaths were 14, 12, and 12 respectively. According to Table I., 72 cases of enteric fever were admitted to Dublin hospitals during the quarter, 53 were discharged, 5 died, and 36 cases were under treatment on the 2nd July, as against 22 cases under treatment on the 2nd April. The deaths were distributed as follows:—4 to the North City districts, 5 to the South City districts, one in Rathmines and Rathgar urban district, and one death from enteric fever of a person admitted to an institution from without the Registration Area.

Diarrhœal Diseases.—The annual rate represented by deaths from diarrhœal diseases, in number 26, was 0·26 per 1,000 of the estimated population of the Area. The deaths are 6 above the average. In the three preceding quarters, the deaths under this heading were 132, 37, and 39 respectively. The deaths of 14 children under 5 years of age from enteritis, and 10 children under 5 years from *gastro-enteritis* are not included in the 26 deaths from diarrhœal diseases. Of the total, 16 deaths appertained to the districts of North Dublin city; 7 to the districts of South Dublin City, one to the urban district of Rathmines and Rathgar, and one to the urban district of Kingstown. Of the total deaths 2 were of persons admitted to institutions from places outside the Registration Area.

Influenza.—A decline in mortality from 52 deaths in the March quarter to 23 in the June quarter is recorded; the latter figure is also below the average (35). Deaths from influenza in the September and December quarters of 1909 were 3 and 24 respectively.

Cerebro-spinal Fever.—One death from cerebro-spinal fever was registered.

Pneumonia.—A total of 148 deaths is collected under the heading pneumonia, and includes 23 deaths from lobar pneumonia, 56 from broncho-pneumonia, one death from epidemic pneumonia, and 68 deaths from *pneumonia* (not defined). The total (148) corresponds to an annual rate of mortality of 1·47 per 1,000 of the estimated population of the Area. The average number of deaths from pneumonia in the June quarter of the past ten years, is 172.

Tuberculous Disease.—In the aggregate the deaths from all forms of tuberculous disease, numbered 424, and included 274 deaths from tuberculous phthisis (*phthisis*), 47 deaths from tuberculous meningitis, 13 from tuberculous peritonitis, 8 from *tabes mesenterica*, and 82 deaths from other forms of the disease. The total mortality from all forms of tuberculous disease is equal to an annual rate of 4·21 per 1,000 of the estimated population. The rate in the districts of Dublin North city was 4·23 per 1,000; in Dublin South city, it was 4·44 per 1,000; in Rathmines and Rathgar urban district, 3·02 per 1,000, in Pembroke urban district, 2·21 per 1,000; in Kingstown urban district, it was 1·13 per 1,000; and in Blackrock, it was 2·66 per 1,000.

Malignant Disease.—The mortality under the head of malignant disease, includes 54 deaths from carcinoma, 3 deaths from sarcoma, and 54 deaths from cancer, malignant disease (undefined); in all 111 deaths, corresponding to an annual rate of 1·10 per 1,000 of the estimated population of the Area.

Premature Birth.—The deaths of 51 infants were attributed to prematurity.

Diseases of the Brain and Nervous System.—Altogether 137 deaths were classified under this heading; this total includes the deaths of 38 children under 5 years of age from *convulsions*, and represents an annual rate of 1·36 per 1,000 of the population.

Diseases of the Heart and Blood Vessels.—The rate represented by the deaths in this group (numbering in all 334 deaths) was 3·32 per 1,000 of the population of the Area estimated to the middle of the year.

Diseases of the Respiratory System.—Of a total of 265 from the diseases included in this heading, 243 were deaths from bronchitis; in the aggregate the deaths are equal to a rate of 2·63 per 1,000 of the estimated population.

Accidental Violence.—To various forms of accident or negligence are assigned the deaths of 52 persons. The total includes 14 deaths by burns, scalds, or explosions (6 of the latter being deaths of children under 5 years of age), 8 deaths by drowning, and 4 deaths by vehicles and horses.

Homicide.—One homicidal death was registered.

Suicide.—There were 7 deaths by suicide.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 2nd July, 1910.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Small-pox,	–	–	–	–	–
Measles,	3	18	17	–	4
Scarlet Fever,	62	189	163	6	82*
Typhus,	3	11	9	3	2
Diphtheria,	34	157	131	4	56
Enteric Fever,	22	72	53	5	36
Pneumonia,	35	153	155	16	17

* Exclusive of 14 patients in Beneavin, the convalescent home of Cork-street Fever Hospital.

In 72 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 72 cases, 39 (or 54·2 per cent.) were deaths of children under 5 years of age: these 39 deaths form 8·2 per cent. of the total number of deaths of children of that age-period. Of the deaths of 113 infants under one month old registered, there were 21 (or 18·6 per cent.) regarding which the cause was uncertified.

From Table II., on pages 430–31, it will be seen that, excluding 123 deaths of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 1,911, equal to an annual rate of 19·0 per 1,000 of the estimated population, and that 71 of these deaths, representing an annual rate of 0·7 per 1,000 persons, were caused by the principal epidemic diseases.* The death-rate for the city (from all causes) was 19·9 per 1,000, and for the urban districts 15·8 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 0·8, and in the urban districts 0·3, the rates for the several districts varying from 0·0 in Clontarf and Howth No. 1, part of, Coolock and Drumcondra, part of, and Blackrock urban district, to 1·9 in North City, No. 3, the 185 deaths from all causes for that district including 2 from typhus, 5 from whooping-cough, one from enteric fever, and 8 from diarrhœal diseases.

Occupations.—Table III., on pages 432–432*a*, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 16·1 per 1,000 of the persons in that class according to the Census of 1901; in the "Middle Class" the death-rate was 16·1 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 14·7; and in the "General Service Class" it was 20·1.

Ages.—Of the 2,034 persons whose deaths were registered in the Dublin Registration Area during the quarter, 477 were under 5 years of age, including 312 infants under one year of age, the latter representing a rate of 102·9 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 50·0 in every 1,000 children at that age (according to the Census of 1901); 147 were between the ages of 5 and 20, representing an annual rate of 5·5 per 1,000 persons of that age-period; the total number under 20 years being equal to an annual mortality of 17·2 per 1,000 of the population at that age-period (according to the Census of 1901); 347, or 10·2 per 1,000 persons, were between 20 and 40; 430, or 25·1 per 1,000, between 40 and 60; 543, or 89·5 per 1,000, between 60 and 80; and 90, or 189·1 per 1,000, were aged 80 and upwards, including 16 persons aged 90 and upwards.

Public Institutions.—Of the 2,034 deaths recorded during the quarter, 971, or 47·7 per cent., occurred in public institutions, viz., 541 in the various hospitals, prisons, and lunatic asylums; 187 in the North Dublin Union Workhouse; 235 in the South Dublin Union Workhouse; and 8 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

Weather.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 50·2°. At Greenwich, for the quarter, it was 53·3°; and at Glasgow, 50·7°.

The rainfall at Dublin during the thirteen weeks measured 10·051 inches; at Greenwich, 7·59 inches; at Glasgow, 8·17 inches; and at Edinburgh, 5·77 inches.

* See note (*), page 432*b*.

TABLE II.—Showing for the **Quarter** (13 weeks) **ended 2nd July, 1910,** the number AREA, the annual Rate per 1,000 of the Population of the respective Districts represented of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified *were admitted.*

REGISTRARS' DISTRICTS, &c.	POPULATION, ESTIMATED TO MIDDLE OF 1910 *	QUARTER (13 WEEKS) ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS		DEATHS. TOTAL DEATHS.	Infants under 1 year of Age.	1 and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	Persons aged 60 years and upwards.	CAUSED BY		
		FROM ALL CAUSES.	FROM DISEASES IN COLS. 11–19.								Small-pox.	Measles.	Scarlet Fever.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
North City.													
NORTH CITY, No 1, E.,	29,908	17·8	0·7	133	25	13	11	28	23	33	.	.	.
„ 1, W.,	39,974	21·5	0·9	215	25	24	16	44	54	52	.	.	.
„ 2,	30,744	20·9	0·4	161	27	15	7	27	50	35	.	.	.
„ 3,	33,559	22·1	1·9	185	39	18	17	26	41	44	.	.	.
CLONTARF AND HOWTH, No. 1, part of,	5,381	10·4	.	14	.	.	1	2	1	10	.	.	.
COOLOCK AND DRUMCONDRA, part of,	11,622	15·5	.	45	4	4	1	13	8	15	.	.	.
FINGLAS AND GLASNEVIN, part of,	7,693	20·3	1·6	39	8	3	4	8	5	11	.	.	.
South City.													
SOUTH CITY, No. 1,	41,476	21·9	1·1	227	40	20	14	35	39	79	.	1	2
„ 2,	21,754	15·3	0·2	83	19	9	4	13	12	26	.	.	.
„ 3,	43,227	22·1	0·9	239	36	25	18	34	57	69	.	.	3
„ 4,	35,881	18·2	0·4	163	27	11	11	22	40	52	.	.	.
NEW KILMAINHAM,	9,079	17·6	1·3	40	5	3	4	8	11	9	.	1	.
Urban Districts.													
RATHMINES AND RATHGAR,	37,047	17·0	0·2	137	19	9	10	19	26	74	.	.	.
PEMBROKE,	28,948	14·9	0·3	108	18	5	7	15	18	45	.	.	.
BLACKROCK,	9,013	8·0	.	18	2	1	2	5	2	6	.	.	.
KINGSTOWN,	17,622	19·1	0·5	84	10	3	.	9	18	44	.	.	.
Total City, North,	158,881	19·9	0·9	792	128	77	57	148	182	200	.	.	.
Total City, South,	151,417	19·9	0·8	752	127	68	51	112	159	235	.	2	5
Total City, North & South,	310,298	19·9	0·8	1,544	255	145	108	260	341	435	.	2	5
Total Urban Districts,	92,630	15·8	0·3	367	49	18	19	48	64	169	.	.	.
Total Registration Area,	402,928	19·0	0·7	1,911	304	163	127	308	405	604	.	2	5
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above),				123	8	2	20	39	25	29	.	.	.

* See note (*) on page 432c.

of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some Deaths; *the Deaths in Public Institutions being assigned to the Districts from which the deceased*

ENDED 2ND JULY, 1910.

DEATHS. CAUSED BY													REGISTRARS' DISTRICTS, &c.
Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia* † (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.	
(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	
													North City.
.	2	.	.	1	2	9	26	4	3	17	3	7	NORTH CITY, No. 1, E.
1	6	.	.	1	1	14	39	11	5	37	5	8	„ 1, W.
.	.	.	.	.	3	11	26	10	12	31	5	1	„ 2.
2	5	.	.	1	8	17	21	11	8	23	4	3	„ 3.
.	.	.	.	.	.	.	1	.	1	1	.	1	CLONTARF AND HOWTH, No. 1, part of.
.	.	.	.	.	.	.	6	2	4	4	1	1	COOLOCK AND DRUMCONDRA, part of.
.	1	.	.	1	1	1	9	2	2	4	2	3	FINGLAS AND GLASNEVIN, part of.
													South City.
.	2	2	.	2	2	13	32	18	11	37	6	5	SOUTH CITY, No. 1.
.	.	.	.	.	1	9	7	12	2	14	3	5	„ 2
.	2	2	.	1	2	21	31	28	15	30	4	8	„ 3.
.	2	.	.	.	2	11	17	14	8	27	6	10	„ 4.
.	.	.	.	2	.	5	6	3	3	3	3	.	NEW KILMAINHAM.
													Urban Districts.
.	.	.	.	1	1	8	19	9	10	9	5	12	RATHMINES AND RATHGAR.
.	2	.	.	.	.	7	13	3	10	15	5	5	PEMBROKE.
.	.	.	.	.	.	3	1	5	.	2	2	.	BLACKROCK.
.	1	.	.	.	1	12	4	1	8	8	2	3	KINGSTOWN.
3	14	.	.	4	15	52	128	40	35	117	19	24	**North.** } **Total**
.	6	4	.	5	7	59	93	75	39	111	22	28	**South.** } **City.**
3	20	4	.	9	22	111	221	115	74	228	41	52	**North & South.** }
.	3	.	.	1	2	30	37	18	28	34	14	20	**Total Urban Districts.**
3	23	4	.	10	24	141	258	133	102	262	55	72	**Total Registration Area.**
.	.	.	.	1	2	7	16	17	9	3	5	.	

* See note (*) on page 432*b*.

† Formerly described as "Simple Continued Fever."

TABLE III.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL **Quarter** (13 weeks) **ending Saturday, 2nd July, 1910**; the Annual Death Rate the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, QUARTER							
			Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES.					
					Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
	ALL PERSONS,	375,350	21·7	2,034	477	147	347	430	543	90
	CLASSES. Deaths in Families of the—									
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	16·1	70	5	1	7	9	32	16
II.	MIDDLE CLASS,	87,188	16·1	351	39	29	69	66	118	30
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	14·7	407	86	36	78	91	100	16
IV.	GENERAL SERVICE CLASS,	154,279	20·1	776	270	64	137	147	144	14
V.	INMATES OF WORKHOUSES,	6,024	—	430	77	17	56	117	149	14
I.	PROFESSIONAL AND INDEPENDENT CLASS.									
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments,	7,799	27·2	53	5	1	7	8	23	
	2. Merchants and Manufacturers, Higher Class,	1,277	6·3	2	.	.	.	.	.	2
	3. Persons of Rank and Property, not otherwise described,	8,360	7·2	15	.	.	.	1	9	5
II.	MIDDLE CLASS.									
	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	21·3	41	6	3	6	7	17	2
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	22,016	16·0	88	8	3	15	19	35	8
	6. Clerks and Commercial Assistants,	30,432	12·8	97	16	15	34	18	12	2
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	27,028	18·5	125	9	8	14	22	54	18
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.									
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	13·0	32	8	1	9	9	5	.
	9. Building and Furnishing Trades,	29,801	15·4	115	31	8	19	28	27	2
	10. Clothing Trades,	23,260	10·3	60	10	11	13	8	17	1
	11. Food Supply Trades,	9,242	14·7	34	14	1	6	5	6	2
	12. Other Trades and Callings ranking with Trades,	30,352	19·1	145	22	14	29	35	36	9
	13. Petty Shopkeepers,	7,894	10·6	21	1	1	2	6	9	2
IV.	GENERAL SERVICE CLASS.									
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	17·0	57	16	3	12	11	12	3
	15. Domestic Servants,	36,603	7·5	69	11	5	16	16	20	1
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	21·4	77	22	4	16	15	18	2
	17. Hawkers, Porters, Labourers, &c.,	89,861	25·5	573	221	52	93	105	94	8
V.	INMATES OF WORKHOUSES.									
	18. Workhouse Inmates,	6,024	—	430	77	17	56	117	149	14

POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and

(13 WEEKS) ENDING SATURDAY, 2ND JULY, 1910.

CAUSES OF DEATH.																		CLASS AND ORDER.
Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.	Number of Uncertified Deaths.	
(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	
.	2	5	3	23	4	.	11	26	74	148	274	150	111	38	265	60	914	72	
.	.	.	.	.	.	.	.	1	1	7	4	1	9	.	6	6	36	1	I.
.	1	.	2	1	.	.	4	3	11	20	49	17	32	2	19	6	195	10	II.
.	.	.	.	7	3	.	3	1	14	41	66	28	23	5	51	9	170	10	III.
.	1	5	1	15	1	.	4	7	34	62	78	72	24	29	105	33	339	51	IV.
.	.	.	.	.	.	.	.	14	14	18	77	32	23	2	84	6	174	.	V.
																			I.
.	.	.	.	.	.	.	.	1	1	7	4	1	8	.	4	3	25	1	1
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	3	10	.	3
																			II.
.	.	.	.	.	.	.	.	.	.	2	5	3	7	.	5	.	19	1	4
.	.	.	.	.	.	.	1	1	2	2	9	1	8	1	7	3	55	4	5
.	1	.	2	.	.	.	3	2	8	11	26	7	4	1	1	1	38	3	6
.	.	.	.	1	.	.	.	.	1	5	9	6	13	.	6	2	83	2	7
																			III.
.	.	.	.	.	.	.	.	.	.	4	9	1	2	.	3	.	13	.	8
.	.	.	.	4	2	.	.	.	6	9	17	7	8	2	13	3	50	3	9
.	.	.	.	.	1	.	1	.	2	7	11	5	2	.	8	.	25	.	10
.	.	.	.	.	.	.	.	.	.	4	3	3	1	2	2	1	18	2	11
.	.	.	.	3	.	.	1	.	4	16	23	12	9	1	20	5	55	5	12
.	.	.	.	.	.	.	1	1	2	1	3	.	1	.	5	.	9	.	13
																			IV.
.	.	1	.	.	.	.	.	.	1	1	8	4	4	2	7	5	25	2	14
.	.	.	.	2	.	.	.	.	2	7	12	1	4	.	8	3	32	1	15
.	1	.	.	3	.	.	.	1	5	7	8	4	3	2	13	1	34	8	16
.	.	4	1	10	1	.	4	6	26	47	50	63	13	25	77	24	248	40	17
																			V.
.	.	.	.	.	.	.	.	14	14	18	77	32	23	2	84	6	174	.	18

*Formerly described as "Simple Continued Fever."

Twenty-two Principal Town Districts of Ireland.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and twenty-one of the principal Urban Districts of Ireland (exclusive of deaths in Public Institutions of persons admitted from without the districts), was 20·1 per 1,000 persons, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest :—Ballymena, 11·4 ; Armagh, 13·7 ; Lurgan, 14·6 ; Sligo, 14·7 ; Londonderry, 15·3 ; Dundalk, 15·6 ; Tralee, 17·0 ; Wexford, 17·2 ; Newry, 17·4 ; Limerick, 17·8 ; Lisburn, 18·2 ; Galway, 18·5 ; Dublin Registration Area, 19·0 ; Portadown, 20·6 ; Newtownards, 20 6 ; Queenstown, 21·2 ; Cork, 21·5 ; Belfast, 22·2 ; Waterford, 22·6 ; Kilkenny, 22·6 ; Drogheda, 24 5 ; and Clonmel, 27·1.

The average annual rate represented by the deaths from the principal epidemic diseases* in the 22 districts is 2·1 per 1,000 of the population, the rates varying from 0·0 in four of the districts to 4·8 in Belfast, the 2,169 deaths from all causes for that district including 361 from measles, 2 from scarlet fever, 66 from whooping-cough, 9 from diphtheria, 3 from *pyrexia* (origin uncertain), 5 from enteric fever, and 21 from diarrhœal diseases.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *twenty-one provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter :—

Small-pox.—During the quarterly period no death from small-pox was recorded in any of the principal town districts of Ireland.

Measles.—In Belfast 361 deaths, in Londonderry 9 deaths, in Newtownards 2 deaths, and in Queenstown one death were respectively registered.

Scarlet Fever.—There were 2 deaths in Belfast, one death in Cork, and one death in Dundalk.

Typhus.—Of 5 deaths from typhus, 3 were in Waterford, and 2 in Galway.

Whooping-cough.—Deaths were registered as follows :—66 in Belfast ; 14 in Drogheda ; 4 in each of Limerick, Lisburn, and Portadown ; 2 in each of Cork, Tralee, and Newtowards ; and one in each of Waterford, Galway, Dundalk, and Kilkenny.

Diphtheria.—The 14 deaths include 9 registered in Belfast, 2 in Cork, and one in each of Limerick, Waterford, and Wexford.

Enteric Fever.—Five deaths were registered in Belfast, 2 in Cork, and one in each of the following districts—Limerick, Waterford, Portadown, and Queenstown.

Three deaths from pyrexia (origin uncertain) were returned for Belfast.

Diarrhœal Diseases.—Of 35 deaths from diarrhœal diseases, 21 belonged to Belfast.

Cerebro-spinal Fever.—There was not one death from cerebro-spinal fever in Belfast during the period under notice. In the three preceding quarters, deaths from cerebro-spinal fever or *cerebro-spinal meningitis* for Belfast numbered 2, one, and one respectively.

Phthisis.—The death-rate from phthisis for the 22 towns in the aggregate was 2·7 per 1,000 of the population ; for the Dublin Registration Area it was 2·6 per 1,000, for Belfast County Borough 2·8 per 1,000, and for the Urban Districts collectively (exclusive of Belfast and Dublin Registration Area), it was 2·7 per 1,000, exclusive of deaths in public institutions of persons admitted from without the respective areas.

* Small-pox, measles, scarlet fever, typhus, whooping-cough, diphtheria, *pyrexia* (origin uncertain), enteric fever, and diarrhœal diseases.

TABLE IV.—BIRTHS and DEATHS Registered during the **Quarter** (13 weeks) **ending Saturday, 2nd July, 1910**, in the Dublin Registration Area, and in each of the undermentioned Twenty-one Urban Districts (exclusive of Deaths in Public Institutions of persons admitted from other localities), with the number of Deaths from some of the principal causes; also the number of Uncertified Deaths.

TOWNS AND DISTRICTS.	Census Statistics of Districts.* POPULATION. Total.	Persons to an Acre.	Annual Rate per 1,000 persons represented by BIRTHS.	DEATHS. From all Causes.	From Diseases in cols. 10–18.	REGISTRATION—QUARTER (13 WEEKS) ENDING SATURDAY, 2ND JULY, 1910. NUMBERS REGISTERED. BIRTHS. Total Numbers.	DEATHS. Total Numbers.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexiat (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·2	29·5	20·1	2·1	8,496	5,774	952	1,591	.	375	9	8	125	18	3	21	59	466	766	315	261	715	104	155	1,839	219
DUBLIN REGISTRATION AREA: TOTAL.	402,928	29·3	30·1	19·0	0·7	3,032	1911‡	304	604	.	2	5	3	23	4	.	10	24	141	258	133	102	262	55	51	848	72
CITY OF DUBLIN,	310,298	39·2	33·9	19·9	0·8	2,628	1,544	255	435	.	2	5	3	20	4	.	9	22	111	221	115	74	228	41	38	733	52
Urban Districts. RATHMINES & RATHGAR,	37,047	21·6	16·8	17·0	0·2	156	157	19	74	.	.	.	.	.	.	.	1	1	8	19	9	10	9	5	3	45	12
Urban Districts. PEMBROKE,	28,948	18·2	19·8	14·9	0·3	143	108	18	45	.	.	.	.	2	.	.	.	.	7	13	3	10	15	5	5	39	5
Urban Districts. BLACKROCK,	9,013	8·3	12·9	8·0	.	29	18	2	6	.	.	.	.	.	.	.	.	.	3	1	5	.	2	2	3	5	.
Urban Districts. KINGSTOWN,	17,622	12·1	17·2	19·1	0·5	76	84	10	44	.	.	.	.	1	.	.	.	1	12	4	1	8	8	2	2	26	3
URBAN DISTRICTS.																											
BELFAST,	391,167	26·6	29·9	22·2	4·8	2,927	2,169	426	397	.	361	2	.	66	9	3	5	21	228	270	98	79	226	29	67	496	18
CORK.	76,122	33·6	27·3	21·5	0·4	520	410	44	150	.	.	1	.	2	2	.	2	.	22	75	17	28	41	6	10	181	23
LONDONDERRY,	43,477	20·1	27·0	15·3	0·9	294	166	20	48	.	9	.	.	.	.	.	.	1	13	25	12	9	38	.	.	19	2
LIMERICK,	38,151	18·1	27·8	17·8	0·7	265	170	26	48	.	.	.	.	4	1	.	1	1	7	28	6	3	29	2	2	72	19
WATERFORD,	26,769	18·7	32·7	22·6	1·3	219	151	20	61	.	.	.	3	1	1	.	1	3	10	17	9	4	16	3	8	43	17
GALWAY.	13,426	2·5	27·1	18·5	1·2	91	62	11	22	.	.	.	2	1	.	.	.	1	2	13	3	1	4	.	.	20	12
DUNDALK,	13,076	9·4	30·9	15·6	0·6	101	51	1	15	.	.	1	.	1	.	.	.	.	4	6	2	1	3	2	.	9	5
DROGHEDA,	12,760	8·6	25·1	24·5	4·4	80	78	15	30	.	.	.	.	14	.	.	.	.	5	6	.	7	8	1	3	17	7
NEWRY,	12,405	17·8	25·5	17·4	0·3	79	54	6	24	.	.	.	.	.	.	.	.	1	.	7	3	4	8	1	4	13	4
LURGAN,	11,782	13·8	31·6	14·6	.	93	43	8	15	.	.	.	.	.	.	.	.	.	.	7	3	3	5	.	.	7	3
LISBURN,	11,461	10·1	29·3	18·2	1·7	84	52	6	16	.	.	.	.	4	.	.	.	1	3	2	4	3	7	1	.	8	1
WEXFORD.	11,168	23·2	32·6	17·2	1·1	91	48	7	16	.	.	.	.	.	1	.	.	2	3	4	6	3	6	2	1	6	2
BALLYMENA.	10,886	8·9	26·1	11·4	.	71	31	5	12	.	.	.	.	.	.	.	.	.	2	7	1	.	1	1	.	6	4
SLIGO.	10,870	3·7	26·5	14·7	0·4	72	40	4	21	.	.	.	.	.	.	.	.	1	3	4	2	3	5	.	1	16	4
KILKENNY,	10,609	11·5	26·8	22·6	0·4	71	60	8	23	.	.	.	.	1	.	.	.	.	1	9	1	2	14	.	1	28	4
CLONMEL.	10,167	7·8	23·2	27·1	.	59	69	8	20	.	.	.	.	.	.	.	.	.	8	5	2	3	20	.	3	19	12
PORTADOWN,	10,092	13·2	41·6	20·6	2·4	105	52	12	13	.	.	.	.	4	.	.	1	1	7	4	3	2	3	.	1	.	1
TRALEE.	9,867	16·6	27·2	17·0	1·6	67	42	9	15	.	.	.	.	2	.	.	.	2	1	6	3	.	4	.	.	14	2
NEWTOWNARDS,	9,110	18·9	31·2	20·6	1·8	71	47	4	13	.	2	.	.	2	.	.	.	.	2	4	3	3	7	.	2	7	1
QUEENSTOWN,	7,909	14·4	29·8	21·2	1·0	59	42	4	17	.	1	.	.	.	.	.	1	.	4	7	4	1	5	.	.	3	2
ARMAGH.	7,588	22·2	23·7	13·7	.	45	26	4	11	.	.	.	.	.	.	.	.	.	.	2	.	.	3	1	1	7	4

*The population given for the Dublin Registration Area and its component parts, and the cities of Belfast and Londonderry, is that estimated to the middle of the year 1910; that for each of the other districts is the Population according to the Census of 1901.

† Formerly described as "simple continued fever."

‡ Including one death from cerebro-spinal fever. See text on page 427.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) **ended 2nd July, 1910,** Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the Population according to the Census of 1901 represented by the Deaths from All Causes and from the principal Epidemic Diseases; the Number of Deaths at certain AGE-PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of UNCERTIFIED DEATHS, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS.																												
			Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.						DEATHS FROM																			
			All Causes.	Diseases in Cols. 12-20.		Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia* * (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease.		Cancer, Malignant Disease.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
																						Phthisis.	Other Forms.							
COLS.	(1.)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																															
BELFAST URBAN, No. 1 DISTRICT,		126			106	17	15	9	18	22	25	.	9	.	.	3	1	.	.	.	7	21	2	3	9	3	5	37	1
,, 2 ,,		370			250	39	64	19	29	48	51	.	46	.	.	6	1	1	.	4	14	30	7	14	24	1	8	52	1
,, 3 ,,		377			289	59	77	26	46	42	39	.	78	2	.	6	3	.	.	5	40	37	9	6	20	4	11	51	3
,, 4 ,,		335			212	51	41	17	28	35	40	.	29	.	.	5	.	.	.	.	13	27	8	6	20	4	8	96	1
,, 5 ,,		151			137	44	30	6	18	17	22	.	21	.	.	5	.	.	1	2	17	13	9	6	11	2	2	48	.
,, 6 ,,		198			178	22	24	20	30	29	53	.	19	.	.	4	1	2	2	3	15	19	15	10	20	4	4	33	.
,, 7 ,,		18			4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	2	1	.
,, 8 ,,	349,180	30	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		25	4	2	5	4	4	6	.	.	.	.	1	.	.	.	1	.	6	3	.	4	1	1	4	1
,, 9 ,,		156			166	21	44	25	25	26	25	.	32	.	.	1	1	.	2	.	25	28	12	3	17	3	3	35	2
,, 10 ,,		219			149	34	38	13	17	26	21	.	33	.	.	11	.	.	.	3	12	22	3	4	13	.	3	20	2
,, 11 ,,		310			171	35	35	14	30	26	31	.	15	.	.	2	2	.	.	1	22	24	13	4	23	3	6	25	3
,, 12 ,,		342			204	48	42	25	29	32	28	.	23	.	.	9	.	.	.	2	19	28	6	9	47	2	9	46	.
,, 13 ,,		137			76	9	11	8	15	13	20	.	11	.	.	3	.	.	.	.	7	7	1	3	6	1	2	10	1
,, 14 ,,		2			3	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 15† ,,		166			199	42	76	9	16	24	32	.	50	.	.	10	.	.	.	.	37	12	10	11	11	1	3	43	3
Total, .	—	2,927			2,169	426	499	196	306	345	397	.	361	2	.	66	9	3	5	21	228	270	98	79	226	29	67	496	18
City of Cork.																															
CORK URBAN, No. 1 DISTRICT,	12,867	81	20·8	.	67	5	3	4	12	15	28	.	.	.	.	.	.	.	.	.	6	12	.	7	5	.	.	36	2
,, 2 ,,	10,701	88	19·4	1·5	52	6	9	4	10	14	9	.	.	1	.	.	2	.	1	.	3	12	5	3	4	.	1	20	5
,, 3 ,,	9,978	78	14·0	.	35	3	1	2	5	3	11	.	.	.	.	.	.	.	.	.	.	5	1	1	11	1	2	10	2
,, 4 ,,	8,666	50	18·4	0·5	40	7	2	3	7	5	16	.	.	.	.	1	.	.	.	.	1	9	5	5	1	2	2	15	2
,, 5 ,,	6,592	42	25·5	0·6	42	6	1	1	6	7	21	.	.	.	.	1	.	.	.	.	2	9	1	.	3	.	.	19	.
,, 6 ,,	10,702	69	26·2	0·4	70	3	6	8	11	18	24	.	.	.	.	.	.	.	1	.	5	9	2	5	3	1	1	31	3
,, 7 ,,	16,616	122	25·0	.	104	9	9	3	25	17	41	.	.	.	.	.	.	.	.	.	5	19	3	7	14	2	4	50	4
Total, . .	76,122	526	21·5	0·4	410	44	31	25	76	84	150	.	.	1	.	2	2	.	2	.	22	75	17	28	41	6	10	181	23

* Formerly described as Simple Continued Fever.

†New district formed as from 1st Jan., 1910 and the boundaries of Nos. 1, 4 & 6 districts altered; the population of each of these districts, as at present constituted, is not available.

GENERAL REGISTER OFFICE,
Charlemont House, Dublin.

WILLIAM J. THOMPSON,
Registrar-General.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.
(29335). P. 1-80/137. 375. 7. 1910. G. III. 8ch. 9.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 9TH JULY, 1910. [No. 27.

General Register Office, Charlemont House, Dublin, 11th July, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending				Average Rate for 4 weeks.
	June 18.	June 25.	July 2.	July 9.	
22 Town Districts.	**18·9**	**17·9**	**16·1**	**17·0**	**17·5**
Armagh,	6·9	6·9	6·9	20·6	10·3
Ballymena,	19·2	4·8	9·6	19·2	13·2
Belfast,	24·4	20·9	18·3	19·3	20·7
Clonmel,	10·3	25·6	20·5	10·3	16·7
Cork,	15·1	18·5	17·8	13·0	16·1
Drogheda,	16·3	28·6	16·3	16·3	19·4
Dublin Reg. Area,	17·1	15·5	15·3	16·8	16·2
Dundalk,	12·0	16·0	4·0	16·0	12·0
Galway,	7·8	15·5	27·2	19·4	17·5
Kilkenny,	·	29·5	4·9	14·7	12·3
Limerick,	20·5	19·1	20·5	10·9	17·7
Lisburn,	13·6	9·1	13·6	13·6	12·5
Londonderry,	10·8	12·0	7·2	20·4	12·6
Lurgan,	35·4	17·7	4·4	8·9	16·6
Newry,	16·8	29·4	16·8	12·6	18·9
Newtownards,	28·6	11·4	5·7	17·2	15·7
Portadown,	15·5	20·7	5·2	10·3	12·9
Queenstown,	6·6	13·2	26·4	26·4	18·1
Sligo,	9·6	14·4	33·6	9·6	16·8
Tralee,	21·1	10·6	5·3	15·9	13·2
Waterford,	15·6	19·5	15·6	15·6	16·6
Wexford,	14·0	18·7	14·0	9·3	14·0

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 2·1 per 1,000, the rates varying from 0·0 in fifteen of the districts to 5·7 in Newtownards, the 3 deaths from all causes for that district including one from diarrhœa. Among the 145 deaths from all causes for Belfast are 24 from measles, 2 from whooping-cough, and 5 from diarrhœal diseases. Of the 19 deaths from all causes for Cork, one is from enteric fever, and included in the 17 deaths from all causes for Londonderry are one from measles and one from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 229—128 boys and 101 girls—and the deaths to 143—81 males and 62 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of 16·8 per 1,000 of

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*), Table II. ‡ See columns 10-18 of Table II.

the population, the rate for the total deaths registered in the Area being 18·5 per 1,000. During the twenty-seven weeks, ending with Saturday last, the death-rate averaged 22·5, and was 3·1 below the mean rate for the corresponding portions of the ten years, 1900-9.

The deaths included one from measles, 2 from diphtheria, and 6 from diarrhœal diseases (there was also one death from enteritis of an infant).

In each of the 3 weeks preceding, deaths from measles were one, 0, and 0; deaths from diphtheria were 0, 0, and one; and deaths from diarrhœal diseases were one, one, and one.

There were 5 deaths from broncho-pneumonia and 3 deaths from *pneumonia* (not defined).

The deaths from all forms of tuberculous disease declined to 18, having been 37, 34, and 37 in each of the 3 preceding weeks. The 18 deaths include 11 from tuberculous phthisis (*phthisis*), 4 from tuberculous meningitis, and 3 from other forms of tuberculous disease.

Carcinoma caused 6 deaths, and there were 2 deaths from cancer, malignant disease (undefined).

The deaths of 12 infants, prematurely born, were registered.

Diseases of the brain and nervous system caused 11 deaths; this figure includes the deaths of 4 infants from *convulsions*.

Twenty-six deaths were from diseases of the heart and blood vessels, and there were 8 deaths from bronchitis.

Of 9 deaths from accident or negligence, one was by being struck by a railway waggon, 2 were by vehicles and horses, one was by scalds, and one was by drowning.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 infants under one year of age, and the death of one person aged 74 years.

Fifty of the persons whose deaths were registered during the week were under 5 years of age (39 being infants under one year, of whom 18 were under one month old) and 33 were aged 60 years and upwards, including 21 persons aged 70 and upwards, of whom 8 were octogenarians, and 2 (females) were stated to have been aged 91 and 92 years, respectively.

Fifty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 6 took place in the North Dublin Union Workhouse and 11 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 16·8 per 1,000; the rate in the City was 17·3 (North City Districts, 18·7; South, 15·8) and in the Suburbs, 15·2.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·2 per 1,000 inhabitants, the rate for the City being 1·0 (1·0 in the North City Districts, and 1·0 in the South), and for the Suburbs, 1·7.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 22·7 per 1,000, and include one death from *pneumonia* (not defined), 4 from tuberculous phthisis (*phthisis*), and one from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (13) are equal to an annual rate of 17·0 per 1,000. Broncho-pneumonia caused 2 deaths, *phthisis* one death, and there was one death from accidental violence.

No. 2 North City District (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 28·8 per 1,000. Epidemic diarrhœa caused 2 deaths, broncho-pneumonia one death, *phthisis* one death, diseases of the respiratory system 3 deaths, and there was one death by drowning.

No. 3 North City District (Benburb-street).—The deaths (6) represent an annual rate of 9·3 per 1,000, and include one death from epidemic diarrhœa, one from bronchitis, and one from accidental violence.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants; Coolock and Drumcondra, part of, 22·4; and Finglas and Glasnevin, part of, 13·6. The one death for Clontarf and Howth. No. 1, part of, was from *phthisis*; and of the 5 deaths from all causes for Coolock and Drumcondra, part of, one was from tuberculous meningitis and one by accidental violence.

No. 1 South City District (South Earl-street).—The deaths (15) represent an annual rate of 18·9 per 1,000. Measles caused one death, *pneumonia* (not defined) one death, tuberculous disease 3 deaths, and bronchitis 2 deaths.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 16·8 per 1,000, and include 2 deaths from broncho-pneumonia and 3 from tuberculous disease.

No. 3 South City District (Peter-street).—The deaths (13) are equal to an annual rate of 15·7 per 1,000. Tuberculous meningitis caused 2 deaths, there were 2 deaths from diseases of the respiratory system, and 2 deaths from accidental violence, of which one was by scalds.

No. 4 South City District (Grand Canal-street).—The deaths (10) are equivalent to an annual rate of 14·5 per 1,000, including 2 deaths from *diarrhœa*, one from tuberculous disease and 2 from diseases of the respiratory system.

New Kilmainham District.—The one death for this district is equal to an annual rate of 5·7 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 15·5; Pembroke, 16·2; Blackrock, 11·6; and Kingstown, 14·8. The deaths from the principal epidemic diseases tabulated for these districts are one from diphtheria for each of Rathmines and Rathgar and Pembroke, and in the latter district one death from *diarrhœa* was also registered. Of the 11 deaths from all causes for Rathmines and Rathgar one is from *pneumonia* (not defined) and one from accidental violence.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 89," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly rnished by:—
Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin: Mr. Fawcett, xecutive Sanitary Officer for Rathmines and Rathgar Urban District: Mr. Manly, Executive Sanitary Officer for embroke Urban District: Mr. Heron, Executive Sanitary Officer for Blackrock Urban District: by Dr. R. A. Donovan, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical perintendent Officer of Health for the City of Belfast.

ABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 9th July, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	June 18,	.	—	—	17	3	.	9	.	1	7	15	1	—	—	.	—	26	—	73
	June 25,	.	—	—	13	.	.	12	.	1	10	10	.	—	—	.	—	26	—	72
	July 2,	.	—	—	21	1	.	12	.	2	5	13	.	—	—	.	—	31	—	85
	July 9,	.	—	—	9	.	.	9	.	.	11	7	.	—	—	.	—	23	—	59
Rathmines and Rathgar Urban District.	June 18,	.	—	—	1	.	.	.	.	.	.	.	1	—	—	—	—	—	—	2
	June 25,	.	—	—	.	.	.	.	.	.	1	1	.	—	—	—	—	—	—	2
	July 2,	.	—	—	1	.	.	2	.	.	2	2	.	—	—	—	—	—	—	7
	July 9,	.	—	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	—	3
Pembroke Urban District.	June 18,	.	.	1	1	.	.	.	.	.	.	.	.	—	5	.	—	—	—	7
	June 25,	.	.	.	.	.	.	1	.	.	.	.	.	—	.	.	—	—	—	1
	July 2,	.	.	.	1	.	.	.	.	.	.	.	.	—	11	.	—	*	—	12
	July 9,	.	.	1	1	.	.	.	.	.	.	.	.	—	1	.	—	—	—	3
Blackrock Urban District.	June 18,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	June 25	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	July 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	July 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	June 18,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	June 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	June 18,	.	—	—	2	.	.	2	.	.	.	1	.	—	—	—	—	14	—	19
	June 25	.	—	—	10	.	.	3	.	.	3	6	.	—	—	—	—	24	—	46
	July 2,	.	—	—	7	.	.	1	.	.	1	4	.	—	—	—	—	13	—	26
	July 9,	.	—	—	5	.	.	5	.	.	1	1	.	—	—	—	—	18	—	30

* Notifiable as from 1st July, 1910.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 9th July, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Two cases of measles were admitted to hospital during the week, 2 were discharged, and cases remained under treatment at its close.

Seventeen cases of scarlet fever were admitted to hospital, 15 were discharged, and 84* ases remained under treatment at the close of the week. At the close of the 3 preceding veeks the cases in hospital were 74, 78, and 82, respectively.

Two cases of typhus remained under treatment in hospital at the close of the week.

Eleven cases of diphtheria were admitted to hospital, 13 were discharged, there were 2 leaths, and 52 patients remained under treatment at the close of the week. The cases in ospital at the close of the 3 preceding weeks numbered 50, 61, and 56, respectively.

Eight cases of enteric fever were admitted to hospital during the week, 7 were discharged, nd 37 cases remained under treatment in hospital at the close of the week.

In addition to the above named diseases, 4 cases of pneumonia were admitted to hospital, 3 were discharged, and 15 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 10·7) was equal to an average annual death-rate of 11·0 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 12·1 per 1,000, the rate for Glasgow being 12·4 and for Edinburgh 12·7.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 9th July. From this Report it appears that of a total of 48 cases notified, 26 were scarlet fever, 14 phthisis, 4 diphtheria, 2 enteric fever, and 2 erysipelas. Among the 294 cases of infectious diseases in hospital at the close of the week were 136 cases of scarlet fever, 52 of phthisis, 41 of measles, 32 of diphtheria, 12 of chicken-pox, 10 of whooping-cough, 5 of enteric fever, and 2 of erysipelas.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 9th July, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 9TH JULY, 1910.																							METEOROLOGY. (d)											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 9TH JULY, 1910.				WEEK ENDING 2ND JULY, 1910.				WEEK ENDING 25TH JUNE, 1910.			
	POPULATION.		DEATHS.			BIRTHS.	DEATHS.																			Air Temperature				Air Temperature				Air Temperature			
	Total.(a)	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10–18.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·8	28·4	17·0	2·1	627	376	82	91	.	26	.	.	2	3	.	1	14	29	32	22	14	32	12	23	108	19	°	°	°	°	°	°	°	°	°	°	°	°
DUBLIN REGISTRATION AREA:—TOTAL, c.	402,928	29·8	29·6	16·8	1·2	229	180	34	33	.	1	.	.	.	2	.	.	6	8	10	7	6	11	7	9	46	5	c67·5	40·7	55·5	0·66	c62·8	47·1	54·7	1·73	c74·0	46·9	58·1	1·29
CITY OF DUBLIN,	310,298	33·2	33·8	17·3	1·0	201	103	30	28	.	1	.	.	.	.	.	.	5	7	10	7	3	11	6	7	38	5	f67·1 g67·9	47·1 44·0	56·3 56·1	0·80 0·96	f64·3 g63·8	49·1 47·0	55·2 55·0	1·60 1·39	f73·6 g72·9	52·0 48·0	59·6 58·5	2·04 1·46
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	18·3	15·5	1·4	13	11	1	4	.	.	.	.	.	1	.	.	.	1	.	.	1	.	1	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Dists. PEMBROKE,	28,948	18·2	18·0	16·2	3·6	10	9	3	2	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Dists. BLACKROCK,	9,018	8·3	17·4	11·6	.	3	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Dists. KINGSTOWN,	17,622	12·1	5·9	14·8	.	2	5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	65	48	56·5	0·75	64	49	56	1·01	69	50	57·8	1·73
URBAN DISTRICTS.																																							
BELFAST,	391,167	26·6	26·5	19·8	4·1	199	145	34	25	.	24	.	.	2	.	.	.	5	14	11	9	3	7	4	9	35	3	63·8	46·5	55·0	0·61	63·4	46·3	54·4	1·21	73·5	47·0	59·2	1·94
CORK,	76,122	33·6	27·2	18·0	0·7	40	19	2	5	.	.	.	.	.	.	.	1	.	2	2	1	.	2	.	2	10	1	65	50	56·0	0·48	62	50	55·5	0·20	63	52	57·3	2·53
LONDONDERRY,	48,477	20·1	24·0	20·4	2·4	20	17	2	4	.	1	.	.	.	1	.	.	.	1	2	1	1	3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	19·1	10·9	.	14	8	1	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	4	72·1	48·3	56·9	0·80	62·8	44·1	52·5	0·54	73·2	48·9	58·5	1·91
WATERFORD,	26,769	18·7	27·3	15·6	1·9	14	8	.	4	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	2·5	27·2	19·4	.	7	5	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	2	.	70	48	56·4	0·70	68	48	56	0·66	73	49	60	1·23
DUNDALK	18,076	9·4	27·9	16·0	.	7	4	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	40·9	16·3	.	10	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,405	17·8	25·2	12·6	.	6	3	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LURGAN,	11,782	13·8	44·3	8·9	.	10	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	70·0	43·7	56·0	0·36	61·8	47·3	54·3	1·33	73·3	47·0	59·6	1·99
LISBURN,	11,461	10·1	27·3	13·6	.	6	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	70·0	43·7	56·0	0·36	61·8	47·3	54·3	1·33	73·3	47·0	59·6	1·99
WEXFORD,	11,168	23·2	32·7	9·3	4·7	7	2	.	2	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	1	.	70·0	43·7	56·0	0·36	61·8	47·3	54·3	1·33	73·3	47·0	59·6	1·99
BALLYMENA,	10,886	8·9	76·6	19·2	.	16	4	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,870	8·7	19·2	9·6	.	4	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
KILKENNY,	10,609	11·5	4·9	14·7	.	1	3	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	64·8	37·3	53·7	0·93	61·3	47·6	53·7	1·96	67·9	43·0	58·4	1·61
CLONMEL,	10,167	7·8	15·4	10·3	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	73	46	57·4	0·26	68	47	55·7	0·81	73	46	58·9	1·52
PORTADOWN,	10,092	18·2	10·3	10·3	.	2	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
TRALEE,	9,867	16·6	42·3	15·9	.	8	3	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	70·0	43·7	56·0	0·36	61·8	47·3	54·3	1·33	73·3	47·0	59·6	1·99
NEWTOWNARDS,	9,110	18·9	45·8	17·2	5·7	8	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
QUEENSTOWN,	7,909	14·4	72·5	26·4	.	11	4	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	1	66	46	53·6	0·50	64	46	53·0	0·79	68	48	55·6	0·83
ARMAGH,	7,588	22·2	34·4	20·6	.	5	3	1	1	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.	.	1	1	65	50	56·0	0·48	62	50	55·5	0·20	63	52	57·3	2·53
																			.	1	.	.	.	.	.	1	1	70·0	43·7	56·0	0·36	61·8	47·3	54·3	1·33	73·3	47·0	59·6	1·90

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910.
(b) Formerly described as "Simple Continued Fever."
(c) Exclusive of 13 deaths of persons (including 5 under 1 year old), admitted to hospital from localities outside the Area.
(d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The figures for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore, taken at Fitzwilliam-square. (g) Observations by Mr.

ABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 9th July, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
I. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	.	2	1	.	.	.	.	.	.	2	.	.	1	.	.	6	.
Pneumonia,	1	2	1	.	.	.	.	1	2	.	.	.	1	.	.	.	8	.
Tuberculous Disease. } Phthisis,	4	1	1	.	1	.	.	1	2	.	.	.	.	.	.	.	10	1
} Other Forms,	.	.	.	.	.	1	.	2	1	2	1	.	.	.	.	.	7	.
Cancer, Malignant Disease,	.	1	.	1	.	.	.	.	.	.	1	.	1	1	.	1	6	2
Other General Diseases,	2	1	4	.	.	2	.	1	.	1	1	.	.	3	.	1	16	6
Total,	7	5	8	2	1	3	.	6	5	3	5	.	3	6	.	2	56	9
II. LOCAL DISEASES:																		
Nervous System,	1	2	.	1	.	1	.	3	.	.	.	.	1	1	.	.	10	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	2	3	1	1	.	.	2	1	.	5	3	.	4	1	2	1	26	.
Respiratory System,	1	.	3	1	.	.	.	2	.	2	2	.	.	.	.	.	11	.
Digestive System,	.	1	2	.	.	.	.	.	.	1	.	.	1	.	.	.	5	.
Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	1	.	1	.	.	.	.	2	1	.	.	.	.	.	.	2	7	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
V. „ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	5	6	7	3	.	1	2	8	1	8	5	.	6	2	2	3	59	2
III. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CAUSES ILL-DEFINED AND NOT SPECIFIED,	1	1	1	.	.	.	.	1	1	.	.	1	1	1	.	.	8	.
V. VIOLENT DEATHS,	.	1	1	1	.	1	.	.	.	2	.	.	1	.	.	.	7	2
Deaths from all Causes	13	13	17	6	1	5	2	15	7	13	10	1	11	9	2	5	130	13
Annual Rate of Mortality from all causes in every 1,000 of the population.	22·7	17·0	28·8	9·3	9·7	22·4	13·6	18·9	16·8	15·7	14·5	5·7	15·5	16·2	11·6	14·8	16·8	.
	18·7							15·8					15·2					
	17·3																	
Age-Death. Under 1 year,	4	5	7	3	.	1	.	2	1	4	3	.	1	3	.	.	24	5
1 and under 5 years,	1	1	2	.	.	.	.	1	3	2	.	.	.	1	.	.	11	.
5 „ 20 „	.	.	.	.	1	1	.	3	1	.	.	.	2	2	.	.	10	1
20 „ 40 „	4	1	4	.	.	2	1	3	1	2	1	.	1	1	.	.	21	3
40 „ 60 „	1	1	2	2	.	.	.	5	1	.	3	.	3	.	.	3	21	4
60 years and upwards,	3	5	2	1	.	1	1	1	.	5	3	1	4	2	2	2	33	.
Number of Uncertified Deaths,	2	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	5	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	4	7	.	.	2	.	3	1	2	2	.	2	3	.	1	29	13
Workhouse Hospitals,	1	.	3	2	.	.	.	2	4	2	1	.	1	1	.	.	17	.

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in th
week of the ten years 1900-190

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Averages in 37th Week of the 10 years, 1900-1909.	In the Week ending Saturday, 9th July, 1910.							
	July 7, 1900.	July 6, 1901.	July 5, 1902.	July 11, 1903.	July 9, 1904.	July 8, 1905.	July 7, 1906.	July 6, 1907.	July 4, 1908.	July 10, 1909.		Deaths of Persons of the Ages of							
												All Ages.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.				
Mean Temperature.	° 56·2	° 58·9	° 58·9	° 60·4	° 57·2	° 59·1	° 55·8	° 51·6	° 60·8	° 56·7	° 57·6	° 55·5							
ALL CAUSES.	124	153	149	138	138	140	130	146	140	122	138·0	143	18	21	11	11	24	25	23
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	.	6	.	2	1	.	6	7	.	2·2	1	.	1	.	.	.	.	.
Scarlet Fever,	.	.	1	.	.	1	.	3	2	.	·7	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	6	.	1	1	1	.	1	.	.	1·1	.	.	.	.	.	.	.	.
Whooping-cough,	3	2	.	1	3	.	4	9	2	.	2·4	.	.	.	.	.	.	.	.
Diphtheria,	.	3	.	.	.	.	.	1	.	2	·6	2	.	.	1	1	.	.	.
Cerebro-spinal Fever,	.	.	1	2	.	.	.	.	1	.	·4	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	2	2	.	.	2	.	1	.	.	·9	.	.	.	.	.	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.),	2	1	1	.	.	3	.	.	.	.	1·9	3	.	1	2	.	.	.	.
Diarrhœa, Dysentery,			1	1	5	3	.	.	.	2		3	.	2	.	.	.	1	.
Tetanus,	.	.	1	.	.	1	.	2	.	.	·4	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	.	.	1	.	2	.	.	2	3	·8	.	.	.	.	.	.	.	.
Puerperal Septicæmia,	.	.	.	1	.	2	.	.	.	.	·3	.	.	.	.	.	.	.	.
Puerperal Pyæmia,			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
Puerperal Fever,			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
Infective Endocarditis	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	5	5	.	1	.	.	.	2	2	1	9·4	.	.	.	.	.	.	.	.
Pneumonia, Broncho-			3	6	.	1	3	5	4	3		5	.	4	1	.	.	.	.
Pneumonia, Epidemic			1	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
Pneumonia, Not defined,			14	8	5	8	1	3	6	7		3	.	.	.	.	1	1	1
Erysipelas,	1	.	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal)	.	3	.	.	2	.	1	1	1	1	1·0	2	.	.	.	.	1	.	1
Pyæmia (not Puerperal),			.	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.
Other Infective Conditions,	.	.	1	1	.	.	4	.	.	.	·6	.	.	.	.	.	.	.	.
Tuberculous Phthisis,	26	19	2	2	6	8	8	10	7	8	22·3	2	.	.	2	.	.	.	.
"*Phthisis*,"			16	24	22	15	18	11	10	11		9	.	.	.	2	5	2	.
Tuberculous Meningitis,	3	3	4	1	3	1	3	1	5	3	2·7	4	.	1	1	1	1	.	.
Tuberculous Peritonitis,	2	6	2	.	1	1	.	.	.	.	1·6	.	.	.	.	.	.	.	.
Tabes Mesenterica,			2	1	.	.	.	.	1	.		.	.	.	.	.	.	.	.
Tuberculous Dis. (other),	6	5	4	3	5	5	8	7	7	7	5·7	3	.	.	2	.	.	1	.
Scrofula,			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
Alcoholism,	.	1	.	1	1	.	.	.	.	.	·3	1	.	.	.	.	1	.	.
Rheumatic Fever,	1	.	.	.	.	1	1	.	.	.	·3	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carcinoma,	3	7	.	3	3	4	3	1	2	2	6·2	6	.	.	.	.	4	2	.
Sarcoma,			.	.	.	1			3			.	.	.	.	.	.	.	.
Cancer (undefined)			2	4	5	3	4	4	7	1		2	.	.	.	.	1	1	.
Diabetes Mellitus,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.
Premature Birth,	3	4	3	2	4	1	5	2	2	2	2·8	12	11	1	.	.	.	.	.

* The figures for the year 1900 are for
† Formerly described as

TWENTY-SEVENTH WEEK ending Saturday, 9th July, 1910, with the deaths from each cause in the corresponding and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 27th Week of the 10 years 1900-1909.	In the Week ending Saturday, 9th July, 1910. Deaths of Persons of the Ages of								
	July 7, 1900.	July 6, 1901.	July 5, 1902.	July 11, 1903.	July 9, 1904.	July 8, 1905.	July 7, 1906.	July 6, 1907.	July 4, 1908.	July 10, 1909.		All Ages.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 56·2	° 58·9	° 58·9	° 60·4	° 57·2	° 59·1	° 55·8	° 51·6	° 60·8	° 56·7	° 57·6	° 55·5								
Meningitis (not tuberc.)			4	1	3	4	1	6	3	5		4	.	1	1	1	1	.	.	.
Insanity, G. P. of Insane			1	.	2	1	.	1	2	1		1	.	.	.	.	1	.	.	.
Epilepsy			.	1	.	1	.	.	.	.		.	.	.	.	.	.	.	.	.
Convulsions			5	4	4	4	3	5	1	4		4	1	3	.	.	.	.	.	.
Locomotor Ataxy			.	.	1	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord			2	3	.	3	3	3	1	.		1	.	.	.	.	1	.	.	.
Nervous System (other Dis.)			2	2	2	2	3	1	3	.		1	.	.	.	.	.	1	.	.
Valv. Dis., Endocarditis	22	33	4	6	7	5	1	5	6	6	29·9	12	.	.	.	2	2	2	5	1
Cerebr. Hæm. Thromb.			.	2	2	1	.	1	3	3		2	.	.	.	.	.	.	.	2
Apoplexy, Hemiplegia			3	2	2	.	2	1	5	1		4	.	.	.	.	1	.	1	2
Aneurysm			.	.	.	1	.	.	.	1		.	.	.	.	.	.	.	.	.
Embolism, Thromb. (not cerebral)			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Heart and Blood Vessels (other Dis.)			10	10	13	10	12	8	6	7		8	.	.	.	.	.	2	3	3
Croup (not Spasm. nor Memb.)	2	.	.	.	.	.	1	.	.	1	·4	.	.	.	.	.	.	.	.	.
Bronchitis	8	8	11	6	10	11	17	15	7	11	10·4	8	.	1	.	.	1	3	3	.
Asthma, Emphysema		2	1	1	.	.	.	.	.	.	1·7	.	.	.	.	.	.	.	.	.
Pleurisy	.		1	3	.	1	2	1	1	1		3	.	2	.	.	.	1	.	.
Respiratory Dis. (other)																				
Tonsillitis, Quinsy	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.)	.	1	.	.	1	.	.	.	2	2	1·1	1	.	1	.	.	.	.	.	.
Gastro-enteritis			1	.	1	.	1	1	1	.		.	.	.	.	.	.	.	.	.
Peritonitis (not Puerp.)	.	.	.	.	1	.	.	.	1	1	·3	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver	1	2	.	.	2	2	.	.	1	2	1·6	.	.	.	.	.	.	.	.	.
Liver Dis. (other)			1	1	1	2	1	.	.	.		1	1	.	.	.	.	.	.	.
Digestive Dis. (other)	2	7	1	2	2	4	3	3	9	6	3·9	3	.	.	.	.	.	1	1	1
Nephritis, Acute	3	6	1	3	.	2	2	1	1	2	4·6	3	.	.	.	.	2	1	.	.
Bright's Dis., Albuminuria			.	5	1	2	3	2	3	1		5	.	.	.	.	.	5	.	.
Urinary Sys. (other Dis.)			.	.	1	2	.	2	2	1		.	.	.	.	.	.	.	.	.
Generative Organs Dis.	.	1	1	.	.	1	.	.	1	1	·5	.	.	.	.	.	.	.	.	.
Childbirth (Accid. of)	.	1	3	.	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Old Age	10	7	12	2	2	1	3	1	.	1	3·9	2	.	.	.	.	.	.	2	.
Other Diseases	11	11	12	14	9	12	8	10	2	8	9·7	13	4	2	.	3	2	.	1	1
ACCIDENT.																				
By Railways	.	.	.	.	.	.	.	.	.	.		1	.	.	.	.	1	.	.	.
By Vehicles and Horses	.	2	3	.	.	.	.	.	.	.	·5	2	.	.	.	1	1	.	.	.
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	2	.	.	1	.	.	.	.	3	.	·6	1	.	.	1	.	.	.	.	.
By Drowning	.	2	2	2	.	.	1	1	.	1	·9	1	.	.	.	1	.	.	.	.
By Suffocation in Bed	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident	3	2	2	2	1	.	3	1	3	1	1·8	4	1	1	.	.	1	1	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Suicide	1	.	.	.	.	1	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

*he Registration Area as then constituted.
"Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910—Week ending																									
	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.
No. of weeks in Annual Series,	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
BIRTHS registered.	248	197	163	252	220	197	224	206	247	162	242	213	255	217	221	246	230	241	181	242	253	268	272	188	228	229
*Average Births in corresponding week of previous 10 years,** ..	204	206	203	234	212	210	213	214	219	217	211	235	190	207	224	195	270	220	211	202	232	222	199	225	237	200
DEATHS registered, ...	177	181	177	239	217	211	228	208	204	149	185	168	186	183	200	193	186	180	131	160	185	183	140	130	127	143
Annual Death-rate per 1,000, ..	22·9	23·4	22·9	30·9	28·1	27·3	29·5	26·9	26·4	19·3	23·9	21·7	24·1	23·7	25·9	25·0	17·6	23·3	17·0	20·7	17·5	17·2	18·1	16·8	16·4	18·5
*Average Deaths in corresponding week of previous 10 years,**	210	206	201	200	196	207	221	221	214	200	206	211	200	200	197	189	184	178	174	171	157	154	152	147	136	138
AGES, Under 5 years.	57	57	55	76	58	67	67	57	53	30	52	44	44	37	49	46	36	38	37	39	31	37	25	27	31	50
5—20 ,, ...	18	10	13	11	9	9	16	8	12	11	12	18	9	11	15	18	6	16	7	10	18	10	12	9	11	11
20—40 ,, ...	25	20	31	27	25	19	22	33	28	21	34	18	26	24	33	29	26	34	20	25	26	22	27	32	23	24
40—60 ,, ...	23	41	36	54	42	38	42	40	34	35	35	32	43	38	35	43	25	32	28	40	27	29	35	31	28	25
60—80 ,, ...	49	45	37	64	62	66	69	57	65	41	42	45	53	57	59	46	40	50	36	42	33	24	33	28	38	23
80 years and upwards, ..	10	8	5	7	21	12	12	13	12	11	10	16	11	16	9	11	3	10	3	4	5	7	3	2	6	10
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1
Measles, ...	.	.	1	.	.	2	1	1	.	1	.	.	.	.	.	.	.	1	1	.	2	.	.	1	.	.
Scarlet Fever, ...	.	.	1	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.
Typhus, ...	.	.	.	.	.	.	.	3	2	1	2	1	.	2	5	4	1	1	1	.	2	1	2	.	3	.
Whooping-cough, ...	5	4	1	2	4	1	.	.	1	1	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	2
Diphtheria, ...	.	3	.	2	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain), ..	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	1	.	2	.	.	.	1	2	.	1	1	4	1	1	.	2	1	3	.	1	.	.	2	.	.	.
Diarrhœal Diseases, ...	4	4	2	4	6	2	2	3	4	2	3	.	4	2	2	1	2	1	5	2	1	3	1	1	1	6
Influenza, ...	3	5	1	4	3	2	2	5	6	7	6	6	8	5	2	3	1	3	2	.	.	.	1	.	2	.
Pneumonia, ...	14	21	14	20	17	20	23	17	20	12	14	14	17	13	20	17	8	14	13	8	8	10	7	10	3	8
Tuberculous Disease, Phthisis,	19	21	23	26	19	19	23	23	26	15	26	14	21	22	31	25	14	31	15	14	17	15	22	24	23	11
Tuberculous Disease, Other Forms,	6	6	6	17	10	14	13	10	12	10	10	4	10	9	18	12	11	9	9	11	15	7	15	10	14	7
Cancer, Malignant Disease, ..	7	8	11	19	10	8	14	9	13	5	6	14	7	10	11	11	6	10	3	10	10	6	7	10	10	8
Diseases of Heart and Blood Vessels, ...	31	29	17	29	28	40	31	27	25	30	20	30	37	23	37	31	21	25	20	29	21	21	25	16	23	26
Diseases of Respiratory System,	33	29	39	43	55	41	41	39	35	26	36	23	38	39	22	25	17	27	16	18	13	17	11	15	7	11
Violent Deaths, ...	4	1	4	5	1	6	6	5	3	1	2	5	5	3	3	4	6	2	2	6	3	3	7	5	6	3
Number of Uncertified Deaths, ..	8	18	9	13	3	7	2	8	5	5	3	4	9	12	8	6	2	2	6	3	3	7	5	6	3	5
Mean Temperature of the Air (Phœnix Park), ...	42·1	37·6	32·5	38·1	43·7	42·8	39·2	44·0	43·6	39·8	43·4	39·7	41·7	43·0	49·6	43·6	46·1	44·7	51·4	55·1	50·6	57·8	56·4	58·1	54·7	55·5
Average Mean Temperature in corresponding week of previous 10 years, ...	40·0	41·1	41·7	40·0	38·9	38·9	40·1	40·1	41·1	42·9	41·9	42·1	44·2	43·4	45·1	46·6	46·9	43·5	48·6	50·5	53·9	53·3	53·7	55·3	56·6	57·6
Rainfall in inches, ...	·986	·240	1·690	·168	·264	1·160	·915	·892	·388	·174	·000	·040	·205	·736	·782	·417	·670	·230	1·238	·135	·692	1·870	·010	1·291	1·780	·660
Mean Humidity of the Air, complete Saturation 1·0	·85	·91	·88	·94	·91	·93	·94	·93	·88	·91	·91	·88	·93	·93	·91	·82	·77	·81	·90	·83	·81	·92	·87	·92	·87	·88

* See note (*) at foot of Table IV.

† Formerly described as "Simple Continued Fever."

TABLE VI.—Showing in FIVE GENERAL CLASSES and in GROUPS and SUB-GROUPS of Occupation the Population in each Class and Group in 1901, the Annual Death-rate per 1,000 of the Population in 1901, the Total Number of Deaths, and the Number at each of Six Periods of Life, in the Dublin Registration Area during the Week ending Saturday, 9th July, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 9th July, 1910. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases	Total Cols. 10–18.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Convulsions.	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS, ...	375,350	19·9	143	50	11	24	25	23	10	.	1	.	.	.	2	.	.	6	9	8	11	7	8	4	11	9	76	5
	CLASSES. **Deaths in Families of the—**																												
I.	Professional and Independent Class, ..	17,486	9·0	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
II.	Middle Class, ...	87,188	15·0	25	4	5	3	5	5	3	.	.	.	.	.	1	.	.	.	1	1	1	1	1	.	1	2	17	.
III.	Artisan Class and Petty Shopkeepers, ..	110,423	14·2	30	7	.	7	6	8	2	.	.	.	.	.	.	.	.	2	2	3	1	1	3	1	4	1	14	1
IV.	General Service Class, ...	154,279	23·0	68	33	5	11	10	7	2	.	1	.	.	.	1	.	.	1	3	4	7	2	3	3	4	6	36	4
V.	Inmates of Workhouses, ...	6,024	—	17	6	1	3	4	1	2	.	.	.	.	.	.	.	.	3	3	.	2	2	1	.	2	.	7	.
I.	Professional and Independent Class.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ..	7,799	20·1	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	Middle Class.																												
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	18·9	8	2	1	.	2	3	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	4	.
	6. Clerks and Commercial Assistants, ..	30,482	13·7	8	2	2	2	1	.	1	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	1	2	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	13·5	7	.	1	1	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7	.
III.	Artisan Class and Petty Shopkeepers.																												
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	26·4	5	1	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	3	.
	9. Building and Furnishing Trades, ...	29,801	12·2	7	4	.	2	.	1	.	.	.	.	.	.	.	.	.	1	1	2	.	.	1	.	.	1	2	.
	10. Clothing Trades, ...	28,260	15·7	7	.	.	1	2	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	4	.
	11. Food Supply Trades, ...	9,242	16·9	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	13·7	8	1	.	2	2	3	.	.	.	.	.	.	.	.	.	1	1	.	1	.	2	.	1	.	3	1
	13. Petty Shopkeepers, ...	7,894	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	General Service Class.																												
	14. Army, Police, Postal Delivery, and Prison Services, &c	13,425	19·4	5	2	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4	.
	15. Domestic Servants, ...	36,603	4·3	3	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,990	29·0	8	3	.	3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	5	1
	17. Hawkers, Porters, Labourers, &c., ..	89,861	30·2	52	27	5	5	10	4	1	.	1	.	.	.	1	.	.	1	3	4	6	2	3	2	2	4	26	3
V.	Inmates of Workhouses.																												
	18. Workhouse Inmates, ...	6,024	—	17	6	1	3	4	1	2	.	.	.	.	.	.	.	.	3	3	.	2	2	1	.	2	.	7	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															
		FROM ALL CAUSES.	FROM DISEASES IN COLS. 5–18.		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st., Nth.* Pop. in 1910 (Est.) 29,908.	May 21,	15·7	.	9											1			2		1
	„ 28,	19·2	.	11											1	1		3		
	June 4,	10·5	.	6											2					
	„ 11,	26·2	1·7	15					1					1	1		1		1	
	„ 18,	15·7	3·5	9					1				1		2		1	1	1	
	„ 25,	13·9	.	8											1					
	July 2,	13·9	1·7	8									1		1	1				
	„ 9,	22·7	.	13										1	4			1		1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1910 (Est.) 39,974.	May 21,	18·3	1·3	14					1					1	2	2				
	„ 28,	20·9	1·3	16									1	1	2			2		
	June 4,	13·0	1·3	10					1						1	1		2	1	
	„ 11,	28·5	.	18										2	6		1	1	1	
	„ 18,	18·3	1·3	14									1	1	2	3				
	„ 25,	18·3	1·3	14				1							4		1	2		
	July 2,	13·0	1·3	10					1						3	1	1	1		
	„ 9,	17·0	.	13										2	1		1		1	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1910 (Est.) 30,744.	May 21,	18·7	1·7	11									1	1	1	1		4		
	„ 28,	22·0	.	13													1	2	1	
	June 4,	17·0	.	10											1	1	1	2	2	
	„ 1	11·9	.	7											1	1		3		
	„ 18,	18·7	.	11											2	1		2		
	„ 25,	20·4	.	12										2	5	2	1			
	July 2,	17·0	.	10										1	3	1		1		
	„ 9,	28·8	3·4	17									2	1	1			3	1	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1910 (Est.) 33,559.	May 21,	12·4	1·6	8									1	2	1					1
	„ 28,	28·0	.	18											1	1	1		1	1
	June 4,	23·8	1·6	15					1					1	4	1		1		
	„ 11,	17·1	.	11										1	1			3		
	„ 18,	18·6	.	12										1	2	1	1	1		
	„ 25,	17·1	1·6	11									1	1	2	1	2	1		
	July 2,	18·6	1·6	12					1						1	2	1			1
	„ 9,	9·3	1·6	6									1				1	1	1	
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1910 (Est.) 41,476.	May 21,	17·6	.	14										2	1	2		2		
	„ 28,	22·6	1·3	18								1			1		2	4		
	June 4,	17·6	2·5	14			1						1		2	3	1	1		
	„ 11,	15·1	1·3	12		1								1	1	1			2	
	„ 18,	22·6	.	18										1	3	3		3		
	„ 25,	20·1	1·3	16				1							2		2	3		1
	July 2,	26·4	3·8	21			1		1	1				1	5	2		1	1	
	„ 9,	18·9	1·3	15		1								1	1	2		2		
South City, No. 2. (*Office, Castle-street.*) Pop. in 1910 (Est.) 21,754	May 21,	14·4	.	6										1			1	1		
	„ 28,	16·8	.	7											1	2		2		
	June 4,	14·4	.	6												1			1	
	„ 11,	12·0	.	5										1				1	1	
	„ 18,	9·6	.	4										1					1	
	„ 25,	16·8	.	7										1	2	1	1	1		
	July 2,	16·8	.	7											2	1		1		1
	„ 9,	16·8	.	7										2	2	1				
South City, No. 3. (*Office, Peter street.*) Pop. in 1910 (Est.) 43,227.	May 21,	27·7	1·2	23			1							2	3	1		5		1
	„ 28,	24·1	.	20										3	2	4	1	2		1
	June 4,	20·5	1·2	17			1							2	1	1	1	1	1	
	„ 11,	12·1	2·4	10									2	2	1	1		3		
	„ 18,	19·8	.	16											4	4	2			
	„ 25,	16·9	.	14										1	3			3		
	July 2,	18·1	.	15											2	3	2	1		
	„ 9,	15·7	.	13												2		2	2	
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1910 (Est.) 35,881.	May 21,	23·3	1·5	16									1		3	2	1	1		1
	„ 28,	18·1	1·5	9									1		1	1				
	June 4,	10·2	.	7										1		2	1	2		
	„ 11,	20·3	.	14										1		2	1	2	1	
	„ 18,	23·3	1·5	16					1					1	1	1		2	2	
	„ 25,	18·9	.	13											1	2	2	3		1
	July 2,	11·6	.	8													1			
	„ 9,	14·5	2·9	10									2			1	1	2		

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes	From Diseases in Cols. 5–13.	Total Deaths.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District.	May 21,	12·7	1·4	9	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	1
	„ 28,	22·5	.	16	.	.	.	.	.	.	.	.	.	2	1	.	2	1	.	1
	June 4,	18·3	.	13	.	.	.	.	.	.	.	.	.	.	3	.	2	1	.	1
	„ 11,	22·5	.	16	.	.	.	.	.	.	.	.	.	.	3	2	1	.	.	3
	„ 18,	16·9	.	12	.	.	.	.	.	.	.	.	.	1	1	2	.	1	.	1
	„ 25,	11·3	.	8	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
Pop. in 1910 (Est.) 37,047.	July 2,	11·3	.	8	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	„ 9,	15·5	1·4	11	.	.	.	.	.	1	.	.	.	1	.	.	1	.	1	.
Pembroke Urban District.	May 21,	12·6	.	7	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.
	„ 28,	14·4	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
	June 4,	10·8	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.
	„ 11,	7·2	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.
	„ 18,	7·2	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Pop. in 1910 (Est.) 28,948.	„ 25,	14·4	.	8	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	July 2,	12·6	.	7	.	.	.	.	.	.	.	.	.	.	3	.	2	.	1	1
	„ 9,	16·2	3·6	9	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.
Kingstown Urban District.	May 21,	8·9	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
	„ 28,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
	June 4,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.
	„ 11,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	„ 18,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Pop. in 1910 (Est.) 17,622.	„ 25,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	July 2,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	„ 9,	14·3	.	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Belfast. Pop. in 1910 (Est.) 391,167.	May 21,	23·6	6·4	177	.	44	.	.	4	.	.	.	.	23	29	6	7	17	1	1
	„ 28,	23·5	5·6	176	.	33	1	.	5	1	.	.	2	21	14	13	3	14	1	.
	June 4,	22·1	6·5	166	.	38	1	.	7	.	.	.	3	18	21	8	4	18	5	3
	„ 11,	19·7	6·1	148	.	38	.	.	5	1	.	1	1	13	19	5	4	17	1	1
	„ 18,	24·4	7·9	183	.	49	.	.	4	2	.	.	4	17	24	3	6	14	.	2
	„ 25,	20·9	5·5	157	.	36	.	.	1	.	.	1	3	17	22	9	4	16	4	.
	July 2,	18·3	3·7	137	.	25	.	.	1	.	.	1	1	11	11	8	9	7	.	2
	„ 9,	19·3	4·1	145	.	24	.	.	2	.	.	.	5	14	11	9	8	7	4	3
Cork. Pop. (in 1901) 76,122.	May 21,	22·6	1·4	38	.	.	1	.	.	.	.	1	.	.	10	2	4	2	2	2
	„ 28,	16·7	.	39	.	.	.	.	.	.	.	.	.	3	3	1	3	5	.	1
	June 4,	16·4	.	24	.	.	.	.	.	.	.	.	.	1	5	1	.	3	1	1
	„ 11,	19·9	.	29	.	.	.	.	.	.	.	.	.	.	6	.	1	3	1	2
	„ 18,	15·1	.	22	.	.	.	.	.	.	.	.	.	2	3	.	1	2	.	.
	„ 25,	18·5	0·7	27	.	.	.	.	.	1	.	.	.	1	4	4	5	.	1	1
	July 2,	17·8	0·7	26	.	.	.	.	.	1	.	.	.	2	3	1	1	5	.	2
	„ 9,	18·0	0·7	19	.	.	.	.	.	.	.	1	.	2	2	1	.	2	.	1
Londonderry. Pop. in 1910 (Est.) 43,477.	May 21,	15·6	.	13	.	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.
	„ 28,	24·0	.	20	.	.	.	.	.	.	.	.	.	.	3	1	.	7	.	.
	June 4,	13·2	1·2	11	.	1	.	.	.	.	.	.	.	1	1	2	.	3	.	.
	„ 11,	9·6	1·2	8	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	1
	„ 18,	10·8	2·4	9	.	2	.	.	.	.	.	.	.	1	3	.	.	.	.	.
	„ 25,	12·0	3·6	10	.	3	.	.	.	.	.	.	.	1	1	.	3	1	.	.
	July 2,	7·2	.	6	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.
	„ 9,	20·4	2·4	17	.	1	.	.	.	1	.	.	.	1	2	1	1	3	.	.
Limerick. Pop. (in 1901) 38,151.	May 21,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1	.	4	.	.
	„ 28,	24·6	2·7	18	.	.	.	.	1	1	.	.	.	.	2	.	.	3	.	2
	June 4,	17·8	.	13	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	2
	„ 11,	16·4	1·4	12	.	.	.	.	1	.	.	.	.	2	2	1	1	1	.	1
	„ 18,	20·5	1·4	15	.	.	.	.	.	.	.	.	1	1	3	.	.	.	.	4
	„ 25,	19·1	1·4	14	.	.	.	.	.	.	.	1	.	.	2	.	1	1	.	1
	July 2,	20·5	.	15	.	.	.	.	.	.	.	.	.	.	2	1	.	1	2	3
	„ 9,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
Waterford. Pop. (in 1901) 26,769.	May 21,	17·5	.	9	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.
	„ 28,	21·4	.	11	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	4
	June 4,	31·2	1·9	16	.	.	.	.	.	.	.	.	1	1	4	.	.	3	1	1
	„ 11,	29·2	.	15	.	.	.	.	.	.	.	.	.	.	5	.	1	1	1	2
	„ 18,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1
	„ 25,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.
	July 2,	15·6	1·9	8	.	.	.	.	1	.	.	.	.	.	1	2	.	.	.	1
	„ 9,	15·6	1·9	8	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 9th July, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-20.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexial (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	4	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		10			4	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.
Do. 2 do.		27			11	1	2	.	.	2	6	.	1	.	.	.	.	.	.	.	3	.	.	1	1	.	1	5	.
Do. 3 do.		31			21	7	2	4	3	1	4	.	2	.	.	.	.	.	.	4	1	1	2	.	2	1	1	2	.
Do. 4 do.		19			20	7	3	2	2	5	1	.	2	.	.	.	.	.	.	.	2	3	2	.	.	.	1	4	2
Do. 5 do.		8			12	4	2	2	1	1	2	.	2	.	.	.	.	.	.	.	1	1	.	.	.	.	.	3	.
Do. 6 do.		15			9	1	.	1	3	1	3	.	.	.	.	.	.	.	.	.	2	.	1	.	.	2	2	2	.
Do 7 do.		.			1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 8 do.	349,180	.			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do. 9 do.		9			5	.	.	.	2	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Do 10 do.		19			13	5	2	1	1	2	2	.	2	.	.	.	.	.	.	1	.	1	1	.	3	.	1	1	.
Do. 11 do.		17			17	6	5	.	4	1	1	.	6	.	.	.	.	.	.	.	.	1	1	1	.	.	.	8	.
Do. 12 do.		22			17	.	8	.	6	1	2	.	6	.	.	.	.	.	.	.	2	3	.	.	.	1	1	3	1
Do. 13 do.		8			2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15* do.		14			12	8	4	2	1	1	1	.	3	.	.	1	.	.	.	.	2	.	1	1	.	.	.	3	.
Total, ...	—	199			145	34	29	12	25	20	25	.	24	.	.	2	.	.	.	5	14	11	2	3	7	4	9	35	3
City of Cork.																													
CORK URBAN No. 1 DISTRICT, .	12,867	5	12·2	.	3	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Do. 2 do. .	10,701	8	4·9	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 3 do. .	9,978	2	10·5	5·2	2	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.
Do. 4 do. .	8,666	5	12·0	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.
Do. 5 do. .	6,582	1	15·8	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 6 do. .	10,702	6	24·4	.	5	.	1	.	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	4	.
Do. 7 do. .	16,616	13	12·6	.	4	.	1	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	1
Total, ...	76,122	40	13·0	0·7	19	2	2	2	5	3	5	.	.	.	.	.	.	.	1	.	2	2	1	.	2	.	3	10	1

* New district formed on from 1st Jan., 1910, and the boundaries of Nos. 1, 4 & 9 districts altered; the population of the

The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910—Week ending																									
	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14	May 21	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.
No. of weeks in annual Series, ..	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
BIRTHS registered, ...	192	180	216	214	213	196	202	239	201	240	208	207	254	247	224	266	235	214	169	264	215	193	231	202	213	199
DEATHS registered, ...	170	125	151	165	172	156	140	165	162	163	125	138	168	187	160	173	167	170	177	176	166	148	183	157	137	145
Annual Death rate per 1,000 of estimated Population, ...	22·7	16·7	20·1	22·0	22·9	20·8	18·7	22·0	21·6	21·7	16·7	18·4	22·4	24·9	21·3	23·1	22·3	22·7	23·6	23·5	22·1	19·7	24·4	20·9	18·3	19·3
AGES — Under 1 year, ...	48	29	33	28	37	31	23	33	31	29	27	27	34	38	36	33	31	29	30	37	37	20	44	33	24	34
AGES — 1-5 years, ...	21	20	21	26	21	20	21	21	16	27	15	21	33	34	27	20	36	35	47	43	45	54	47	45	33	29
AGES — 5-20 years, ...	9	9	14	2	8	13	12	11	14	16	7	18	19	15	14	21	12	15	15	15	14	12	15	16	13	12
AGES — 20-40 years, ...	24	17	22	30	18	26	19	29	26	18	19	16	21	33	14	24	25	30	28	26	26	25	20	17	18	25
AGES — 40-60 years, ...	28	28	21	30	42	31	36	37	40	35	28	22	27	24	29	41	36	30	29	28	27	16	23	20	21	20
AGES — 60 years and upwards, ..	40	27	40	47	46	35	29	34	35	38	29	34	34	44	40	34	33	31	28	27	17	21	34	26	28	25
Deaths from :—																										
Small pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	1	.	1	1	5	3	6	11	17	8	20	19	23	44	33	38	38	49	36	25	24
Scarlet Fever, ...	.	.	.	.	2	.	1	.	.	2	.	2	.	.	.	.	.	.	.	1	1	.	.	.	.	.
Typhus, ...	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	13	13	13	19	15	17	14	11	12	12	10	6	12	5	8	4	4	6	4	5	7	5	4	1	1	2
Diphtheria, ...	.	1	.	.	.	.	1	.	.	.	.	1	1	1	1	1	.	1	.	1	.	1	2	.	.	.
*Pyrexia** (origin uncertain), ..	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	.	.	1	.	.	1	.	.	1	.	.	1	.	.	1	.	.	1	.	.	.	1	.	1	1	.
Diarrhœal Diseases, ...	.	.	.	2	.	2	.	2	2	.	1	1	.	1	3	1	2	.	.	2	3	1	4	3	1	5
Pneumonia, ...	20	9	16	14	16	11	16	12	10	12	8	14	19	16	19	14	15	26	22	21	18	13	17	17	11	14
Tuberculous Disease, Phthisis, ..	14	12	15	16	15	14	20	23	26	18	10	20	24	27	13	22	20	24	29	14	21	19	24	22	11	11
Tuberculous Disease, Other Forms, ..	10	3	10	8	4	8	7	9	7	9	8	9	12	8	7	9	6	4	6	13	8	5	3	9	8	2
Cancer, Malignant Disease, ..	10	5	4	8	7	6	5	3	5	9	10	4	8	10	2	6	8	8	7	3	4	4	6	4	9	3
Diseases of Respiratory System,	31	21	29	28	40	19	21	24	22	24	16	16	21	23	30	15	21	14	17	14	18	17	14	16	7	7
Violent Deaths, ...	8	5	7	2	2	5	3	10	9	5	3	.	4	.	2	4	3	4	1	1	5	1	.	4	.	4
Number of Uncertified Deaths, ..	1	6	3	2	1	5	2	2	1	1	1	2	1	1	1	3	1	2	1	.	3	1	2	.	2	3

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	July 9,	2,274	997	10·7	.	37	8	3	23	2*a*	17
EDINBURGH, ...	360,276	„ 9,	126	88	12·7	.	1	1	1	.	.	2
GLASGOW,... ...	884,505	„ 9,	420	210	12·4	.	4	1	4	2	1*a*	11
CALCUTTA, ...	1,009,008	June 4,	.	379	19·5	.	5	.	1	1	87‡	59*
BOMBAY, ...	977,822	„ 9,	333	642	34·1	18	2	.	.	.	138‡	63
MADRAS, ...	509,346	May 20,	363	349	35·6	2	4	?	?	?	98	68
CAIRO, ...	677,663	„ 20,	570	593	45·6	2	30	1	5	?	4*a*	148*b*
PARIS, ...	2,760,000	June 4,	954	859	16·3	.	32	1	7†	9	3*a*	18*b*
BRUSSELS, ...	720,030	„ 18,	209	179	12·9	.	.	.	.	.	2	17
ANTWERP,... ...	317,171	„ 18,	106	77	12·7	.	6	.	1†	1	.	8*b*
AMSTERDAM, ...	570,104	„ 18,	252	118	10·8	.	2	.	.	1	.	7*b*
COPENHAGEN, ...	450,000	„ 18,	222	146	16·9	.	2	4	.	2	.	9
STOCKHOLM, ...	341,816	„ 18,	168	99	15·1	.	.	6	4†	.	.	.
CHRISTIANIA, ...	240,178	„ 25,	120	49	10·6	.	.	.	1†	.	.	3
ST. PETERSBURG, ...	1,620,000	„ 3,	872	948	30·5	10	79	16	8	8	11*a*	80
MOSCOW, ...	1,493,600	May 28,	.	800	27·9	5	15	18	27†	8	7	146
BERLIN, ...	2,118,508	June 11,	859	668	16·4	.	12	4	7†	6	.	80
HAMBURG, ...	895,804	„ 18,	.	278	16·1	.	4	3	3†	4	1	41
BRESLAU, ...	510,705	„ 18,	.	256	26·1	.	2	.	1	4	1	54
MUNICH, ...	576,000	„ 25,	.	159	14·4	.	1	1	1†	1	.	16
VIENNA (with suburbs),	2,107,981	„ 18,	832	590	14·6	.	23	4	.	1	.	46*b*
BUDA-PESTH, ...	833,703	„ 18,	426	324	20·2	.	6	7	3†	7	.	28*b*
PRAGUE and Faubourgs.	497,905	„ 4,	226	227	23·6	.	6	.	.	.	1*a*	12*b*
TRIESTE, ...	221,124	June 11,	145	102	24·1	.	.	.	.	.	1*a*	7*b*
ROME, ...	587,096	May 14,	258	238	21·1	.	26	.	5	1	2*a*	14
VENICE, ...	183,224	„ 21,	78	69	19·6	.	.	.	1†	.	.	4
NEW YORK, ...	4,711,956	June 11,	2,344	1,398	15·5	1	21	17	40†	9	10*a*	61
PHILADELPHIA, ...	1,598,400	April 16,	.	.	.	.	.	.	.	.	.	.
BOSTON, ...	629,868	June 18,	.	196	16·2	.	.	2	7	2	.	1

* Including 27 deaths from cholera in Calcutta.
† Including deaths from croup.
‡ Including 28 deaths from plague in Calcutta, 83 in Bombay, and one in Moscow.
a Enteric Fever.
b Deaths from diarrhœal diseases and from enteritis of children under two years of age.

LE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 9th July, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
rth City No. 1, East,	.	.	.	.	.	.	.	2	.	.	.	.	2
" " 1, West,	.	1	.	.	.	.	.	3	.	.	.	3	7
" " 2,	.	1	.	.	.	.	.	.	2	.	.	8	11
" " 3,	.	.	.	.	1	.	.	.	.	.	.	1	2
ntarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
olock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
nglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
uth City No. 1,	.	4	.	.	.	.	.	2	5	.	.	9	20
" " 2,	.	.	.	.	3	.	.	2	.	.	.	1	6
" " 3,	.	2	.	.	4	.	.	2	.	.	.	.	8
" " 4,	.	1	.	.	1	.	.	.	.	.	.	1	3
w Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	9	.	.	9	.	.	11	7	.	.	23	59

BLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 9th July, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 9th July.			
	June 18.	June 25.	July 2.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
all-pox,	.	.	.	.	.	.	.
easles,	5	4	4	2	2	.	4
arlet Fever,	74	78	82	17	15	.	84*
phus,	3	2	2	.	.	.	2
phtheria,	50	61	56	11	13	2	52
teric Fever,	31	37	36	8	7	.	37
eumonia,	33	23	17	4	6	.	15

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ed 9th July, 1910 :—

The unsettled weather of the previous week was continued, in Ireland until Wednesday, in Great Britain almost he close of the period now under review. On Sunday an atmospheric depression, in which the barometer was er 29·6 inches, was centred between the Wash and Holland. Its northerly winds, clouds, and showers depressed perature over the British Isles, the thermometer rising no higher than 63° even in London. At 3.30 p.m. a storm ain, hail, thunder and lightning broke over Dublin and its southern suburbs, and in the course of the day nderstorms occurred in various parts of England. Monday was dull and chilly—in Dublin the thermometer only to 58°, and rain set in at night. On Tuesday a disturbance from the Atlantic passed rapidly eastwards ss Ireland, reaching East Anglia on Wednesday morning. It caused great gloom, extreme dampness, and a vy rainfall, which amounted to ·52 inch in Dublin, ·54 inch in London, 1·09 inches at Holyhead, and ·86 inch at h. On Wednesday the weather improved in Ireland, as a large anticyclone came in over this country from the ntic; but in Great Britain conditions remained dull, cool and generally unseasonable—·90 inch of rain being sured both at Yarmouth and Spurn Head on Thursday morning. The last three days of the week were emely fine in Ireland, which remained under the favourable influence of the anticyclone. Calm, cool nights e followed by bright, warm days, with a typical *inbat*, or seabreeze in the daytime, along the east coast. In lin the mean height of the barometer was 30·037 inches, the range being from 29·780 inches at 9 a.m. of Sunday d, N.N.W.) to 30·160 inches at 9 p.m. of Monday (wind, N.W.). The corrected mean temperature was 56·3°, the n dry bulb reading at 9 a.m. and 9 p.m. being 56·6°. On Thursday the screened thermometers rose to 67·1°, on ay they fell to 47·1°. The prevalent wind was N.N.W. Rain fell on the first three days to the amount of inch, ·524 inch being recorded on Tuesday. A solar halo was seen on Wednesday afternoon."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·869 inches. The highest reading (29·988) was on Monday at 9 p.m., air calm, and the lowest (29·614) on Sunday at 9 a.m., air calm.

The mean temperature for the week was 55·5°, being 2·1° below the average for the corresponding period of the 10 years, 1900–1909. The temperature was highest on Saturday, on which day the thermometer registered 67·5°, and was also lowest on that day, the mercury having fallen to 40·7°. The mean of the Dry Bulb for the week was 55·8° and of the Wet Bulb 53·7°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The rainfall during the week measured 0·660 inch.

At Greenwich the mean temperature for the week was 55·2°, the maximum 67·0°, and the minimum 48·1°; at Glasgow the maximum was 73·0°, the minimum 41·2°, and the mean 57·1°; and at Edinburgh the maximum was 70·0°, the minimum 47·1°, and the mean 55·4°. The rainfall at Greenwich measured 1·29 ins., at Glasgow 0·74 in ; and at Edinburgh 1·27 ins.

The information in the preceding paragraph has been kindly furnished by the Registrars General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY.			BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
			Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.				9 A.M.	9 P.M.
			(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) In		
Sunday,	July	3,	29·704	61·9	48·7	55·3	55·0	52·1	·82	·5	6·5	·100	N.W.	Calm.
Monday,	,,	4.	29·961	57·8	49·9	53·9	54·7	53·0	·89	·5	0·0	·055	W.N.W.	Calm.
Tuesday,	,,	5,	29·753	62·0	50·9	56·4	57·9	57·6	·98	·5	0·0	·505	Calm.	W.
Wednesday,	,,	6,	29·805	64·3	52·5	58·4	56·9	54·0	·82	·4	9·3	·000	W.N.W.	N.W.
Thursday,	,,	7.	29·973	66·1	47·7	56·9	54·8	52·7	·87	·5	7·6	·000	W.	Calm.
Friday,	,,	8,	29·981	65·0	41·9	53·5	55·0	52·8	·86	·5	9·5	·000	Calm.	Calm.
Saturday,	,,	9,	29·905	67·5	40·7	54·1	56·4	54·0	·92	·5	14·5	·000	Calm.	Calm.
Mean,			29·869	63·5	47·5	55·5	55·8	53·7	·88	·5	Total 47·4	Total ·660	—	

Sunday—Day cloudy, passing showers ; night cloudy, light rain a.m. *Monday*—Day overcast, light rain p.m night overcast, light rain a.m. *Tuesday*—Day overcast, passing showers ; night overcast. *Wednesday*—Day cloud fine ; night clear. *Thursday*—Day cloudy, fine ; night clear. *Friday*—Day cloudy, fine ; night clear. *Saturday* Fine bright day, light clouds ; night clear.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Tempera tures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinit College, Dublin, in the Week ending Saturday, July 9th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him f this Table.

1910. MONTH AND DAY.			Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperatures in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p m	Rainfall
				1 Foot.	4 Feet.	Max.	Min.	Mean.		
			°	°	°	°	°	°	hrs.	ins.
Sunday,	July	3.	59	58·5	56·2	61·5	49·1	55·3	3·6	·112
Monday,	,,	4,	59	58·3	56·1	58·9	51·0	54·9	0·2	·290
Tuesday,	,,	5,	59	58·0	56·0	62·9	52·0	57·5	0·0	·050
Wednesday,	,,	6,	60	58·5	56·0	64·9	52·9	58·9	5·9	·560
Thursday,	,,	7	60	58·9	56·0	68·0	49·1	58·5	4·3	·000
Friday,	,,	8,	61	59·0	56·1	62·9	46·0	54·5	10·5	·000
Saturday,	,,	9,	62	59·8	56·0	64·7	48·8	56·8	11·6	·000
Weekly Mean,			60	58·7	56·1	63·4	49·8	56·6	Total 36·1	Total 1·012

DUBLIN : Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

29258. Wt. P. 1—80/137, 375. 4. 1910. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, LTD., 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

OL. XLVII.] WEEK ENDING SATURDAY, 16TH JULY, 1910. [No. 28.

General Register Office, Charlemont House, Dublin, 18th July, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 15·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending June 25.	July 2.	July 9.	July 16.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending June 25.	July 2.	July 9.	July 16.	Average Rate for 4 weeks.
22 Town Districts.	**17·9**	**16·1**	**17·0**	**15·7**	**16·7**	Limerick, . . .	19·1	20·5	10·9	12·3	15·7
						Lisburn, . . .	9·1	13·6	13·6	9·1	11·4
Armagh, . . .	6·9	6·9	20·6	20·6	13·8	Londonderry, . .	12·0	7·2	20·4	6·0	11·4
Ballymena, . . .	4·8	9·6	19·2	23·9	14·4	Lurgan, . . .	17·7	4·4	8·9	8·9	10·0
Belfast, ...	20·9	18·3	19·3	18·1	19·1	Newry, . . .	29·4	16·8	12·6	25·2	21·0
Clonmel, . . .	25·6	20·5	10·3	20·5	19·2	Newtownards, . .	11·4	5·7	17·2	11·4	11·4
Cork, ...	18·5	17·8	13·0	18·5	16·9	Portadown, . .	20·7	5·2	10·3	5·2	10·4
Drogheda, . . .	28·6	16·3	16·3	4·1	16·3	Queenstown, . .	13·2	26·4	26·4	6·6	18·1
Dublin Reg. Area, .	15·5	15·3	16·8	14·8	15·6	Sligo, ...	14·4	33·6	9·6	19·2	19·2
Dundalk, .	16·0	4·0	16·0	19·9	14·0	Tralee, . . .	10·6	5·3	15·9	21·1	13·2
Galway, . . .	15·5	27·2	19·4	15·5	19·4	Waterford, . . .	19·5	15·6	15·6	19·5	17·5
Kilkenny, . . .	29·5	4·9	14·7	.	12·3	Wexford, . .	18·7	14·0	9·3	9·3	12·8

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·6 per 1,000, the rates varying from 0·0 in sixteen of the districts to 4·5 in Lisburn, one of the 2 deaths from all causes for that district being from diphtheria. Among the 136 deaths from all causes for Belfast are 20 from measles, one from whooping-cough, one from diphtheria, and 2 from diarrhœal diseases. Of the 27 deaths from all causes for Cork, 2 are from enteric fever. Included in the 5 deaths from all causes for Londonderry is one from measles, and of the 10 deaths from all causes for Waterford one is from typhus.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 272—123 boys and 149 girls—and the deaths to 118—55 males and 63 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, represent an annual rate of 14·8 per 1,000 of

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*). Table II. ‡ See columns 10-18 of Table II.

the population, the rate for the total deaths registered in the Area being 15·3 per 1,000. During the twenty-eight weeks, ending with Saturday last, the death-rate averaged 22·5 and was 3·2 below the mean rate for the corresponding portions of the ten years 1900–9.

The deaths included one from scarlet fever, one from whooping-cough, one from diphtheria, one from enteric fever, and 3 deaths from epidemic diarrhœa. In each of the 3 preceding weeks deaths from scarlet fever were 0, one, and 0; deaths from whooping-cough were one, 3, and 0; deaths from diphtheria were 0, one, and 2; deaths from enteric fever were 0, 0, and 0; and deaths from diarrhœal diseases were one, one, and 6. There was one death from enteritis of a child aged one year and 3 months registered in the week under notice.

There was one death from lobar pneumonia, there were 3 deaths from broncho-pneumonia, and 3 deaths from *pneumonia* (not defined).

Deaths from all forms of tuberculous disease, which had numbered 34, 37, and 18 in each of the 3 preceding weeks, rose to 27 deaths in the week under notice; this latter figure included 19 deaths from tuberculous phthisis (*phthisis*), 4 from tuberculous meningitis, and 4 deaths from other forms of the disease.

Of 5 deaths from malignant disease, 2 were attributed to carcinoma, one to sarcoma, and 2 to cancer, malignant disease (undefined).

The deaths of 5 infants, prematurely born, were registered.

Convulsions caused the death of one infant.

There were 17 deaths from diseases of the heart and blood vessels, and 18 deaths from diseases of the respiratory system.

The accidental deaths, in number 2, include the death of a child aged one year and 10 months from burns.

There was one death by suicide.

There was no instance in which the cause of death was "uncertified."

Twenty-nine of the persons whose deaths were registered during the week were under 5 years of age (18 being infants under one year, of whom 7 were under one month old) and 35 were aged 60 years and upwards, including 17 persons aged 70 and upwards, of whom one was an octogenarian.

Sixty-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 20 took place in the North Dublin Union Workhouse and 17 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 14·8 per 1,000; the rate in the City was 15·8 (North City Districts, 18·4; South, 13·1) and in the Suburbs, 11·3.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·9 per 1,000 inhabitants, the rate for the City being 1·2 (2·3 in the North City Districts, and 0·0 in the South), and for the Suburbs, 0·0.

No. 1 North City District, East (Clarence-street, North).—The deaths (9) are equal to an annual rate of 15·7 per 1,000, and include one death from enteric fever, 2 deaths from tuberculous phthisis (*phthisis*), and 2 deaths from diseases of the respiratory system.

No. 1 North City District, West (Summer-hill).—The deaths (13) are equal to an annual rate of 17·0 per 1,000. Diphtheria caused one death, there was one death from broncho-pneumonia, there were 2 deaths from tuberculous meningitis, and 4 deaths from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 20·4 per 1,000. There was one death from epidemic diarrhœa, there was one death from *pneumonia* (not defined), there were 2 deaths from bronchitis, and one death by accidental burning.

No. 3 North City District (Benburb-street).—The deaths (14) represent an annual rate of 21·8 per 1,000. Scarlet fever and epidemic diarrhœa each caused one death, there were 4 deaths from tuberculous disease, and 3 deaths from diseases of the respiratory system.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants; Coolock and Drumcondra, part of, 13·5; and Finglas and Glasnevin, part of, 27·1. There was one death from whooping-cough for Coolock and Drumcondra, part of, and one from epidemic diarrhœa for Finglas and Glasnevin, part of, and of the 4 deaths from all causes for the latter district one was from broncho-pneumonia and one from tuberculous phthisis.

No. 1 South City District (South Earl-street).—The deaths (10) represent an annual rate of 12·6 per 1,000. Tuberculous disease caused 3 deaths, and there were 3 deaths from diseases of the respiratory system.

No. 2 South City District (Castle-street).—The deaths (3) are equal to an annual rate of 7·2 per 1,000. The deaths registered, 3 in number, were from tuberculous phthisis.

No. 3 South City District (Peter-street).—The deaths (14) are equal to an annual rate of 16·9 per 1,000. The deaths included one from *pneumonia* (not defined), 2 from tuberculous phthisis (*phthisis*), 2 from bronchitis, and one accidental death.

No. 4 South City District (Grand Canal-street).—The deaths (7) are equivalent to an annual rate of 10·2 per 1,000, and include one death from lobar pneumonia and 4 deaths from tuberculous disease.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 23·0 per 1,000. One death from *phthisis* is included in the 4 deaths registered.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 8·4; Pembroke, 10·8; Blackrock, 11·6; and Kingstown, 17·8. There were no deaths from any of the principal epidemic diseases. Of the 6 deaths from all causes for Rathmines and Rathgar one was from tuberculous phthisis. Included in the 6 deaths from all causes for Pembroke are one from each of broncho-pneumonia, *pneumonia* (not defined) and bronchitis; the 2 deaths for Blackrock were both from tuberculous disease, and included in the 6 deaths from all causes for Kingstown are 2 from tuberculous disease and one from bronchitis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 16th July, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	June 25,	.	—	—	13	.	.	12	.	1	10	10	.	—	—	.	—	26	—	72
	July 2,	.	—	—	21	1	.	12	.	2	5	13	.	—	—	.	—	31	—	85
	July 9,	.	—	—	9	.	.	9	.	.	11	7	.	—	—	.	—	23	—	59
	July 16,	.	—	—	28	.	.	5	.	.	5	15	.	—	—	.	—	21	—	74
Rathmines and Rathgar Urban District.	June 25,	.	—	—	.	.	.	.	.	.	1	1	.	—	—	—	—	—	—	2
	July 2,	.	—	—	1	.	.	2	.	.	2	2	.	—	—	—	—	—	—	7
	July 9,	.	—	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	—	3
	July 16,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	—	2
Pembroke Urban District.	June 25,	.	.	.	.	.	.	1	.	.	.	.	.	—	.	.	—	—	—	1
	July 2,	.	.	.	1	.	.	.	.	.	.	.	.	—	11	.	—	*	—	12
	July 9,	.	.	1	1	.	.	.	.	.	.	.	.	—	1	.	—	.	—	3
	July 16,	.	.	1	1	.	.	1	.	.	.	.	.	—	3	.	—	.	—	6
Blackrock Urban District.	June 25	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	July 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	July 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	July 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	June 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 16,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	June 25	.	—	—	10	.	.	3	.	.	3	6	.	—	—	—	—	24	—	46
	July 2,	.	—	—	7	.	.	1	.	.	1	4	.	—	—	—	—	13	—	26
	July 9,	.	—	—	5	.	.	5	.	.	1	1	.	—	—	—	—	18	—	30
	July 16,	.	—	—	2	.	.	5	.	.	2	7	.	—	—	—	—	15	—	31

* Notifiable as from 1st July, 1910.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 16th July, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

One case of measles was discharged from hospital during the week, and 3 cases remained under treatment at its close.

Twenty-four cases of scarlet fever were admitted to hospital, 20 were discharged, there were 2 deaths, and 86* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 78, 82, and 84, respectively.

One case of typhus was discharged from hospital during the week, and one remained under treatment at its close.

Eighteen cases of diphtheria were admitted to hospital, 15 were discharged, there was one death, and 54 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 61, 56, and 52, respectively.

Five cases of enteric fever were admitted to hospital during the week, 8 were discharged, there was one death, and 33 cases remained under treatment in hospital at the close of the week.

In addition to the above named diseases, 7 cases of pneumonia were admitted to hospital, 6 were discharged, there was one death, and 15 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 11·1) was equal to an average annual death-rate of 11·4 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 12·4 per 1,000, the rate for Glasgow being 11·9 and for Edinburgh 11·6.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 16th July. From this Report it appears that of a total of 52 cases notified, 26 were scarlet fever, 9 phthisis, 9 diphtheria, 7 erysipelas, and one enteric fever. Among the 303 cases of infectious diseases in hospital at the close of the week were 146 cases of scarlet fever, 53 of phthisis, 38 of measles, 36 of diphtheria, 9 of whooping-cough, 6 of enteric fever, 5 of chicken-pox, and 5 of erysipelas.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 16th July, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 16TH JULY, 1910.																									METEOROLOGY. ( )											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																						WEEK ENDING 16TH JULY, 1910.				WEEK ENDING 9TH JULY, 1910.				WEEK ENDING 2ND JULY, 1910.			
	POPULATION.		DEATHS.			BIRTHS.	DEATHS.																					Air Temperature				Air Temperature				Air Temperature			
	Total.*a*	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10-18.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by																	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
										Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia b* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.										
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS, .	1,151,790	20·8	31·1	15·7	1·6	686	347	58	95	.	21	1	1	2	3	.	3	5	28	44	26	11	40	5	11	123	11	- .	- .	- .	- .	- .	- .	- .	- .	- .	- .	- .	- .
DUBLIN REGISTRATION AREA:—TOTAL, *c*.	402,948	29·3	35·2	14·9	0·9	272	114	18	35	.	.	1	.	1	1	.	1	3	7	19	8	4	18	2	5	63	.	*e*72·6	40·5	57·1	0·00	*e*67·5	40·7	55·5	0·66	*e*62·8	47·1	54·7	1·73
CITY OF DUBLIN,	310,298	39·2	35·8	15·8	1·2	231	94	16	29	.	.	1	.	1	1	.	1	3	5	17	5	4	16	2	4	58	.	*f*71·2 *g*78·9	49·1 44·0	59·9 58·8	0·00 0·00	*f*67·1 *g*67·9	47·1 44·0	56·8 56·1	0·89 0·96	*f*64·3 *g*63·8	49·1 47·0	55·2 55·0	1·60 1·39
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	16·9	8·4	.	12	6	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	28·8	10·8	.	16	6	2	3	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,018	8·3	17·4	11·6	.	8	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	29·6	17·8	.	10	6	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	2	.	69	48	59·7	0·00	65	48	56·5	0·75	64	49	56	1·01
URBAN DISTRICTS.																																							
BELFAST,	391,167	26·6	34·5	18·1	3·2	259	136	26	26	.	20	.	.	1	1	.	.	2	17	9	11	6	15	2	2	28	3	75·0	47·0	59·9	0·00	69·8	46·5	55·0	0·61	63·4	46·5	54·4	1·21
CORK,	76,122	33·6	19·9	18·5	1·4	29	27	3	9	.	.	.	.	.	.	2	.	.	1	8	1	.	1	.	.	11	.	72	51	59·0	0·00	65	50	56·0	0·48	62	50	55·5	0·20
LONDONDERRY,	43,477	20·1	18·0	6·0	1·2	15	5	.	2	.	1	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.												
LIMERICK,	38,151	18·1	9·6	12·3	.	7	9	2	3	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	2	1	79·2	45·7	61·3	0·01	72·1	43·3	56·9	0·80	62·8	43·1	52·5	0·54
WATERFORD,	26,769	18·7	42·9	19·5	1·9	22	10	1	4	.	.	.	1	.	.	.	.	.	.	1	2	.	.	.	2	5	.												
GALWAY,	18,426	2·5	19·4	15·5	.	5	4	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	4	.	.	.	.	.	70	48	56·4	0·70	68	48	56	0·66
DUNDALK	13,076	9·4	28·9	19·9	.	6	5	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	12·8	4·1	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.												
NEWRY,	12,405	17·8	29·4	26·2	.	7	6	.	.	.	.	.	.	.	.	.	.	.	1	3	.	1	.	.	.	3	.	76·5	46·2	60·0	0·00	70·0	43·7	56·0	0·36	61·8	47·3	54·3	1·33
LURGAN,	11,782	13·8	39·8	8·9	.	9	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1	76·5	46·2	60·0	0·00	70·0	43·7	56·0	0·36	61·8	47·3	54·3	1·33
LISBURN,	11,461	10·1	22·7	9·1	4·5	5	2	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	76·5	46·2	60·0	0·00	70·0	43·7	56·0	0·36	61·8	47·3	54·3	1·33
WEXFORD,	11,168	23·2	42·0	9·3	.	9	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.												
BALLYMENA,	10,886	8·9	4·8	28·9	.	1	5	.	4	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.												
SLIGO,	10,870	3·7	33·6	19·2	.	7	4	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	78·3	41·9	60·8	0·00	61·8	37·3	53·7	0·93	61·3	47·6	53·7	1·96
KILKENNY,	10,609	11·5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	75	46	60·7	0·02	73	46	57·4	0·26	63	47	55·7	0·84
CLONMEL,	10,167	7·8	61·5	20·5	.	12	4	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.												
PORTADOWN,	10,092	18·2	25·8	5·2	.	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	76·5	46·2	60·0	0·00	70·0	43·7	56·0	0·36	61·8	47·3	54·3	1·33
TRALEE,	9,867	16·6	21·1	21·1	.	4	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.												
NEWTOWNARDS,	9,110	18·9	45·8	11·4	.	8	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	68	49	56·6	0·00	60	46	53·6	0·50	64	46	53·0	0·72
QUEENSTOWN,	7,909	14·4	6·6	6·6	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	72	51	59·0	0·00	65	50	56·0	0·48	62	50	55·5	0·20
ARMAGH,	7,588	22·2	.	20·6	.	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2	1	76·5	46·2	60·0	0·00	70·0	43·7	56·0	0·36	61·8	47·3	54·3	1·33

(*a*) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (*b*) Formerly described as "Simple Continued Fever." (*c*) Exclusive of 4 deaths of persons admitted to hospital from localities outside the Area. (*d*) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The figures for Limerick are supplied by Mungret College. (*e*) Observations at Ordnance Survey Office, Phœnix Park. (*f*) Observations by Sir John Moore taken at Fitzwilliam-square. (*g*) Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 16th July, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF					
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	3	.
Pneumonia,	.	1	1	.	.	.	1	.	.	1	1	.	.	2	.	.	7	.
Tuberculous Disease. { Phthisis,	2	.	.	3	.	.	1	2	3	2	3	1	1	.	.	1	19	.
Tuberculous Disease. { Other Forms,	.	2	.	1	.	.	.	1	.	.	1	.	.	.	2	1	8	.
Cancer, Malignant Disease,	2	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	4	1
Other General Diseases,	.	1	3	1	.	.	.	1	.	3	.	.	.	.	.	1	10	.
Total,	5	5	5	7	1	1	3	4	3	7	5	1	1	2	2	3	55	1
B. LOCAL DISEASES:																		
Diseases of Nervous System,	.	1	.	.	.	1	.	.	.	.	.	2	.	.	.	.	4	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Heart and Blood Vessels,	.	1	2	3	.	1	.	2	.	2	.	1	3	1	.	1	17	.
Diseases of Respiratory System,	2	4	2	3	.	.	.	3	.	2	.	.	.	1	.	1	18	.
Diseases of Digestive System,	1	2	2	.	.	.	.	.	.	1	1	.	1	.	.	1	9	.
Diseases of Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Diseases of Urinary System,	.	.	.	1	.	.	1	1	.	1	.	.	1	1	.	.	6	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	3	8	6	7	.	2	1	6	.	6	1	3	5	3	.	3	54	2
C. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	3	.
E. VIOLENT DEATHS,	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	2	1
Deaths from all Causes	9	13	12	14	1	3	4	10	3	14	7	4	6	6	2	6	114	4
Annual Rate of Mortality from all causes in every 1,000 of the population.	15·7	17·0	20·4	21·8	9·7	13·5	27·1	12·6	7·2	16·9	10·2	23·0	8·4	10·8	11·6	17·8	14·8	.
	18·4							13·1					11·3					
	15·8																	
Ages at Death. Under 1 year,	1	1	4	1	.	1	1	3	.	2	1	1	.	2	.	.	18	.
Ages at Death. 1 and under 5 years,	.	4	1	2	.	.	2	.	.	1	.	.	.	.	.	1	11	.
Ages at Death. 5 „ 20 „	1	2	.	2	.	1	1	.	.	.	1	1	.	.	1	.	10	.
Ages at Death. 20 „ 40 „	1	.	.	3	.	.	.	4	1	3	.	.	1	1	1	2	17	.
Ages at Death. 40 „ 60 „	1	1	4	3	1	.	.	1	2	2	3	1	3	.	.	1	23	4
Ages at Death. 60 years and upwards,	5	5	3	3	.	1	.	2	.	6	2	1	2	3	.	2	35	.
Number of Uncertified Deaths,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	3	2	7	1	.	.	2	.	4	.	1	1	.	.	2	26	4
Workhouse Hospitals,	2	5	6	5	.	.	2	4	3	4	4	.	1	1	.	.	37	.

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in the week of the ten years 1900–1909,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Averages in 28th Week of the 10 years, 1900–1909.	In the Week ending Saturday, 16th July, 1910.							
	July 14, 1900.	July 13, 1901.	July 12, 1902.	July 18, 1903.	July 16, 1904.	July 15, 1905.	July 14, 1906.	July 13, 1907.	July 11, 1908.	July 17, 1909.		Deaths of Persons of the Ages of							
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 60·8	° 59·8	° 58·2	° 56·9	° 58·8	° 64·6	° 57·5	° 54·0	° 58·9	° 59·5	° 58·9	° 57·1								
ALL CAUSES.	127	157	129	124	146	145	140	161	156	136	142·1	118	7	11	11	10	17	27	34	1
Small-pox,	·	·	·	1	·	·	·	·	·	·	·1	·	·	·	·	·	·	·	·	·
Cowpox,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles (Morbilli),	·	·	6	·	10	1	1	2	3	2	2·5	·	·	·	·	·	·	·	·	·
Scarlet Fever,	·	1	·	3	·	·	·	·	·	·	·4	1	·	·	·	1	·	·	·	·
Typhus,	·	·	·	·	·	·	1	·	·	·	·1	·	·	·	·	·	·	·	·	·
Plague,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza,	1	1	·	·	1	·	1	1	·	1	·6	·	·	·	·	·	·	·	·	·
Whooping-cough,	4	4	2	1	3	2	6	7	3	·	3·2	1	·	1	·	·	·	·	·	·
Diphtheria,	·	1	1	1	1	·	·	·	1	3	·8	1	·	·	1	·	·	·	·	·
Cerebro-spinal Fever,	·	·	·	·	·	·	·	1	·	·	·1	·	·	·	·	·	·	·	·	·
Pyrexia † (origin uncertain)	1	·	·	·	·	·	·	·	·	·	·1	·	·	·	·	·	·	·	·	·
Enteric Fever,	2	·	4	·	2	·	1	·	2	2	1·3	1	·	·	·	·	1	·	·	·
Asiatic Cholera,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Epidemic Diarrhœa (Infective Enteritis.), *Diarrhœa*, Dysentery,	1	4	1 / 3	· / 1	· / 2	7 / 7	· / 3	2 / 3	2 / 2	4 / 1	4·3	3 / ·	·	1	2	·	·	·	·	·
Tetanus,	·	·	·	·	·	1	·	·	·	·	·1	·	·	·	·	·	·	·	·	·
Rabies, Hydrophobia,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Glanders,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Anthrax (Splenic Fever),	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Venereal Disease,	1	2	1	1	2	1	1	3	2	1	1·5	·	·	·	·	·	·	·	·	·
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*,	·	·	· / ·	· / ·	· / ·	· / 1	· / ·	· / ·	1 / ·	· / ·	·2	· / ·	·	·	·	·	·	·	·	·
Infective Endocarditis	·	·	1	·	·	·	·	·	·	·	·1	·	·	·	·	·	·	·	·	·
Pneumonia, Lobar, Broncho-Epidemic, Not defined,	7	8	3 / 3	1 / 2	2 / 6	3 / 4	2 / 6	8 / 6	7 / 3	1 / 5	8·2	1 / 3 / 3	·	1	2	·	·	1 / 1	2	·
Erysipelas,	·	·	·	·	1	·	·	·	1	·	·2	·	·	·	·	·	·	·	·	·
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	·	·	·	1	·	1	·	1	·	1	·4	1 / ·	·	·	·	·	·	·	1	·
Other Infective Conditions,	·	·	1	·	·	·	1	·	·	·	·2	2	·	·	·	·	1	1	·	·
Tuberculous Phthisis, "*Phthisis*,"	31	25	1 / 13	4 / 22	6 / 15	2 / 10	8 / 13	9 / 9	15 / 7	6 / 8	20·4	12 / 7	·	·	·	2 / 1	3 / 4	5 / 2	2	·
Tuberculous Meningitis,	5	4	1	1	2	2	1	2	1	3	2·2	4	·	·	3	1	·	·	·	·
Tuberculous Peritonitis, *Tabes Mesenterica*,	1	4	3 / ·	1 / 4	1 / ·	· / ·	1 / ·	· / ·	· / ·	1 / ·	1·6	· / ·	·	·	·	·	·	·	·	·
Tuberculous Dis. (other), *Scrofula*,	1	5	2 / ·	6 / ·	3 / ·	9 / ·	5 / ·	6 / ·	4 / ·	5 / ·	4·6	4 / ·	·	1	·	1	1	·	1	·
Alcoholism,	2	2	·	1	1	1	·	1	·	·	·8	1	·	·	·	·	1	·	·	·
Rheumatic Fever,	·	1	·	2	1	·	·	2	1	·	·7	·	·	·	·	·	·	·	·	·
Gout,	·	·	·	·	·	·	·	·	1	·	·1	·	·	·	·	·	·	·	·	·
Carcinoma, Sarcoma, Cancer (undefined)	5	4	3 / · / 3	2 / · / 1	2 / · / 3	4 / · / 4	2 / · / 2	6 / · / 4	3 / · / 6	5 / · / 4	6·3	2 / 1 / 2	·	·	·	·	·	1 / 1 / 2	1	·
Diabetes Mellitus,	·	·	·	1	·	2	·	·	1	1	·5	·	·	·	·	·	·	·	·	·
Premature Birth,	2	4	2	3	3	7	4	5	2	4	3·6	5	4	1	·	·	·	·	·	·

* The figures for the year 1900 are for

† Formerly described as

'WENTY-EIGHTH WEEK ending Saturday, 16th July, 1910, with the deaths from each cause in the corresponding nd the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 28th Week of the 10 years 1900-1909.	In the Week ending Saturday, 16th July, 1910.							
	July 14, 1900.	July 13, 1901.	July 12, 1902.	July 18, 1903.	July 16, 1904.	July 15, 1905.	July 14, 1906.	July 13, 1907.	July 11, 1908.	July 17, 1909.		Deaths of Persons of the Ages of							
												All Ages.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 60·8	° 59·8	° 58·2	° 56·9	° 58·8	° 64·6	° 57·5	° 54·0	° 58·9	° 59·5	° 58·9	Mean Temp. ° 57·1	Under 1 month.	1 month and under a year.	1 to 5.					
Meningitis (not tuberc.)			3	2	1	2	1	4	1	2		3	.	.	.	3	.	.	.	.
Insanity, G. P. of Insane			1	2	.	.	.	1	2	1		1	.	.	.	.	1	.	.	.
Epilepsy			.		2	.	.	.	1	1		.	.	.	.	.	.	.	.	.
Convulsions			3	7	10	7	4	8	10	6		1	1	.	.	.	.	.	.	.
Locomotor Ataxy			.	.	.	.	1	.	.	.		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord			.	.	.	.	2	.	1	2		.	.	.	.	.	.	.	.	.
Nervous System (other Dis.)			.	1	.	4	4	1	1	1		.	.	.	.	.	.	.	.	.
	20	35									32·9									
Valv. Dis., Endocarditis			2	1	5	3	3	5	3	10		6	.	.	.	1	.	1	3	1
Cerebr. Hæm. Thromb.			1	2	.	1	4	3	1	3		1	.	.	.	.	1	.	.	.
Apoplexy, Hemiplegia			3	3	6	1	7	5	5	5		1	.	.	.	.	.	1	.	.
Aneurysm			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Embolism, Thromb. (not cerebral)			.	1	.	.	1	1	.	.		.	.	.	.	.	.	.	.	.
Heart and Blood Vessels (other Dis.)			12	10	6	12	11	15	13	10		9	.	.	.	.	1	.	8	.
Croup (not Spasm. nor Memb.)	.	1	1	.	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Bronchitis	11	10	13	7	17	6	9	14	9	8	10·4	15	.	4	.	.	1	2	8	.
Asthma, Emphysema	2	2	.	.	.	.	.	.	.	1	2·0	1	.	.	.	.	.	1	.	.
Pleurisy			.	1	.	1	.	1	.	.		.	.	.	.	.	.	.	.	.
Respiratory Dis. (other)			4	3	1	1	1	1	.	1		2	.	1	.	.	.	.	1	.
Tonsillitis, Quinsy	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.)	1	.	.	1	.	3	.	.	7	3	2·1	2	.	.	1	.	.	.	1	.
Gastro-enteritis			1	1	.	.	2	1	1			.	.	.	.	.	.	.	.	.
Peritonitis (not Puerp.)	1	1	.	.	.	.	.	1	.	.	·3	2	.	.	.	.	1	1	.	.
Cirrhosis of Liver	1	5	.	.	2	1	2	1	3	.	2·4	1	.	.	.	.	.	.	1	.
Liver Dis. (other)			2	1	2	1	2	.	1	.		.	.	.	.	.	.	.	.	.
Digestive Dis. (other)	2	2	3	3	1	6	2	3	7	5	3·4	4	.	.	.	.	2	2	.	.
Nephritis, Acute			4	1	1	3	4	.	.	2		3	.	1	.	.	1	.	1	.
Bright's Dis., Albuminuria	3	7	2	1	3	3	4	1	5	2	5·1	3	.	.	.	.	1	1	1	.
Urinary Sys. (other Dis.)			1	.	2	.	1	.	.	1		.	.	.	.	.	.	.	.	.
Generative Organs Dis.	.	.	1	1	1	.	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
Childbirth (Accid. of)	.	1	.	.	.	.	1	1	.	.	·3	.	.	.	.	.	.	.	.	.
Old Age	7	6	4	3	3	.	2	2	4	3	3·4	2	.	.	.	.	.	2	.	.
Other Diseases	9	15	10	9	11	11	11	11	9	5	10·1	3	1	.	1	.	1	.	.	.
ACCIDENT.																				
By Railways	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
By Vehicles and Horses	.	.	.	.	1	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning)	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
In Building Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	.	.	2	.	.	2	.	.	.	1	·5	1	.	.	1	.	.	.	.	.
By Drowning	.	.	1	1	1	2	.	1	1	2	·9	.	.	.	.	.	.	.	.	.
By Suffocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident	4	1	.	1	1	2	.	2	1	1	1·3	1	1	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Suicide	1	.	1	1	1	.	1	.	.	.	·5	1	.	.	.	.	.	1	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

he Registration Area as then constituted.
Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910—Week ending																									
	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.
No. of weeks in Annual Series,	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
BIRTHS registered.	197	162	252	220	197	224	206	247	162	242	213	255	217	221	246	230	241	181	242	253	268	272	183	228	229	272
*Average Births in corresponding week of previous 10 years,** ..	206	203	234	212	210	213	214	219	217	211	235	190	207	224	195	270	229	211	202	232	222	199	225	237	200	193
DEATHS registered, ...	181	177	239	217	211	228	208	204	149	185	168	186	183	200	193	186	180	131	160	135	183	140	130	127	143	118
Annual Death-rate per 1,000, ..	23·4	22·9	30·9	28·1	27·3	29·5	26·9	26·4	19·3	23·9	21·7	24·1	23·7	25·9	25·0	17·6	23·3	17·0	20·7	17·5	17·2	18·1	16·8	16·4	18·5	15·3
*Average Deaths in corresponding week of previous 10 years,**	206	201	200	196	207	221	221	214	200	206	211	200	200	197	189	184	178	174	171	157	154	152	147	136	138	142
AGES, Under 5 years, ...	57	55	76	58	67	67	57	58	30	52	44	44	37	49	46	36	38	37	39	31	37	25	27	31	50	29
5—20 ,, ...	10	13	11	9	9	16	8	12	11	12	13	9	11	15	18	6	16	7	10	13	10	12	9	11	11	10
20—40 ,, ...	20	31	27	25	19	22	33	28	21	34	18	26	24	33	29	26	34	20	25	26	22	27	32	28	24	17
40—60 ,, ...	41	36	54	42	38	42	40	34	35	35	32	43	38	35	43	25	32	28	40	27	29	35	31	28	25	27
60—80 ,, ...	45	37	64	62	66	69	57	65	41	42	45	53	57	59	46	40	50	36	42	33	24	38	28	33	28	34
80 years and upwards, ..	8	5	7	21	12	12	13	12	11	10	16	11	16	9	11	3	10	3	4	5	7	3	2	6	10	1
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.
Scarlet Fever, ...	.	1	.	1	2	1	1	.	1	.	.	.	.	.	.	.	1	1	.	2	.	.	.	1	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.
Whooping-cough, ...	4	1	2	4	1	.	3	2	1	2	1	.	2	5	4	1	1	1	.	2	1	2	1	3	.	1
Diphtheria, ...	3	.	2	2	.	2	.	1	1	1	.	1	.	1	.	.	.	.	.	.	.	.	.	1	2	1
Pyrexia † (origin uncertain), ..	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	.	2	.	.	.	1	2	.	1	1	4	1	1	.	2	1	3	.	1	.	.	2	.	.	.	1
Diarrhœal Diseases, ...	4	2	4	6	2	3	3	4	2	3	.	4	2	2	1	2	1	5	2	1	3	1	1	1	6	3
Influenza, ...	5	1	4	3	2	2	5	6	7	6	6	3	5	2	3	1	3	2	.	.	.	1	.	2	.	.
Pneumonia, ...	21	14	20	17	20	22	17	20	12	14	14	17	13	20	17	8	14	13	8	8	10	7	10	3	8	7
Tuberculous Disease, Phthisis, ..	21	23	26	19	19	23	23	26	15	26	14	21	22	31	25	14	31	15	14	17	15	22	24	23	11	19
Disease, Other Forms, ..	6	6	17	10	14	13	10	12	10	10	4	10	9	18	12	11	9	9	11	15	7	15	10	14	7	8
Cancer, Malignant Disease, ..	8	11	19	10	8	14	9	13	5	6	14	7	10	11	11	6	10	3	10	10	6	7	10	10	8	5
Diseases of Heart and Blood Vessels, ...	29	17	29	38	40	31	27	25	30	20	30	37	28	37	31	21	25	20	29	21	21	25	16	23	26	17
Diseases of Respiratory System,	29	39	43	55	41	41	39	35	26	36	23	38	39	22	25	17	27	16	18	13	17	11	15	7	11	13
Violent Deaths, ...	1	4	5	1	6	6	5	3	1	2	5	5	3	3	4	6	11	2	3	6	7	7	1	2	9	3
Number of Uncertified Deaths, ..	13	9	13	3	7	2	8	5	5	3	4	9	12	8	6	2	2	6	3	3	7	5	6	3	5	.
Mean Temperature of the Air (Phœnix Park), ...	37·6	32·5	38·1	43·7	42·3	39·2	44·0	43·6	39·8	43·4	39·7	41·7	43·0	49·6	43·6	46·1	44·7	51·4	55·1	50·6	57·8	56·4	53·1	54·7	55·5	57·1
Average Mean Temperature in corresponding week of previous 10 years, ...	41·1	41·7	40·0	38·9	38·9	40·1	40·1	41·1	42·9	41·9	42·1	44·2	43·4	45·1	46·6	46·9	48·5	48·6	50·5	53·9	53·3	53·7	55·3	56·6	57·6	58·9
Rainfall in inches, ...	·240	1·690	·163	·264	1·160	·915	·892	·383	·174	·000	·040	·205	·786	·782	·447	·670	·250	1·263	·185	·693	1·870	·010	1·291	1·780	·660	·000
Mean Humidity of the Air, complete Saturation 1·0	·91	·88	·94	·91	·93	·94	·93	·88	·91	·91	·88	·93	93	·91	·82	·77	·81	·90	·83	·81	·92	·87	·92	·87	·88	·81

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever."

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 16th July, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 16TH JULY, 1910.

CLASS	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 24 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	CAUSES OF DEATH. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS, ...	375,350	16·4	118	29	10	17	27	34	1	.	.	1	.	1	1	.	1	3	7	7	19	8	5	1	18	3	50	.
	CLASSES. **Deaths in Families of the—**																											
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	15·0	5	.	1	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4	.
II.	MIDDLE CLASS, ...	87,198	5·4	9	.	1	4	3	1	.	.	.	.	.	.	.	.	1	.	1	.	2	.	1	.	.	.	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,428	8·0	17	3	1	2	5	6	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	3	1	9	.
IV.	GENERAL SERVICE CLASS, ...	154,279	16·9	50	17		7	13	9	.	.	.	1	.	1	1	.	.	.	3	4	6	4	3	1	5	2	22	.
V.	INMATES OF WORKHOUSES, ...	6,024	—	37	9	3	4	6	15	.	.	.	.	.	.	.	.	.	3	3	.	10	3	1	.	10	.	10	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																											
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	26·7	4		1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,860	6·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																											
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	2·4	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	6. Clerks and Commercial Assistants, ..	30,482	6·9	4	.	.	3	1	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	5·8	3	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																											
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	5·3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
	9. Building and Furnishing Trades, ...	29,801	3·5	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
	10. Clothing Trades, ...	23,260	6·7	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.
	11. Food Supply Trades, ...	9,249	16·9	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	12·0	7	1	.	1	2	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	6	.
	13. Petty Shopkeepers, ...	7,894	6·6	1	.		.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																											
	14. Army, Police, Postal Delivery, and Prison Services, &c	13,425	3·9	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	15. Domestic Servants, ...	86,603	7·1	5	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	16·	5	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	1	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	22·6	39	17	3	1	9	9	.	.	.	1	.	1	1	.	.	.	3	4	4	2	2	1	4	2	17	.
V.	INMATES OF WORKHOUSES.																											
	18. Workhouse Inmates, ...	6,024	—	37	9	3	4	6	15	.	.	.	.	.	.	.	.	.	3	3	.	10	3	1	.	10	.	10	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

DISTRICTS.	1910- Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Diseases in Cols. 5-13.	Total Deaths.	Number of Deaths from: Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
Cols.	( )	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of).																				
North City, No. 1 (E.)	May 28,	19·2	.	11	.	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.
	June 4,	10·5	.	6	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.
	„ 11,	26·2	1·7	15	.	.	.	.	1	.	.	.	.	1	1	.	1	.	1	.
(*Office*,	„ 18,	15·7	3·5	9	.	.	.	.	1	.	.	.	1	.	2	.	1	1	1	2
Clarence-st., Nth.	„ 25,	13·9	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	July 2,	13·9	1·7	8	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	1
Pop. in 1910	„ 9,	22·7	.	13	.	.	.	.	.	.	.	.	.	1	4	.	.	1	.	2
(Est.) 29,908.	„ 16,	15·7	1·7	9	.	.	.	.	.	.	.	1	.	.	2	.	2	2	.	.
North City, No. 1 (W.)	May 28,	20·9	1·3	16	.	.	.	.	.	.	.	.	1	1	2	.	.	2	.	.
	June 4,	13·0	1·3	10	.	.	.	.	1	.	.	.	.	.	1	1	.	2	1	.
	„ 11,	23·5	.	18	.	.	.	.	.	.	.	.	.	2	6	.	1	1	1	2
	„ 18,	18·3	1·3	14	.	.	.	.	.	.	.	1	.	1	2	3	.	.	.	.
(*Office*,	„ 25,	18·3	1·3	14	.	.	.	1	.	.	.	.	.	.	4	.	1	2	1	.
Summer-hill.)	July 2,	18·0	1·3	10	.	.	.	.	1	.	.	.	.	.	3	1	1	1	.	.
	„ 9,	17·0	.	13	.	.	.	.	.	.	.	.	.	2	1	.	1	.	1	1
Pop. in 1910	„ 16,	17·0	1·3	13	.	.	.	.	.	1	.	.	.	1	.	2	.	4	.	.
(Est.) 39,974.																				
North City, No. 2.	May 28,	22·0	.	13	.	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.
	June 4,	17·0	.	10	.	.	.	.	.	.	.	.	.	.	1	1	1	2	2	.
	„ 11,	11·9	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.
(*Office*,	„ 18,	18·7	.	11	.	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.
Lisburn-street.)	„ 25,	20·4	.	12	.	.	.	.	.	.	.	.	.	2	5	2	1	.	.	.
	July 2,	17·0	.	10	.	.	.	.	.	.	.	.	.	1	3	1	.	1	.	.
Pop. in 1910	„ 9,	28·8	3·4	17	.	.	.	.	.	.	.	.	2	1	1	.	.	3	1	1
(Est.) 30,744.	„ 16,	20·4	1·7	12	.	.	.	.	.	.	.	.	1	1	.	.	.	2	1	.
North City, No. 3.	May 28,	23·0	.	18	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	1
	June 4,	23·3	1·6	15	.	.	.	.	1	.	.	.	.	1	4	1	.	1	.	.
	„ 11,	17·1	.	11	.	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.
(*Office*,	„ 18,	18·6	.	12	.	.	.	.	.	.	.	.	.	1	2	1	1	1	.	.
Benburb-street.)	„ 25,	17·1	1·6	11	.	.	.	.	.	.	.	.	1	1	2	1	2	1	.	.
	July 2,	18·6	1·6	12	.	.	.	.	1	.	.	.	.	.	1	2	1	.	.	.
Pop. in 1910	„ 9,	9·3	1·6	6	.	.	.	.	.	.	.	.	1	.	.	.	1	1	1	1
(Est.) 33,559.	„ 16,	21·8	3·1	14	.	.	1	.	.	.	.	.	1	.	3	1	.	3	.	.
South City, No. 1.	May 28,	22·6	1·3	18	.	.	.	.	.	.	.	1	.	.	1	.	2	4	.	.
	June 4,	17·6	1·3	14	.	.	1	.	.	.	.	.	1	.	2	1	1	1	.	.
	„ 11,	15·1	1·3	12	.	1	.	.	.	.	.	.	.	.	1	1	.	.	2	.
(*Office*,	„ 18,	9·6	.	18	.	.	.	.	.	.	.	.	1	1	3	3	.	3	.	.
Sth. Earl-street.)	„ 25,	20·1	1·3	16	.	.	.	1	.	.	.	.	.	.	2	.	2	3	.	1
	July 2,	26·4	3·8	21	.	.	1	.	1	.	.	.	.	1	5	2	.	1	1	.
Pop. in 1910	„ 9,	18·9	1·3	15	.	1	.	.	.	.	.	.	.	1	1	2	.	2	.	.
(Est.) 41,476.	„ 16,	12·6	.	10	.	.	.	.	.	.	.	.	.	.	2	1	.	3	.	.
South City, No. 2.	May 28,	16·8	.	7	.	.	.	.	.	.	.	.	.	.	1	2	.	2	.	.
	June 4,	14·4	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 11,	12·0	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.
(*Office*,	„ 18,	9·6	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Castle-street.)	„ 25,	16·8	.	7	.	.	.	.	.	.	.	.	.	1	2	1	1	1	.	.
	July 2,	16·8	.	7	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.	1
Pop. in 1910	„ 9,	16·8	.	7	.	.	.	.	.	.	.	.	.	2	2	1	.	.	.	.
(Est.) 21,754	„ 16,	7·2	.	3	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.
South City, No. 3.	May 28,	21·1	.	20	.	.	.	.	.	.	.	.	.	3	2	4	1	2	.	2
	June 4,	20·5	1·2	17	.	.	1	.	.	.	.	.	.	2	1	1	1	1	1	1
	„ 11,	12·1	2·4	10	.	.	.	.	.	.	.	2	.	2	.	1	.	3	.	.
(*Office*,	„ 18,	19·3	.	16	.	.	.	.	.	.	.	.	.	.	4	4	2	.	.	.
Peter street.)	„ 25,	16·9	.	14	.	.	.	.	.	.	.	.	.	1	2	.	.	3	.	2
	July 2,	18·1	.	15	.	.	.	.	.	.	.	.	.	.	2	3	2	1	.	.
Pop. in 1910	„ 9,	15·7	.	13	.	.	.	.	.	.	.	.	.	.	.	2	.	2	2	.
(Est.) 43,227.	„ 16,	16·9	.	14	.	.	.	.	.	.	.	.	.	1	2	.	1	2	1	.
South City, No. 4.	May 28,	13·1	1·5	9	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.
	June 4,	10·2	.	7	.	.	.	.	.	.	.	.	.	1	.	2	1	2	.	.
(*Office*,	„ 11,	20·8	.	14	.	.	.	.	.	.	.	.	.	1	.	2	1	.	1	2
Grand Canal-st.)	„ 18,	23·3	1·5	16	.	.	.	.	.	.	.	.	.	1	1	1	.	2	.	3
	„ 25,	18·9	.	13	.	.	.	.	1	.	.	.	.	.	1	2	2	3	2	1
Pop. in 1910	July 2,	11·6	.	8	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
(Est.) 35,881.	„ 9,	14·3	2·9	10	.	.	.	.	.	.	.	.	2	.	.	1	1	2	.	.
	„ 16,	10·2	.	7	.	.	.	.	.	.	.	.	.	1	3	1	.	.	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes	From Diseases in Cols. 5–18.	Total Deaths.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	May 28,	22·5	·	16	·	·	·	·	·	·	·	·	·	2	1	·	2	1	·	·
	June 4,	18·3	·	13	·	·	·	·	·	·	·	·	·	·	3	·	2	1	1	1
	„ 11,	22·5	·	16	·	·	·	·	·	·	·	·	·	·	3	2	1	·	·	·	3
	„ 18,	16·9	·	12	·	·	·	·	·	·	·	·	·	1	1	2	·	1	·	·	1
	„ 25,	11·3	·	8	·	·				·	·	·	·	·	1	1	·	1	·	·	·
	July 2,	11·3	·	8	·	·				·	·			·	1	·	·	·	·	·	·
	„ 9,	15·5	1·4	11	·	·	·			1	·			·	1	·	1	·	1	·	·
	„ 16,	8·4	·	6	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	May 28,	14·4	·	8		·	·			·	·	·	·	·	·	·	·	·	2	·	1
	June 4,	10·8	·	6	·	·	·			·	·		·	·	1	·	1	·	1	·	·
	„ 11,	7·2	·	4						·	·		·	1	·	·	·	2	·	·	·
	„ 18,	7·2	·	4	·	·				·	·		·	·	1	·	·	·	1	·	·
	„ 25,	14·4	·	8		·	·			·	·		·	1	1	·	·	1	·	·	·
	July 2,	12·6	·	7	·	·				·	·	·	·	·	3	·	2	·	·	1	1
	„ 9,	16·2	3·6	9	·	·				·	1			1	·	·	1	·	·	·	·
	„ 16,	10·8	·	6	·	·				·	·			·	2	·	·	·	1	·	·
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	May 28,	8·9	·	3			·	·	·	·	·	·		·	·	·	·	1	·	1	·
	June 4,	20·7	·	7		·	·	·	·	·	·	·		·	1	1	·	2	·	·	·
	„ 11,	11·8	·	4		·	·	·	·	·	·	·		·	·	·	·	1	·	·	·
	„ 18,	11·8	·	4		·	·	·	·	·	·	·		·	·	·	·	·	·	·	1
	„ 25,	·	·	·		·	·	·	·	·	·	·		·	·	·	·	·	·	·	·
	July 2,	8·9	·	3		·	·	·	·	·	·	·		·	·	·	·	1	·	·	·
	„ 9,	14·8	·	5		·	·	·	·	·	·	·		·	·	·	·	1	·	·	·
	„ 16,	17·8	·	6		·	·	·	·	·	·	·		·	·	1	1	·	1	·	·
Belfast. Pop. in 1910 (Est.) 391,167.	May 28,	23·5	5·6	176	·	33	1	·	5	1	·	·	2	21	14	13	3	14	1	·
	June 4,	22·1	6·5	166	·	38	1	·	7	·	·	·	3	18	21	8	4	18	5	3
	„ 11,	19·7	6·1	148	·	38	·	·	5	1	·	1	1	18	19	5	4	17	1	1
	„ 18,	24·4	7·9	183	·	49	·	·	4	2	·	·	4	17	24	3	6	14	·	2
	„ 25,	20·9	5·5	157	·	36	·	·	1	·	·	1	3	17	22	9	4	16	4	·
	July 2,	18·3	3·7	137	·	25	·	·	1	·	·	1	1	11	11	8	9	7	·	2
	„ 9,	19·3	4·1	145	·	21	·	·	2	·	·	·	5	14	11	9	3	7	4	3
	„ 16,	18·1	3·2	136	·	20	·	·	1	1	·	·	2	17	9	11	6	15	2	3
Cork. Pop. (in 1901) 76,122.	May 28,	26·7	·	39		·	·	·	·	·	·	·	·	3	3	1	3	5	·	1
	June 4,	16·4	·	24	·	·	·	·	·	·	·	·	·	1	5	1	·	3	1	1
	„ 11,	19·9	·	29		·	·	·	·	·	·	·	·	·	6	·	1	3	1	2
	„ 18,	15·1	·	22	·	·	·	·	·	·	·	·	·	2	3	·	1	2	·	·
	„ 25,	18·5	0·7	27	·	·	·	·	·	1	·	·	·	1	4	4	5	·	1	1
	July 2,	17·8	0·7	26	·	·	·	·	·	1	·	·	·	2	3	1	1	5	·	2
	„ 9,	15·0	0·7	19	·	·	·	·	·	·	·	1	·	2	2	1	·	2	·	1
	„ 16,	18·5	1·4	27		·	·	·	·	·	·	2	·	1	8	1	·	1	·	·
Londonderry. Pop. in 1910 (Est.) 43,477.	May 28,	24·0	·	20	·	·	·	·	·	·	·	·	·	·	3	1	·	7	·	·
	June 4,	13·2	1·2	11	·	1	·	·	·	·	·	·	·	1	1	2	·	3	·	·
	„ 11,	9·6	1·2	8	·	1	·	·	·	·	·	·	·	·	1	·	·	1	·	1
	„ 18,	10·8	2·4	9	·	2	·	·	·	·	·	·	·	·	3	·	·	·	·	·
	„ 25,	12·0	3·6	10	·	3	·	·	·	·	·	·	·	1	1	·	3	1	·	·
	July 2,	7·2	·	6	·	·	·	·	·	·	·	·	·	·	·	2	1	1	·	·
	„ 9,	20·4	2·4	17	·	1	·	·	·	1	·	·	·	1	2	1	1	3	·	·
	„ 16,	6·0	1·2	5	·	1	·	·	·	·	·	·	·	·	·	1	·	2	·	·
Limerick. Pop. (in 1901) 38,151.	May 28,	24·6	2·7	18	·	·	·	·	1	1	·	·	·	·	2	·	·	3	·	2
	June 4,	17·8	·	13	·	·	·	·	·	·	·	·	·	·	2	·	·	3	·	2
	„ 11,	16·4	1·4	12	·	·	·	·	·	·	·	·	·	2	2	1	1	1	·	1
	„ 18,	20·5	1·4	15	·	·	·	·	·	·	·	·	1	1	3	·	·	·	·	4
	„ 25,	19·1	1·4	14	·	·	·	·	·	·	·	1	·	·	2	·	1	1	·	1
	July 2,	20·5	·	13	·	·	·	·	·	·	·	·	·	·	3	1	·	1	2	3
	„ 9,	10·9	·	8	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	4
	„ 16,	12·3	·	9	·	·	·	·	·	·	·	·	·	2	·	1	·	·	·	·	1
Waterford. Pop. (in 1901) 26,769.	May 28,	21·4	·	11	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	4
	June 4,	31·2	1·9	16	·	·	·	·	·	·	·	·	1	1	4	·	·	3	1	1
	„ 11,	29·2	·	15	·	·	·	·	·	·	·	·	·	·	5	·	1	1	1	2
	„ 18,	15·6	·	8	·	·	·	·	·	·	·	·	·	1	·	1	·	1	·	1
	„ 25,	19·5	·	10	·	·	·	·	·	·	·	·	·	·	2	·	·	1	1	·
	July 2,	15·6	1·9	8	·	·	·	·	1	·	·	·	·	·	1	2	2	·	·	1
	„ 9,	15·6	1·9	8	·	·	·	·	·	·	·	·	1	1	·	2	1	2	·	·
	„ 16,	19·5	1·9	10	·	·	·	1	·	·	·	·	·	·	1	2	·	·	·	·

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 16th July, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS.																										
			Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.						DEATHS FROM																	
			All Causes.	Diseases in Cols. 12-20.		Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexial (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		13			2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	1	.
Do. 2 do. .		80			11	3	1	.	3	1	3	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	2	1
Do. 3 do. .		33			22	4	6	2	4	2	4	.	3	.	.	1	.	.	.	1	3	2	3	1	2	.	.	5	.
Do. 4 do. .		31			14	6	2	.	4	2	.	.	2	.	.	.	.	.	.	.	1	2	.	.	2	.	.	5	1
Do. 5 do. .		22			6	.	.	1	2	1	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	3	1
Do. 6 do. .		15			15	2	1	.	.	5	7	.	.	.	.	.	.	.	.	.	3	.	2	2	2	.	.	1	.
Do 7 do. .		3			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 8 do. .	349,180	3			2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 9 do. .		14			7	2	3	1	1	.	.	.	1	.	.	.	.	.	.	.	1	1	1	.	.	1	1	1
Do 10 do. .		20			17	4	6	2	2	2	1	.	4	.	.	.	.	.	.	.	3	1	2	1	2	1	.	1	.
Do. 11 do. .		24			12	2	2	.	.	3	5	.	3	.	.	.	.	.	.	.	2	.	.	1	.	.	.	4	.
Do. 12 do. .		32			19	2	9	1	3	3	1	.	7	.	.	.	1	.	.	1	.	2	1	.	3	.	.	1	.
Do. 13 do. .		5			3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Do. 14 do. .		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 * do. .		14			6	.	.	.	1	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	3	.
Total, ...	—	259	The estimate of the Population of Belfast now adopted (see Table II.), being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		136	26	32	7	20	25	26	.	20	.	.	1	1	.	.	2	17	9	11	6	15	2	2	28	3
City of Cork.																													
CORK URBAN No. 1 DISTRICT, .	12,867	5	24·3	.	6	1	.	.	2	2	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	2	.
Do. 2 do. .	10,701	3	29·2	9·7	6	.	.	.	4	.	2	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.	.	2	.
Do. 3 do. .	9,978	5	20·9	.	4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	2	.
Do. 4 do. .	8,666	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 do. .	6,592	1	15·8	.	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do. 6 do. .	10,702	4	14·6	.	3	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Do. 7 do. .	16,616	8	18·8	.	6	2	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2	.
Total, ...	76,122	29	18·5	1·4	27	3	.	2	9	4	9	.	.	.	.	.	.	2	.	.	1	8	1	.	1	.	.	11	.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910—Week ending																								
	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14	May 21	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.
No. of weeks in annual Series, ..	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
BIRTHS registered, ...	180	216	214	213	196	202	289	201	240	208	207	254	247	224	266	235	214	169	264	215	193	231	202	218	199	259
DEATHS registered, ...	125	151	165	172	156	140	165	162	163	125	198	168	187	160	178	167	170	177	176	166	148	188	157	137	145	136
Annual Death rate per 1,000 of estimated Population, ...	16·7	20·1	22·0	22·9	20·8	18·7	22·0	21·6	21·7	16·7	18·4	22·4	24·9	21·3	23·1	22·3	22·7	23·6	23·5	22·1	19·7	24·4	20·9	18·3	19·3	18·1
AGES — Under 1 year, ...	25	33	28	37	31	23	33	31	29	27	27	34	38	36	33	31	29	30	37	37	20	44	33	24	34	26
AGES — 1-5 years, ...	20	21	28	21	20	21	21	16	27	15	21	33	34	27	20	36	35	47	43	45	54	47	45	33	29	32
AGES — 5-20 years, ...	9	14	2	8	13	12	11	14	16	7	18	19	15	14	21	12	15	15	15	14	12	15	16	13	12	7
AGES — 20-40 years, ...	17	22	30	18	26	19	29	26	18	19	16	21	32	14	24	25	30	28	26	26	25	20	17	18	23	20
AGES — 40-60 years, ...	23	21	30	42	31	36	37	40	35	28	22	27	24	29	41	30	30	29	28	27	16	23	20	21	20	25
AGES — 60 years and upwards, ..	27	40	47	46	35	29	34	35	38	29	34	34	44	40	34	33	31	28	27	17	21	34	26	28	25	26
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	1	.	1	1	5	3	6	11	17	8	20	19	23	44	33	38	38	49	36	25	24	20
Scarlet Fever, ...	.	.	.	2	.	1	.	.	2	.	2	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	13	13	19	15	17	14	11	12	12	10	6	12	5	8	4	4	6	4	5	7	5	4	1	1	2	1
Diphtheria, ...	1	.	.	.	.	1	.	.	.	.	1	1	1	1	1	.	1	.	1	.	1	2	.	.	.	1
*Pyrexia** (origin uncertain), ..	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	.	1	.	.	1	.	.	1	.	.	1	.	.	1	.	.	1	.	.	.	1	.	1	1	.	.
Diarrhœal Diseases, ...	.	.	2	.	2	.	2	2	.	1	1	.	1	3	1	2	.	.	2	3	1	4	3	1	5	2
Pneumonia, ...	9	16	14	16	11	16	12	10	12	8	14	19	16	19	14	15	26	22	21	18	13	17	17	11	14	17
Tuberculous Disease, Phthisis, ..	12	15	16	15	14	20	23	26	18	10	20	24	27	13	22	20	24	29	14	21	19	24	22	11	11	9
Tuberculous Disease, Other Forms, ..	3	10	8	4	8	7	9	7	9	8	9	12	8	7	9	6	4	6	13	8	5	3	9	8	9	11
Cancer, Malignant Disease, ..	5	4	8	7	6	5	3	5	9	10	4	8	10	2	6	8	8	7	3	4	4	6	4	9	3	6
Diseases of Respiratory System,	21	29	28	40	19	21	24	22	24	16	16	21	22	30	15	21	14	17	14	18	17	14	16	7	7	15
Violent Deaths, ...	5	7	2	2	5	3	10	9	5	3	.	4	.	2	4	3	4	1	1	5	1	.	4	.	4	2
Number of Uncertified Deaths, ..	6	3	2	1	5	2	2	1	1	1	2	1	1	1	3	1	2	1	.	3	1	2	.	2	3	3

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	July 16,	2,163	1,036	11·1	.	31	4	7	19	1*a*	14
EDINBURGH, ...	360,276	„ 16,	133	80	11·6	.	1	.	1	.	.	2
GLASGOW, ...	884,505	„ 16,	423	202*c*	11·9	.	1	2	2	2	.	6
CALCUTTA, ...	1,009,008	June 11,	.	359	18·5	.	1	.	1	2	79‡	54*
BOMBAY, ...	977,822	„ 14,	349	585	31·1	14	2	.	.	.	118‡	52*
MADRAS, ...	509,346	May 27,	375	359	36·6	.	2	?	?	?	86	80*
CAIRO, ...	677,663	„ 27,	531	635	48·9	.	28	.	10	.	10*a*	154*b*
PARIS, ...	2,760,000	June 11,	932	841	15·9	.	30	.	9†	10	7*a*	25*b*
BRUSSELS, ...	720,030	„ 25,	259	180	13·0	.	2	.	2†	2	1	22
ANTWERP, ...	317,171	„ 25,	121	69	11·3	.	3	.	1†	3	.	7*b*
AMSTERDAM, ...	570,104	„ 25,	249	127	11·6	.	3	.	.	.	1	11*b*
COPENHAGEN, ...	450,000	„ 25,	243	103	11·9	.	.	2	.	.	.	8
STOCKHOLM, ...	341,816	„ 25,	152	107	16·3	.	.	3	3†	2	.	6
CHRISTIANIA, ...	240,178	July 2,	81	62	13·4	.	.	.	.	2	.	2
ST. PETERSBURG, ...	1,620,000	June 11,	962	889	28·6	12	66	15	13	5	16*a*	83
MOSCOW, ...	1,493,600	„ 4,	.	766	26·7	3	16	8	22†	4	4	179
BERLIN, ...	2,119,207	„ 18,	786	579	14·2	.	11	3	7†	6	1	86
HAMBURG, ...	895,804	„ 25,	.	214	12·4	.	7	1	8†	1	2	31
BRESLAU, ...	510,705	„ 25,	.	215	22·0	.	.	.	1	4	1	43
MUNICH, ...	576,000	July 2,	.	161	14·6	.	4	.	.	3	.	28
VIENNA (with suburbs),	2,107,981	June 25,	818	588	14·5	.	11	5	7†	2	1	40*b*
BUDA-PESTH, ...	833,703	„ 25,	382	303	18·9	.	6	7	2†	6	4*a*	28*b*
PRAGUE and Faubourgs.	497,905	„ 11,	203	188	19·6	.	3	.	.	2	1*a*	18*b*
TRIESTE, ...	221,124	„ 18,	145	84	19·8	.	2	.	.	4	1*a*	4*b*
ROME, ...	587,096	May 21,	232	233	20·7	.	21	.	2	2	.	18
VENICE, ...	183,224	„ 28,	75	47	13·4	.	1	.	1†	.	.	4
NEW YORK, ...	4,711,956	June 18,	2,470	1,394	15·4	1	20	24	38†	7	8*a*	119
PHILADELPHIA, ..	1,598,400	April 16,	.	556	18·1	.	1	2	10†	3	7*a*	12*b*
BOSTON, ...	629,868	June 25,	.	178	14·7	.	3	1	1	1	.	10

* Including 31 deaths from cholera in Calcutta, one in Bombay, and one in Madras.
† Including deaths from croup.
‡ Including 27 deaths from plague in Calcutta and 72 in Bombay.
a Enteric Fever.
b Deaths from diarrhœal diseases and from enteritis of children under two years of age.
c Including one death from cerebro-spinal meningitis.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 16th July, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	2	.	.	.	.	.	.	4	.	.	2	8
" " 1, West,	.	.	.	.	.	.	.	.	1	.	.	2	3
" " 2,	.	2	.	.	.	.	.	.	.	.	.	.	2
" " 3,	.	14	.	.	2	.	.	1	.	.	.	.	17
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	1	.	.	.	.	1
Coolock and Drumcondra (part of),	.	2	.	.	.	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of),	.	1	.	.	.	.	.	1	.	.	.	.	2
South City No. 1,	.	3	.	.	.	.	.	1	10	.	.	10	24
" " 2,	.	.	.	.	.	.	.	.	.	.	.	2	2
" " 3,	.	4	.	.	3	.	.	1	.	.	.	1	9
" " 4,	.	.	.	.	.	.	.	.	.	.	.	2	2
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	2	2
Total,	.	28	.	.	5	.	.	5	15	.	.	21	74

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 16th July, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 16th July.			
	June 25.	July 2.	July 9.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	4	4	4	.	1	.	3
Scarlet Fever,	78	82	84	24	20	2	86*
Typhus,	2	2	2	.	1	.	1
Diphtheria,	61	56	52	18	15	1	54
Enteric Fever,	37	36	37	5	8	1	33
Pneumonia,	23	17	15	7	6	1	15

* Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ided 16th July, 1910 :—

"Dry, summerlike weather prevailed in Ireland throughout this week. Conditions were less favourable in the st and south-east of England, in which regions cool easterly winds off the North Sea filled the sky with clouds and pressed air-temperature. The highest readings of the thermometer during the period were reported from the orth-west of England, North Wales, and the centre of Ireland. On Wednesday the screened thermometers rose to ° at Bettws-y-Coed, 79° at Rhyl, 78° at Darwen and Birr, and 77° at Liverpool; on Thursday the readings were 79° at ttws, Towyn and Birr, 78° at Southport and 77° at Liverpool and Bath. At all these stations much bright sunshine as enjoyed, whereas at Yarmouth up to Saturday morning only 10·4 hours of sunshine were registered. On the st coast of Ireland the sky remained unusually free from cloud, but the easterly seabreeze of the daytime ntrolled the rise of temperature in a calm anticyclonic period lasting to Thursday evening. Owing to a barometric ll over the Bay of Biscay and France gradients for true E. and N.E. winds became steep on Friday, and the wind nsequently freshened to a strong and squally breeze from those points with much cloud on Saturday forenoon. In nnection with the French and Bay depression thunderstorms occurred in France and rain fell along the shores of he English Channel. The dense haze of the week was a noteworthy feature. In Dublin the mean height of the rometer was 30·059 inches, the range being from 30·190 inches at 9 p.m. of Wednesday (wind, E.N.E.) to 29·926 inches t 9 p.m. of Friday (wind fresh from E.N.E.). The corrected mean temperature was 59·9°, the mean dry bulb eading at 9 a.m. and 9 p.m. being 60·5°. The screened thermometers rose to 71·2° on Thursday, having fallen to 71° on Monday. The wind was almost constantly E.N.E. No rain fell in Dublin or its vicinity."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·886 inches. The highest reading (30·024) was on Wednesday at 9 p.m., air calm, and the lowest (29·757) on Friday at 9 p.m., wind N.E.

The mean temperature for the week was 57·1°, being 1·8° below the average for the corresponding period of the 10 years, 1900-1909. The temperature was highest on Thursday, on which day the thermometer registered 72·6°, and was lowest on Sunday, the mercury having fallen to 40·5°. The mean of the Dry Bulb for the week was 59·3° and of the Wet Bulb 56·0°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. There was no rainfall during the week.

At Greenwich the mean temperature for the week was 57·9°, the maximum 71·0°, and the minimum 50·1°; and at Edinburgh the maximum was 64·8°, the minimum 48·1°, and the mean 54·1°. The rainfall at Greenwich measured 0·01 in., and at Edinburgh 0·03 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. Month and Day			Barometer.	Thermometer.			Hygrometer.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
			Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.				9 A.M.	9 P.M.
			(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) In		
Sunday,	July	10,	29·854	68·0	40·5	54·3	56·9	53·0	·78	·6	14·7	·000	E.	Calm.
Monday,	„	11,	29·897	67·3	40·9	54·1	58·1	56·0	·88	·5	14·7	·000	N.E.	Calm.
Tuesday,	„	12,	29·965	71·8	43·2	57·5	63·4	60·1	·82	·0	13·8	·000	E.	Calm.
Wednesday,	„	13,	30·015	71·0	48·9	60·0	61·3	57·5	·81	·4	14·7	·000	E.	Calm.
Thursday,	„	14.	29·923	72·6	47·1	59·9	60·8	57·5	·81	·0	13·7	·000	Calm.	Calm.
Friday,	„	15,	29·776	62·1	50·4	56·3	58·5	55·5	·82	·5	12·7	·000	E.N.E.	N.E.
Saturday,	„	16,	29·774	62·1	53·4	57·8	56·4	52·2	·75	·4	7·5	·000	N.E.	N.E.
Mean,	.	.	29·886	67·8	46·3	57·1	59·3	56·0	·81	·3	Total 91·8	Total ·000	—	

Sunday—Beautiful bright day; night clear. *Monday*—Beautiful bright day; night clear. *Tuesday*—Beautiful bright day; night cloudy and clear. *Wednesday*—Beautiful bright day; night clear. *Thursday*—Beautiful bright day; night clear. *Friday*—Day fine and cloudy; night cloudy. *Saturday*—Day cloudy, fine; night cloudy.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, July 16th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. Month and Day.			Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperatures in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
				1 Foot.	4 Feet.	Max.	Min.	Mean.		
			°	°	°	°	°	°	hrs.	ins.
Sunday,	July	10,	61·4	59·6	56·3	66·7	49·6	58·1	13·7	0·00
Monday,	„	11,	64·9	61·0	56·6	66·5	49·5	58·0	13·1	0·00
Tuesday,	„	12,	66·5	61·6	56·8	71·0	51·0	61·0	13·2	0·00
Wednesday,	„	13.	67·2	62·5	56·8	69·4	56·6	63·0	12·4	0·00
Thursday,	„	14	66·0.	63·3	58·6	71·3	59·4	60·3	12·3	0·00
Friday,	„	15,	60·9	63·0	57·1	62·8	55·6	59·7	9·3	0·00
Saturday,	„	16,	55·9	62·7	57·2	63·5	53·9	58·7	6·1	0·00
Weekly Mean,			63·3	62·0	57·0	67·3	53·7	59·8	Total 80·1	Total 0·00

Erratum.—The rainfall in Trinity College for the week ended July 9th was ·900 inch, recorded on the first three days of the week in the following amounts:—·290 inch, ·050 inch, ·560 inch. The entry ·112 inch on July 3rd was repeated from July 2nd.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

29312. Wt. P. 1—80/137, 375. 4. 1910. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 23RD JULY, 1910. [No. 29.

General Register Office, Charlemont House, Dublin, 25th July, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 16·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending				Average Rate for 4 weeks.	TOWNS, &c.	Week ending				Average Rate for 4 weeks.
	July 2.	July 9.	July 16.	July 23.			July 2.	July 9.	July 16.	July 23.	
22 Town Districts.	**16·1**	**17·0**	**15·7**	**16·3**	**16·3**	Limerick,	20·5	10·9	12·3	13·7	14·4
						Lisburn,	13·6	13·6	9·1	22·7	14·8
Armagh,	6·9	20·6	20·6	20·6	17·2	Londonderry,	7·2	20·4	6·0	8·4	10·5
Ballymena,	9·6	19·2	23·9	19·2	18·0	Lurgan,	4·4	8·9	8·9	8·9	7·8
Belfast,	18·3	19·3	18·1	15·6	17·8	Newry,	16·8	12·6	25·2	4·2	14·7
Clonmel,	20·5	10·3	20·5	15·4	16·7	Newtownards,	5·7	17·2	11·4	17·2	12·9
Cork,	17·8	13·0	18·5	19·9	17·3	Portadown,	5·2	10·3	5·2	20·7	10·4
Drogheda,	16·3	16·3	4·1	20·4	14·3	Queenstown,	26·4	26·4	6·6	6·6	16·5
Dublin Reg. Area,	15·3	16·8	14·8	17·2	16·0	Sligo,	33·6	9·6	19·2	9·6	18·0
Dundalk,	4·0	16·0	19·9	4·0	11·0	Tralee,	5·3	15·9	21·1	15·9	14·6
Galway,	27·2	19·4	15·5	23·3	21·3	Waterford,	15·6	15·6	19·5	19·5	17·5
Kilkenny,	4·9	14·7	.	24·6	11·1	Wexford,	14·0	9·3	9·3	23·3	14·0

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 2·2 per 1,000, the rates varying from 0·0 in fifteen of the districts to 4·8 in Ballymena. Among the 117 deaths from all causes for Belfast are 21 from measles, one from whooping-cough, one from diphtheria, one from enteric fever, and 5 from diarrhœal diseases. Of the 29 deaths from all causes for Cork, 2 are from diphtheria. Included in the 7 deaths from all causes for Londonderry are one from measles, and one from diarrhœa. Of the 10 deaths from all causes for Limerick one is from enteric fever, and one death from enteric fever is also among the 6 deaths from all causes for Galway.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 225—126 boys and 99 girls—and the deaths to 144—77 males and 67 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, represent an annual rate of 17·2 per 1,000 of

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*), Table II. ‡ See columns 10-18 of Table II.

the population, the rate for the total deaths registered in the Area being 18·6 per 1,000. During the twenty-nine weeks, ending with Saturday last, the death-rate averaged 22·1, and was 3·1 below the mean rate for the corresponding portions of the ten years 1900-9.

The deaths included one from measles, 3 from scarlet fever, one from whooping-cough, 2 from enteric fever, and 4 from diarrhœal diseases of children under 5 years of age, there were also registered at this age 2 deaths from enteritis, and one death from *gastro-enteritis*. In each of the 3 preceding weeks, deaths from measles were 0, one, and 0; deaths from scarlet fever were one, 0, and one; deaths from whooping-cough were 3, 0, and one; deaths from enteric fever were 0, 0, and one; and deaths from diarrhœal diseases were one, 6, and 3. There was one death from influenza, which had not caused any death since the week ending the 2nd July when 2 deaths were registered. Tetanus caused one death.

The deaths from pneumonia (all forms) include one death from lobar pneumonia, 3 from broncho-pneumonia, and 5 from *pneumonia* (not defined).

Tuberculous disease, which in the 3 preceding weeks had caused 37, 18, and 27 deaths, respectively, in the period under notice caused 14 deaths, this latter figure includes 11 deaths from tuberculous phthisis (*phthisis*), 2 deaths from tuberculous meningitis, and one death from tuberculous enteritis.

There were 5 deaths from carcinoma, and 6 from cancer (undefined).

Prematurity caused the deaths of 4 infants.

Seven infants under one year of age were reported to have died of *convulsions*.

Diseases of the heart and blood vessels caused the deaths of 22 persons, and bronchitis accounted for 13 deaths.

Of 8 deaths attributed to accident or negligence, 2 were by vehicles and horses, and one was of an infant under one year of age by burns.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 3 infants under one year of age, and the death of one person aged 65 years.

Forty-eight of the persons whose deaths were registered during the week were under 5 years of age (35 being infants under one year, of whom 13 were under one month old) and 42 were aged 60 years and upwards, including 20 persons aged 70 and upwards, of whom 7 were octogenarians, and one (a female) was stated to have been aged 91 years.

Seventy-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse, 17 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·2 per 1,000; the rate in the City was 18·1 (North City Districts, 17·4; South, 18·9) and in the Suburbs, 14·1.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·6 per 1,000 inhabitants, the rate for the City being 2·0 (2·6 in the North City Districts, and 1·4 in the South), and for the Suburbs, 0·0.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 22·7 per 1,000, and include one death from scarlet fever, one death from influenza, and 2 deaths from tuberculous phthisis (*phthisis*).

No. 1 North City District, West (Summer-hill).—The deaths (14) are equal to an annual rate of 18·3 per 1,000. Whooping-cough and enteric fever each caused one death, there was one death from *phthisis*, there were 3 deaths from bronchitis, and 2 accidental deaths.

No. 2 North City District (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 25·4 per 1,000. There were 2 deaths from epidemic diarrhœa, one death from scarlet fever, 3 deaths from tuberculous disease, and 2 deaths from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (6) represent an annual rate of 9·3 per 1,000. Enteric fever caused one death, and there was one death from *phthisis*.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants; Coolock and Drumcondra, part of, 13·5; and Finglas and Glasnevin, part of, 6·8. The one death for Clontarf and Howth, No. 1, part of, is from epidemic diarrhœa, and the 3 deaths from all causes for Coolock and Drumcondra, part of, include one from tuberculous phthisis.

No. 1 South City District (South Earl-street).—The deaths (16) represent an annual rate of 20·1 per 1,000. The deaths include one death from measles and one accidental death.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 16·8 per 1,000. There was one death from *diarrhœa*, one death from *phthisis*, and bronchitis caused 2 deaths.

No. 3 South City District (Peter-street).—The deaths (14) are equal to an annual rate of 16·9 per 1,000. Scarlet fever and epidemic diarrhœa each caused one death, there was one death from broncho-pneumonia and one death from *pneumonia* (not defined), there were 3 deaths from tuberculous disease, and 3 deaths from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (16) are equivalent to an annual rate of 23·3 per 1,000. Broncho-pneumonia, *pneumonia* (not defined), tuberculous enteritis and bronchitis each caused one death; there was also one accidental death.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·5 per 1,000. Of the deaths one was from bronchitis and one was an accidental death.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 16·9; Pembroke, 12·6; Blackrock, 5·8; and Kingstown, 14·8. There were no deaths from any of the principal epidemic diseases tabulated for these districts. Among the 12 deaths from all causes for Rathmines and Rathgar are one from lobar pneumonia, 2 from tuberculous phthisis, one from bronchitis, and one accidental death. Included in the 7 deaths from all causes for Pembroke are one from *pneumonia* (not defined) and one accidental death; and of the 5 deaths from all causes for Kingstown one is from *pneumonia* (not defined).

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 9," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly rnished by :—
Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin ; Mr. Fawcett, xecutive Sanitary Officer for Rathmines and Rathgar Urban District ; Mr. Manly, Executive Sanitary Officer for mbroke Urban District ; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District ; by Dr. R. A. Donovan, Medical Superintendent Officer of Health for Kingstown Urban District ; and by Dr. Bailie, Medical perintendent Officer of Health for the City of Belfast.

BLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz. :—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 23rd July, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	July 2,	.	—	—	21	1	.	12	.	2	5	13	.	—	—	.	—	31	—	85
	July 9,	.	—	—	9	.	.	9	.	.	11	7	.	—	—	.	—	23	—	59
	July 16,	.	—	—	28	.	.	5	.	.	5	15	.	—	—	.	—	21	—	74
	July 23,	.	—	—	19	.	.	18	.	3	4	12	.	—	—	.	—	31	—	87
Rathmines and Rathgar Urban District.	July 2,	.	—	—	1	.	.	2	.	.	2	2	.	—	—	—	—	—	—	7
	July 9,	.	—	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	—	3
	July 16,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	—	2
	July 23,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
Pembroke Urban District.	July 2,	.	.	.	1	.	.	.	.	.	.	.	.	—	11	.	—	*	—	12
	July 9,	.	.	1	1	.	.	.	.	.	.	.	.	—	1	.	—	.	—	3
	July 16,	.	.	1	1	.	.	1	.	.	.	.	.	—	3	.	—	.	—	6
	July 23,	.	.	.	.	.	.	1	.	.	1	1	.	—	.	.	—	2	—	5
Blackrock Urban District.	July 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	July 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	July 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	July 23,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	.	—	—	—	2
Kingstown Urban District.	July 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 16,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	July 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	July 2,	.	—	—	7	.	.	1	.	.	1	4	.	—	—	—	—	13	—	26
	July 9,	.	—	—	5	.	.	5	.	.	1	1	.	—	—	—	—	18	—	30
	July 16,	.	—	—	2	.	.	5	.	.	2	7	.	—	—	—	—	15	—	31
	July 23,	.	—	—	4	1	.	2	.	.	2	2	.	—	—	—	—	18	—	29

* Notifiable as from 1st July, 1910.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 23rd July, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Two cases of measles were discharged from hospital during the week, and one case remained under treatment at its close.

Eighteen cases of scarlet fever were admitted to hospital, 8 were discharged, and 96* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 82, 84, and 86, respectively.

One case of typhus remained under treatment in hospital at the close of the week.

Eighteen cases of diphtheria were admitted to hospital, 8 were discharged, there was one death, and 63 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 56, 52, and 54, respectively.

Two cases of enteric fever were admitted to hospital during the week, 4 were discharged, and 31 cases remained under treatment in hospital at the close of the week.

In addition to the above named diseases, 9 cases of pneumonia were admitted to hospital, 3 were discharged, there was one death, and 17 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns, including London (in which the rate was 10·3) was equal to an average annual death-rate of 11·1 per 1,000 persons living ; the average rate for 8 principal towns of Scotland was 12·0 per 1,000, the rate for Glasgow being 12·3 and for Edinburgh 12·2.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., D.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 23rd July. From this Report it appears that of a total of 42 cases notified, 18 were scarlet fever, 12 phthisis, 9 diphtheria, 2 erysipelas, and one enteric fever. Among the 305 cases of infectious diseases in hospital at the close of the week were 150 cases of scarlet fever, 52 of phthisis, 39 of diphtheria, 36 of measles, 7 of whooping-cough, 6 of enteric fever, 6 of chicken-pox, and 5 of erysipelas.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 23rd July, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 23RD JULY, 1910.																								METEOROLOGY. (d)									
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																					WEEK ENDING 23RD JULY, 1910.				WEEK ENDING 16TH JULY, 1910.				WEEK ENDING 9TH JULY, 1910.			
										DEATHS.																											
	POPULATION.		DEATHS.			BIRTHS.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by																		Air Temperature				Air Temperature				Air Temperature			
	Total.(a)	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in col. 10–16.					Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS, .	1,151,790	20·8	27·8	16·8	2·2	615	359	77	85	.	23	8	.	2	3	.	5	12	15	45	18	23	33	9	17	115	14	.	.	.	.	.	.	.	.	.	.	.	.
DUBLIN REGISTRATION AREA:— TOTAL, c.	402,928	29·3	29·1	17·2	1·6	225	133	35	40	.	1	3	.	1	.	.	2	5	8	11	3	8	14	7	10	60	4	e67·1	44·7	56·9	0·84	e72·6	40·5	57·1	0·00	e67·5	40·7	55·5	0·66
CITY OF DUBLIN,	310,298	39·2	31·3	18·1	2·0	186	108	31	29	.	1	3	.	1	.	.	2	5	5	9	3	6	13	5	7	54	4	f67·5 g67·9	51·0 48·0	58 3 57 8	0·76 0·77	f71·2 g73·9	49·1 44·0	59·9 58·8	0·00 0·00	f67·1 g67·9	47·1 44·0	56·3 56·1	0·89 0·96
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	16·9	16·9	.	12	12	1	6	.	.	.	.	.	.	.	.	.	1	2	.	.	1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	28·8	12·6	.	16	7	3	2	.	.	.	.	.	.	.	.	.	1	.	.	2	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,013	8·3	5·8	5·8	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,629	12·1	29·6	14·8	.	10	5	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.	63	49	53·1	0·38	69	48	59·7	0·00	65	48	56·5	0·75
URBAN DISTRICTS.																																						
BELFAST,	891,167	26·6	31·9	15·6	3·9	239	117	25	16	.	21	.	.	1	1	.	1	5	5	16	5	9	6	.	3	31	3	66·0	48·0	57·2	1·26	75·0	47·0	59·9	0·00	68·8	46·5	55·0	0·61
CORK,	76,122	33·6	21·2	19·9	1·4	31	29	5	4	.	.	.	2	.	.	.	.	.	.	6	3	2	3	1	3	12	1	69	53	59·1	0·52	72	51	59·0	0·00	65	50	56·0	0·48
LONDONDERRY,	43,477	20·1	22·8	8·4	2·4	19	7	1	3	.	1	.	.	.	.	1	.	.	.	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	5·5	18·7	1·4	4	10	3	2	.	.	.	.	.	.	.	1	.	.	.	1	1	2	.	.	2	1	67·3	48·1	57·6	1·6	79·2	45·7	61·8	0·01	72·1	43·3	56·9	0·80
WATERFORD,	26,769	18·7	27·8	19·5	.	14	10	2	3	.	.	.	.	.	.	.	.	.	.	1	3	1	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	9·5	11·7	28·8	3·9	3	6	.	1	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	2	1	68	49	59	0·69	85	50	66	0·00	70	48	56·4	0·70
DUNDALK	18,076	9·4	19·9	4 0	.	10	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	8·2	20·4	.	2	5	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,405	17·8	29·4	4·2	.	7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	66·5	44·5	57·1	1·00	76·5	46·2	60·0	0·00	70·0	43·7	56·0	0·36
LURGAN,	11,782	13·8	31·0	8·9	.	7	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	66·5	44·5	57·1	1·00	76·5	46·2	60·0	0·00	70·0	43·7	56·0	0·36
LISBURN,	11,461	10·1	40·9	22·7	.	9	5	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	2	.	66·5	44·5	57·1	1·00	76·5	46·2	60·0	0·00	70·0	43·7	56·0	0·36
WEXFORD,	11,168	23·2	37·4	23·8	.	8	5	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,886	8·9	28·9	19·2	4·8	5	4	2	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,870	8·7	14·4	9·6	.	8	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	66·9	42·5	55·5	1·25	78·3	41·9	60·6	0·00	64·8	37·3	53·7	0·93
KILKENNY,	10,609	11·5	4·9	24·6	.	1	5	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	1	68	49	58·6	0·85	75	46	60 7	0·02	73	46	57·4	0·26
CLONMEL,	10,167	7·8	25·6	15·4	.	5	3	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,092	13·2	41·3	20·7	.	8	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	66·5	44·5	57·1	1·00	76·5	46 2	60·0	0·00	70·0	43·7	56·0	0·36
TRALEE,	9,867	16·6	42·3	16·9	.	8	3	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	17·2	17·2	.	3	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	64	49	55·9	0·34	68	49	56·6	0·00	60	46	53·6	0·50
QUEENSTOWN,	7,909	14·4	6·6	6·6	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	69	53	59·1	0·52	72	51	59·0	0 00	65	50	56·0	0·48
ARMAGH,	7,588	22·2	20·6	20·6	.	3	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	66·5	44·5	57·1	1·00	76·5	46·2	60·0	0·00	70·0	43·7	56·0	0·36

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (b) Formerly described as "Simple Continued Fever." (c) Exclusive of 11 deaths of persons (including 2 at 60 years or upwards) admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The figures for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Mr.

BLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 23rd July, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN REGISTRATION DISTRICTS IN											URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.									
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF & HOWTH NO. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3	SOUTH CITY NO. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Scarlet Fever,	1	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Enteric Fever,	.	1	.	1	.	.	.	.	1	1	.	.	.	.	.	.	2	.
Diarrhœal Diseases,	.	.	2	.	1	.	.	.	1	2	.	.	1	1	.	1	5	1
Pneumonia,	.	.	.	.	.	.	.	.	1	2	2	.	1	1	.	1	8	.
Tuberculous Disease. Phthisis,	2	1	2	1	.	1	.	.	.	2	.	.	2	.	.	.	11	3
Tuberculous Disease. Other Forms,	.	.	1	.	.	.	.	.	.	1	1	.	.	.	.	.	3	.
Cancer, Malignant Disease,	.	.	.	1	.	1	.	1	1	.	3	.	.	2	.	.	8	3
Other General Diseases,	5	.	1	1	.	.	.	4	.	.	2	.	2	1	.	1	17	2
Total,	8	3	7	3	1	2	.	6	3	7	8	.	5	4	.	2	59	6
LOCAL DISEASES:																		
Nervous System,	1	2	1	.	.	.	.	2	.	3	1	.	.	2	.	.	12	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	2	3	4	1	.	1	1	3	.	.	3	.	2	.	1	1	22	.
Respiratory System,	.	3	2	.	.	.	.	1	2	3	1	1	1	.	.	.	14	.
Digestive System,	.	.	.	1	.	.	.	1	1	1	1	.	2	.	.	1	8	3
Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	1	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	4	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	4	8	7	3	.	1	1	7	4	7	7	1	5	2	1	3	61	4
OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CAUSES ILL-DEFINED AND NOT SPECIFIED,	1	1	1	.	.	.	.	2	.	.	.	.	1	.	.	.	6	.
VIOLENT DEATHS,	.	2	.	.	.	.	.	1	.	.	1	1	1	1	.	.	7	1
Deaths from all Causes	13	14	15	6	1	3	1	16	7	14	16	2	12	7	1	5	133	11
Annual Rate of Mortality from all causes in every 1,000 of the population.	22·7	18·3	25·4	9·3	9·7	13·5	6·8	20·1	16·8	16·9	23·3	11·5	16·9	12·6	5·8	14·8	17·2	.
	17·4							18·9					14·1					
	18·1																	
Ages of Death. Under 1 year,	3	5	5	1	1	.	.	7	2	3	4	.	1	3	.	.	35	.
Ages of Death. 1 and under 5 years,	1	1	2	.	.	.	.	2	.	1	2	.	.	1	.	1	11	2
Ages of Death. 5 „ 20 „	1	1	.	3	.	.	.	.	.	2	.	1	.	.	.	.	8	.
Ages of Death. 20 „ 40 „	2	1	1	1	.	.	.	2	4	3	3	.	2	.	.	.	12	5
Ages of Death. 40 „ 60 „	3	.	1	.	.	2	.	2	4	3	5	1	3	1	1	1	27	2
Ages of Death. 60 years and upwards,	3	6	6	1	.	1	1	5	1	3	2	.	6	2	.	3	40	2
Number of Uncertified Deaths,	.	2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	4	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	4	5	3	.	1	.	1	.	4	4	1	1	2	.	.	29	10
Workhouse Hospitals,	2	2	7	2	.	1	.	4	3	3	4	.	1	.	.	2	31	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in th
week of the ten years 1900–190

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Averages in 29th Week of the 10 years, 1900–1909.	In the Week ending Saturday, 23rd July, 1910.							
	July 21, 1901.	July 20, 1901.	July 19, 1902.	July 25, 1903.	July 23, 1904.	July 22, 1905.	July 21, 1906.	July 20, 1907.	July 18, 1908.	July 24, 1909.		Deaths of Persons of the Ages of							
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 64·3	° 64·6	° 58·6	° 57·4	° 59·3	° 61·9	° 59·0	° 63·8	° 57·3	° 59·4	° 60·6	° 56·9								
ALL CAUSES.	165	138	155	131	131	153	156	168	144	115	145·6	144	13	22	13	8	17	29	34	8
Small-pox,	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	.	8	1	5	.	2	.	3	.	1·9	1	.	.	1	.	.	.	.	.
Scarlet Fever,	1	1	.	1	.	.	.	.	.	.	·3	3	.	.	2	1	.	.	.	.
Typhus,	.	.	1	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	1	1	.	1	.	.	.	.	.	·3	1	.	.	.	.	.	1	.	.
Whooping-cough,	5	.	1	3	3	1	3	4	1	2	2·3	1	.	1	.	.	.	.	.	.
Diphtheria,	2	1	1	.	.	.	1	.	.	1	·6	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain)	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	2	3	1	2	2	1	.	1	2	1·6	2	.	1	.	1	.	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.),	4	14	1	1	4	10	1	.	6	2	5·9	4	1	1	1	.	.	1	.	.
Diarrhœa, Dysentery,			.	.	1	8	2	.	3	2		1	.	.	1	.	.	.	.	.
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	.	.	.	.	1	1	2	2	.	·6	2	.	2	.	.	.	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Infective Endocarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	11	8	3	1	.	.	.	1	.	3	8·5	1	.	.	.	.	.	1	.	.
Pneumonia, Broncho-			2	2	3	5	4	7	4			3	.	2	.	.	.	.	1	.
Pneumonia, Epidemic			.	.	.	.	.	.	.			.	.	.	.	.	.	.	.	.
Pneumonia, Not defined,			6	4	5	3	8	4	.	3		5	.	.	.	1	1	3	.	
Erysipelas,	1	.	3	1	.	1	1	.	1	.	·8	.	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	.	1	1	.	.	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis,	28	22	.	1	4	3	8	11	13	11	20·8	6	.	.	.	.	3	2	1	.
"*Phthisis*,"			25	16	10	11	15	10	8	12		5	.	.	.	2	2	1	.	.
Tuberculous Meningitis,	4	.	.	3	3	4	3	4	6	3	3·0	2	.	1	.	1	.	.	.	.
Tuberculous Peritonitis,	7	5	1	.	2	1	1	2	.	.	2·6	.	.	.	.	.	.	.	.	.
Tabes Mesenterica,			2	1	1	2	1	.	.	.		.	.	.	.	.	.	.	.	.
Tuberculous Dis. (other),	5	1	3	7	3	8	6	6	5	3	4·8	1	.	.	1	.	.	.	.	.
Scrofula,			.	.	1	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Alcoholism,	1	1	1	.	.	.	.	.	.	.	·3	1	.	.	.	.	1	.	.	.
Rheumatic Fever,	2	1	.	.	1	.	1	.	.	.	·5	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carcinoma,	6	4	.	4	.	1	.	4	4	1	6·4	5	.	.	.	.	1	3	1	.
Sarcoma,			.	2	.	1	1	.	1	.		.	.	.	.	.	.	.	.	.
Cancer (undefined)			5	2	2	4	13	1	5	3		6	.	.	.	.	4	1	1	
Diabetes Mellitus,	.	.	.	.	.	.	.	1	.	.	·1	1	.	.	.	.	.	1	.	
Premature Birth,	3	3	3	3	3	6	6	1	4	1	3·3	4	4	.	.	.	.	.	.	

* The figures for the year 1900 are for
† Formerly described as

WENTY-NINTH WEEK ending Saturday, 23rd July, 1910, with the deaths from each cause in the corresponding nd the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 29th Week of the 10 years 1900-1909.	In the Week ending Saturday, 23rd July, 1910.								
	July 21, 1900.	July 20, 1901.	July 19, 1902.	July 25, 1903.	July 23, 1904.	July 22, 1905.	July 21, 1906.	July 20, 1907.	July 18, 1908.	July 24, 1909.		Deaths of Persons of the Ages of								
												All Ages.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 64·3	° 64·6	° 58·6	° 57·4	° 59·3	° 61·9	° 59·0	° 63·8	° 57·3	° 59·4	° 60·6	Mean Temp. ° 56·9	Under 1 month.	1 month and under a year.	1 to 5.					
Meningitis (not tuberc.)			1	2	1	1	.	4	3	2		1	.	.	.	.	.	.	1	.
Insanity, G. P. of Insane			2	1	.	2	.	4	.	2		.	.	.	.	.	.	.	.	.
Epilepsy			1	1	1	2	.	1	.	.		7	1	6	.	.	.	.	.	.
Convulsions			3	.	8	6	7	5	2	3		1	.	.	.	.	.	1	.	.
Locomotor Ataxy			.	.	.	.	.	.	.	.		2	.	.	.	.	.	.	2	.
Paraplegia Dis. of Cord			1	2	.	.	1	1	3	.		1	.	.	.	.	1	.	.	.
Nervous System (other Dis.)			.	1	.	.	2	1	2	1										
	35	31									33·8									
Valv. Dis., Endocarditis			2	4	3	4	7	10	6	1		9	.	.	.	.	2	.	6	1
Cerebr. Hæm. Thromb.			2	1	5	.	3	2	1	1		1	.	.	.	.	.	1	.	.
Apoplexy, Hemiplegia			6	6	5	5	1	2	3	5		2	.	.	.	.	.	1	1	1
Aneurysm			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Embolism, Thromb. (not cerebral)			.	.	1	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Heart and Blood Vessels (other Dis.)			15	18	12	10	16	15	13	7		10	.	.	.	.	4	4	2	
Croup (not Spasm. nor Memb.)	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Bronchitis	10	6	10	9	8	6	9	19	8	10	9·5	13	.	3	2	.	.	3	5	.
Asthma, Emphysema			.	.	.	.	.	2	.	1		1	.	.	.	.	.	.	1	.
Pleurisy	2	.	1	.	.	2	.	1	.	1	1·7	.	.	.	.	.	.	.	.	.
Respiratory Dis. (other)			3	.	1	.	1	.	2	.		.	.	.	.	.	.	.	.	.
Tonsillitis, Quinsy	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.)	.	1	4	.	1	3	1	2	5	1	3·1	2	.	1	1	.	.	.	.	1
Gastro-enteritis			.	1	1	1	3	.	3	4		2	.	.	1	.	.	.	.	
Peritonitis (not Puerp.)	.	.	1	.	2	.	.	1	.	1	.	1	.	.	.	1	.	.	.	.
Cirrhosis of Liver	2	5	1	2	2	2	2	.	.	.	2·5	1	.	.	.	.	1	.	.	.
Liver Dis. (other)			2	3	2	.	.	.	.	.		1	.	.	.	.	1	.	.	.
Digestive Dis. (other)	3	3	6	2	5	9	2	6	2	6	4·4	4	.	.	.	1	2	1	.	.
Nephritis, Acute			3	2	.	1	.	.	2	.		1	.	.	.	.	1	.	.	.
Bright's Dis., Albuminuria	3	3	3	4	2	.	5	4	1	3	4·5	2	.	.	.	.	.	1	1	.
Urinary Sys. (other Dis.)			.	.	2	3	.	2	1	1		1	.	.	.	.	.	.	1	.
Generative Organs Dis.					1	1	1	.			·3	1	.	.	.	.	1	.	.	.
Childbirth (Accid. of)	2	.	1	.	1	.	.	.	1	1	·6	.	.	.	.	.	.	.	.	.
Old Age	7	7	6	3	3	4	3	4	7	.	4·4	2	.	.	.	.	.	.	1	1
Other Diseases	14	10	9	8	6	10	8	14	10	9	9·8	14	5	3	2	1	.	1	1	1
ACCIDENT.																				
By Railways	.	.	.	1	1						·2									
By Vehicles and Horses	.	.	1	1	.	2	1	.	1	1	·7	2	.	.	1	.	.	1	.	.
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
In Building Operations	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
In Conflagrations	.	.	.	.	.	3	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	.	.	.	.	.	1	.	1	.	.	·2	1	.	1	.	.	.	.	.	.
By Drowning	2	2	.	.	.	1	.	1	.	2	·8	.	.	.	.	.	.	.	.	.
By Suffocation in Bed	.	.	.	.	.	.	.	2	.	.	·2	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Other Deaths by Accident	2	2	1	2	4	2	1	3	.	2	1·9	5	2	.	.	1	1	.	1	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	1	1	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Suicide	.	1	.	.	.	.	1	.	1	.	·3	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

the Registration Area as then constituted.
" Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910—Week ending																									
	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.
No. of weeks in Annual Series,	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
BIRTHS registered.	162	252	220	197	224	206	247	162	242	218	255	217	221	246	230	241	181	242	253	268	272	183	223	229	272	225
*Average Births in corresponding week of previous 10 years,** ..	203	234	212	210	213	214	219	217	211	235	190	207	224	195	270	229	211	202	232	222	199	225	237	200	198	204
DEATHS registered, ...	177	239	217	211	228	208	204	149	185	168	196	183	200	198	186	180	131	160	185	183	140	130	127	143	118	144
Annual Death-rate per 1,000, ..	22·9	30·9	28·1	27·3	29·5	26·9	26·4	19·3	23·9	21·7	24·1	23·7	25·9	25·6	17·6	23·3	17·0	20·7	17·5	17·2	18·1	16·8	16·4	18·5	15·3	18·6
*Average Deaths in corresponding week of previous 10 years,**	201	200	196	207	221	221	214	200	206	211	200	200	197	189	184	178	174	171	157	154	152	147	136	138	142	146
AGES, Under 5 years, ...	55	76	58	67	67	57	53	30	52	44	44	37	49	46	36	38	37	39	31	37	25	27	31	50	29	48
5—26 ,, ...	18	11	9	9	16	8	12	11	12	13	9	11	15	18	6	16	7	10	13	10	12	9	11	11	10	8
20—40 ,, ...	31	27	25	19	22	33	28	21	34	18	26	24	33	29	26	34	20	25	26	22	27	32	23	24	17	17
40—60 ,, ...	36	54	42	38	42	40	34	35	35	32	43	38	35	43	25	32	28	40	27	29	35	32	23	25	27	29
60—80 ,, ...	37	64	62	66	69	57	65	41	42	45	53	57	59	46	40	50	36	42	33	28	38	28	33	28	34	34
80 years and upwards, ..	5	7	21	12	12	18	13	11	10	16	11	16	9	11	3	10	3	4	5	7	3	2	6	10	1	8
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1
Measles, ...	1	.	1	2	1	1	.	1	.	.	.	.	.	.	.	1	1	.	2	.	.	.	1	.	1	3
Scarlet Fever, ...	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Typhus, ...	.	2	4	1	.	3	2	1	2	1	.	2	5	4	1	1	1	.	2	1	2	1	3	.	1	1
Whooping-cough, ...	1	2	2	2	.	.	1	1	1	.	1	.	1	.	.	.	.	.	.	.	.	.	1	2	1	.
Diphtheria, ...	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	1	2
Pyrexia † (origin uncertain), ..	2	.	.	.	1	2	.	1	1	4	1	1	.	2	1	3	.	1	.	.	2	.	.	.	1	2
Enteric Fever, ...	2	4	6	2	3	3	4	2	3	.	4	2	2	1	2	1	5	2	1	3	1	1	1	6	3	5
Diarrhœal Diseases, ...	1	4	3	2	2	5	6	7	6	6	3	5	2	3	1	3	2	.	.	.	1	.	2	.	.	1
Influenza, ...	14	20	17	20	22	17	20	12	14	14	17	18	20	17	8	14	13	8	8	10	7	10	3	8	7	9
Pneumonia, ...	28	26	19	19	23	28	26	15	26	14	21	22	31	25	14	31	15	14	17	15	22	24	23	11	19	11
Tuberculous {Phthisis, ..	6	17	10	14	13	10	12	10	10	4	10	9	18	12	11	9	9	11	15	7	15	10	14	7	8	3
Disease, {Other Forms, ..	11	19	10	8	14	9	13	5	6	14	7	10	11	11	6	10	3	10	10	6	7	10	10	8	5	11
Cancer, Malignant Disease, ..	17	29	38	40	31	27	25	30	20	30	37	28	37	31	21	25	20	29	21	21	25	16	23	26	17	22
Diseases of Heart and Blood Vessels, ...	39	43	55	41	41	39	35	26	36	23	38	39	22	25	17	27	16	18	18	17	11	15	7	11	18	14
Diseases of Respiratory System,	4	5	1	6	6	5	3	1	2	5	5	3	3	4	6	11	2	3	6	7	7	1	2	9	3	8
Violent Deaths, ...	9	13	3	7	2	8	5	5	3	4	9	12	8	6	2	2	6	3	3	7	5	6	3	5	.	4
Number of Uncertified Deaths, ..	32·5	38·1	43·7	42·3	39·2	44·0	43·6	39·8	43·4	39·7	41·7	43·0	49·6	43·6	46·1	44·7	51·4	55·1	50·6	57·8	56·4	58·1	54·7	55·5	57·1	56·9
Mean Temperature of the Air (Phœnix Park), ...	41·7	40·0	38·9	38·9	40·1	40·1	41·1	42·9	41·9	42·1	44·2	43·4	45·1	46·6	46·9	48·5	48·6	50·5	53·9	53·3	53·7	55·3	56·6	57·6	58·9	60·6
Average Mean Temperature in corresponding week of previous 10 years, ...	1·690	·168	·264	1·160	·915	·892	·383	·174	·000	·040	·205	·736	·782	·417	·670	·259	1·263	·135	·692	1·870	·010	1·291	1·780	·660	·000	·840
Rainfall in inches, ...	·88	·94	·91	·93	·94	·93	·88	·91	·91	·88	·93	·93	·91	·82	·77	·81	·90	·83	·81	·92	·87	·92	·87	·88	·81	·81
Mean Humidity of the Air, complete Saturation 1·0																										

* See note (*) at foot of Table IV.

† Formerly described as "Simple Continued Fever."

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 23rd July, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 23RD JULY, 1910.																								
			Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES.						CAUSES OF DEATH.																
					Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS, ...	375,350	20·0	144	48	8	17	29	34	8	.	1	3	.	1	.	.	2	5	12	9	11	3	11	7	14	8	69	4
	CLASSES. **Deaths in Families of the—**																												
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	20·9	7	.	.	.	2	3	2	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	3	.
II.	MIDDLE CLASS, ...	87,188	13·2	22	3	.	5	4	7	3	.	.	.	.	.	.	.	1	.	1	1	2	.	3	.	1	1	13	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,428	9·4	20	4	2	2	6	6	.	.	.	1	.	1	.	.	1	.	3	4	1	.	1	1	4	1	5	2
IV.	GENERAL SERVICE CLASS, ...	154,279	21·2	63	29	6	7	10	11	.	.	1	2	.	.	.	.	.	4	7	1	2	1	5	6	5	4	32	2
V.	INMATES OF WORKHOUSES, ...	6,024	—	32	12	.	3	7	7	3	.	.	.	.	.	.	.	.	1	1	.	6	2	1	.	4	2	16	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	40·1	6	.	.	.	2	3	1	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described.	8,860	6·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	14·2	6	1	.	1	1	2	1	.	.	.	.	.	.	.	.	1	.	1	1	.	.	1	.	.	.	3	.
	6. Clerks and Commercial Assistants, ..	30,482	5·1	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	21·2	11	1	.	2	3	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	8	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	10·6	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
	9. Building and Furnishing Trades, ...	29,801	7·0	4	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	1	.
	10. Clothing Trades, ...	28,260	6·7	3	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.
	11. Food Supply Trades, ...	9,242	16·9	3	2	1	.	.	.	.	.	.	1	.	1	.	.	.	.	2	.	.	.	.	1	.	.	.	1
	12. Other Trades and Callings ranking with Trades, ...	30,352	12·0	7	2	1	.	1	3	.	.	.	.	.	.	.	.	1	.	1	2	.	.	1	.	.	1	2	1
	13. Petty Shopkeepers, ...	7,894	6·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c	13,425	23·3	6	4	.	.	1	1	.	.	.	1	.	.	.	.	.	.	1	.	.	.	1	.	1	.	3	.
	15. Domestic Servants, ...	86,608	5·7	4	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	1
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	18·1	5	2	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	27·9	48	21	6	6	7	8	.	.	1	1	.	.	.	.	.	4	6	1	2	1	2	4	4	4	24	1
V.	INMATES OF WORKHOUSES.																												
	18. Workhouse Inmates, ...	6,024	—	32	12	.	3	7	7	3	.	.	.	.	.	.	.	.	1	1	.	6	2	1	.	4	2	16	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	From Diseases in Cols. 5–13.	Total Deaths.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st., Nth.*) Pop. in 1910 (Est.) 29,908.	June 4,	10·5	.	6	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.
	„ 11,	26·2	1·7	15	.	.	.	.	1	.	.	.	1	1	1	.	1	.	1	.
	„ 18,	15·7	3·5	9	.	.	.	.	1	.	.	.	1	.	3	.	1	1	1	.
	„ 25,	13·9	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2
	July 2,	13·9	1·7	8	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	1
	„ 9,	23·7	.	18	.	.	.	.	.	.	.	.	.	1	4	.	.	1	.	2
	„ 16,	15·7	1·7	9	.	.	.	.	.	.	.	1	.	.	2	.	2	2	.	.
	„ 23,	22·7	1·7	13	.	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1910 (Est.) 39,974.	June 4,	13·0	1·3	10	.	.	.	.	1	.	.	.	.	.	1	1	.	2	1	.
	„ 11,	23·5	.	18	.	.	.	.	.	.	.	.	.	2	6	.	1	1	1	2
	„ 18,	18·3	1·3	14	.	.	.	.	.	.	.	1	.	1	2	3	.	.	.	.
	„ 25,	18·3	1·3	14	.	.	.	1	.	.	.	.	.	.	4	.	1	2	.	.
	July 2,	13·0	1·3	10	.	.	.	.	1	.	.	.	.	.	3	1	1	1	.	.
	„ 9,	17·0	.	13	.	.	.	.	.	.	.	.	.	2	1	.	1	.	1	1
	„ 16,	17·0	1·3	13	.	.	.	.	.	1	.	.	.	1	.	2	.	4	.	.
	„ 23,	18·3	2·6	14	.	.	.	.	1	.	.	1	.	.	1	.	.	3	2	2
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1910 (Est.) 30,744.	June 4,	17·0	.	10	.	.	.	.	.	.	.	.	.	.	1	1	1	2	2	.
	„ 11,	11·9	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.
	„ 18,	18·7	.	11	.	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.
	„ 25,	20·4	.	12	.	.	.	.	.	.	.	.	.	2	5	2	1	.	.	.
	July 2,	17·0	.	10	.	.	.	.	.	.	.	.	.	1	3	1	.	1	.	.
	„ 9,	26·8	3·4	17	.	.	.	.	.	.	.	2	1	1	.	.	.	3	1	1
	„ 16,	20·4	1·7	12	.	.	.	.	.	.	.	.	1	1	.	.	.	2	1	.
	„ 23,	25·4	5·1	15	.	.	1	.	.	.	.	.	2	.	2	1	.	2	1	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1910 (Est.) 33,659.	June 4,	23·8	1·6	15	.	.	.	.	1	.	.	.	.	1	4	1	.	1	.	.
	„ 11,	17·1	.	11	.	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.
	„ 18,	18·6	.	12	.	.	.	.	.	.	.	.	1	1	2	1	1	1	.	.
	„ 25,	17·1	1·6	11	.	.	.	.	.	.	.	.	1	1	2	1	2	1	.	.
	July 2,	18·6	1·6	12	.	.	.	.	1	.	.	.	.	.	1	2	1	.	.	.
	„ 9,	9·3	1·6	6	.	.	.	.	.	.	.	.	1	.	.	.	1	1	1	1
	„ 16,	21·8	3·1	14	.	.	1	.	.	.	.	.	1	.	3	1	.	3	.	.
	„ 23,	9·3	1·6	6	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1910 (Est.) 41,476.	June 4,	17·6	2·5	14	.	.	1	.	.	.	.	.	1	.	2	3	1	1	.	.
	„ 11,	16·1	1·3	12	.	1	.	.	.	.	.	.	.	1	1	1	.	.	2	.
	„ 18,	22·6	.	18	.	.	.	.	.	.	.	.	.	1	3	3	.	3	.	.
	„ 25,	20·1	1·3	16	.	.	.	.	1	.	.	.	.	.	2	.	2	3	.	1
	July 2,	26·4	3·8	21	.	.	1	.	1	1	.	.	.	1	5	2	.	1	1	.
	„ 9,	18·9	1·3	15	.	1	.	.	.	.	.	.	.	1	1	2	.	2	.	.
	„ 16,	13·6	.	10	.	.	.	.	.	.	.	.	.	.	2	1	.	3	.	.
	„ 23,	20·1	1·3	16	.	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1910 (Est.) 21,754	June 4,	14·4	.	6	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
	„ 11,	13·0	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.
	„ 18,	9·6	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	„ 25,	16·3	.	7	.	.	.	.	.	.	.	.	.	1	2	1	1	1	.	.
	July 2,	16·3	.	7	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.	1
	„ 9,	16·3	.	7	.	.	.	.	.	.	.	.	.	2	2	1	.	.	.	.
	„ 16,	7·2	.	3	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.
	„ 23,	16·3	2·4	7	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	.
South City, No. 3. (*Office, Peter street.*) Pop. in 1910 (Est.) 43,227.	June 4,	20·5	1·2	17	.	.	1	.	.	.	.	.	.	2	1	1	1	1	1	1
	„ 11,	12·1	2·4	10	.	.	.	.	.	.	.	.	2	2	.	1	.	3	.	.
	„ 18,	19·3	.	16	.	.	.	.	.	.	.	.	.	.	4	4	2	.	.	.
	„ 25,	16·9	.	14	.	.	.	.	.	.	.	.	.	1	2	.	.	3	.	2
	July 2,	18·1	.	15	.	.	.	.	.	.	.	.	.	.	2	3	2	1	.	.
	„ 9,	15·7	.	13	.	.	.	.	.	.	.	.	.	.	.	2	.	2	2	.
	„ 16,	16·9	.	14	.	.	.	.	.	.	.	.	.	1	2	.	1	2	1	.
	„ 23,	16·9	2·4	14	.	.	1	.	.	.	.	.	1	2	2	1	.	3	.	1
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1910 (Est.) 35,881.	June 4,	10·2	.	7	.	.	.	.	.	.	.	.	.	1	.	2	1	2	.	.
	„ 11,	20·8	.	14	.	.	.	.	.	.	.	.	.	1	.	2	1	2	1	2
	„ 18,	23·3	1·5	16	.	.	.	.	1	.	.	.	.	1	1	1	.	2	2	3
	„ 25,	18·9	.	13	.	.	.	.	.	.	.	.	.	.	1	2	2	3	.	1
	July 2,	11·6	.	8	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	„ 9,	14·5	2·9	10	.	.	.	.	.	.	.	.	2	.	.	1	1	2	.	.
	„ 16,	10·2	.	7	.	.	.	.	.	.	.	.	.	1	3	1	.	.	.	.
	„ 23,	23·3	.	16	.	.	.	.	.	.	.	.	.	2	.	1	3	1	1	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From all Causes.	From Diseases in Cols. 5-13.	Total Deaths.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia* * (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	June 4,	18·8	.	13	.	.	.	.	.	.	.	.	.	.	3	.	2	1	1	1
	,, 11,	22·5	.	16	.	.	.	.	.	.	.	.	.	.	3	2	1	.	.	3
	,, 18,	16·9	.	12	.	.	.	.	.	.	.	.	.	1	1	2	.	1	.	1
	,, 25,	11·3	.	8	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	July 2,	11·3	.	8	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	,, 9,	15·5	1·4	11	.	.	.	.	.	1	.	.	.	1	.	.	1	.	1	.
	,, 16,	8·4	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	,, 23,	16·9	.	12	.	.	.	.	.	.	.	.	.	1	2	.	.	1	1	.
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	June 4,	10·8	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.
	,, 11,	7·2	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.
	,, 18,	7·2	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	,, 25,	14·4	.	8	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	July 2,	12·6	.	7	.	.	.	.	.	.	.	.	.	.	3	.	2	.	1	1
	,, 9,	16·2	3·6	9	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.
	,, 16,	10·8	.	6	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.
	,, 23,	12·6	.	7	.	.	.	.	.	.	.	.	.	1	.	.	2	.	1	.
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	June 4,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.
	,, 11,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	,, 18,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	,, 25,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	July 2,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	,, 9,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	,, 16,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	,, 23,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Belfast. Pop. in 1910 (Est.) 391,167.	June 4,	22·1	6·5	166	.	33	1	.	7	.	.	.	3	18	21	8	4	18	5	3
	,, 11,	19·7	6·1	148	.	38	.	.	5	1	.	1	1	13	19	5	4	17	1	1
	,, 18,	24·4	7·9	188	.	49	.	.	4	2	.	.	4	17	24	3	6	14	.	2
	,, 25,	20·9	5·5	157	.	36	.	.	1	.	.	1	3	17	22	9	4	16	4	.
	July 2,	18·3	3·7	137	.	25	.	.	1	.	.	1	1	11	11	8	9	7	.	2
	,, 9,	19·3	4·1	145	.	24	.	.	2	.	.	.	5	14	11	9	3	7	4	3
	,, 16,	18·1	3·2	136	.	20	.	.	1	1	.	.	2	17	9	11	6	15	2	3
	,, 23,	15·6	8·9	117	.	21	.	.	1	1	.	1	5	5	16	5	9	6	.	3
Cork. Pop. (in 1901) 76,122.	June 4,	16·4	.	24	.	.	.	.	.	.	.	.	.	1	5	1	.	3	1	1
	,, 11,	19·9	.	29	.	.	.	.	.	.	.	.	.	.	6	.	1	3	1	2
	,, 18,	15·1	.	22	.	.	.	.	.	.	.	.	.	2	3	.	1	2	.	.
	,, 25,	18·5	0·7	27	.	.	.	.	.	1	.	.	.	1	4	4	5	.	1	1
	July 2,	17·8	0·7	26	.	.	.	.	.	1	.	.	.	2	3	1	1	5	.	2
	,, 9,	13·0	0·7	19	.	.	.	.	.	.	.	1	.	2	2	1	.	2	.	1
	,, 16,	18·5	1·4	27	.	.	.	.	.	.	.	2	.	1	8	1	.	1	.	.
	,, 23,	19·9	1·4	29	.	.	.	.	.	2	.	.	.	.	6	3	2	3	1	1
Londonderry. Pop. in 1910 (Est.) 43,477.	June 4,	13·2	1·2	11	.	1	.	.	.	.	.	.	.	1	1	2	.	3	.	.
	,, 11,	9·6	1·2	8	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	1
	,, 18,	10·8	2·4	9	.	2	.	.	.	.	.	.	.	1	3	.	.	.	.	.
	,, 25,	12·0	3·6	10	.	3	.	.	.	.	.	.	.	1	1	.	3	1	.	.
	July 2,	7·2	.	6	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.
	,, 9,	20·4	2·4	17	.	1	.	.	.	1	.	.	.	1	2	1	1	3	.	.
	,, 16,	6·0	1·2	5	.	1	.	.	.	.	.	.	.	.	.	1	.	2	.	.
	,, 23,	8·4	2·4	7	.	1	.	.	.	.	.	.	1	.	2	.	.	.	.	.
Limerick. Pop. (in 1901) 38,151.	June 4,	17·8	.	13	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	2
	,, 11,	16·4	1·4	12	.	.	.	.	1	.	.	.	.	2	2	1	1	1	.	1
	,, 18,	20·5	1·4	15	.	.	.	.	.	.	.	.	1	1	3	.	.	.	.	4
	,, 25,	19·1	1·4	14	.	.	.	.	.	.	.	1	.	.	2	.	1	1	.	1
	July 2,	20·5	.	15	.	.	.	.	.	.	.	.	.	.	2	1	.	1	2	3
	,, 9,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
	,, 16,	12·3	.	9	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	1
	,, 23,	18·7	1·4	10	.	.	.	.	.	.	.	1	.	.	.	1	1	2	.	1
Waterford. Pop. (in 1901) 26,769.	June 4,	31·2	1·9	16	.	.	.	.	.	.	.	.	1	1	4	.	.	3	1	1
	,, 11,	29·2	.	15	.	.	.	.	.	.	.	.	.	.	5	.	1	1	1	2
	,, 18,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1
	,, 25,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.
	July 2,	15·6	1·9	8	.	.	.	.	1	.	.	.	.	.	1	2	2	.	.	1
	,, 9,	15·6	1·9	8	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	.
	,, 16,	19·5	1·9	10	.	.	.	1	.	.	.	.	.	.	1	2	.	.	.	.
	,, 23,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	1	3	1	1	.	1

* Formerly described as "Simple Continued Fever."

Table VIII.—Showing, by Registrars' Districts, the Number of Births and Deaths in the Cities (or Urban Districts) of BELFAST and CORK, registered during the week ended 23rd July, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the Annual Rate of Mortality per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain Age Periods; the Number of Deaths from some of the Principal Causes; the Number of Uncertified Deaths, &c.

Cities and Registrars' Districts.	Population in 1901.	Births	Deaths.																										
			Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from		Total No. of Deaths.	Ages at Death.						Deaths from																	
			All Causes.	Diseases in Cols. 12-20.		Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexiæ (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	4	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
Belfast Urban No. 1 District,		13			4	.	1	.	1	1	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.
Do. 2 do.		39			12	4	1	1	2	1	3	.	1	.	.	.	.	.	.	.	.	1	.	1	1	.	.	3	1
Do. 3 do.		27			18	4	1	5	3	3	2	.	.	.	.	.	.	.	.	2	2	3	2	2	.	.	.	4	.
Do. 4 do.		28			9	.	3	3	1	1	1	.	2	.	.	1	.	.	.	.	1	2	.	1	1	.	.	4	.
Do. 5 do.		13			8	4	1	.	1	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1
Do. 6 do.		13			7	2	.	1	2	1	1	.	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2	.
Do 7 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 8 do.	(849,180)	3			1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Do. 9 do.		16			7	2	2	1	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
Do 10 do.		16			10	2	1	2	3	.	2	.	.	.	.	.	.	.	.	1	.	3	1	1	.	.	1	.	1
Do. 11 do.		16			12	1	3	1	1	3	3	.	2	.	.	.	.	.	.	.	.	2	1	1	3	.	.	11	.
Do. 12 do.		32			17	4	3	.	4	1	.	.	10	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.
Do. 13 do.		15			7	1	1	2	.	1	2	.	.	.	.	.	1	.	1	.	.	1	.	2	.	.	1	2	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15* do.		7			5	1	1	1	1	1	.	.	1	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.
Total. . . .	—	289			117	25	23	17	19	17	16	.	21	.	.	1	1	.	1	5	5	16	5	9	6	.	8	81	3
City of Cork.																													
Cork Urban No. 1 District, .	12,867	5	12·2	.	3	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 2 do. .	10,701	4	19·5	4·9	4	1	.	2	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1	3	.
Do. 3 do. .	9,978	8	41·8	5·2	8	1	1	1	1	4	.	.	.	.	.	.	1	.	.	.	.	1	1	.	1	.	1	1	1
Do. 4 do. .	8,666	2	6·0	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 5 do. .	6,592	1	7·9	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 6 do. .	10,702	1	29·2	.	6	.	1	.	1	2	2	.	.	.	.	.	.	.	.	.	.	2	1	1	1	.	.	4	.
Do. 7 do. .	16,616	10	18·8	.	6	1	1	1	.	3	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	1	3	.
Total. . . .	76,122	31	19·9	1·4	29	5	3	5	2	10	4	.	.	.	.	.	2	.	.	.	.	6	3	2	3	1	3	12	1

The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.

* New district formed as from 1st Jan. 1910, and the boundaries of Nos. 1, 4 & 6 districts altered; the population of each of these districts, as at present constituted, is not yet available.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910—Week ending																								
	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9	July 16.	July 23.
No. of weeks in annual Series, ..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
BIRTHS registered, ...	216	214	213	196	202	239	201	240	208	207	254	247	224	266	235	214	169	264	215	193	231	202	213	199	259	239
DEATHS registered, ...	151	165	172	156	140	165	162	163	125	133	168	187	160	173	167	170	177	176	166	148	183	157	137	145	186	117
Annual Death rate per 1,000 of estimated Population, ...	20·1	22·0	22·9	20·8	18·7	22·0	21·6	21·7	16·7	18·4	22·4	24·9	21·3	23·1	22·3	22·7	23·6	23·5	22·1	19·7	24·4	20·9	18·3	19·3	18·1	15·6
AGES — Under 1 year, ...	33	28	37	31	23	33	31	29	27	27	34	38	36	33	31	29	30	37	37	20	44	33	24	34	26	25
AGES — 1-5 years, ...	21	28	21	20	21	21	16	27	15	21	33	34	27	20	36	35	47	43	45	54	47	45	33	29	32	23
AGES — 5-20 years, ...	14	2	8	13	12	11	14	16	7	18	19	15	14	21	12	15	15	15	14	12	15	16	13	12	7	17
AGES — 20-40 years, ...	22	30	18	26	19	29	26	18	19	16	21	32	14	24	25	30	28	26	26	25	20	17	18	25	20	19
AGES — 40-60 years, ...	21	30	42	31	36	37	40	35	28	22	27	24	29	41	30	30	29	28	27	16	23	20	21	20	25	17
AGES — 60 years and upwards, ..	40	47	46	35	29	34	35	38	29	34	34	44	40	34	33	31	28	27	17	21	34	26	28	25	26	16
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	1	.	1	1	5	3	6	11	17	8	20	19	23	44	33	38	38	49	36	25	24	20	21
Scarlet Fever, ...	.	.	2	.	1	.	.	2	.	2	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	18	19	15	17	14	11	12	12	10	6	12	5	8	4	4	6	4	5	7	5	4	1	1	2	1	1
Diphtheria, ...	.	.	.	.	1	.	.	.	.	1	1	1	1	1	.	1	.	1	.	1	2	.	.	.	1	1
*Pyrexia** (origin uncertain), ..	.	.	.	.	1	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	1	.	.	1	.	.	1	.	.	1	.	.	1	.	.	1	.	.	.	1	.	1	1	.	.	1
Diarrhœal Diseases, ...	.	2	.	2	.	2	2	.	1	1	.	1	3	1	2	.	.	2	3	1	4	3	1	5	2	5
Pneumonia, ...	16	14	16	11	16	12	10	12	8	14	19	16	19	14	15	26	23	21	18	13	17	17	11	14	17	5
Tuberculous Disease, Phthisis, ..	15	16	15	14	20	23	26	18	10	20	24	27	13	22	20	24	29	14	21	19	24	22	11	11	9	16
Tuberculous Disease, Other Forms, ..	10	8	4	8	7	9	7	9	8	9	12	8	7	9	6	4	6	13	8	5	3	9	8	9	11	5
Cancer, Malignant Disease, ..	4	8	7	6	5	3	5	9	10	4	8	10	2	6	8	8	7	3	4	4	6	4	9	3	6	9
Diseases of Respiratory System,	29	28	40	19	21	24	22	24	16	16	21	22	30	15	21	14	17	14	18	17	14	16	7	7	15	6
Violent Deaths, ...	7	2	2	5	3	10	9	5	3	.	4	.	2	4	3	4	1	1	5	1	.	4	.	4	2	.
Number of Uncertified Deaths, ..	3	2	1	5	2	2	1	1	1	2	1	1	1	3	1	2	1	.	3	1	2	.	2	3	3	3

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	July 23,	2,175	962	10·3	.	36	5	8	27	2*a*	18
EDINBURGH, ...	360,276	„ 23,	125	84	12·2	.	1	2	1	1	1*a*	2
GLASGOW,... ...	884,505	„ 23,	444	208*c*	12·3	.	2	3	4	10	3*a*	13
CALCUTTA, ...	1,009,008	June 18,	.	373	19·2	1	1	.	1	.	106‡	57*
BOMBAY, ...	977,822	„ 21,	395	556	29·6	14	6	.	.	.	119‡	45*
MADRAS, ...	509,346	„ 3,	407	376	38·3	1	1	?	?	?	112	70*
CAIRO, ...	677,663	„ 17,	605	727	55·9	2	49	2	8	.	6*a*	210*b*
PARIS, ...	2,760,000	„ 18,	887	824	15·6	.	23	2	6†	11	2*a*	18*b*
BRUSSELS,.. ...	720,030	July 2,	230	166	12·0	.	1	1	1†	.	1	18
ANTWERP,... ...	317,171	„ 2,	132	57	9·4	.	.	.	†	1	.	7*b*
AMSTERDAM, ...	570,104	„ 2,	239	104	9·5	.	.	.	.	1	1*a*	8*b*
COPENHAGEN, ...	450,000	„ 2,	222	111	12·9	.	1	1	.	.	.	8
STOCKHOLM, ...	341,816	„ 2,	176	84	12·8	.	1	.	1†	.	1*a*	4
CHRISTIANIA, ...	240,178	„ 9,	104	60	12·9	.	.	.	.	1	.	1
ST. PETERSBURG, ...	1,620,000	June 18,	823	866	27·9	8	59	12	17	3	10*a*	135
MOSCOW, ...	1,493,600	„ 11,	.	895	31·2	6	18	15	19†	2	14	287
BERLIN, ...	2,119,207	„ 25,	795	502	12·3	.	8	2	13†	6	1	53
HAMBURG, ...	895,804	July 2,	.	205	11·9	.	1	1	4†	2	1	29
BRESLAU, ...	510,705	„ 2,	.	212	21·6	.	.	1	.	2	1	29
MUNICH, ...	576,000	„ 9,	.	173	15·6	.	4	.	2†	2	.	20
VIENNA (with suburbs),	2,107,981	„ 2,	891	601	14·8	.	7	.	6†	11	.	52*b*
BUDA-PESTH, ...	833,703	„ 2,	411	310	19·3	.	6	4	.	4	1*a*	39*b*
PRAGUE and Faubourgs.	497,905	June 18,	193	161	16·8	.	3	1	.	.	.	11*b*
TRIESTE, ...	221,124	„ 25,	133	95	22·4	.	.	.	.	.	.	14*b*
ROME, ...	587,096	May 28,	242	215	19·1	.	17	1	5	2	.	16
VENICE, ...	183,224	July 2,	103	66	18·8	.	.	.	.	.	.	8
NEW YORK, ..	4,711,956	June 25,	2,111	1,425	15·8	.	20	20	37†	3	7*a*	134
PHILADELPHIA, ..	1,598,400	April 23,	.	551	17·9	1	3	2	10†	7	4*a*	22*b*
BOSTON, ...	629,868	July 2,	.	188	15·6	.	.	1	1	.	1	7

* Including 16 deaths from cholera in Calcutta, one in Bombay, and one in Madras.
† Including deaths from croup.
‡ Including 25 deaths from plague in Calcutta and 71 in Bombay.
a Enteric Fever.
b Deaths from diarrhœal diseases and from enteritis of children under two years of age.
c Including one death from cerebro-spinal meningitis.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 23rd July, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	.	.	.	1	.	.	.	1	.	.	4	6
" " 1, West,	.	1	.	.	5	.	1	.	.	.	.	3	10
" " 2,	.	.	.	.	.	.	1	.	.	.	.	5	6
" " 3,	.	8	.	.	3	.	1	.	.	.	.	5	17
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	1	1
South City No. 1,	.	3	.	.	7	.	.	1	9	.	.	7	27
" " 2,	.	.	.	.	.	.	.	.	1	.	.	2	3
" " 3,	.	4	.	.	2	.	.	.	.	.	.	.	6
" " 4,	.	1	.	.	.	.	.	3	.	.	.	3	7
New Kilmainham,	.	1	.	.	.	.	.	.	1	.	.	1	3
Total,	.	19	.	.	18	.	3	4	12	.	.	31	87

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 23rd July, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 23rd July.			
	July 2.	July 9.	July 16	No. admitted.	Discharged.	Died.	No. under treatment close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	4	4	3	.	2	.	1
Scarlet Fever,	82	84	86	18	8	.	96*
Typhus,	2	2	1	.	.	.	1
Diphtheria,	56	52	54	18	8	1	63
Enteric Fever,	36	37	33	2	4	.	31
Pneumonia,	17	15	15	9	6	1	17

* Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 23rd July, 1910 :—

"The weather was of an unsettled type during the greater part of this week. In the course of Sunday and Monday an atmospheric depression which had advanced from the Bay of Biscay to the North of France passed slowly north-eastwards to the Low Countries and finally to the southern Baltic. Clouds and rain, in some instances accompanied by thunderstorms, prevailed along the path of the low-pressure system. But in Scotland and Ireland the weather remained dry, albeit the N.E. winds of the depression blew freshly at times. On the morning of Tuesday the barometer was falling over Iceland, the Atlantic Ocean, Norway, Scotland and Ireland, while it rose over the Bay of Biscay, France, and the South of England. By Wednesday morning a large, though not deep, depression had formed off the S.W. of Iceland and was spreading thence to the British Isles. Copious falls of rain took place in all districts, particularly over Ireland, Wales, and the N.W. of England—at Liverpool ·92 inch was measured on Thursday morning, at Holyhead ·86 inch, and at Donaghadee ·81 inch. The depression increased in depth until Friday morning, when the barometer was down to 29·26 inches at Malin Head in Donegal. Gradients for S.W. to W. winds thus became steep over Ireland and England, and so the weather was very blustering, while heavy pelting showers of rain swept across the country at frequent intervals on Friday. A rapid rise of the barometer followed and Saturday proved fine, though cloudy and cool with a moderate N.N.W. wind. In Dublin the mean height of the barometer was 29·831 inches, the range of pressure being from 30·074 inches at 9 p.m. of Monday (wind, calm) to 29·442 inches at 9 a.m. of Friday (wind, W.S.W.). The corrected mean temperature was 58·3°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 57·8°. The screened thermometers fell to 51·0° on Monday and rose to 67·5° on Thursday. The prevalent winds were W. and N.W. Rain fell on 5 days to the amount of ·764 inch, the maximum in 24 hours being ·469 inch on Wednesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·656 inches. The highest reading (29·904) was on Monday at 9 p.m., air calm, and the lowest (29·258) on Friday at 9 a.m., wind S.W.

The mean temperature for the week was 56·9°, being 3·7° below the average for the corresponding period of the 10 years, 1900–1909. The temperature was highest on Thursday and Friday, on which days the thermometer registered 67·1°, and was lowest on Monday, the mercury having fallen to 44·7°. The mean of the Dry Bulb for the week was 56·3° and of the Wet Bulb 53·1°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. The rainfall during the week measured 0·840 inch.

At Greenwich the mean temperature for the week was 59·2°, the maximum 73·2°, and the minimum 47·9°; and at Edinburgh the maximum was 64·3°, the minimum 48·1°, and the mean 55·1°. The rainfall at Greenwich measured 1·22 ins., and at Edinburgh 0·68 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY	BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind	
	Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Maximum.	Minimum.	Mean	Dry Bulb.	Wet Bulb.	Degree of Humidity. complete saturation =1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) In		
Sunday, July 17,	29·830	59·7	51·8	55·8	53·7	51·3	·85	·5	0·8	·000	E.N.E.	Calm.
Monday, „ 18,	29·898	62·5	44·7	53·6	52·3	49·6	·84	·3	11·4	·000	N.N.E.	Calm.
Tuesday, „ 19,	29·809	62·1	47·0	54·6	57·3	54·8	·84	·3	0·3	·125	Calm.	Calm.
Wednesday, „ 20,	29·525	64·2	49·7	57·0	58·7	55·5	·82	·3	0·0	·610	S.W.	S.W.
Thursday, „ 21,	29·339	67·1	53·8	60·5	58·9	54·7	·75	·5	11·3	·020	W.S.W.	S.W.
Friday, „ 22,	29·359	67·1	53·7	60·4	58·7	55·3	79	·6	11·3	·080	S.W.	W.
Saturday, „ 23,	29·834	60·9	51·8	56·4	54·2	50·4	·76	·5	5·1	·005	N.W.	Calm.
Mean, . . .	29·656	63·4	50·4	56·9	56·3	53·1	·81	·4	Total 40·2	Total ·840	—	

Sunday—Day overcast and cloudy; night clear. *Monday*—Day bright to cloudy, fine; night cloudy. *Tuesday*—Day overcast: night overcast and cloudy at intervals, heavy rain a.m. *Wednesday*—Day overcast, rain a.m. and p.m.; night overcast and cloudy, rain 9.0 p.m. to 2.0 a.m. *Thursday*—Day bright, cloudy and light showers at intervals; night clear. *Friday*—Day cloudy and showery; night cloudy. *Saturday*—Day cloudy, light showers; night cloudy.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, July 23rd, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperatures in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m	Rainfall.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
	°	°	°	°	°	°	hrs.	ins.
Sunday, July 17,	56·1	60·5	56·7	59·8	53·9	56·8	0·7	0·00
Monday, „ 18,	57·0	59·3	57·5	62·7	49·5	56·1	9·9	0·00
Tuesday, „ 19,	58·8	59·8	57·3	62·8	51·6	57·2	0·0	0·15
Wednesday, „ 20,	59·5	59·9	57·2	67·0	54·0	60·5	0·0	0·47
Thursday, „ 21	62·8	60·2	57·2	70·3	53·9	62·1	10·0	0·01
Friday, „ 22,	63·0	60·5	57·2	66·1	54·5	60·3	8·3	0·17
Saturday, „ 23,	57·2	60·5	57·2	61·8	54·0	57·9	3·8	0·02
Weekly Mean,	59·2	60·1	57·2	64·4	53·1	58·7	Total 32·7	Total 0·82

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

29356. Wt. P. 1—80/137, 375. 4. 1910. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 30TH JULY, 1910. [No. 30.

General Register Office, Charlemont House, Dublin, 2nd August, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 16·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending				Average Rate for 4 weeks.	TOWNS, &c.	Week ending				Average Rate for 4 weeks.
	July 9.	July 16.	July 23.	July 30.			July 9.	July 16.	July 23.	July 30.	
22 Town Districts.	**17·0**	**15·7**	**16·3**	**16·2**	**16·3**	Limerick, . . .	10·9	12·3	13·7	17·8	13·7
						Lisburn, . . .	13·6	9·1	22·7	22·7	17·0
Armagh, . . .	20·6	20·6	20·6	13·7	18·9	Londonderry, . .	20·4	6·0	8·4	22·8	14·4
Ballymena, . . .	19·2	23·9	19·2	4·8	16·8	Lurgan, . . .	8·9	8·9	8·9	13·3	10·0
Belfast, ...	19·3	18·1	15·6	18·0	17·7	Newry, . . .	12·6	25·2	4·2	4·2	11·6
Clonmel, . . .	10·3	20·5	15·4	20·5	16·7	Newtownards, . .	17·2	11·4	17·2	17·2	15·8
Cork, ...	13·0	18·5	19·9	16·4	16·9	Portadown, . .	10·3	5·2	20·7	25·8	15·5
Drogheda, . . .	16·3	4·1	20·4	8·2	12·3	Queenstown, . .	26·4	6·6	6·6	13·2	13·2
Dublin Reg. Area, .	16·8	14·8	17·2	15·5	16·1	Sligo, ...	9·6	19·2	9·6	9·6	12·0
Dundalk, . .	16·0	19·9	4·0	.	10·0	Tralee, . . .	15·9	21·1	15·9	.	13·2
Galway, . . .	19·4	15·5	23·3	11·7	17·5	Waterford, . . .	15·6	19·5	19·5	19·5	18·5
Kilkenny, . . .	14·7	.	24·6	9·8	12·3	Wexford, . .	9·3	9·3	23·3	9·3	12·8

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·4 per 1,000, the rates varying from 0·0 in seventeen of the districts to 5·2 in Portadown, the 5 deaths from all causes for that district including one from diarrhœa. Among the 135 deaths from all causes for Belfast are 8 from measles, one from typhus, one from diphtheria, 2 from enteric fever, and 6 from diarrhœal diseases. Of the 24 deaths from all causes for Cork, one is from diphtheria and one from enteric fever, and of the 19 deaths from all causes for Londonderry one is from measles, and 2 are from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 243—127 boys and 116 girls—and the deaths to 127—65 males and 62 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, represent an annual rate of 15·5 per 1,000 of

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*), Table II. ‡ See columns 10-18 of Table II.

the population, the rate for the total deaths registered in the Area being 16·4 per 1,000. During the thirty weeks, ending with Saturday last, the death-rate averaged 21·8 and was 3·1 below the mean rate for the corresponding portions of the ten years 1900–9.

There were 3 deaths from scarlet fever, 5 deaths from diphtheria,* and 2 deaths from enteric fever* included in the total deaths from all causes registered. In each of the 3 weeks preceding, deaths from scarlet fever were 0, one, and 3; deaths from diphtheria were 2, one, and 0; and deaths from enteric fever were 0, one, and 2. The deaths of 4 children under 1 year of age were attributed to enteritis.

Broncho-pneumonia caused 4 deaths, and *pneumonia* (not defined) one death.

Of 26 deaths from tuberculous disease, 17 were from tuberculous phthisis (*phthisis*), 4 were from tuberculous meningitis, there was one death from each of tuberculous peritonitis and *tabes mesenterica*, and 3 deaths resulted from other forms of the disease. In each of the 3 preceding weeks deaths from tuberculous disease were 18, 27, and 14.

The deaths from malignant disease include 4 from carcinoma, 2 from sarcoma, and 4 from cancer, malignant disease (undefined).

Three deaths of infants were due to prematurity.

The deaths from diseases of the brain and nervous system include those of 3 infants from *convulsions*.

Diseases of the heart and blood vessels caused 23 deaths, and 10 deaths were from bronchitis.

There were 3 deaths from accidental causes, including one death by a car accident, and one death by drowning, and 2 deaths were attributed to suicide.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 5 infants under one year of age, and the deaths of 2 persons aged 60 years and upwards.

Thirty-one of the persons whose deaths were registered during the week were under 5 years of age (17 being infants under one year, of whom 8 were under one month old) and 35 were aged 60 years and upwards, including 20 persons aged 70 and upwards, of whom 2 were octogenarians.

Fifty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 9 took place in the North Dublin Union Workhouse and 18 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 15·5 per 1,000; the rate in the City was 16·1 (North City Districts, 15·4; South, 16·9) and in the Suburbs, 13·5.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·0 per 1,000 inhabitants, the rate for the City being 1·2 (1·6 in the North City Districts, and 0·7 in the South), and for the Suburbs, 0·6.

No. 1 North City District, East (Clarence-street, North).—The deaths (9) are equal to an annual rate of 15·7 per 1,000, and include one death from scarlet fever, one death from broncho-pneumonia, 3 deaths from tuberculous phthisis (*phthisis*), and 2 deaths from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (17) are equal to an annual rate of 22·2 per 1,000. Among the deaths were 2 from *phthisis*, one from broncho-pneumonia, one from bronchitis, one accidental and one suicidal death.

No. 2 North City District (Lisburn-street).—The deaths (5) are equivalent to an annual rate of 8·5 per 1,000. Diphtheria caused one death, there was one death from *phthisis* and one death from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (13) represent an annual rate of 20·2 per 1,000. The deaths include 3 from diphtheria and 3 from tuberculous disease.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants; Coolock and Drumcondra, part of, 4·5; and Finglas and Glasnevin, part of, 6·8. The one death for Clontarf and Howth, No. 1, part of, was by suicide, and the one death for Finglas and Glasnevin was from tuberculous meningitis.

No. 1 South City District (South Earl-street).—The deaths (16) represent an annual rate of 20·1 per 1,000. There was one death from scarlet fever, there were 3 deaths from tuberculous disease and one death from *pneumonia* (not defined), one death from bronchitis, and one accidental death.

No. 2 South City District (Castle-street).—The deaths (5) are equal to an annual rate of 12·0 per 1,000. *Phthisis* and broncho-pneumonia each caused one death.

No. 3 South City District (Peter-street).—The deaths (15) are equal to an annual rate of 18·1 per 1,000. Scarlet fever caused one death, there were 4 deaths from tuberculous disease, one death from broncho-pneumonia, and 2 deaths from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (11) are equivalent to an annual rate of 16·0 per 1,000, and include one death from tuberculous meningitis, 2 deaths from bronchitis, and one death attributed to drowning.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·5 per 1,000. Of 2 deaths registered one was from tuberculous meningitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 7·0; Pembroke, 19·8; Blackrock, 11·6; and Kingstown, 17·8. The only death from any of the principal epidemic diseases tabulated for these districts is one from enteric fever for Pembroke. Among the 5 deaths from all causes for Rathmines and Rathgar are 2 from diseases of the respiratory system. Of the 11 deaths from all causes for Pembroke 3 are from tuberculous disease. One of the 2 deaths for Blackrock is from *phthisis*; and of the 6 deaths from all causes for Kingstown one is from tuberculous phthisis.

* See note (*c*) at foot of Table II. † See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 30th July, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	July 9,	.	—	—	9	.	.	9	.	.	11	7	.	—	—	.	—	23	—	59
	July 16,	.	—	—	28	.	.	5	.		5	15	.	—	—	.	—	21	—	74
	July 23,	.	—	—	19	.	.	18	.	3	4	12	.	—	—	.	—	31	—	87
	July 30,	.	—	—	17	1	.	10	.	.	4	7	.	—	—	.	—	21	—	60
Rathmines and Rathgar Urban District.	July 9,	.	—	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	—	3
	July 16,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	—	2
	July 23,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
	July 30,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	—	1
Pembroke Urban District.	July 9,	.	.	1	1	.	.	.	.	.	.	.	.	—	1	.	—	.	—	3
	July 16,	.	.	1	1	.	.	1	.	.	.	.	.	—	3	.	—	.	—	6
	July 23,	.	.	.	.	.	.	1	.	.	1	1	.	—	.	.	—	2	—	5
	July 30,	.	.	.	.	.	.	.	.	.	1	.	.	—	.	.	—	.	—	1
Blackrock Urban District.	July 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	July 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	July 23,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	.	—	—	—	2
	July 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	July 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 16,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	July 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 30,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	.	—	1
City of Belfast.	July 9,	.	—	—	5	.	.	5	.	.	1	1	.	—	—	—	—	18	—	30
	July 16,	.	—	—	2	.	.	5	.	.	2	7	.	—	—	—	—	15	—	31
	July 23,	.	—	—	4	1	.	2	.	.	2	2	.	—	—	—	—	18	—	29
	July 30,	.	—	—	10	.	.	5	.	.	2	3	.	—	—	—	—	17	—	37

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 30th July, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

One case of measles was discharged from hospital during the week, and no case remained under treatment at its close.

Nineteen cases of scarlet fever were admitted to hospital, 14 were discharged, there were 2 deaths, and 99* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 84, 86, and 96, respectively.

One case of typhus was admitted to hospital during the week, and 2 cases remained under treatment at its close.

Eleven cases of diphtheria were admitted to hospital, 16 were discharged, there was one death, and 57 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 52, 54, and 63, respectively.

Seven cases of enteric fever were admitted to hospital during the week, 6 were discharged, there was one death, and 31 cases remained under treatment in hospital at the close of the week.

In addition to the above named diseases, 4 cases of pneumonia were admitted to hospital, 4 were discharged, there was one death, and 16 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns, including London (in which the rate was 10·2) was equal to an average annual death-rate of 11·3 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 12·7 per 1,000, the rate for Glasgow being 13·9 and for Edinburgh 11·3.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 30th July. From this Report it appears that of a total of 53 cases notified, 27 were scarlet fever, 15 phthisis, 6 diphtheria, 3 erysipelas and 2 enteric fever. Among the 309 cases of infectious diseases in hospital at the close of the week were 157 cases of scarlet fever, 52 of phthisis, 35 of diphtheria, 33 of measles, 8 of whooping-cough, 7 of enteric fever, 7 of chicken-pox, and 6 of erysipelas.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 30th July, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 30TH JULY, 1910.																							METEOROLOGY. (d)									
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 30TH JULY, 1910.				WEEK ENDING 23RD JULY, 1910.				WEEK ENDING 16TH JULY, 1910.			
	POPULATION.		DEATHS.			BIRTHS.	DEATHS.																			Air Temperature				Air Temperature				Air Temperature			
	Total.a	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10–18.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by																Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
										Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.										
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·8	28·3	16·2	1·4	626	358	70	98	.	9	8	1	.	6	.	4	9	16	47	24	18	43	7	12	113	18	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—TOTAL, c.	402,928	29·3	31·4	15·5	1·0	243	120	16	34	.	.	3	.	.	4	.	1	.	5	16	9	9	11	5	6	52	7	e71·3	46·9	57·8	0·36	e67·1	44·7	56·9	0·84	e72·6	40·5	57·1	0·00
CITY of DUBLIN,	310,298	39·2	36·3	16·1	1·2	216	96	15	25	.	.	3	.	.	4	.	.	.	5	12	8	8	9	5	5	45	7	f72·2 g72·9	48·3 48·0	58·6 58·5	0·56 0·41	f67·5 g67·9	51·0 48·0	58·3 57·8	0·76 0·77	f71·2 g78·9	49·1 44·0	59·9 58·8	0·00 0·00
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	18·3	7·0	.	18	5	1	8	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Urban Dists. PEMBROKE,	28,948	18·2	12·6	19·8	1·8	7	11	.	2	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Urban Dists. BLACKROCK,	9,018	8·3	11·6	11·6	.	2	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Urban Dists. KINGSTOWN,	17,622	12·1	14·8	17·8	.	5	6	.	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	68	49	58·6	0·51	63	49	53·4	0·38	69	48	59·7	0·00
URBAN DISTRICTS.																																						
BELFAST,	391,167	26·6	28·5	18·0	2·4	214	185	35	28	.	8	.	1	.	1	.	2	6	8	15	7	7	16	1	4	32	1	70·0	46·0	55·5	1·86	66·0	48·0	57·3	1·26	75·0	47·0	59·9	0·00
CORK,	76,122	33·6	18·5	16·4	1·4	27	24	2	9	.	.	.	.	.	.	.	1	.	1	4	1	1	8	.	.	11	1	62	49	56·4	0·92	69	53	59·1	0·52	72	51	59·0	0·00
LONDONDERRY,	48,477	20·1	39·6	22·8	3·6	33	19	6	4	.	1	.	.	.	.	.	.	2	1	6	2	.	.	.	.	3	3	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	39·6	17·8	.	29	18	4	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	5	1	70·2	48·4	58·2	1·06	67·3	48·1	57·6	1·6	79·2	45·7	61·3	0·01
WATERFORD,	26,769	18·7	23·4	19·5	.	12	10	4	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	1	4	1	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	25	23·3	11·7	.	6	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	68	46	58	2·94	68	49	59	0·69	85	50	66	0·00
DUNDALK	18,076	9·4	16·0	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	8·2	8·2	.	2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	18,405	17·8	16·8	4·2	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	72·0	47·0	57·7	0·98	66·5	44·5	57·1	1·00	76·5	46·2	60·0	0·00
LURGAN,	11,782	13·8	35·4	13·8	.	8	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	72·0	47·0	57·7	0·98	66·5	44·5	57·1	1·00	76·5	46·2	60·0	0·00
LISBURN,	11,481	10·1	18·6	22·7	.	8	5	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	72·0	47·0	57·7	0·98	66·5	44·5	57·1	1·00	76·5	46·2	60·0	0·00
WEXFORD,	11,168	23·2	18·7	9·8	.	4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,666	8·9	9·6	4·8	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,672	8·7	19·2	9·6	.	4	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	72·0	44·6	56·7	2·96	66·9	42·5	55·5	1·25	78·8	41·9	60·8	0·00
KILKENNY,	10,609	11·5	.	9·8	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	70	47	58·0	1·07	68	49	58·6	0·85	75	46	60·7	0·02
CLONMEL,	10,167	7·8	10·3	20·5	.	2	4	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,099	18·2	36·2	25·8	5·2	7	5	1	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	72·0	47·0	57·7	0·98	66·5	44·5	57·1	1·00	76·5	46·2	60·0	0·00
TRALEE,	9,867	16·6	26·4	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	45·8	17·2	.	8	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
QUEENSTOWN,	7,909	14·4	6·6	18·2	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1	.	65	45	55·6	1·80	64	49	55·9	0·94	68	49	56·6	0·00
ARMAGH,	7,588	22·2	55·0	18·7	.	8	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	62	49	56·4	0·92	69	53	59·1	0·52	72	51	59·0	0·00
																												72·0	47·0	57·7	0·98	66·5	44·5	57·1	1·00	76·5	46·2	60·0	0·00

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (b) Formerly described as "Simple Continued Fever." (c) Exclusive of 7 deaths of persons (including one under one year old and one at 63 years, admitted to hospital from localities outside the Area; of the 7 deaths one was from diphtheria and one from enteric fever. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The figures for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 30th July, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF					
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	1	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	3	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	4	1
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1
Diarrhœal Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia,	1	1	.	.	.	.	.	1	1	1	.	.	.	.	.	.	5	.
Tuberculous Disease. } Phthisis,	3	2	1	2	.	.	.	2	1	1	.	.	.	2	1	1	16	1
} Other Forms,	.	.	.	1	.	.	1	1	.	3	1	1	.	1	.	.	9	.
Cancer, Malignant Disease,	1	.	.	2	.	.	.	2	.	1	2	.	.	.	.	1	9	1
Other General Diseases,	.	2	1	1	.	1	.	1	.	1	1	.	.	1	.	1	10	1
Total,	6	5	3	9	.	1	1	8	2	8	4	1	.	5	1	3	57	5
B. LOCAL DISEASES:																		
Diseases of Nervous System,	.	2	.	1	.	.	.	2	.	1	1	1	.	3	.	.	11	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Heart and Blood Vessels,	1	4	1	1	.	.	.	2	2	3	1	.	2	3	.	2	22	1
Diseases of Respiratory System,	2	1	1	.	.	.	.	1	.	2	2	.	2	.	.	.	11	1
Diseases of Digestive System,	.	1	.	.	.	.	.	.	.	1	2	.	1	.	.	.	5	.
Diseases of Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	1	.	1	.	.	.	.	1	.	.	.	.	.	.	1	4	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	3	9	2	3	.	.	.	5	3	7	6	1	5	6	.	3	53	2
C. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	1	.	1	.	.	.	2	.	.	.	.	.	.	1	.	5	.
E. VIOLENT DEATHS,	.	2	.	.	1	.	.	1	.	.	1	.	.	.	.	.	5	.
Deaths from all Causes	9	17	5	13	1	1	1	16	5	15	11	2	5	11	2	6	120	7
Annual Rate of Mortality from all causes in every 1,000 of the population.	15·7	22·2	8·5	20·2	9·7	4·5	6·8	20·1	12·0	18·1	16·0	11·5	7·0	19·8	11·3	17·8	15·5	.
	15·4							16·9					13·5					
	16·1																	
Ages at Death. Under 1 year,	1	3	.	1	.	1	.	3	.	3	2	1	1	.	.	.	16	1
Ages at Death. 1 and under 5 years,	1	3	1	3	.	.	.	1	1	3	.	.	.	.	.	.	13	1
Ages at Death. 5 „ 20 „	.	2	.	1	.	.	1	3	.	3	2	1	.	3	.	.	16	2
Ages at Death. 20 „ 40 „	3	2	.	3	.	.	.	.	1	1	.	.	.	1	.	.	11	2
Ages at Death. 40 „ 60 „	1	3	1	2	1	.	.	5	2	1	4	.	1	5	1	3	30	.
Ages at Death. 60 years and upwards,	3	4	3	3	.	.	.	4	1	4	3	.	3	2	1	3	34	1
Number of Uncertified Deaths,	.	2	.	1	.	.	.	1	.	2	1	.	.	.	.	.	7	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	4	1	4	1	.	.	3	2	3	1	1	.	3	1	.	25	7
Workhouse Hospitals,	1	3	2	3	.	.	.	4	2	4	5	.	2	1	.	.	27	.

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in the week of the ten years 1900–1909,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Averages in 30th Week of the 10 years, 1900–1909.	In the Week ending Saturday, 30th July, 1910.							
	July 28, 1900.	July 27, 1901.	July 26, 1902.	Aug. 1, 1903.	July 30, 1904.	July 29, 1905.	July 28, 1906.	July 27, 1907.	July 25, 1908.	July 31, 1909.		Deaths of Persons of the Ages of							
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
													Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 63·8	° 59·2	° 54·0	° 55·4	° 60·2	° 60·2	° 60·6	° 59·4	° 59·6	° 55·6	° 58·8	Mean Temp. ° 57·8								
ALL CAUSES.	129	155	150	141	136	157	149	166	142	143	146·8	127	8	9	14	18	13	30	33	2
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	.	8	1	4	1	2	3	5	4	2·8	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	1	.	.	.	2	.	1	1	·5	3	.	.	2	1	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	3	.	.	.	.	.	2	1	.	·6	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	4	1	.	2	.	2	4	.	4	1·7	.	.	.	.	.	.	.	.	.
Diphtheria,	1	1	1	.	1	.	.	.	2	1	·7	5	.	.	4	1	.	.	.	.
Cerebro-spinal Fever,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	1	1	1	1	.	1	1	.	·6	2	.	.	.	.	1	1	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.),	4	21	.	1	1	7	4	2	2	2	8·5	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,			3	3	4	13	6	2	7	3		.	.	.	.	.	.	.		
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	.	.	.	1	2	.	.	2	1	·6	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*,	.	.	.	.	2	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
Infective Endocarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	8	8	4	3	1	1	1	.	.	.	8·7	4	.	1	3	.	.	.	.	.
Broncho-Epidemic			2	6	4	.	7	2	3	7		.	.	.	.	.	.	.	.	.
Not defined,					8	3	5	6	3	5		1	.	.	.	.	1	.	.	.
Erysipelas,	1	1	.	1	.	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	.	1	.	1	.	.	1	1	1	.	·5	1	.	.	1	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	1	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*,"	19	26	18	6 17	2 13	8 10	9 10	8 13	7 8	11 3	18·8	6 11	.	.	.	1 4	3 4	2 2	. 1	. .
Tuberculous Meningitis,	2	2	.	3	5	.	6	5	2	3	2·8	4	.	.	.	4	.	.	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*,	3	3	2	2	.	.	2	2 2	1	.	1·7	1 1	.	1	.	1	.	.	.	.
Tuberculous Dis. (other), *Scrofula*,	1	1	2	3	4	2	5	5	7	6	3·6	3	1	.	.	1	1	.	.	.
Alcoholism,	.	1	2	.	.	2	2	2	1	.	1·0	2	.	.	.	.	.	2	.	.
Rheumatic Fever,	2	.	3	.	.	.	.	1	1	.	·7	1	.	.	.	.	.	1	.	.
Gout,	1	1	.	.	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
Carcinoma,	7	5	.	3	1	3	3	4	2	3	7·8	4	.	.	.	.	.	.	4	.
Sarcoma,			.	.	.	2	1	.	.	.		2	.	.	.	1	.	.	1	.
Cancer (undefined)			6	5	9	2	5	4	7	6		4	.	.	.	.	3	1	.	.
Diabetes Mellitus,	.	.	1	1	2	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Premature Birth,	1	1	3	10	3	4	2	6	1	5	3·6	3	3	.	.	.	.	.	.	.

* The figures for the year 1900 are for

† Formerly described as

THIRTIETH WEEK ending Saturday, 30th July, 1910, with the deaths from each cause in the corresponding and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 30th Week of the 10 years 1900–1909.	In the Week ending Saturday, 30th July, 1910.							
	July 28, 1900.	July 27, 1901.	July 26, 1902.	Aug. 1, 1903.	July 30, 1904.	July 29, 1905.	July 28, 1906.	July 27, 1907.	July 25, 1908.	July 31, 1909.		Deaths of Persons of the Ages of							
												ALL AGES.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 63·8	° 59·2	° 54·0	° 55·4	° 60·2	° 60·2	° 60·6	° 59·4	° 59·6	° 55·6	° 58·8	° 57·8								
Meningitis (not tuberc.)			4	3	3	5	5	2	3	3		5	.	1	2	2	.	.	.	.
Insanity, G. P. of Insane			2	1	.	1	2	.	1	.		2	.	.	.	.	.	1	1	.
Epilepsy			.	.	.	.	1	1	1	.		.	.	.	.	.	.	.	.	.
Convulsions			4	9	6	10	2	4	3	3		3	1	2	.	.	.	.	.	.
Locomotor Ataxy			.	.	.	.	1	1	.	.		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord			1	1	.	1	1	1	.	2		.	.	.	.	.	.	.	.	.
Nervous System (other Dis.)			4	.	3	3	1	4	.	1		1	.	.	.	.	.	1	.	.
	30	35									34·6									
Valv. Dis., Endocarditis			2	3	5	5	9	5	7	5		7	.	.	.	1	.	2	4	.
Cerebr. Hæm. Thromb.			1	.	1	1	.	2	5	2		4	1	.	.	.	.	1	2	.
Apoplexy, Hemiplegia			4	3	2	5	2	4	5	5		3	.	.	.	.	.	2	1	.
Aneurysm			.	.	1	.	.	1	.	.		.	.	.	.	.	.	.	.	.
Embolism, Thromb. (not cerebral)			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Heart and Blood Vessels (other Dis.)			11	12	11	14	8	12	12	13		9	.	.	.	.	.	1	8	.
Croup (not Spasm. nor Memb.)	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Bronchitis	15	10	9	6	10	11	13	16	11	7	10·8	10	.	1	.	.	.	3	5	1
Asthma, Emphysema			.	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
Pleurisy	.	1	.	.	.	.	.	1	.	.	·9	1	.	.	.	.	.	.	1	.
Respiratory Dis. (other)			2	.	1	1	.	.	.	2		1	.	.	.	1	.	.	.	.
Tonsillitis, Quinsy	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.)	1	.	1	1	1	5	1	.	2	1	2·1	4	.	2	2	.	.	.	.	.
Gastro-enteritis			.	1	4	3	.	.	.	.		.	.	.	.	.	.	.	.	.
Peritonitis (not Puerp.)	2	1	.	.	.	1	.	.	2	1	·7	.	.	.	.	.	.	1	.	.
Cirrhosis of Liver	2	1	3	.	1	.	1	3	.	2	1·7	1	.	.	.	.	.	.	.	.
Liver Dis. (other)			2	.	1	.	1	.	.	.		.	.	.	.	.	.	.	.	.
Digestive Dis. (other)	2	2	8	6	2	7	2	8	3	4	4·4	.	.	.	.	.	.	.	.	.
Nephritis, Acute			4	4	1	2	.	2	1	3		2	.	.	.	1	1	.	.	.
Bright's Dis., Albuminuria	1	4	3	1	1	1	2	3	4	3	4·6	1	.	.	.	.	.	1	.	.
Urinary Sys. (other Dis.)			1	.	3	.	.	1	1	.		1	.	.	.	.	1	.	.	.
Generative Organs Dis.	.	1	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Childbirth (Accid. of)	.	.	1	.	.	1	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
Old Age	9	5	10	2	6	5	6	1	1	3	4·2	3	.	.	.	.	.	2	1	
Other Diseases	13	12	13	15	6	8	10	13	10	11	11·1	6	2	1	.	.	.	1	2	.
ACCIDENT.																				
By Railways	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
By Vehicles and Horses	.	.	.	.	.	.	.	1	.	.	·1	1	.	.	.	.	.	1	.	.
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
In Building Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	.	.	1	.	.	.	1	1	1	.	·4	.	.	.	.	.	.	.	.	.
By Drowning	1	.	1	4	2	1	2	.	.	1	1·2	1	.	.	.	.	.	1	.	.
By Suffocation in Bed	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	1	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Other Deaths by Accident	2	3	.	1	1	2	1	2	1	4	1·7	1	.	.	.	.	.	1	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	1	1	.	.
Suicide	.	.	.	1	.	1	.	.	.	.	·2	2	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

the Registration Area as then constituted.
"Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910—Week ending																									
	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.
No. of weeks in Annual Series,	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
BIRTHS registered.	252	220	197	224	206	247	162	242	218	255	217	221	246	230	241	181	242	253	268	272	183	228	229	272	225	243
*Average Births in corresponding week of previous 10 years,** ..	234	212	210	213	214	219	217	211	235	190	207	224	195	270	229	211	202	232	222	199	225	237	200	198	204	215
DEATHS registered, ...	239	217	211	228	208	204	149	185	168	186	138	200	198	186	180	131	160	135	133	140	130	127	143	118	144	127
Annual Death-rate per 1,000, ..	30·9	28·1	27·3	29·5	26·9	26·4	19·3	23·9	21·7	24·1	23·7	25·9	25·6	17·6	23·3	17·0	20·7	17·5	17·2	18·1	16·8	16·4	18·5	15·3	18·6	16·4
*Average Deaths in corresponding week of previous 10 years,**	200	196	207	221	221	214	200	206	211	200	200	197	189	184	178	174	171	157	154	152	147	136	138	142	146	147
AGES, Under 5 years, ...	76	58	67	67	57	58	30	52	44	44	37	49	46	36	38	37	39	31	37	25	27	31	50	29	48	31
5—20 ,, ...	11	9	9	16	8	12	11	12	18	9	11	15	18	6	16	7	10	13	10	13	9	11	11	10	8	18
20—40 ,, ...	27	25	19	22	33	28	21	34	18	26	24	33	29	26	34	20	25	26	22	27	32	23	24	17	17	13
40—60 ,, ...	54	42	38	42	40	34	35	35	32	43	38	35	43	25	32	28	40	27	29	35	31	23	25	27	29	30
60—80 ,, ...	64	62	66	69	57	65	41	42	45	53	57	59	46	40	50	36	42	33	24	38	28	33	23	34	34	33
80 years and upwards, ..	7	21	12	12	13	12	11	10	16	11	16	9	11	8	10	3	4	5	7	3	2	6	10	1	3	2
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	3	3
Scarlet Fever, ...	.	1	2	1	1	.	1	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Whooping-cough, ...	2	4	1	.	3	2	1	2	1	.	2	5	4	1	1	1	.	2	1	2	1	3	.	1	1	.
Diphtheria, ...	3	2	.	2	.	1	1	1	.	1	.	1	.	.	.	.	.	.	.	.	.	1	2	1	.	5
Pyrexia † (origin uncertain), ..	.	.	1	.	.	.	.	.	.	.	.	.	2	1	3	.	1	.	.	2	.	.	.	.	2	2
Enteric Fever, ...	.	.	.	1	2	.	1	1	4	1	1	.	2	1	3	.	1	.	.	2	.	.	.	1	2	2
Diarrhœal Diseases, ...	4	6	2	3	3	4	2	3	.	4	2	2	1	2	1	5	2	1	3	1	1	1	6	3	5	.
Influenza, ...	4	3	2	2	5	6	7	6	6	3	5	2	3	1	3	2	.	.	.	1	.	2	.	.	1	.
Pneumonia, ...	20	17	20	22	17	20	12	14	14	17	13	20	17	8	14	13	8	8	10	7	10	3	8	7	9	5
Tuberculous Disease, {Phthisis,	26	19	19	23	23	26	15	26	14	21	22	31	25	14	31	15	14	17	15	22	24	23	11	19	11	17
Disease, {Other Forms, ..	17	10	14	13	10	12	10	10	4	10	9	18	12	11	9	9	11	15	7	15	10	14	7	8	3	9
Cancer, Malignant Disease, ..	19	10	8	14	9	13	5	6	14	7	10	11	11	6	10	3	10	10	6	7	10	10	8	5	11	10
Diseases of Heart and Blood Vessels, ...	39	38	40	31	27	25	30	20	30	37	28	37	31	21	25	20	29	21	21	25	16	23	26	17	22	28
Diseases of Respiratory System,	43	55	41	41	39	35	26	36	28	38	39	22	25	17	27	16	18	13	17	11	15	7	11	13	14	12
Violent Deaths, ...	5	1	6	6	5	3	1	2	5	5	3	3	4	6	11	2	3	6	7	7	1	2	9	3	3	5
Number of Uncertified Deaths, ..	13	3	7	2	3	5	5	3	4	9	12	3	6	2	2	6	3	3	7	5	6	3	5	.	4	7
Mean Temperature of the Air (Phœnix Park), ...	38·1	43·7	49·3	39·2	44·0	43·6	39·8	43·4	39·7	41·7	43·0	49·6	43·6	46·1	44·7	51·4	55·1	50·6	57·8	56·4	58·1	54·7	55·5	57·1	56·9	57·8
Average Mean Temperature in corresponding week of previous 10 years, ...	40·0	38·9	38·9	40·1	40·1	41·1	42·9	41·9	42·1	44·2	43·4	45·1	46·6	46·9	43·5	48·6	50·5	53·9	53·3	53·7	55·3	56·6	57·6	58·9	60·6	58·8
Rainfall in inches, ...	·168	·264	1·160	·915	·892	·383	·174	·000	·040	·205	·786	·782	·417	·670	·250	1·268	·185	·693	1·870	·010	1·291	1·780	·660	·000	·840	·355
Mean Humidity of the Air, complete Saturation 1·0	·94	·91	93	·94	·93	·88	·91	·91	·88	·93	93	·91	·82	·77	·81	·90	·88	81	·92	·87	·92	·87	·88	·81	·81	·81

* See note (*) at foot of Table IV.

† Formerly described as "Simple Continued Fever."

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 30th July, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 30TH JULY, 1910. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	CAUSES OF DEATH. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Convulsions.	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS, ...	375,350	17·6	127	31	18	13	30	33	2	.	.	3	.	.	5	.	2	.	10	5	17	9	10	3	14	5	56	7
	CLASSES.																												
	Deaths in Families of the—																												
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	.	.	.	.	.	.	4	1	.	.	.	.	.	1	.	2	.	3	.	.	1	.	.	3	3	8	1
II.	MIDDLE CLASS, ...	87,188	12·6	21	2	2	5	7	4	1	.	.	.	.	.	1	.	2	.	3	.	3	1	.	.	3	3	8	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,423	14·6	31	8	6	3	7	7	.	.	.	1	.	.	1	.	.	.	2	2	5	3	2	1	1	.	15	4
IV.	GENERAL SERVICE CLASS, ...	154,279	16·2	48	17	9	4	9	9	.	.	.	2	.	.	3	.	.	.	5	3	6	4	3	2	2	1	22	2
V.	INMATES OF WORKHOUSES, ...	6,024	—	27	4	1	1	7	13	1	.	.	.	.	.	.	.	.	.	.	.	3	1	5	.	6	1	11	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																												
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	.	.	.	2	1	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,017	18·9	8	1	.	2	2	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	1	3	.
	6. Clerks and Commercial Assistants, ..	30,432	6·9	4	1	1	1	1	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	.	.	2	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,038	11·6	6	.	1	2	2	1	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	2	2	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	2	.
	9. Building and Furnishing Trades, ...	29,801	8·7	5	2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	1	1
	10. Clothing Trades, ...	28,260	6·7	3	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	1
	11. Food Supply Trades, ...	9,242	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,858	32·6	19	2	3	2	5	7	.	.	.	1	.	.	.	.	.	.	1	1	3	.	2	.	1	.	11	2
	13. Petty Shopkeepers, ...	7,894	6·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																												
	14. Army, Police, Postal Delivery, and Prison Services, &c	18,425	19·4	5	1	1	1	1	1	.	.	.	2	.	.	.	.	.	.	2	.	1	.	1	.	.	.	1	.
	15. Domestic Servants, ...	86,603	5·7	4	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,396	25·4	7	2	2	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	6	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	18·6	32	13	6	3	5	5	.	.	.	.	.	.	3	.	.	.	3	3	5	3	2	2	2	1	11	2
V.	INMATES OF WORKHOUSES.																												
	18. Workhouse Inmates, ...	6,024	—	27	4	1	1	7	13	1	.	.	.	.	.	.	.	.	.	.	.	3	1	5	.	6	1	11	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

	DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From Diseases in Cols. 5–18.	TOTAL DEATHS.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of).	North City, No. 1 (E.)	June 11,	26·2	1·7	15		.	.	.	1	.	.	.	.	1	1	.	1	.	1	.
		„ 18,	15·7	3·5	9	.	.	.	.	1	.	.	.	1	.	2	.	1	1	1	.
		„ 25,	13·9	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2
	(*Office*,	July 2,	13·9	1·7	8	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	1
	Clarence-st., Nth.	„ 9,	22·7	.	13	.	.	.	.	.	.	.	.	.	1	4	.	.	1	.	2
		„ 16,	15·7	1·7	9	.	.	.	.	.	.	.	1	.	.	2	.	2	2	.	.
	Pop. in 1910	„ 23,	22·7	1·7	13	.	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.
	(Est.) 29,908.	„ 30,	15·7	1·7	9	.	.	1	.	.	.	.	.	.	1	5	.	1	2	.	.
	North City, No. 1 (W.)	June 11,	28·5	.	18	.	.	.	.	.	.	.	.	.	2	6	.	1	1	1	2
		„ 18,	18·3	1·2	14	.	.	.	.	.	.	.	1	.	1	2	3	.	.	.	.
		„ 25,	18·2	1·2	14	.	.	.	1	.	.	.	.	.	.	4	.	1	2	.	.
	(*Office*,	July 2,	13·0	1·3	10	.	.	.	.	1	.	.	.	.	.	3	1	1	1	.	.
	Summer-hill.)	„ 9,	17·0	.	13	.	.	.	.	.	.	.	.	.	2	1	.	1	.	1	1
		„ 16,	17·0	1·3	13	.	.	.	.	.	1	.	.	.	1	.	2	.	4	.	.
		„ 23,	18·3	2·6	14	.	.	.	.	1	.	.	1	.	.	1	.	.	3	2	.
	Pop. in 1910	„ 30,	22·2	.	17	.	.	.	.	.	.	.	.	.	1	2	.	.	1	2	2
	(Est.) 39,974.																				
	North City, No. 2.	June 11,	11·9	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.
		„ 18,	13·7	.	11	.	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.
		„ 25,	20·4	.	12	.	.	.	.	.	.	.	.	.	2	5	2	1	.	.	.
	(*Office*,	July 2,	17·0	.	10	.	.	.	.	.	.	.	.	.	1	3	1	.	1	.	.
	Lisburn-street.)	„ 9,	28·8	3·4	17	.	.	.	.	.	.	.	.	2	1	1	.	.	3	1	1
		„ 16,	20·4	1·7	12	.	.	.	.	.	.	.	.	1	1	.	.	.	2	1	.
	Pop. in 1910	„ 23,	25·4	5·1	15	.	.	1	.	.	.	.	.	2	.	2	1	.	2	1	1
	(Est.) 30,744.	„ 30,	8·5	1·7	5	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.
	North City, No. 3.	June 11,	17·1	.	11	.	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.
		„ 18,	18·6	.	12	.	.	.	.	.	.	.	.	.	1	2	1	1	1	.	.
		„ 25,	17·1	1·6	11	.	.	.	.	.	.	.	.	1	1	2	1	2	1	.	.
	(*Office*,	July 2,	18·6	1·6	12	.	.	.	.	1	.	.	.	.	.	1	2	1	.	.	.
	Benburb-street.)	„ 9,	9·3	1·6	6	.	.	.	.	.	.	.	.	1	.	.	1	1	1	1	1
		„ 16,	21·8	3·1	14	.	.	1	.	.	.	.	.	1	.	3	1	.	3	.	.
	Pop. in 1910	„ 23,	9·3	1·6	6	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
	(Est.) 33,559.	„ 30,	20·2	4·7	13	.	.	.	.	.	3	.	.	.	.	2	1	2	.	.	1
	South City, No. 1.	June 11,	15·1	1·3	12	.	1	.	.	.	.	.	.	.	1	1	1	.	.	2	.
		„ 18,	23·6	.	18	.	.	.	.	.	.	.	.	.	1	5	3	.	3	.	.
		„ 25,	20·1	1·3	16	.	.	.	.	1	.	.	.	.	.	2	.	2	3	.	1
	(*Office*,	July 2,	26·4	3·8	21	.	.	1	.	1	1	.	.	.	1	5	2	.	1	1	.
	Sth. Earl-street.)	„ 9,	18·9	1·3	15	.	1	.	.	.	.	.	.	.	1	1	2	.	2	.	.
		„ 16,	12·6	.	10	.	.	.	.	.	.	.	.	.	.	2	1	.	3	.	.
	Pop. in 1910	„ 23,	20·1	1·3	16	.	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.
	(Est.) 41,476.	„ 30,	20·1	1·3	16	.	.	1	.	.	.	.	.	.	1	2	1	2	1	1	1
	South City, No. 2.	June 11,	12·0	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.
		„ 18,	9·6	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
		„ 25,	16·8	.	7	.	.	.	.	.	.	.	.	.	1	2	1	1	1	.	.
	(*Office*,	July 2,	16·8	.	7	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.	1
	Castle-street.)	„ 9,	16·8	.	7	.	.	.	.	.	.	.	.	.	2	2	1	.	.	.	.
		„ 16,	7·2	.	3	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.
	Pop. in 1910	„ 23,	16·8	2·4	7	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	.
	(Est.) 21,754	„ 30,	12·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	South City, No. 3.	June 11,	12·1	2·4	10	.	.	.	.	.	.	.	.	2	2	.	1	.	3	.	.
		„ 18,	19·3	.	16	.	.	.	.	.	.	.	.	.	.	4	4	2	.	.	.
		„ 25,	16·9	.	14	.	.	.	.	.	.	.	.	.	1	2	.	.	3	.	2
	(*Office*,	July 2,	18·1	.	15	.	.	.	.	.	.	.	.	.	.	2	3	2	1	.	.
	Peter street.)	„ 9,	15·7	.	13	.	.	.	.	.	.	.	.	.	.	.	2	.	2	2	.
		„ 16,	16·9	.	14	.	.	.	.	.	.	.	.	.	1	2	.	1	2	1	.
	Pop. in 1910	„ 23,	16·9	2·4	14	.	.	1	.	.	.	.	.	1	2	2	1	.	5	.	1
	(Est.) 43,227.	„ 30,	18·1	1·2	15	.	.	1	.	.	.	.	.	.	1	1	3	1	2	.	2
	South City, No. 4.	June 11,	20·8	.	14	.	.	.	.	1	.	.	.	.	1	1	2	1	2	1	2
		„ 18,	23·3	1·5	16	.	.	.	.	.	.	.	.	.	1	1	1	2	2	2	3
		„ 25,	18·9	.	13	.	.	.	.	.	.	.	.	.	.	1	2	2	3	.	1
	(*Office*,	July 2,	11·6	.	8	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	Grand Canal-st.)	„ 9,	14·5	2·9	10	.	.	.	.	.	.	.	.	2	.	.	1	1	2	.	.
		„ 16,	10·2	.	7	.	.	.	.	.	.	.	.	.	1	3	1	.	.	.	.
	Pop. in 1910	„ 23,	23·3	.	16	.	.	.	.	.	.	.	.	.	2	.	1	3	1	1	1
	(Est.) 35,881.	„ 30,	16·0	.	11	.	.	.	.	.	.	.	.	.	.	.	1	2	2	1	1

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes	From Diseases in Cols. 5–13.	Total Deaths.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia * (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	June 11,	22·5	.	16	.	.	.	.	.	.	.	.	.	.	3	2	1	.	.	3
	„ 18,	16·9	.	12	.	.	.	.	.	.	.	.	.	1	1	2	.	1	.	1
	„ 25,	11·3	.	8	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	July 2,	11·3	.	8	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	„ 9,	15·5	1·4	11	.	.	.	.	.	1	.	.	.	1	.	.	1	.	1	.
	„ 16	8·4	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 23,	16·9	.	12	.	.	.	.	.	.	.	.	.	1	2	.	.	1	1	.
	„ 30,	7·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	June 11,	7·2	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.
	„ 18,	7·2	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	„ 25,	14·4	.	8	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	July 2,	12·6	.	7	.	.	.	.	.	.	.	.	.	.	3	.	2	.	1	1
	„ 9,	16·2	3·6	9	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.
	„ 16,	10·8	.	6	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.
	„ 23,	12·6	.	7	.	.	.	.	.	.	.	.	.	1	.	.	2	.	1	.
	„ 30,	19·8	1·8	11	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	.
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	June 11,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	„ 18,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 25,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	July 2,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	„ 9,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	„ 16,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	„ 23,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 30,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
Belfast. Pop. in 1910 (Est.) 391,167.	June 11,	19·7	6·1	148	.	38	.	.	5	1	.	1	1	18	19	5	4	17	1	1
	„ 18,	24·4	7·9	183	.	49	.	.	4	2	.	.	4	17	24	3	6	14	.	2
	„ 25,	20·9	5·5	157	.	36	.	.	1	.	.	1	3	17	22	9	4	16	4	.
	July 2,	18·3	5·7	137	.	25	.	.	1	.	.	1	1	11	11	8	9	7	.	2
	„ 9,	19·3	4·1	145	.	24	.	.	2	.	.	.	5	14	11	9	3	7	4	3
	„ 16,	18·1	5·2	136	.	20	.	.	1	1	.	.	2	17	9	11	6	15	2	3
	„ 23,	15·6	5·9	117	.	21	.	.	1	1	.	1	5	5	16	5	9	6	.	3
	„ 30,	18·0	2·4	135	.	8	.	1	.	1	.	2	6	8	15	7	7	16	1	1
Cork. Pop. (in 1901) 76,122.	June 11,	19·9	.	29	.	.	.	.	.	.	.	.	.	.	6	.	1	3	1	2
	„ 18,	15·1	.	22	.	.	.	.	.	.	.	.	.	2	3	.	1	2	.	.
	„ 25,	18·5	0·7	27	.	.	.	.	1	.	.	.	.	1	4	4	5	.	1	1
	July 2,	17·8	0·7	26	.	.	.	.	1	.	.	.	.	2	3	1	1	5	.	2
	„ 9,	18·0	0·7	19	.	.	.	.	.	.	.	1	.	2	2	1	.	2	.	1
	„ 16,	18·5	1·4	27	.	.	.	.	.	.	.	2	.	1	8	1	.	1	.	.
	„ 23,	19·9	1·4	29	.	.	.	.	2	.	.	.	1	.	6	3	2	3	1	1
	„ 30,	16·4	1·4	24	.	.	.	.	1	.	.	1	.	1	4	1	1	3	.	1
Londonderry. Pop. in 1910 (Est.) 43,477.	June 11,	9·6	1·2	8	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	1
	„ 18,	10·8	2·4	9	.	2	.	.	.	.	.	.	.	1	3	.	.	.	.	.
	„ 25,	12·0	3·6	10	.	3	.	.	.	.	.	.	.	1	1	.	3	1	.	.
	July 2,	7·2	.	6	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.
	„ 9,	20·4	2·4	17	.	1	.	.	.	1	.	.	.	1	2	1	1	3	.	.
	„ 16,	6·0	1·2	5	.	1	.	.	.	.	.	.	.	.	.	1	.	2	.	.
	„ 23,	8·4	2·4	7	.	1	.	.	.	.	.	.	1	.	2	.	.	.	.	.
	„ 30,	22·8	3·6	19	.	1	.	.	.	.	.	.	2	1	6	2	.	.	.	3
Limerick. Pop. (in 1901) 38,151.	June 11,	16·4	1·4	12	.	.	.	.	1	.	.	.	.	2	2	1	1	1	.	1
	„ 18,	20·5	1·4	15	.	.	.	.	.	.	.	.	1	1	3	.	.	.	.	4
	„ 25,	19·1	1·4	14	.	.	.	.	.	.	.	1	.	.	2	.	1	1	.	1
	July 2,	20·5	.	15	.	.	.	.	.	.	.	.	.	.	2	1	.	1	2	3
	„ 9,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
	„ 16,	12·3	.	9	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	1
	„ 23,	18·7	1·4	10	.	.	.	.	.	.	.	1	.	.	.	1	1	2	.	1
	„ 30,	17·8	.	13	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1
Waterford. Pop. (in 1901) 26,769.	June 11,	29·2	.	15	.	.	.	.	.	.	.	.	.	.	5	.	1	1	1	2
	„ 18,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1
	„ 25,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.
	July 2,	15·6	1·9	8	.	.	.	.	1	.	.	.	.	.	1	2	2	.	.	1
	„ 9,	15·6	1·9	8	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	.
	„ 16,	19·5	1·9	10	.	.	.	1	.	.	.	.	.	.	1	2	.	.	.	.
	„ 23,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	1	3	1	1	.	1
	„ 30,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	1

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 30th July, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-20.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexiæ (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	4	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		6			3	.	1	2	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
Do. 2 do.		29			16	3	1	1	3	6	2	.	.	.	.	.	.	.	1	2	1	.	3	4	.	3	.	1	3	1
Do. 3 do.		34			24	8	4	3	1	2	6	.	.	.	.	.	.	.	.	1	3	2	2	1	3	.	.	3	.
Do. 4 do.		30			15	7	1	.	2	4	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	1	1	7	.
Do. 5 do.		9			9	4	.	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.
Do. 6 do.		17			9	2	2	.	2	1	2	.	1	.	.	.	1	.	.	.	1	.	1	1	.	.	.	.	.
Do 7 do.		.			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 8 do.	349,180	2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		11			4	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do 10 do.		13			11	2	1	.	3	2	3	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.
Do. 11 do.		21			11	3	3	1	.	3	1	.	2	.	.	.	.	.	1	.	2	4	.	.	1	2	.	1	2
Do. 12 do.		28			15	4	5	1	1	4	.	.	3	.	.	.	.	.	.	1	.	1	.	1	1	.	.	2	.
Do. 13 do.		5			3	1	1	.	.	.	1	.	.	.	.	.	.	.	.	2	.	2	1	.	3	.	1	2	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 * do.		14			14	.	4	.	2	2	6	.	.	.	1	.	.	.	.	.	1	3	.	.	3	.	.	5	.
Total,	—	214	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		135	35	23	10	14	25	28	.	8	.	1	.	1	.	2	6	8	15	7	7	16	1	4	32	1
City of Cork.																													
CORK URBAN No. 1 DISTRICT,	12,867	4	20·3	4·1	5	.	1	.	2	2	.	.	.	.	.	.	1	.	.	.	.	4	.	.	.	.	.	4	.
Do. 2 do.	10,701	5	19·6	4·9	4	1	.	1	.	.	2	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	1
Do. 3 do.	9,978	.	20·9	.	4	.	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.
Do. 4 do.	8,666	2	12·0	.	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
Do. 5 do.	6,592	5	28·7	.	3	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do. 6 do.	10,702	6	4·9	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	4	.
Do. 7 do.	16,616	5	15·7	.	5	.	.	.	.	1	4	.	.	.	.	.	1	.	1	.	1	4	1	1	8	.	.	11	1
Total,	76,122,	27	16·4	1·4	24	2	5	1	3	4	9	.	.	.	.	.	1	.	1	.	1	4	1	1	8	.	.	11	1

* New district formed as from 1st Jan., 1910, and the boundaries of Nos. 1, 4 & 6 districts altered; the population of each of these districts, as at present constituted, is not available.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910—Week ending																									
	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14	May 21	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.
No. of weeks in annual Series, ..	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
BIRTHS registered, ...	214	218	196	202	289	201	240	208	207	254	247	224	266	235	214	169	264	215	193	231	202	218	199	259	239	214
DEATHS registered, ...	165	172	156	140	165	162	168	125	188	168	187	160	173	167	170	177	176	166	148	188	157	137	145	136	117	135
Annual Death rate per 1,000 of estimated Population, ...	22·0	22·9	20·8	18·7	22·0	21·6	21·7	16·7	18·4	22·4	24·9	21·3	23·1	22·3	22·7	23·6	23·5	22·1	19·7	24·4	20·9	18·3	19·3	18·1	15·6	18·0
AGES — Under 1 year, ...	28	37	31	23	33	31	29	27	27	34	38	36	33	31	29	30	37	37	20	44	33	24	34	26	25	35
AGES — 1-5 years, ...	28	21	20	21	21	16	27	15	21	33	34	27	20	36	35	47	43	45	54	47	45	33	29	32	23	23
AGES — 5-20 years, ...	2	8	13	12	11	14	16	7	18	19	15	14	21	12	15	15	15	14	12	15	16	18	12	7	17	10
AGES — 20-40 years, ...	30	18	26	19	29	26	18	19	16	21	32	14	24	25	30	28	26	26	25	20	17	18	25	20	19	14
AGES — 40-60 years, ...	30	42	31	36	37	40	35	28	22	27	24	29	41	30	30	29	28	27	16	23	20	21	20	25	17	25
AGES — 60 years and upwards, ..	47	46	35	29	34	35	38	29	34	34	44	40	34	33	31	28	27	17	21	34	26	28	25	26	16	28
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	1	.	1	1	5	3	6	11	17	8	20	19	23	44	33	38	38	49	36	25	24	20	21	8
Scarlet Fever, ...	.	2	.	1	.	.	2	.	2	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Whooping-cough, ...	19	15	17	14	11	12	12	10	6	12	5	8	4	4	6	4	5	7	5	4	1	1	2	1	1	.
Diphtheria, ...	.	.	.	1	.	.	.	.	1	1	1	1	1	.	1	.	1	.	1	2	.	.	.	1	1	1
*Pyrexia** (origin uncertain , ..	.	.	.	1	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	.	.	1	.	.	1	.	.	1	.	.	1	.	.	1	.	.	.	1	.	1	1	.	.	1	2
Diarrhœal Diseases, ...	2	.	2	.	2	2	.	1	1	.	1	3	1	2	.	.	2	3	1	4	3	1	5	2	5	6
Pneumonia, ...	14	16	11	16	12	10	12	8	14	19	16	19	14	15	26	23	21	18	18	17	17	11	14	17	5	8
Tuberculous Disease, Phthisis, ..	16	15	14	20	23	26	18	10	20	24	27	13	22	20	24	29	14	21	19	24	22	11	11	9	16	15
Tuberculous Disease, Other Forms, ..	8	4	8	7	9	7	9	8	9	12	8	7	9	6	4	6	13	8	5	8	9	8	9	11	5	7
Cancer, Malignant Disease, ..	8	7	6	5	8	5	9	10	4	8	10	2	6	8	8	7	8	4	4	6	4	9	3	6	9	7
Diseases of Respiratory System,	28	40	19	21	24	22	24	16	16	21	24	30	15	21	14	17	14	18	17	14	16	7	7	15	6	16
Violent Deaths, ...	2	2	5	3	10	9	5	3	.	4	.	2	4	3	4	1	1	5	1	.	4	.	2	3	.	1
Number of Uncertified Deaths, ..	2	1	5	2	2	1	1	1	2	1	1	1	3	1	2	1	.	3	1	2	.	2	3	3	3	1

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	July 30,	2,429	957	10·2	.	23	2	4	14	4*a*	12
EDINBURGH, ...	360,276	„ 30,	127	78	11·3	.	.	.	1	1	.	1
GLASGOW, ...	884,505	„ 30,	429	236*c*	13·9	.	3	1	3	9	3*a*	17
CALCUTTA, ...	1,009,008	June 25,	.	369	19·0	.	.	.	1	.	85‡	67*
BOMBAY, ...	977,822	„ 28,	354	536	28·5	4	.	.	.	.	104‡	52*
MADRAS, ...	509,346	„ 10,	364	334	34·0	2	4	?	?	?	95	59
CAIRO, ...	677,663	„ 24,	601	668	51·4	.	50	2	10	.	5*a*	169*b*
PARIS, ...	2,760,000	„ 25,	891	836	15·8	.	23	1	7†	8	5*a*	27*b*
BRUSSELS, ...	720,030	July 9,	248	165	11·9	.	.	.	.	4	2	16
ANTWERP, ...	317,171	„ 9,	119	64	10·5	.	4	.	.	1	.	8*b*
AMSTERDAM, ...	570,669	„ 9,	276	95	8·7	.	.	.	1†	1	1	6*b*
COPENHAGEN, ...	450,000	„ 9,	208	106	12·3	.	.	2	1†	.	.	10
STOCKHOLM, ...	341,816	„ 9,	154	72	11·0	.	.	.	1†	.	.	2
CHRISTIANIA, ...	240,178	„ 16,	93	54	11·7	.	.	.	2†	.	.	4
ST. PETERSBURG, ...	1,620.000	June 25,	1,008	830	26·7	12	40	18	11	6	8*a*	204*
MOSCOW, ...	1,493,600	„ 18,	.	1,186	41·4	8	19	16	30†	5	4	549
BERLIN, ...	2,120,186	July 2,	845	521	12·8	.	7	8	5†	5	1	67
HAMBURG, ...	895,804	„ 9,	.	225	13·1	.	5	1	3†	3	.	20
BRESLAU, ...	510,705	„ 9,	.	173	17·7	.	.	.	.	1	2	23
MUNICH, ...	576,000	„ 16,	.	179	16·2	.	5	1	1†	1	.	22
VIENNA (with suburbs),	2,107,981	„ 9,	713	567	14·0	.	9	1	2†	7	1*a*	52*b*
BUDA-PESTH, ...	833,703	„ 9,	430	318	19·9	.	2	5	5†	4	7*a*	38*b*
PRAGUE and Faubourgs.	497,905	June 25,	202	150	15·7	.	2	.	.	1	1*a*	13*b*
TRIESTE, ...	221,124	July 2,	117	94	22·2	.	1	.	.	1	.	20
ROME, ...	587,096	June 4,	225	137	12·2	.	17	1	4	2	1*a*	29
VENICE, ...	183,224	July 9,	101	71	20·2	.	.	.	.	1	2	7
NEW YORK, ...	4,711,956	„ 2,	2,589	1,359	15·0	.	20	13	26†	4	13*a*	199
PHILADELPHIA, ..	1,598,400	April 30,	.	503	16·4	1	5	5	5†	5	3*a*	12*b*
BOSTON, ...	629,868	July 9,	.	220	18·2	.	2	2	4	1	2	12

* Including 42 deaths from cholera in Calcutta, one in Bombay, and one in St. Petersburg.
† Including deaths from croup.
‡ Including 25 deaths from plague in Calcutta and 44 in Bombay.
a Enteric Fever.
b Deaths from diarrhœal diseases and from enteritis of children under two years of age.
c Including one death from cerebro-spinal meningitis.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 30th July, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	4	.	.	.	.	.	1	1	.	.	4	10
" " 1, West,	.	2	.	.	1	.	.	1	1	.	.	1	5
" " 2,	.	.	.	.	2	.	.	1	1	.	.	2	3
" " 3,	.	2	.	.	.	.	.	.	.	.	.	3	8
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	1	.	.	.	1
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	3	.	.	.	3	.	.	9	19
South City No. 1,	.	4	.	.	1	.	.	.	.	.	.	3	6
" " 2,	.	2	.	.	2	.	.	.	.	.	.	.	5
" " 3,	.	2	1	.	1	.	.	1	.	.	.	.	3
" " 4,	.	1	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	17	1	.	10	.	.	4	7	.	.	21	60

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 30th July, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 30th July.			
	July 9.	July 16.	July 23.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	4	3	1	.	1	.	.
Scarlet Fever,	84	86	96	19	14	2	99*
Typhus,	2	1	1	1	.	.	2
Diphtheria,	52	54	63	11	16	1	57
Enteric Fever,	37	33	31	7	6	1	31
Pneumonia,	15	15	17	4	4	1	16

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 30th July, 1910:—

"Weather of the equatorial, south-westerly, or cyclonic type was prevalent. The week opened with a rapid fall of the barometer in Ireland as an energetic atmospheric depression spread eastwards over Ireland and Scotland from the Atlantic Ocean. The centre of the system crossed the meridian of Dublin about 5 a.m. on Monday, when the barometer read 29·350 inches in this City. It rose subsequently, while the wind veered to N.W., blowing in squalls during the day, which was showery. The easterly winds of the system were felt in the north of Scotland, in which district also large quantities of rain fell. The largest measurements reported on Tuesday morning were 1·26 inches at Nairn and 1·28 inches at Wick. A clear sky and N.W. wind caused temperature to fall briskly over Ireland in the course of Monday night, when minima of 47° at Birr, King's Co., 48° in Dublin, and 49° at Malin Head, Co. Donegal, and Roche's Point, Cork Harbour, were recorded. On Tuesday afternoon another disturbance was forecast by the clouding over of the sky and a backing of the wind to S. Next morning this new depression was central off the Donegal coast. Its warm S.W. winds sent the thermometer up to 72° in Dublin and at Birr, but in London the maximum of the day was only 64°. On Thursday a large depression lying on the Atlantic spread eastwards over Ireland, causing wet weather in this country, but a warm wave in England, the thermometer rising to 74° in London and at Oxford. Much lower temperatures were reached on Friday, the maximum in London being 67°. Strong and squally S.W. winds passed over Ireland on the last two days of the week. In Dublin the mean height of the barometer was 29·618 inches, pressure ranging from 29·350 inches at 5 a.m. of Monday (wind, S.W. to N.W.) to 29·882 inches at 9 p.m. of Tuesday (wind, S.S.W.). The corrected mean temperature was 58·6°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 58·5°. On Tuesday the screened thermometers fell to 48·3°, next day they rose to 72·2°. S.W. winds prevailed. Rain fell on 5 days to the amount of ·556 inch, of which ·344 inch was recorded on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·439 inches. The highest reading (29·710) was on Tuesday at 9 p.m., wind S.W., and the lowest (29·185) on Thursday at 9 p.m., wind E.S.E.

The mean temperature for the week was 57·8°, being 1·0° below the average for the corresponding period of the 10 years, 1900–1909. The temperature was highest on Wednesday, on which day the thermometer registered 71·3°, and was lowest on Tuesday, the mercury having fallen to 46·9°. The mean of the Dry Bulb for the week was 57·6° and of the Wet Bulb 54·4°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. The rainfall during the week measured 0·355 inch.

At Greenwich the mean temperature for the week was 58·8°, the maximum 75·7°, and the minimum 47·4°; at Glasgow the maximum was 68·0°, the minimum 49·2°, and the mean 57·1°; and at Edinburgh the maximum was 68·0°, the minimum 46·3°, and the mean 56·1°. The rainfall at Greenwich measured 0·35 in., at Glasgow 1·79 ins., and at Edinburgh 1·88 ins.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	THERMOMETER. Maximum.	THERMOMETER. Minimum.	THERMOMETER. Mean.	HYGROMETER. Dry Bulb.	HYGROMETER. Wet Bulb.	HYGROMETER. Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins		
Sunday, July 24,	29·374	65·2	48·5	56·9	58·2	56·3	·88	·6	2·7	·100	S.W.	S.W.
Monday, „ 25,	29·359	61·3	51·4	56·4	55·5	52·3	·81	·4	5·2	·060	W.N.W.	W.N.W.
Tuesday, „ 26,	29·694	63·9	46·9	55·4	56·0	50·8	·69	·3	10·5	·000	N.W.	S.W.
Wednesday, „ 27,	29·548	71·3	53·9	62·6	62·4	59·0	·81	·4	5·3	·000	S.W.	S.
Thursday, „ 28,	29·284	61·7	56·5	59·1	58·8	57·0	·89	·4	0·0	·090	S.E.	E.S.E.
Friday, „ 29,	29·406	63·4	48·6	56·0	55·7	52·1	·79	·3	8·6	·070	S.W.	S.W.
Saturday, „ 30,	29·411	63·1	52·8	58·0	56·5	53·3	·81	·5	1·8	·035	S.S.W.	S.W.
Mean, . . .	29·439	64·3	51·2	57·8	57·6	54·4	·81	·4	Total 34·1	Total ·355	Prevailing Wind, S.W.	

Sunday—Day overcast and showery, cloudy at intervals; night overcast and showery. *Monday*—Day cloudy and showery; night clear. *Tuesday*—Bright day, light clouds p.m.; night cloudy. *Wednesday*—Day overcast, cloudy at intervals; night cloudy. *Thursday*—Day overcast, light rain p.m.; night overcast, light rain p.m. and a.m. *Friday*—Day cloudy, heavy showers p.m.; night overcast to cloudy. *Saturday*—Day overcast a.m., cloudy and showery p.m.; night overcast and showery.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, July 30th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Min.	Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, July 24,	63·0	60·0	57·3	68·2	50·5	59·4	4·0	0·14
Monday, „ 25,	60·2	60·0	57·2	62·0	52·2	57·1	4·0	0·01
Tuesday, „ 26,	57·4	59·0	58·1	65·1	48·0	56·6	3·9	—
Wednesday, „ 27,	65·9	59·3	57·2	74·2	54·6	64·4	4·1	—
Thursday, „ 28	59·9	60·2	58·1	65·0	55·0	60·0	—	0·31
Friday, „ 29,	60·1	59·4	58·3	65·5	49·9	57·7	9·0	0·04
Saturday, „ 30,	58·7	59·1	57·2	64·3	54·5	59·4	1·8	0·01
Weekly Mean,	60·7	59·6	57·6	66·3	52·1	59·2	Total 26·8	Total 0·51

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

29388. Wt. P. 1—80/137, 375. 4. 1910. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, LTD., 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 6TH AUGUST, 1910. [No. 31.

General Register Office, Charlemont House, Dublin, 8th August, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 15·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending				Average Rate for 4 weeks.	TOWNS, &c.	Week ending				Average Rate for 4 weeks.
	July 16.	July 23.	July 30.	Aug. 6.			July 16.	July 23.	July 30.	Aug. 6.	
22 Town Districts.	**15·7**	**16·3**	**16·2**	**15·3**	**15·9**	Limerick, . . .	12·3	13·7	17·8	12·3	14·0
						Lisburn, . . .	9·1	22·7	22·7	4·5	14·8
Armagh, . . .	20·6	20·6	13·7	6·9	15·5	Londonderry, . .	6·0	8·4	22·8	19·2	14·1
Ballymena, . . .	23·9	19·2	4·8	9·6	14·4	Lurgan, . . .	8·9	8·9	13·3	8·9	10·0
Belfast, ...	18·1	15·6	18·0	15·3	16·7	Newry, . . .	25·2	4·2	4·2	12·6	11·6
Clonmel, . . .	20·5	15·4	20·5	10·3	16·7	Newtownards, . .	11·4	17·2	17·2	28·6	18·6
Cork, ...	18·5	19·9	16·4	6·8	15·4	Portadown, . .	5·2	20·7	25·8	15·5	16·8
Drogheda, . . .	4·1	20·4	8·2	12·3	11·3	Queenstown, . .	6·6	6·6	13·2	19·8	11·6
Dublin Reg. Area, .	14·8	17·2	15·5	17·2	16·2	Sligo, ...	19·2	9·6	9·6	9·6	12·0
Dundalk, . . .	19·9	4·0	.	16·0	10·0	Tralee, . . .	21·1	15·9	.	10·6	11·9
Galway, . . .	15·5	23·3	11·7	19·4	17·5	Waterford, . . .	19·5	19·5	19·5	19·5	19·5
Kilkenny, . . .	.	24·6	9·8	4·9	9·8	Wexford, . .	9·3	23·3	9·3	23·3	16·3

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·6 per 1,000, the rates varying from 0·0 in fourteen of the districts to 6·6 in Queenstown, the 3 deaths from all causes for that district including one from measles. Among the 115 deaths from all causes for Belfast are 7 from measles, one from scarlet fever, 2 from whooping-cough, and 10 from diarrhœal diseases. Of the 16 deaths from all causes for Londonderry one is from measles. Included in the 10 deaths from all causes for Waterford are one from whooping-cough and 2 from diarrhœal diseases, and one of the 3 deaths from all causes for Portadown is from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 198—106 boys and 92 girls—and the deaths to 145—75 males and 70 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of 17·2 per 1,000 of

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*), Table II. ‡ See columns 10-18 of Table II.

the population, the rate for the total deaths registered in the Area being 18·8 per 1,000. During the thirty-one weeks, ending with Saturday last, the death-rate averaged 21·8, and was 3·1 below the mean rate for the corresponding portions of the ten years, 1900-9.

The total deaths included one death from scarlet fever, 3 deaths from whooping-cough, one death from diphtheria, and 2 deaths of children under 5 years of age from diarrhœal diseases; there were also registered at this age period 2 deaths from *gastro-enteritis*. There was one death from influenza. In each of the 3 preceding weeks, deaths from scarlet fever were one, 3, and 3; deaths from whooping-cough were one, one, and 0; deaths from diphtheria were one, 0, and 5; deaths from diarrhœal diseases were 3, 5, and 0, and deaths from influenza were 0, one, and 0.

There were 3 deaths from broncho-pneumonia, and 4 from *pneumonia* (not defined).

Thirty-four deaths were caused by tuberculous disease; this number includes 24 deaths from tuberculous phthisis (*phthisis*), 2 deaths from tuberculous meningitis, one death from each of tuberculous peritonitis and *tabes mesenterica*, and 6 deaths from other forms of the disease. In the 3 preceding weeks deaths from all forms of tuberculous disease numbered 27, 14, and 26 respectively.

Carcinoma caused 3 deaths, sarcoma one death, and cancer, malignant disease (undefined), 4 deaths.

The deaths of 4 infants, prematurely born, were registered.

Of 13 deaths from diseases of the brain and nervous system 4 were of infants under one year of age from *convulsions*.

Diseases of the heart and blood vessels accounted for the deaths of 23 persons, and there were 7 deaths from bronchitis.

Of 3 deaths assigned to accidental causes, one was of a child under 5 years of age by scalding and one was by drowning.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; both these cases were of infants under one year of age.

Thirty-one of the persons whose deaths were registered during the week were under 5 years of age (21 being infants under one year, of whom 11 were under one month old) and 40 were aged 60 years and upwards, including 18 persons aged 70 and upwards, of whom 5 were octogenarians.

Seventy-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 17 took place in the North Dublin Union Workhouse, 16 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·2 per 1,000; the rate in the City was 18·8 (North City Districts, 17·7; South, 20·0) and in the Suburbs, 11·8.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·9 per 1,000 inhabitants, the rate for the City being 1·0 (0·3 in the North City Districts, and 1·7 in the South), and for the Suburbs, 0·6.

No. 1 North City District, East (Clarence-street, North).—The deaths (7) are equal to an annual rate of 12·2 per 1,000. There were 2 deaths from tuberculous disease and one death from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (17) are equal to an annual rate of 22·2 per 1,000, Tuberculous phthisis (*phthisis*) caused 5 deaths, and 3 deaths from accidental causes were registered.

No. 2 North City District (Lisburn-street).—The deaths (8) are equivalent to an annual rate of 13·6 per 1,000, and include 2 deaths from broncho-pneumonia and 3 deaths from tuberculous disease.

No. 3 North City District (Benburb-street).—The deaths (17) represent an annual rate of 26·4 per 1,000. Diphtheria caused one death, there was one death from each of influenza, broncho-pneumonia, and *pneumonia* (not defined); there were 2 deaths from tuberculous phthisis, and one death from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·4 per 1,000 inhabitants; Coolock and Drumcondra, part of, 0·0; and Finglas and Glasnevin, part of, 20·3. Of the 2 deaths registered for Clontarf and Howth, No. 1, part of, one is from *phthisis*.

No. 1 South City District (South Earl-street).—The deaths (17) represent an annual rate of 21·4 per 1,000. The deaths include one from scarlet fever, 3 from tuberculous phthisis, and 3 from diseases of the respiratory system.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 24·0 per 1,000. There was one death from whooping-cough, there were 3 deaths from tuberculous disease, and 2 deaths from bronchitis.

No. 3 South City District (Peter-street).—The deaths (16) are equal to an annual rate of 19·3 per 1,000, and include 2 deaths from whooping-cough, 2 deaths from *pneumonia* (not defined), and 5 deaths from tuberculous disease.

No. 4 South City District (Grand Canal-street).—The deaths (15) are equivalent to an annual rate of 21·8 per 1,000. Epidemic diarrhœa caused one death, there were 2 deaths from tuberculous disease, one death from *pneumonia* (not defined), and one death from bronchitis.

New Kilmainham District.—There were no deaths recorded for this district during the week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 11·3; Pembroke, 9·0; Blackrock, 17·4; and Kingstown, 14·8. The only death from any of the principal epidemic diseases tabulated for these districts was one from *diarrhœa* for Pembroke. Of the 8 deaths from all causes for Rathmines and Rathgar one was from *phthisis*. Among the 5 deaths from all causes for Pembroke 2 were from tuberculous disease. Included in the 3 deaths from all causes for Blackrock were 2 from tuberculous phthisis, and one death from this disease was also among the 5 deaths from all causes for Kingstown.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 89," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly rnished by:—
Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, xecutive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for embroke Urban District: Mr. Heron, Executive Sanitary Officer for Blackrock Urban District: by Dr. R. A. 'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District: and by Dr. Bailie, Medical uperintendent Officer of Health for the City of Belfast.

ABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 6th August, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	July 16,	.	—	—	28	.	.	5	.	.	5	15	.	—	—	.	—	21	—	74
	July 23,	.	—	—	19	.	.	18	.	3	4	12	.	—	—	.	—	31	—	87
	July 30,	.	—	—	17	1	.	10	.	.	4	7	.	—	—	.	—	21	—	60
	Aug. 6,	.	—	—	11	.	.	7	.	.	8	13	.	—	—	.	—	20	—	59
Rathmines and Rathgar Urban District.	July 16,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	—	2
	July 23,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
	July 30,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	—	1
	Aug. 6,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
Pembroke Urban District.	July 16,	.	.	1	1	.	.	1	.	.	.	.	.	—	3	.	—	.	—	6
	July 23,	.	.	.	.	.	.	1	.	.	1	1	.	—	.	.	—	2	—	5
	July 30,	.	.	.	.	.	.	.	.	.	1	.	.	—	.	.	—	.	—	1
	Aug. 6,	.	.	.	1	.	.	1	.	.	.	.	.	—	1	.	—	.	—	3
Blackrock Urban District.	July 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	July 23,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	.	—	—	—	2
	July 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	July 16,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	July 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 30,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	.	—	1
	Aug. 6,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	.	—	1
City of Belfast.	July 16,	.	—	—	2	.	.	5	.	.	2	7	.	—	—	—	—	15	—	31
	July 23,	.	—	—	4	1	.	2	.	.	2	2	.	—	—	—	—	18	—	29
	July 30,	.	—	—	10	.	.	5	.	.	2	3	.	—	—	—	—	17	—	37
	Aug. 6,	.	—	—	6	.	.	5	.	2	5	4	.	—	—	—	—	19	—	41

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 6th August, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

One case of measles was admitted to hospital during the week, and remained under treatment at its close.

Twelve cases of scarlet fever were admitted to hospital, 23 were discharged, and 88* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 86, 96, and 99, respectively.

Two cases of typhus remained under treatment in hospital at the close of the week.

Six cases of diphtheria were admitted to hospital, 14 were discharged, there was one death, and 48 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 54, 63, and 57, respectively.

Five cases of enteric fever were admitted to hospital during the week, 7 were discharged, and 29 cases remained under treatment in hospital at the close of the week.

In addition to the above named diseases, 4 cases of pneumonia were admitted to hospital, 9 were discharged, and 11 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns, including London (in which the rate was 10·2) was equal to an average annual death-rate of 10·7 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 12·3 per 1,000, the rate for Glasgow being 12·0 and for Edinburgh 11·3.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 6th August. From this Report it appears that of a total of 42 cases notified, 28 were scarlet fever, 9 phthisis, 3 erysipelas, and 2 diphtheria. Among the 312 cases of infectious diseases in hospital at the close of the week were 170 cases of scarlet fever, 54 of phthisis, 32 of diphtheria, 26 of measles, 7 of enteric fever, 7 of chicken-pox, 6 of whooping-cough, and 5 of erysipelas.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 6th August, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 6TH AUGUST, 1910.																							METEOROLOGY. (a)											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 6TH AUGUST, 1910.				WEEK ENDING 30TH JULY, 1910.				WEEK ENDING 23RD JULY, 1910.			
	POPULATION.		DEATHS.			BIRTHS.	DEATHS.																			Air Temperature				Air Temperature				Air Temperature			
	Total.(a)	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10–18.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia (b) (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·8	25·5	15·3	1·6	564	337	62	88	.	10	2	.	6	1	.	.	16	13	55	22	14	31	4	2	113	8	.	.	.	.	°	°	.	.	.	.	.	.
DUBLIN REGISTRATION AREA:— TOTAL, c.	402,928	29·3	25·6	17·2	0·9	198	133	20	38	.	.	1	.	3	1	.	.	2	7	22	9	7	10	3	1	64	2	c66·2	46·4	56·5	0·94	e71·3	46·9	57·8	0·36	e67·1	44·7	56·9	0·84
CITY of DUBLIN,	310,298	39·2	27·1	18·8	1·0	161	112	18	32	.	.	1	.	3	1	.	.	1	7	18	7	7	8	3	1	57	2	f65·7	50·1	57·5	1·17	f72·2	48·3	58·6	0·56	f67·5	51·0	58·3	0·76
																												g67·9	47·0	57·3	1·18	g72·9	48·0	58·5	0·41	g67·2	48·0	57·8	0·77
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	25·3	11·8	.	18	8	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	21·6	9·0	1·8	12	5	2	1	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,018	8·8	5·8	17·4	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	17·6	14·2	.	6	5	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	67·0	51·0	58·1	0·70	68	49	58·6	0·51	63	49	53·4	0·38
URBAN DISTRICTS.																																						
BELFAST,	391,167	26·6	23·9	15·3	2·7	179	115	27	26	.	7	1	.	2	.	.	.	10	3	13	7	3	10	1	1	28	2	65·8	47·0	56·9	3·07	70·0	46·0	55·5	1·86	66·0	48·0	57·2	1·26
CORK,	76,122	33·6	19·2	6·8	.	28	10	1	3	.	.	.	.	.	.	.	.	.	2	4	.	1	1	.	.	6	.	64	47	56·1	1·87	62	49	56·4	0·92	69	53	59·1	0·52
LONDONDERRY,	43,477	20·1	38·4	19·2	1·2	32	16	2	3	.	1	.	.	.	.	.	.	.	.	6	2	1	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	23·2	12·3	1·4	17	9	2	5	.	.	.	.	.	.	1	.	2	.	1	.	.	3	.	.	4	.	62·5	.	58·8	0·38	70·2	48·4	58·2	1·06	67·3	43·1	57·6	1·6
WATERFORD,	26,769	18·7	17·5	19·5	3·8	9	10	2	.	.	.	.	1	.	.	.	.	2	.	3	2	.	1	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	2·5	28·3	19·4	.	6	5	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.	68	49	58	0·45	68	46	58	2·94	68	49	59	0·69
DUNDALK	18,076	9·4	19·9	16·0	.	5	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	45·0	12·3	4·1	11	3	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	13,405	17·8	21·0	12·6	.	5	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	69·9	47·0	57·5	1·51	72·0	47·0	57·7	0·98	66·5	44·5	57·1	1·00
LURGAN,	11,782	13·8	53·1	8·9	.	12	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	69·9	47·0	57·5	1·51	72·0	47·0	57·7	0·98	66·5	44·5	57·1	1·00
LISBURN,	11,461	10·1	21·8	4·5	.	7	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	69·9	47·0	57·5	1·51	72·0	47·0	57·7	0·98	66·5	44·5	57·1	1·00
WEXFORD,	11,168	23·2	32·7	28·3	.	7	5	2	1	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,886	8·9	23·9	9·6	.	5	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,870	8·7	24·0	9·6	.	5	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	64·8	41·5	55·0	0·37	72·0	44·6	56·7	2·96	66·9	42·5	55·5	1·25
KILKENNY,	10,609	11·5	34·3	4·9	.	7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	66	44	56·3	1·40	70	47	58·0	1·07	68	49	58·6	0·85
CLONMEL,	10,167	7·8	15·4	10·3	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,092	13·2	36·2	15·5	5·2	7	3	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	69·9	47·0	57·5	1·51	72·0	47·0	57·7	0·98	66·5	44·5	57·1	1·00
TRALEE,	9,867	16·6	21·1	10·6	.	4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	22·9	28·6	.	4	5	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1	65	50	56·6	1·57	65	45	55·6	1·80	64	49	55·9	0·94
QUEENSTOWN,	7,909	14·4	52·7	19·8	6·6	8	3	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	64	47	56·1	1·37	62	49	56·4	0·92	69	53	59·1	0·52
ARMAGH,	7,588	22·2	34·4	6·9	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	69·9	47·0	57·5	1·51	72·0	47·0	57·7	0·98	66·5	44·5	57·1	1·00

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (b) Formerly described as "Simple Continued Fever." (c) Exclusive of 12 deaths of persons (including one under one year old and 2 at 60 years or upwards), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Mr. E. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 6th August, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN REGISTRATION DISTRICTS IN											URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.									
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	3	.
Diphtheria,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2	.
Pneumonia,	.	.	2	2	.	.	.	.	.	2	1	.	.	.	.	.	7	.
Tuberculous Disease. } Phthisis,	1	5	.	2	1	.	.	3	2	3	1	.	1	.	2	1	22	2
Tuberculous Disease. } Other Forms,	1	.	2	.	.	.	.	.	1	2	1	.	.	2	.	.	9	1
Cancer, Malignant Disease,	.	.	1	1	.	.	.	3	1	.	1	.	.	.	.	.	7	1
Other General Diseases,	.	.	1	2	.	.	.	1	1	1	3	.	.	.	.	1	10	2
Total,	2	5	6	8	1	.	.	8	6	10	8	.	1	3	2	2	62	6
B. LOCAL DISEASES:																		
Diseases of Nervous System,	3	1	1	1	.	.	.	2	.	1	1	.	.	.	1	.	11	2
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Heart and Blood Vessels,	.	2	1	3	.	.	.	2	1	3	4	.	3	1	.	.	22	1
Diseases of Respiratory System,	1	.	.	1	.	.	.	3	2	.	1	.	1	.	.	1	10	.
Diseases of Digestive System,	1	3	.	1	1	.	.	.	.	2	.	.	2	.	.	1	11	.
Diseases of Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	1	.	2	.	.	1	1	1	.	.	.	1	.	.	.	7	2
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	5	7	2	8	1	.	3	8	4	6	6	.	7	1	1	2	61	5
C. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	2	.	1	.	.	.	1	.	.	1	.	.	1	.	1	7	1
E. VIOLENT DEATHS,	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Deaths from all Causes	7	17	8	17	2	.	3	17	10	16	15	.	8	5	3	5	133	12
Annual Rate of Mortality from all causes in every 1,000 of the population	12·2	22·2	13·6	26·4	19·4	.	20·3	21·4	24·0	19·3	21·8	.	11·3	9·0	17·4	14·8	17·2	.
	17·7							20·0					11·8					
	18·8																	
Ages at Death. Under 1 year,	2	2	3	1	.	.	.	3	1	3	3	.	.	2	.	.	20	1
Ages at Death. 1 and under 5 years,	.	2	2	1	.	.	.	1	1	1	1	.	1	.	.	.	10	.
Ages at Death. 5 „ 20 „	1	2	2	3	.	.	.	1	1	2	.	.	1	2	.	.	15	2
Ages at Death. 20 „ 40 „	1	6	.	1	1	.	.	4	1	2	3	.	1	.	1	1	22	5
Ages at Death. 40 „ 60 „	1	1	.	5	.	.	.	3	4	6	2	.	2	.	2	2	28	2
Ages at Death. 60 years and upwards,	2	4	1	6	1	.	3	5	2	2	6	.	3	1	.	2	38	2
Number of Uncertified Deaths,	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	4	2	3	1	.	.	2	2	5	8	.	3	.	.	.	32	9
Workhouse Hospitals,	.	6	2	6	.	.	1	5	4	3	1	.	2	.	1	1	32	3

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in the week of the ten years 1900–1909

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Averages in 31st Week of the 10 years, 1900–1909.	In the Week ending Saturday, 6th August, 1910. Deaths of Persons of the Ages of							
	Aug. 4, 1900.	Aug. 3, 1901.	Aug. 2, 1902.	Aug. 8, 1903.	Aug. 6, 1904.	Aug. 5, 1905.	Aug. 4, 1906.	Aug. 3, 1907.	Aug. 1, 1908.	Aug. 7, 1909.		All Ages.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 58·7	° 61·1	° 55·4	° 56·5	° 61·5	° 57·7	° 60·5	° 57·7	° 60·7	° 58·6	° 58·8	° 56·5								
ALL CAUSES,	159	158	165	137	161	161	125	138	133	123	146·0	145	11	10	10	17	27	30	35	5
Small-pox,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	.	18	1	3	.	.	6	2	1	3·1	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	2	.	1	.	.	.	1	1	·5	1	.	.	1	.	.	.	.	.
Typhus,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	2	1	.	.	.	.	.	1	·5	1	.	.	.	.	1	.	.	.
Whooping-cough,	3	4	2	1	4	2	2	4	2	4	2·8	3	1	1	1	.	.	.	.	.
Diphtheria,	.	.	2	.	2	2	.	2	1	1	1·0	1	.	.	.	1	.	.	.	.
Cerebro-spinal Fever,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain)	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	1	2	.	.	.	1	.	1	1	·8	.	.	.	.	.	.	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.),	9	27	1	2	4	10	5	1	5	4	11·7	1	.	.	1	.	.	.	.	.
Diarrhœa, Dysentery,			4	3	11	15	6	2	7	1		1	.	1	.	.	.	.	.	.
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	1	.	1	1	.	.	.	1	2	·6	2	1	1	.	.	.	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*,	.	1	.	.	.	.	.	.	.	.	·1	1	.	.	.	.	1	.	.	.
			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Infective Endocarditis	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
Pneumonia, Lobar,	3	10	3	4	5	1 2	2	1 7	1 3	3	8·2	3	.	2	1	.	.	.	.	.
Pneumonia, Broncho-Epidemic			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Pneumonia, Not defined,			6	4	4	.	2	11	4	6		4	.	1	.	.	3	.	.	.
Erysipelas,	1	.	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal)) Pyæmia (not Puerperal),	.	.	1	2	.	.	.	1	.	.	·5	1	.	.	.	.	1	.	.	.
			.	.	1	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other Infective Conditions,	.	.	1	.	.	1	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis,	24	15	3	2	.	5	10	7	9	9	16·7	13	.	.	.	2	8	3	.	.
"*Phthisis*,"			16	12	10	11	11	10	7	6		11	.	.	.	1	9	1	.	.
Tuberculous Meningitis,	4	.	1	2	1	2	2	4	1	2	1·9	2	.	.	.	2	.	.	.	.
Tuberculous Peritonitis,	5	9	1	1	2	1	.	2	1	.	2·7	1	.	.	1	.	.	.	.	.
Tabes Mesenterica,			.	1	2	.	1	.	1	.		1	.	.	.	1	.	.	.	.
Tuberculous Dis. (other),	4	1	2	3	7	9	1	5	3	3	3·8	6	.	1	1	3	1	.	.	.
Scrofula,			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Alcoholism,	.	1	.	1	1	.	.	.	1	2	·6	.	.	.	.	.	.	.	.	.
Rheumatic Fever,	1	.	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Gout,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Carcinoma,	9	7	2	2	2	3	2	3	4	2	8·3	3	.	.	.	.	2	1	.	.
Sarcoma,			1	.	1	1	.	.	.	.		1	.	.	.	.	1	.	.	.
Cancer (undefined)			5	4	4	6	6	8	3	8		4	.	.	.	1	.	3	.	.
Diabetes Mellitus,	.	.	.	.	1	1	.	.	1	1	·4	.	.	.	.	.	.	.	.	.
Premature Birth,	2	4	2	3	2	3	2	2	2	4	2·6	4	4	.	.	.	.	.	.	.

* The figures for the year 1900 are for

† Formerly described as

THIRTY-FIRST WEEK ending Saturday, 6th August, 1910, with the deaths from each cause in the corresponding and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 31st Week of the 10 years 1900-1909.	In the Week ending Saturday, 6th August, 1910.								
	Aug. 4, 1900.	Aug. 3, 1901.	Aug. 2, 1902.	Aug. 8, 1903.	Aug. 6, 1904.	Aug. 5, 1905.	Aug. 4, 1906.	Aug. 3, 1907.	Aug. 1, 1908.	Aug. 7, 1909.		Deaths of Persons of the Ages of								
												All Ages.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 58·7	° 61·1	° 55·4	° 56·5	° 61·5	° 57·7	° 60·5	° 57·7	° 60·7	° 58·6	° 58·8	° 56·5								
Meningitis (not tuberc.)			4	5	1	2	3	4	7	2		4	.	.	.	4	.	.	.	.
Insanity, G. P. of Insane			1	1	.	1	.	.	1	.		4	.	.	.	.	.	3	1	.
Epilepsy			.	.	.	1	1	.	.	.		.	.	.	.	.	.	.	.	.
Convulsions			6	7	8	6	5	3	9	3		4	2	2	.	.	.	.	.	.
Locomotor Ataxy			.	.	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord			.	2	4	1	1	.	1	.		.	.	.	.	.	.	.	.	.
Nervous System (other Dis.)			5	1	2	2	2	1	.	1		1	.	.	.	.	.	1	.	.
	36	26									33·1									
Valv. Dis., Endocarditis			2	6	4	2	4	5	4	7		8	.	.	.	2	.	1	5	.
Cerebr. Hæm. Thromb.			.	.	3	2	.	2	5	5		1	.	.	.	.	.	.	1	.
Apoplexy, Hemiplegia			2	7	4	4	4	2	2	1		5	.	.	.	.	.	1	4	.
Aneurysm			.	1	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Embolism, Thromb. (not cerebral)			.	.	.	.	.	.	.	.		1	.	.	.	1	.	.	.	.
Heart and Blood Vessels (other Dis.)			5	13	14	16	11	9	9	9		8	.	.	.	.	.	3	5	.
Croup (not Spasm. nor Memb.)	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Bronchitis	9	6	18	6	14	7	13	12	6	5	9·6	7	.	.	.	1	.	2	4	.
Asthma, Emphysema	2	1	.	.	.	.	1	.	.	1	1·2	2	.	.	.	.	1	.	1	.
Pleurisy			1	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Respiratory Dis. (other)			2	1	1	1	.	.	1	.		1	.	.	.	.	1	.	.	.
Tonsillitis, Quinsy	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Enteritis (not Epid.)	1	1	1	1	3	4	1	.	3	1	2·8	2	.	.	.	.	.	2	.
Gastro-enteritis			1	1	4	3	2	.	1	.		2	.	.	2	.	.	.	.	.
Peritonitis (not Puerp.)	1	1	1	.	1	.	.	1	2	1	·8	1	.	.	.	.	.	1	.	.
Cirrhosis of Liver	2	4	2	.	.	.	1	.	1	.	1·7	1	.	.	.	.	.	.	.	1
Liver Dis. (other)			1	3	1	1	.	.	1	.		1	.	.	.	.	1	.	.	.
Digestive Dis. (other)	8	7	5	3	5	6	4	2	6	6	5·2	4	.	.	.	2	.	2	.	.
Nephritis, Acute	8	7	1	2	2	3	2	2	1	2	4·1	8	.	.	.	1	4	2	1	
Bright's Dis., Albuminuria			.	2	3	2	.	2	.	.		1	.	.	.	.	.	1	.	
Urinary Sys. (other Dis.)																				
Generative Organs Dis.	.	1	2	2	.	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Childbirth (Accid. of)	.	.	.	3	.	1	.	1	1	.	·6	.	.	.	.	.	.	.	.	.
Old Age	8	5	5	5	5	6	3	4	2	4	4·7	4	.	.	.	.	.	2	2	2
Other Diseases	11	11	14	7	11	10	12	5	5	7	9·3	6	3	1	.	.	.	.	.	.
ACCIDENT.																				
By Railways	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles and Horses	.	.	.	1	.	2	1	.	.	2	·6	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
In Building Operations	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
In Conflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	.	.	.	1	1	2	.	.	.	.	·4	1	.	.	1	.	.	.	.	.
By Drowning	1	1	.	.	1	1	.	1	2	1	·7	1	.	.	.	1	.	.	.	.
By Suffocation in Bed	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident	3	3	7	3	.	.	.	1	.	2	1·9	1	.	.	.	.	.	.	.	1
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Suicide	.	1	.	.	.	.	1	1	.	.	·3	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

the Registration Area as then constituted.
" Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910—Week ending																								
	Feb. 12.	Feb. 19.	Feb. 26.	Mar 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.
No. of weeks in Annual Series,	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
BIRTHS registered.	220	197	224	206	247	162	242	213	255	217	221	246	230	241	181	242	253	268	272	183	223	229	272	225	243	198
*Average Births in corresponding week of previous 10 years,** ..	212	210	213	214	219	217	211	235	190	207	224	195	270	229	211	202	232	222	199	225	237	200	198	204	215	221
DEATHS registered, ...	217	211	228	206	204	149	185	168	196	183	200	198	186	180	131	160	185	183	140	180	127	143	118	141	127	145
Annual Death-rate per 1,000, ..	28·1	27·3	29·5	26·9	26·4	19·8	23·9	21·7	24·1	23·7	25·9	25·0	17·6	23·3	17·0	20·7	17·5	17·2	18·1	16·8	16·4	18·5	15·3	18·6	16·4	18·8
*Average Deaths in corresponding week of previous 10 years,**	196	207	221	221	214	200	206	211	200	200	197	189	184	178	174	171	157	154	152	147	136	138	142	146	147	146
AGES, Under 5 years, ...	58	67	67	57	58	30	52	44	44	37	49	46	36	38	37	39	31	37	25	27	31	50	29	48	31	31
5—20 ,, ...	9	9	16	8	12	11	12	18	9	11	15	18	6	16	7	10	18	10	12	9	11	11	16	8	18	17
20—40 ,, ...	25	19	22	33	28	21	34	18	26	24	33	29	26	34	20	25	26	22	27	32	23	24	17	17	18	27
40—60 ,, ...	42	38	42	40	34	35	35	32	43	38	35	43	25	32	28	40	27	29	35	34	28	25	27	29	30	30
60—80 ,, ...	62	66	69	57	65	41	42	45	53	57	59	46	40	50	36	42	33	28	38	28	33	23	34	34	33	35
80 years and upwards, ..	21	12	12	13	12	11	10	16	11	16	9	11	8	10	8	4	5	7	3	2	6	10	1	8	2	5
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1	.	.
Measles, ...	.	2	1	1	.	1	.	.	.	.	.	.	.	1	1	.	2	.	.	.	1	.	1	3	3	1
Scarlet Fever, ...	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Typhus, ...	.	.	.	3	2	1	2	1	.	2	5	4	1	1	1	.	2	1	2	1	3	.	1	1	.	3
Whooping-cough, ...	4	1	.	.	1	1	1	.	1	.	1	.	.	.	.	.	.	.	.	.	1	2	1	.	5	1
Diphtheria, ...	2	.	2	.	1	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain), ..	.	1	.	.	.	.	.	.	.	.	.	2	1	3	.	1	.	.	2	.	.	.	1	2	2	.
Enteric Fever, ...	.	.	1	2	.	1	1	4	1	1	.	1	2	1	5	2	1	3	1	1	1	6	3	5	.	2
Diarrhœal Diseases, ...	6	2	3	3	4	2	3	.	4	2	2	1	2	1	3	2	.	.	1	.	2	.	.	1	.	1
Influenza, ...	3	2	2	5	6	7	6	6	5	2	3	3	1	3	2	.	.	.	1	.	2	.	.	1	.	1
Pneumonia, ...	17	20	22	17	20	12	14	14	17	13	20	17	8	14	13	8	8	10	7	10	3	8	7	9	5	7
Tuberculous Phthisis, ..	19	19	23	28	26	15	26	14	21	22	31	25	14	31	15	14	17	15	22	24	23	11	19	11	17	24
Disease, Other Forms, ..	10	14	13	10	12	10	10	4	10	9	18	12	11	9	9	11	15	7	15	10	14	7	8	3	9	10
Cancer, Malignant Disease, ..	10	8	14	9	13	5	6	14	7	10	11	11	6	10	3	10	10	6	7	10	10	8	5	11	10	8
Diseases of Heart and Blood Vessels, ...	38	40	31	27	25	30	20	30	37	28	37	31	21	25	20	29	21	21	25	16	23	26	17	22	23	23
Diseases of Respiratory System,	55	41	41	39	35	26	36	28	38	39	22	25	17	27	16	18	18	17	11	15	7	11	18	14	12	10
Violent Deaths, ...	1	6	6	5	3	1	2	5	5	3	3	4	6	11	2	3	6	7	7	1	2	9	3	8	5	3
Number of Uncertified Deaths, ..	3	7	2	8	5	5	3	4	9	12	8	6	2	2	6	3	3	7	5	6	3	5	.	4	7	2
Mean Temperature of the Air (Phœnix Park), ...	43·7	42·3	39·2	44·0	43·6	39·8	48·4	39·7	41·7	48·0	49·6	43·6	46·1	44·7	51·4	55·1	50·6	57·8	56·4	58·1	54·7	55·5	57·1	56·9	57·3	56·5
Average Mean Temperature in corresponding week of previous 10 years, ...	38·9	38·9	40·1	40·1	41·1	42·9	41·9	42·1	44·2	43·4	45·1	46·6	46·9	43·5	48·6	50·5	53·9	53·3	53·7	55·3	56·6	57·6	58·9	60·6	58·8	58 8
Rainfall in inches, ...	·264	1·160	·915	·892	·883	·174	·000	·040	·205	·786	·782	·417	·670	·250	1·263	·185	·692	1·870	·010	1·291	1·730	·660	·000	·840	·355	·940
Mean Humidity of the Air, complete Saturation 1·0	·91	·93	·94	·93	·88	·91	·91	·88	·93	·93	·91	·82	·77	·81	·90	·83	81	·92	·87	·92	·87	·88	·81	·81	·81	·84

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever."

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 6th August, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 6TH AUGUST, 1910. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	CAUSES OF DEATH. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases	Total Cols. 10–18.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS, ...	375,350	20·1	145	31	17	27	30	35	5	.	.	1	.	3	1	.	.	2	7	7	24	10	8	4	10	3	72	2
	CLASSES.																											
	Deaths in Families of the—																											
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	23·9	8	.	.	.	3	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1	4	.
II.	MIDDLE CLASS, ...	87,188	10·2	17	.	2	1	3	8	3	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	14	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,423	13·2	28	2	5	4	6	4	.	.	.	.	.	1	1	.	.	.	2	1	4	5	1	2	1	1	11	1
IV.	GENERAL SERVICE CLASS, ...	154,279	19·8	57	20	5	15	8	9	.	.	.	1	.	2	.	.	.	2	5	5	9	2	3	2	4	1	26	1
V.	INMATES OF WORKHOUSES, ...	6,024	—	35	2	5	7	10	10	1	.	.	.	.	.	.	.	.	.	.	1	10	2	2	.	3	.	17	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																											
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	40·1	6	.	.	.	2	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	4	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,860	12·5	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
II.	MIDDLE CLASS.																											
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	18·9	8	.	.	.	1	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	7	.
	6. Clerks and Commercial Assistants, ..	30,482	5·1	3	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	11·6	6	.	2	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																											
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.
	9. Building and Furnishing Trades, ...	29,801	10·5	6	3	2	.	1	.	.	.	.	.	.	.	1	.	.	.	1	1	.	2	.	1	.	.	1	.
	10. Clothing Trades, ...	23,260	11·2	5	.	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	3	.
	11. Food Supply Trades, ...	9,242	16·9	3	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	15·5	9	2	2	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	1	2	1	1	1	.	3	1
	13. Petty Shopkeepers, ...	7,894	13·2	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
IV.	GENERAL SERVICE CLASS.																											
	14. Army, Police, Postal Delivery, and Prison Services, &c	13,425	19·4	5	3	.	1	1	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	4	.
	15. Domestic Servants, ...	36,603	2·8	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	18·1	5	1	2	.	1	1	.	.	.	.	.	1	.	.	.	.	1	1	.	.	1	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	26·1	45	16	3	13	6	7	.	.	.	.	.	1	.	.	.	2	3	4	8	2	2	2	4	1	19	1
V.	INMATES OF WORKHOUSES.																											
	18. Workhouse Inmates, ...	6,024	—	35	2	5	7	10	10	1	.	.	.	.	.	.	.	.	.	.	1	10	2	2	.	3	.	17	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

	DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From Diseases in Cols. 5–18.	TOTAL DEATHS.	NUMBER OF DEATHS FROM Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of).	North City, No. 1 (E.) (*Office, Clarence-st., Nth.*) Pop. in 1910 (Est.) 29,908.	June 18,	15·7	3·5	9	.	.	.	.	1	.	.	.	1	.	2	.	1	1	1	.
		„ 25,	13·9	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
		July 2,	13·9	1·7	8	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.
		„ 9,	22·7	.	13	.	.	.	.	.	.	.	.	.	1	4	.	.	1	.	2
		„ 16,	15·7	1·7	9	.	.	.	.	.	.	.	1	.	.	2	.	2	2	.	.
		„ 23,	22·7	1·7	13	.	.	1	.	.	.	.	.	.	.	2	.	.	.	.	2
		„ 30,	15·7	1·7	9	.	.	1	.	.	.	.	.	.	1	3	.	1	2	.	.
		Aug. 6,	12·2	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1910 (Est.) 39,974.	June 18,	18·3	1·3	14	.	.	.	.	.	.	.	1	.	1	2	3	.	.	.	.
		„ 25,	18·3	1·3	14	.	.	.	1	.	.	.	.	.	.	4	.	1	2	.	.
		July 2,	13·0	1·3	10	.	.	.	.	1	.	.	.	.	.	5	1	1	1	.	.
		„ 9,	17·0	.	13	.	.	.	.	.	.	.	.	.	2	1	.	1	.	1	1
		„ 16,	17·0	1·3	13	.	.	.	.	.	1	.	.	.	1	.	2	.	4	.	.
		„ 23,	18·3	2·6	14	.	.	.	1	.	.	.	1	.	.	1	.	.	3	2	2
		„ 30,	22·2	.	17	.	.	.	.	.	.	.	.	.	.	2	.	.	1	2	2
		Aug. 6,	22·2	.	17	.	.	.	.	.	.	.	.	.	.	5	.	.	.	3	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1910 (Est.) 30,744.	June 18,	18·7	.	11	.	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.
		„ 25,	20·4	.	12	.	.	.	.	.	.	.	.	.	2	5	2	1	.	.	.
		July 2,	17·0	.	10	.	.	.	.	.	.	.	.	.	1	3	1	.	1	.	.
		„ 9,	28·8	3·4	17	.	.	.	.	.	.	.	.	2	1	1	.	.	3	1	1
		„ 16,	20·4	1·7	12	.	.	.	.	.	.	.	.	1	1	.	.	.	2	1	.
		„ 23,	25·4	5·1	15	.	.	1	.	.	.	.	.	2	.	2	1	.	2	1	1
		„ 30,	8·5	1·7	5	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	.
		Aug. 6,	13·6	.	8	.	.	.	.	.	.	.	.	.	2	.	2	1	.	.	1
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1910 (Est.) 33,559.	June 18,	18·6	.	12	.	.	.	.	.	.	.	.	.	1	2	1	1	1	.	.
		„ 25,	17·1	1·6	11	.	.	.	.	.	.	.	.	1	1	2	1	2	1	.	.
		July 2,	18·6	1·6	12	.	.	.	.	1	.	.	.	.	.	1	2	1	.	.	.
		„ 9,	9·3	1·6	6	.	.	.	.	.	.	.	.	1	.	.	.	1	1	1	1
		„ 16,	21·8	3·1	14	.	.	1	.	.	.	.	.	1	.	3	1	.	3	.	.
		„ 23,	9·3	1·6	6	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
		„ 30,	20·2	4·7	13	.	.	.	.	.	3	.	.	.	.	2	1	3	.	.	1
		Aug. 6,	26·4	1·6	17	.	.	.	.	.	1	.	.	.	2	2	.	1	1	.	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1910 (Est.) 41,476.	June 18,	23·6	.	16	.	.	.	.	1	.	.	.	.	1	3	3	.	3	.	.
		„ 25,	20·1	1·3	16	.	.	.	.	1	.	.	.	.	.	2	.	2	3	.	1
		July 2,	26·4	3·8	21	.	.	1	.	1	1	.	.	.	1	5	2	.	1	1	.
		„ 9,	16·9	1·3	15	.	1	.	.	.	.	.	.	.	1	1	2	.	2	.	.
		„ 16,	13·6	.	10	.	.	.	.	.	.	.	.	.	.	2	1	.	3	.	.
		„ 23,	20·1	1·3	16	.	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.
		„ 30,	20·1	1·3	16	.	.	1	.	.	.	.	.	.	1	2	1	2	1	1	1
		Aug. 6,	21·4	1·3	17	.	.	1	.	.	.	.	.	.	.	3	.	3	3	.	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1910 (Est.) 21,754	June 18,	9·6	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
		„ 25,	16·8	.	7	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.
		July 2,	16·8	.	7	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.	1
		„ 9,	16·8	.	7	.	.	.	.	.	.	.	.	.	2	2	1	.	.	.	.
		„ 16,	7·2	.	3	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.
		„ 23,	16·8	2·4	7	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	.
		„ 30,	12·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
		Aug. 6,	24·0	2·4	10	.	.	.	.	1	.	.	.	.	.	2	1	1	2	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1910 (Est.) 43,227.	June 18,	19·3	.	16	.	.	.	.	.	.	.	.	.	.	4	4	2	.	.	.
		„ 25,	16·9	.	14	.	.	.	.	.	.	.	.	.	1	2	.	.	3	.	2
		July 2,	18·1	.	15	.	.	.	.	.	.	.	.	.	.	2	5	2	1	.	.
		„ 9,	15·7	.	13	.	.	.	.	.	.	.	.	.	.	.	2	.	2	2	.
		„ 16,	16·9	.	14	.	.	.	.	.	.	.	.	.	1	2	.	1	2	1	.
		„ 23,	16·9	2·4	14	.	.	1	.	.	.	.	.	1	2	2	1	.	3	.	1
		„ 30,	18·1	1·2	15	.	.	1	.	.	.	.	.	.	1	1	3	1	2	.	2
		Aug. 6,	19·3	2·4	16	.	.	.	.	2	.	.	.	.	2	3	2	.	.	.	.
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1910 (Est.) 35,881.	June 18,	23·3	1·5	16	.	.	.	.	1	.	.	.	.	1	1	1	.	2	2	3
		„ 25,	18·9	.	13	.	.	.	.	.	.	.	.	.	.	1	2	2	3	.	1
		July 2,	11·6	.	8	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
		„ 9,	14·5	2·9	10	.	.	.	.	.	.	.	2	.	.	.	1	1	2	.	.
		„ 16,	10·2	.	7	.	.	.	.	.	.	.	.	.	1	3	1	.	.	.	.
		„ 23,	23·3	.	16	.	.	.	.	.	.	.	.	.	2	.	1	3	1	1	.
		„ 30,	16·0	.	11	.	.	.	.	.	.	.	.	.	.	1	2	2	1	1	1
		Aug. 6,	21·8	1·5	15	.	.	.	.	.	.	.	1	.	1	1	1	1	1	.	1

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From ALL CAUSES	From DISEASES IN COLS. 5–18.	TOTAL DEATHS.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District.	June 18,	16·9	.	12	.	.	.	.	.	.	.	.	.	1	1	2	.	1	.	1
	„ 25,	11·3	.	8	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	July 2,	11·3	.	8	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	„ 9,	15·5	1·4	11	.	.	.	.	.	1	.	.	.	1	.	.	1	.	1	.
	„ 16,	8·4	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 23,	16·9	.	12	.	.	.	.	.	.	.	.	.	1	2	.	.	1	1	.
	„ 30,	7·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
Pop. in 1910 (Est.) 37,047.	Aug. 6,	11·3	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
Pembroke Urban District.	June 18,	7·2	.	4		.	.		.	.	.	.	.	.	1	.	.	.	1	.
	„ 25,	14·4	.	8		.	.		.	.	.	.	.	1	1	.	.	1	.	.
	July 2,	12·6	.	7		.	.		.	.	.	.	.	.	3	.	2	.	1	1
	„ 9,	16·2	3·6	9	.	.	.		.	1	.	.	1	.	.	.	1	.	.	.
	„ 16,	10·8	.	6		.	.		.	.	.	.	.	2	.	.	.	1	.	.
Pop. in 1910 (Est.) 28,948.	„ 23,	12·6	.	7	.	.	.		.	.	.	.	.	1	.	.	2	.	1	.
	„ 30,	19·8	1·8	11	.	.	.		.	.	.	1	.	.	2	1	.	.	.	.
	Aug. 6,	9·0	1·8	5	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.
Kingstown Urban District.	June 18,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 25,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	July 2,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 9,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	„ 16,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
Pop. in 1910 (Est.) 17,622.	„ 23,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 30,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	Aug. 6,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
Belfast. Pop. in 1910 (Est.) 391,167.	June 18,	24·4	7·9	183	.	49	.	.	4	2	.	.	4	17	24	8	6	14	.	2
	„ 25,	20·9	5·5	157	.	36	.	.	1	.	.	1	3	17	22	9	4	16	4	.
	July 2,	18·3	3·7	137	.	25	.	.	1	.	.	1	1	11	11	8	9	7	.	2
	„ 9,	19·3	4·1	145	.	24	.	.	2	.	.	.	5	14	11	9	3	7	4	3
	„ 16,	18·1	3·2	136	.	20	.	.	1	1	.	.	2	17	9	11	6	15	2	3
	„ 23,	15·6	3·9	117	.	21	.	.	1	1	.	1	5	5	16	5	9	6	.	3
	„ 30,	18·0	2·4	135	.	8	.	1	.	1	.	2	6	8	15	7	7	16	1	1
	Aug. 6,	15·8	2·7	115	.	7	1	.	2	.	.	.	10	3	13	7	3	10	1	2
Cork. Pop. (in 1901) 76,122.	June 18,	15·1	.	22	.	.	.	.	.	.	.	.	.	2	3	.	1	2	.	.
	„ 25,	18·5	0·7	27	.	.	.	.	.	1	.	.	.	1	4	5	.	.	1	1
	July 2,	17·8	0·7	26	.	.	.	.	.	1	.	.	.	2	3	1	1	5	.	2
	„ 9,	13·0	0·7	19	.	.	.	.	.	.	.	1	.	2	2	1	.	2	.	1
	„ 16,	15·5	1·4	27	.	.	.	.	.	.	.	2	.	1	3	1	.	1	.	.
	„ 23,	19·9	1·4	29	.	.	.	.	.	2	.	.	.	.	6	3	2	3	1	1
	„ 30,	16·4	1·4	24	.	.	.	.	.	1	.	1	.	1	4	1	1	3	.	1
	Aug. 6,	6·8	.	10	.	.	.	.	.	.	.	.	.	2	4	.	1	1	.	.
Londonderry. Pop. in 1910 (Est.) 43,477.	June 18,	10·8	2·4	9	.	2	.	.	.	.	.	.	.	1	3	.	.	.	.	.
	„ 25,	12·0	3·6	10	.	3	.	.	.	.	.	.	.	1	1	.	3	1	.	.
	July 2,	7·2	.	6	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.
	„ 9,	20·4	2·4	17	.	1	.	.	.	1	.	.	.	1	2	1	1	3	.	.
	„ 16,	6·0	1·2	5	.	1	.	.	.	.	.	.	.	.	.	1	.	2	.	.
	„ 23,	8·4	2·4	7	.	1	.	.	.	.	.	.	1	.	2	.	.	.	.	.
	„ 30,	22·8	3·6	19	.	1	.	.	.	.	.	.	2	1	6	2	.	.	.	3
	Aug. 6,	19·2	1·2	16	.	1	.	.	.	.	.	.	.	.	6	2	1	1	.	1
Limerick. Pop. (in 1901) 38,151.	June 18,	20·5	1·4	15	.	.	.	.	.	.	.	.	1	1	3	.	.	.	.	4
	„ 25,	19·1	1·4	14	.	.	.	.	.	.	.	1	.	.	2	.	1	1	.	1
	July 2,	20·5	.	13	.	.	.	.	.	.	.	.	.	.	2	1	.	1	2	3
	„ 9,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
	„ 16,	13·8	.	9	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	1
	„ 23,	13·7	1·4	10	.	.	.	.	.	.	.	1	.	.	.	1	1	2	.	1
	„ 30,	17·8	.	13	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1
	Aug. 6,	12·8	1·4	9	.	.	.	.	.	.	.	1	.	.	1	.	.	3	.	.
Waterford. Pop. (in 1901) 26,769.	June 18,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1
	„ 25,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.
	July 2,	15·6	1·9	8	.	.	.	.	1	.	.	.	.	.	1	2	2	.	.	1
	„ 9,	15·6	1·9	8	.	.	.	.	.	.	.	.	1	1	.	1	.	2	.	.
	„ 16,	19·5	1·9	10	.	.	.	1	.	.	.	.	.	.	1	2	.	.	.	.
	„ 23,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	1	3	1	1	.	1
	„ 30,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	1
	Aug. 6,	19·5	5·8	10	.	.	.	.	1	.	.	.	2	.	3	2	.	1	.	.

* Formerly described as "Simple Continued Fever."

Table VIII.—Showing, by Registrars Districts, the Number of Births and Deaths in the Cities (or Urban Districts) of BELFAST and CORK, registered during the week ended 6th August, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the Annual Rate of Mortality per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain Age Periods; the Number of Deaths from some of the Principal Causes; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Disease, in Cols. 12-20.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia† (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malig. nant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	4	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
Belfast Urban No. 1 District,		9			6	1	1	.	1	3	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 2 do.		20			22	6	1	1	4	5	5	.	2	.	.	.	.	.	.	2	1	3	1	1	.	.	6	1
Do. 3 do.		23			17	4	2	2	5	2	2	.	1	.	.	.	.	.	.	4	1	3	3	1	1	.	3	.
Do. 4 do.		18			10	3	2	.	.	2	3	.	1	.	.	.	.	.	.	.	.	1	.	.	2	.	4	1
Do. 5 do.		7			5	4	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.
Do. 6 do.		16			6	2	1	.	1	.	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	3	.
Do 7 do.		2			1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 8 do.	849,180	3			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		9			5	3	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.
Do 10 do.		22			7	.	2	.	1	1	3	.	.	.	.	1	.	.	.	.	.	2	.	.	.	.	.	.	.
Do. 11 do.		21			13	.	5	1	2	2	3	.	1	.	.	.	.	.	.	1	.	.	1	.	4	.	.	4	.
Do. 12 do.		13			13	2	3	2	1	4	1	.	2	.	.	.	.	.	.	2	.	3	1	.	.	.	.	2	.
Do. 13 do.		13			4	.	1	.	.	.	3	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15* do.		3			6	2	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2	.
Total, ...	—	179	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		115	27	19	7	15	21	26	.	7	1	.	2	.	.	.	10	3	18	7	3	10	1	1	28	2
City of Cork.																													
Cork Urban No. 1 District, .	12,867	7	12·2	.	3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	1	.
Do. 2 do. .	10,701	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 3 do. .	9,978	3	10·5	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.
Do. 4 do. .	8,666	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 do. .	6,592	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do. .	10,702	8	14·6	.	3	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.
Do. 7 do. .	16,616	4	6·3	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.
Total, ...	76,122	28	6·8	.	10	1	.	2	2	2	3	.	.	.	.	.	.	.	.	.	2	4	.	1	1	.	.	6	.

* New district formed as from 1st Jan., 1910, and the boundaries of Nos. 1, 4 & 6 districts altered; the population of each of these districts, as at present constituted, is not known.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910—Week ending																								
	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14	May 21	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.
No. of weeks in annual Series, ..	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
BIRTHS registered, ...	213	196	202	239	201	240	208	207	254	247	224	266	235	214	169	264	215	193	231	202	213	199	259	239	214	179
DEATHS registered, ...	172	156	140	165	162	168	125	138	168	187	160	173	167	170	177	176	166	148	188	157	137	145	186	117	135	115
Annual Death rate per 1,000 of estimated Population, ...	22·9	20·8	18·7	22·0	21·6	21·7	16·7	18·4	22·4	24·9	21·3	23·1	22·3	22·7	23·6	23·5	22·1	19·7	24·4	20·9	18·3	19·3	18·1	15·6	18·0	15·3
AGES — Under 1 year, ...	37	31	23	33	31	29	27	27	34	38	36	33	31	29	30	37	37	20	44	33	24	34	26	25	35	27
AGES — 1-5 years, ...	21	20	21	21	16	27	15	21	33	34	27	20	36	35	47	43	45	54	47	45	33	29	32	23	23	19
AGES — 5-20 years, ...	8	13	12	11	14	16	7	18	19	15	14	21	12	15	15	15	14	12	15	16	13	12	7	17	10	7
AGES — 20-40 years, ...	18	26	19	29	26	18	19	16	21	32	14	24	25	30	28	26	26	25	20	17	18	25	20	19	14	15
AGES — 40-60 years, ...	42	31	36	37	40	35	28	22	27	24	29	41	30	30	29	28	27	16	23	20	21	20	25	17	25	21
AGES — 60 years and upwards, ..	46	35	29	34	35	38	29	34	34	44	40	34	33	31	28	27	17	21	34	26	28	25	26	16	28	26
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	.	1	1	5	3	6	11	17	8	20	19	23	44	33	38	38	49	36	25	24	20	21	8	7
Scarlet Fever, ...	2	.	1	.	.	2	.	2	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough, ...	15	17	14	11	12	13	10	6	12	5	8	4	4	6	4	5	7	5	4	1	1	2	1	1	.	2
Diphtheria, ...	.	.	1	.	.	.	.	1	1	1	1	1	.	1	.	1	.	1	2	.	.	.	1	1	1	.
*Pyrexia** (origin uncertain) ..	.	.	1	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	.	1	.	.	1	.	.	1	.	.	1	.	.	1	.	.	.	1	.	1	1	.	.	1	2	.
Diarrhœal Diseases, ...	.	2	.	2	2	.	1	1	.	1	3	1	2	.	.	2	3	1	4	3	1	5	2	5	6	10
Pneumonia, ...	16	11	16	12	10	12	8	14	19	16	19	14	15	26	22	21	18	13	17	17	11	14	17	5	8	8
Tuberculous Disease, Phthisis, ..	15	14	20	28	26	18	10	20	24	27	13	22	20	24	29	14	21	19	24	22	11	11	9	16	15	13
Tuberculous Disease, Other Forms, ..	4	8	7	9	7	9	8	9	12	8	7	9	6	4	6	13	8	5	3	9	8	9	11	5	7	7
Cancer, Malignant Disease, ..	7	6	5	3	5	9	10	4	8	10	2	6	8	8	7	3	4	4	6	4	9	3	6	9	7	3
Diseases of Respiratory System,	40	19	21	24	22	24	16	16	21	22	30	15	21	14	17	14	18	17	14	16	7	7	15	6	16	10
Violent Deaths, ...	2	5	3	10	9	5	3	.	4	.	2	4	3	4	1	1	5	1	.	4	.	4	2	.	1	1
Number of Uncertified Deaths, ..	1	5	2	2	1	1	1	2	1	1	1	3	1	2	1	.	3	1	2	.	2	3	3	3	1	2

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births.	Deaths.	Annual Death-rate per 1,000 living.	Deaths from						
			Exclusive of Stillborn.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	Aug. 6,	1,855	956*c*	10·2	.	30	5	8	18	2*a*	23
EDINBURGH, ...	360,276	„ 6,	135	78	11·3	.	.	.	1	1	.	2
GLASGOW, ...	884,505	„ 6,	408	204*c*	12·0	.	2	1	2	1	.	17
CALCUTTA, ...	1,009,008	July 2,	.	343	17·6	.	.	1	.	3	84‡	51*
BOMBAY, ...	977,822	„ 5,	380	618	32·9	5	.	.	.	.	101‡	69*
MADRAS, ...	509,346	June 17,	336	295	30·1	1	2	?	?	?	70	77
CAIRO, ...	677,663	July 1,	531	690	53·1	1	49	.	9	.	5*a*	194*b*
PARIS, ...	2,760,000	„ 2,	1,083	779	14·8	.	17	1	3†	10	1*a*	17*b*
BRUSSELS, ...	720,030	„ 16,	254	141	10·2	.	.	.	.	2	1	15
ANTWERP, ...	317,171	„ 16,	116	69*d*	11·3	.	2	1	.	.	2*a*	8*b*
AMSTERDAM, ...	570,669	„ 16,	248	114	10·4	.	2	.	1†	2	.	5*b*
COPENHAGEN, ...	450,000	„ 16,	224	116	13·4	.	.	2	.	.	1*a*	12
STOCKHOLM, ...	341,816	„ 16,	169	78	11·9	.	.	2	2†	1	.	1
CHRISTIANIA, ...	240,178	„ 23,	110	41	8·9	.	.	1	.	.	.	4
ST. PETERSBURG, ...	1,620,000	„ 2,	851	767	24·7	9	46	15	11	4	9*a*	150*
MOSCOW, ...	1,493,600	June 26,	.	1,121	39·1	3	11	15	31†	7	8	556
BERLIN, ...	2,118,225	July 9,	766	529	13·0	.	9	6	15†	4	.	43
HAMBURG, ...	895,804	„ 16,	.	234	13·6	.	3	1	4†	1	1	32
BRESLAU, ...	510,705	„ 16,	.	169	17·3	.	2	.	.	2	.	20
MUNICH, ...	576,000	„ 23,	.	164	14·8	.	1	2	.	3	.	13
VIENNA (with suburbs),	2,107,981	„ 16,	773	553	13·6	.	8	1	6†	4	1*a*	42*b*
BUDA-PESTH, ...	833,703	„ 16,	427	331	20·6	.	9	4	1†	4	12*a*	41*b*
PRAGUE and Faubourgs.	497,905	„ 2,	169	156	16·3	.	.	.	1	.	1*a*	8*b*
TRIESTE, ...	221,124	„ 9,	123	96	22·6	.	1	.	.	2	.	15*b*
ROME, ...	587,096	June 11,	.	.	.	.	.	.	.	.	.	.
VENICE, ...	183,224	July 16,	73	59	16·8	.	.	.	.	.	3*a*	11
NEW YORK, ...	4,711,956	„ 9,	2,521	1,472	16·3	.	13	14	36†	15	10*a*	302
PHILADELPHIA, ..	1,598,400	May 7,	.	454	14·7	1	.	.	10†	9	.	14*b*
BOSTON, ...	629,868	July 16,	.	221	18·3	.	2	.	3	1	1	20

* Including 29 deaths from cholera in Calcutta, one in Bombay, and one in St. Petersburg.
† Including deaths from croup.
‡ Including 31 deaths from plague in Calcutta and 44 in Bombay.
a Enteric Fever.
b Deaths from diarrhœal diseases and from enteritis of children under two years of age.
c Including one death from cerebro-spinal fever in London and 2 deaths from *cerebro-spinal meningitis* in Glasgow.
d Not including one death from small-pox of a stranger.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 6th August, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	2	.	.	.	.	.	.	2	.	.	4	8
" " 1, West,	.	1	.	.	.	.	.	.	.	.	.	2	3
" " 2,	.	.	.	.	.	.	.	1	1	.	.	1	3
" " 3,	.	3	.	.	4	.	.	1	3	.	.	5	16
Clontarf and Howth No. 1 (part of),	.	1	.	.	1	.	.	.	.	.	.	.	2
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	1	.	.	2	5	.	.	7	15
" " 2,	.	1	.	.	.	.	.	.	1	.	.	.	2
" " 3,	.	2	.	.	.	.	.	1	.	.	.	.	3
" " 4,	.	1	.	.	1	.	.	3	.	.	.	1	6
New Kilmainham,	.	.	.	.	.	.	.	.	1	.	.	.	1
Total,	.	11	.	.	7	.	.	8	13	.	.	20	59

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 6th August, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 6th August.			
	July 16.	July 23.	July 30.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	
Measles,	3	1	.	1	.	.	1
Scarlet Fever,	86	96	99	12	23	.	88*
Typhus,	1	1	2	.	.	.	2
Diphtheria,	54	63	57	6	14	1	48
Enteric Fever,	33	31	31	5	7	.	29
Pneumonia,	15	17	16	4	9	.	11

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ided 6th August, 1910 :—

"During this week the distribution of atmospheric pressure over the British Isles and their neighbourhood was ntinuously of a cyclonic type, and the weather was in consequence changeable and showery. In Ireland conditions proved after the middle of the week, but in Great Britain showers still fell at intervals. On Sunday a fine spell as enjoyed as a depression retreated in a westerly direction over the Atlantic from the west coast of Scotland and rth of Ireland. By Monday morning, however, a fresh disturbance had appeared off the Land's End, and this stem subsequently moved northwards up St. George's Channel to the Irish Sea, growing deeper as it travelled. caused a downpour of rain in the Dublin district, in which rain fell for 20 hours from 1 p.m. of Monday, yielding l inches in the gauge in the City of Dublin. The depression kept on its northerly course, its centre reaching the st of Scotland on Wednesday morning. The heavy rains were confined to the northwestern quadrant of the stem, England and Scotland receiving only passing showers. On Thursday morning a primary baric depression as centred over Ireland, while a V.-shaped secondary was making its way up the English Channel from Brittany. ie main system caused thunderstorms over the greater part of Ireland and the south-west of Scotland, while the condary played the same part in the south and south-east of England. On Thursday also torrents of rain fell in rmany and Denmark, Fanö on the west coast of the latter country received 2·48 inches in the 24 hours ended at a.m. of Friday. On this same day heavy thundershowers fell a few miles S. and S.E. of Dublin, but only a few ops of rain were observed in the City. Heavy showers were reported from England quite up to the end of the ek. In Dublin the mean height of the barometer was 29·708 inches, the range being from 29·469 inches at 9 a.m. Thursday (wind, W.N.W.) to 29·988 inches at 9 a.m. of Saturday (wind also W.N.W.). The corrected mean mperature was 57·5°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 56·7°. On Sunday and again on turday the screened thermometers rose to 65·7°, on Saturday they fell to 50·1°. W.N.W. was the prevailing nd. Rain fell on the first four days to the amount of 1·174 inches, 1·102 inches being recorded on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·535 inches. The highest reading (29·823) was on Saturday at 9 a.m., wind W.N.W., and the lowest (29·293) on Thursday at 9 a.m., wind N.E.

The mean temperature for the week was 56·5°, being 2·3° below the average for the corresponding period of the 10 years, 1900–1909. The temperature was highest on Saturday, on which day the thermometer registered 66·2°, and was lowest on Monday, the mercury having fallen to 46·4°. The mean of the Dry Bulb for the week was 55·6° and of the Wet Bulb 53·2°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The rainfall during the week measured 0·940 inch.

At Greenwich the mean temperature for the week was 60·2°, the maximum 74·0°, and the minimum 49·2°; at Glasgow the maximum was 67·0°, the minimum 48·3°, and the mean 57·7°; and at Edinburgh the maximum was 66·2°, the minimum 48·3°, and the mean 57·8°. The rainfall at Greenwich measured 0·85 in., at Glasgow 0·73 in., and at Edinburgh 0·31 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY	BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins		
Sunday, July 31,	29·533	65·0	54·5	59·8	56·8	54·3	·84	·4	3·9	·040	S.W.	S.W
Monday, August 1.	29·573	61·8	46·4	54·1	56·3	53·4	·83	·7	0·4	·865	Calm.	E.N.E.
Tuesday, „ 2.	29·355	59·6	52·1	55·9	55·3	54·2	·83	·5	0·3	·015	Calm.	W.S.W.
Wednesday, „ 3.	29·381	62·6	51·4	57·0	54·7	51·2	·78	·3	6·0	·020	S.W.	S.W.
Thursday, „ 4.	29·384	63·6	47·9	55·8	53·2	51·4	·89	·4	6·2	·000	N.E.	Calm.
Friday, „ 5,	29·703	65·2	48·0	56·6	55·3	53·0	·86	·5	4·4	·000	W.	Calm.
Saturday, „ 6,	29·819	66·2	46·9	56·6	57·5	54·9	·85	·2	7·4	·000	W.N.W.	Calm.
Mean, . . .	29·535	63·4	49·6	56·5	55·6	53·2	·84	·4	Total 28·6	Total ·940	—	

Sunday—Day cloudy, heavy showers, p.m.; night cloudy. *Monday*—Day overcast and wet; night overcast and wet. *Tuesday*—Day overcast, light rain, a.m. and p.m.; night overcast to cloudy. *Wednesday*—Day cloudy, fine; night cloudy; light showers p.m. and a.m. *Thursday*—Day cloudy, fine; night clear. *Friday*—Day overcast to cloudy; night clear. *Saturday*—Day cloudy a.m., overcast p.m.; night overcast.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, August 6th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperatures in Shade, read at 9 p.m.			Sunshine Campbell-Stokes Recorder, read at 9 p.m.	Rainfall.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
	°	°	°	°	°	°	hrs.	ins.
Sunday, July 31,	61·0	59·1	57·1	61·9	55·0	58·5	5·2	·005
Monday, August 1,	59·0	59·3	57·1	61·8	51·7	56·8	0·2	1·060
Tuesday, „ 2,	57·4	59·0	57·0	61·0	52·3	56·7	0·1	·015
Wednesday, „ 3,	60·0	58·9	57·1	63·4	52·0	57·7	3·7	·030
Thursday, „ 4.	55·8	58·6	57·1	62·8	51·0	56·9	4·9	·001
Friday, „ 5,	58·2	58·9	57·0	66·3	56·2	61·3	4·2	—
Saturday, „ 6,	59·2	59·0	57·1	67·5	49·2	58·4	8·7	—
Weekly Mean,	58·7	59·0	57·1	63·5	52·5	58·0	Total 27·0	Total 1·111

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

29415. Wt. P. 1—80/137, 375. 4. 1910. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 13TH AUGUST, 1910. [No. 32.

General Register Office, Charlemont House, Dublin, 15th August, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 15·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending				Average Rate for 4 weeks.	TOWNS, &c.	Week ending				Average Rate for 4 weeks.
	July 23.	July 30.	Aug. 6.	Aug. 13.			July 23.	July 30.	Aug. 6.	Aug. 13.	
22 Town Districts.	**16·3**	**16·2**	**15·3**	**15·7**	**15·9**	Limerick, . . .	13·7	17·8	12·3	10·9	13·7
						Lisburn, . . .	22·7	22·7	4·5	9·1	14·8
Armagh, . . .	20·6	13·7	6·9	20·6	15·5	Londonderry, . .	8·4	22·8	19·2	14·4	16·2
Ballymena, . . .	19·2	4·8	9·6	28·7	15·6	Lurgan, . . .	8·9	13·3	8·9	.	7·8
Belfast, ...	15·6	18·0	15·3	13·6	15·6	Newry, ...	4·2	4·2	12·6	16·8	9·5
Clonmel, . . .	15·4	20·5	10·3	5·1	12·8	Newtownards, .	17·2	17·2	28·6	28·6	22·9
Cork, ...	19·9	16·4	6·8	15·1	14·6	Portadown, . .	20·7	25·8	15·5	10·3	18·1
Drogheda, . . .	20·4	8·2	12·3	4·1	11·3	Queenstown, . .	6·6	13·2	19·8	13·2	13·2
Dublin Reg. Area, .	17·2	15·5	17·2	17·9	16·9	Sligo, ...	9·6	9·6	9·6	.	7·2
Dundalk, . .	4·0	.	16·0	8·0	7·0	Tralee, ...	15·9	.	10·6	5·3	8·0
Galway, . . .	23·3	11·7	19·4	11·7	16·5	Waterford, . . .	19·5	19·5	19·5	27·3	21·4
Kilkenny, . . .	24·6	9·8	4·9	73·7	28·2	Wexford, . . .	23·3	9·3	23·3	14·0	17·5

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 2·1 per 1,000, the rates varying from 0·0 in fourteen of the districts to 9·6 in Ballymena, the 6 deaths from all causes for that district including 2 from diarrhœal diseases. Among the 102 deaths from all causes for Belfast are 4 from measles, one from each of whooping-cough and *pyrexia* (origin uncertain), and 14 deaths from diarrhœal diseases, and one of the 14 deaths from all causes for Waterford is from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 209—110 boys and 99 girls—and the deaths to 143—75 males and 68 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, represent an annual rate of 17·9 per 1,000 of

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*), Table II. ‡ See columns 10-18 of Table II.

the population, the rate for the total deaths registered in the Area being 18·5 per 1,000. During the thirty-two weeks, ending with Saturday last, the death-rate averaged 21·7, and was 3·0 below the mean rate for the corresponding portions of the ten years, 1900–9.

Among the deaths from all causes registered there was one death from measles, also one death from scarlet fever ; there were 3 deaths from whooping-cough, and 14 deaths, all of infants under one year of age, from diarrhœal diseases (there were also 2 deaths from enteritis at this age). In each of the 3 preceding weeks, there were 3, 3, and one deaths from scarlet fever ; one, 0, and 0 from measles ; one, 0, and 3 deaths from whooping-cough, and 5, 0, and 2 deaths from diarrhœal diseases.

Of 8 deaths from pneumonia (all forms), 3 were from lobar pneumonia, one was from broncho-pneumonia, and 4 were attributed to *pneumonia* (not defined).

There were 29 deaths from all forms of tuberculous disease ; this figure includes 14 deaths from tuberculous phthisis (*phthisis*), 7 deaths from tuberculous meningitis, one death from *tabes mesenterica*, and 7 deaths from other forms of the disease. In each of the 3 preceding weeks, deaths from all forms of tuberculous disease were 14, 26, and 34.

Carcinoma caused the deaths of 7 persons, and there was one death from cancer (undefined).

The deaths of 3 infants were due to prematurity.

Of 12 deaths from diseases of the brain and nervous system, 5 were from *convulsions* ; the latter figure includes the deaths of one infant under one month old, 3 between the ages of one month and one year, and one aged 2 years and 8 months.

Twenty deaths were from diseases of the heart and blood vessels, and 7 deaths were caused by bronchitis.

Of 8 deaths attributed to accidental causes, 2 were by motor vehicles, one was by burning, and one was by drowning.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the deaths of one infant under one year old and the deaths of 2 persons aged 60 years and upwards.

Fifty-four of the persons whose deaths were registered during the week were under 5 years of age (43 being infants under one year, of whom 10 were under one month old) and 30 were aged 60 years and upwards, including 18 persons aged 70 and upwards, of whom 3 were octogenarians, and one (a female) was stated to have been aged 105 years.

Sixty-four of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 13 took place in the North Dublin Union Workhouse, 17 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·9 per 1,000 ; the rate in the City was 19·3 (North City Districts, 17·4; South, 21·4) and in the Suburbs, 12·9.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·5 per 1,000 inhabitants, the rate for the City being 2·5 (2·6 in the North City Districts, and 2·4 in the South), and for the Suburbs, 2·3.

No. 1 North City District, East (Clarence-street, North).—The deaths (9) are equal to an annual rate of 15·7 per 1,000. Among them are one from whooping-cough, 2 from epidemic diarrhœa, one from *pneumonia* (not defined), and one from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (13) are equal to an annual rate of 17·0 per 1,000, and include one death from epidemic diarrhœa, one from lobar pneumonia, 2 from tuberculous disease, and one accidental death.

No. 2 North City District (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 18·7 per 1,000. There were 2 deaths from diarrhœal disease, one from *pneumonia* (not defined), 2 from tuberculous disease, and 2 from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (15) represent an annual rate of 23·3 per 1,000. Two deaths were caused by epidemic diarrhœa, one by lobar pneumonia, and 4 deaths by tuberculous phthisis (*phthisis*).

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are :—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants ; Coolock and Drumcondra, part of, 9·0 ; and Finglas and Glasnevin, part of, 13·6. One of the 2 deaths recorded for Coolock and Drumcondra, part of, was from lobar pneumonia ; and of the 2 deaths for Finglas and Glasnevin, part of, one was ascribed to *phthisis*.

No. 1 South City District (South Earl-street).—The deaths (21) represent an annual rate of 26·4 per 1,000, and include one death from epidemic diarrhœa, 5 from tuberculous disease, and 2 deaths caused by motor vehicles.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 16·8 per 1,000. Epidemic diarrhœa caused one death, tuberculous disease one death, and one death was attributed to accident.

No. 3 South City District (Peter-street).—The deaths (20) are equal to an annual rate of 24·1 per 1,000. There was one death each from scarlet fever, whooping-cough, and epidemic diarrhœa ; broncho-pneumonia and *pneumonia* (not defined) each caused one death ; there were 5 deaths from tuberculous disease, and one death from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (14) are equivalent to an annual rate of 20·3 per 1,000. Among them are one each from whooping-cough and epidemic diarrhœa, one death from *pneumonia* (not defined), 3 deaths from tuberculous disease, one from bronchitis, and one death was by drowning.

New Kilmainham District.—There were no deaths recorded for this district during the week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are :—Rathmines and Rathgar, 4·2 ; Pembroke, 27·0 ; Blackrock, 0·0 ; and Kingstown, 14·8. The deaths from the principal epidemic diseases tabulated for these districts consist of one death from measles and 3 deaths from epidemic diarrhœa for Pembroke. Among the 3 deaths from all causes for Rathmines and Rathgar is one from *tabes mesenterica* ; the 15 deaths from all causes for Pembroke include 2 from tuberculous meningitis, 2 deaths from bronchitis, and one death caused by burns ; and of the 5 deaths from all causes for Kingstown, 2 were caused by tuberculous disease.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District: Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District: and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 13th August, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	July 23,	.	—	—	19	.	.	18	.	3	4	12	.	—	—	.	—	31	—	87
	July 30,	.	—	—	17	1	.	10	.	.	4	7	.	—	—	.	—	21	—	60
	Aug. 6,	.	—	—	11	.	.	7	.	.	8	13	.	—	—	.	—	20	—	59
	Aug. 13,	.	—	—	12	.	.	12	.	.	3	10	1	—	—	.	—	13	—	51
Rathmines and Rathgar Urban District.	July 23,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
	July 30,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	—	1
	Aug. 6,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	Aug. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
Pembroke Urban District.	July 23,	.	.	.	.	.	.	1	.	.	1	1	.	—	.	.	—	2	—	5
	July 30,	.	.	.	.	.	.	.	.	.	1	.	.	—	.	.	—	.	—	1
	Aug. 6,	.	.	.	1	.	.	1	.	.	.	.	.	—	1	.	—	.	—	3
	Aug. 13,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	.	—	.
Blackrock Urban District.	July 23,	.	—	—	1	.	.	1	.	.	.	.	.	—*	—	.	—	—	—	2
	July 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	July 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 30,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	.	—	1
	Aug. 6,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	.	—	1
	Aug. 13,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	.	—	2
City of Belfast.	July 23,	.	—	—	4	1	.	2	.	.	2	2	.	—	—	—	—	18	—	29
	July 30,	.	—	—	10	.	.	5	.	.	2	3	.	—	—	—	—	17	—	37
	Aug. 6,	.	—	—	6	.	.	5	.	2	5	4	.	—	—	—	—	19	—	41
	Aug. 13,	.	—	—	4	.	.	4	.	.	5	4	.	—	—	—	—	12	—	29

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 13th August, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Two cases of measles were admitted to hospital during the week, and 3 cases remained under treatment at its close.

Nine cases of scarlet fever were admitted to hospital, 22 were discharged, there was one death, and 74* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 96, 99, and 88, respectively.

One case of typhus was discharged from hospital during the week, and one case remained under treatment at its close.

Eleven cases of diphtheria were admitted to hospital, 17 were discharged, and 42 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 63, 57, and 48, respectively.

Five cases of enteric fever were admitted to hospital during the week, 3 were discharged, there was one death, and 30 cases remained under treatment in hospital at the close of the week.

In addition to the above named diseases, 6 cases of pneumonia were admitted to hospital. 4 were discharged, there were 2 deaths, and 11 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns, including London (in which the rate was 10·3) was equal to an average annual death-rate of 11·1 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 12·7 per 1,000, the rate for Glasgow being 13·0 and for Edinburgh 11·4.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 13th August. From this Report it appears that of a total of 43 cases notified, 18 were scarlet fever, 13 phthisis, 8 diphtheria, 3 erysipelas, and one enteric fever. Among the 286 cases of infectious diseases in hospital at the close of the week were 157 cases of scarlet fever, 54 of phthisis, 33 of diphtheria, 18 of measles, 7 of chicken-pox, 6 of enteric fever, 4 of erysipelas, and 2 of whooping-cough.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 13th August, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 13TH AUGUST, 1910.																								METEOROLOGY. (d)											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																					WEEK ENDING 13TH AUGUST, 1910.				WEEK ENDING 6TH AUGUST, 1910.				WEEK ENDING 30TH JULY, 1910.			
							DEATHS.																				Air Temperature				Air Temperature				Air Temperature			
	POPULATION.		DEATHS.			BIRTHS.	Caused by																				Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
	Total.(a)	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10–18.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Phthisis	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.											
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS, . .	1,151,790	20·8	27·3	15·7	2·1	604	346	86	84	.	6	1	.	4	.	1	.	34	15	35	32	20	24	13	22	102	10	.	.	.	.	.	.	.	.	.	.	.	.
DUBLIN REGISTRATION AREA:—TOTAL, c.	402,928	29·3	27·0	17·9	2·5	209	188	43	28	.	1	1	.	3	.	.	.	14	8	13	15	7	8	6	7	59	3	c69·7	48·9	59·2	0·21	c66·2	46·4	56·5	0·94	c71·3	46·9	57·8	0·36
CITY of DUBLIN,	310,298	39·2	29·1	19·3	2·5	173	115	36	22	.	.	1	.	3	.	.	.	11	8	12	11	4	6	5	6	52	2	f69·5	52·0	60·9	0·22	f65·7	50·1	57·5	1·17	f72·2	48·3	58·6	0·56
																												g70·3	47·0	59·3	0·23	g67·9	47·0	57·3	1·18	g72·9	48·0	58·5	0·41
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	19·7	4·2	.	14	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	21·6	27·0	7·2	12	15	6	3	.	1	.	.	.	.	.	.	3	.	.	2	3	2	1	1	5	.	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,018	8·3	5·8	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	26·6	14·8	.	9	5	.	3	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.	70	51	60·1	0·27	67·0	51·0	58·1	0·70	68	49	58·6	0·51
URBAN DISTRICTS.																																							
BELFAST, . .	391,167	26·6	29·2	18·6	2·7	219	102	27	18	.	4	.	.	1	.	1	.	14	4	12	8	7	5	6	11	16	1	72·2	48·0	60·3	0·08	65·8	47·0	56·9	3·07	70·0	46·0	55·5	1·36
CORK, . .	76,122	33·6	22·6	15·1	0·7	33	22	1	10	.	.	.	.	.	.	.	.	1	.	3	1	1	1	1	2	12	1	68	53	58·7	0·46	64	47	56·1	1·87	62	49	56·4	0·92
LONDONDERRY, .	43,477	20·1	30·0	14·4	1·2	25	12	2	5	.	.	.	.	.	.	.	.	1	.	.	2	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK, . .	38,151	18·1	16·4	10·9	.	12	8	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	2	3	72·3	44·5	56·5	0·59	62·5	57	53·8	0·38	70·2	48·4	58·2	1·06
WATERFORD, . .	26,769	18·7	21·4	27·3	1·9	11	14	2	4	.	1	.	.	.	.	.	.	.	1	1	.	.	1	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY, . .	15,426	2·5	19·4	11·7	.	5	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.	74	48	61·5	0·37	68	49	58	0·45	68	46	58	2·94
DUNDALK . .	13,076	9·4	35·9	8·0	.	9	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA, . .	12,760	8·6	4·1	4·1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY, . .	12,405	17·8	25·2	16·8	.	6	4	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	.	.	.	73·7	48·2	61·1	0·11	69·9	47·0	57·5	1·51	73·0	47·0	57·7	0·98
LURGAN, . .	11,782	18·8	22·1	.	.	5	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	73·7	48·2	61·1	0·11	69·9	47·0	57·5	1·51	72·0	47·0	57·7	0·98
LISBURN, . .	11,461	10·1	13·6	9·1	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	73·7	48·2	61·1	0·11	69·9	47·0	57·5	1·51	72·0	47·0	57·7	0·98
WEXFORD, . .	11,168	23·2	23·3	14·0	.	5	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA, . .	10,886	8·9	23·9	28·7	9·6	5	6	1	.	.	.	.	.	.	.	.	.	2	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO, . .	10,870	3·7	14·4	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	75·3	51·8	60·8	0·37	64·8	41·5	55·0	0·37	72·0	44·6	56·7	2·96
KILKENNY, . .	10,609	11·5	23·7	23·7	.	15	15	5	6	.	.	.	.	.	.	.	.	.	.	1	.	.	5	.	.	4	1	75	48	62·3	0·89	66	44	56·3	1·40	70	47	58·0	1·07
CLONMEL, . .	10,187	7·8	30·8	5·1	.	6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN, . .	10,092	13·2	36·2	10·3	5·2	7	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	73·7	48·2	61·1	0·11	69·9	47·0	57·5	1·51	72·0	47·0	57·7	0·98
TRALEE, . .	9,667	16·6	42·3	5·3	.	8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS, .	9,110	18·9	28·6	28·6	5·7	5	5	1	2	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	1	.	70	50	57·9	0·50	65	50	56·6	1·57	65	45	55·6	1·80
QUEENSTOWN, . .	7,809	14·4	46·1	13·2	.	7	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	68	52	58·7	0·46	64	47	56·1	1·37	62	49	56·4	0·92
ARMAGH, . .	7,588	22·2	34·4	20·6	.	5	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	73·7	48·2	61·1	0·11	69·9	47·0	57·5	1·51	72·0	47·0	57·7	0·98

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (b) Formerly described as "Simple Continued Fever." (c) Exclusive of 5 deaths of persons (including 2 at 60 years or upwards), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 13th August, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Measles,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	3	.
Whooping-cough,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	14	.
Diarrhœal Diseases,	2	1	2	2	.	.	.	1	1	1	1	.	.	.	.	.	8	.
Pneumonia,	1	1	1	1	.	1	.	.	.	2	1	.	.	.	.	.	13	1
Tuberculous Disease. Phthisis,	.	1	.	4	.	.	1	1	.	4	1	.	.	.	1	.	15	.
Tuberculous Disease. Other Forms,	.	1	2	.	.	.	.	4	1	1	2	.	1	2	.	1	7	1
Cancer, Malignant Disease,	.	1	.	2	.	.	.	1	.	.	.	.	.	3	.	.	6	.
Other General Diseases,	1	2	.	1	.	.	.	1	.	1	.	.	.	.	.	.		
Total,	5	7	5	10	.	1	1	8	2	11	6	.	1	9	.	2	68	2
B. LOCAL DISEASES:																		
Diseases of Nervous System,	.	1	.	.	.	.	.	3	1	2	.	.	1	2	.	.	10	2
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Heart and Blood Vessels,	.	1	1	2	.	1	.	3	2	3	3	.	1	.	.	2	19	1
Diseases of Respiratory System,	1	1	2	.	.	.	.	.	.	1	1	.	.	2	.	.	8	.
Diseases of Digestive System,	1	.	1	2	.	.	.	1	.	.	.	.	.	.	.	.	5	.
Diseases of Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	.	.	.	.	.	.	.	1	1	2	.	.	1	.	.	5	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	2	3	4	4	.	1	.	7	4	8	6	.	2	5	.	2	48	3
C. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	2	2	2	1	1	.	1	4	.	1	1	.	.	.	.	1	16	.
E. VIOLENT DEATHS,	.	1	.	.	.	.	.	2	1	.	1	.		1	.	.	6	.
Deaths from all Causes	9	13	11	15	1	2	2	21	7	20	14	.	3	15	.	5	138	5
Annual Rate of Mortality from all causes in every 1,000 of the population.	15·7	17·0	18·7	23·3	9·7	9·0	13·6	26·4	16·8	24·1	20·3	.	4·2	27·0	.	14·8	17·9	.
	17·4							21·4					12·9					
	19·3																	
Ages at Death. Under 1 year,	5	3	6	5	1	.	1	6	1	4	4	.	1	6	.	.	43	.
Ages at Death. 1 and under 5 years,	.	1	1	.	.	.	.	1	1	4	1	.	.	1	.	1	11	.
Ages at Death. 5 „ 20 „	.	1	.	.	.	.	.	1	.	2	2	.	.	1	.	.	7	1
Ages at Death. 20 „ 40 „	.	1	1	5	.	.	1	5	2	4	2	.	1	1	.	.	23	.
Ages at Death. 40 „ 60 „	1	2	2	5	.	2	.	3	1	4	1	.	1	3	.	1	26	2
Ages at Death. 60 years and upwards,	3	5	1	.	.	.	.	5	2	2	4	.	.	3	.	3	28	2
Number of Uncertified Deaths,	1	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	3	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	.	4	1	3	.	1	.	3	3	7	4	.	.	3	.	.	29	3
Workhouse Hospitals,	3	2	2	5	.	.	.	6	3	3	2	.	.	2	.	2	30	2

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in the week of the ten years 1900–1909,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Average in 32nd Week of the 10 years, 1900–1909.	In the Week ending Saturday, 13th August, 1910.							
	Aug. 11, 1900.	Aug. 10, 1901.	Aug. 9, 1902.	Aug. 15, 1903.	Aug. 13, 1904.	Aug. 12, 1905.	Aug. 11, 1906.	Aug. 10, 1907.	Aug. 8, 1908.	Aug. 14, 1909.		Deaths of Persons of the Ages of							
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 55·5	° 61·2	° 54·4	° 54·7	° 57·1	° 57·3	° 61·3	° 58·3	° 59·5	° 62·4	° 58·2	° 59·2								
ALL CAUSES.	161	166	154	136	199	151	130	118	149	113	147·7	143	10	33	11	8	23	28	26	4
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	.	20	1	5	.	2	5	2	1	3·6	1	.	1	.	.	.	.	.	.
Scarlet Fever,	.	.	1	.	1	.	.	.	.	.	·2	1	.	.	1	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	1	1	.	.	1	.	2	.	·5	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	.	1	1	4	.	3	1	1	2	1·4	3	.	3	.	.	.	.	.	.
Diphtheria,	3	2	2	1	2	1	2	1	1	.	1·5	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain)	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	4	2	1	.	1	1	1	.	1·1	.	.	.	.	.	.	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.),	19	33	.	.	10	14	4	2	12	6	15·6	13	2	11	.	.	.	.	.	.
Diarrhœa, Dysentery,			3	2	23	10	6	3	6	3		1	.	1	.	.	.	.	.	.
Tetanus,	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	.	.	.	2	1	2	1	.	4	1·0	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia,	1	1	.	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Puerperal Pyæmia,			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Puerperal Fever,			.	.	.	.	.	.	.	.		1	.	.	.	1	.	.	.	.
Infective Endocarditis	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	3	5	.	1	.	.	1	.	1	1	5·6	3	.	.	.	.	3	.	.	.
Pneumonia, Broncho-Epidemic			2	2	3	.	.	3	2	.		1	.	.	1	.	.	.	.	.
Pneumonia, Not defined,			6	3	6	4	4	5	3	1		4	.	.	1	.	2	1	.	.
Erysipelas,	1	.	1	.	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal))	.	2	.	.	1	.	.	.	1	1	·6	.	.	.	.	.	.	.	.	.
Pyæmia (not Puerperal),			.	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
Other Infective Conditions,	.	.	1	.	1	.	.	1	1	.	·4	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis,	24	20	1	9	1	8	11	4	4	4	18·4	7	.	.	1	5	1	.	.	
"*Phthisis*,"			14	14	24	14	7	11	9	5		7	.	.	1	3	3	.	.	
Tuberculous Meningitis,	5	3	9	3	2	3	.	6	4	5	4·0	7	.	2	4	1	.	.	.	.
Tuberculous Peritonitis,	6	4	.	1	.	.	.	2	1	1	2·0	.	.	.	.	.	.	.	.	.
Tabes Mesenterica,			1	2	1	.	.	1	.	.		1	.	.	.	1	.	.	.	.
Tuberculous Dis. (other),	1	4	4	1	9	6	7	6	5	4	4·7	7	.	3	2	.	1	.	1	.
Scrofula,			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Alcoholism,	3	1	1	.	.	.	1	1	.	2	·9	.	.	.	.	.	.	.	.	.
Rheumatic Fever,	1	1	.	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carcinoma,	11	8	2	5	.	1	.	2	1	5	6·6	7	.	.	.	.	5	2	.	
Sarcoma,			.	.	.	.	.	1	1	.		.	.	.	.	.	.	.	.	
Cancer (undefined)			3	2	5	7	4	.	7	1		1	.	.	.	.	1	.	.	
Diabetes Mellitus,	.	.	.	1	.	1	.	2	.	.	·4	.	.	.	.	.	.	.	.	.
Premature Birth,	1	4	2	6	2	2	2	3	2	2	2·6	3	3	.	.	.	.	.	.	.

* The figures for the year 1900 are for

† Formerly described as

THIRTY-SECOND WEEK ending Saturday, 13th August, 1910, with the deaths from each cause in the corresponding and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 32nd Week of the 10 years 1900-1909.	In the Week ending Saturday, 13th August, 1910.							
	Aug. 11, 1900.	Aug. 10, 1901.	Aug. 9, 1902.	Aug. 15, 1903.	Aug. 13, 1904.	Aug. 12, 1905.	Aug. 11, 1906.	Aug. 10, 1907.	Aug. 8, 1908.	Aug. 14, 1909.		Deaths of Persons of the Ages of							
												All Ages.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 55·5	° 61·2	° 54·4	° 54·7	° 57·1	° 57·3	° 61·3	° 58·3	° 59·5	° 62·4	° 58·2	° 59·2								
Meningitis (not tubere.)			1	3	6	1	2	.	4	2		.	.	.	.	.	.	.	.	.
Insanity, G. P. of Insane			2	2	1	1	1	.	1	.		2	.	.	.	1	1	.	.	.
Epilepsy			1	.	1	1	.	.	2	.		.	.	.	.	.	.	.	.	.
Convulsions			9	7	11	6	9	3	5	4		5	1	3	1	.	.	.	.	.
Locomotor Ataxy			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord			.	2	1	2	.	.	1	1		1	.	.	.	.	.	1	.	.
Nervous System (other Dis.)			.	3	1	.	5	2	2	2		4	.	1	.	1	1	1	.	.
	31	37									32·1									
Valv. Dis., Endocarditis			4	1	1	4	3	2	9	6		6	.	.	.	.	3	2	1	.
Cerebr. Hæm. Thromb.			1	1	2	2	2	.	3	2		.	.	.	.	.	.	.	.	.
Apoplexy, Hemiplegia			5	4	3	2	3	2	3	4		2	.	.	.	.	.	1	1	.
Aneurysm			.	.	1	.	.	.	1	.		.	.	.	.	.	.	.	.	.
Embolism, Thromb. (not cerebral)			.	.	.	.	1	.	.	.		.	.	.	.	.	.	.	.	.
Heart and Blood Vessels (other Dis.)			8	12	12	11	8	9	6	7		12	.	.	.	1	4	3	3	1
Croup (not Spasm. nor Memb.)	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Bronchitis	9	5	16	12	8	5	8	16	6	9	9·4	7	.	1	.	.	2	4	.	
Asthma, Emphysema			1	1	.	.	2	.	.	.		1	.	.	.	.	.	1	.	
Pleurisy	3	1	1	.	1	.	.	.	.	.	1·8	.	.	.	.	.	.	.	.	
Respiratory Dis. (other)			2	1	2	1	.	.	2	.		.	.	.	.	.	.	.	.	
Tonsillitis, Quinsy	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.)	.	4	.	1	6	6	.	2	1	4	3·8	2	.	2	.	.	.	.	.	.
Gastro-enteritis			.	1	4	3	5	.	1	.		.	.	.	.	.	.	.	.	.
Peritonitis (not Puerp.)	1	.	1	1	.	2	.	.	.	1	·6	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver	2	1	1	2	.	.	2	2	.	.	1·6	2	.	.	.	.	.	1	1	.
Liver Dis. (other)			1	1	1	.	.	.	1	2		.	.	.	.	.	.	.	.	.
Digestive Dis. (other)	4	4	4	5	5	5	10	.	5	2	4·4	1	.	1	.	.	.	.	.	.
Nephritis, Acute			2	1	2	1	.	.	1	1		2	.	.	.	2	.	.	.	.
Bright's Dis., Albuminuria	3	.	.	1	4	.	.	1	5	2	3·4	3	.	.	.	.	1	.	2	.
Urinary Sys. (other Dis.)			.	2	.	6	.	1	1	.		.	.	.	.	.	.	.	.	.
Generative Organs Dis.	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Childbirth (Accid. of)	1	.	.	.	.	.	1	.	2	1	·5	.	.	.	.	.	.	.	.	.
Old Age	10	2	4	6	6	3	.	2	2	3	3·8	6	.	.	.	.	.	3	3	
Other Diseases	11	15	9	5	11	12	5	12	11	8	9·9	13	4	4	.	.	1	4	.	
ACCIDENT.																				
By Railways	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	
By Vehicles and Horses	2	1	.	.	.	1	2	.	1	.	·7	2	.	.	.	1	1	.	.	
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
In Building Operations	.	1	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	
In Conflagrations	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	
By Burns, Scalds, Explosions	2	1	.	.	1	.	.	.	1	.	·5	1	.	.	.	.	.	1	.	
By Drowning	.	3	.	.	1	.	1	.	2	2	·9	1	.	.	.	1	.	.	.	
By Suffocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
By Poison or Poisonous Vapours	.	.	1	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	
Other Deaths by Accident	1	2	1	.	1	1	.	.	2	.	·8	2	.	.	1	1	.	.	.	
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Suicide	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

the Registration Area as then constituted.
" Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910—Week ending																									
	Feb. 19.	Feb. 26.	Mar 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.
No. of weeks in Annual Series.	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
BIRTHS registered.	197	224	206	247	162	242	213	255	217	221	246	230	241	181	242	253	268	272	183	223	229	272	225	243	198	209
*Average Births in corresponding week of previous 10 years,** ..	210	213	214	219	217	211	235	190	207	224	195	270	229	211	202	232	222	199	225	237	200	198	204	215	221	202
DEATHS registered, ...	211	228	208	204	149	185	168	186	183	200	198	186	180	181	160	185	188	140	180	127	148	118	144	127	145	143
Annual Death-rate per 1,000, ..	27·8	29·5	26·9	26·4	19·3	23·9	21·7	24·1	23·7	25·9	25·0	17·6	23·3	17·0	20·7	17·5	17·2	18·1	16·8	16·4	18·5	15·3	18·6	16·4	18·8	18·5
*Average Deaths in corresponding week of previous 10 years,**	207	221	221	214	200	206	211	200	200	197	189	184	178	174	171	157	154	152	147	136	138	142	146	147	146	148
AGES, Under 5 years, ...	67	67	57	53	30	52	44	44	37	49	46	36	38	37	39	31	37	25	27	31	50	29	48	31	31	54
AGES, 5—26 ,, ...	9	16	8	12	11	12	18	9	11	15	18	6	16	7	10	18	10	12	9	11	11	10	8	18	17	8
AGES, 20—40 ,, ...	19	22	33	28	21	34	18	26	24	33	29	26	34	20	25	26	22	27	32	23	24	17	17	18	27	23
AGES, 40—60 ,, ...	33	42	40	34	35	35	33	43	33	35	43	25	32	28	40	27	29	25	31	23	25	27	29	30	30	28
AGES, 60—80 ,, ...	66	69	57	65	41	42	45	53	57	59	46	40	53	36	42	33	28	38	28	33	23	34	34	33	35	26
AGES, 80 years and upwards, ..	12	12	13	12	11	10	16	11	16	9	11	8	10	3	4	5	7	8	2	6	10	1	8	2	5	4
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.	1
Measles, ...	2	1	1	.	1	.	.	.	.	.	.	1	1	.	2	.	.	.	1	.	.	1	3	3	1	1
Scarlet Fever, ...	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.
Typhus, ...	1	.	3	2	1	2	1	.	2	5	4	1	1	1	.	2	1	2	1	3	.	1	1	.	3	3
Whooping-cough, ...	.	2	.	1	1	1	.	1	.	1	.	.	.	.	.	.	.	.	2	1	2	1	.	5	1	.
Diphtheria, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain), ..	.	1	2	.	1	1	4	1	1	.	2	1	3	.	1	.	.	2	.	.	.	1	2	2	.	.
Enteric Fever, ...	2	3	3	4	2	3	.	4	2	2	1	2	1	5	2	1	3	1	1	1	6	3	5	.	2	14
Diarrhœal Diseases, ...	2	2	5	6	7	6	6	8	5	2	3	1	3	2	.	.	.	1	.	2	.	.	1	.	1	.
Influenza, ...	20	22	17	20	12	14	14	17	18	20	17	8	14	13	8	8	10	7	10	3	8	7	9	5	7	8
Pneumonia, ...	19	23	23	26	15	26	14	21	22	31	25	14	31	15	14	17	15	22	24	23	11	19	11	17	24	14
Tuberculous Phthisis,	14	13	10	12	10	10	4	10	9	18	12	11	9	9	11	15	7	15	10	14	7	8	3	9	10	15
Disease, Other Forms, ..	8	14	9	13	5	6	14	7	10	11	11	6	10	3	10	10	6	7	10	10	8	5	11	10	8	8
Cancer, Malignant Disease, ..	40	31	27	25	30	20	30	37	28	37	31	21	25	20	29	21	21	25	16	23	26	17	22	23	23	20
Diseases of Heart and Blood Vessels, ...	41	41	39	35	26	36	28	38	39	22	25	17	27	16	18	13	17	11	15	7	11	18	14	12	10	8
Diseases of Respiratory System,	6	6	5	3	1	2	5	5	3	3	4	6	11	2	3	6	7	7	1	2	9	3	8	5	3	6
Violent Deaths, ...	7	2	8	5	5	3	4	9	12	8	6	2	2	6	3	3	7	5	6	3	5	.	4	7	2	3
Number of Uncertified Deaths, ..																										
Mean Temperature of the Air (Phœnix Park), ...	42·3	39·2	44·0	43·6	39·8	43·4	39·7	41·7	43·0	49·6	43·6	46·1	44·7	51·4	55·1	50·6	57·8	56·4	58·1	54·7	55·5	57·1	56·9	57·8	56·5	59·2
Average Mean Temperature in corresponding week of previous 10 years, ...	38·9	40·1	40·1	41·1	42·9	41·9	42·1	44·2	43·4	45·1	46·6	46·9	48·5	48·6	50·5	53·9	53·3	53·7	55·3	56·6	57·6	58·9	60·6	58·8	58 8	58·2
Rainfall in inches, ...	1·160	·915	·892	·883	·174	·000	·040	·205	·786	·782	·417	·670	·250	1·263	·185	·692	1·870	·010	1·291	1·730	·660	·000	·840	·355	·940	·205
Mean Humidity of the Air, complete Saturation 1·0	·93	·94	·93	·88	·91	·91	·88	·93	93	·91	·82	·77	·81	·90	·88	·81	·92	·87	·92	·87	·88	·81	·81	·81	·84	·85

* See note (*) at foot of Table IV.

† Formerly described as "Simple Continued Fever."

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 13th August, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 13TH AUGUST, 1910.

CLASS	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	CAUSES OF DEATH. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases	Total Cols. 10-18.	Pneumonia.	Tubercuious Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal)	Other Causes	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS.	375,350	19·9	143	54	8	23	25	26	4	.	1	1	.	3	.	.	.	14	19	8	14	15	8	5	8	6	60	3
	CLASSES.																											
	Deaths in Families of the—																											
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,456	3·0	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
II.	MIDDLE CLASS, ...	87,188	12·0	20	5	3	1	6	5	.	.	.	.	.	1	.	.	.	1	1	2	4	.	2	2	1	1	7	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,423	10·9	23	7	2	5	3	5	1	.	.	.	.	1	.	.	.	2	3	1	1	3	1	.	4	1	9	2
IV.	GENERAL SERVICE CLASS, ...	154,279	22·6	67	34	2	11	13	6	1	.	1	1	.	2	.	.	.	8	12	4	4	9	3	3	1	4	27	.
V.	INMATES OF WORKHOUSES, ...	6,024	—	32	7	1	6	6	10	2	.	.	.	.	.	.	.	.	3	3	1	5	2	2	.	2	.	17	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																											
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	6·7	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,560	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																											
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	23,016	14·2	6	3	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	2	1
	6. Clerks and Commercial Assistants, ..	30,482	5·1	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	19·3	10	1	2	.	4	3	.	.	.	.	.	.	.	.	.	1	1	1	2	.	1	.	1	1	3	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																											
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades, ...	29,801	10·5	6	2	.	1	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	2	.	2	.
	10. Clothing Trades, ...	23,260	6·7	3	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.
	11. Food Supply Trades, ...	9,242	16·9	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	17·2	10	4	1	.	1	3	1	.	.	.	.	1	.	.	.	1	2	1	.	1	.	.	1	.	5	2
	13. Petty Shopkeepers, ...	7,894	6·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																											
	14. Army, Police, Postal Delivery, and Prison Services, &c	13,425	19·4	5	1	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	3	.
	15. Domestic Servants, ...	36,603	12·8	9	1	.	3	3	2	.	.	.	.	.	.	.	.	.	1	1	2	1	1	1	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	21·7	6	5	.	1	.	.	.	.	1	1	.	.	.	.	.	1	3	.	1	1	.	.	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	27·3	47	27	2	6	8	3	1	.	.	.	.	.	2	.	.	6	8	2	1	7	1	3	1	4	20	.
V.	INMATES OF WORKHOUSES.																											
	18. Workhouse Inmates, ...	6,024	—	32	7	1	6	6	10	2	.	.	.	.	.	.	.	.	3	3	1	5	2	2	.	2	.	17	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

	DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From Diseases in Cols. 5–13.	Total Deaths.	NUMBER OF DEATHS FROM Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st., Nth.*) Pop. in 1910 (Est.) 29,908.	June 25,	18·9	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2
		July 2,	13·9	1·7	8	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	1
		„ 9,	23·7	.	13	.	.	.	.	.	.	.	.	.	1	4	.	.	1	.	2
		„ 16,	15·7	1·7	9	.	.	.	.	.	.	.	1	.	.	2	.	2	2	.	.
		„ 23,	22·7	1·7	13	.	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.
		„ 30,	15·7	1·7	9	.	.	1	.	.	.	.	.	.	1	3	.	1	2	.	.
		Aug. 6,	12·2	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
		„ 13,	15·7	5·2	9	.	.	.	.	1	.	.	.	2	1	.	.	.	1	.	1
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1910 (Est.) 39,974.	June 25,	18·3	1·3	14	.	.	.	1	.	.	.	.	.	.	4	.	1	2	.	.
		July 2,	18·0	1·3	10	.	.	.	.	1	.	.	.	.	.	3	1	1	1	.	.
		„ 9,	17·0	.	13	.	.	.	.	.	.	.	.	.	2	1	.	1	.	1	1
		„ 16,	17·0	1·3	13	.	.	.	.	.	1	.	.	.	1	.	2	.	4	.	.
		„ 23,	18·3	2·5	14	.	.	.	.	1	.	.	1	.	.	1	.	.	3	2	2
		„ 30,	22·2	.	17	.	.	.	.	.	.	.	.	.	1	2	.	.	1	2	2
		Aug. 6,	22·2	.	17	.	.	.	.	.	.	.	.	.	.	5	.	.	3	1	.
		„ 13,	17·0	1·3	13	.	.	.	.	.	.	.	.	1	1	1	1	1	1	1	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1910 (Est.) 30,744.	June 25,	20·4	.	12	.	.	.	.	.	.	.	.	.	2	5	2	1	.	.	.
		July 2,	17·0	.	10	.	.	.	.	.	.	.	.	.	1	3	1	.	1	.	.
		„ 9,	28·8	8·4	17	.	.	.	.	.	.	.	.	2	1	1	.	.	3	1	1
		„ 16,	20·4	1·7	12	.	.	.	.	.	.	.	.	1	1	.	.	.	2	1	.
		„ 23,	25·4	5·1	15	.	.	1	.	.	.	.	.	2	.	2	1	.	2	1	1
		„ 30,	6·5	1·7	5	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.
		Aug. 6,	13·6	.	8	.	.	.	.	.	.	.	.	.	2	.	2	1	.	.	1
		„ 13,	18·7	8·4	11	.	.	.	.	.	.	.	.	2	1	.	2	.	2	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1910 (Est.) 33,559.	June 25,	17·1	1·6	11	.	.	.	.	.	.	.	.	1	1	2	1	2	1	.	.
		July 2,	18·6	1·6	12	.	.	.	.	1	.	.	.	.	.	1	2	1	.	.	.
		„ 9,	9·3	1·6	6	.	.	.	.	.	.	.	.	1	.	.	.	1	1	1	1
		„ 16,	21·8	3·1	14	.	.	1	.	.	.	.	.	1	.	3	1	.	3	.	.
		„ 23,	9·3	1·6	6	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
		„ 30,	20·2	4·7	13	.	.	.	.	.	3	.	.	.	.	2	1	2	.	.	1
		Aug. 6,	26·4	1·6	17	.	.	.	.	1	.	.	.	.	2	2	.	1	1	.	.
		„ 13,	23·3	3·1	15	.	.	.	.	.	.	.	.	2	1	4	.	2	.	.	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1910 (Est.) 41,476.	June 25,	20·1	1·3	16	.	.	.	.	1	.	.	.	.	.	2	.	2	3	.	1
		July 2,	26·4	3·8	21	.	.	1	.	1	1	.	.	.	1	5	2	.	1	1	.
		„ 9,	18·9	1·3	15	.	1	.	.	.	.	.	.	.	1	1	2	.	2	.	.
		„ 16,	19·6	.	10	.	.	.	.	.	.	.	.	.	.	2	1	.	3	.	.
		„ 23,	20·1	1·3	16	.	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.
		„ 30,	20·1	1·3	16	.	.	1	.	.	.	.	.	.	1	2	1	2	1	1	1
		Aug. 6,	21·4	1·3	17	.	.	1	.	.	.	.	.	.	.	3	.	3	3	.	.
		„ 13,	26·4	1·3	21	.	.	.	.	.	.	.	.	1	.	1	4	1	.	2	1
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1910 (Est.) 21,754	June 25,	16·8	.	7	.	.	.	.	.	.	.	.	.	1	2	1	1	1	.	.
		July 2,	16·8	.	7	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.	1
		„ 9,	16·8	.	7	.	.	.	.	.	.	.	.	.	2	2	1	.	.	.	.
		„ 16,	7·2	.	3	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.
		„ 23,	16·8	2·4	7	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	.
		„ 30,	12·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
		Aug. 6,	24·0	2·4	10	.	.	.	.	1	.	.	.	.	.	2	1	1	2	.	.
		„ 13,	16·8	2·4	7	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.
	South City, No. 3. (*Office, Peter street.*) Pop. in 1910 (Est.) 43,227.	June 25,	16·9	.	14	.	.	.	.	.	.	.	.	.	1	2	.	.	3	.	2
		July 2,	18·1	.	15	.	.	.	.	.	.	.	.	.	.	2	3	2	1	.	.
		„ 9,	15·7	.	13	.	.	.	.	.	.	.	.	.	.	.	2	.	2	2	.
		„ 16,	16·9	.	14	.	.	.	.	.	.	.	.	.	1	2	.	1	2	1	.
		„ 23,	16·9	2·4	14	.	.	1	.	.	.	.	.	1	2	2	1	.	3	.	1
		„ 30,	18·1	1·2	15	.	.	1	.	.	.	.	.	.	1	1	3	1	2	.	2
		Aug. 6,	19·3	2·4	16	.	.	.	2	.	.	.	.	.	2	3	2	.	.	.	.
		„ 13,	24·1	3·6	20	.	.	1	.	1	.	.	.	1	2	4	1	.	1	.	.
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1910 (Est.) 35,881.	June 25,	18·9	.	13	.	.	.	.	.	.	.	.	.	.	1	2	2	3	.	1
		July 2,	11·6	.	8	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
		„ 9,	14·5	2·9	10	.	.	.	.	.	.	.	.	2	.	.	1	1	2	.	.
		„ 16,	10·2	.	7	.	.	.	.	.	.	.	.	.	1	3	1	.	.	.	.
		„ 23,	23·8	.	16	.	.	.	.	.	.	.	.	.	2	.	1	3	1	1	.
		„ 30,	16·0	.	11	.	.	.	.	.	.	.	.	1	.	1	1	2	2	1	1
		Aug. 6,	21·8	1·5	15	.	.	.	.	.	.	.	.	1	1	1	1	1	1	.	1
		„ 13,	20·8	2·9	14	.	.	.	.	1	.	.	.	1	1	1	2	.	1	1	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From all Causes	From Diseases in Cols. 5–18.	Total Deaths.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District.	June 25,	11·3	·	8	·	·	·	·	·	·	·	·	·	·	1	1	·	1	·	·
	July 2,	11·3	·	8	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·
	,, 9,	15·5	1·4	11	·	·	·	·	·	1	·	·	·	1	·	·	1	·	1	·
	,, 16,	8·4	·	6	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
	,, 23,	16·9	·	12	·	·	·	·	·	·	·	·	·	1	2	·	·	1	1	·
	,, 30,	7·0	·	5	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·
Pop. in 1910 (Est.) 37,047.	Aug. 6,	11·3	·	8	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·
	,, 13,	4·2	·	3	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Pembroke Urban District.	June 25,	14·4	·	8	·	·	·	·	·	·	·	·	·	1	1	·	·	1	·	·
	July 2,	12·6	·	7	·	·	·	·	·	·	·	·	·	·	3	·	2	·	1	1
	,, 9,	16·2	3·6	9	·	·	·	·	·	1	·	·	1	·	·	·	1	·	·	·
	,, 16,	10·8	·	6	·	·	·	·	·	·	·	·	·	2	·	·	·	1	·	·
	,, 23,	12·6	·	7	·	·	·	·	·	·	·	·	·	1	·	·	2	·	1	·
Pop. in 1910 (Est.) 28,948.	,, 30,	19·8	1·8	11	·	·	·	·	·	·	·	1	·	·	2	1	·	·	·	·
	Aug. 6,	9·0	1·8	5	·	·	·	·	·	·	·	·	1	·	·	2	·	·	·	·
	,, 13,	27·0	7·2	15	·	1	·	·	·	·	·	·	3	·	·	2	3	2	1	·
Kingstown Urban District.	June 25,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	July 2,	8·9	·	3	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·
	,, 9,	14·8	·	5	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·
	,, 16,	17·8	·	6	·	·	·	·	·	·	·	·	·	·	1	1	·	1	·	·
	,, 23,	14·8	·	5	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Pop. in 1910 (Est.) 17,622.	,, 30,	17·8	·	6	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·
	Aug. 6,	14·8	·	5	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·
	,, 13,	14·8	·	5	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·
Belfast. Pop. in 1910 (Est.) 391,167.	June 25,	20·9	5·5	157	·	36	·	·	1	·	·	1	3	17	22	9	4	16	4	·
	July 2,	18·3	3·7	137	·	25	·	·	1	·	·	1	1	11	11	8	9	7	·	2
	,, 9,	19·3	4·1	145	·	24	·	·	2	·	·	·	5	14	11	9	3	7	4	3
	,, 16,	18·1	3·2	136	·	20	·	·	1	1	·	·	2	17	9	11	6	15	2	3
	,, 23,	15·6	3·9	117	·	21	·	·	1	1	·	1	5	5	16	5	9	6	·	3
	,, 30,	18·9	2·4	135	·	8	·	1	·	1	·	2	6	8	15	7	7	16	1	1
	Aug. 6,	16·3	2·7	115	·	7	1	·	2	·	·	·	10	3	13	7	3	10	1	2
	,, 13,	13·6	2·7	102	·	4	·	·	1	·	1	·	14	4	12	8	7	5	6	1
Cork. Pop. (in 1901) 76,122.	June 25,	18·5	0·7	27	·	·	·	·	·	1	·	·	·	1	4	4	5	·	1	1
	July 2,	17·3	0·7	26	·	·	·	·	·	1	·	·	·	2	3	1	1	5	·	2
	,, 9,	18·0	0·7	19	·	·	·	·	·	·	·	1	·	2	2	1	·	2	·	1
	,, 16,	18·5	1·4	27	·	·	·	·	·	·	·	2	·	1	8	1	·	1	·	·
	,, 23,	19·9	1·4	29	·	·	·	·	·	2	·	·	·	·	6	8	2	3	1	1
	,, 30,	16·4	1·4	24	·	·	·	·	·	1	·	1	·	1	4	1	1	8	·	1
	Aug. 6,	6·8	·	10	·	·	·	·	·	·	·	·	·	2	4	·	1	1	·	·
	,, 13,	15·1	0·7	22	·	·	·	·	·	·	·	·	1	·	3	1	1	1	1	1
Londonderry. Pop. in 1910 (Est.) 43,477.	June 25,	12·0	3·6	10	·	3	·	·	·	·	·	·	·	1	1	·	3	1	·	·
	July 2,	7·2	·	6	·	·	·	·	·	·	·	·	·	·	·	2	1	1	·	·
	,, 9,	20·4	2·4	17	·	1	·	·	·	1	·	·	·	1	2	1	1	3	·	·
	,, 16,	6·0	1·2	5	·	1	·	·	·	·	·	·	·	·	·	1	·	2	·	·
	,, 23,	8·4	2·4	7	·	1	·	·	·	·	·	·	1	·	2	·	·	·	·	·
	,, 30,	22·8	3·6	19	·	1	·	·	·	·	·	·	2	1	6	2	·	·	·	·
	Aug. 6,	19·2	1·2	16	·	1	·	·	·	·	·	·	·	·	6	2	1	1	·	1
	,, 13,	14·4	1·2	12	·	·	·	·	·	·	·	·	1	·	·	2	2	1	·	·
Limerick. Pop. (in 1901) 38,151.	June 25,	19·1	1·4	14	·	·	·	·	·	·	·	1	·	·	2	·	1	1	·	1
	July 2,	20·5	·	15	·	·	·	·	·	·	·	·	·	·	2	1	·	1	2	3
	,, 9,	10·9	·	8	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	4
	,, 16,	12·3	·	9	·	·	·	·	·	·	·	·	·	2	·	1	·	·	·	1
	,, 23,	13·7	1·4	10	·	·	·	·	·	·	·	1	·	·	·	1	1	2	·	1
	,, 30,	17·8	·	13	·	·	·	·	·	·	·	·	·	·	1	·	·	3	·	1
	Aug. 6,	12·3	1·4	9	·	·	·	·	·	·	·	·	1	·	1	1	·	3	·	·
	,, 13,	10·9	·	8	·	·	·	·	·	·	·	·	·	·	1	1	·	1	·	3
Waterford. Pop. (in 1901) 26,769.	June 25,	19·5	·	10	·	·	·	·	·	·	·	·	·	·	2	·	·	1	1	·
	July 2,	15·6	1·9	8	·	·	·	·	1	·	·	·	·	·	1	2	·	·	·	1
	,, 9,	15·6	1·9	8	·	·	·	·	·	·	·	·	1	1	·	1	1	2	·	·
	,, 16,	19·5	1·9	10	·	·	·	1	·	·	·	·	·	·	2	·	·	·	·	·
	,, 23,	19·5	·	10	·	·	·	·	·	·	·	·	·	·	1	2	·	1	·	·
	,, 30,	19·5	·	10	·	·	·	·	·	·	·	·	·	·	1	3	1	1	·	1
	Aug. 6,	19·5	5·8	10	·	·	·	·	1	·	·	·	2	·	3	3	·	1	·	1
	,, 13,	27·3	1·9	14	·	1	·	·	·	·	·	·	·	1	1	·	·	1	·	·

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRAR DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 13th August, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS.																										
			Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.						DEATHS FROM																	
			All Causes.	Diseases in Cols. 12-20.		Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia† (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	4	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		4	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 2 do.		33			19	4	.	12	5	5	3	.	.	.	.	.	.	.	.	3	.	5	1	2	1	1	1	5	1
Do. 3 do.		27			13	4	2	1	2	3	1	.	.	.	.	.	.	1	.	3	.	2	1	1	1	.	1	3	.
Do. 4 do.		26			12	4	1	1	1	1	4	.	.	.	.	.	.	.	.	2	3	.	.	1	.	.	.	2	.
Do. 5 do.		9			2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 6 do.		18			5	1	.	.	1	2	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	1	2	.
Do 7 do.		8			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 8 do.	849,180	3			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		19			6	1	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2	.
Do 10 do.		18			8	3	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	3	.	2	.	.	.	.
Do. 11 do.		25			8	2	.	1	2	2	1	.	.	.	.	.	.	.	.	2	.	2	1	.	.	.	1	.	.
Do. 12 do.		21			12	4	3	1	.	3	1	.	4	.	.	1	.	.	.	3	.	.	.	.	1	1	1	1	.
Do. 13 do.		10			3	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15* do.		13			10	1	.	.	3	2	4	.	.	.	.	.	.	.	.	.	.	.	1	2	.	3	6	.	.
Total, ...	—	219			102	27	6	7	22	22	18	.	4	..	.	1	.	1	.	14	4	12	8	7	5	6	11	16	1
City of Cork.																													
CORK URBAN No. 1 DISTRICT, .	12,867	6	16·2	.	4	.	.	1	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	4	.
Do. 2 . do. .	10,701	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 3 do. .	9,978	4	10·5	5·2	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.
Do. 4 do. .	8,666	6	24·1	.	4	.	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	2	.
Do. 5 do. .	6,592	2	15·8	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 6 do. .	10,702	4	19·5	.	4	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1
Do. 7 do. .	16,616	7	18·8	.	6	.	.	1	1	2	2	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	3	.
Total, ...	76,122	33	15·1	0·7	22	1	1	2	2	6	10	.	.	.	.	.	.	.	.	1	.	3	1	1	1	1	2	12	1

* New district formed on from 1st January, 1910, and the boundaries of Nos. 1, 4, 5, 6 districts altered; the populations of each of these districts is not at present known, and cannot be estimated.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910—Week ending																									
	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.
No. of weeks in annual Series, ..	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
BIRTHS registered, ...	196	202	239	201	240	208	207	254	247	224	266	235	214	169	264	215	193	231	202	213	199	259	239	214	179	219
DEATHS registered, ...	156	140	165	162	163	125	133	168	187	160	173	167	170	177	176	166	148	183	157	137	145	136	117	135	115	102
Annual Death rate per 1,000 of estimated Population, ...	20·8	18·7	22·0	21·6	21·7	16·7	18·4	22·4	24·9	21·3	23·1	22·3	22·7	23·6	23·5	22·1	19·7	24·4	20·9	18·3	19·3	18·1	15·6	18·0	15·3	13·6
AGES — Under 1 year, ...	31	28	38	31	29	27	27	34	38	36	33	31	29	30	37	37	20	44	38	24	34	26	25	35	27	27
AGES — 1-5 years, ...	20	21	21	16	27	15	21	33	34	27	20	36	35	47	43	45	54	47	45	33	29	32	23	23	19	6
AGES — 5-20 years, ...	13	12	11	14	16	7	18	19	15	14	21	12	15	15	15	14	12	15	16	13	12	7	17	10	7	7
AGES — 20-40 years, ...	26	19	29	26	18	19	16	21	32	14	24	25	30	28	26	26	25	20	17	18	25	20	19	14	15	22
AGES — 40-60 years, ...	31	36	37	40	35	28	22	27	24	29	41	30	30	29	28	27	16	23	20	21	20	25	17	25	21	22
AGES — 60 years and upwards, ..	35	29	34	35	38	29	34	34	44	40	34	33	31	28	27	17	21	34	26	28	25	26	16	28	26	18
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	1	1	5	3	6	11	17	8	20	19	23	44	33	38	38	49	36	25	24	20	21	8	7	4
Scarlet Fever, ...	.	1	.	.	2	.	2	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Whooping-cough, ...	17	14	11	12	12	10	6	12	5	8	4	4	6	4	5	7	5	4	1	1	2	1	1	.	2	1
Diphtheria, ...	.	1	.	.	.	.	1	1	.	1	1	.	1	.	1	.	1	2	.	.	.	1	1	1	.	.
*Pyrexia** (origin uncertain , ..	.	1	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Enteric Fever, ...	1	.	.	1	.	.	1	.	.	1	.	.	1	.	.	.	1	.	1	1	.	.	1	2	.	.
Diarrhœal Diseases, ...	2	.	2	2	.	1	1	.	1	3	1	2	.	.	2	3	1	4	3	1	5	2	5	6	10	14
Pneumonia, ...	11	16	12	10	12	8	14	19	16	19	14	15	26	22	21	18	13	17	17	11	14	17	5	8	3	4
Tuberculous Disease, Phthisis, ..	14	20	23	26	18	10	20	24	27	13	22	20	24	29	14	21	19	24	22	11	11	9	16	15	13	12
Tuberculous Disease, Other Forms, ..	8	7	9	7	9	8	9	12	8	7	9	6	4	6	13	8	5	3	9	8	9	11	5	7	7	8
Cancer, Malignant Disease, ..	6	5	3	5	9	10	4	8	10	2	6	8	8	7	3	4	4	6	4	9	3	6	9	7	3	7
Diseases of Respiratory System,	19	21	24	22	24	16	16	21	22	30	15	21	14	17	14	18	17	14	16	7	7	15	6	16	10	5
Violent Deaths, ...	3	3	10	9	5	3	.	4	.	2	4	3	4	1	1	5	1	.	4	.	4	2	.	1	1	6
Number of Uncertified Deaths, ..	5	2	2	1	1	1	2	1	1	1	3	1	2	1	.	3	1	2	.	2	3	3	3	1	2	1

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	Aug. 13,	2,368	962	10·3	.	28	1	6	19	4*a*	26
EDINBURGH, ...	360,276	„ 13,	135	79	11·4	.	1	.	.	1	.	3
GLASGOW, ...	884,505	„ 13,	389	221*c*	13·0	.	2	2	2	6	1*a*	21
CALCUTTA, ...	1,009,008	July 9,	.	342	17·6	.	.	.	.	4	97‡	39*
BOMBAY, ...	977,822	„ 12,	339	651	34·6	5	4	.	.	.	117‡	94*
MADRAS, ...	509,346	June 24,	376	311	31·7	2	1	?	?	?	84	71*
CAIRO, ...	682,953	July 8,	562	650	49·5	.	25	.	7†	?	13*a*	204*b*
PARIS, ...	2,760,000	„ 9,	988	786	15·0	.	19	.	5†	5	3*a*	36*b*
BRUSSELS, ...	720,030	„ 23,	236	170	12·3	.	.	.	2†	1	.	21
ANTWERP, ...	317,171	„ 23,	110	75	12·3	.	6	.	.	1	.	10*b*
AMSTERDAM, ...	570,669	„ 23,	244	130	11·9	.	2	.	2†	1	1*a*	8*b*
COPENHAGEN, ...	450,000	„ 23,	255	115	13·3	.	.	.	.	.	1*a*	8
STOCKHOLM, ...	341,816	„ 23,	129	70	10·6	.	.	.	1†	.	.	4
CHRISTIANIA, ...	240,178	„ 30,	80	63	13·6	.	.	.	1†	.	.	3
ST. PETERSBURG, ...	1,620,000	„ 9,	645	716	23·0	2	36	15	12	2	11*a*	126*
MOSCOW, ...	1,493,600	„ 2,	.	1,138	39·7	10	16	19	18†	4	7	512
BERLIN, ...	2,118,601	„ 16,	813	581	14·3	.	13	6	13†	3	2	86
HAMBURG, ...	895,804	„ 23,	.	215	12·5	.	.	.	7†	3	.	36
BRESLAU, ...	509,992	„ 23,	.	260	26·6	.	.	.	1	3	.	32
MUNICH, ...	576,000	„ 30,	.	151	13·6	.	1	.	.	1	.	20
VIENNA (with suburbs),	2,107,981	„ 23,	869	597	14·7	.	13	1	3†	10	2*a*	68*b*
BUDA-PESTH, ...	833,703	„ 23,	411	312	19·4	.	1	4	4†	1	15*a*	36*b*
PRAGUE and Faubourgs.	497,905	„ 9,	188	176	18·4	.	2	1	1†	.	.	10*b*
TRIESTE, ...	221,124	„ 16,	130	98	23·1	.	.	.	.	3	1*a*	20*b*
ROME, ...	587,096	June 11,	224	229	20·3	.	23	.	2	2	.	27
VENICE, ...	183,224	July 23,	82	82	23·3	.	.	.	1†	2	1*a*	13
NEW YORK, ..	4,711,956	„ 16,	2,579	1,705	18·9	.	21	10	24†	8	15*a*	424
PHILADELPHIA, ..	1,598,400	May 14,	.	505	16·4	1	6	4	12†	13	3*a*	21*b*
BOSTON, ...	629,868	July 23,	.	185	15·3	.	1	.	4	1	1	25

* Including 11 deaths from cholera in Calcutta, 4 in Bombay, one in Madras, and 2 in St. Petersburg.
† Including deaths from croup.
‡ Including 22 deaths from plague in Calcutta and 53 in Bombay.
a Enteric Fever.
b Deaths from diarrhœal diseases and from enteritis of children under two years of age.
c Including one death from *cerebro-spinal meningitis*.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 13th August, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	2	.	.	.	.	.	.	2	.	.	2	6
" " 1, West,	.	1	.	.	1	.	.	1	2	.	.	1	6
" " 2,	.	2	.	.	.	.	.	.	1	.	.	2	5
" " 3,	.	2	.	.	4	.	.	1	.	.	.	1	8
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	1	.	.	.	.	.	.	.	1
South City No. 1,	.	2	.	.	2	.	.	.	4	.	.	3	11
" " 2,	.	.	.	.	2	.	.	.	.	.	.	2	4
" " 3,	.	1	.	.	1	.	.	.	.	1	.	1	4
" " 4,	.	1	.	.	1	.	.	1	1	.	.	1	5
New Kilmainham,	.	1	.	.	.	.	.	.	.	.	.	.	1
Total,	.	12	.	.	12	.	.	3	10	1	.	13	51

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 13th August, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 13th August.			
	July 23.	July 30.	Aug. 6.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	1	.	1	2	.	.	3
Scarlet Fever,	96	99	88	9	22	1	74*
Typhus,	1	2	2	.	1	.	1
Diphtheria,	63	57	48	11	17	.	42
Enteric Fever,	31	31	29	5	3	1	30
Pneumonia,	17	16	11	6	4	2	11

* Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.Sc., F.R.MET.SOC., reports as follows on the weather during the week ded 13th August, 1910 :—

"Changeable, but generally warm, weather prevailed during the week. The high mean temperature—60·9°—was e result more of warm nights than of hot days, for, while the mean maximum was no higher than 66·7°, the mean inimum was 55·8°—on Friday the minimum was 59·4°. The atmosphere was very damp at times, which made e warmth somewhat oppressive. A cyclonic distribution of atmospheric pressure was observed, except on esday and Wednesday when an anticyclone of moderate intensity spread south-eastwards over the British Isles om Iceland and the Norwegian Sea. Previously to this the distribution of pressure had been very complex, for Monday morning as many as five separate areas of relatively low barometer appeared on the Daily Weather ap of Western Europe. As baric gradients were slight and the air very damp, much mist and fog hung round the asts of the British Isles. Wednesday was a lovely summer's day in Ireland—at Birr the thermometer rose to 74° the shade ; in Dublin, the highest reading was 67° owing to a cool easterly seabreeze, but the sky was absolutely udless till 4 p.m. At that hour a sheet of cirrus cloud spread over the sky from N.W. and in it a partial solar o was seen at 6 p.m. These signs heralded the approach of a shallow depression from the Atlantic, and the ather fell into a humid, cloudy state on Thursday, and so continued more or less to the end of the week. Friday, wever, was chiefly fine save for a very heavy local shower which fell in the central parts of the City of Dublin at a.m. On Saturday two diverse air-currents were observed—the upper clouds travelled from W.S.W., while the wer clouds and wind came from E.S.E. or S.E. In Dublin the mean barometer reading was 29·987 inches, pressure nging between 30·139 inches at 9 a.m. of Wednesday (wind, E.N.E.) and 29·865 inches at 9 a.m. of Friday (wind, W.). e corrected mean temperature was 60·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 60·1°. The ened thermometers rose to 69·5° on Friday, having fallen to 52·0° on Wednesday. Light easterly winds pre- minated. The rainfall was ·218 inch on 4 days, ·089 inch being recorded on Thursday and ·081 inch on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·815 inches. The highest reading (29·965) was on Wednesday at 9 a.m., air calm, and the lowest (29·694) on Friday at 9 a.m., wind W.

The mean temperature for the week was 59·2°, being 1·0° above the average for the corresponding period of the 10 years, 1900–1909. The temperature was highest on Sunday, on which day the thermometer registered 69·7°, and was lowest on Thursday, the mercury having fallen to 43·9°. The mean of the Dry Bulb for the week was 59·4° and of the Wet Bulb 56·7°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The rainfall during the week measured 0·205 inch.

At Greenwich the mean temperature for the week was 60·7°, the maximum 77·4°, and the minimum 49·1°; at Glasgow the maximum was 73·5°, the minimum 49·0°, and the mean 62·2°; and at Edinburgh the maximum was 71·2°, the minimum 47·6°, and the mean 58·4°. The rainfall at Greenwich measured 0·18 in., at Glasgow 0·28 in., and at Edinburgh 0·45 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY	BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Maximum.	Minimum.	Mean	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins		
Sunday, August 7,	29·772	69·7	56·8	63·3	60·8	59·0	·90	·0	2·3	·000	W.	Calm.
Monday, „ 8,	29·735	63·1	54·2	58·7	58·3	57·1	·93	·0	0·0	·000	Calm.	Calm.
Tuesday, „ 9,	29·858	64·9	52·7	58·7	56·5	54·3	·87	·2	8·3	·000	E.	Calm.
Wednesday, „ 10,	29·936	67·1	44·2	55·7	58·0	53·8	·76	·0	12·0	·000	Calm.	Calm.
Thursday, „ 11,	29·786	66·6	43·9	55·3	63·3	57·7	·73	·6	3·5	·120	Calm.	Calm.
Friday, „ 12,	29·777	68·7	57·8	63·3	60·5	58·0	·85	·5	7·2	·055	W.	W.
Saturday, „ 13,	29·843	64·3	54·9	59·6	58·7	57·2	·91	·0	0·9	·030	Calm.	Calm.
									Total 34·2	Total ·205	—	
Mean, . . .	29·815	66·3	52·1	59·2	59·4	56·7	·85	·2				

Sunday—Day overcast, cloudy at intervals p.m.: night overcast. *Monday*—Day overcast; night overcast with fog. *Tuesday*—Day cloudy a.m., bright p.m.: night clear. *Wednesday*—Beautiful bright day; night clear to cloudy. *Thursday*—Day cloudy to overcast, light rain p.m.: night overcast, light rain a.m. and p.m. *Friday*—Day overcast; night overcast, light showers at intervals. *Saturday*—Day overcast, light showers p.m.; night clear.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, August 13th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperatures in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m	Rainfall.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
	°	°	°	°	°	°	hrs.	ins.
Sunday, August 7,	65·9	60·	57·0	68·2	57·9	63·1	3·1	—
Monday, „ 8,	61·1	61·0	57·2	62·5	54·5	58·5	0·4	·01
Tuesday, „ 9,	59·9	60·9	57·1	65·5	53·9	59·7	6·5	—
Wednesday, „ 10,	64·1	61·0	57·5	66·8	50·6	58·7	11·0	—
Thursday, „ 11	64·8	61·1	57·5	68·0	50·6	59·3	2·9	·10
Friday, „ 12,	63·4	61·0	57·6	70·3	58·8	64·6	7·2	·08
Saturday, „ 13,	59·3	61·4	57·8	65·5	55·8	60·7	1·1	·03
Weekly Mean,	62·6	60·9	57·4	66·7	54·6	60·7	Total 32·2	Total 0·22

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

29437. Wt. P. 1—80/137, 375. 4. 1910. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, LTD., 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 20TH AUGUST, 1910. [No. 33.

General Register Office, Charlemont House, Dublin, 22nd August, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 16·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Average Rate for 4 weeks.
22 Town Districts.	**16·2**	**15·3**	**15·7**	**16·3**	**15·9**	Limerick,	17·8	12·3	10·9	9·6	12·7
Armagh,	13·7	6·9	20·6	34·4	18·9	Lisburn,	22·7	4·5	9·1	18·2	13·6
Ballymena,	4·8	9·6	28·7	9·6	13·2	Londonderry,	22·8	19·2	14·4	14·4	17·7
Belfast,	18·0	15·3	13·6	16·5	15·9	Lurgan,	13·3	8·9	.	13·3	8·9
Clonmel,	20·5	10·3	5·1	35·9	17·9	Newry,	4·2	12·6	16·8	25·2	14·7
Cork,	16·4	6·8	15·1	15·1	13·4	Newtownards,	17·2	28·6	28·6	17·2	22·9
Drogheda,	8·2	12·3	4·1	20·4	11·3	Portadown,	25·8	15·5	10·3	10·3	15·5
Dublin Reg. Area,	15·5	17·2	17·9	15·8	16·6	Queenstown,	13·2	19·8	13·2	26·4	18·1
Dundalk,	.	16·0	8·0	23·9	12·0	Sligo,	9·6	9·6	.	19·2	9·6
Galway,	11·7	19·4	11·7	7·8	12·7	Tralee,	.	10·6	5·3	15·9	8·0
Kilkenny,	9·8	4·9	73·7	9·8	24·5	Waterford,	19·5	19·5	27·3	17·5	20·9
						Wexford,	9·3	23·3	14·0	32·7	19·8

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 2·4 per 1,000, the rates varying from 0·0 in fifteen of the districts to 5·8 in Waterford, the 9 deaths from all causes for that district including 3 from diarrhœal diseases. Among the 124 deaths from all causes for Belfast are 7 from measles, one from whooping-cough and 22 from diarrhœal diseases. Included in the 22 deaths from all causes for Cork is one from enteric fever. Among the 12 deaths from all causes for Londonderry are one from each of measles and diphtheria, and 2 from diarrhœal diseases, and one of the 5 deaths from all causes for Drogheda is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 240—116 boys and 124 girls—and the deaths to 126—60 males and 66 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, represent an annual rate of 15·8 per 1,000 of

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*). Table II. ‡ See columns 10-18 of Table II.

the population, the rate for the total deaths registered in the Area being 16·3 per 1,00
During the thirty-three weeks, ending with Saturday last, the death-rate averaged 21·
and was 3·0 below the mean rate for the corresponding portions of the ten yea
1900-9.

The deaths included one death from scarlet fever, 2 deaths from whooping-cough, 2 deat
from diphtheria, 2 deaths from enteric fever, and 6 deaths of infants from diarrhœ
diseases, (there were also 3 deaths of infants under one year and one death at 2 years fro
enteritis). The deaths from the above-mentioned epidemic diseases in each of the 3 precedin
weeks were as follows :—From scarlet fever 3, one, and one ; from whooping-cough 0, 3, an
3 ; from diphtheria 5, one, and 0 ; from enteric fever 2, 0, and 0 ; and from diarrhœal diseas
0, 2, and 14. There was one death from influenza, the deaths in the three preceding wee
numbering 0, one, and 0, respectively.

Of 7 deaths from pneumonia (all forms), one was attributed to lobar pneumonia, 2 we
attributed to broncho-pneumonia, and 4 to *pneumonia* (not defined).

Tuberculous disease, which in the 3 preceding weeks caused 26, 34, and 29 death
respectively, in the week under notice accounted for the deaths of 24 persons. Of the latt
figure, 17 deaths were from tuberculous phthisis (*phthisis*), one from *tabes mesenterica*, and
from other forms of the disease.

There were four deaths from carcinoma, one death from sarcoma, and 4 deaths from canc
(undefined).

Prematurity was the registered cause of death of 4 infants.

The deaths of 3 infants from *convulsions* are included in a total of 7 deaths attributed t
diseases of the brain and nervous system.

Sixteen deaths occurred from diseases of the heart and blood vessels, and there wer
9 deaths from bronchitis.

Of 2 deaths from accidental causes, one was by a fall off a bicycle.

In 4 instances the cause of death was "uncertified," there having been no medical attendan
during the last illness ; these cases include the deaths of 2 infants under one year old.

Thirty-seven of the persons whose deaths were registered during the week were under 5 yea
of age (30 being infants under one year, of whom 9 were under one month old) and 28 wer
aged 60 years and upwards, including 17 persons aged 70 and upwards, of whom 3 wer
octogenarians, and one (a male) was stated to have been aged 97 years.

Sixty-three of the deaths registered during the week occurred in hospitals and other publi
institutions ; of this number 11 took place in the North Dublin Union Workhouse, an
20 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week
deaths in Public Institutions being assigned to the Districts from which the deceased wer
admitted, and the annual death-rate for each District calculated on the mortality so dis
tributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 15·8 per 1,000 ; the rate in the City was 18·
(North City Districts, 16·1; South, 20·0) and in the Suburbs, 8·4.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·7 per 1,000 inhabitants, th
rate for the City being 2·0 (2·3 in the North City Districts, and 1·7 in the South), and for the Suburbs, 0·6.

No. 1 North City District, East (Clarence-street, North).—The deaths (10) are equal to an annual rate of 17·4 per 1,00
and include 2 deaths from diarrhœal diseases and one death from *pneumonia* (not defined).

No. 1 North City District, West (Summer-hill).—The deaths (8) are equal to an annual rate of 10·4 per 1,000
There was one death from whooping-cough also one death from *pneumonia* (not defined).

No. 2 North City District (Lisburn-street).—The deaths (10) are equivalent to an annual rate of 17·0 per 1,000
Among the deaths was one from *diarrhœa* ; there were 4 from bronchitis, and one accidental death.

No. 3 North City District (Benburb-street).—The deaths (15) represent an annual rate of 23·3 per 1,000. Diphtheri
caused 2 deaths, there was one death from enteric fever, there were 5 deaths from tuberculous disease, and 2 death
from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are :—Clontar
and Howth, No. 1, part of, 9·7 per 1,000 inhabitants ; Coolock and Drumcondra, part of, 13·5 ; and Finglas and Glasnevin
part of, 13·6. One of the 3 deaths recorded for Coolock and Drumcondra, part of, was caused by a fall off a bicycle
and the 2 deaths for Finglas and Glasnevin, part of, were caused by tuberculous phthisis (*phthisis*).

No. 1 South City District (South Earl-street).—The deaths (8) represent an annual rate of 10·1 per 1,000. The death
include one from whooping-cough, 2 from tuberculous phthisis (*phthisis*), and one death from bronchitis.

No. 2 South City District (Castle-street).—The deaths (18) are equal to an annual rate of 43·1 per 1,000. The tota
includes one death from enteric fever, one death from *pneumonia* (not defined), and 6 deaths from tuberculous phthisis
(*phthisis*).

No. 3 South City District (Peter-street).—The deaths (19) are equal to an annual rate of 22·9 per 1,000. There were
2 deaths from diarrhœal diseases, 3 deaths from pneumonia (all forms), and 4 deaths from tuberculous disease.

No. 4 South City District (Grand Canal-street).—The deaths (12) are equivalent to an annual rate of 17·4 per 1,000
One death was caused by each of the following diseases :—*Diarrhœa*, broncho-pneumonia, and bronchitis.

New Kilmainham District.—The one death recorded for this district is equal to an annual rate of 5·7 per 1,000 The
death registered was caused by diabetes mellitus.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are :—Rathmines and Rathgar,
8·4 ; Pembroke, 9·0 : Blackrock, 5·8 : and Kingstown, 8·9. The only death from any of the principal epidemic diseases
tabulated for these districts was one from scarlet fever for Rathmines and Rathgar. Among the 6 deaths from all
causes for the latter district are 2 from *phthisis* and one from bronchitis ; and the 5 deaths from all causes for Pembroke
include 2 from tuberculous disease.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possibl
in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District: Mr. Heron, Executive Sanitary Officer for Blackrock Urban District: by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 20th August, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	July 30,	.	—	—	17	1	.	10	.	.	4	7	.	—	—	.	—	21	—	60
	Aug. 6,	.	—	—	11	.	.	7	.	.	8	13	.	—	—	.	—	20	—	59
	Aug. 13,	.	—	—	12	.	.	12	.	.	3	10	1	—	—	.	—	13	—	51
	Aug. 20,	.	—	—	8	.	.	5	.	1	11	6	.	—	—	.	—	15	—	46
Rathmines and Rathgar Urban District.	July 30,	.	—	—	..	.	.	..	.	.	.	1	.	—	—	—	—	—	—	1
	Aug. 6,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	Aug. 13,	.	—	—	..	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Aug. 20,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
Pembroke Urban District.	July 30,	.	.	.	.	.	.	.	.	.	1	.	.	—	.	.	—	.	—	1
	Aug. 6,	.	.	.	1	.	.	1	.	.	.	.	.	—	1	.	—	.	—	3
	Aug. 13,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	.	—	.
	Aug. 20,	.	1	.	.	.	.	.	.	.	1	.	.	—	.	.	—	.	—	2
Blackrock Urban District.	July 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	July 30,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	.	—	1
	Aug. 6,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	.	—	1
	Aug. 13,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	.	—	2
	Aug. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	July 30,	.	—	—	10	.	.	5	.	.	2	3	.	—	—	—	—	17	—	37
	Aug. 6,	.	—	—	6	.	.	5	.	2	5	4	.	—	—	—	—	19	—	41
	Aug. 13,	.	—	—	4	.	.	4	.	.	5	4	.	—	—	—	—	12	—	29
	Aug. 20,	.	—	—	8	.	.	6	.	.	2	3	.	—	—	—	—	16	—	35

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 20th August, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Two cases of measles were admitted to hospital during the week, 3 were discharged, and 2 cases remained under treatment at its close.

Twelve cases of scarlet fever were admitted to hospital, 19 were discharged, there was one death, and 66* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 99, 88, and 74, respectively.

One case of typhus remained under treatment in hospital at the close of the week.

Eight cases of diphtheria were admitted to hospital, 18 were discharged, there was one death, and 31 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 57, 48, and 42, respectively.

Six cases of enteric fever were admitted to hospital during the week, 7 were discharged, there was one death, and 28 cases remained under treatment in hospital at the close of the week.

In addition to the above named diseases, one case of pneumonia was admitted to hospital, 3 were discharged, and 9 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns, including London (in which the rate was 10·2) was equal to an average annual death-rate of 11·5 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 13·3 per 1,000, the rate for Glasgow being 13·6 and for Edinburgh 14·9.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 20th August. From this Report it appears that of a total of 54 cases notified, 27 were scarlet fever, 20 phthisis, 4 diphtheria, 2 erysipelas, and one puerperal fever. Among the 292 cases of infectious diseases in hospital at the close of the week were 164 cases of scarlet fever, 55 of phthisis, 30 of diphtheria, 17 of measles, 6 of enteric fever, 6 of erysipelas, 5 of chicken-pox, 2 of whooping-cough, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 20th August, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 20TH AUGUST, 1910.																							METEOROLOGY. (a)										
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 20TH AUGUST, 1910.				WEEK ENDING 13TH AUGUST, 1910.				WEEK ENDING 6TH AUGUST, 1910.			
							DEATHS.																			Air Temperature				Air Temperature				Air Temperature			
	POPULATION.		DEATHS.			BIRTHS.				Caused by																										
	Total.(a)	Persons to an Acre.	BIRTHS	From all Causes.	From Diseases in cols. 10–18.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia, b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·8	27·2	16·3	2·4	601	361	84	93	.	8	1	.	4	3	.	3	34	15	41	18	22	27	4	6	101	12	°	°	°		°	°	°		°	°	°	
																												.	.	.	.	.	.	.	.	.	.	.	.
DUBLIN REGISTRATION AREA:—TOTAL, c.	402,928	29·3	31·1	15·8	1·7	240	122	30	18	.	.	1	.	2	2	.	2	6	7	16	7	9	10	2	1	59	4	e71·0	41·8	58·8	1·18	e69·7	48·9	59·2	0·21	e66·2	46·4	56·5	0·94
CITY of DUBLIN,	310,298	39·2	33·6	18·0	2·0	200	107	30	22	.	.	.	.	2	2	.	2	6	7	14	5	9	9	2	1	54	4	f69·2	52·1	60·3	1·13	f69·5	52·0	60·9	0·22	f65·7	50·1	57·5	1·17
																												g70·9	45·0	59·9	1·07	g70·3	47·0	59·3	0·23	g67·9	47·0	57·3	1·18
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	16·9	8·4	1·4	12	6	.	1	.	.	1	.	.	.	.	.	.	.	2	.	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	30·6	9·0	.	17	5	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,018	8·3	40·5	5·8	.	7	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	11·8	8·9	.	4	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	69·0	51·0	60·5	0·95	70	51	60·1	0·27	67·0	51·0	58·1	0·70
URBAN DISTRICTS.																																							
BELFAST,	391,167	26·6	28·0	16·5	4·0	210	124	35	23	.	7	.	.	1	.	.	.	22	5	16	9	3	8	.	2	21	2	69·0	51·8	60·1	1·81	72·2	48·0	60·8	0·08	65·8	47·0	56·9	3·07
CORK,	76,122	28·6	28·1	15·1	0·7	41	22	6	7	.	.	.	.	.	.	1	.	.	1	.	1	1	.	1	6	.	65	52	58·8	2·42	68	54	58·7	0·46	64	47	56·1	1·87
LONDONDERRY,	43,477	20·1	26·4	14·4	4·8	22	12	3	3	.	1	.	.	.	1	.	.	2	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	12·3	9·6	.	9	7	1	2	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	4	.	67·6	46·3	58·9	1·28	72·3	44·5	66·5	0·59	62·5	57	58·8	0·38
WATERFORD,	26,769	18·7	23·4	17·5	5·8	12	9	2	3	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	15,426	2·5	27·2	7·8	.	7	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	67	53	60	0·94	74	48	61·5	0·37	68	49	58	0·45
DUNDALK	13,078	9·4	.	23·9	.	6	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	20·4	20·4	4·1	5	5	.	3	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	13,405	17·8	21·0	25·2	4·2	5	6	1	2	.	.	.	.	.	.	.	.	1	.	2	.	.	2	.	.	.	.	67·1	51·6	59·5	2·14	78·7	48·2	61·1	0·11	69·9	47·0	57·5	1·51
LURGAN,	11,792	18·8	35·8	18·8	.	5	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	67·1	51·6	59·5	2·14	78·7	48·2	61·1	0·11	69·9	47·0	57·5	1·51
LISBURN,	11,461	10·1	22·7	18·2	5·5	4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	67·1	51·6	59·5	2·14	78·7	48·2	61·1	0·11	69·9	47·0	57·5	1·51
WEXFORD,	11,166	23·2	37·4	32·7	5·8	8	7	1	3	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,886	8·9	19·2	9·6	.	4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,870	8·7	19·2	19·2	.	4	4	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	67·6	46·5	58·7	1·61	75·3	51·8	60·8	0·37	64·8	41·5	55·0	0·37
KILKENNY,	10,609	11·5	4·9	9·8	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	69	45	58·6	3·10	75	48	62·3	0·89	66	44	56·3	1·40
CLONMEL,	10,167	7·8	25·6	35·9	.	5	7	2	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,099	18·2	15·5	10·3	.	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	67·1	51·6	59·5	2·14	78·7	48·2	61·1	0·11	69·9	47·0	57·5	1·51
TRALEE,	9,687	16·6	31·7	15·9	.	6	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	11·4	17·2	.	2	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	69	51	57·8	1·14	70	50	57·9	0·50	65	50	56·6	1·57
QUEENSTOWN,	7,909	14·4	6·6	26·4	.	1	4	.	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	65	52	58·8	2·42	68	52	58·7	0·46	64	47	56·1	1·37
ARMAGH,	7,588	22·2	18·7	34·4	.	2	5	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	67·1	51·6	59·5	2·14	78·7	48·2	61·1	0·11	69·9	47·0	57·5	1·51

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (b) Formerly described as "Simple Continued Fever." (c) Exclusive of 4 deaths of persons admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 20th August, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Diphtheria,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	2	.
Diarrhœal Diseases,	2	.	1	.	.	.	.	.	.	2	1	.	.	.	.	.	6	.
Pneumonia,	1	1	.	.	.	.	.	.	1	3	1	.	.	.	.	.	7	.
Tuberculous Phthisis,	.	.	.	4	.	.	2	2	6	.	.	.	2	.	.	.	16	1
Disease. Other Forms,	.	.	.	1	.	.	.	.	.	4	.	.	.	2	.	.	7	.
Cancer, Malignant Disease,	1	1	.	1	1	.	.	.	1	1	3	.	.	.	.	.	9	.
Other General Diseases,	2	1	1	1	.	.	.	1	.	.	.	1	1	.	.	.	8	1
Total,	6	4	2	10	1	.	2	4	9	10	5	1	4	2	.	.	60	2
B. LOCAL DISEASES:																		
Diseases of Nervous System,	.	.	.	.	.	1	.	.	2	3	.	.	1	.	.	.	7	.
Organs of Special Sense,	.	.	.	.	.	.	.	1	2	4	2	.	.	2	.	2	16	.
Heart and Blood Vessels,	.	1	2	.	.	.	.	1	.	.	1	.	1	.	.	.	10	.
Respiratory System,	2	2	4	2	.	1	.	1	.	.	1	.	.	.	.	.	7	2
Digestive System,	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Lymphatic System, &c.	.	1	.	2	.	.	.	.	1	2	.	.	.	1	.	1	8	.
Urinary System,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	2	4	7	4	.	2	.	3	6	9	4	.	2	3	1	3	50	2
C. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	2	.	.	1	.	.	.	1	3	.	3	.	.	.	.	.	10	.
E. VIOLENT DEATHS,	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	2	.
Deaths from all Causes	10	8	10	15	1	3	2	8	18	19	12	1	6	5	1	3	122	4
Annual Rate of Mortality from all causes in every 1,000 of the population.	17·4	10·4	17·0	23·3	9·7	13·5	13·6	10·1	43·1	22·9	17·4	5·7	8·4	9·0	5·8	8·9	15·8	.
	16·1							20·0					8·4					
	18·0																	
Ages at Death. Under 1 year,	3	3	3	1	.	.	.	3	2	7	3	.	.	.	.	.	30	.
1 and under 5 years,	.	1	.	1	.	.	.	.	1	2	1	.	1	.	.	.	7	.
5 " 20 "	1	.	.	2	.	.	.	.	1	.	.	.	1	1	.	.	6	.
20 " 40 "	1	1	.	6	.	1	2	.	5	2	.	.	1	1	.	2	22	1
40 " 60 "	.	2	5	2	.	1	.	4	5	5	2	1	2	.	.	.	29	3
60 years and upwards,	.	1	2	3	1	1	.	1	4	3	6	.	1	3	1	1	28	.
Number of Uncertified Deaths,	.	.	1	.	.	.	.	.	2	1	.	.	.	.	.	.	4	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	1	.	9	.	1	.	.	5	3	2	.	3	1	.	.	28	4
Workhouse Hospitals,	2	2	3	4	.	.	.	5	7	2	5	.	.	1	.	.	31	.

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in the week of the ten years 1900–1909,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Averages in 33rd Week of the 10 years, 1900–1909.	In the Week ending Saturday, 20th August, 1910.							
	Aug. 18, 1900.	Aug. 17, 1901.	Aug. 16, 1902.	Aug. 22, 1903.	Aug. 20, 1904.	Aug. 19, 1905.	Aug. 18, 1906.	Aug. 17, 1907.	Aug. 15, 1908.	Aug. 21, 1909.		Deaths of Persons of the Ages of							
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 60·2	° 58·9	° 57·0	° 53·3	° 55·8	° 58·2	° 58·9	° 58·9	° 56·8	° 58·8	° 57·7	° 58·8								
ALL CAUSES.	147	148	145	169	183	151	151	145	167	157	156·3	126	9	21	7	6	23	32	24	4
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	.	20	.	4	1	1	7	3	.	3·6	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	1	1	.	.	1	.	.	.	1	·4	1	.	.	1	.	.	.	.	.
Typhus,	1	.	1	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	1	2	.	1	.	.	.	1	1	·6	1	.	.	.	1	.	.	.	.
Whooping-cough,	1	3	.	1	3	.	1	3	1	1	1·4	2	.	2	.	.	.	.	.	.
Diphtheria,	.	.	.	1	1	.	.	.	1	1	·4	2	.	.	1	1	.	.	.	.
Cerebro-spinal Fever,	.	.	.	.	.	.	.	1	1	1	·3	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain),	1	.	.	.	.	.	1	.	1	.	·3	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	.	1	.	1	1	.	1	.	.	·5	2	.	.	.	.	1	1	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.),	25	30	.	3	10	10	11	3	18	15	21·2	2	.	2	.	.	.	.	.	.
Diarrhœa, Dysentery,			1	8	23	10	18	3	19	5		4	.	4	.	.	.	.	.	.
Tetanus,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	.	1	.	.	.	1	2	1	1	·6	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia,	1	.	.	.	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
Puerperal Pyæmia, *Puerperal Fever*,			.	.	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
Infective Endocarditis	.	.	.	.	1	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	3	8	6	1	.	1	2	3	2	2	5·4	1	.	1	1	.	.	1	.	.
Pneumonia, Broncho-Epidemic			3	4	4	.	2	4	2	1		2	.	.	1	1	1	.	.	.
Pneumonia, Not defined,										5		4	.	.	1	1	1	1	.	.
Erysipelas,	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal)	.	1	.	1	.	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Pyæmia (not Puerperal),			.	.	.	1	.	.	2	.		.	.	.	.	.	.	.	.	.
Other Infective Conditions,	.	.	.	2	.	.	2	.	1		·5	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis,	20	24	1	6	2	6	9	5	7	9	20·0	7	.	.	.	.	5	2	.	.
"*Phthisis*,"			17	16	19	17	12	14	7	9		10	.	.	.	2	5	3	.	.
Tuberculous Meningitis,	3	1	3	4	6	3	1	2	5	5	3·3	.	.	.	.	.	.	.	.	.
Tuberculous Peritonitis,	3	4	.	.	3	.	2	1	.	.	2·0	.	.	.	.	.	.	.	.	.
Tabes Mesenterica,			.	1	1	2	.	1	2	.		1	.	.	1	.	.	.	.	.
Tuberculous Dis. (other),	5	6	2	8	8	10	6	2	4	2	5·4	6	.	2	.	1	1	1	1	.
Scrofula,			.	.	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
Alcoholism,	1	.	1	1	.	.	1	4	.	.	·8	.	.	.	.	.	.	.	.	.
Rheumatic Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Carcinoma,	6	3	2	6	2	1	4	2	4	6	7·7	4	.	.	.	.	1	3	.	.
Sarcoma,			.	.	.	1	.	.	1	1		1	.	.	.	.	.	1	.	.
Cancer (undefined)			6	6	1	3	8	4	7	3		4	.	.	.	.	1	2	1	.
Diabetes Mellitus,	.	.	.	.	1	.	3	1	2	1	·8	1	.	.	.	.	.	1	.	.
Premature Birth,	2	1	1	5	4	2	1	3	2	3	2·4	4	4	.	.	.	.	.	.	.

* The figures for the year 1900 are for

† Formerly described as

THIRTY-THIRD WEEK ending Saturday, 20th August, 1910, with the deaths from each cause in the corresponding and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 33rd Week of the 10 years 1900-1909.	In the Week ending Saturday, 20th August, 1910.							
												Deaths of Persons of the Ages of							
	Aug. 18, 1910.	Aug. 17, 1901.	Aug. 16, 1902.	Aug. 22, 1903.	Aug. 20, 1904.	Aug. 19, 1905.	Aug. 18, 1906.	Aug. 17, 1907.	Aug. 15, 1908.	Aug. 24, 1909.		ALL AGES.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 60·2	° 58·9	° 57·0	° 53·3	° 55·8	° 58·2	° 58·9	° 58·9	° 56·8	° 58·8	° 57·7	Mean Temp. ° 58·8	Under 1 month.	1 month and under a year.	1 to 5.					
Meningitis (not tuberc.)			2	1	3	2	3	1	4											
Insanity, G. P. of Insane			.	1	1	1	1	1	.	2		2	.	.	.	.	1	1	.	
Epilepsy			.	.	1	.	.	1	1	.		1	.	.	.	.	.	1	.	
Convulsions			13	2	9	4	3	2	2	1		3	2	1	.	.	.	.	.	
Locomotor Ataxy			.	.	.	.	1	.	.	.		.	.	.	.	.	.	.	.	
Paraplegia Dis. of Cord			2	1	2	1	1	3	1	3		.	.	.	.	.	.	.	.	
Nervous System (other Dis.)			2	.	1	3	2	1	1	3		1	.	.	.	.	.	1	.	
	32	30									31·3									
Valv. Dis., Endocarditis			2	2	2	1	4	3	4	6		4	.	.	.	2	2	.	.	
Cerebr. Hæm. Thromb.			1	1	4	2	1	3	2	1		.	.	.	.	.	.	.	.	
Apoplexy, Hemiplegia			4	6	7	5	1	2	1	2		3	.	.	.	.	.	3	.	
Aneurysm			1	2	1	1	.	1	1	.		.	.	.	.	.	.	.	.	
Embolism, Thromb. (not cerebral)			.	1	.	.	.	1	.	1		.	.	.	.	.	.	.	.	
Heart and Blood Vessels (other Dis.)			13	10	11	14	14	5	7	10		9	.	.	.	.	4	4	1	
Croup (not Spasm. nor Memb.)	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	
Bronchitis	9	9	8	13	3	9	11	15	9	6	9·2	9	.	1	.	.	5	3	.	
Asthma, Emphysema			.	.	.	1	.	.	.	1		1	.	.	.	.	.	1	.	
Pleurisy	1	1	.	1	1	.	.	1	.	.	1·7	.	.	.	.	.	.	.	.	
Respiratory Dis. (other)			1	3	.	.	.	2	3	1		.	.	.	.	.	.	.	.	
Tonsillitis, Quinsy	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	
Enteritis (not Epid.)	2	1	.	3	4	6	1	.	2	10	4·6	4	.	3	1	.	.	.	.	
Gastro-enteritis			.	3	6	1	1	2	4	.		.	.	.	.	.	.	.	.	
Peritonitis (not Puerp.)	1	1	.	3	1	.	2	.	2	.	1·0	.	.	.	.	.	.	.	.	
Cirrhosis of Liver	2	1	2	3	2	1	3	1	.	1	2·1	1	.	.	.	.	1	.	.	
Liver Dis. (other)			2	.	.	.	.	1	1	1		.	.	.	.	.	.	.	.	
Digestive Dis. (other)	1	2	5	9	8	7	3	6	4	5	5·0	4	.	3	.	.	1	.	.	
Nephritis, Acute			2	.	1	.	1	1	.	4		1	.	.	.	1	.	.	.	
Bright's Dis., Albuminuria	4	3	1	6	3	.	.	.	2	3	3·7	6	.	.	1	2	2	1	.	
Urinary Sys. (other Dis.)			1	.	1	.	1	1	1	1		1	.	.	.	1	.	.	.	
Generative Organs Dis.	.	1	.	1	.	1	.	.	1	.	·4	1	.	.	.	1	.	.	.	
Childbirth (Accid. of)	.	1	1	1	.	1	3	.	.	1	·8	.	.	.	.	.	.	.	.	
Old Age	7	6	3	3	2	4	2	.	1	3	3·1	4	.	.	.	.	.	1	3	
Other Diseases	10	6	6	14	6	11	6	19	12	11	10·1	10	3	2	1	.	2	2	.	
ACCIDENT.																				
By Railways	.	2	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	
By Vehicles and Horses	2	1	.	.	.	.	.	.	1	1	·5	1	.	.	.	1	.	.	.	
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
In Building Operations	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	
In Conflagrations	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	
By Burns, Scalds, Explosions	.	.	1	1	2	.	.	2	.	.	·6	.	.	.	.	.	.	.	.	
By Drowning	1	.	1	1	.	1	.	1	.	1	·5	.	.	.	.	.	.	.	.	
By Suffocation in Bed	.	.	.	.	.	.	1	.	1	.	·2	.	.	.	.	.	.	.	.	
By Poison or Poisonous Vapours	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	
Other Deaths by Accident	.	.	3	1	.	1	1	1	4	1	1·2	1	.	.	.	.	.	1	.	
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Suicide	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

the Registration Area as then constituted.
" Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910—Week ending																								
	Feb. 26.	Mar 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.
No. of weeks in Annual Series,	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33
BIRTHS registered.	224	206	247	162	242	218	255	217	221	246	230	241	181	242	253	268	272	183	228	229	272	225	243	198	209	240
*Average Births in corresponding week of previous 10 years,** ..	213	214	219	217	211	235	190	207	224	195	270	229	211	202	232	222	199	225	237	200	198	204	215	221	202	219
DEATHS registered, ...	228	208	204	149	185	168	186	183	200	193	186	180	131	160	135	133	140	130	127	143	118	144	127	145	143	126
Annual Death-rate per 1,000, ..	29·5	26·9	26·4	19·3	23·9	21·7	24·1	23·7	25·9	25·0	17·6	23·3	17·0	20·7	17·5	17·2	18·1	16·8	16·4	18·5	15·3	18·6	16·4	18·8	18·5	16·3
*Average Deaths in corresponding week of previous 10 years,**	221	221	214	200	206	211	200	200	197	189	184	178	174	171	157	154	152	147	136	138	142	146	147	146	148	156
AGES, Under 5 years, ...	67	57	58	30	52	44	44	37	49	46	36	38	37	39	31	37	25	27	31	50	29	48	31	31	54	37
5—25 ,, ...	16	8	12	11	12	18	9	11	15	18	6	16	7	10	18	10	12	9	11	11	10	8	18	17	8	6
20—40 ,, ...	22	33	28	21	34	18	26	24	33	29	26	34	20	25	26	23	27	32	23	24	17	17	18	27	23	23
40—60 ,, ...	42	40	34	35	35	32	43	38	35	43	25	32	28	40	27	29	35	34	23	25	27	29	30	30	28	32
60—80 ,, ...	69	57	65	41	42	45	53	57	59	46	40	50	36	42	33	24	38	28	33	28	34	34	33	35	26	24
80 years and upwards, ..	12	13	12	11	10	16	11	16	9	11	3	10	3	4	5	7	3	2	6	10	1	8	2	5	4	4
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1	.	.	1	.
Scarlet Fever, ...	1	1	.	1	.	.	.	.	.	.	.	1	1	.	2	.	.	.	1	.	1	3	3	1	1	1
Typhus, ...	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Whooping-cough, ...	.	3	2	1	2	1	.	2	5	4	1	1	1	.	2	1	2	1	3	.	1	1	.	3	3	2
Diphtheria, ...	2	.	1	1	1	.	1	.	1	.	.	.	.	.	.	.	.	.	1	2	1	.	5	1	.	2
Pyrexia † (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	1	2	.	1	1	4	1	1	.	2	1	3	.	1	.	.	2	.	.	.	1	2	2	.	.	2
Diarrhœal Diseases, ...	3	3	4	2	3	.	4	2	2	1	2	1	5	2	1	3	1	1	1	6	3	5	.	2	14	6
Influenza, ...	2	5	6	7	6	6	3	5	2	3	1	3	2	.	.	.	1	.	2	.	.	1	.	1	.	1
Pneumonia, ...	22	17	20	12	14	14	17	18	20	17	8	14	13	8	8	10	7	10	3	8	7	9	5	7	8	7
Tuberculous Phthisis, ..	23	23	26	15	26	14	21	22	31	25	14	31	15	14	17	15	22	24	23	11	19	11	17	24	14	17
Disease, Other Forms, ..	13	10	12	10	10	4	10	9	18	12	11	9	9	11	15	7	15	10	14	7	8	3	9	10	15	7
Cancer, Malignant Disease, ..	14	9	13	5	6	14	7	10	11	11	6	10	3	10	10	6	7	10	10	8	5	11	10	8	8	9
Diseases of Heart and Blood Vessels, ...	31	27	25	30	20	30	37	28	37	31	21	25	20	29	21	21	25	16	23	26	17	22	23	23	20	16
Diseases of Respiratory System,	41	39	35	26	36	23	38	39	22	25	17	27	16	18	13	17	11	15	7	11	18	14	12	10	8	10
Violent Deaths, ...	6	5	3	1	2	5	5	3	3	4	6	11	2	3	6	7	7	1	2	9	3	8	5	3	6	2
Number of Uncertified Deaths, ..	2	3	5	5	3	4	9	12	8	6	2	2	6	3	3	7	5	6	3	5	.	4	7	2	3	4
Mean Temperature of the Air (Phœnix Park), ...	39·2	44·0	43·6	39·8	43·4	39·7	41·7	43·0	49·6	43·6	46·1	44·7	51·4	55·1	50·6	57·8	56·4	58·1	54·7	55·5	57·1	56·9	57·8	56·5	59·2	53·8
Average Mean Temperature in corresponding week of previous 10 years, ...	40·1	40·1	41·1	42·9	41·9	42·1	44·2	43·4	45·1	46·6	46·9	48·5	48·6	50·5	53·9	53·3	53·7	55·3	56·6	57·6	58·9	60·6	58·8	58·8	58·2	57·7
Rainfall in inches, ...	·915	·892	·883	·174	·000	·040	·205	·788	·782	·417	·670	·250	1·263	·185	·692	1·870	·010	1·291	1·780	·660	·000	·840	·355	·940	·205	1·175
Mean Humidity of the Air, complete Saturation 1·0	·94	·93	·88	·91	·91	·88	·93	·93	·91	·82	·77	·81	·90	·88	·81	·93	·87	·92	·87	·88	·81	·81	·81	·84	·85	·81

* See note (*) at foot of Table IV.

† Formerly described as "Simple Continued Fever."

Table VI.—Showing in Five General Classes and Eighteen Groups the Occupations or Social Position of the Persons whose Deaths were registered in the Dublin Registration Area during the Week ending Saturday, 20th August, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 20th August, 1910. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS, ...	375,350	17·5	126	37	6	23	32	24	4	.	.	1	.	2	2	.	2	6	13	7	17	7	9	3	10	2	58	4
	CLASSES.																												
	Deaths in Families of the—																												
I.	Professional and Independent Class, ..	17,486	3·0	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	Middle Class, ...	87,188	7·2	12	.	.	5	2	3	2	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	1	8	.
III.	Artisan Class and Petty Shopkeepers, ..	110,428	17·0	36	5	2	7	13	9	.	.	.	.	.	.	.	.	1	.	1	6	6	8	2	.	4	.	14	2
IV.	General Service Class, ...	154,279	15·5	46	24	4	6	7	5	.	.	.	1	.	2	2	.	1	4	10	1	3	2	4	3	4	.	19	2
V.	Inmates of Workhouses, ...	6,024	—	21	8	.	4	10	7	2	.	.	.	.	.	.	.	.	2	2	.	6	2	2	.	2	1	16	.
I.	Professional and Independent Class.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	6·7	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	Middle Class.																												
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	27·0	4	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	7·1	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
	6. Clerks and Commercial Assistants, ..	30,432	5·1	3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,038	3·9	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
III.	Artisan Class and Petty Shopkeepers.																												
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	5·3	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	9. Building and Furnishing Trades, ...	29,801	12·2	7	3	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	4	.
	10. Clothing Trades, ...	23,260	17·9	8	.	.	3	4	1	.	.	.	.	.	.	.	.	.	.	.	.	3	1	1	.	1	.	2	.
	11. Food Supply Trades, ...	9,242	11·3	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	27·5	16	2	2	2	4	6	.	.	.	.	.	.	.	.	1	.	1	2	2	2	1	.	2	.	6	1
	13. Petty Shopkeepers, ...	7,894	13·2	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1
IV.	General Service Class.																												
	14. Army, Police, Postal Delivery, and Prison Services, &c	13,425	19·4	5	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	3	.
	15. Domestic Servants, ...	36,603	5·7	4	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	7·2	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	.	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	20·3	35	21	2	4	3	5	.	.	.	1	.	2	1	.	1	3	8	1	1	1	3	2	4	.	15	2
V.	Inmates of Workhouses.																												
	18. Workhouse Inmates, ...	6,024	—	31	8	.	4	10	7	2	.	.	.	.	.	.	.	.	2	2	.	6	2	2	.	2	1	16	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	From Diseases in Cols. 5-13.	Total Deaths.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of), North City, No. 1 (E.)	July 2,	18·9	1·7	8	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	1
	„ 9,	22·7	.	13	.	.	.	.	.	.	.	.	.	1	4	.	.	1	.	2
	„ 16,	15·7	1·7	9	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.
(*Office,*	„ 23,	22·7	1·7	13	.	.	1	.	.	.	.	1	.	.	2	.	2	2	.	.
Clarence-st., Nth.	„ 30,	15·7	1·7	9	.	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.
	Aug. 6,	12·2	.	7	.	.	.	.	.	.	.	.	.	1	3	.	1	2	.	.
Pop. in 1910	„ 13,	15·7	5·2	9	.	.	.	.	1	.	.	.	2	.	1	1	.	1	.	.
(Est.) 29,908.	„ 20,	17·4	8·5	10	.	.	.	.	.	.	.	.	2	1	.	.	1	1	.	1
North City, No. 1 (W.)	July 2,	13·0	1·3	10	.	.	.	.	1	.	.	.	.	.	3	1	1	1	.	.
	„ 9,	17·0	.	13	.	.	.	.	.	.	.	.	.	2	1	.	1	.	1	1
	„ 16,	17·0	1·3	13	.	.	.	.	.	1	.	.	.	1	.	2	.	4	.	.
(*Office,*	„ 23,	18·3	2·6	14	.	.	.	.	1	.	.	1	.	.	1	.	.	3	2	2
Summer-hill.)	„ 30,	22·2	.	17	.	.	.	.	.	.	.	.	.	1	2	.	.	1	2	2
	Aug. 6,	22·2	.	17	.	.	.	.	.	.	.	.	.	.	5	.	.	3	.	.
Pop. in 1910	„ 13,	17·0	1·3	13	.	.	.	.	.	.	.	.	1	1	1	1	1	1	.	.
(Est.) 39,974.	„ 20,	10·4	1·3	8	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	.
North City, No. 2.	July 2,	17·0	.	10	.	.	.	.	.	.	.	.	.	1	3	1	.	1	.	.
	„ 9,	28·8	5·4	17	.	.	.	.	.	.	.	.	2	1	1	.	.	3	1	1
	„ 16,	20·4	1·7	12	.	.	.	.	.	.	.	.	1	1	.	.	.	2	1	.
(*Office,*	„ 23,	25·4	5·1	15	.	.	1	.	.	.	.	.	2	.	2	1	.	2	1	1
Lisburn-street.)	„ 30,	8·5	1·7	5	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.
	Aug. 6,	13·6	.	8	.	.	.	.	.	.	.	.	.	2	.	2	1	.	.	1
Pop. in 1910	„ 13,	18·7	5·4	11	.	.	.	.	.	.	.	.	2	1	.	2	.	2	.	.
(Est.) 30,744.	„ 20,	17·0	1·7	10	.	.	.	.	.	.	.	.	1	.	.	.	.	4	1	1
North City, No. 3.	July 2,	18·3	1·6	12	.	.	.	.	1	.	.	.	.	.	1	2	1	.	.	.
	„ 9,	9·3	1·6	6	.	.	.	.	.	.	.	.	1	.	.	.	1	1	1	1
	„ 16,	21·8	3·1	14	.	.	1	.	.	.	.	.	1	.	3	1	.	3	.	.
(*Office,*	„ 23,	9·3	1·6	6	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
Benburb-street.)	„ 30,	20·2	4·7	13	.	.	.	.	3	.	.	.	.	.	2	1	2	.	.	1
	Aug. 6,	26·4	1·6	17	.	.	.	.	1	.	.	.	.	2	2	.	1	1	.	.
Pop. in 1910	„ 13,	28·8	3·1	15	.	.	.	.	.	.	.	.	2	1	4	.	2	.	.	.
(Est.) 33,559.	„ 20,	28·8	4·7	15	.	.	.	.	2	.	.	1	.	.	4	1	1	2	.	.
South City, No. 1.	July 2,	26·4	3·8	21	.	.	1	.	1	1	.	.	.	1	5	2	.	1	1	.
	„ 9,	18·9	1·3	15	.	1	.	.	.	.	.	.	.	1	1	2	.	2	.	.
	„ 16,	12·6	.	10	.	.	.	.	.	.	.	.	.	.	2	1	.	3	.	.
(*Office,*	„ 23,	20·1	1·3	16	.	1	.	.	.	.	.	.	.	.	2	.	1	1	1	.
Sth. Earl-street.)	„ 30,	20·1	1·3	16	.	.	1	.	.	.	.	.	.	1	2	1	2	1	1	1
	Aug. 6,	21·4	1·3	17	.	.	1	.	.	.	.	.	.	.	3	.	3	3	.	.
Pop. in 1910	„ 13,	26·4	1·3	21	.	.	.	.	.	.	.	.	1	.	4	1	.	.	2	1
(Est.) 41,476.	„ 20,	10·1	1·3	8	.	.	.	.	1	.	.	.	.	.	2	.	1	.	.	.
South City, No. 2.	July 2,	16·8	.	7	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.	1
	„ 9,	16·8	.	7	.	.	.	.	.	.	.	.	.	2	2	1	.	.	.	.
	„ 16,	7·3	.	5	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.
(*Office,*	„ 23,	16·8	2·4	7	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	.
Castle-street.)	„ 30,	12·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	Aug. 6,	24·0	2·4	10	.	.	.	.	.	.	.	.	.	.	2	1	1	2	.	.
Pop. in 1910	„ 13,	16·8	2·4	7	.	.	.	.	1	.	.	.	1	.	.	1	.	.	.	.
(Est.) 21,754	„ 20,	43·1	2·4	18	.	.	.	.	.	.	.	1	.	1	6	.	1	.	1	2
South City, No. 3.	July 2,	13·1	.	15	.	.	.	.	.	.	.	.	.	.	2	3	2	1	.	.
	„ 9,	15·7	.	13	.	.	.	.	.	.	.	.	.	.	2	2	.	2	2	.
	„ 16,	16·9	.	14	.	.	.	.	.	.	.	.	.	1	2	1	1	2	1	.
(*Office,*	„ 23,	16·9	2·4	14	.	.	1	.	.	.	.	1	.	2	2	1	.	3	.	1
Peter street.)	„ 30,	18·1	1·2	15	.	.	1	.	.	.	.	.	.	1	3	1	1	2	.	2
	Aug. 6,	19·3	2·4	16	.	.	.	.	.	.	.	.	.	2	3	2	.	.	.	.
Pop. in 1910	„ 13,	24·1	3·6	20	.	.	.	2	.	.	.	.	1	2	4	1	.	1	.	.
(Est.) 43,227.	„ 20,	22·9	2·4	19	.	.	.	.	1	.	.	.	2	3	.	4	1	.	.	1
South City, No. 4.	July 2,	11·6	.	8	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	„ 9,	14·5	2·9	10	.	.	.	.	.	.	.	.	2	.	.	1	1	2	.	.
	„ 16,	10·2	.	7	.	.	.	.	.	.	.	.	.	1	3	1	.	.	.	.
(*Office,*	„ 23,	23·3	.	16	.	.	.	.	.	.	.	.	.	2	.	1	3	1	1	.
Grand Canal-st.)	„ 30,	16·0	.	11	.	.	.	.	.	.	.	.	.	.	.	1	2	2	1	1
	Aug. 6,	21·8	1·5	15	.	.	.	.	.	.	.	.	1	1	1	1	2	1	1	1
Pop. in 1910	„ 13,	20·3	2·9	14	.	.	.	.	.	.	.	.	1	1	1	2	1	1	1	.
(Est.) 35,881.	„ 20,	17·4	1·5	12	.	.	.	.	1	.	.	.	1	1	.	.	3	1	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From all Causes	From Diseases in Cols. 5–18.	Total Deaths.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	July 2.	11·3	.	8	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	,, 9.	15·5	1·4	11	.	.	.	.	.	1	.	.	.	1	.	.	1	.	1	.
	,, 16.	8·4	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	,, 23.	16·9	.	12	.	.	.	.	.	.	.	.	.	1	2	.	.	1	1	.
	,, 30.	7·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	Aug. 6.	11·3	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	,, 13.	4·2	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	,, 20.	8·4	1·4	6	.	.	1	.	.	.	.	.	.	.	2	.	.	1	.	.
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	July 2.	12·6	.	7	.	.	.	.	.	.	.	.	.	.	3	.	2	.	1	1
	,, 9.	16·2	3·6	9	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.
	,, 16.	10·8	.	6	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.
	,, 23.	12·6	.	7	.	.	.	.	.	.	.	.	.	1	.	.	2	.	1	.
	,, 30.	19·8	1·8	11	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	.
	Aug. 6.	9·0	1·8	5	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.
	,, 13.	27·0	7·2	15	.	1	.	.	.	.	.	.	3	.	.	2	3	2	1	.
	,, 20.	9·0	.	5	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
Kingstown Urban District.	July 2.	8·9	.	8	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	,, 9.	14·8	.	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	,, 16.	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	,, 23.	14·8	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	,, 30.	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
Pop. in 1910 (Est.) 17,622.	Aug. 6.	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	,, 13.	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	,, 20.	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Belfast. Pop. in 1910 (Est.) 391,167.	July 2.	18·3	3·7	137	.	25	.	.	1	.	.	1	1	11	11	8	9	7	.	2
	,, 9.	19·3	4·1	145	.	24	.	.	2	.	.	.	5	14	11	9	3	7	4	3
	,, 16.	18·1	3·2	136	.	20	.	.	1	1	.	.	2	17	9	11	6	15	2	3
	,, 23.	15·6	3·9	117	.	21	.	.	1	1	.	1	5	5	16	5	9	6	.	3
	,, 30.	18·0	2·4	135	.	8	.	1	.	1	.	2	6	8	15	7	7	16	1	1
	Aug. 6.	15·3	2·7	115	.	7	1	.	2	.	.	.	10	3	13	7	3	10	1	2
	,, 13.	13·6	2·7	102	.	4	.	.	1	.	1	.	14	4	12	8	7	5	6	1
	,, 20.	16·5	4·0	124	.	7	.	.	1	.	.	.	22	5	16	9	3	8	.	2
Cork. Pop. (in 1901) 76,122.	July 2.	17·8	0·7	26	.	.	.	.	.	1	.	.	.	2	3	1	1	5	.	2
	,, 9.	13·0	0·7	19	.	.	.	.	.	.	.	1	.	2	2	1	.	2	.	1
	,, 16.	18·5	1·4	27	.	.	.	.	.	.	.	2	.	1	8	1	.	1	.	.
	,, 23.	19·9	1·4	29	.	.	.	.	.	2	.	.	.	.	6	3	2	3	1	1
	,, 30.	16·4	1·4	24	.	.	.	.	.	1	.	1	.	1	4	1	1	3	.	1
	Aug. 6.	6·8	.	10	.	.	.	.	.	.	.	.	.	2	4	.	1	1	.	.
	,, 13.	15·1	0·7	22	.	.	.	.	.	.	.	.	1	.	3	1	1	1	1	1
	,, 20.	15·1	0·7	22	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	.
Londonderry. Pop. in 1910 (Est.) 43,477.	July 2.	7·2	.	6	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.
	,, 9.	20·4	2·4	17	.	1	.	.	.	1	.	.	.	1	2	1	1	3	.	.
	,, 16.	6·0	1·2	5	.	1	.	.	.	.	.	.	.	.	.	1	.	2	.	.
	,, 23.	8·4	2·4	7	.	1	.	.	.	.	.	.	1	.	2	.	.	.	.	.
	,, 30.	22·8	3·6	19	.	1	.	.	.	.	.	.	2	1	6	2	.	.	.	3
	Aug. 6.	19·2	1·2	16	.	1	.	.	.	.	.	.	.	.	6	2	1	1	.	1
	,, 13.	14·4	1·2	12	.	.	.	.	.	.	.	.	1	.	.	2	2	1	.	.
	,, 20.	14·4	4·8	12	.	1	.	.	.	1	.	.	2	.	.	.	3	1	.	.
Limerick. Pop. (in 1901) 38,151.	July 2.	20·5	.	15	.	.	.	.	.	.	.	.	.	.	2	1	.	1	2	3
	,, 9.	10·9	.	8	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
	,, 16.	12·3	.	9	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	1
	,, 23.	18·7	1·4	10	.	.	.	.	.	.	.	1	.	.	.	1	1	2	.	1
	,, 30.	17·8	.	13	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1
	Aug. 6.	12·3	1·4	9	.	.	.	.	.	.	.	.	1	.	1	.	.	3	.	.
	,, 13.	10·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	3
	,, 20.	9·6	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.
Waterford. Pop. (in 1901) 26,769.	July 2.	15·6	1·9	8	.	.	.	.	1	.	.	.	.	.	1	2	2	.	.	1
	,, 9.	15·6	1·9	8	.	.	.	.	.	.	.	1	1	.	.	1	3	.	.	.
	,, 16.	19·5	1·9	10	.	.	.	1	.	.	.	.	.	.	1	2	.	.	.	1
	,, 23.	19·5	.	10	.	.	.	.	.	.	.	.	.	.	1	3	1	1	.	1
	,, 30.	19·5	.	10	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	1
	Aug. 6.	19·5	5·8	10	.	.	.	1	.	.	.	2	.	.	3	2	.	1	.	.
	,, 13.	27·3	1·9	14	.	1	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	,, 20.	17·5	5·8	9	.	.	.	.	.	.	.	3	.	.	1	.	.	.	.	3

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 20th August, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-20.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexial (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	4	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		9			5	1	.	1	.	.	3	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
Do. 2 do.		27			21	9	2	2	5	2	1	.	.	.	.	.	.	.	.	9	1	3	3	.	.	.	.	5	.
Do. 3 do.		21			21	3	2	1	4	6	5	.	1	.	.	.	.	.	.	2	.	4	1	.	2	.	.	6	1
Do. 4 do.		20			8	1	.	2	1	1	3	.	.	.	.	1	.	.	.	.	.	4	1	.	.	.	.	3	.
Do. 5 do.		9			9	3	1	.	3	2	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	1	.
Do. 6 do.		18			4	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 7 do.		2			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 8 do.	349,180	.			1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		17			8	1	2	1	1	1	2	.	.	.	.	.	.	.	.	1	1	.	.	1	1	.	.	.	1
Do 10 do.		19			6	4	.	.	1	1	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.
Do. 11 do.		17			16	4	3	1	2	3	3	.	2	.	.	.	.	.	.	5	1	1	1	1	1	.	1	3	.
Do. 12 do.		38			10	4	4	.	1	.	1	.	3	.	.	.	.	.	.	2	.	1	.	.	1	.	.	.	.
Do. 13 do.		14			3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15* do.		9			11	3	2	1	.	4	1	.	.	.	.	.	.	.	.	.	1	.	1	1	1	.	1	3	.
Total, ...	—	210			124	35	17	9	19	21	23	.	7	.	.	1	.	.	.	22	5	16	9	3	8	.	2	21	2
City of Cork.																													
CORK URBAN No. 1 DISTRICT, .	12,867	10	12·2	.	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Do. 2 do. .	10,701	3	14·6	.	3	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 3 do. .	9,978	4	5·2	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 4 do. .	8,666	8	30·1	.	5	2	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 5 do. .	6,592	3	31·6	.	4	1	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.
Do. 6 do. .	10,702	6	9·7	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Do. 7 do. .	16,616	7	12·6	3·1	4	.	.	1	.	1	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Total, ...	76,122	41	15·1	0·7	22	6	.	1	4	4	7	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	1	6	.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910—Week ending																									
	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.
No. of weeks in annual Series, ..	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33
BIRTHS registered, ...	202	289	201	240	208	207	254	247	224	266	235	214	169	264	215	193	231	202	213	199	259	239	214	179	219	210
DEATHS registered, ...	140	165	162	163	125	138	168	187	160	178	167	170	177	176	166	148	183	157	137	145	186	117	135	115	102	124
Annual Death rate per 1,000 of estimated Population, ...	18·7	22·0	21·6	21·7	16·7	18·4	22·4	24·9	21·3	23·1	22·3	22·7	23·6	23·5	22·1	19·7	24·4	20·9	18·3	19·3	18·1	15·6	18·0	15·3	13·6	16·5
AGES — Under 1 year, ...	28	38	31	29	27	27	34	38	36	33	31	29	30	37	37	20	44	33	24	34	26	25	35	27	27	35
AGES — 1-5 years, ...	21	21	16	27	15	21	33	34	27	20	36	35	47	43	45	54	47	45	33	29	32	23	23	19	6	17
AGES — 5-20 years, ...	12	11	14	16	7	18	19	15	14	21	12	15	15	15	14	12	15	16	18	12	7	17	10	7	7	9
AGES — 20-40 years, ...	19	29	26	18	19	16	21	33	14	24	25	30	28	26	26	25	20	17	18	25	20	19	14	15	22	19
AGES — 40-60 years, ...	36	37	40	35	28	22	27	24	29	41	30	30	29	28	27	16	23	20	21	20	25	17	25	21	22	21
AGES — 60 years and upwards, ..	29	34	35	38	29	34	34	44	40	34	33	31	28	27	17	21	34	26	28	25	26	16	28	26	18	23
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	1	5	3	6	11	17	8	20	19	23	44	33	38	38	49	36	25	24	20	21	8	7	4	7
Scarlet Fever, ...	1	.	.	2	.	2	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Whooping-cough, ...	14	11	12	12	10	6	12	5	8	4	4	6	4	5	7	5	4	1	1	2	1	1	.	2	1	1
Diphtheria, ...	1	.	.	.	.	1	1		1	1	.	1	.	1	.	1	2	.	.	.	1	1	1	.	.	.
*Pyrexia** (origin uncertain, ..	1	.		.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Enteric Fever, ...	.	.	1	.	.	1	.	.	1	.	.	1	.	.	.	1	.	1	1	.	.	1	2	.	.	.
Diarrhœal Diseases, ...	.	2	2	.	1	1	.	1	3	1	2	.	.	2	3	1	4	3	1	5	2	5	6	10	14	22
Pneumonia, ...	16	12	10	12	8	14	19	16	19	14	15	26	22	21	18	13	17	17	11	14	17	5	8	3	4	5
Tuberculous Disease — Phthisis, ..	20	23	26	18	10	20	24	27	13	22	20	24	29	14	21	19	24	22	11	11	9	16	15	13	12	16
Tuberculous Disease — Other Forms, ..	7	9	7	9	8	9	12	8	7	9	6	4	6	13	8	5	3	9	8	3	11	5	7	7	8	9
Cancer, Malignant Disease, ..	5	3	5	9	10	4	8	10	2	6	8	8	7	3	4	4	6	4	9	3	6	9	7	3	7	3
Diseases of Respiratory System,	21	24	22	24	16	16	21	22	30	15	21	14	17	14	18	17	14	16	7	7	15	6	16	10	5	8
Violent Deaths, ...	3	10	9	5	3	.	4	.	2	4	3	4	1	1	5	1	.	4	.	4	2	.	1	1	6	.
Number of Uncertified Deaths, ..	2	2	1	1	1	2	1	1	1	3	1	2	1	.	3	1	2	.	2	3	3	3	1	2	1	2

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	Aug. 20,	2,303	952	10·2	.	27	4	6	13	1*a*	37
EDINBURGH, ...	360,276	„ 20,	119	103	14·9	.	1	3	1	1	.	3
GLASGOW, ...	884,505	„ 20,	395	230	13·6	.	.	2	3	4	.	32
CALCUTTA, ...	1,009,008	July 16,	.	365	18·8	1	.	.	.	2	99‡	47*
BOMBAY, ...	977,822	„ 19,	360	703	37·4	3	1	.	.	.	130‡	104*
MADRAS, ...	509,346	„ 1,	440	304	31·0	1	4	?	?	?	79‡	62
CAIRO, ...	682,953	„ 15,	574	627	47·7	.	20	.	3†	?	16	193*b*
PARIS, ...	2,760,000	„ 16,	864	825	15·6	.	15	5	3†	7	2*a*	23*b*
BRUSSELS, ...	720,030	„ 30,	243	181	13·1	.	.	.	1†	.	.	16
ANTWERP, ...	317,171	„ 30,	110	65	10·7	.	2	.	.	.	1*a*	14*b*
AMSTERDAM, ...	570,669	„ 30,	280	113	10·3	.	.	.	.	.	.	6*b*
COPENHAGEN, ...	450,000	„ 30,	226	100	11·6	.	.	2	.	.	.	17
STOCKHOLM, ...	341,816	„ 30,	132	74	11·3	.	.	2	2†	1	.	2
CHRISTIANIA, ...	240,178	Aug. 6,	112	47	10·2	.	.	.	.	.	.	2
ST. PETERSBURG, ...	1,620,000	July 16,	1,005	710	22·9	8	32	11	8	6	24*a*	172*
MOSCOW, ...	1,493,600	„ 9,	.	988	34·5	5	14	19	23†	2	6	446
BERLIN, ...	2,119,540	„ 23,	810	554	13·6	.	11	3	12†	6	2	69
HAMBURG, ...	895,804	„ 30,	.	224	13·0	.	.	1	8†	.	2	38
BRESLAU, ...	509,992	„ 30,	.	182	18·6	.	.	.	2	1	.	28
MUNICH, ...	576,000	Aug. 6,	.	167	15·1	.	3	1	.	5	.	16
VIENNA (with suburbs),	2,107,981	July 30,	815	530	13·1	.	9	3	3†	3	3*a*	45*b*
BUDA-PESTH, ...	833,703	„ 30,	416	315	19·6	.	2	9	.	.	14*a*	48*b*
PRAGUE and Faubourgs.	497,905	„ 16,	175	189	19·7	.	.	.	2†	.	2*a*	8*b*
TRIESTE, ...	221,124	„ 23,	135	101	23·8	.	.	.	.	3	.	16*b*
ROME, ...	587,096	June 18,	225	231	20·5	.	13	1	.	4	4*a*	31
VENICE, ...	183,224	July 30,	95	64	18·2	.	.	.	.	.	.	17
NEW YORK, ..	4,711,956	„ 23,	2,750	1,552	17·2	.	11	9	25†	6	6*a*	414
PHILADELPHIA, ..	1,598,400	May 21,	.	475	15·5	1	7	5	10†	4	1*a*	22*b*
		„ 28,	.	467	15·2	.	5	6	12†	3	5	24*b*
BOSTON, ...	629,868	July 30,	.	216	17·9	.	2	1	2	2	1	44

* Including 14 deaths from cholera in Calcutta, 8 in Bombay, and 16 in St. Petersburg.
† Including deaths from croup.
‡ Including 18 deaths from plague in Calcutta, 50 in Bombay, and one in Madras.
a Enteric Fever.
b Deaths from diarrhœal diseases and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 20th August, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	1	1
„ „ 1, West,	.	.	.	.	.	.	.	1	2	.	.	1	4
„ „ 2,	.	1	.	.	.	.	.	.	.	.	.	3	4
„ „ 3,	.	1	.	.	3	.	.	3	2	.	.	3	12
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	1	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	3	.	.	.	.	.	4	2	.	.	4	13
„ „ 2,	.	.	.	.	.	.	.	1	.	.	.	2	3
„ „ 3,	.	2	.	.	2	.	.	1	.	.	.	1	6
„ „ 4,	.	1	.	.	.	.	.	1	.	.	.	.	2
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	8	.	.	5	.	1	11	6	.	.	15	46

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 20th August, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 20th August.			
	July 30.	Aug. 6.	Aug. 13.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	.	1	3	2	3	.	2
Scarlet Fever,	99	88	74	12	19	1	66*
Typhus,	2	2	1	.	.	.	1
Diphtheria,	57	48	42	8	18	1	31
Enteric Fever,	31	29	30	6	7	1	28
Pneumonia,	16	11	11	1	3	.	9

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 20th August, 1910:—

"Another spell of cyclonic atmospheric conditions has to be recorded. During this week, depression after depression passed in a north-easterly direction across Ireland and Scotland to Scandinavia and Finland. On the other hand the barometer stood comparatively high and steady in Iceland to the northward and over the Peninsula to the southward. The result of this distribution of pressure was to expose the British Isles to very changeable and unsettled weather. On Sunday afternoon and during the following night thunderstorms of considerable violence prevailed in Ireland and somewhat later in nearly all parts of England. The heaviest rainfalls recorded were 1·03 inches at Birr Castle, King's Co., ·78 inch at Roche's Point, and ·76 inch at Holyhead. Monday morning was brilliant in Dublin, but rain fell in torrents at 4.30 p.m., and thunder was heard at Greystones, Co. Wicklow, from which place a splendid double rainbow was seen at 6 p.m. Tuesday was fine and warm, but cloudy. During the ensuing night the thermometer did not fall below 59·9° owing to the warm S.W. winds of a depression which skirted the N.W. coast of Ireland, reaching the west of Scotland on Wednesday morning. At 9 p.m. of this day, which proved fine, a brilliant meteor shot across the north-eastern sky. Thursday was a gloomy, wet day, but a fair moonlight night followed. On Friday forenoon the wind blew a fresh gale from W. In the evening cirriform cloud increased and a lunar halo at night heralded the approach of a new disturbance from the Ocean. A wet morning on Saturday was followed by a warm, windy afternoon, with intervals of sunshine. In Dublin the mean height of the barometer was 29·766 inches, the range being from 29·937 inches at 9 a.m. of Sunday (wind, S.E. by ~.) to 29·525 inches at 9 p.m. of Saturday (wind, S.W.). The corrected mean temperature was 60·3°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 59·9°. On Thursday the screened thermometers fell to 52·1°, on Saturday they rose to 69·2°. S.W. and W. winds prevailed. Rain fell on 6 days to the amount of 1·119 inches, ·409 inch being measured on Monday. A thunderstorm prevailed from 9 p.m. to 11 p.m. on Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·590 inches. The highest reading (29·754) was on Sunday at 9 a.m., wind E., and the lowest (29·341) on Saturday at 9 p.m., wind S.S.W.

The mean temperature for the week was 58·8°, being 1·1° above the average for the corresponding period of the 10 years, 1900–1909. The temperature was highest on Saturday, on which day the thermometer registered 71·0°, and was lowest on Thursday, the mercury having fallen to 41·8°. The mean of the Dry Bulb for the week was 59·2° and of the Wet Bulb 56·0°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. The rainfall during the week measured 1·175 inches.

At Greenwich the mean temperature for the week was 62·7°, the maximum 75·8°, and the minimum 51·4°; at Glasgow the maximum was 70·0°, the minimum 51·2°, and the mean 59·9°; and at Edinburgh the maximum was 68·8°, the minimum 50·7°, and the mean 59·2°. The rainfall at Greenwich measured 0·19 in., at Glasgow 1·47 ins., and at Edinburgh 0·85 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	THERMOMETER. Maximum.	Minimum.	Mean.	HYGROMETER. Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins		
Sunday, August 14,	29·614	68·2	50·7	59·5	63·9	61·0	·84	·4	5·0	·230	E.	S.E.
Monday, „ 15,	29·632	67·9	52·8	60·4	56·4	53·3	·81	·7	9·7	·150	S.W.	Calm.
Tuesday, „ 16,	29·693	66·2	50·9	58·6	61·2	56·8	·76	·4	2·3	·050	S.S.W.	S.
Wednesday, „ 17,	29·651	65·9	54·8	60·4	59·0	55·7	·80	·4	9·4	·000	S.W.	W.
Thursday, „ 18	29·553	62·8	41·8	52·3	58·2	55·2	·82	·4	1·2	·435	S.S.W.	S.W.
Friday, „ 19,	29·536	64·7	52·1	58·4	57·5	54·3	81	·5	8·5	·250	S.W.	Calm.
Saturday, „ 20,	29·451	71·0	53·2	62·1	58·0	55·4	·84	·5	4·9	·060	E.	S.S.W.
Mean, . . .	29·590	66·7	50·9	58·8	59·2	56·0	·81	·5	Total 41·0	Total 1·175	Prevailing Wind, S.W.	

Sunday—Day cloudy to overcast, passing showers; thunderstorm p.m. *Monday*—Day bright to cloudy, rain p.m.; night clear. *Tuesday*—Day overcast to cloudy, light showers p.m.; night overcast to cloudy, light rain a.m. *Wednesday*—Day cloudy, fine; night clear. *Thursday*—Day cloudy to overcast, passing showers; night clear. *Friday*—Day cloudy, passing showers; night cloudy, light rain a.m. *Saturday*—Cloudy day, fine; night overcast, drizzle a.m.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, August 20th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Min.	Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, August 14,	65·0	61·5	58·0	68·3	55·2	61·8	4·0	·30
Monday, „ 15,	61·3	61·9	58·0	69·4	59·8	64·6	9·4	·36
Tuesday, „ 16,	65·0	60·1	58·0	67·5	52·3	59·9	2·2	·04
Wednesday, „ 17,	64·8	61·1	58·1	67·4	56·3	61·9	9·0	·01
Thursday, „ 18	62·0	60·8	58·0	67·5	50·9	59·2	0·9	·12
Friday, „ 19,	61·7	60·0	58·1	66·3	53·6	60·0	8·8	·13
Saturday, „ 20,	56·3	60·0	58·0	71·9	54·2	63·1	6·0	·08
Weekly Mean,	62·3	60·8	58·0	68·3	54·6	61·5	Total 40·3	Total 1·04

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

29449. Wt. P. 1—80/137, 375. 4. 1910. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 27TH AUGUST, 1910. [No. 34.

General Register Office, Charlemont House, Dublin, 29th August, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending				Average Rate for 4 weeks.	TOWNS, &c.	Week ending				Average Rate for 4 weeks.
	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.			Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	
22 Town Districts.	**15·3**	**15·7**	**16·3**	**17·1**	**16·1**	Limerick, . . .	12·3	10·9	9·6	20·5	13·3
						Lisburn, . . .	4·5	9·1	18·2	18·2	12·5
Armagh, . . .	6·9	20·6	34·4	6·9	17·2	Londonderry, . .	19·2	14·4	14·4	10·8	14·7
Ballymena, . . .	9·6	28·7	9·6	9·6	14·4	Lurgan, . . .	8·9	.	13·3	8·9	7·8
Belfast, ...	15·3	13·6	16·5	17·5	15·7	Newry, . . .	12·6	16·8	25·2	25·2	19·9
Clonmel, . . .	10·3	5·1	35·9	15·4	16·7	Newtownards, . .	28·6	28·6	17·2	22·9	24·3
Cork, ...	6·8	15·1	15·1	17·8	13·7	Portadown, . .	15·5	10·3	10·3	10·3	11·6
Drogheda, . . .	12·3	4·1	20·4	28·6	16·3	Queenstown, . .	19·8	13·2	26·4	6·6	16·5
Dublin Reg. Area, .	17·2	17·9	15·8	17·9	17·2	Sligo, ...	9·6	.	19·2	4·8	8·4
Dundalk, . .	16·0	8·0	23·9	8·0	14·0	Tralee, . . .	10·6	5·3	15·9	.	8·0
Galway, . . .	19·4	11·7	7·8	27·2	16·5	Waterford, . . .	19·5	27·3	17·5	19·5	20·9
Kilkenny, . . .	4·9	73·7	9·8	19·7	27·0	Wexford, . . .	23·3	14·0	32·7	9·3	19·8

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 3·4 per 1,000, the rates varying from 0·0 in thirteen of the districts to 9·8 in Kilkenny, the 4 deaths from all causes for that district including 2 from diarrhœal diseases. Among the 131 deaths from all causes for Belfast are 3 from measles, 5 from whooping-cough and 29 from diarrhœal diseases. Of the 26 deaths from all causes for Cork 2 are from diarrhœal diseases; the 9 deaths from all causes for Londonderry include one each from measles, diphtheria, and diarrhœa. One of the 15 deaths from all causes for Limerick is from whooping-cough, and of the 10 deaths from all causes for Waterford one is from measles and 3 are from diarrhœal diseases. One of the 7 deaths from all causes for Galway is from diphtheria, and one of the 2 deaths for Portadown is from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 194—102 boys and 92 girls—and the deaths to 146—74 males and 72 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, represent an annual rate of 17·9 per 1,000 of

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (a), Table II. ‡ See columns 10-18 of Table II.

the population, the rate for the total deaths registered in the Area being 18·9 per 1,000. During the thirty-four weeks, ending with Saturday last, the death-rate averaged 21·5 and was 3·1 below the mean rate for the corresponding portions of the ten years 1900–9.

Of the 146 deaths registered 2 were from scarlet fever, 4 from diphtheria, and 17 from diarrhœal diseases, 16 of the latter being deaths of children under 5 years of age; 5 deaths from enteritis at this age-period were also registered. The respective deaths in the three preceding weeks were as follows:—From scarlet fever, one, one and one; from diphtheria one, 0, and 2; and from diarrhœal diseases 2, 14, and 6.

There were 3 deaths from broncho-pneumonia and 3 from *pneumonia* (not defined).

Tuberculous disease (all forms) caused 17 deaths, including 12 deaths from tuberculous phthisis (*phthisis*), 2 from tuberculous meningitis, one from tuberculous peritonitis, and 2 from other forms of tuberculous disease. In the three preceding weeks, deaths from all forms of the disease numbered 34, 29, and 24, respectively.

Four deaths were ascribed to carcinoma, 2 to sarcoma, and 4 to cancer (undefined).

The deaths of 7 infants, prematurely born, were registered.

There were 7 deaths from diseases of the brain and nervous system, including 3 (all being those of infants under one year of age) from *convulsions*.

Twenty deaths were caused by diseases of the heart and blood vessels, and 9 by bronchitis.

Of 4 deaths attributed to accident or negligence, one was caused by drowning.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one infant under one year old and the deaths of 2 persons aged 60 years and upwards.

Fifty-seven of the persons whose deaths were registered during the week were under 5 years of age (40 being infants under one year, of whom 14 were under one month old) and 40 were aged 60 years and upwards, including 18 persons aged 70 and upwards, of whom 7 were octogenarians.

Seventy-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 15 took place in the North Dublin Union Workhouse and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·9 per 1,000; the rate in the City was 19·3 (North City Districts, 17·4; South, 21·4) and in the Suburbs, 12·9.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 3·0 per 1,000 inhabitants, the rate for the City being 3·9 (3·9 in the North City Districts, and 3·8 in the South), and for the Suburbs, 0·0.

No. 1 North City District, East (Clarence-street, North).—The deaths (12) are equal to an annual rate of 20·9 per 1,000. There were 5 deaths from epidemic diarrhœa, and one death each from broncho-pneumonia, *phthisis*, and bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (12) are equal to an annual rate of 15·7 per 1,000. Among them are one death from epidemic diarrhœa, one from *pneumonia* (not defined), and 2 from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 22·0 per 1,000, and include 4 deaths from diarrhœal diseases, one from broncho-pneumonia, and one accidental death.

No. 3 North City District (Benburb-street).—The deaths (13) represent an annual rate of 20·2 per 1,000. Of the deaths one was caused by scarlet fever, 2 were caused by tuberculous phthisis (*phthisis*), 2 by bronchitis, and one by drowning.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·4 per 1,000 inhabitants; Coolock and Drumcondra, part of, 0·0; and Finglas and Glasnevin, part of, 6·8. The only death recorded for the last-named district is one from diphtheria.

No. 1 South City District (South Earl-street).—The deaths (16) represent an annual rate of 20·1 per 1,000. Diphtheria caused one death and tuberculous disease one death.

No. 2 South City District (Castle-street).—The deaths (5) are equal to an annual rate of 12·0 per 1,000. There was one death from *diarrhœa*, also one death from tuberculous phthisis.

No. 3 South City District (Peter-street).—The deaths (21) are equal to an annual rate of 25·3 per 1,000, and include one death each from scarlet fever and diphtheria, 5 deaths from diarrhœal diseases, one from *pneumonia* (not defined), 2 from tuberculous disease, and 2 from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (17) are equivalent to an annual rate of 24·7 per 1,000. One death from diphtheria and one from epidemic diarrhœa were recorded; there were 4 deaths from tuberculous disease and 2 deaths from diseases of the respiratory system.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·2 per 1,000. Tuberculous phthisis caused one death.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 12·7; Pembroke, 16·2; Blackrock, 5·8; and Kingstown, 11·8. There was no death from any of the principal epidemic diseases tabulated for these districts. Among the 9 deaths from all causes for Rathmines and Rathgar are one from tuberculous phthisis and one death caused by neglect at birth; of the 9 deaths from all causes for Pembroke one was from broncho-pneumonia, 2 were from tuberculous phthisis, and 2 from diseases of the respiratory system; and the 4 deaths from all causes for Kingstown include one from *phthisis* and one accidental death.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 27th August, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Aug. 6,	.	—	—	11	.	.	7	.	.	8	13	.	—	—	.	—	20	—	59
	Aug. 13,	.	—	—	12	.	.	12	.	.	3	10	1	—	—	.	—	13	—	51
	Aug. 20,	.	—	—	8	.	.	5	.	1	11	6	.	—	—	.	—	15	—	46
	Aug. 27,	.	—	—	5	.	.	12	.	1	9	7	.	—	—	.	—	20	—	54
Rathmines and Rathgar Urban District.	Aug. 6,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	Aug. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Aug. 20,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	Aug. 27,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	—	—	—	—	3
Pembroke Urban District.	Aug. 6,	.	.	.	1	.	.	1	.	.	.	.	.	—	1	.	—	.	—	3
	Aug. 13,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	.	—	.
	Aug. 20,	.	1	.	.	.	.	.	.	.	1	.	.	—	.	.	—	.	—	2
	Aug. 27,	.	.	.	1	.	.	.	.	.	1	1	.	—	3	.	—	.	—	6
Blackrock Urban District.	Aug. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
Kingstown Urban District.	Aug. 6,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	.	—	1
	Aug. 13,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	.	—	2
	Aug. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Aug. 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Aug. 6,	.	—	—	6	.	.	5	.	2	5	4	.	—	—	—	—	19	—	41
	Aug. 13,	.	—	—	4	.	.	4	.	.	5	4	.	—	—	—	—	12	—	29
	Aug. 20,	.	—	—	8	.	.	6	.	.	2	3	.	—	—	—	—	16	—	35
	Aug. 27,	.	—	—	10	.	.	1	.	1	1	1	.	—	—	—	—	20	—	34

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 27th August, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

One case of measles was admitted to hospital during the week, and 3 cases remained under treatment at its close.

Nine cases of scarlet fever were admitted to hospital, 12 were discharged, there were two deaths, and 61* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 88, 74, and 66, respectively.

One case of typhus remained under treatment in hospital at the close of the week.

Fifteen cases of diphtheria were admitted to hospital, 9 were discharged, there were 4 deaths, and 33 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 48, 42, and 31, respectively.

Eight cases of enteric fever were admitted to hospital during the week, 3 were discharged, there was one death, and 32 cases remained under treatment in hospital at the close of the week.

In addition to the above named diseases, 7 cases of pneumonia were admitted to hospital, 9 were discharged, and 7 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns, including London (in which the rate was 10·8) was equal to an average annual death-rate of 12·1 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 13·6 per 1,000, the rate for Glasgow being 15·0 and for Edinburgh 9·7.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 27th August. From this Report it appears that of a total of 57 cases notified, 28 were scarlet fever, 14 phthisis, 8 diphtheria, 3 enteric fever, 3 erysipelas, and one puerperal fever. Among the 305 cases of infectious diseases in hospital at the close of the week were 169 cases of scarlet fever, 58 of phthisis, 34 of diphtheria, 15 of measles, 9 of enteric fever, 7 of erysipelas, 5 of chicken-pox, 3 of whooping-cough, and 2 of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 27th August, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 27TH AUGUST, 1910.																							METEOROLOGY. (d)											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 27TH AUGUST, 1910.				WEEK ENDING 20TH AUGUST, 1910.				WEEK ENDING 13TH AUGUST, 1910.			
										DEATHS.																Air Temperature				Air Temperature				Air Temperature			
	POPULATION.		DEATHS.			BIRTHS.	DEATHS.			Caused by																Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
	Total.(a)	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10–18.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.											
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·8	24·0	17·1	3·4	580	377	111	96	.	6	2	.	6	6	.	.	54	17	35	16	17	33	9	15	113	12	.	.	.	.	.	.	.	.	.	.	.	.
DUBLIN REGISTRATION AREA:— TOTAL, c.	402,928	29·3	25·1	17·9	3·0	194	138	39	38	.	.	2	.	.	4	.	.	17	5	12	4	8	11	4	5	65	4	c64·8	44·0	56·6	0·41	c71·0	41·8	58·8	1·18	c69·7	48·9	59·2	0·21
CITY of DUBLIN,	310,298	39·2	27·6	19·3	3·9	164	115	35	31	.	.	2	.	.	4	.	.	17	4	8	4	7	9	2	3	59	1	f65·2	49·1	57·4	0·51	f69·2	52·1	60·8	1·12	f69·5	52·0	60·9	0·22
																											1	g66·8	45·0	56·9	0·78	g70·9	45·0	59·9	1·07	g70·8	47·0	59·3	0·23
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	9·9	12·7	.	7	9	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	4	1	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	23,948	18·2	25·2	16·2	.	14	9	2	3	.	.	.	.	.	.	.	.	.	1	2	.	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,018	6·8	28·1	5·8	.	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	14·8	11·8	.	5	4	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	1	1	66·0	50·0	57·5	0·53	69·0	51·0	60·5	0·95	70	51	60·1	0·27
URBAN DISTRICTS.																																						
BELFAST,	391,167	26·6	21·2	17·5	4·9	159	131	49	20	.	3	.	.	5	.	.	.	29	10	10	5	4	8	3	6	24	.	66·2	49·8	57·0	1·51	69·0	51·8	60·1	1·81	72·2	48·0	60·8	0·08
CORK,	76,122	33·6	26·0	17·8	1·4	38	26	7	10	.	.	.	.	.	.	.	.	2	.	2	2	1	.	1	2	6	3	63	50	56·7	1·43	65	52	58·8	2·42	68	53	58·7	0·46
LONDONDERRY,	48,477	20·1	27·6	10·8	3·6	28	9	2	1	.	1	.	.	.	1	.	.	1	.	3	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	19·1	20·5	1·4	14	15	2	6	.	.	.	.	1	.	.	.	.	.	4	2	.	3	.	.	6	1	65	46·8	56·3	0·97	67·6	46·3	58·9	1·28	72·3	44·5	66·5	0·59
WATERFORD,	26,769	18·7	25·3	19·5	7·8	18	10	3	3	.	1	.	.	.	.	.	.	3	.	.	.	1	2	1	1	2	3	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	8·5	31·1	27·2	3·9	8	7	1	3	.	.	.	.	.	1	.	.	.	.	1	.	.	3	.	.	2	.	66	49	58	2·04	67	53	60	0·94	74	48	61·5	0·37
DUNDALK	13,076	9·4	35·9	8·0	.	9	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	20·4	28·6	.	5	7	1	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	13,405	17·8	29·4	25·2	.	7	6	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	66·0	46·7	56·5	1·07	67·1	51·6	59·5	2·14	73·7	48·2	61·1	0·11
LURGAN,	11,792	13·8	8·9	8·9	.	2	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	66·0	46·7	56·5	1·07	67·1	51·6	59·5	2·14	73·7	48·2	61·1	0·11
LISBURN,	11,461	10·1	31·8	18·2	.	7	4	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.	66·0	46·7	56·5	1·07	67·1	51·6	59·5	2·14	73·7	48·2	61·1	0·11
WEXFORD,	11,168	23·2	4·7	9·3	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,886	8·9	14·4	9·6	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,870	8·7	28·8	4·8	.	6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	64·9	44·0	54·5	4·18	67·6	46·5	58·7	1·61	75·3	51·8	60·8	0·37
KILKENNY,	10,609	11·5	49·1	19·7	9·8	10	4	4	.	.	.	.	.	.	.	.	.	2	.	1	.	.	1	.	.	.	.	66	47	56·3	1·41	69	45	58·6	3·10	75	48	62·3	0·89
CLONMEL,	10,167	7·8	10·8	15·4	.	2	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,092	18·2	41·3	10·3	5·2	8	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	66·0	46·7	56·5	1·07	67·1	51·6	59·5	2·14	73·7	48·2	61·1	0·11
TRALEE,	9,867	16·6	31·7	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	28·6	22·9	.	5	4	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	63	49	55·6	1·12	69	51	57·8	1·14	70	50	57·9	0·50
QUEENSTOWN,	7,909	14·4	26·4	6·6	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	63	50	56·7	1·43	65	52	58·8	2·42	68	52	58·7	0·46
ARMAGH,	7,588	23·2	41·2	6·9	.	6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	66·0	46·7	56·5	1·07	67·1	51·6	59·5	2·14	73·7	48·2	61·1	0·11

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (b) Formerly described as "Simple Continued Fever." (c) Exclusive of 8 deaths of persons (including one under one year old and 2 at 60 years or upwards) admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases;

BLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 27th August, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.	.	4	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	5	1	4	.	.	.	.	.	1	5	1	.	.	.	.	.	17	.
Pneumonia,	1	1	1	.	.	.	.	.	.	1	.	.	.	1	.	.	5	1
Tuberculous Disease. } Phthisis,	1	.	.	2	.	.	.	.	1	1	2	1	1	2	.	1	12	.
Tuberculous Disease. } Other Forms,	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.	.	4	1
Cancer, Malignant Disease,	1	.	.	2	.	.	.	.	.	.	3	1	.	1	.	.	8	2
Other General Diseases,	.	1	2	.	.	.	.	4	1	2	1	.	.	.	1	.	12	1
Total,	8	3	7	5	.	.	1	6	3	12	10	2	1	4	1	1	61	5
LOCAL DISEASES:																		
Nervous System,	.	1	.	.	.	.	.	1	.	.	1	.	1	2	.	.	6	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	3	3	1	1	1	.	.	3	.	1	2	.	3	1	.	1	20	.
Respiratory System,	1	2	.	2	.	.	.	.	.	2	2	.	.	2	.	.	11	.
Digestive System,	.	.	3	1	.	.	.	4	.	2	.	1	1	.	.	1	13	1
Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Urinary System,	.	.	.	1	1	.	.	.	1	1	1	.	1	.	.	.	6	.
Generative System,	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
Idents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ases of Locomotor System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	4	7	4	5	2	.	.	8	1	7	6	1	7	5	.	2	59	3
THER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
AUSES ILL-DEFINED AND NOT SPECIFIED,	.	2	1	2	.	.	.	2	1	2	1	.	.	.	.	.	11	.
IOLENT DEATHS,	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	1	4	.
ths from all Causes	12	12	13	13	2	.	1	16	5	21	17	3	9	9	1	4	138	8
ual Rate of Mortality m all causes in every 1,000 he population.	30·9	15·7	22·0	20·2	19·4	.	6·8	20·1	12·0	25·3	24·7	17·2	12·7	16·2	5·8	11·8	17·9	.
	17·4							21·4					12·9					
	19·3																	
Under 1 year,	4	3	5	2	.	.	.	7	3	7	4	.	1	2	1	.	39	1
1 and under 5 years,	1	.	3	1	.	.	1	2	.	3	2	1	2	1	.	.	17	.
5 „ 20 „	1	2	.	1	.	.	.	.	.	2	.	.	.	1	.	.	7	2
20 „ 40 „	.	1	1	2	.	.	.	.	1	1	2	1	.	.	.	2	11	2
40 „ 60 „	3	1	2	1	.	.	.	3	1	3	5	1	3	2	.	1	26	1
60 years and upwards,	3	5	2	6	2	.	.	4	.	5	4	.	3	3	.	1	38	2
ber of Uncertified Deaths,	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	1	4	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

ic Hospitals, Prisons, and natic Asylums,	1	4	4	5	.	.	1	4	3	5	5	.	4	.	.	1	37	7
rkhouse Hospitals,	3	5	2	4	.	.	.	5	.	4	2	2	.	1	.	.	28	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in the week of the ten years 1900–1909

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Averages in 34th Week of the 10 years, 1900–1909.	In the Week ending Saturday, 27th August, 1910.							
												Deaths of Persons of the Ages of							
	Aug. 25, 1900.	Aug. 24, 1901.	Aug. 23, 1902.	Aug. 29, 1903.	Aug. 27, 1904.	Aug. 26, 1905.	Aug. 25, 1906.	Aug. 24, 1907.	Aug. 22, 1908.	Aug. 28, 1909.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 56·8	° 56·4	° 59·3	° 54·5	° 54·6	° 54·7	° 61·8	° 55·0	° 55·9	° 56·2	° 56·5	° 56·6								
ALL CAUSES.	185	179	146	176	178	153	167	122	187	162	165·5	146	14	26	17	9	13	27	33	7
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	.	16	.	7	1	.	2	2	.	2·8	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	1	.	.	1	.	.	.	.	.	·2	2	.	.	.	2	.	.	.	.
Typhus,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	1	.	1	.	.	1	1	1	.	·6	.	.	.	.	.	.	.	.	.
Whooping-cough,	5	1	2	3	4	.	.	4	.	5	2·4	.	.	.	.	.	.	.	.	.
Diphtheria,	1	.	.	2	1	1	.	2	2	1	1·0	4	.	1	3	.	.	.	.	.
Cerebro-spinal Fever,	.	.	.	1	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain),	1	.	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	.	2	3	1	2	.	2	1	1	1·4	.	.	.	.	.	.	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis), *Diarrhœa*, Dysentery,	25	33	1	3	21	10	11	2	18	17	23·0	12	1	7	4	.	.	.	.	.
			2	6	14	15	16	2	21	13		5	1	3	.	.	.	1	.	.
Tetanus,	.	.	.	.	.	.	.	.	.	2	·2	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	5	1	1	2	4	.	2	.	1	1	1·7	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*,	1	.	.	.	.	.	.	.	.	2	·3	.	.	.	.	.	.	.	.	.
			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Infective Endocarditis	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar, Broncho-Epidemic Not defined,	6	7	2	3	1	3	1 3	3	.	1	6·4	3	.	.	1	.	.	1	.	1
			8	2	1 2	6	4	3	6	2		3	.	.	.	.	1	1	1	.
Erysipelas,	.	2	1	.	.	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal)) Pyæmia (not Puerperal),	.	1	.	.	2	.	.	.	.	2	·5	.	.	.	.	.	.	.	.	.
			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other Infective Conditions,	.	.	.	1	.	.	.	1	.	1	·3	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*,"	25	30	3 18	3 25	3 16	3 7	6 15	8 6	18 8	8 11	21·3	7 5	.	.	.	1 3	1 1	5 1	.	.
Tuberculous Meningitis,	2	.	5	4	1	2	2	5	6	7	3·4	2	.	.	1	1	.	.	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*,	9	6	1	.	.	1	.	.	1	.	1·9	1	.	1	.	.	.	.	.	.
			.	1	.	1	.	.	.	.		.	.	.	.	.	.	.	.	.
Tuberculous Dis. (other), *Scrofula*,	7	5	4	7	7	7	6	7	7	8	6·5	2	.	.	.	.	1	.	1	.
			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Alcoholism,	1	.	.	.	.	1	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
Rheumatic Fever,	.	1	.	.	1	1	.	.	.	.	·3	1	.	.	.	1	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carcinoma, Sarcoma, Cancer (undefined)	10	7	3	.	4	6	7	4	1 2	4	7·8	4 2	.	.	.	.	3 1	3 1	1 .	.
			2	5	6	5	4	2	3	3		4	.	.	.	.	1	2	1	.
Diabetes Mellitus,	.	.	.	.	1	.	.	.	1	.	2	1	.	.	.	.	.	.	1	.
Premature Birth,	3	4	3	4	6	3	1	3	4	3	3·4	7	7	.	.	.	.	.	.	.

* The figures for the year 1900 are for

† Formerly described as

HIRTY-FOURTH WEEK ending Saturday, 27th August, 1910, with the deaths from each cause in the corresponding
nd the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 34th Week of the 10 years 1900-1909.	In the Week ending Saturday, 27th August, 1910. Deaths of Persons of the Ages of							
	Aug. 25, 1900.	Aug. 24, 1901.	Aug. 23, 1902.	Aug. 29, 1903.	Aug. 27, 1904.	Aug. 26, 1905.	Aug. 25, 1906.	Aug. 24, 1907.	Aug. 22, 1908.	Aug. 28, 1909.		All Ages.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
													Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 56·8	° 56·4	° 59·3	° 54·5	° 54·6	° 54·7	° 61·8	° 55·0	° 55·9	° 56·2	° 56·5	° 56·6								
Meningitis (not tuberc.)			3	1	4	2	3	2	1	.		2	.	.	1	1	.	.	.
Insanity, G. P. of Insane			1	2	.	2	1	1	.	3		.	.	.	.	.	.	.	.
Epilepsy			.	4	.	.	2	1	.	.		.	.	.	.	.	.	.	.
Convulsions			13	7	7	4	6	2	4	3		3	1	2	.	.	.	.	.
Locomotor Ataxy			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord			.	1	.	2	2	1	.	.		.	.	.	.	.	.	.	.
Nervous System (other Dis.)			2	3	.	3	5	1	1	1		2	.	.	.	1	.	1	.
	37	32									30·9								
Valv. Dis., Endocarditis			3	6	2	4	1	4	5	7		5	.	.	.	.	2	3	.
Cerebr. Hæm. Thromb.			.	.	2	2	3	4	2	3		.	.	.	.	.	.	.	.
Apoplexy, Hemiplegia			4	5	1	4	2	3	2	3		5	.	.	.	.	2	3	.
Aneurysm			.	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.
Embolism, Thromb. (not cerebral)			.	.	.	1	.	1	.	.		.	.	.	.	.	.	.	.
Heart and Blood Vessels (other Dis.)			10	6	14	11	6	4	11	2		10	.	.	.	.	1	4	5
Croup (not Spasm. nor Memb.)	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
Bronchitis	8	4	7	10	11	10	9	8	6	11	8·4	9	.	.	1	.	1	7	.
Asthma, Emphysema			.	.	.	2	.	1	1	1		.	.	.	.	.	.	.	.
Pleurisy	.	.	.	.	2	1	.	2	1	.	1·9	.	.	.	.	.	.	.	.
Respiratory Dis. (other)			1	2	3	.	1	.	1	.		2	.	.	1	.	.	.	1
Tonsillitis, Quinsy	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.)	2	1	.	3	2	2	2	3	3	3	4·3	6	.	3	2	.	.	1	.
Gastro-enteritis			.	3	3	1	8	2	5	5		.	.	.	.	.	.	.	.
Peritonitis (not Puerp.)	1	1	.	2	2	1	.	.	2	.	·9	.	.	.	.	.	.	.	.
Cirrhosis of Liver	4	.	2	1	1	1	1	1	2	2	2·4	.	.	.	.	.	.	.	.
Liver Dis. (other)			1	4	.	1	1	2	.	.		.	.	.	.	.	.	.	.
Digestive Dis. (other)	2	6	2	6	7	5	8	7	8	4	5·5	8	.	.	3	.	2	3	.
Nephritis, Acute			3	1	.	.	.	1	1	2		1	.	.	.	1	.	.	.
Bright's Dis., Albuminuria	4	7	3	3	2	3	3	.	2	.	4·4	5	.	.	.	1	1	3	.
Urinary Sys. (other Dis.)			2	1	.	.	.	1	5	.		.	.	.	.	.	.	.	.
Generative Organs Dis.	2	.	.	1	1	.	2	.	1	1	·8	2	.	.	.	.	1	1	.
Childbirth (Accid. of)	.	.	.	1	.	.	1	1	.	1	·4	.	.	.	.	.	.	.	.
Old Age	3	9	3	4	1	.	4	.	1	.	2·5	1	.	.	.	.	.	1	.
Other Diseases	9	16	6	16	7	8	9	7	12	16	10·6	16	3	9	.	1	1	1	.
ACCIDENT.																			
By Railways						1					·1	.	.	.	.	.	.	.	.
By Vehicles and Horses	1	.	1	.	1	2	1	.	1	1	·8	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
In Conflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	.	.	1	1	.	3	.	.	1	.	·6	.	.	.	.	.	.	.	.
By Drowning	2	1	1	.	.	.	.	1	2	.	·7	1	.	.	.	.	.	1	.
By Suffocation in Bed	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	1	.	.	1	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.
Other Deaths by Accident	5	2	1	4	1	1	6	2	.	1	2·3	3	1	.	.	2	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																			
Homicide	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.
Suicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

e Registration Area as then constituted.
Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910—Week ending																								
	Mar 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.
No. of weeks in Annual Series,	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
BIRTHS registered.	206	247	162	242	213	255	217	221	246	230	241	181	242	253	268	272	183	223	229	272	225	243	198	209	240	194
*Average Births in corresponding week of previous 10 years,** ..	214	219	217	211	235	190	207	224	195	270	229	211	202	232	222	199	225	237	200	198	204	215	221	202	219	218
DEATHS registered, ...	208	204	149	185	168	186	183	200	198	136	180	131	160	181	183	140	130	127	143	118	144	127	145	148	126	146
Annual Death-rate per 1,000, ..	26·9	26·4	19·3	23·9	21·7	24·1	23·7	25·9	25·0	17·6	23·3	17·0	20·7	17·5	17·2	18·1	16·8	16·4	18·5	15·3	18·6	16·4	18·8	18·5	16·3	18·9
*Average Deaths in corresponding week of previous 10 years,**	221	214	200	206	211	200	200	197	189	184	178	174	171	157	154	152	147	136	138	142	146	147	146	148	156	166
AGES, Under 5 years, ...	57	53	30	52	44	44	37	49	46	36	38	37	39	31	37	25	27	31	50	29	48	31	31	54	37	57
5—20 ,, ...	8	12	11	12	18	9	11	15	18	6	16	7	10	18	10	13	9	11	11	10	8	18	17	8	6	9
20—40 ,, ...	33	28	21	34	18	26	24	33	29	26	34	20	25	26	22	27	32	23	24	17	17	18	27	28	23	13
40—60 ,, ...	40	34	35	35	32	43	38	35	43	25	32	28	40	27	29	35	34	23	25	27	29	30	30	28	32	27
60—80 ,, ...	57	65	41	42	45	53	57	59	46	40	50	36	42	33	28	38	28	33	28	34	34	38	35	26	24	33
80 years and upwards, ..	18	12	11	10	16	11	16	9	11	8	10	8	4	5	7	8	2	6	10	1	8	2	5	4	4	7
Deaths from—																										
Small-pox, ...	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1	.	.	1	.	.
Measles, ...	1	.	1	.	.	.	.	.	.	1	1	.	2	.	.	.	.	1	.	1	3	3	1	1	1	2
Scarlet Fever, ...	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Typhus, ...	3	2	1	2	1	.	2	5	4	1	1	1	.	2	1	2	1	3	.	1	1	.	3	3	2	.
Whooping-cough, ...	.	1	1	1	.	1	.	1	.	.	.	.	.	.	.	.	.	1	2	1	.	5	1	.	2	4
Diphtheria, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain), ..	2	.	1	1	4	1	1	.	2	1	3	.	1	.	2	.	1	1	6	3	5	.	2	14	6	17
Enteric Fever, ...	3	4	2	3	.	4	2	2	1	2	1	5	2	1	3	1	1	1	.	3	5	.	2	4	1	.
Diarrhœal Diseases, ...	5	6	7	6	6	3	5	2	3	1	3	2	.	.	.	1	.	2	.	.	1	.	1	.	1	.
Influenza, ...	17	20	12	14	14	17	18	20	17	8	14	13	8	8	10	7	10	3	8	7	9	5	7	8	7	6
Pneumonia, ...	28	26	15	26	14	21	22	31	25	14	31	15	14	17	15	22	24	23	11	19	11	17	24	14	17	12
Tuberculous Phthisis,	10	12	10	10	4	10	9	18	12	11	9	9	11	15	7	15	10	14	7	8	3	9	10	15	7	5
Disease, Other Forms, ..	9	13	5	6	14	7	10	11	11	6	10	3	10	10	6	7	10	10	8	5	11	10	8	8	9	10
Cancer, Malignant Disease, ..	27	25	30	20	30	37	28	37	31	21	25	20	29	21	21	25	16	23	26	17	22	23	23	20	16	20
Diseases of Heart and Blood Vessels, ...	39	35	26	36	28	38	39	22	25	17	27	16	18	18	17	11	15	7	11	18	14	12	10	8	10	11
Diseases of Respiratory System,	5	3	1	3	5	5	3	3	4	6	11	2	3	6	7	7	1	2	9	3	3	5	3	6	2	4
Violent Deaths, ...	8	5	5	3	4	9	12	8	6	2	2	6	3	3	7	5	6	3	5	.	4	7	2	3	4	4
Number of Uncertified Deaths, ..																										
Mean Temperature of the Air (Phœnix Park), ...	44·0	43·6	39·8	43·4	39·7	41·7	43·0	49·6	48·6	46·1	44·7	51·4	55·1	50·6	57·8	56·4	58·1	54·7	55·5	57·1	56·9	57·8	56·5	59·2	58·8	56·6
Average Mean Temperature in corresponding week of previous 10 years, ...	40·1	41·1	42·9	41·9	42·1	44·2	43·4	45·1	46·6	46·9	48·5	48·6	50·5	53·9	53·3	53·7	55·3	56·6	57·6	58·9	60·6	58·8	58·8	58·2	57·7	56·5
Rainfall in inches, ...	·892	·883	·174	·000	·040	·205	·736	·782	·417	·670	·230	1·263	·183	·692	1·870	·010	1·291	1·780	·660	·000	·840	·355	·940	·205	1·175	·111
Mean Humidity of the Air, complete Saturation 1·0	·98	·88	·91	·91	·88	·93	·93	·91	·82	·77	·81	·90	·68	·81	·92	·87	·92	·87	·88	·81	·81	·81	·84	·85	·81	·81

* See note (*) at foot of Table IV.

† Formerly described as "Simple Continued Fever."

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 27th August, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 27TH AUGUST, 1910. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	CAUSES OF DEATH. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases	Total Cols. 10-18.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS, ...	375,350	20·3	146	57	9	13	27	33	7	.	.	2	.	.	4	.	.	17	23	6	12	5	10	8	11	4	72	4
	CLASSES.																												
	Deaths in Families of the—																												
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	6·0	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
II.	MIDDLE CLASS, ...	87,188	12·6	21	6	2	1	3	6	3	.	.	.	.	.	1	.	.	.	1	1	4	1	.	.	.	.	14	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,428	14·2	30	6	3	5	5	11	.	.	.	2	.	.	.	.	.	4	6	3	1	1	4	1	7	1	33	2
IV.	GENERAL SERVICE CLASS, ...	154,279	21·6	64	36	4	5	9	9	1	.	.	.	.	.	3	.	.	18	16	2	2	2	2	2	2	3	33	2
V.	INMATES OF WORKHOUSES, ...	6,024	—	29	9	.	2	10	6	2	.	.	.	.	.	.	.	.	.	.	.	5	1	.	.	2	.	18	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	6·7	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,860	6·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
II.	MIDDLE CLASS.																												
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	16·6	7	3	.	.	1	2	1	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	6	.
	6. Clerks and Commercial Assistants, ..	30,452	8·6	5	2	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	15·4	8	1	2	.	1	2	2	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	5·3	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	9. Building and Furnishing Trades, ...	29,801	21·0	12	2	1	4	1	4	.	.	.	1	.	.	.	.	.	3	4	1	.	1	1	.	2	1	2	.
	10. Clothing Trades, ...	28,260	6·7	3	.	1	.	1	1	.	.	.	1	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	1
	11. Food Supply Trades, ...	9,242	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	80,352	20·6	12	3	1	1	2	5	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	1	3	.	4	1
	13. Petty Shopkeepers, ...	7,894	13·2	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.	.	.
IV.	GENERAL SERVICE CLASS.																												
	14. Army, Police, Postal Delivery, and Prison Services, &c	18,425	38·8	10	6	.	1	.	3	.	.	.	.	.	.	.	.	.	2	2	.	.	.	1	.	1	1	5	.
	15. Domestic Servants, ...	86,608	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	25·4	7	3	1	.	2	1	.	.	.	.	.	.	1	.	.	1	2	1	.	.	.	.	.	.	4	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	27·3	47	27	3	4	7	5	1	.	.	.	.	.	2	.	.	10	12	1	2	2	1	2	1	2	24	2
V.	INMATES OF WORKHOUSES.																												
	18. Workhouse Inmates, ...	6,024	—	29	9	.	2	10	6	2	.	.	.	.	.	.	.	.	.	.	.	5	1	3	.	2	.	18	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

DISTRICTS.	1910 Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	From Diseases in Cols. 5–13.	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercolous Disease. Phthisis.	Tubercolous Disease. Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of), North City, No. 1 (E.)	July 9,	22·7	.	13	.	.	.	.	.	.	.	.	.	1	4	.	.	1	.	2
	„ 16,	15·7	1·7	9	.	.	.	.	.	.	.	1	.	.	2	.	2	2	.	.
	„ 23,	22·7	1·7	13	.	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.
	„ 30,	15·7	1·7	9	.	.	1	.	.	.	.	.	.	1	3	.	1	2	.	.
(*Office, Clarence-st., Nth.*	Aug. 6,	12·2	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	„ 13,	15·7	5·2	9	.	.	.	.	1	.	.	.	2	1	.	.	.	1	.	1
Pop. in 1910	„ 20,	17·4	8·5	10	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.
(Est.) 29,908.	„ 27,	20·9	8·7	12	.	.	.	.	.	.	.	.	5	1	1	.	1	1	.	.
North City, No. 1 (W.)	July 9,	17·0	.	13	.	.	.	.	.	1	.	.	.	2	1	.	1	.	1	1
	„ 16,	17·0	1·3	13	.	.	.	.	.	.	.	.	.	1	.	2	.	4	.	2
	„ 23,	18·8	2·6	14	.	.	.	.	1	.	.	1	.	.	1	.	.	3	2	.
	„ 30,	22·2	.	17	.	.	.	.	.	.	.	.	.	1	2	.	.	1	2	2
(*Office, Summer-hill.*)	Aug. 6,	22·2	.	17	.	.	.	.	.	.	.	.	.	.	5	.	.	.	3	.
	„ 13,	17·0	1·3	13	.	.	.	.	.	.	.	.	1	1	1	1	1	1	1	.
	„ 20,	10·4	1·3	8	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	.
Pop. in 1910	„ 27,	15·7	1·3	12	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.	.
(Est.) 39,974.																				
North City, No. 2.	July 9,	28·8	3·4	17	.	.	.	.	.	.	.	.	2	1	1	.	.	3	1	1
	„ 16,	20·4	1·7	12	.	.	.	.	.	.	.	.	1	1	.	.	.	2	1	.
	„ 23,	25·4	5·1	15	.	.	1	.	.	.	.	.	2	.	2	1	.	2	1	1
	„ 30,	8·5	1·7	5	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.
(*Office, Lisburn-street.*)	Aug. 6,	13·6	.	8	.	.	.	.	.	.	.	.	.	2	.	2	1	.	.	1
	„ 13,	18·7	3·4	11	.	.	.	.	.	.	.	.	2	1	.	2	.	2	.	.
Pop. in 1910	„ 20,	17·0	1·7	10	.	.	.	.	.	.	.	.	1	.	.	.	.	4	1	1
(Est.) 30,744.	„ 27,	22·0	6·8	13	.	.	.	.	.	.	.	.	4	1	.	.	.	.	1	.
North City, No. 3.	July 9,	9·3	1·6	6	.	.	.	.	.	.	.	.	1	.	.	.	1	1	1	1
	„ 16,	21·8	3·1	14	.	.	1	.	.	.	.	.	1	.	3	1	.	3	.	.
	„ 23,	9·3	1·6	6	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
	„ 30,	20·2	4·7	13	.	.	.	.	.	3	.	.	.	.	2	1	2	.	.	1
(*Office, Benburb-street.*)	Aug. 6,	26·4	1·6	17	.	.	.	.	.	1	.	.	.	2	2	.	1	1	.	.
	„ 13,	23·3	3·1	15	.	.	.	.	.	.	.	2	.	1	4	.	2	.	.	.
Pop. in 1910	„ 20,	23·3	4·7	15	.	.	.	.	.	2	.	.	1	.	4	1	1	2	.	.
(Est.) 33,559.	„ 27,	20·2	1·6	13	.	.	1	.	.	.	.	.	.	.	2	.	2	2	1	.
South City, No. 1.	July 9,	18·9	1·3	15	.	1	.	.	.	.	.	.	.	1	1	2	.	2	.	.
	„ 16,	12·6	.	10	.	.	.	.	.	.	.	.	.	.	2	1	.	3	.	.
	„ 23,	20·1	1·3	16	.	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.
	„ 30,	20·1	1·3	16	.	.	1	.	.	.	.	.	.	1	2	1	2	1	1	1
(*Office, Sth. Earl-street.*)	Aug. 6,	21·4	1·3	17	.	.	1	.	.	.	.	.	.	.	3	.	3	3	.	.
	„ 13,	26·4	1·3	21	.	.	.	.	.	.	.	.	1	.	1	4	1	.	2	1
Pop. in 1910	„ 20,	10·1	1·3	8	.	.	.	.	1	.	.	.	.	.	2	.	.	1	.	.
(Est.) 41,476.	„ 27,	20·1	1·3	16	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
South City, No. 2.	July 9,	16·8	.	7	.	.	.	.	.	.	.	.	.	2	2	1	.	.	.	.
	„ 16,	7·2	.	3	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.
	„ 23,	16·8	2·4	7	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	.
	„ 30,	12·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
(*Office, Castle-street.*)	Aug. 6,	24·0	2·4	10	.	.	.	.	1	.	.	.	.	.	2	1	1	2	.	.
	„ 13,	16·8	2·4	7	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.
Pop. in 1910	„ 20,	43·1	2·4	18	.	.	.	.	.	.	.	1	.	1	6	.	1	.	.	2
(Est.) 21,754	„ 27,	12·0	2·4	5	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
South City, No. 3.	July 9,	15·7	.	13	.	.	.	.	.	.	.	.	.	.	.	2	.	2	2	.
	„ 16,	16·9	.	14	.	.	.	.	.	.	.	.	.	1	2	.	1	2	1	.
	„ 23,	16·9	2·4	14	.	.	1	.	.	.	.	.	1	2	2	1	.	3	.	1
	„ 30,	18·1	1·2	15	.	.	1	.	.	.	.	.	.	1	1	3	1	2	.	2
(*Office, Peter-street.*)	Aug. 6,	19·3	2·4	16	.	.	.	.	2	.	.	.	.	2	3	2	.	.	.	.
	„ 13,	24·1	3·6	20	.	.	1	.	1	.	.	.	1	2	4	1	.	1	.	.
Pop. in 1910	„ 20,	22·9	2·4	19	.	.	.	.	.	.	.	.	2	3	.	4	1	.	.	1
(Est.) 43,227.	„ 27,	25·3	3·4	21	.	.	1	.	.	1	.	.	5	1	1	1	.	2	.	1
South City, No. 4.	July 9,	14·5	2·9	10	.	.	.	.	.	.	.	.	2	.	.	1	1	2	.	.
	„ 16,	10·2	.	7	.	.	.	.	.	.	.	.	.	1	3	1	.	.	.	.
	„ 23,	23·8	.	16	.	.	.	.	.	.	.	.	.	2	.	1	3	1	1	.
	„ 30,	16·0	.	11	.	.	.	.	.	.	.	.	.	.	.	1	2	1	1	1
(*Office, Grand Canal-st.*)	Aug. 6,	21·8	1·5	15	.	.	.	.	.	.	.	.	1	1	1	1	1	1	1	1
	„ 13,	20·3	2·9	14	.	.	.	.	1	.	.	.	1	1	1	2	.	1	1	.
Pop. in 1910	„ 20,	17·4	1·5	12	.	.	.	.	.	.	.	.	1	1	.	.	3	1	.	.
(Est.) 35,881.	„ 27,	24·7	2·2	17	.	.	.	.	.	1	.	.	1	.	2	2	3	2	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From all Causes	From Diseases in Cols. 5–18.	Total Deaths.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols..	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	July 9,	15·5	1·4	11	.	.	.	.	.	1	.	.	.	1	.	.	1	.	1	.
	„ 16,	8·4	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 23,	16·9	.	12	.	.	.	.	.	.	.	.	.	1	2	.	.	1	1	.
	„ 30,	7·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	Aug. 6,	11·3	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	„ 13,	4·2	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	„ 20,	8·4	1·4	6	.	.	1	.	.	.	.	.	.	.	2	.	.	1	.	.
	„ 27,	12·7	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	July 9,	16·2	3·6	9	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.
	„ 16,	10·8	.	6	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.
	„ 23,	12·6	.	7	.	.	.	.	.	.	.	.	.	1	.	.	2	.	1	.
	„ 30,	19·8	1·8	11	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	.
	Aug. 6,	9·0	1·8	5	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.
	„ 13,	27·0	7·2	15	.	1	.	.	.	.	.	.	3	.	.	2	3	2	1	.
	„ 20,	9·0	.	5	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	„ 27,	16·2	.	9	.	.	.	.	.	.	.	.	.	1	2	.	1	2	.	.
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	July 9,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	„ 16,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	„ 23,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 30,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	Aug. 6,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	„ 13,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 20,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 27,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
Belfast. Pop. in 1910 (Est.) 391,167.	July 9,	19·3	4·1	145	.	24	.	.	2	.	.	.	5	14	11	9	3	7	4	3
	„ 16,	18·1	3·2	136	.	20	.	.	1	1	.	.	2	17	9	11	6	15	2	3
	„ 23,	15·6	3·9	117	.	21	.	.	1	1	.	1	5	5	16	5	9	6	.	3
	„ 30,	18·0	2·4	135	.	8	.	1	.	1	.	2	6	8	15	7	7	16	1	1
	Aug. 6,	15·3	2·7	115	.	7	1	.	2	.	.	.	10	3	13	7	3	10	1	2
	„ 13,	13·6	2·7	102	.	4	.	.	1	.	1	.	14	4	12	8	7	5	6	1
	„ 20,	16·5	4·0	124	.	7	.	.	1	.	.	.	22	5	16	9	3	8	.	2
	„ 27,	17·5	4·9	131	.	3	.	.	5	.	.	.	29	10	10	5	4	8	3	.
Cork. Pop. (in 1901) 76,122.	July 9,	13·0	0·7	19	.	.	.	.	.	.	.	1	.	2	2	1	.	2	.	1
	„ 16,	18·5	1·4	27	.	.	.	.	.	.	.	2	.	1	8	1	.	1	.	.
	„ 23,	19·9	1·4	29	.	.	.	.	2	.	.	.	.	.	6	3	2	3	1	1
	„ 30,	16·4	1·4	24	.	.	.	.	1	.	.	1	.	1	4	1	1	3	.	1
	Aug. 6,	6·8	.	10	.	.	.	.	.	.	.	.	.	2	4	.	1	1	.	.
	„ 13,	15·1	0·7	22	.	.	.	.	.	.	.	1	.	.	3	1	1	1	1	.
	„ 20,	15·1	0·7	22	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.
	„ 27,	17·8	1·4	26	.	.	.	.	.	.	.	.	2	.	3	2	1	.	1	3
Londonderry. Pop. in 1910 (Est.) 43,477.	July 9,	20·4	2·4	17	.	1	.	.	.	1	.	.	.	1	2	1	1	3	.	.
	„ 16,	6·0	1·2	5	.	1	.	.	.	.	.	.	.	.	.	1	.	2	.	.
	„ 23,	8·4	2·4	7	.	1	.	.	.	.	.	.	1	.	2	.	.	.	.	.
	„ 30,	22·8	3·6	19	.	1	.	.	.	.	.	.	2	1	6	2	.	.	.	3
	Aug. 6,	19·2	1·2	16	.	1	.	.	.	.	.	.	.	.	6	3	1	1	.	1
	„ 13,	14·4	1·2	12	.	.	.	.	.	.	.	.	1	.	.	2	2	1	.	.
	„ 20,	14·4	4·8	12	.	1	.	.	.	1	.	.	2	.	.	.	3	1	.	.
	„ 27,	10·8	3·6	9	.	1	.	.	.	1	.	.	1	.	3	.	.	.	.	.
Limerick. Pop. (in 1901) 38,151.	July 9,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
	„ 16,	12·8	.	9	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	1
	„ 23,	13·7	1·4	10	.	.	.	.	.	.	.	1	.	.	.	1	1	2	.	1
	„ 30,	17·8	.	13	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1
	Aug. 6,	12·3	1·4	9	.	.	.	.	.	.	.	1	.	.	1	.	.	3	.	.
	„ 13,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	3
	„ 20,	9·6	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.
	„ 27,	20·5	1·4	15	.	.	.	.	1	.	.	.	.	.	4	2	.	3	.	1
Waterford. Pop. (in 1901) 26,769.	July 9,	15·6	1·9	8	.	.	.	.	.	.	.	.	1	1	.	.	1	3	.	.
	„ 16,	19·5	1·9	10	.	.	.	1	.	.	.	.	.	.	1	2	.	.	.	.
	„ 23,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	1	3	1	1	.	1
	„ 30,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	1
	Aug. 6,	19·5	5·8	10	.	.	.	.	1	.	.	.	2	.	3	2	.	1	.	.
	„ 13,	27·3	1·9	14	.	1	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	„ 20,	17·5	5·8	9	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	3
	„ 27,	19·5	7·8	10	.	1	.	.	.	.	.	.	3	.	.	.	1	2	1	3

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 27th August, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-20.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	DEATHS FROM. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexial (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	4	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		9			11	5	2	1	2	.	1	.	1	.	.	1	.	.	.	4	2	.	1	1	.	.	.	2	.
Do. 2 do.		19			19	3	4	4	2	3	3	.	.	.	.	1	.	.	.	5	1	3	.	.	2	.	.	3	.
Do. 3 do.		16			15	4	2	.	3	4	3	.	.	.	.	1	.	.	.	2	2	.	1	1	.	.	.	1	.
Do. 4 do.		11			14	7	1	1	2	.	3	.	1	.	.	1	.	.	.	3	1	2	.	.	1	.	.	3	.
Do. 5 do.		6			3	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 6 do.		10			8	4	.	.	.	1	3	.	.	.	.	1	.	.	.	1	.	.	.	1	.	1	.	1	.
Do 7 do.		2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 8 do.	349,180	2			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 9 do.		18			9	4	.	.	.	2	3	.	.	.	.	.	.	.	.	3	1	.	1	.	.	.	.	3	.
Do 10 do.		18			19	7	.	3	1	1	.	.	.	.	.	.	.	.	.	2	1	.	1	.	.	1	2	1	.
Do. 11 do.		20			18	2	1	2	3	3	2	.	.	.	.	.	.	.	.	.	.	4	.	.	2	1	1	4	.
Do. 12 do.		20			5	2	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.
Do. 13 do.		8			2	.	1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15* do.		10			19	9	2	.	2	5	1	.	.	.	.	.	.	.	.	8	2	.	1	1	1	.	2	4	.
Total.	—	159	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		131	49	14	11	19	19	20	.	3	..	.	5	.	.	.	29	10	10	5	4	8	3	6	24	.
City of Cork.																													
CORK URBAN No. 1 DISTRICT,	12,867	5	16·2	4·1	4	1	.	.	1	.	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	2	.
Do. 2 do.	10,701	10	14·6	.	3	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Do. 3 do.	9,978	4	20·9	.	4	.	.	1	1	1	1	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	2	1
Do. 4 do.	8,666	3	24·1	.	4	1	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Do. 5 do.	6,592	4	23·7	.	3	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 6 do.	10,702	5	14·6	.	3	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do. 7 do.	16,616	7	15·7	3·1	5	1	.	.	1	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.
Total.	76,122	38	17·8	1·4	26	7	.	1	3	5	10	.	.	.	.	.	.	.	.	2	.	2	2	1	.	1	2	6	3

* New district formed as from 1st Jan., 1910, and the boundaries of Nos. 1, 4 & 6 districts altered; the population of each of these districts, as at present constituted, is not available.

† Formerly described as Simple Continued Fever.

Table IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

Belfast.	1910—Week ending																									
	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.
No. of weeks in annual Series, ..	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
Births registered, ...	239	201	240	208	207	254	247	224	266	235	214	169	264	215	193	231	202	213	199	259	239	214	179	219	210	159
Deaths registered, ...	165	162	163	125	138	168	187	160	178	167	170	177	176	166	148	183	157	137	145	136	117	135	115	102	124	131
Annual Death rate per 1,000 of estimated Population, ...	22·0	21·6	21·7	16·7	18·4	22·4	24·9	21·3	23·1	22·3	22·7	23·6	23·5	22·1	19·7	24·4	20·9	18·3	19·3	18·1	15·6	18·0	15·3	13·6	16·5	17·5
Ages — Under 1 year, ...	33	31	29	27	27	34	38	36	33	31	29	30	37	37	20	44	33	24	34	26	25	35	27	27	35	49
1-5 years, ...	21	16	27	15	21	33	34	27	20	36	35	47	43	45	54	47	45	33	29	32	23	23	19	6	17	14
5-20 years, ...	11	14	16	7	18	19	15	14	21	12	15	15	15	14	12	15	16	13	12	7	17	10	7	7	9	11
20-40 years, ...	29	26	18	19	16	21	32	14	24	25	30	28	26	26	25	20	17	18	25	20	19	14	15	22	19	18
40-60 years, ...	37	40	35	28	22	27	24	29	41	30	30	29	28	27	16	23	20	21	20	25	17	25	21	22	21	19
60 years and upwards, ..	34	35	38	29	34	34	44	40	34	33	31	28	27	17	21	34	26	28	25	26	16	28	26	18	28	20
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	1	5	3	6	11	17	8	20	19	28	44	33	38	38	49	36	25	24	29	21	8	7	4	7	3
Scarlet Fever, ...	.	.	2	.	2	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Whooping-cough, ...	11	12	12	10	6	12	5	8	4	4	6	4	5	7	5	4	1	1	2	1	1	.	2	1	1	5
Diphtheria, ...	.	.	.	.	1	1		1	1	.	1	.	1	.	1	2	.	.	.	1	1	1	.	.	.	.
*Pyrexia** (origin uncertain ..	.		.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Enteric Fever, ...	.	1	.	.	1	.	.	1	.	.	1	.	.	.	1	.	1	1	.	.	1	2	.	.	.	.
Diarrhœal Diseases, ...	2	2	.	1	1	.	1	3	1	2	.	.	2	3	1	4	3	1	5	2	5	6	10	14	22	29
Pneumonia, ...	12	10	12	8	14	19	16	19	14	15	26	22	21	18	13	17	17	11	14	17	5	8	3	4	5	10
Tuberculous Disease, Phthisis,	23	26	18	10	20	24	27	13	22	20	24	29	14	21	19	24	22	11	11	9	16	15	13	12	16	10
Tuberculous Disease, Other Forms, ..	9	7	9	3	9	12	8	7	9	6	4	6	13	8	5	3	9	8	9	11	5	7	7	8	9	5
Cancer, Malignant Disease, ..	3	5	9	10	4	8	10	2	6	8	8	7	3	4	4	6	4	9	3	6	9	7	3	7	3	4
Diseases of Respiratory System,	24	22	24	16	16	21	22	30	15	21	14	17	14	18	17	14	16	7	7	15	6	16	10	5	8	8
Violent Deaths, ...	10	9	5	3	.	4	.	2	4	3	4	1	1	5	1	.	4	.	4	2	.	1	1	6	.	3
Number of Uncertified Deaths, ..	2	1	1	1	2	1	1	1	3	1	2	1	.	3	1	2	.	2	3	3	3	1	2	1	2	.

* Formerly described as, "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	Aug. 27,	2,268	1,009c	10·8	.	35	3	10	11	1*a*	65
EDINBURGH, ...	360,276	„ 27,	122	67	9·7	.	.	1	.	.	.	2
GLASGOW, ...	884,505	„ 27,	362	254	15·0	.	.	3	4	3	.	43
CALCUTTA, ...	1,009,008	July 23,	.	317	16·3	.	.	.	.	.	94‡	41*
BOMBAY, ...	977,822	„ 26,	402	802	42·6	2	3	.	.	1	134‡	114*
MADRAS, ...	509,346	„ 8,	312	322	32·8	1	1	?	?	?	82	60
CAIRO, ...	682,953	„ 22,	570	672	51·2	.	23	.	7†	?	18	193*b*
PARIS, ...	2,760,000	„ 23,	991	778	14·7	.	8	.	6†	5	5*a*	29*b*
BRUSSELS, ...	720,030	Aug. 6,	235	169	12·2	.	.	.	1†	.	1	20
ANTWERP, ...	317,171	„ 6,	93	75	12·3	.	4	.	2†	.	1*a*	11*b*
AMSTERDAM, ...	570,669	„ 6,	289	100	9·1	.	4	.	.	1	1*a*	3*b*
COPENHAGEN, ...	450,000	„ 6,	215	148	17·1	.	1	1	.	2	1*a*	19
STOCKHOLM, ...	341,816	„ 6,	172	100	15·2	.	.	1	.	1	1*a*	5
CHRISTIANIA, ...	240,178	„ 13,	95	50	10·8	.	.	.	.	.	.	4
ST. PETERSBURG, ...	1,620,000	July 23,	713	734	23·6	8	21	9	9	2	18*a*	198*
MOSCOW, ...	1,493,600	„ 16,	.	1,034	36·1	9	15	13	22†	2	12	477
BERLIN, ...	2,120,562	„ 30,	757	538	13·2	.	7	1	5†	6	5	100
HAMBURG, ...	895,804	Aug. 6,	.	249	14·5	.	1	.	14†	2	3	52
BRESLAU, ...	509,992	„ 6,	.	194	19·8	.	3	1	2	2	1	31
MUNICH, ...	576,000	„ 13,	.	188	17·0	.	2	1	.	.	1	30
VIENNA (with suburbs),	2,107,981	„ 6,	772	561	13·8	.	5	6	4†	3	2*a*	51*b*
BUDA-PESTH, ...	833,703	„ 6,	404	331	20·8	.	5	8	2†	1	10*a*	53*b*
PRAGUE and Faubourgs.	497,905	July 23,	148	143	14·9	.	.	.	2†	.	2*a*	7*b*
TRIESTE, ...	221,124	„ 30,	131	79	18·6	.	.	.	.	2	1*a*	12*b*
ROME, ...	587,096	June 25,	258	204	18·1	.	10	.	2	.	2*a*	28
VENICE, ...	183,224	Aug. 6,	96	69	19·6	.	.	1	1†	.	1*a*	8
NEW YORK, ...	1,711,956	July 30,	2,477	1,698	18·8	.	8	3	21†	14	17*a*	426
PHILADELPHIA, ..	1,598,400	June 4,	.	433	14·1	.	1	5	10†	3	4*a*	24*b*
		„ 11,	.	526	17·1	.	5	1	7†	7	5*a*	38*b*
BOSTON, ...	629,868	Aug. 6,	.	195	16·1	.	1	1	1	.	.	62

* Including 18 deaths from cholera in Calcutta, 3 in Bombay, and 51 in St. Petersburg.
† Including deaths from croup.
‡ Including 19 deaths from plague in Calcutta, and 56 in Bombay.
a Enteric Fever.
b Deaths from diarrhœal diseases and from enteritis of children under two years of age.
c Including one death from cerebro-spinal fever.

ABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 27th August, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	.	.	.	1	.	.	.	.	.	.	3	4
" " 1, West,	.	1	.	.	.	.	.	1	1	.	.	4	7
" " 2,	.	.	.	.	1	.	.	1	.	.	.	1	3
" " 3,	.	1	.	.	7	.	1	.	1	.	.	2	12
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	1	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	1	.	.	1	.	.	2	4	.	.	5	13
" " 2,	.	2	.	.	.	.	.	1	1	.	.	1	5
" " 3,	.	.	.	.	.	.	.	.	.	.	.	4	4
" " 4,	.	.	.	.	1	.	.	3	.	.	.	.	4
New Kilmainham,	.	.	.	.	1	.	.	.	.	.	.	.	1
Total,	.	5	.	.	12	.	1	9	7	.	.	20	51

ABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 27th August, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 27th August.			
	Aug. 6.	Aug. 13.	Aug. 20.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	1	3	2	1	.	.	3
Scarlet Fever,	88	74	66	9	12	2	61*
Typhus,	2	1	1	.	.	.	1
Diphtheria,	48	42	31	15	9	4	33
Enteric Fever,	29	30	28	8	3	1	32
Pneumonia,	11	11	9	7	9	.	7

* Exclusive of 23 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.Sc., F.R.MET.SOC., reports as follows on the weather during the week nded 27th August, 1910:—

"The outstanding feature in the changeable, unsettled weather of this week was the violent westerly gale which nged over Ireland for many hours on Friday. It was connected with the passage north-eastwards of a barometric epression which reached the S.W. of Ireland on Thursday evening and which grew deeper and so increased in ntensity as it skirted the western shores of this country. At 7 a.m. of Friday its centre was off the shores of the nishowen Peninsula, the barometer reading at Malin Head being as low as 29·16 inches, whereas it stood at 29·7 nches or upwards along the coasts of Suffolk, Essex, and Kent. Thunderstorms prevailed in the S.E. of England, hile a tempest of wind and rain swept over Ireland and the West of Scotland. As in past weeks, the barometer as generally high in the Icelandic region and also over the Iberian Peninsula. In the intervening region the distribu- ion of atmospheric pressure was cyclonic, and a series of depressions spread in from the Atlantic over the British sles, passing thence in a north-easterly direction to Scandinavia. Clouds, frequent showers, variable winds, and low emperatures (for the time of year) were the result. On Wednesday afternoon a peculiar yellow-tinted cirriform lm spread across the sky, but no halo developed in it. On Thursday dreary wet weather accompanied a large hallow atmospheric depression, but this system soon gave place to a more serious cyclonic disturbance, which rought much havoc on Friday. A lull occurred on Saturday, but the sky remained heavily clouded with a sheet f cirro-stratus and the wind backed to S.W. with a falling barometer. In Dublin the mean atmospheric pressure as 29·740 inches, the range being from 30·047 inches at 9 a.m. of Monday (wind, N.W.) to 29·299 inches at 9 a.m. of riday, (wind, W.S.W.). The corrected mean temperature was 57·4°, the mean dry bulb reading at 9 a.m. and p.m. being 56·8°. The screened thermometers fell to 49·1° on Monday and rose to 65·2° on Tuesday. Westerly inds prevailed. A halo was seen on Tuesday. Rain fell on 6 days to the amount of ·513 inch, of which ·285 inch as measured on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·571 inches. The highest reading (29·874) was on Monday at 9 a.m., wind S.W., and the lowest (29·122) on Friday at 9 a.m., wind S.W.

The mean temperature for the week was 56·6°, being 0·1° above the average for the corresponding period of the 10 years, 1900–1909. The temperature was highest on Tuesday, on which day the thermometer registered 64·8°, and was lowest on Monday, the mercury having fallen to 44·0°. The mean of the Dry Bulb for the week was 56·0° and of the Wet Bulb 53·4°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The rainfall during the week measured 0·411 inch.

At Greenwich the mean temperature for the week was 59·9°, the maximum 75·0°, and the minimum 49·1°; at Glasgow the maximum was 66·8°, the minimum 41·0°, and the mean 55·2°; and at Edinburgh the maximum was 61·5°, the minimum 45·1°, and the mean 54·0°. The rainfall at Greenwich measured 0·80 in., at Glasgow 1·44 ins., and at Edinburgh 2·90 ins.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY.	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	THERMOMETER. Maximum.	THERMOMETER. Minimum.	THERMOMETER. Mean.	HYGROMETER. Dry Bulb.	HYGROMETER. Wet Bulb.	HYGROMETER. Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins		
Sunday, August 21,	29·703	64·2	56·1	60·2	56·6	54·6	·87	·4	1·4	·000	W.	Calm.
Monday, „ 22,	29·837	61·7	44·0	52·9	55·1	52·6	·84	·4	2·8	·050	S.W.	Calm.
Tuesday, „ 23,	29·619	64·8	53·8	59·3	57·8	55·0	·81	·5	5·9	·026	W.	Calm.
Wednesday, „ 24,	29·633	63·9	50·8	57·4	56·1	53·5	·84	·4	6·7	·070	W.S.W.	Calm.
Thursday, „ 25,	29·478	62·8	49·7	56·3	58·9	56·5	·86	·6	0·1	·240	Calm.	S.E.
Friday, „ 26,	29·254	61·7	50·5	56·1	52·3	50·2	·85	·6	2·2	·025	S.W.	S.W.
Saturday, „ 27,	29·476	60·3	48·1	54·2	55·1	51·7	·78	·6	0·0	·000	W.S.W.	S.
									Total 19·1	Total ·411		
Mean, . . .	29·571	62·8	50·4	56·6	56·0	53·4	·84	·5			—	

Sunday—Day overcast to cloudy, fine; night clear. *Monday*—Day cloudy, rain a.m. and p.m.; night overcast, drizzle a.m. *Tuesday*—Day cloudy, rain p.m.; night cloudy. *Wednesday*—Day cloudy, passing showers; night cloudy. *Thursday*—Day overcast, passing showers; night overcast, heavy rain a.m. *Friday*—Day cloudy, passing showers; night clear. *Saturday*—Day overcast; night cloudy.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, August 27th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Min.	Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, August 21,	53·1	60·6	58·0	64·4	56·4	60·4	1·20	—
Monday, „ 22,	57·8	59·9	58·0	62·4	47·9	55·2	2·20	·03
Tuesday, „ 23,	60·5	60·0	58·0	66·6	54·2	60·4	6·90	·12
Wednesday, „ 24,	59·1	60·8	58·0	65·8	53·7	59·8	5·60	·03
Thursday, „ 25,	58·3	60·8	58·0	62·9	53·5	58·2	·04	·29
Friday, „ 26,	51·2	60·2	58·0	68·0	50·9	59·5	4·10	·03
Saturday, „ 27,	54·8	60·0	58·0	61·2	49·9	55·6	—	·01
Weekly Mean,	56·4	60·3	58·0	64·5	52·4	58·4	Total 20·04	Total ·51

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

29477. Wt. P. 1—80/137, 375. 4. 1910. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 3RD SEPTEMBER, 1910. [No. 35.

General Register Office, Charlemont House, Dublin, 5th September, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 15·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Average Rate for 4 weeks.
22 Town Districts.	**15·7**	**16·3**	**17·1**	**15·2**	**16·1**	Limerick, . . .	10·9	9·6	20·5	17·8	14·7
						Lisburn, . . .	9·1	18·2	18·2	9·1	13·7
Armagh, . . .	20·6	34·4	6·9	20·6	20·6	Londonderry, . .	14·4	14·4	10·8	14·4	13·5
Ballymena, . . .	28·7	9·6	9·6	23·9	17·9	Lurgan, ...	.	13·3	8·9	4·4	6·7
Belfast, ...	13·6	16·5	17·5	16·1	15·9	Newry, ...	16·8	25·2	25·2	4·2	17·8
Clonmel, . . .	5·1	35·9	15·4	35·9	23·1	Newtownards, . .	28·6	17·2	22·9	.	17·2
Cork, ...	15·1	15·1	17·8	13·0	15·3	Portadown, . .	10·3	10·3	10·3	5·2	9·0
Drogheda, . . .	4·1	20·4	28·6	20·4	18·4	Queenstown, . .	13·2	26·4	6·6	19·8	16·5
Dublin Reg. Area, .	17·9	15·8	17·9	14·9	16·6	Sligo, ...	.	19·2	4·8	9·6	8·4
Dundalk, . .	8·0	23·9	8·0	12·0	13·0	Tralee, . . .	5·3	15·9	.	10·6	8·0
Galway, . . .	11·7	7·8	27·2	7·8	13·6	Waterford, . . .	27·3	17·5	19·5	13·6	19·5
Kilkenny, . . .	73·7	9·8	19·7	24·6	31·9	Wexford, . . .	14·0	32·7	9·3	28·0	21·0

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 2·1 per 1,000, the rates varying from 0·0 in fifteen of the districts to 9·6 in Ballymena, the 5 deaths from all causes for that district including 2 from diarrhœal diseases. Among the 121 deaths from all causes for Belfast are 16 from diarrhœal diseases. Of the 19 deaths from all causes for Cork 2 are from diarrhœal diseases, and included in the 12 deaths from all causes for Londonderry are one from enteric fever and 5 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 228—118 boys and 110 girls—and the deaths to 120—59 males and 61 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, represent an annual rate of 14·9 per 1,000 of

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*). Table II. ‡ See columns 10-18 of Table II.

the population, the rate for the total deaths registered in the Area being 15·5 per 1,000. During the thirty-five weeks, ending with Saturday last, the death-rate averaged 21·3 and was 3·2 below the mean rate for the corresponding portions of the ten years 1900–9.

The deaths registered included one death from scarlet fever, 4 deaths from whooping-cough, one from diphtheria, one from enteric fever, and 12 from diarrhœal diseases, 11 of the latter being deaths of children under 5 years of age; at this age-period there were also registered 4 deaths from enteritis and 5 from *gastro-enteritis*. In the three preceding weeks deaths from scarlet fever were one, one, and 2; deaths from whooping-cough were 3, 2, and 0; deaths from diphtheria were 0, 2, and 4; deaths from enteric fever were 0, 2, and 0; and deaths from diarrhœal diseases were 14, 6, and 17, respectively.

Lobar pneumonia caused one death and broncho-pneumonia 4 deaths.

Of 22 deaths from all forms of tuberculous disease, 17 were from tuberculous phthisis (*phthisis*), 2 from tuberculous meningitis, one from *tabes mesenterica*, and 2 from other forms of the disease. From all forms of tuberculous disease in the three preceding weeks the deaths numbered 29, 24, and 17, respectively.

There were 6 deaths from carcinoma and 2 from cancer (undefined).

Four deaths were caused by diseases of the brain and nervous system, including one, that of an infant under one year of age, from *convulsions*.

Diseases of the heart and blood vessels caused 17 deaths, and bronchitis caused 6 deaths.

Of 5 deaths attributed to accidental causes, one was caused by burns (that of an infant under one year of age), one by drowning, one by overlaying, and one by exposure.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year old.

Forty-two of the persons whose deaths were registered during the week were under 5 years of age (29 being infants under one year, of whom 5 were under one month old) and 34 were aged 60 years and upwards, including 18 persons aged 70 and upwards, of whom 6 were octogenarians, and 2 (females) were stated to have been aged 91 and 94 years respectively.

Forty of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse and 11 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 14·9 per 1,000; the rate in the City was 16·1 (North City Districts, 16·4; South, 15·8) and in the Suburbs, 10·7.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·5 per 1,000 inhabitants, the rate for the City being 2·9 (3·0 in the North City Districts, and 2·8 in the South), and for the Suburbs, 1·1.

No. 1 North City District, East (Clarence-street, North).—The deaths (8) are equal to an annual rate of 13·9 per 1,000, Whooping-cough and *phthisis* each caused one death, and there were 2 accidental deaths.

No. 1 North City District, West (Summer-hill).—The deaths (16) are equal to an annual rate of 20·9 per 1,000. Among them are one death from whooping-cough, 2 deaths from diarrhœal diseases, one from lobar pneumonia, one from tuberculous phthisis, and 2 from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (9) are equivalent to an annual rate of 15·3 per 1,000 and include one death each from diphtheria and *diarrhœa*, one from broncho-pneumonia, 2 from *phthisis*, and 2 from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (13) represent an annual rate of 20·2 per 1,000. One death each from whooping-cough and *diarrhœa*, one from bronchitis, and 4 deaths from tuberculous disease were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 17·9 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 0·0. Among the 4 deaths from all causes for Coolock and Drumcondra, part of, are one from scarlet fever and 2 from tuberculous phthisis.

No. 1 South City District (South Earl-street).—The deaths (11) represent an annual rate of 13·8 per 1,000, and include one death caused by *diarrhœa*, 3 by tuberculous disease, and one by accidental burns.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 16·8 per 1,000. There were 3 deaths from *diarrhœa*, one from *tabes mesenterica*, and one accidental death.

No. 3 South City District (Peter-street).—The deaths (15) are equal to an annual rate of 18·1 per 1,000. Epidemic diarrhœa caused one death, and one death occurred from each of the following causes:—broncho-pneumonia, tuberculous phthisis, and bronchitis; there was one accidental death.

No. 4 South City District (Grand Canal-street).—The deaths (12) are equivalent to an annual rate of 17·4 per 1,000. Three deaths from diarrhœal diseases, and 4 deaths from tuberculous phthisis (*phthisis*) were recorded.

New Kilmainham District.—One death was recorded for this district, equal to an annual rate of 5·7 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 12·7; Pembroke, 1·8; Blackrock, 28·9; and Kingstown, 11·8. The deaths from the principal epidemic diseases tabulated for these districts include one from whooping-cough for Rathmines and Rathgar, and one from enteric fever for Pembroke. Among the 9 deaths from all causes for Rathmines and Rathgar are 2 from broncho-pneumonia; the 5 deaths from all causes for Blackrock include one from tuberculous meningitis; and of the 4 deaths from all causes for Kingstown one was from *phthisis*.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 3rd September, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Aug. 13,	.	—	—	12	.	.	12	.	.	3	10	1	—	—	.	—	13	—	51
	Aug. 20,	.	—	—	8	.	.	5	.	1	11	6	.	—	—	.	—	15	—	46
	Aug. 27,	.	—	—	5	.	.	12	.	1	9	7	.	—	—	.	—	20	—	54
	Sept. 3,	.	—	—	15	.	.	11	.	.	6	4	.	—	—	.	—	8	—	44
Rathmines and Rathgar Urban District.	Aug. 13,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	Aug. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Aug. 27,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	—	—	—	—	3
	Sept. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	1	—	—	—	1
Pembroke Urban District.	Aug. 13,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	.	—	.
	Aug. 20,	.	1	.	.	.	.	.	.	.	1	.	.	—	.	.	—	.	—	2
	Aug. 27,	.	.	.	1	.	.	.	.	.	1	1	.	—	3	.	—	.	—	6
	Sept. 3,	.	1	1	.	.	.	1	.	.	1	.	.	—	.	.	—	.	—	4
Blackrock Urban District.	Aug. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Sept. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Aug. 13,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	.	—	2
	Aug. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Aug. 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Sept. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Aug. 13,	.	—	—	4	.	.	4	.	.	5	4	.	—	—	—	—	12	—	29
	Aug. 20,	.	—	—	8	.	.	6	.	.	2	3	.	—	—	—	—	16	—	35
	Aug. 27,	.	—	—	10	.	.	1	.	1	1	1	.	—	—	—	—	20	—	34
	Sept. 3,	.	—	—	9	.	.	5	1	.	2	5	.	—	—	—	—	14	—	36

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 3rd September, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Three cases of measles were discharged from hospital during the week, and there were no cases under treatment at its close.

Twelve cases of scarlet fever were admitted to hospital, 13 were discharged, and 60* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 74, 66, and 61, respectively.

One case of typhus remained under treatment in hospital at the close of the week.

Fourteen cases of diphtheria were admitted to hospital, 2 were discharged, and 45 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 42, 31, and 33, respectively.

Nine cases of enteric fever were admitted to hospital during the week, 3 were discharged, and 38 cases remained under treatment in hospital at the close of the week.

In addition to the above named diseases, 4 cases of pneumonia were admitted to hospital, 3 were discharged, there was one death, and 7 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns, including London (in which the rate was 10·8) was equal to an average annual death-rate of 12·1 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 13·3 per 1,000, the rate for Glasgow being 14·0 and for Edinburgh 10·9.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 3rd September. From his Report it appears that of a total of 42 cases notified, 16 were scarlet fever, 13 phthisis, 10 diphtheria, 2 erysipelas, and one enteric fever. Among the 304 cases of infectious diseases in hospital at the close of the week were 159 cases of scarlet fever, 56 of phthisis, 36 of diphtheria, 14 of measles, 11 of whooping-cough, 10 of enteric fever, 7 of chicken-pox, 5 of erysipelas, and 2 of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 3rd September, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 3RD SEPTEMBER, 1910.																							METEOROLOGY. (c)											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 3RD SEPTEMBER, 1910.				WEEK ENDING 27TH AUGUST, 1910.				WEEK ENDING 20TH AUGUST, 1910.			
	POPULATION.			DEATHS.		BIRTHS.	DEATHS.																			Air Temperature				Air Temperature				Air Temperature			
	Total. (a)	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10–18.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·2	29·7	15·2	2·1	655	335	81	88	.	.	1	.	4	1	.	2	89	16	38	19	16	24	10	14	83	14	○	○	○	.	○	○	○	.	○	○	○	.
DUBLIN REGISTRATION AREA:— TOTAL, c.	402,928	29·3	29·5	14·9	2·5	228	115	29	32	.	.	1	.	4	1	.	1	12	5	16	5	7	6	5	6	35	3	e67·0	46·5	57·2	0·19	e64·8	44·0	56·6	0·41	e71·0	41·8	58·8	1·18
CITY of DUBLIN,	310,298	39·2	33·4	16·1	2·9	199	96	25	20	.	.	1	.	3	1	.	.	12	3	15	4	5	6	5	6	33	2	f67·2 g67·5	52·0 48·0	58·4 57·7	0·35 0·43	f65·2 g66·3	49·1 45·0	57·4 56·9	0·51 0·78	f69·2 g70·9	52·1 45·0	60·3 59·9	1·19 1·07
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	16·9	12·7	1·4	12	9	3	4	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	14·4	1·8	1·8	8	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,018	8·3	23·1	28·9	.	4	5	1	3	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	14·8	11·8	.	5	4	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	68	49	59·2	0·35	66·0	50·0	57·5	0·53	69·0	51·0	60·5	0·95
URBAN DISTRICTS.																																							
BELFAST,	391,167	26·6	29·2	16·1	2·1	219	121	30	30	.	.	.	.	.	.	.	.	16	8	11	9	5	9	2	4	21	2	62·0	47·0	55·4	1·25	66·2	49·8	57·0	1·51	69·0	51·8	60·1	1·81
CORK,	76,122	33·6	26·0	18·0	1·4	38	19	3	3	.	.	.	.	.	.	.	.	2	2	2	1	.	2	1	1	6	2	67	51	58·1	0·15	63	50	56·7	1·43	65	52	58·8	2·42
LONDONDERRY,	43,477	20·1	31·2	14·4	7·2	26	12	3	2	.	.	.	.	.	.	.	1	5	.	1	.	.	.	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	34·7	17·8	.	40	18	4	4	.	.	.	.	.	.	.	.	.	.	2	.	1	2	.	.	5	2	68·2	42·2	57	0·73	65	46·8	56·3	0·97	67·6	46·3	58·9	1·28
WATERFORD,	26,769	18·7	7·8	13·6	1·9	4	7	1	3	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	2·5	38·8	7·8	.	10	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	64	47	57·4	0·42	66	49	58	2·04	67	53	60	0·94
DUNDALK	18,076	9·4	19·9	12·0	.	5	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	32·7	20·4	.	8	5	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	13,405	17·8	25·2	4·2	.	6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	64·7	46·2	56·2	0·11	66·0	46·7	56·5	1·07	67·1	51·6	59·5	2·14
LURGAN,	11,782	13·8	13·3	4·4	.	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	64·7	46·2	56·2	0·11	66·0	46·7	56·5	1·07	67·1	51·6	59·5	2·14
LISBURN,	11,461	10·1	18·2	9·1	.	4	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	64·7	46·2	56·2	0·11	66·0	46·7	56·5	1·07	67·1	51·6	59·5	2·14
WEXFORD,	11,168	23·2	46·7	28·0	4·7	10	6	1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,886	8·9	14·4	23·9	9·6	3	5	1	3	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	1	.	64·7	48·0	56·5	0·44	64·9	44·0	54·5	4·18	67·6	46·5	58·7	1·61
SLIGO,	10,870	8·7	38·6	9·6	.	7	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	64·7	48·0	56·5	0·44	64·9	44·0	54·5	4·18	67·6	46·5	58·7	1·61
KILKENNY,	10,609	11·5	34·3	24·6	.	7	5	.	2	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	3	.	68	44	57·1	0·51	66	47	56·3	1·41	69	45	58·6	3·10
CLONMEL,	10,167	7·8	.	35·9	.	7	2	1	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,092	13·2	46·5	5·2	.	9	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	64·7	46·2	56·2	0·11	66·0	46·7	56·5	1·07	67·1	51·6	59·5	2·14
TRALEE,	9,867	16·6	47·6	10·6	.	9	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	51·5	.	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	64	45	55·1	0·52	63	49	55·6	1·12	69	51	57·8	1·14
QUEENSTOWN,	7,909	14·4	39·6	19·8	.	6	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67	51	58·1	0·15	63	50	56·7	1·43	65	52	58·8	2·42
ARMAGH,	7,588	22·2	27·5	20·6	.	4	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	64·7	46·2	56·2	0·11	66·0	46·7	56·5	1·07	67·1	51·6	59·5	2·14

(*a*) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (*b*) Formerly described as "Simple Continued Fever." (*c*) Exclusive of 5 deaths of persons (including 2 at 60 years or upwards) admitted to hospital from localities outside the Area. (*d*) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 3rd September, 1910, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.										
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock & Drumcondra (pt. of).	Finglas and Glasnevin (part of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4	New Kilmainham	Rathmines and Rathgar.	Pembroke.	Blackrock.	Kingstown.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	4	.
Diphtheria,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Diarrhœal Diseases,	.	2	1	1	.	.	.	1	3	1	3	.	.	.	.	.	12	.
Pneumonia,	.	1	1	.	.	.	.	.	.	1	.	.	2	.	.	.	5	.
Tuberculous Disease. } Phthisis,	1	1	2	3	.	2	.	1	.	1	4	.	.	.	.	1	16	1
Tuberculous Disease. } Other Forms,	.	.	.	1	.	.	.	2	1	.	.	.	.	.	1	.	5	.
Cancer, Malignant Disease,	1	2	.	.	.	.	.	1	.	1	.	.	.	.	2	.	7	1
Other General Diseases,	1	1	.	.	.	.	.	1	.	1	.	.	.	.	.	.	4	.
Total,	4	8	5	6	.	3	.	6	4	5	7	.	3	1	3	1	56	2
B. LOCAL DISEASES:																		
Diseases of Nervous System,	.	1	.	.	.	.	.	1	.	.	1	.	.	.	.	.	3	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Heart and Blood Vessels,	1	2	1	1	.	1	.	1	1	1	3	.	2	.	.	2	16	1
Diseases of Respiratory System,	.	2	2	1	.	.	.	.	1	1	.	.	.	.	.	.	6	.
Diseases of Digestive System,	1	2	.	2	.	.	.	1	1	4	1	1	1	.	.	.	14	1
Diseases of Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
Diseases of Urinary System,	.	.	.	1	.	.	.	.	.	3	.	.	2	.	1	1	8	.
Diseases of Generative System,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	2	7	4	5	.	1	.	3	2	9	5	1	5	.	2	3	49	3
C. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	1	.	2	.	.	.	1	.	.	.	.	1	.	.	.	5	.
E. VIOLENT DEATHS,	2	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	5	.
Deaths from all Causes	8	16	9	13	.	4	.	11	7	15	12	1	9	1	5	4	115	5
Annual Rate of Mortality from all causes in every 1,000 of the population.	13·9	20·9	15·3	20·2	.	17·9	.	13·8	16·8	18·1	17·4	5·7	12·7	1·8	28·9	11·8	14·9	.
	16·4							15·3					10·7					
	16·1																	
Ages at Death. Under 1 year,	3	5	1	4	.	.	.	2	5	3	2	.	3	.	1	.	29	.
Ages at Death. 1 and under 5 years,	1	1	2	2	.	1	.	2	.	2	1	.	1	.	.	.	13	.
Ages at Death. 5 „ 20 „	.	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	3	.
Ages at Death. 20 „ 40 „	2	1	3	1	.	2	.	3	.	1	3	.	.	.	1	.	17	1
Ages at Death. 40 „ 60 „	.	7	1	2	.	.	.	.	2	7	1	1	.	.	.	.	21	2
Ages at Death. 60 years and upwards,	2	1	2	4	.	1	.	4	.	2	4	.	4	1	3	4	32	2
Number of Uncertified Deaths,	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.	3	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	1	2	1	.	.	.	2	1	1	3	.	2	.	.	.	13	4
Workhouse Hospitals,	.	4	3	5	.	.	.	4	1	3	2	.	.	.	.	.	22	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in the week of the ten years 1900–1909,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Averages in 35th Week of the 10 years, 1900–1909.	In the Week ending Saturday, 3rd September, 1910.							
	Sept. 1, 1900.	Aug. 31, 1901.	Aug. 30, 1902.	Sept. 5, 1903.	Sept. 3, 1904.	Sept. 2, 1905.	Sept. 1, 1906.	Aug. 31, 1907.	Aug. 29, 1908.	Sept. 4, 1909.		Deaths of Persons of the Ages of							
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 55·9	° 54·8	° 53·5	° 54·9	° 58·8	° 55·7	° 62·6	° 53·9	° 57·3	° 53·7	° 56·1	° 57·2								
ALL CAUSES.	186	176	156	116	150	165	166	149	179	149	159·2	120	5	24	13	3	18	23	26	8
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	.	11	.	1	2	.	7	8	.	2·9	.	.	.	.	.	.	.	.	.
Scarlet Fever,	1	2	2	1	.	.	.	.	1	2	·9	1	.	.	1	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	2	1	1	1	.	.	.	1	1	.	·7	.	.	.	.	.	.	.	.	.
Whooping-cough,	4	1	.	4	1	.	.	.	.	.	1·0	4	.	2	2	.	.	.	.	.
Diphtheria,	4	2	2	.	.	1	.	.	.	3	1·2	1	.	.	1	.	.	.	.	.
Cerebro-spinal Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	2	2	1	1	2	2	2	.	1	1·5	1	.	.	.	.	.	.	1	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.),	36	28	1	2	13	8	11	3	15	13	20·8	3	.	2	1	.	.	.	.	.
Diarrhœa, Dysentery,			6	8	13	11	17	5	11	7		9	.	7	1	.	.	1	.	.
Tetanus,	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	1	.	1	.	1	2	1	1	5	1·2	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia,	.	.	.	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Puerperal Pyæmia,			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Puerperal Fever,			1	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
Infective Endocarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	2	4	2	1	.	.	1	.	3	1	6·2	1	.	.	.	.	.	1	.	.
Pneumonia, Broncho-			2	.	3	2	2	3	1	.		4	.	.	3	.	.	.	1	.
Pneumonia, Epidemic			1	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Pneumonia, Not defined,			4	4	3	7	2	8	2	6		.	.	.	.	.	.	.	.	.
Erysipelas,	.	2	3	.	.	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal)	.	1	.	.	1	1	1	.	1	.	·5	.	.	.	.	.	.	.	.	.
Pyæmia (not Puerperal),			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis,	32	20	1	4	3	7	4	8	13	9	20·8	11	.	.	.	1	8	2	.	.
"*Phthisis*,"			18	12	18	14	14	7	15	9		6	.	.	.	1	4	.	1	.
Tuberculous Meningitis,	2	2	2	3	2	1	5	3	2	2	2·4	2	.	1	1	.	.	.	.	.
Tuberculous Peritonitis,	5	10	.	.	3	.	.	.	1	1	2·4	.	.	.	.	.	.	.	.	.
Tabes Mesenterica,			1	.	1	.	.	.	2	.		1	.	1	.	.	.	.	.	.
Tuberculous Dis. (other),	2	3	2	3	3	5	4	4	3	3	3·3	2	.	.	1	.	1	.	.	.
Scrofula,			1	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Alcoholism,	2	.	1	2	1	1	.	1	.	.	·8	.	.	.	.	.	.	.	.	.
Rheumatic Fever,	1	.	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Gout,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Carcinoma,	7	7	3	1	2	4	3	5	2	5	7·4	6	.	.	.	.	.	1	5	.
Sarcoma,			.	.	.	.	1	.	.	.		.	.	.	.	.	.	.	.	.
Cancer (undefined)			4	4	1	6	6	5	5	3		2	.	.	.	.	1	1	.	.
Diabetes Mellitus,	.	.	1	1	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Premature Birth,	1	.	1	2	10	5	3	2	3	3	3·0	1	1	.	.	.	.	.	.	.

* The figures for the year 1900 are for

† Formerly described as

'HIRTY-FIFTH WEEK ending Saturday, 3rd September, 1910, with the deaths from each cause in the corresponding nd the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 35th Week of the 10 years 1900-1909.	In the Week ending Saturday, 3rd September, 1910.							
												Deaths of Persons of the Ages of							
	Sept. 1, 1900.	Aug. 31, 1901.	Aug. 30, 1902.	Sept. 5, 1903.	Sept. 3, 1904.	Sept. 2, 1905.	Sept. 1, 1906.	Aug. 31, 1907.	Aug. 29, 1908.	Sept. 4, 1909.		All Ages.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 55·9	° 54·8	° 53·5	° 54·9	° 58·8	° 55·7	° 62·6	° 53·9	° 57·3	° 53·7	° 56·1	° 57·2								
Meningitis (not tuberc.)			3	1	1	1	5	3	3	2		1	.	.	.	.	.	1	.	.
Insanity, G. P. of Insane			2	4	1	.	1	.	.	1		.	.	.	.	.	.	.	.	.
Epilepsy			1	2	1	.	1	1	.	1		1	1	.	.	.	.	.	.	.
Convulsions			7	2	4	3	1	4	4	2		.	.	.	.	.	.	.	.	.
Locomotor Ataxy			.	.	.	1	.	.	.	.		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord			1	.	.	1	.	.	1	1		2	.	.	.	.	.	2	.	.
Nervous System (other Dis.)			.	.	1	1	3	1	.	1										
	35	40									33·3									
Valv. Dis., Endocarditis			5	9	3	5	4	3	8	4		2	.	.	.	.	.	1	1	
Cerebr. Hæm. Thromb.			1	3	.	2	.	3	4	1		2	.	.	.	.	1	1	.	
Apoplexy, Hemiplegia			2	3	4	8	4	6	2	2		3	.	.	.	.	.	3	.	
Aneurysm			1	.	1	1	.	.	.	.		.	.	.	.	.	.	.	.	
Embolism, Thromb. (not cerebral)			1	1	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
Heart and Blood Vessels (other Dis.)			8	1	12	19	14	14	14	10		10	.	.	.	.	3	4	3	
Croup (not Spasm. nor Memb.)	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
Bronchitis	3	7	9	10	7	13	2	9	12	8	8·0	6	.	.	.	1	2	3	.	
Asthma, Emphysema	1	.	.	1	.	.	.	.	1	.	1·0	.	.	.	.	.	.	.	.	
Pleurisy			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
Respiratory Dis. (other)			1	.	1	1	2	1	1	.		.	.	.	.	.	.	.	.	
Tonsillitis, Quinsy	.	.	.	1	.	1	4	2	5	5		.	.	.	.	.	.	.	.	
Enteritis (not Epid.)	3	3	3	2	2	5	3	2	.	1	4·7	4	.	3	1	.	.	.	.	
Gastro-enteritis			3		2	1		2				6	.	4	1	.	1	.	.	
Peritonitis (not Puerp.)	.	1	2	.	3	1	.	1	1	1	·8	.	.	.	.	.	.	.	.	
Cirrhosis of Liver	3	.	.	1	1	1	2	1	.	1	2·1	1	.	.	.	.	1	.	.	
Liver Dis. (other)			4	1	1	1	2	1	.			.	.	.	.	.	.	.	.	
Digestive Dis. (other)	4	4	3	4	3	3	9	6	6	2	4·4	4	.	1	.	.	3	.	.	
Nephritis, Acute			1	.	2	2	3	2	1	1		3	.	.	.	1	.	1	1	.
Bright's Dis., Albuminuria	5	4	1	.	4	1	3	4	1	2	4·6	4	.	.	.	.	2	1	1	1
Urinary Sys. (other Dis.)			1	2	.	3	.	2	1	.		1	.	.	.	.	.	.	.	1
Generative Organs Dis.	.	.	1	.	.	.	1	.	.	.	·2	1	.	.	.	1	.	.	.	
Childbirth (Accid. of)	.	1	.	1	1	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	
Old Age	13	11	4	2	3	4	1	4	1	3	4·6	2	.	.	.	.	.	.	.	2
Other Diseases	13	12	16	6	6	5	15	9	16	17	11·5	7	2	2	.	1	1	1	.	
ACCIDENT.																				
By Railways	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	
By Vehicles and Horses	.	2	.	.	.	.	1	1	1	.	·5	.	.	.	.	.	.	.	.	
In Ships, Boats, Docks (exclusive of Drowning)	.	1	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	
In Building Operations	.	.	.	1	1	.	.	.	.	.	·2	1	.	.	.	.	1	.	.	
In Conflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
By Burns, Scalds, Explosions	1	2	2	1	.	1	2	.	1	2	1·0	1	.	1	.	.	.	.	.	
By Drowning	1	.	1	1	2	.	2	2	2	2	1·3	1	.	.	.	1	.	.	.	
By Suffocation in Bed	.	.	.	.	.	.	.	1	.	1	·2	1	1	.	.	.	.	.	.	
By Poison or Poisonous Vapours	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Deaths by Accident	.	1	.	.	2	2	4	1	.	2	1·2	1	.	.	.	.	.	1	.	
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	1	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	
Suicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

the Registration Area as then constituted.
"Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910—Week ending																								
	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.
No. of weeks in Annual Series,	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
BIRTHS registered.	247	162	242	213	255	217	221	246	230	241	181	242	253	268	272	183	228	229	272	225	243	198	209	240	194	228
*Average Births in corresponding week of previous 10 years,** ..	219	217	211	235	190	207	224	195	270	229	211	202	232	222	199	225	237	200	198	204	215	221	202	219	218	207
DEATHS registered, ...	204	149	185	168	186	183	200	193	186	180	181	160	183	183	140	130	127	143	118	144	127	145	143	126	146	120
Annual Death-rate per 1,000, ..	26·4	19·3	23·9	21·7	24·1	23·7	25·9	25·0	17·6	23·3	17·0	20·7	17·5	17·2	18·1	16·8	16·4	18·5	15·3	18·6	16·4	18·8	18·5	16·3	18·9	15·5
*Average Deaths in corresponding week of previous 10 years,**	214	200	206	211	200	200	197	189	184	178	174	171	157	154	152	147	136	138	142	146	147	146	148	156	166	159
AGES, Under 5 years, ...	53	30	52	44	44	37	49	46	36	38	37	39	31	37	25	27	31	50	29	48	31	31	54	37	57	42
5—20 ,, ...	12	11	12	18	9	11	15	18	6	16	7	10	18	10	12	9	11	11	10	8	18	17	8	6	9	3
20—40 ,, ...	28	21	34	18	26	24	33	29	26	34	20	25	26	22	27	32	23	24	17	17	18	27	23	23	13	18
40—60 ,, ...	34	35	35	32	43	38	35	43	25	32	28	40	27	29	35	32	23	25	27	29	30	30	28	32	27	23
60—80 ,, ...	65	41	42	45	53	57	59	46	40	50	36	42	33	28	38	28	33	28	34	34	33	35	26	24	33	26
80 years and upwards, ..	12	11	10	10	11	16	9	11	8	10	3	4	5	7	3	2	6	10	1	8	2	5	4	4	7	3
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1	.	1	.	.	.	.
Measles, ...	.	.	1	.	.	.	.	.	.	1	1	.	2	.	.	.	1	.	1	3	3	1	1	1	2	1
Scarlet Fever, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	3	2	.	4
Typhus, ...	.	.	.	.	.	2	.	.	.	.	.	.	2	1	2	1	3	.	1	1	.	.	.	.	.	.
Whooping-cough, ...	2	1	2	1	.	2	5	4	1	1	1	.	.	.	.	.	1	2	1	.	5	1	.	2	4	1
Diphtheria, ...	1	1	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain), ..	.	.	.	.	.	1	.	2	1	3	.	1	.	.	2	.	.	.	1	2	2	.	.	2	.	1
Enteric Fever, ...	.	1	1	4	1	.	2	1	2	1	5	2	1	3	1	1	1	6	3	5	.	2	14	6	17	12
Diarrhœal Diseases, ...	4	2	3	.	4	2	2	3	1	3	2	.	.	.	1	.	2	.	.	1	.	1	.	1	.	.
Influenza, ...	6	7	6	6	8	5	2	3	1	3	2	.	.	.	1	.	2	.	.	1	.	1	.	1	.	.
Pneumonia, ...	20	12	14	14	17	18	20	17	8	14	13	8	8	10	7	10	3	8	7	9	5	7	8	7	6	5
Tuberculous Phthisis, ..	26	15	26	14	21	22	31	25	14	31	15	14	17	15	22	24	23	11	19	11	17	24	14	17	12	17
Disease, Other Forms, ..	12	10	10	4	10	9	18	12	11	9	9	11	15	7	15	10	14	7	8	3	9	10	15	7	5	5
Cancer, Malignant Disease, ..	13	5	6	14	7	10	11	11	6	10	3	10	10	6	7	10	10	8	5	11	10	8	8	9	10	8
Diseases of Heart and Blood Vessels, ...	25	30	20	30	37	28	37	31	21	25	20	29	21	21	25	16	23	26	17	22	23	23	20	16	20	17
Diseases of Respiratory System,	35	26	36	23	38	39	22	25	17	27	16	13	13	17	11	15	7	11	13	14	12	10	8	10	11	6
Violent Deaths, ...	3	1	2	5	5	3	3	4	6	11	2	3	6	7	7	1	2	9	3	8	5	3	6	2	4	5
Number of Uncertified Deaths, ..	5	5	3	4	9	12	8	6	2	2	6	3	3	7	5	6	3	5	.	4	7	2	3	4	4	3
Mean Temperature of the Air (Phœnix Park), ...	43·6	39·8	43·4	39·7	41·7	43·0	49·6	43·6	46·1	44·7	51·4	55·1	50·6	57·8	56·4	58·1	54·7	55·5	57·1	56·9	57·8	56·5	59·2	58·8	56·6	57·2
Average Mean Temperature in corresponding week of previous 10 years, ...	41·1	42·9	41·9	42·1	44·2	43·4	45·1	46·6	46·9	48·5	48·6	50·5	53·9	53·3	53·7	55·3	56·6	57·6	58·9	60·6	58·8	58·8	58·2	57·7	56·5	56·1
Rainfall in inches, ...	·883	·174	·000	·040	·205	·736	·782	·417	·670	·250	1·263	·185	·692	1·870	·010	1·291	1·780	·660	·000	·840	·355	·940	·205	1·175	·411	·194
Mean Humidity of the Air, complete Saturation 1·0	·88	·91	·91	·88	·93	93	·91	·82	·77	·81	·90	·83	·81	·92	·87	·92	·87	·88	·81	·81	·81	·84	·85	81	·84	·88

* See note (*) at foot of Table IV.

† Formerly described as "Simple Continued Fever."

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 3rd September, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 3RD SEPTEMBER, 1910.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tubercular Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Convulsions.	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS, ...	375,350	16·7	120	42	8	18	23	26	8	.	.	1	.	4	1	.	1	12	19	5	17	5	8	1	6	5	51	3
	CLASSES. **Deaths in Families of the—**																												
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	26·9	9	.	.	1	.	5	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	8	.
II.	MIDDLE CLASS, ...	87,198	10·2	17	3	.	1	6	6	1	.	.	.	.	.	.	.	1	1	2	2	1	.	1	.	.	.	11	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,423	12·7	27	9	2	4	8	3	1	.	.	.	.	.	.	.	.	3	3	.	4	1	3	.	2	1	13	.
IV.	GENERAL SERVICE CLASS, ...	154,279	14·9	44	25	1	5	4	7	2	.	.	1	.	4	1	.	.	8	14	2	6	2	2	1	.	4	13	2
V.	INMATES OF WORKHOUSES, ...	6,024	—	23	5	.	7	5	5	1	.	.	.	.	.	.	.	.	.	.	1	6	2	1	.	4	.	9	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	58·5	8	.	.	1	.	4	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	8	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,860	6·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	11·8	5	2	.	.	1	2	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.	.	.	2	.
	6. Clerks and Commercial Assistants, ..	80,482	6·9	4	1	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	13·5	7	.	.	.	3	3	1	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	.	5	1
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	5·3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	29,801	12·2	7	3	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	5	.
	10. Clothing Trades, ...	28,260	9·0	4	1	.	2	1	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.	.	1	.
	11. Food Supply Trades, ...	9,242	16·9	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,852	18·9	11	3	2	1	4	2	.	.	.	.	.	.	.	.	.	1	1	.	1	.	3	.	1	.	5	.
	13. Petty Shopkeepers, ...	7,894	6·6	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c	18,425	19·4	5	2	.	.	.	2	1	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	.	3	.
	15. Domestic Servants, ...	36,603	5·7	4	2	.	.	.	2	.	.	.	.	.	.	.	.	.	2	2	.	1	.	.	.	.	1	.	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	18·1	5	1	.	2	1	1	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	1	2	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	17·4	30	20	1	3	3	2	1	.	.	1	.	4	1	.	.	4	10	2	4	2	1	1	.	2	8	2
V.	INMATES OF WORKHOUSES.																												
	18. Workhouse Inmates, ...	6,024	—	23	5	.	7	5	5	1	.	.	.	.	.	.	.	.	.	.	1	6	2	1	.	4	.	9	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM DISEASES IN COLS. 5–18.		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of).																				
North City, No. 1 (E.)	July 16,	15·7	1·7	9	.	.	.	.	.	.	.	1	.	.	2	.	2	2	.	.
	„ 23,	22·7	1·7	13	.	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.
	„ 30,	15·7	1·7	9	.	.	1	.	.	.	.	.	1	2	3	.	1	2	.	.
(*Office, Clarence-st., Nth.*)	Aug. 6,	12·2	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	„ 13,	15·7	5·2	9	.	.	.	.	1	.	.	.	2	1	.	.	.	1	.	1
Pop. in 1910	„ 20,	17·4	3·5	10	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.
(Est.) 29,908.	„ 27,	20·9	8·7	12	.	.	.	.	.	.	.	.	5	1	1	.	1	1	.	.
	Sept. 3,	13·9	1·7	8	.	.	.	.	1	.	.	.	.	.	1	.	1	.	2	.
North City, No. 1 (W.)	July, 16,	17·0	1·3	13	.	.	.	.	.	1	.	.	.	1	.	2	.	4	.	.
	„ 23,	18·8	2·6	14	.	.	.	.	1	.	.	1	.	.	1	.	.	3	2	2
	„ 30,	22·2	.	17	.	.	.	.	.	.	.	.	.	1	2	.	.	1	2	2
(*Office, Summer-hill.*)	Aug. 6,	22·2	.	17	.	.	.	.	.	.	.	.	.	.	5	.	.	.	3	.
	„ 13,	17·0	1·3	13	.	.	.	.	.	.	.	.	1	1	1	1	1	1	1	.
	„ 20,	10·4	1·3	8	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	.
Pop. in 1910	„ 27,	15·7	1·3	12	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.	.
(Est.) 39,974.	Sept. 3,	20·9	8·9	16	.	.	.	.	1	.	.	.	2	1	1	.	2	2	.	1
North City, No. 2.	July 16,	20·4	1·7	12	.	.	.	.	.	.	.	.	1	1	.	.	.	2	1	.
	„ 23,	25·4	5·1	15	.	.	1	.	.	.	.	.	2	.	2	1	.	2	1	1
	„ 30,	8·5	1·7	5	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.
(*Office, Lisburn-street.*)	Aug. 6,	13·6	.	8	.	.	.	.	.	.	.	.	.	2	.	2	1	.	.	1
	„ 13,	18·7	3·4	11	.	.	.	.	.	.	.	.	2	1	.	2	.	2	.	.
	„ 20,	17·0	1·7	10	.	.	.	.	.	.	.	.	1	.	.	.	.	4	1	1
Pop. in 1910	„ 27,	22·0	6·8	13	.	.	.	.	.	.	.	.	4	1	.	.	.	.	1	.
(Est.) 30,744.	Sept. 3,	15·3	3·4	9	.	.	.	.	.	1	.	.	1	1	2	.	.	2	.	.
North City, No. 3.	July 16,	21·8	3·1	14	.	.	1	.	.	.	.	.	1	.	3	1	.	3	.	.
	„ 23,	9·3	1·6	6	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
	„ 30,	20·2	4·7	13	.	.	.	.	.	3	.	.	.	.	2	1	2	.	.	1
(*Office, Benburb-street.*)	Aug. 6,	26·4	1·6	17	.	.	.	.	.	1	.	.	.	2	2	.	1	1	.	.
	„ 13,	23·3	3·1	15	.	.	.	.	.	.	.	.	2	1	4	.	2	.	.	.
	„ 20,	23·3	4·7	15	.	.	.	.	.	2	.	1	.	.	4	1	1	2	.	.
Pop. in 1910	„ 27,	20·2	1·6	13	.	.	1	.	.	.	.	.	.	.	2	.	2	2	1	.
(Est.) 33,559.	Sept. 3,	20·2	3·1	13	.	.	.	.	1	.	.	.	1	.	3	1	.	1	.	.
South City, No. 1.	July 16,	12·6	.	10	.	.	.	.	.	.	.	.	.	.	2	1	.	3	.	.
	„ 23,	20·1	1·3	16	.	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.
	„ 30,	20·1	1·3	16	.	.	1	.	.	.	.	.	.	1	2	1	2	1	1	1
(*Office, Sth. Earl-street.*)	Aug. 6,	21·4	1·3	17	.	.	1	.	.	.	.	.	.	.	3	.	3	3	.	.
	„ 13,	26·4	1·3	21	.	.	.	.	.	.	.	.	1	.	1	4	1	.	2	1
	„ 20,	10·1	1·3	8	.	.	.	.	1	.	.	.	.	.	2	.	.	1	.	.
Pop. in 1910	„ 27,	20·1	1·3	16	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
(Est.) 41,476.	Sept. 3,	13·8	1·3	11	.	.	.	.	.	.	.	.	1	.	1	2	1	.	1	.
South City, No. 2.	July 16,	7·2	.	3	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.
	„ 23,	16·8	2·4	7	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	.
	„ 30,	12·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
(*Office, Castle-street.*)	Aug. 6,	24·0	2·4	10	.	.	.	.	1	.	.	.	.	.	2	1	1	2	.	.
	„ 13,	16·8	2·4	7	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.
	„ 20,	43·1	2·4	18	.	.	.	.	.	.	.	1	.	1	6	.	1	.	.	2
Pop. in 1910	„ 27,	12·0	2·4	5	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
(Est.) 21,754.	Sept. 3,	16·8	7·2	7	.	.	.	.	.	.	.	.	3	.	.	1	.	.	1	.
South City, No. 3.	July 16,	16·9	.	14	.	.	.	.	.	.	.	.	.	1	2	.	1	2	1	.
	„ 23,	16·9	2·4	14	.	.	1	.	.	.	.	.	1	2	2	1	.	3	.	1
	„ 30,	18·1	1·2	15	.	.	1	.	.	.	.	.	.	1	1	3	1	2	.	2
(*Office, Peter street.*)	Aug. 6,	19·3	2·4	16	.	.	.	.	2	.	.	.	2	2	3	2	.	.	.	.
	„ 13,	24·1	3·6	20	.	.	1	.	1	.	.	.	1	2	4	1	.	1	.	.
Pop. in 1910	„ 20,	22·9	2·4	19	.	.	.	.	.	.	.	.	2	3	.	4	1	.	.	1
(Est.) 43,227.	„ 27,	25·3	8·4	21	.	.	1	.	.	1	.	.	5	1	1	1	.	2	.	1
	Sept 3,	18·1	1·2	15	.	.	.	.	.	.	.	.	1	1	1	.	1	1	1	1
South City, No. 4.	July 16,	10·2	.	7	.	.	.	.	.	.	.	.	.	1	3	1	.	.	.	.
	„ 28,	23·3	.	16	.	.	.	.	.	.	.	.	.	2	.	1	3	1	1	.
	„ 30,	16·0	.	11	.	.	.	.	.	.	.	.	.	.	.	1	2	2	1	1
(*Office, Grand Canal-st.*)	Aug. 6,	21·8	1·5	15	.	.	.	.	.	.	.	.	1	1	1	1	1	1	.	1
	„ 13,	20·3	2·9	14	.	.	.	.	1	.	.	.	1	1	1	2	.	1	1	.
	„ 20,	17·4	1·5	12	.	.	.	.	.	.	.	.	1	1	.	2	3	1	.	.
Pop. in 1910	„ 27,	24·7	2·9	17	.	.	.	.	.	1	.	.	1	.	2	2	3	2	.	.
(Est.) 35,881.	Sept 3,	17·4	4·4	12	.	.	.	.	.	.	.	.	3	.	4	.	.	.	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From all Causes	From Diseases in Cols. 5–18.	Total Deaths.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia* * (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (excluding Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	July 16,	8·4	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 23,	16·9	.	12	.	.	.	.	.	.	.	.	.	1	2	.	.	1	1	.
	„ 30,	7·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	Aug. 6,	11·3	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	„ 13,	4·2	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	„ 20,	8·4	1·4	6	.	.	1	.	.	.	.	.	.	.	2	.	.	1	.	.
	„ 27,	12·7	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
	Sept. 3,	12·7	1·4	9	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	1
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	July 16,	10·8	.	6	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	
	„ 23,	12·6	.	7	.	.	.	.	.	.	.	.	.	1	.	.	2	.	1	.
	„ 30,	19·8	1·8	11	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	.
	Aug. 6,	9·0	1·8	5	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.
	„ 13,	27·0	7·2	15	.	1	.	.	.	.	.	.	3	.	.	2	3	2	1	.
	„ 20,	9·0	.	5	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	„ 27,	16·2	.	9	.	.	.	.	.	.	.	.	.	1	2	.	1	2	.	.
	Sept. 3,	1·8	1·8	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	July 16,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	„ 23,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 30,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	Aug. 6,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	„ 13,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 20,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 27,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
	Sept. 3,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Belfast. Pop. in 1910 (Est.) 391,167.	July 16,	18·1	3·2	186	.	20	.	.	1	1	.	.	2	17	9	11	6	15	2	3
	„ 23,	15·6	3·9	117	.	21	.	.	1	1	.	1	5	5	16	5	9	6	.	3
	„ 30,	18·0	2·4	135	.	8	.	1	.	1	.	2	6	8	15	7	7	16	1	1
	Aug. 6,	15·3	2·7	115	.	7	1	.	2	.	.	.	10	3	13	7	3	10	1	2
	„ 13,	13·6	2·7	102	.	4	.	.	1	.	1	.	14	4	12	8	7	5	6	1
	„ 20,	16·5	4·0	124	.	7	.	.	1	.	.	.	22	5	16	9	3	8	.	2
	„ 27,	17·5	4·9	131	.	3	.	.	5	.	.	.	29	10	10	5	4	8	3	.
	Sept. 3,	16·1	2·1	121	.	.	.	.	.	.	.	.	16	8	11	9	5	9	2	2
Cork. Pop. (in 1901) 76,122.	July 16,	18·5	1·4	27	.	.	.	.	.	.	.	2	.	1	8	1	.	1	.	.
	„ 23,	19·9	1·4	29	.	.	.	.	.	2	.	.	.	.	6	3	2	3	1	1
	„ 30,	16·4	1·4	24	.	.	.	.	.	1	.	1	.	1	4	1	1	8	.	1
	Aug. 6,	6·8	.	10	.	.	.	.	.	.	.	.	.	2	4	.	1	1	.	.
	„ 13,	15·1	0·7	24	.	.	.	.	.	.	.	.	1	.	3	1	1	1	1	1
	„ 20,	15·1	0·7	22	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	.
	„ 27,	17·8	1·4	26	.	.	.	.	.	.	.	.	2	.	2	2	1	.	1	3
	Sept. 3,	18·0	1·4	19	.	.	.	.	.	.	.	.	2	2	2	1	.	2	1	2
Londonderry. Pop. in 1910 (Est.) 43,477.	July 16,	6·0	1·2	5	.	1	.	.	.	.	.	.	1	.	.	1	.	2	.	.
	„ 23,	8·4	2·4	7	.	1	.	.	.	.	.	.	2	.	2	.	.	.	.	.
	„ 30,	22·8	3·6	19	.	1	.	.	.	.	.	.	2	1	6	2	.	.	.	3
	Aug. 6,	19·2	1·2	16	.	1	.	.	.	.	.	.	.	.	6	2	1	1	.	1
	„ 13,	14·4	1·2	12	.	.	.	.	.	.	.	.	1	.	.	2	2	1	.	.
	„ 20,	14·4	4·8	12	.	1	.	.	.	1	.	.	2	.	.	.	3	1	.	.
	„ 27,	10·8	3·6	9	.	1	.	.	.	1	.	.	1	.	3	.	.	.	.	.
	Sept. 3,	14·4	7·2	12	.	.	.	.	.	.	.	1	5	.	1	.	.	.	.	1
Limerick. Pop. (in 1901) 38,151.	July 16,	12·3	.	9	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	1
	„ 23,	18·7	1·4	10	.	.	.	.	.	.	1	.	.	.	1	1	1	2	.	1
	„ 30,	17·8	.	13	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1
	Aug. 6,	12·8	1·4	9	.	.	.	.	.	.	.	1	.	.	1	.	.	3	.	.
	„ 13,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	3
	„ 20,	9·6	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.
	„ 27,	20·5	1·4	15	.	.	.	.	1	.	.	.	.	.	4	2	.	3	.	1
	Sept. 3,	17·8	.	13	.	.	.	.	.	.	.	.	.	.	2	.	1	2	.	2
Waterford. Pop. (in 1901) 26,769.	July 16,	19·5	1·9	10	.	.	.	1	.	.	.	.	.	.	1	2	.	.	.	.
	„ 23,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	1	3	1	1	.	1
	„ 30,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	1
	Aug. 6,	19·5	5·8	10	.	.	.	.	1	.	.	.	2	.	3	2	.	1	.	.
	„ 13,	27·3	1·9	14	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	„ 20,	17·5	5·8	9	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	3
	„ 27,	19·5	7·8	10	.	1	.	.	.	.	.	.	3	.	.	.	1	2	1	3
	Sept. 3,	15·6	1·9	7	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 3rd September, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from		DEATHS.																										
			All Causes.	Diseases in Cols. 12-20.	Total No. of Deaths.	AGES AT DEATH.						DEATHS FROM																				
						Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	4	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)		
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,		5			4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	2		
Do. 2 do.		22			18	8	1	.	.	2	2	.	.	.	.	.	.	.	.	6	.	.	.	.	.	.	.	.		
Do. 3 do.		25			21	5	2	2	1	4	7	.	.	.	.	.	.	.	.	3	2	2	4	2	2	.	.	2		
Do. 4 do.		33			9	3	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	2		
Do. 5 do.		8			8	2	1	.	1	1	3	.	.	.	.	.	.	.	.	1	.	1	.	.	1	1	1	1		
Do. 6 do.		23			6	1	.	.	.	2	3	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	2		
Do 7 do.		.			1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Do 8 do.	349,180	1			2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1		
Do. 9 do.		16			5	.	.	.	.	1	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2		
Do 10 do.		10			7	2	.	1	1	2	1	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	1		
Do. 11 do.		15			17	.	2	3	3	4	5	.	.	.	.	.	.	.	.	1	1	2	2	.	.	1	2	6		
Do. 12 do.		26			10	1	2	1	1	3	2	.	.	.	.	.	.	.	.	1	1	.	1	.	3	.	1	.		
Do. 13 do.		21			6	4	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.		
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Do. 15* do.		14			12	2	3	2	2	1	2	.	.	.	.	.	.	.	.	2	1	2	.	.	1	.	.	3		
Total, ...	—	219	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		121	30	15	11	9	26	30	.	.	.	.	.	.	.	.	16	8	11	9	5	9	2	4	21	2		
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	12,867	5	16·2	4·1	4	2	.	.	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	1		
Do. 2 do.	10,701	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Do. 3 do.	9,978	3	10·5	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.		
Do. 4 do.	8,666	6	6·0	6·0	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.		
Do. 5 do.	6,592	3	15·8	.	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.		
Do. 6 do.	10,702	4	29·2	.	6	.	.	3	.	1	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	3	1		
Do. 7 do.	16,616	8	12·6	.	4	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2	.		
Total, ...	76,122	38	13·0	1·4	19	3	.	4	3	6	3	.	.	.	.	.	.	.	.	2	2	2	1	.	2	1	1	6	2		

* New district formed as from 1st Jan., 1910, and the boundaries of Nos. 1, 4 & 6 districts altered; the population of each of these districts, as at present constituted, is not available.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910—Week ending																								
	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.
No. of weeks in annual Series, ..	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
BIRTHS registered, ...	201	240	208	207	254	247	224	265	235	214	169	264	215	193	231	202	218	199	259	239	214	179	219	210	159	219
DEATHS registered, ...	162	163	125	133	168	187	160	178	167	170	177	176	166	148	183	157	137	145	136	117	135	115	102	124	131	121
Annual Death rate per 1,000 of estimated Population, ...	21·6	21·7	16·7	18·4	22·4	24·9	21·3	23·1	22·3	22·7	23·6	23·5	22·1	19·7	24·4	20·9	18·3	19·3	18·1	15·6	18·0	15·3	13·6	16·5	17·5	16·1
AGES — Under 1 year, ...	31	29	27	27	34	38	36	33	31	29	30	37	37	20	44	33	24	34	26	25	35	27	27	35	49	30
AGES — 1-5 years, ...	16	27	15	21	33	34	27	20	36	35	47	43	45	54	47	45	33	29	32	23	23	19	6	17	14	15
AGES — 5-20 years, ...	14	16	7	18	19	15	14	21	12	15	15	15	14	12	15	16	13	12	7	17	10	7	7	9	11	11
AGES — 20-40 years, ...	26	18	19	16	21	32	14	24	25	30	28	26	26	25	20	17	18	25	20	19	14	15	22	19	18	9
AGES — 40-60 years, ...	40	35	28	22	27	24	29	41	30	30	29	28	26	27	16	23	20	21	20	25	17	25	21	22	21	19	26
AGES — 60 years and upwards, ..	35	38	29	34	34	44	40	34	33	31	28	27	17	21	34	26	28	25	26	16	28	26	18	23	20	30
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	5	3	6	11	17	8	20	19	23	44	33	38	38	49	36	25	24	20	21	8	7	4	7	3	.
Scarlet Fever, ...	.	2	.	2	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Whooping-cough, ...	12	12	10	6	12	5	8	4	4	6	4	5	7	5	4	1	1	2	1	1	.	2	1	1	5	.
Diphtheria, ...	.	.	.	1	1		1	1	.	1	.	1	.	1	2	.	.	.	1	1	1	.	.	.	.	.
*Pyrexia** (origin uncertain , ..		.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Enteric Fever, ...	1	.	.	1	.	.	1	.	.	1	.	.	.	1	.	1	1	.	.	1	2	.	.	.	.	.
Diarrhœal Diseases, ...	2	.	1	1	.	1	3	1	2	.	.	2	3	1	4	3	1	5	2	5	6	10	14	22	29	16
Pneumonia, ...	10	12	8	14	19	16	19	14	15	26	23	21	18	13	17	17	11	14	17	5	8	3	4	5	10	8
Tuberculous Disease, Phthisis, ..	26	18	10	20	24	27	13	22	20	24	29	14	21	19	24	22	11	11	9	16	15	13	12	16	10	11
Tuberculous Disease, Other Forms, ..	7	9	8	9	12	8	7	9	6	4	6	13	8	5	8	9	8	9	11	5	7	7	8	9	5	9
Cancer, Malignant Disease, ..	5	9	10	4	8	10	2	6	8	8	7	8	4	4	6	4	9	3	6	9	7	3	7	3	4	5
Diseases of Respiratory System,	22	24	16	16	21	22	30	15	21	14	17	14	18	17	14	16	7	7	15	6	16	10	5	8	8	9
Violent Deaths, ...	9	5	3	.	4	.	2	4	3	4	1	1	5	1	.	4	.	4	2	.	1	1	6	.	3	2
Number of Uncertified Deaths, ..	1	1	1	2	1	1	1	3	1	2	1	.	3	1	2	.	2	3	3	3	1	2	1	2	.	2

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	Sept. 3,	2,118	1,005	10·8	.	23	5	5	8	3*a*	96
EDINBURGH, ...	360,276	„ 3,	121	75	10·9	.	.	1	2	1	.	2
GLASGOW, ...	884,505	„ 3,	370	237	14·0	.	.	3	3	6	1*a*	41
CALCUTTA, ...	1,009,008	July 30,	.	355	18·2	.	.	.	.	.	104‡	32*
BOMBAY, ...	977,822	Aug. 2,	387	658	35·0	4	3	.	.	.	89‡	109*
MADRAS, ...	509,346	July 15,	362	335	34·2	.	2	?	?	?	96	78
CAIRO, ...	682,953	„ 29,	.	.	.	.	.	.	.	.	.	.
PARIS, ...	2,760,000	„ 30,	920	795	15·0	.	10	1	9†	11	5*a*	35*b*
BRUSSELS, ...	720,030	Aug. 13,	201	164	11·8	.	.	.	.	1	2	18
ANTWERP, ...	317,171	„ 13,	95	50	8·2	.	.	2	.	.	.	6*b*
AMSTERDAM, ...	571,225	„ 13,	248	103	9·4	.	2	.	.	1	.	6*b*
COPENHAGEN, ...	450,000	„ 13,	246	116	13·4	.	2	2	.	1	.	36
STOCKHOLM, ...	341,816	„ 13,	150	76	11·6	.	.	.	2†	.	1*a*	4
CHRISTIANIA, ...	240,178	„ 20,	112	51	11·0	.	.	.	1†	1	.	5
ST. PETERSBURG, ...	1,620,000	July 30,	981	788	25·4	7	20	6	14	4	12*a*	268*
MOSCOW, ...	1,493,600	„ 23,	.	888	31·0	4	21	20	17†	.	14	419*
BERLIN, ...	2,121,111	Aug. 6,	805	598	14·7	.	6	4	5†	5	.	110
HAMBURG, ...	895,804	„ 13,	.	244	14·2	.	1	.	1†	2	4	66
BRESLAU, ...	509,992	„ 13,	.	173	17·7	.	.	.	.	3	3	26
MUNICH, ...	576,000	„ 20,	.	175	15·8	.	2	2	3†	.	.	27
VIENNA (with suburbs),	2,107,981	„ 13,	820	553	13·6	.	2	1	3†	2	1*a*	68*b*
BUDA-PESTH, ...	833,703	„ 13,	349	255	15·9	.	2	4	1†	1	9*a*	38*b*
PRAGUE and Faubourgs.	497,905	July 30,	183	130	13·6	.	2	1	1†	.	2*a*	7*b*
TRIESTE, ...	221,124	Aug. 6,	175	99	23·3	.	1	.	2†	.	1*a*	15*b*
ROME, ...	587,096	July 2,	264	233	20·7	.	9	2	3	1	2*a*	37
VENICE, ...	183,224	Aug. 13,	85	52	14·8	.	.	.	.	.	1*a*	10
NEW YORK, ..	4,711,956	„ 6,	2,694	1,413	15·6	.	11	2	17†	9	9*a*	288*b*
PHILADELPHIA, ..	1,598,400	June 18,	.	479	15·6	.	5	7	9†	10	2*a*	30*b*
		„ 25,	.	525	17·1	.	6	.	12†	6	2*a*	76*b*
BOSTON, ...	629,868	Aug. 13,	.	190	15·7	.	1	2	2	1	1	50

* Including 9 deaths from cholera in Calcutta, one in Bombay, 125 in St. Petersburg. and 2 in Moscow.
† Including deaths from croup.
‡ Including 11 deaths from plague in Calcutta, and 38 in Bombay.
a Enteric Fever.
b Deaths from diarrhœal diseases and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 3rd September, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	1	.	.	.	.	.	.	.	.	.	1	2
" " 1, West,	.	1	.	.	2	.	.	2	.	.	.	.	5
" " 2,	.	.	.	.	1	.	.	2	.	.	.	.	3
" " 3,	.	4	.	.	4	.	.	.	2	.	.	2	12
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	2	3
Finglas and Glasnevin (part of),	.	1	.	.	.	.	.	1	.	.	.	.	2
South City No. 1,	.	2	.	.	2	.	.	.	.	.	.	1	5
" " 2,	.	.	.	.	1	.	.	.	.	.	.	1	2
" " 3,	.	.	.	.	.	.	.	.	.	.	.	1	1
" " 4,	.	.	.	.	1	.	.	1	.	.	.	.	2
New Kilmainham,	.	5	.	.	.	.	.	.	2	.	.	.	7
Total,	.	15	.	.	11	.	.	6	4	.	.	8	44

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 3rd September, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 3rd September.			
	Aug. 13.	Aug. 20.	Aug. 27.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.		.
Measles,	3	2	3	.	3	.	.
Scarlet Fever,	74	66	61	12	13	.	60*
Typhus,	1	1	1	.	.	.	1
Diphtheria,	42	31	33	14	2	.	45
Enteric Fever,	30	28	32	9	3	.	38
Pneumonia,	11	9	7	4	3	1	7

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 3rd September, 1910:—

"The early portion of this week was unsettled and showery, owing to cyclonic conditions. On Wednesday a large anticyclone spread northwards from the Peninsula and Bay of Biscay towards the British Isles, and the weather showed signs of improvement, although a humid atmosphere, clouds, and light drizzling showers prevailed until Friday evening. Saturday, however, proved fair, dry and bright—one of the few really fine days of the present season. On Sunday and Monday an extensive and rather deep atmospheric depression covered the British Isles, the barometer falling on Monday morning below 29·3 inches in the Lowlands of Scotland. Dull, showery weather was general. Early on Monday a shallow secondary depression appeared over the south of Ireland, so that the winds fell light and became variable in this country. A drenching shower of rain fell in Dublin shortly before noon. On Tuesday the depressions were filling up and a high pressure system had started on its way northward from Portugal and the adjoining Atlantic. Fresh westerly winds blew over North-western Europe, but the rainfall lessened. On Thursday a depression developed in the neighbourhood of Iceland, and by Friday morning a well-developed cyclonic system was central between that island and the Faeroe. As this disturbance travelled eastwards to Scandinavia and the Baltic, the wind drew into N.W. in the British Isles with a clearer sky and bracing air. In Dublin the mean height of the barometer was 29·975 inches, pressure ranging from 29·336 inches at 9 a.m. of Monday (wind, E.S.E.) to 30·309 inches at 9 p.m. of Saturday, (wind, N.W.). The corrected mean temperature was 58·4°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 57·0°. On Monday the screened thermometers fell to 52·0°, on Thursday they rose to 67·2°. Westerly winds prevailed except on Sunday and Monday morning, when the direction was S.E. The rainfall was ·350 inch on 4 days, ·292 inch being measured on Monday. Lightning was seen from Greystones on Monday evening."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·804 inches. The highest reading (30·136) was on Thursday at 9 p.m., wind W.S.W., and also on Saturday at 9 p m., air calm, and the lowest (29·170) on Monday at 9 a.m., air calm.

The mean temperature for the week was 57·2°, being 1·1° above the average for the corresponding period of the 10 years, 1900–1909. The temperature was highest on Thursday, on which day the thermometer registered 67·0°, and was lowest on Monday, the mercury having fallen to 46·5°. The mean of the Dry Bulb for the week was 55·9° and of the Wet Bulb 53·9°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The rainfall during the week measured 0·194 inch.

At Greenwich the mean temperature for the week was 58·3°, the maximum 69·5°, and the minimum 48·9°; at Glasgow the maximum was 63·0°, the minimum 47·3°, and the mean 55·7°; and at Edinburgh the maximum was 62·4°, the minimum 47·3°, and the mean 55·4°. The rainfall at Greenwich measured 0·41 in., at Glasgow 1·08 ins., and at Edinburgh 0·91 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY.	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	THERMOMETER. Maximum.	Minimum.	Mean.	HYGROMETER. Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins		
Sunday, August 28,	29·228	64·3	51·9	58·1	56·0	52·9	·82	·4	5·2	·025	Calm.	Calm.
Monday, „ 29,	29·264	60·9	46·5	53·7	54·1	52·6	·90	·6	0·3	·155	Calm.	W.S.W.
Tuesday, „ 30,	29·735	63·0	50·4	56·7	56·2	53·5	·83	·5	1·8	·000	W.	W.S.W.
Wednesday, „ 31,	30·074	66·2	53·2	59·7	57·3	54·9	·85	·0	3·5	·000	S.W.	Calm.
Thursday, September 1.	30·133	67·0	50·2	58·6	58·8	58·2	·97	·5	1·3	·014	Calm.	W.S.W.
Friday, „ 2,	30·061	64·0	51·5	57·8	55·7	53·2	·85	·5	1·2	·000	W.S.W.	Calm.
Saturday, „ 3,	30·132	63·5	48·7	56·1	53·2	52·0	·92	·4	10·5	·000	W.N.W.	Calm.
Mean, . . .	29·804	64·1	50·3	57·2	55·9	53·9	·88	·4	Total 23·8	Total ·194	—	

Sunday—Day cloudy, light rain p.m.; night cloudy, drizzle a.m. *Monday*—Day overcast to cloudy, passing showers; night cloudy, passing showers a.m. *Tuesday*- Day cloudy; night cloudy. *Wednesday*—Day overcast to cloudy; night cloudy. *Thursday*—Day overcast to cloudy, rain a.m. and p.m.; night overcast. *Friday*—Day cloudy to overcast; night cloudy. *Saturday*—Beautiful day; night clear.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, September 3rd, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Min.	Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, August 28,	60·6	58·0	58·0	61·6	52·9	57·3	4·0	·050
Monday, „ 29,	56·3	58·1	57·9	61·7	50·0	55·9	0·8	·320
Tuesday, „ 30,	58·2	58·2	57·8	64·6	52·6	58 6	3·5	—
Wednesday, „ 31,	59·9	58·2	57·6	67·2	54·2	60·7	3·3	—
Thursday, September 1	58·8	58·7	57·3	68·8	54·0	61·4	1·8	·005
Friday, „ 2,	60·0	59·3	57·2	66·2	54·2	60·2	0·6	—
Saturday, „ 3,	59·0	59 0	57·4	65·0	51·8	58·4	10·2	—
Weekly Mean,	59·0	58·5	57·6	65·0	52·8	58·9	Total 24·2	Total ·375

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

29505. Wt. P. 1—80/137, 375. 4. 1910. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 10TH SEPTEMBER, 1910. [No. 36.

General Register Office, Charlemont House, Dublin, 12th September, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 15·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Average Rate for 4 weeks.
22 Town Districts.	**16·3**	**17·1**	**15·2**	**15·1**	**15·9**	Limerick, . . .	9·6	20·5	17·8	17·8	16·4
						Lisburn, . . .	18·2	18·2	9·1	9·1	13·7
Armagh, . . .	34·4	6·9	20·6	13·7	18·9	Londonderry, . .	14·4	10·8	14·4	20·4	15·0
Ballymena, . . .	9·6	9·6	23·9	.	10·8	Lurgan, . . .	13·3	8·9	4·4	17·7	11·1
Belfast, ...	16·5	17·5	16·1	13·7	15·9	Newry, . . .	25·2	25·2	4·2	12·6	16·8
Clonmel, ...	35·9	15·4	35·9	5·1	23·1	Newtownards, . .	17·2	22·9	.	11·4	12·9
Cork, ...	15·1	17·8	13·0	13·0	14·7	Portadown, . .	10·3	10·3	5·2	15·5	10·3
Drogheda, . . .	20·4	28·6	20·4	16·3	21·4	Queenstown, . .	26·4	6·6	19·8	6·6	14·9
Dublin Reg. Area, .	15·8	17·9	14·9	17·0	16·4	Sligo, ...	19·2	4·8	9·6	.	8·4
Dundalk, . . .	23·9	8·0	12·0	27·9	17·9	Tralee, . . .	15·9	.	10·6	21·1	11·9
Galway, ...	7·8	27·2	7·8	7·8	12·7	Waterford, . . .	17·5	19·5	13·6	23·4	18·5
Kilkenny, . . .	9·8	19·7	24·6	9·8	16·0	Wexford, . . .	32·7	9·3	28·0	9·3	19·8

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·9 per 1,000, the rates varying from 0·0 in twelve of the districts to 10·3 in Portadown, the 3 deaths from all causes for that district including 2 from measles. Among the 103 deaths from all causes for Belfast are 3 from measles, one from whooping-cough, and 13 from diarrhœal diseases. Of the 19 deaths from all causes for Cork 2 are from diarrhœal diseases. Among the 17 deaths from all causes for Londonderry are 2 from diarrhœal diseases, and 2 deaths from diarrhœal diseases are also included in the 12 deaths from all causes for Waterford.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 260—142 boys and 118 girls—and the deaths to 141—81 males and 60 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of 17·0 per 1,000 of

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*). Table II. ‡ See columns 10–18 of Table II.

the population, the rate for the total deaths registered in the Area being 18·2 per 1,000. During the thirty-six weeks, ending with Saturday last, the death-rate averaged 21·2 and was 3·2 below the mean rate for the corresponding portions of the ten years 1900–9.

Among the deaths registered are one from scarlet fever,* 3 from whooping-cough, one from enteric fever, and 11 deaths from diarrhœal diseases,* 10 of the latter being those of children under 5 years of age; there were also recorded 5 deaths from enteritis and 2 from *gastro-enteritis* at this age-period. In the three preceding weeks the deaths from scarlet fever numbered one, 2, and one, respectively; from whooping-cough the deaths were 2, 0, and 4; from enteric fever they were 2, 0, and one; and the deaths from diarrhœal diseases numbered 6, 17, and 12, respectively.

One death from lobar pneumonia, 2 deaths from broncho-pneumonia, and 3 from *pneumonia* (not defined) were recorded.

All forms of tuberculous disease, which in the three preceding weeks caused 24, 17, and 2[illegible] deaths respectively, rose to 36 in the week under review, the latter number including 2[illegible] deaths from tuberculous phthisis (*phthisis*), 7 from tuberculous meningitis, and 6 deaths from other forms of the disease.

There were 5 deaths from carcinoma and 4 from cancer (undefined).

The deaths of 2 infants were ascribed to prematurity.

Nine deaths were attributed to diseases of the brain and nervous system, including [illegible] deaths from *convulsions*, 2 of the latter being those of infants under one year of age and one being that of a child aged one year and four months.

Diseases of the heart and blood vessels caused 23 deaths, and bronchitis 9 deaths.

Two deaths were caused by accidental drowning.

One case of suicide was recorded.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the death of one infant under one year of age and the death of a person aged 70 years.

Thirty-eight of the persons whose deaths were registered during the week were under 5 years of age (27 being infants under one year, of whom 6 were under one month old) and 35 were aged 60 years and upwards, including 23 persons aged 70 and upwards, of whom 2 were octogenarians.

Sixty-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse, 18 in the South Dublin Union Workhouse, and 3 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week. deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·0 per 1,000; the rate in the City was 18 (North City Districts, 16·7; South, 19·6) and in the Suburbs, 12·9.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·8 per 1,000 inhabitants, th rate for the City being 2·2 (0·7 in the North City Districts, and 3·8 in the South), and for the Suburbs, 0·6.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (10) are equal to an annual rate of 17·4 per 1,00 One death was caused by epidemic diarrhœa, and one by *pneumonia* (not defined).

No. 1 *North City District, West* (Summer-hill).—The deaths (18) are equal to an annual rate of 23·5 per 1,00 and include one death from enteric fever, one death from broncho-pneumonia, 4 deaths from tuberculous disease, an 2 deaths from diseases of the respiratory system.

No. 2 *North City District* (Lisburn-street).—The deaths (10) are equivalent to an annual rate of 17·0 per 1,00 Among them are 2 from tuberculous disease, and 3 from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (9) represent an annual rate of 14·0 per 1,000. Thre deaths from tuberculous disease were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontar and Howth, No. 1, part of, 19·4 per 1,000 inhabitants; Coolock and Drumcondra, part of, 0·0; and Finglas and Glasnevi part of, 13·6. One of the 2 deaths recorded for Clontarf and Howth No. 1, part of, is from *phthisis*; and of the 2 death for Finglas and Glasnevin, part of, one is from bronchitis.

No. 1 *South City District* (South Earl-street).—The deaths (14) represent an annual rate of 17·6 per 1,000. There wer 2 deaths from *diarrhœa*, one death from *pneumonia* (not defined), 3 from tuberculous phthisis (*phthisis*), one fro bronchitis, and one death by suicide.

No. 2 *South City District* (Castle-street).—The deaths (8) are equal to an annual rate of 19·2 per 1,000. One deat each from whooping-cough and epidemic diarrhœa, 4 deaths from tuberculous disease, and one death from bronchit were recorded.

No. 3 *South City District* (Peter-street).—The deaths (22) are equal to an annual rate of 26·5 per 1,000, and includ one death from whooping-cough, 3 deaths from diarrhœal diseases, one death from *pneumonia* (not defined), and deaths from tuberculous disease.

No. 4 *South City District* (Grand Canal-street).—The deaths (12) are equivalent to an annual rate of 17·4 per 1,00 Among them are one death from whooping-cough, 2 from diarrhœal diseases, one from lobar pneumonia, 4 death from tuberculous phthisis (*phthisis*), one from bronchitis, and one death by drowning.

New Kilmainham District.—The only death recorded for this district, equivalent to an annual rate of 5·7 per 1,000, w one caused by drowning.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathga 7·0; Pembroke, 9·0; Blackrock, 34·7; and Kingstown, 20·7. The only death from any of the principal epidemic diseas tabulated for these districts was one from *diarrhœa* for Pembroke, the 5 deaths from all causes for that distri including one from tuberculous phthisis; of the 6 deaths from all causes for Blackrock 3 were from tuberculo disease; and the 7 deaths from all causes for Kingstown included one from tuberculous meningitis.

* See Note (*c*) at foot of Table II. † See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possi in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin ; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District ; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District : Mr. Heron, Executive Sanitary Officer for Blackrock Urban District : by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District ; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz. :—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 10th September, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Aug. 20,	.	—	—	8	.	.	5	.	1	11	6	.	—	—	.	—	15	—	46
	Aug. 27,	.	—	—	5	.	.	12	.	1	9	7	.	—	—	.	—	20	—	54
	Sept. 3,	.	—	—	15	.	.	11	.	.	6	4	.	—	—	.	—	8	—	44
	Sept. 10,	.	—	—	9	.	.	9	.	.	9	12	.	—	—	.	—	12	—	51
Rathmines and Rathgar Urban District.	Aug. 20.	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	Aug. 27,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	—	—	—	—	3
	Sept. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Sept. 10,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
Pembroke Urban District.	Aug. 20,	.	1	.	.	.	.	.	.	.	1	.	.	—	.	.	—	.	—	2
	Aug. 27,	.	.	.	1	.	.	.	.	.	1	1	.	—	3	.	—	.	—	6
	Sept. 3,	.	1	1	.	.	.	1	.	.	1	.	.	—	.	.	—	.	—	4
	Sept. 10,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	.	—	.
Blackrock Urban District.	Aug. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Sept. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Sept. 10,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Aug. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Aug. 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Sept. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Sept. 10,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	Aug. 20,	.	—	—	8	.	.	6	.	.	2	3	.	—	—	—	—	16	—	35
	Aug. 27,	.	—	—	10	.	.	1	.	1	1	1	.	—	—	—	—	20	—	34
	Sept. 3,	.	—	—	9	.	.	5	1	.	2	5	.	—	—	—	—	14	—	36
	Sept. 10,	.	—	—	8	.	.	3	.	1	3	3	.	—	—	—	—	13	—	31

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 10th September, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Three cases of measles were admitted to hospital during the week, and there were three cases under treatment at its close.

Seventeen cases of scarlet fever were admitted to hospital, 11 were discharged, there were 2 deaths, and 64* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 66, 61, and 60, respectively.

One case of typhus remained under treatment in hospital at the close of the week.

Seven cases of diphtheria were admitted to hospital, 7 were discharged, and 45 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 31, 33, and 45, respectively.

Six cases of enteric fever were admitted to hospital during the week, 2 were discharged, and 42 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 28, 32 and 38.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital and 12 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns, including London (in which the rate was 10·8) was equal to an average annual death-rate of 11·7 per 1,000 persons living ; the average rate for 8 principal towns of Scotland was 13·0 per 1,000, the rate for Glasgow being 12·9 and for Edinburgh 12·3.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 10th September. From this Report it appears that of a total of 79 cases notified, 36 were scarlet fever, 21 diphtheria, 11 phthisis, 5 enteric fever, 5 erysipelas, and one puerperal fever. Among the 330 cases of infectious diseases in hospital at the close of the week were 171 cases of scarlet fever, 56 of phthisis, 47 of diphtheria, 14 of whooping-cough, 14 of enteric fever, 13 of measles, 5 of chicken-pox, 1 of erysipelas, and 2 of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 10th September, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 10TH SEPTEMBER, 1910.																								METEOROLOGY. (d)											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																					WEEK ENDING 10TH SEPTEMBER, 1910.				WEEK ENDING 3RD SEPTEMBER, 1910.				WEEK ENDING 27TH AUGUST, 1910.			
							DEATHS.																				Air Temperature				Air Temperature				Air Temperature			
	POPULATION.		DEATHS.			BIRTHS.	Caused by																				Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
	Total.(a)	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10–18.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia, b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.											
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·2	28·7	15·1	1·9	638	384	75	79	.	5	.	.	4	.	.	1	33	15	42	20	20	23	7	10	106	10	°	°	°		°	°	°		°	°	°	
DUBLIN REGISTRATION AREA:—TOTAL, c.	402,928	29·3	33·6	17·0	1·8	260	131	27	33	.	.	.	.	3	.	.	1	10	5	23	10	8	9	3	3	57	2	e65·8	41·9	54·8	0·15	e67·0	46·5	57·2	0·19	e64·8	44·0	56·6	0·41
CITY of DUBLIN,	310,298	39·2	33·5	18·1	2·2	229	108	24	24	.	.	.	.	3	.	.	1	9	5	21	7	7	9	3	3	50	2	f63·4 g67·5	48·8 44·0	56·7 56·0	0·80 0·12	f67·2 g67·5	52·0 48·0	58·4 57·7	0·35 0·43	f65·2 g66·3	49·1 45·0	57·4 56·9	0·51 0·78
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	15·5	7·0	.	11	5	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.		.	.	.		.	.	.	
PEMBROKE,	28,948	18·2	19·8	9·0	1·8	11	5	1	1	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	1	.	.	.	.		.	.	.		.	.	.	
BLACKROCK,	9,018	8·3	23·1	34·7	.	4	6	.	2	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1	.	.	.	.		.	.	.		.	.	.	
KINGSTOWN,	17,622	12·1	14·8	20·7	.	5	7	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4	.	65·0	47·0	56·8	0·41	68	49	59·2	0·35	66·0	50·0	57·7	0·53
URBAN DISTRICTS.																																							
BELFAST,	391,167	26·6	25·3	18·7	2·3	190	108	28	21	.	3	.	.	1	.	.	.	13	6	12	6	8	5	1	4	23	2	64·5	42·0	56·0	0·10	62·0	47·0	55·4	1·25	66·2	49·8	57·0	1·51
CORK,	76,122	33·6	21·2	13·0	1·4	51	19	2	6	.	.	.	.	.	.	.	.	2	.	3	.	1	.	1	2	9	1	66	50	56·8	0·14	67	51	58·1	0·15	63	50	56·7	1·48
LONDONDERRY,	48,477	20·1	25·2	10·4	2·4	21	17	2	3	.	.	.	.	.	.	.	.	.	.	1	1	1	3	.	1	.	.	.	.	.		.	.	.		.	.	.	
LIMERICK,	38,151	18·1	19·1	17·8	.	14	13	4	3	.	.	.	.	.	.	.	.	2	1	.	1	.	2	.	.	4	1	69·2	46·6	56·2	0·08	68·2	42·2	57	0·73	65	46·8	56·3	0·97
WATERFORD,	26,769	18·7	25·3	28·4	3·9	13	12	1	1	.	.	.	.	.	.	.	.	2	.	2	1	.	1	.	1	5	1	.	.	.		.	.	.		.	.	.	
GALWAY,	18,426	2·5	23·3	7·8	3·9	6	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	68	41	56	0·00	64	47	57·4	0·42	66	49	58	2·04
DUNDALK	13,076	9·4	25·8	27·9	.	14	7	.	4	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	3	.	.	.	.		.	.	.		.	.	.	
DROGHEDA,	12,760	8·6	28·6	16·8	.	7	4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.		.	.	.		.	.	.	
NEWRY,	12,405	17·8	21·0	12·6	4·2	5	3	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1	.	68·9	42·8	55·9	0·10	64·7	46·2	56·2	0·11	66·0	46·7	56·5	1·07
LURGAN,	11,782	13·6	22·1	17·7	4·4	5	4	1	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	68·9	42·8	55·9	0·10	64·7	46·2	56·2	0·11	66·0	46·7	56·5	1·07
LISBURN,	11,461	10·1	36·4	9·1	.	8	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	68·9	42·8	55·9	0·10	64·7	46·2	56·2	0·11	66·0	46·7	56·5	1·07
WEXFORD,	11,168	28·2	28·8	9·8	.	5	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.		.	.	.	
BALLYMENA,	10,886	8·9	21·4	.	.	17	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.		.	.	.	
SLIGO,	10,870	8·7	19·2	.	.	4	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	67·8	38·8	53·8	0·22	64·7	48·0	56·5	0·44	64·9	44·0	54·5	4·18
KILKENNY,	10,609	11·5	14·7	9·8	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	68	43	57·3	0·08	63	44	57·1	0·51	66	47	56·3	1·41
CLONMEL,	10,167	7·8	.	5·1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.		.	.	.	
PORTADOWN,	10,092	18·2	26·8	16·5	10·3	5	3	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	68·9	42·8	55·9	0·10	64·7	46·2	56·2	0·11	66·0	46·7	56·5	1·07
TRALEE,	9,867	16·6	42·3	21·1	.	8	4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.		.	.	.		.	.	.	
NEWTOWNARDS,	9,110	18·9	23·0	11·4	.	11	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	62	48	55·6	0·14	64	45	55·1	0·52	63	49	55·6	1·12
QUEENSTOWN,	7,909	14·4	16·4	6·6	.	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	66	50	56·8	0·14	67	51	58·1	0·15	63	50	56·7	1·43
ARMAGH,	7,588	22·2	18·7	13·7	6·9	2	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	68·9	42·8	55·9	0·10	64·7	46·2	56·2	0·11	66·0	46·7	56·5	1·07

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (b) Formerly described as "Simple Continued Fever." (c) Exclusive of 10 deaths of persons (including 2 at 60 years or upwards) admitted to hospital from localities outside the Area; of the 10 deaths one was from scarlet fever and one from *diarrhœa*. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 10th September, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN REGISTRATION DISTRICTS IN													URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	3	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Enteric Fever,	.	1	.	.	.	.	.	2	1	3	2	.	.	1	.	.	10	1
Diarrhœal Diseases,	1	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	5	1
Pneumonia,	1	1	.	.	.	.	.	3	3	4	4	.	.	.	1	1	23	.
Tuberculous Disease. } Phthisis,	.	3	1	2	1	.	.	.	1	3	.	.	.	.	2	1	10	3
} Other Forms,	.	1	1	1	.	.	.	1	.	2	1	.	.	1	.	.	8	1
Cancer, Malignant Disease,	2	.	1	.	.	.	.	1	.	1	1	.	.	.	.	.	7	1
Other General Diseases,	1	3	.	.	.	.	1	.	.									
Total,	5	9	3	3	1	.	1	7	6	15	10	.	.	3	3	1	67	8
B. LOCAL DISEASES:																		
Diseases of Nervous System,	2	1	.	.	.	.	.	1	.	3	.	.	.	.	1	1	9	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	2	3	4	2	1	.	.	2	.	2	1	.	3	.	2	2	23	.
Respiratory System,	.	2	3	.	.	.	1	1	1	.	1	.	.	.	.	.	9	1
Digestive System,	.	3	.	1	.	.	.	1	1	2	.	.	.	1	.	.	9	1
Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	3	9	.
Urinary System,	1	.	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	5	9	7	5	1	.	1	6	2	7	1	.	4	2	3	6	59	2
C. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	2	.
E. VIOLENT DEATHS,	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	3	.
Deaths from all Causes	10	18	10	9	2	.	2	14	8	22	12	1	5	5	6	7	131	10
Annual Rate of Mortality from all causes in every 1,000 of the population.	17·4	23·5	17·0	14·0	19·1	.	13·6	17·6	19·2	26·5	17·4	5·7	7·0	9·0	34·7	20·7	17·0	.
	16·7							19·6					12·9					
	18·1																	
Ages at Death. Under 1 year,	.	7	1	2	.	.	.	3	1	6	4	.	1	1	.	1	27	.
1 and under 5 years,	1	.	.	.	.	.	.	.	2	4	1	.	.	.	1	.	9	2
5 „ 20 „	1	3	.	.	1	.	.	.	3	1	2	.	.	1	1	1	14	2
20 „ 40 „	.	2	1	3	.	.	.	3	1	4	2	1	.	.	.	1	18	1
40 „ 60 „	4	4	4	3	.	.	.	3	1	3	2	.	.	2	2	2	30	3
60 years and upwards,	4	2	4	1	1	.	2	5	.	4	1	.	4	1	2	2	33	2
Number of Uncertified Deaths,	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	2	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	4	5	3	.	.	.	.	3	3	4	1	.	.	1	.	2	26	8
Workhouse Hospitals,	3	3	3	3	.	.	.	6	1	5	3	.	1	.	1	2	31	2

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in the week of the ten years 1900–1909,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Averages in 36th Week of the 10 years, 1900–1909.	In the Week ending Saturday, 10th September, 1910.							
												Deaths of Persons of the Ages of							
	Sept. 8, 1900.	Sept. 7, 1901.	Sept. 6, 1902.	Sept. 12, 1903.	Sept. 10, 1904.	Sept. 9, 1905.	Sept. 8, 1906.	Sept. 7, 1907.	Sept. 5, 1908.	Sept. 11, 1909.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 53·4	° 53·8	° 57·2	° 50·4	° 55·5	° 58·3	° 60·5	° 52·9	° 50·7	° 50·9	° 54·4	° 54·8								
ALL CAUSES.	154	154	170	145	157	143	184	159	170	134	157·0	141	6	21	11	16	19	33	33	2
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	.	11	.	1	.	.	3	6	2	2·3	.	.	.	.	1	.	.	.	.
Scarlet Fever,	.	2	3	.	.	.	.	1	.	.	·6	1	.	.	.	.	.	.	.	.
Typhus,	.	1	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	1	.	.	1	.	1	2	1	.	·6	.	.	.	.	.	.	.	.	.
Whooping-cough,	5	2	.	1	4	.	1	2	.	1	1·6	3	.	2	1	.	.	.	.	.
Diphtheria,	.	1	2	1	.	1	.	.	1	1	·7	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever,	.	.	.	.	1	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain),	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	.	3	1	.	4	2	.	2	2	1·5	1	.	.	.	.	.	1	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis,)	21	30	1	4	13	8	24	.	12	10	20·3	5	.	1	4	.	.	.	.	.
Diarrhœa, Dysentery,			9	3	13	4	25	5	16	5		6	2	3	.	.	.	1	.	.
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	1	.	.	2	1	1	.	1	1	·7	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia,	.	.	.	1	.	.	.	.	.	.	·1	1	.	.	.	1	.	.	.	.
Puerperal Pyæmia,			.	.	.	.	.	.	.	.		1	.	.	.	.	1	.	.	.
Puerperal Fever,			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Infective Endocarditis	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	4	5	3	1	2	1	1	2	2	1	4·6	1	.	1	.	.	1	.	.	.
Pneumonia, Broncho-				.			1					2	.		.	.		1	.	.
Pneumonia, Epidemic			4	1	1	2	2	4	4	5		3	.	.	1	1	.	1	.	.
Pneumonia, Not defined,																				
Erysipelas,	.	.	.	2	1	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal)	.	.	.	1	.	1	1	.	.	.	·3	1	.	.	.	1	.	.	.	.
Pyæmia (not Puerperal),				.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	1	1	.	1	3	.	·6	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis,	22	25	24	8	7	4	8	12	10	10	21·7	10	.	.	.	1	6	3	.	.
"*Phthisis*,"				21	13	8	13	13	9	10		13	.	1	.	4	5	2	1	.
Tuberculous Meningitis,	1	3	3	.	2	5	5	4	2	1	2·6	7	.	1	1	5	.	.	.	.
Tuberculous Peritonitis,	7	4	2	1	1	.	1	.	2	.	2·1	.	.	.	.	.	.	.	.	.
Tabes Mesenterica,			1	.	1	1	.	.	.	.		.	.	.	.	.	.	.	.	.
Tuberculous Dis. (other),	8	2	1	1	5	6	3	6	1	.	3·4	6	.	1	2	1	2	.	.	.
Scrofula,			.	.	1	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Alcoholism,	1	.	1	1	1	.	1	.	.	.	·5	.	.	.	.	.	.	.	.	.
Rheumatic Fever,	.	1	.	.	.	.	.	1	1	.	·3	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carcinoma,	1	6	3	.	3	3	5	4	1	5	5·7	5	.	.	.	.	.	3	2	.
Sarcoma,			.	1	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Cancer (undefined)			6	2	2	3	2	3	3	4		4	.	.	.	.	.	2	2	.
Diabetes Mellitus,	.	.	.	.	.	1	2	3	.	2	·8	.	.	.	.	.	.	.	.	.
Premature Birth,	2	1	2	3	5	3	1	5	5	6	3·3	2	2	.	.	.	.	.	.	.

* The figures for the year 1900 are for

† Formerly described as

THIRTY-SIXTH WEEK ending Saturday, 10th September, 1910, with the deaths from each cause in the corresponding and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 36th Week of the 10 years 1900-1909.	In the Week ending Saturday, 10th September, 1910.†								
	Sept. 8, 1900.	Sept. 7, 1901.	Sept. 6, 1902.	Sept. 12, 1903.	Sept. 10, 1904.	Sept. 9, 1905.	Sept. 8, 1906.	Sept. 7, 1907.	Sept. 5, 1908.	Sept. 11, 1909.		Deaths of Persons of the Ages of								
												ALL AGES.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 53·4	° 53·8	° 57·2	° 50·4	° 55·5	° 58·3	° 60·5	° 52·9	° 50·7	° 50·9	° 51·4	Mean Temp. ° 54·8	Under 1 month.	1 month and under a year.	1 to 5.					
Meningitis (not tuberc.)			4	3	·	2	·	3	5	1		1	·	·	1	·	·	·	2	·
Insanity, G. P. of Insane			·	2	1	2	·	2	1	·		2	·	·	·	·	·	·	·	·
Epilepsy			2	1	·	·	1	·	1	1		·	·	·	·	·	·	·	·	·
Convulsions			7	6	5	5	4	4	4	·		3	·	2	1	·	·	·	·	·
Locomotor Ataxy			·	1	1	·	·	·	·	·		·	·	·	·	·	·	·	·	·
Paraplegia Dis. of Cord			·	2	·	1	1	2	2	·		2	·	·	·	·	·	2	·	·
Nervous System (other Dis.)			·	1	1	·	6	2	3	1		1	·	·	·	·	·	·	1	·
	29	29									33·7									
Valv. Dis., Endocarditis			4	5	4	5	4	6	3	9		6	·	·	·	·	1	3	2	·
Cerebr. Hæm. Thromb.			2	2	1	2	2	6	1	2		7	·	·	·	1	·	1	4	1
Apoplexy, Hemiplegia			4	4	7	3	2	3	4	3		1	·	·	·	·	·	·	1	·
Aneurysm			·	1	1	·	·	·	·	1		·	·	·	·	·	·	·	·	·
Embolism, Thromb. (not cerebral)			·	·	·	·	·	·	·	·		·	·	·	·	·	·	·	·	·
Heart and Blood Vessels (other Dis.)			14	10	12	14	13	15	15	5		9	·	·	·	1	2	6	·	
Croup (not Spasm. nor Memb.)	1	·	·	·	·	·	·	·	·	·	·1	·	·	·	·	·	·	·	·	·
Bronchitis	13	6	13	9	9	10	7	10	10	10	9·7	9	·	·	·	·	·	3	6	·
Asthma, Emphysema	1	1	·	·	·	1	·	·	1	1	1·3	1	·	·	·	·	·	1	·	·
Pleurisy			·	·	·	·	1	·	·	·		·	·	·	·	·	·	·	·	·
Respiratory Dis. (other)			·	·	·	2	1	1	2	1		·	·	·	·	·	·	·	·	·
Tonsillitis, Quinsy	·	1	·	·	·	·	·	·	·	·	·1	·	·	·	·	·	·	·	·	·
Enteritis (not Epid.)	·	2	4	·	2	2	4	2	8	5	4·5	5	·	5	·	·	·	·	·	·
Gastro-enteritis			·	·	2	1	8	·	3	2		3	1	1	·	1	·	·	·	·
Peritonitis (not Puerp.)	·	1	2	1	2	1				1	·8		·	·	·	·	·	1	·	·
Cirrhosis of Liver	2	1	1	2	3	1	3	·	2	3	2·8	1	·	·	·	·	·	·	·	·
Liver Dis. (other)	1	·	1	1	3	·	3	1	·	1		·	·	·	·	·	·	1	·	·
Digestive Dis. (other)	9	2	7	6	3	10	9	5	5	3	5·9	1	·	·	·	·	·	·	·	·
Nephritis, Acute			·	·	·	·	1	·	·	·		2	·	·	·	·	1	·	1	·
Bright's Dis., Albuminuria	5	4	3	1	1	2	3	1	4	2	4·1	5	·	·	·	·	·	3	2	·
Urinary Sys. (other Dis.)			1	1	2	1	1	1	1	·		2	·	·	·	·	·	1	·	1
Generative Organs Dis.	·	1	·	1	1	·	·	1	·	2	·6	·	·	·	·	·	·	·	·	·
Childbirth (Accid. of)	1	·	1	·	·	·	·	·	·	·	·2	·	·	·	·	·	·	·	·	·
Old Age	9	7	6	2	7	5	1	8	2	3	5·0	·	·	·	·	·	·	·	·	·
Other Diseases	6	13	11	18	7	9	5	9	6	7	9·1	5	1	3	·	·	·	1	·	
ACCIDENT.																				
By Railways	·	1	·	2	·	1	1	1	·	1	·9	·	·	·	·	·	·	·	·	·
By Vehicles and Horses	2	·	·	·	·	·	·	·	·	·	·1	·	·	·	·	·	·	·	·	·
In Ships, Boats, Docks (exclusive of Drowning)	·	·	·	·	·	1	·	·	·	·		·	·	·	·	·	·	·	·	·
In Building Operations	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
In Conflagrations	·	·	·	·	·	·	·	·	2	·	·4	·	·	·	·	·	·	·	·	·
By Burns, Scalds, Explosions	·	·	·	·	·	1	1	·	1	·	·6	2	·	·	·	2	·	·	·	·
By Drowning	·	·	2	1	·	·	2	1	·	1	·3	·	·	·	·	·	·	·	·	·
By Suffocation in Bed	·	·	·	·	·	·	1	·	·	·	·1	·	·	·	·	·	·	·	·	·
By Poison or Poisonous Vapours	1	·	·	·	·	·	·	·	·	·		·	·	·	·	·	·	·	·	·
Other Deaths by Accident	2	·	1	2	·	·	·	2	2	1	1·0	·	·	·	·	·	·	·	·	·
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	·	·	·	·	·	·	·	·	·	·		·	·	·	·	·	·	1	·	·
Suicide	·	·	1	·	·	1	·	·	1	1	·4	1	·	·	·	·	·	·	·	·
Execution	·	·	·	·	·	·	·	·	·	·		·	·	·	·	·	·	·	·	·

the Registration Area as then constituted.
"Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910—Week ending																									
	Mar. 19.	Mar. 26.	Apr 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3,	Sept. 10.
No. of weeks in Annual Series,	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
BIRTHS registered.	162	242	213	255	217	221	246	230	241	181	242	253	268	272	183	223	229	272	225	243	198	209	240	194	228	260
*Average Births in corresponding week of previous 10 years,** ..	217	211	235	190	207	224	195	270	229	211	202	232	222	199	225	237	200	198	204	215	221	202	219	218	207	232
DEATHS registered, ...	149	185	168	186	183	200	193	186	180	131	160	135	133	140	130	127	143	118	144	127	145	143	126	146	120	141
Annual Death-rate per 1,000, ..	19·3	23·9	21·7	24·1	23·7	25·9	25·0	17·6	23·3	17·0	20·7	17·5	17·2	18·1	16·8	16·4	18·5	15·3	18·6	16·4	18·8	18·5	16·3	18·9	15·5	18·2
*Average Deaths in corresponding week of previous 10 years,**	200	206	211	200	200	197	189	184	178	174	171	157	154	152	147	136	138	142	146	147	146	148	156	166	159	157
AGES, Under 5 years, ...	30	52	44	44	37	49	46	36	38	37	39	31	37	25	27	31	50	29	48	31	31	54	37	57	42	38
5—20 ,, ...	11	12	18	9	11	15	18	6	16	7	10	13	10	12	9	11	11	10	8	18	17	8	6	9	3	16
20—40 ,, ...	21	34	18	26	24	33	29	26	34	20	25	26	22	27	32	23	24	17	17	13	27	23	23	13	18	19
40—60 ,, ...	35	35	32	43	38	35	43	25	32	28	40	27	29	35	33	28	25	27	29	30	30	28	32	27	23	33
60—80 ,, ...	41	42	45	53	57	59	46	40	50	36	42	33	23	33	28	33	28	34	34	33	35	26	24	33	26	33
80 years and upwards, ..	11	10	16	11	16	9	11	3	10	3	4	5	7	3	2	6	10	1	8	2	5	4	4	7	3	2
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1	.	.	1	.	.	.	.
Scarlet Fever, ...	1	.	.	.	.	.	.	.	1	1	.	2	.	.	.	1	.	1	3	3	1	1	1	2	1	1
Typhus, ...	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	1	2	1	.	2	5	4	1	1	1	.	2	1	2	1	3	.	1	1	.	3	3	2	.	4	3
Diphtheria, ...	1	1	.	1	.	1	.	.	.	.	.	.	.	.	.	1	2	1	.	5	1	.	2	4	1	.
Pyrexia † (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	1	1	4	1	1	.	2	1	3	.	1	.	.	2	.	.	.	1	2	2	.	.	2	.	1	1
Diarrhœal Diseases, ...	2	3	.	4	2	2	1	2	1	5	2	1	3	1	1	1	6	3	5	.	2	14	6	17	12	11
Influenza, ...	7	6	6	8	5	2	3	1	3	2	.	.	.	1	.	2	.	.	1	.	1	.	1	.	.	.
Pneumonia, ...	12	14	14	17	18	20	17	8	14	13	8	8	10	7	10	3	8	7	9	5	7	8	7	6	5	6
Tuberculous Disease, Phthisis, ..	15	26	14	21	22	31	25	14	31	15	14	17	15	22	24	23	11	19	11	17	24	14	17	12	17	23
Tuberculous Disease, Other Forms, ..	10	10	4	10	9	18	12	11	9	9	11	15	7	15	10	14	7	8	3	9	10	15	7	5	5	13
Cancer, Malignant Disease, ..	5	6	14	7	10	11	11	6	10	3	10	10	6	7	10	10	8	5	11	10	8	8	9	10	8	9
Diseases of Heart and Blood Vessels, ...	30	20	30	37	23	37	31	21	25	20	29	21	21	25	16	23	26	17	22	23	23	20	16	20	17	23
Diseases of Respiratory System,	26	36	23	38	39	22	25	17	27	16	18	13	17	11	15	7	11	18	14	12	10	8	10	11	6	10
Violent Deaths, ...	1	2	5	5	3	3	4	6	11	2	3	6	7	7	1	2	9	3	8	5	3	6	2	4	5	3
Number of Uncertified Deaths, ..	5	3	4	9	12	8	6	2	2	6	3	3	7	5	6	3	5	.	4	7	2	3	4	4	3	2
Mean Temperature of the Air (Phœnix Park), ...	39·8	48·4	39·7	41·7	43·0	49·6	48·6	46·1	44·7	51·4	55·1	50·6	57·8	56·4	58·1	54·7	55·5	57·1	55·9	57·8	56·5	59·2	58·8	56·6	57·2	54·8
Average Mean Temperature in corresponding week of previous 10 years, ...	42·9	41·9	42·1	44·2	43·4	45·1	46·6	46·9	48·5	48·6	50·5	53·9	53·3	53·7	55·3	56·6	57·6	58·9	60·6	58·8	58 8	58·2	57·7	56·5	56·1	54·4
Rainfall in inches, ...	·174	·000	·040	·205	·786	·782	·417	·670	·230	1·263	·135	·692	1·870	·010	1·291	1·780	·660	·000	·840	·355	·940	·205	1·175	·411	·194	150
Mean Humidity of the Air, complete Saturation 1·0	·91	·91	·88	·93	93	·91	·82	·77	·81	·90	·88	·81	·92	·87	·92	·87	·88	·81	·81	·81	·84	·85	·81	·84	·88	·87

* See note (*) at foot of Table IV.

† Formerly described as "Simple Continued Fever."

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 10th September, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 10TH SEPTEMBER, 1910.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexiæ* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS.	375,850	19·6	141	38	16	19	33	33	2	.	.	1	.	3	.	.	1	11	16	6	23	13	9	3	10	3	58	2
	CLASSES.																												
	Deaths in Families of the—																												
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	9·0	3	.	1	.	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	1	.
II.	MIDDLE CLASS, ...	67,188	13·2	22	3	2	2	6	8	1	.	.	.	.	.	.	.	.	.	.	1	2	2	1	.	2	1	13	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,428	15·1	32	9	4	6	7	6	.	.	.	.	.	2	.	.	.	2	4	.	10	.	3	.	.	1	14	.
IV.	GENERAL SERVICE CLASS, ...	154,279	17·2	51	22	7	6	9	6	1	.	.	1	.	1	.	.	1	8	11	4	4	7	5	3	2	1	14	2
V.	INMATES OF WORKHOUSES, ...	6,024	—	33	4	2	5	10	12	.	.	.	.	.	.	.	.	.	.	.	1	7	3	.	.	6	.	16	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	18·4	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class,	1,277	40·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	3. Persons of Rank and Property, not otherwise described.	8,860	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·8	3	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	14·2	6	1	1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	5	.
	6. Clerks and Commercial Assistants, ..	30,482	10·8	6	1	.	1	3	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	1	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	18·5	7	1	.	.	2	4	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	4	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades, ...	29,801	19·2	11	6	.	2	2	1	.	.	.	.	.	1	.	.	.	2	3	.	3	.	1	.	.	.	4	.
	10. Clothing Trades, ...	28,260	6·7	3	1	.	.	.	2	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	2	.
	11. Food Supply Trades, ...	9,242	16·9	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,852	22·3	13	1	3	2	5	2	.	.	.	.	.	.	.	.	.	.	.	.	6	.	1	.	.	.	6	.
	13. Petty Shopkeepers, ...	7,894	13·2	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c	13,425	7·8	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	15. Domestic Servants, ...	86,603	8·5	6	2	.	.	3	1	.	.	.	.	.	.	.	.	.	1	1	1	.	.	3	.	.	.	1	1
	16. Coach and Car Drivers, Vanmen, &c., ..	14,990	14·5	4	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	22·6	29	20	5	4	6	3	1	.	.	1	.	1	.	.	1	7	10	3	4	4	2	3	2	1	10	1
V.	INMATES OF WORKHOUSES.																												
	18. Workhouse Inmates, ...	6,024	—	33	4	2	5	10	12	.	.	.	.	.	.	.	.	.	.	.	1	7	3	.	.	6	.	16	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From Diseases in Cols. 5–13.	TOTAL DEATHS.	NUMBER OF DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of), North City, No. 1 (E.)	July 23,	22·7	1·7	13	.	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.
	„ 30,	15·7	1·7	9	.	.	1	.	.	.	.	.	.	1	3	.	1	2	.	.
	Aug. 6,	12·2	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
(*Office*, *Clarence-st., Nth.*)	„ 13,	15·7	5·2	9	.	.	.	.	1	.	.	.	2	1	.	.	.	1	.	1
	„ 20,	17·4	3·5	10	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.
	„ 27,	20·9	8·7	12	.	.	.	.	.	.	.	.	5	1	1	.	1	1	.	.
Pop. in 1910 (Est.) 29,908.	Sept. 3,	13·9	1·7	8	.	.	.	.	1	.	.	.	.	.	1	.	1	.	2	.
	„ 10,	17·4	1·7	10	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.
North City, No. 1 (W.)	July 23,	18·3	2·6	14	.	.	.	.	1	.	.	1	.	.	1	.	.	3	2	2
	„ 30,	22·2	.	17	.	.	.	.	.	.	.	.	.	1	2	.	.	1	2	2
	Aug. 6,	22·2	.	17	.	.	.	.	.	.	.	.	.	.	5	.	.	.	3	.
(*Office*, *Summer-hill.*)	„ 13,	17·0	1·3	13	.	.	.	.	.	.	.	.	1	1	1	1	1	1	1	.
	„ 20,	10·4	1·3	8	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	.
	„ 27,	15·7	1·3	12	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.	.
Pop. in 1910 (Est.) 39,974.	Sept. 3,	20·9	8·9	16	.	.	.	.	1	.	.	.	2	1	1	.	2	2	.	1
	„ 10,	23·5	1·3	18	.	.	.	.	.	.	.	1	.	1	3	1	.	2	.	.
North City, No. 2.	July 23,	25·4	5·1	15	.	.	1	.	.	.	.	.	2	.	2	1	.	3	1	1
	„ 30,	8·5	1·7	5	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.
	Aug. 6,	13·6	.	8	.	.	.	.	.	.	.	.	.	2	.	2	1	.	.	1
(*Office*, *Lisburn-street.*)	„ 13,	18·7	5·4	11	.	.	.	.	.	.	.	.	2	1	.	2	.	2	.	.
	„ 20,	17·0	1·7	10	.	.	.	.	.	.	.	.	1	.	.	.	.	4	1	1
	„ 27,	22·0	6·8	13	.	.	.	.	.	.	.	.	4	1	.	.	.	.	1	.
Pop. in 1910 (Est.) 30,744.	Sept. 3,	15·3	3·4	9	.	.	.	.	.	1	.	.	1	1	2	.	.	2	.	.
	„ 10,	17·0	.	10	.	.	.	.	.	.	.	.	.	.	1	1	1	3	.	.
North City, No. 3.	July 23,	9·3	1·6	6	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
	„ 30,	20·2	4·7	13	.	.	.	.	.	3	.	.	.	.	2	1	2	.	.	1
	Aug. 6,	26·4	1·6	17	.	.	.	.	.	1	.	.	.	2	2	.	1	1	.	.
(*Office*, *Benburb-street.*)	„ 13,	23·3	5·1	15	.	.	.	.	.	.	.	.	2	1	4	.	2	.	.	.
	„ 20,	23·3	4·7	15	.	.	.	.	.	2	.	1	.	.	4	1	1	2	.	.
	„ 27,	20·2	1·6	13	.	.	1	.	.	.	.	.	.	.	2	.	2	3	1	.
Pop. in 1910 (Est.) 33,559.	Sept. 3,	20·2	5·1	13	.	.	.	.	1	.	.	.	1	.	3	1	.	1	.	.
	„ 10,	14·0	.	9	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.
South City, No. 1.	July 23,	20·1	1·3	16	.	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.
	„ 30,	20·1	1·3	16	.	.	1	.	.	.	.	.	.	1	2	1	2	1	1	1
	Aug. 6,	21·4	1·3	17	.	.	1	.	.	.	.	.	.	.	3	.	3	3	.	.
(*Office*, *Sth. Earl-street.*)	„ 13,	26·4	1·3	21	.	.	.	.	.	.	.	.	1	.	1	4	1	.	2	1
	„ 20,	10·1	1·3	8	.	.	.	.	1	.	.	.	.	.	2	.	.	1	.	.
	„ 27,	20·1	1·3	16	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.
Pop. in 1910 (Est.) 41,476.	Sept. 3,	13·8	1·3	11	.	.	.	.	.	.	.	.	1	.	1	2	1	.	.	.
	„ 10,	17·6	2·5	14	.	.	.	.	.	.	.	.	2	1	3	.	1	1	1	.
South City, No. 2.	July 23,	16·8	2·4	7	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	.
	„ 30,	12·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	Aug. 6,	24·0	2·4	10	.	.	.	.	1	.	.	.	.	.	2	1	1	2	.	.
(*Office*, *Castle-street.*)	„ 13,	16·8	2·4	7	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.
	„ 20,	48·1	2·4	18	.	.	.	.	.	.	.	1	.	1	6	.	1	.	.	2
	„ 27,	12·0	2·4	5	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
Pop. in 1910 (Est.) 21,754.	Sept. 3,	16·8	7·2	7	.	.	.	.	.	.	.	.	3	.	.	1	.	.	1	.
	„ 10,	19·2	4·8	8	.	.	.	.	1	.	.	.	1	.	3	1	.	1	.	.
South City, No. 3.	July 23,	16·9	2·4	14	.	.	1	.	.	.	.	.	1	2	2	1	.	3	.	1
	„ 30,	18·1	1·2	15	.	.	1	.	.	.	.	.	.	1	1	3	1	2	.	2
	Aug. 6,	19·3	2·4	16	.	.	.	.	2	.	.	.	.	2	3	2	.	.	.	.
(*Office*, *Peter-street.*)	„ 13,	24·1	3·6	20	.	.	1	.	1	.	.	.	1	2	4	1	.	1	.	.
	„ 20,	22·9	2·4	19	.	.	.	.	.	.	.	.	2	3	.	4	1	.	.	1
	„ 27,	25·8	8·4	21	.	.	1	.	.	1	.	.	5	1	1	1	.	2	.	1
Pop. in 1910 (Est.) 43,227.	Sept. 3,	18·1	1·2	15	.	.	.	.	1	.	.	.	1	1	1	.	1	1	1	1
	„ 10,	26·5	4·8	22	.	.	.	.	.	.	.	.	3	1	4	3	2	.	.	.
South City, No. 4.	July 23,	23·3	.	16	.	.	.	.	.	.	.	.	.	2	.	1	3	1	1	.
	„ 30,	16·0	.	11	.	.	.	.	.	.	.	.	.	.	1	1	2	2	1	1
	Aug. 6,	21·8	1·5	15	.	.	.	.	.	.	.	.	1	1	1	1	1	1	.	1
(*Office*, *Grand Canal-st.*)	„ 13,	20·3	2·9	14	.	.	.	.	1	.	.	.	1	1	1	2	.	1	1	.
	„ 20,	17·4	1·5	12	.	.	.	.	.	.	.	.	1	1	.	.	3	1	.	.
	„ 27,	24·7	2·2	17	.	.	.	.	.	1	.	.	1	.	2	2	3	2	.	.
Pop. in 1910 (Est.) 35,881.	Sept 3,	17·4	4·4	12	.	.	.	.	.	.	.	.	3	.	4	.	.	.	.	.
	„ 10,	17·4	4·4	12	.	.	.	.	1	.	.	.	2	1	4	.	1	1	1	1

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910: Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From Diseases in Cols. 5–18.	Total Deaths.	NUMBER OF DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District.	July 23,	16·9	.	12	.	.	.	.	.	.	.	.	.	1	2	.	.	1	1	.
	„ 30,	7·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	Aug. 6,	11·3	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	„ 13,	4·2	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 20,	8·4	1·4	6	.	.	1	.	.	.	.	.	.	.	2	.	.	1	.	.
	„ 27,	12·7	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
Pop. in 1910 (Est.) 37,047.	Sept. 3,	12·7	1·4	9	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	1
	„ 10,	7·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke Urban District.	July 23,	12·6	.	7	.	.	.	.	.	.	.	.	.	1	.	.	2	.	1	.
	„ 30,	19·8	1·8	11	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	.
	Aug. 6,	9·0	1·8	5	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.
	„ 13,	27·0	7·2	15	.	1	.	.	.	.	.	.	3	.	.	2	3	2	1	.
	„ 20,	9·0	.	5	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
Pop. in 1910 (Est.) 28,948.	„ 27,	16·2	.	9	.	.	.	.	.	.	.	.	.	1	2	.	1	2	.	.
	Sept. 3,	1·8	1·8	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 10,	9·0	1·8	5	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.
Kingstown Urban District.	July 23,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 30,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	Aug. 6,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	„ 13,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 20,	6·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pop. in 1910 (Est.) 17,622.	„ 27,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
	Sept. 3,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 10,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Belfast.	July 23,	15·6	3·9	117	.	21	.	.	1	1	.	1	5	5	16	5	9	6	.	3
	„ 30,	18·0	2·4	135	.	8	.	1	.	1	.	2	6	8	15	7	7	16	1	1
	Aug. 6,	15·3	2·7	115	.	7	1	.	2	.	.	.	10	3	13	7	3	10	1	2
Pop. in 1910 (Est.) 391,167.	„ 13,	13·6	2·7	102	.	4	.	.	1	.	1	.	14	4	12	8	7	5	6	1
	„ 20,	16·5	4·0	124	.	7	.	.	1	.	.	.	22	5	16	9	3	8	.	2
	„ 27,	17·5	4·9	131	.	3	.	.	5	.	.	.	29	10	10	5	4	8	3	.
	Sept. 3,	16·1	2·1	121	.	.	.	.	.	.	.	.	16	8	11	9	5	9	2	2
	„ 10,	18·7	2·3	103	.	3	.	.	1	.	.	.	13	6	12	6	8	5	1	2
Cork.	July 23,	19·9	1·4	29	.	.	.	.	.	2	.	.	.	.	6	3	2	3	1	1
	„ 30,	16·4	1·4	24	.	.	.	.	.	1	.	1	.	1	4	1	1	8	.	1
	Aug. 6,	6·8	.	10	.	.	.	.	.	.	.	.	.	2	4	.	1	1	.	.
Pop. (in 1901) 76,122.	„ 13,	15·1	0·7	22	.	.	.	.	.	.	.	.	1	.	3	1	1	1	1	1
	„ 20,	15·1	0·7	22	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	.
	„ 27,	17·8	1·4	26	.	.	.	.	.	.	.	.	2	.	2	2	1	.	1	3
	Sept. 3,	13·0	1·4	19	.	.	.	.	.	.	.	.	2	2	2	1	.	2	1	2
	„ 10,	13·0	1·4	19	.	.	.	.	.	.	.	.	2	.	3	.	1	.	1	1
Londonderry.	July 23,	8·4	2·4	7	.	1	.	.	.	.	.	.	1	.	2	.	.	.	.	.
	„ 30,	22·8	3·6	19	.	1	.	.	.	.	.	.	2	1	6	2	.	.	.	3
	Aug. 6,	19·2	1·2	16	.	1	.	.	.	.	.	.	.	.	6	2	1	1	.	1
Pop. in 1910 (Est.) 43,477.	„ 13,	14·4	1·2	12	.	.	.	.	.	.	.	.	1	.	.	2	2	1	.	.
	„ 20,	14·4	4·8	12	.	1	.	.	.	1	.	.	2	.	.	.	3	1	.	.
	„ 27,	10·8	3·6	9	.	1	.	.	.	1	.	.	1	.	3	.	.	.	.	.
	Sept. 3,	14·4	7·2	12	.	.	.	.	.	.	.	1	5	.	1	.	.	.	.	1
	„ 10,	20·4	2·4	17	.	.	.	.	.	.	.	.	2	.	1	1	1	3	.	.
Limerick.	July 23,	18·7	1·4	10	.	.	.	.	.	.	.	1	.	.	.	1	1	2	.	1
	„ 30,	17·8	.	13	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1
	Aug. 6,	12·8	1·4	9	.	.	.	.	.	.	.	.	1	.	1	.	.	3	.	.
Pop. (in 1901) 38,151.	„ 13,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	3
	„ 20,	9·6	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.
	„ 27,	20·5	1·4	15	.	.	.	.	1	.	.	.	.	.	4	2	.	3	.	1
	Sept. 3,	17·8	.	13	.	.	.	.	.	.	.	.	.	.	2	.	1	2	.	2
	„ 10,	17·8	.	13	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.	1
Waterford.	July 23,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	1	3	1	1	.	1
	„ 30,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	1
	Aug. 6,	19·5	5·8	10	.	.	.	.	1	.	.	.	2	.	3	2	.	1	.	.
Pop. (in 1901) 26,769.	„ 13,	27·3	1·9	14	.	1	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	„ 20,	17·5	5·8	9	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	3
	„ 27,	19·5	7·8	10	.	1	.	.	.	.	.	.	3	.	.	.	1	2	1	3
	Sept. 3,	13·6	1·9	7	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.
	„ 10,	23·4	3·9	12	.	.	.	.	.	.	.	.	2	.	2	1	.	1	.	1

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 10th September, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS.																										
			Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.						DEATHS FROM																	
			All Causes.	Diseases in Cols. 12-20.		Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexial (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	4	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		7			4	1	2	.	.	1	.	.	1	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.
Do. 2 do.		28			14	3	2	.	4	5	.	.	.	.	.	.	.	.	.	3	.	2	.	1	1	.	1	3	.
Do. 3 do.		24			13	3	4	.	.	4	2	.	.	.	.	1	.	.	.	2	1	.	2	1	.	1	2	2	.
Do. 4 do.		27			14	4	1	1	1	3	4	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	6	.
Do. 5 do.		8			7	.	.	1	2	1	3	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	4	.
Do. 6 do.		12			4	2	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
Do 7 do.		1			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do 8 do.	349,180	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		12			7	2	1	1	.	2	1	.	1	.	.	.	.	.	.	2	.	1	.	2	.	.	.	3	.
Do 10 do.		18			8	3	1	.	1	1	2	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	1	1	.
Do. 11 do.		16			7	2	.	.	3	1	1	.	.	.	.	.	.	.	.	1	.	2	.	1	1	.	.	.	.
Do. 12 do.		19			10	3	2	1	2	.	2	.	.	.	.	.	.	.	.	.	2	2	.	.	1	.	.	3	.
Do. 13 do.		7			3	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15* do.		11			11	3	1	.	2	2	3	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	1	2
Total, ...	—	190			103	28	14	4	16	20	21	.	3	.	.	1	.	.	.	13	6	12	6	8	5	1	4	23	2
City of Cork.																													
CORK URBAN No. 1 DISTRICT, .	12,867	5	4·1	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 2 do. .	10,701	7	19·5	.	4	.	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1
Do. 3 do. .	9,978	2	5·2	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 4 do. .	8,666	2	6·0	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 5 do. .	6,592	.	31·6	.	4	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.
Do. 6 do. .	10,702	3	14·6	.	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	2	.
Do. 7 do. .	16,616	7	15·7	6·8	5	2	.	.	2	.	1	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	2	.
Total, ...	76,122	31	13·0	1·4	19	2	.	1	4	6	6	.	.	.	.	.	.	.	.	2	.	3	.	1	.	1	2	9	1

The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.

Table IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

Belfast.	1910—Week ending																									
	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.
No. of weeks in annual Series, ..	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
Births registered, ...	240	208	207	254	247	224	266	235	214	169	264	215	193	231	202	213	199	259	239	214	179	219	210	159	219	190
Deaths registered, ...	163	125	133	168	167	160	178	167	170	177	176	166	148	183	157	137	145	186	117	135	115	102	124	131	121	103
Annual Death rate per 1,000 of estimated Population, ...	21·7	16·7	18·4	22·4	24·9	21·8	23·1	22·3	22·7	23·6	23·5	22·1	19·7	24·4	20·9	18·3	19·3	18·1	15·6	18·0	15·3	13·6	16·5	17·5	16·1	13·7
Ages — Under 1 year, ...	29	27	27	34	38	36	33	31	29	30	37	37	20	44	33	24	34	26	25	35	27	27	35	49	30	28
Ages — 1-5 years, ...	27	15	21	33	34	27	20	36	35	47	43	45	54	47	45	33	29	32	23	23	19	6	17	14	15	14
Ages — 5-20 years, ...	16	7	18	19	15	14	21	12	15	15	15	14	12	15	16	18	12	7	17	10	7	7	9	11	11	4
Ages — 20-40 years, ...	18	19	16	21	32	14	24	25	30	28	26	26	25	20	17	18	25	20	19	14	15	22	19	18	9	16
Ages — 40-60 years, ...	35	28	22	27	24	29	41	30	30	29	28	27	16	23	20	21	20	25	17	25	21	22	21	19	26	20
Ages — 60 years and upwards, ..	38	29	34	34	44	40	34	33	31	28	27	17	21	34	26	28	25	26	16	28	26	18	28	20	30	21
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	5	8	6	11	17	8	20	19	23	44	33	38	38	49	36	25	24	20	21	8	7	4	7	3	.	3
Scarlet Fever, ...	2	.	2	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Whooping-cough, ...	12	10	6	12	5	8	4	4	6	4	5	7	5	4	1	1	2	1	1	.	2	1	1	5	.	1
Diphtheria, ...	.	.	1	1		1	1	.	1	.	1	.	1	2	.	.	.	1	1	1	.	.	.	.	.	.
*Pyrexia** (origin uncertain , ..	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Enteric Fever, ...	.	.	1	.	.	1	.	.	1	.	.	.	1	.	1	1	.	.	1	2	.	.	.	.	.	.
Diarrhœal Diseases, ...	.	1	1	.	1	3	1	2	.	.	2	3	1	4	3	1	5	2	5	6	10	14	22	29	16	13
Pneumonia, ...	12	8	14	19	16	19	14	15	26	23	21	18	13	17	17	11	14	17	5	8	3	4	5	10	8	6
Tuberculous Disease, Phthisis, ..	18	10	20	24	27	13	22	20	24	29	14	21	19	24	22	11	11	9	16	15	13	12	16	10	11	12
Tuberculous Disease, Other Forms, ..	9	8	9	12	8	7	9	6	4	6	13	8	5	3	9	8	9	11	5	7	7	8	9	5	9	6
Cancer, Malignant Disease, ..	9	10	4	8	10	2	6	8	8	7	3	4	4	6	4	9	3	6	9	7	3	7	3	4	5	8
Diseases of Respiratory System,	24	16	16	21	22	30	15	21	14	17	14	18	17	14	16	7	7	15	6	16	10	5	8	8	9	5
Violent Deaths, ...	5	3	.	4	.	2	4	3	4	1	1	5	1	.	4	.	4	2	.	1	1	6	.	3	2	1
Number of Uncertified Deaths, ..	1	1	2	1	1	1	3	1	2	1	.	3	1	2	.	2	3	3	3	1	2	1	2	.	2	2

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,372,702	Sept. 10,	2,087	1,009c	10·8	.	21	2	10	12	3*a*	94
EDINBURGH, ...	360,276	„ 10,	129	85	12·3	.	.	.	1	1	.	3
GLASGOW, ...	884,505	„ 10,	422	218	12·9	.	.	3	2	6	.	29
CALCUTTA, ...	1,009,008	Aug. 6,	.	360	18·5	.	2	.	1	3	85‡	39*
BOMBAY, ...	977,822	„ 9,	347	705	37·5	2	3	.	.	.	95‡	91
MADRAS, ...	509,346	July 22,	391	372	37·9	.	.	?	?	?	108	93
CAIRO, ...	682,953	„ 29,	636	784	59·9	.	15	.	13†	.	5	277
PARIS, ...	2,760,000	Aug. 6,	944	720	13·6	.	6	3	7†	5	4*a*	28*b*
BRUSSELS, ...	720,030	„ 20,	225	183	13·2	.	1	.	3†	1	1	21
ANTWERP, ...	317,171	„ 20,	114	80	13·2	.	.	.	.	1	.	12*b*
AMSTERDAM, ...	571,225	„ 20,	240	88	8·0	.	1	.	.	1	.	4*b*
COPENHAGEN, ...	450,000	„ 20,	237	127	14·7	.	1	1	1	.	2*a*	36
STOCKHOLM, ...	341,816	„ 20,	125	69	10·5	.	.	.	.	1	.	2
CHRISTIANIA, ...	240,178	„ 27,	98	49	10·6	.	.		.	.	.	4
ST. PETERSBURG, ...	1,620,000	„ 6,	713	810	26·1	4	9	9	12	4	13*a*	299*
MOSCOW, ...	1,493,600	July 30,	.	889	31·0	4	11	15	20†	3	15	383*
BERLIN, ...	2,119,984	Aug. 13,	785	535	13·2	.	1	2	5†	1	2*a*	119
HAMBURG, ...	895,804	„ 20,	.	248	14·4	.	2	.	3†	5	1	57
BRESLAU, ...	510,156	„ 20,	.	158	16·1	.	.	.	.	.	1	19
MUNICH, ...	576,000	„ 27,	.	168	15·2	.	2	.	1†	.	.	27
VIENNA (with suburbs),	2,107,981	„ 20,	835	552	13·6	.	4	4	3†	1	1*a*	85*b*
BUDA-PESTH, ...	833,703	„ 20,	387	317	19·8	.	2	1	2†	1	7*a*	36*b*
PRAGUE and Faubourgs.	497,905	„ 6,	167	137	14·3	.	.	1	.	1	1*a*	12*b*
TRIESTE, ...	221,124	„ 13,	112	88	20·8	.	.	1	.	1	1*a*	22*b*
ROME, ...	587,096	July 9,	.	.	.	.	.	.	.	.	.	.
VENICE, ...	183,224	Aug. 20,	.	.	.	.	.	.	.	.	.	.
NEW YORK, ..	4,711,956	„ 13,	2,550	1,399	15·5	.	13	5	25†	10	12*a*	270*b*
PHILADELPHIA, ..	1,598,400	July 2,	.	495	16·1	.	7	.	2†	8	3*a*	104*b*
		„ 9,	.	510	16·6	.	3	.	7†	11	3*a*	146*b*
BOSTON, ...	629,868	Aug. 20,	.	232	19·2	.	2	.	1	1	3	35

* Including 6 deaths from cholera in Calcutta, 165 in St. Petersburg. and one in Moscow.
† Including deaths from croup.
‡ Including 7 deaths from plague in Calcutta, and 36 in Bombay.
a Enteric Fever.
b Deaths from diarrhœal diseases and from enteritis of children under two years of age.
c Including 2 deaths from cerebro-spinal fever.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 10th September, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	1	.	.	1	.	.	.	1	.	.	1	4
" " 1, West,	.	.	.	.	1	.	.	1	1	.	.	1	4
" " 2,	.	.	.	.	1	.	.	1	.	.	.	1	3
" " 3,	.	2	.	.	2	.	.	1	.	.	.	2	7
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	1	1	.	.	.	2
South City No. 1,	.	2	.	.	1	.	.	4	9	.	.	6	22
" " 2,	.	1	.	.	3	.	.	.	.	.	.	.	4
" " 3,	.	2	.	.	.	.	.	.	.	.	.	1	3
" " 4,	.	1	.	.	.	.	.	1	.	.	.	.	2
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	9	.	.	9	.	.	9	12	.	.	12	51

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 10th September, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 10th September.			
	Aug. 20.	Aug. 27.	Sept. 3.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	2	3	.	3	.	.	3
Scarlet Fever,	66	61	60	17	11	2	64*
Typhus,	1	1	1	.	.	.	1
Diphtheria,	31	33	45	7	7	.	45
Enteric Fever,	28	32	38	6	2	.	42
Pneumonia,	9	7	7	5	.	.	12

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.Sc., F.R.MET.SOC., reports as follows on the weather during the week ended 10th September, 1910:—

"Thanks to the persistence of an anticyclone, which remained central over Ireland throughout this week, a spell of fine, if somewhat dull, weather brought hope to the farmer and pleasure to the holiday-makers. At the beginning of the week atmospheric depressions were found over the N.W. of Germany and off the W. of Iceland, whereas the barometer stood above 30·3 inches all over Ireland and the western half of Scotland. Light northerly winds in the morning gave way to easterly sea-breezes in the afternoon along the east coast of Ireland. The succeeding night was cool and after a fair morning Monday proved dull. At night a considerable ('120 inch) rainfall occurred in Dublin—at Greystones ·150 inch of rain was recorded. Tuesday was chiefly dull owing to the presence of a local and shallow depression over the Irish Sea, within the limits of the anticyclone. During the remainder of the week very little change took place in the relative distribution of pressure, the barometer standing high and steady in a ridge extending from the Atlantic across Ireland and Scotland to Norway and later on to Lapland. Light variable breezes or calms, much cloud or mist—at sea, fog—and finally a rainfall on Saturday evening made up the weather of the remainder of the week. Some local 'chills' were observed. Thus, at Nairn a minimum of 37° was recorded in the course of Sunday night, and at the same station the thermometer fell to 34° in the screen early on Thursday morning. Also the English east-coast stations received considerable quantities of rain on Tuesday and Wednesday. In Dublin the mean height of the barometer was 30·306 inches, pressure ranging only from 30·351 inches at 9 a.m. of Wednesday (wind, N.W.) to 30·215 inches at 9 p.m. of Saturday, (wind, W.). The corrected mean temperature was 56·7°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 56·0°. On Sunday the screened thermometers rose to 63·4°; on Monday they fell to 48·8°. The wind was light and variable—chiefly from northerly points. Rain fell on 2 days to the amount of ·297 inch, ·120 inch being measured on Monday and ·177 inch on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·133 inches. The highest reading (30·170) was on Wednesday at 9 a.m., air calm, and the lowest (30·035) on Saturday at 9 p.m., air calm.

The mean temperature for the week was 54·8°, being 0·4° above the average for the corresponding period of the 10 years, 1900–1909. The temperature was highest on Sunday, on which day the thermometer registered 65·8°, and was lowest on Monday, the mercury having fallen to 41·9°. The mean of the Dry Bulb for the week was 54·7° and of the Wet Bulb 52·8°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The rainfall during the week measured 0·150 inch.

At Greenwich the mean temperature for the week was 54·7°, the maximum 65·6°, and the minimum 39·1°; at Glasgow the maximum was 71·0°, the minimum 39·0°, and the mean 55·3°; and at Edinburgh the maximum was 62·7°, the minimum 44·0°, and the mean 53·8°. The rainfall at Greenwich measured 0·02 in., at Glasgow 0·51 in., and at Edinburgh 0·23 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY.	BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins		
Sunday, September 4,	30·155	65·8	44·7	55·3	52·6	50·6	·85	·4	9·9	·000	Calm.	Calm.
Monday, „ 5,	30·132	64·4	41·9	53·2	58·0	55·2	·83	·0	3·4	·045	Calm.	Calm.
Tuesday, „ 6,	30·143	60·8	54·3	57·6	55·3	53·7	·90	·5	0·0	·005	Calm.	W.
Wednesday, „ 7,	30·163	61·1	52·3	56·7	54·1	52·9	·92	·1	0·2	·000	Calm.	Calm.
Thursday, „ 8,	30·127	61·7	44·2	53·0	53·3	51·2	·86	·0	7·5	·000	Calm.	Calm.
Friday, „ 9,	30·133	64·4	42·1	53·3	53·2	51·0	·86	·0	2·3	·000	Calm.	Calm.
Saturday, „ 10,	30·075	62·0	47·0	54·5	56·7	54·7	·87	·6	0·0	·100	Calm.	Calm.
Mean,	30·133	62·9	46·6	54·8	54·7	52·8	·87	·2	Total 23·3	Total ·150	—	

Sunday—Beautiful bright day; night clear. *Monday*—Day cloudy to overcast; night overcast, light rain a.m. *Tuesday*—Day overcast, drizzle a.m.; night overcast. *Wednesday*—Day overcast, fine; night cloudy. *Thursday*—Day cloudy, fine; night clear. *Friday*—Day cloudy, fine; night cloudy. *Saturday*—Day overcast, rain p.m.; night overcast, rain a.m.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, September 10th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperatures in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
	°	°	°	°	°	°	hrs.	ins.
Sunday, September 4,	57·8	59·0	57·4	65·4	48·0	56·7	9·2	—
Monday, „ 5,	60·4	58·9	57·3	64·6	48·2	56·4	2·75	·088
Tuesday, „ 6,	56·6	59·0	57·3	62·8	54·9	58·9	0·2	—
Wednesday, „ 7,	56·3	59·0	57·3	61·9	53·1	57·5	0·05	—
Thursday, „ 8,	59·4	58·8	57·4	62·7	48·8	55·8	7·7	—
Friday, „ 9,	57·7	58·4	57·2	64·0	47·2	55·6	1·3	—
Saturday, „ 10,	60·4	58·5	57·2	63·0	52·7	57·9	—	·135
Weekly Mean,	58·4	58·8	57·3	63·5	50·4	57·0	Total 21·20	Total ·223

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

29542. Wt. P. 1—80/137. 375. 4. 1910. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 17TH SEPTEMBER, 1910. [No. 37.

General Register Office, Charlemont House, Dublin, 19th September, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Average Rate for 4 weeks.
22 Town Districts.	**17·1**	**15·2**	**15·1**	**17·0**	**16·1**	Limerick,	20·5	17·8	17·8	9·6	16·4
						Lisburn,	18·2	9·1	9·1	4·5	10·2
Armagh,	6·9	20·6	13·7	34·4	18·9	Londonderry,	10·8	14·4	20·4	18·0	15·9
Ballymena,	9·6	23·9	.	28·7	15·6	Lurgan,	8·9	4·4	17·7	17·7	12·2
Belfast,	17·5	16·1	13·7	15·5	15·7	Newry,	25·2	4·2	12·6	21·0	15·8
Clonmel,	15·4	35·9	5·1	25·6	20·5	Newtownards,	22·9	.	11·4	11·4	11·4
Cork,	17·8	13·0	13·0	14·4	14·6	Portadown,	10·3	5·2	15·5	20·7	12·9
Drogheda,	28·6	20·4	16·3	8·2	18·4	Queenstown,	6·6	19·8	6·6	33·0	16·5
Dublin Reg. Area,	17·9	14·9	17·0	18·8	17·1	Sligo,	4·8	9·6	.	4·8	4·8
Dundalk,	8·0	12·0	27·9	16·0	16·0	Tralee,	.	10·6	21·1	26·4	14·5
Galway,	27·2	7·8	7·8	11·7	13·6	Waterford,	19·5	13·6	23·4	19·5	19·0
Kilkenny,	19·7	24·6	9·8	24·6	19·7	Wexford,	9·3	28·0	9·3	18·7	16·3

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 2·8 per 1,000, the rates varying from 0·0 in eleven of the districts to 10·6 in Tralee, the 5 deaths from all causes for that district including 2 from diarrhœal diseases. Among the 116 deaths from all causes for Belfast are one from each of measles, whooping-cough, and diphtheria, and 15 from diarrhœal diseases. Of the 21 deaths from all causes for Cork are one from enteric fever and 3 from diarrhœal diseases. Included in the 7 deaths from all causes for Limerick is one from diphtheria, and of the 10 deaths from all causes for Waterford are one from typhus and 2 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 235—121 boys and 114 girls—and the deaths to 153—87 males and 66 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, represent an annual rate of 18·8 per 1,000 of

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*), Table II. ‡ See columns 10-18 of Table II.

the population, the rate for the total deaths registered in the Area being 19·8 per 1,000. During the thirty-seven weeks, ending with Saturday last, the death-rate averaged 21·2, and was 3·1 below the mean rate for the corresponding portions of the ten years, 1900-9.

The deaths registered included 2 from scarlet fever, 2 from whooping-cough, 2 from diphtheria, one from enteric fever, and 21 deaths (including 19 of children under 5 years of age) from diarrhœal diseases ; 4 deaths from enteritis and one death from *gastro-enteritis* of children under 5 years of age were also registered. In the three preceding weeks deaths from scarlet fever were 2, one, and one ; deaths from whooping-cough were 0, 4, and 3 ; deaths from diphtheria were 4, one, and 0 ; deaths from enteric fever were 0, one, and one ; and deaths from diarrhœal diseases were 17, 12, and 11, respectively.

There was one death from influenza, no death having been recorded during the three preceding weeks.

Two deaths were caused by lobar pneumonia, 4 by broncho-pneumonia, and 4 by *pneumonia* (not defined).

All forms of tuberculous disease caused 24 deaths, including 15 from tuberculous phthisis (*phthisis*), 3 from tuberculous meningitis, one from tuberculous peritonitis, 2 from *tabes mesenterica*, and 3 from other forms of the disease. In the three preceding weeks deaths from all forms of tuberculous disease numbered 17, 22, and 36, respectively.

Three deaths from carcinoma and 4 deaths from cancer (undefined) were recorded.

The deaths of 6 infants were ascribed to prematurity.

Diseases of the brain and nervous system caused 12 deaths, including 2 of infants under one year of age from *convulsions*.

There were 19 deaths from diseases of the heart and blood vessels, and 9 deaths from bronchitis.

Of 6 deaths attributed to accidental causes, 2 were caused by burns and were those of children under 5 years of age.

In one instance the cause of death was "uncertified," there having been no medical attendant during the last illness ; this case was that of an infant under one year of age.

Fifty-nine of the persons whose deaths were registered during the week were under 5 years of age (47 being infants under one year, of whom 13 were under one month old) and 34 were aged 60 years and upwards, including 15 persons aged 70 and upwards, of whom 4 were octogenarians.

Sixty-eight of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 16 took place in the North Dublin Union Workhouse and 13 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·8 per 1,000 ; the rate in the City was 19.2 (North City Districts, 17·7; South, 20·7) and in the Suburbs, 17·5.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 3·6 per 1,000 inhabitants, the rate for the City being 3·9 (3·0 in the North City Districts, and 4·8 in the South), and for the Suburbs, 2·8 per 1000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (9) are equal to an annual rate of 15·7 per 1,000. There was one death each from epidemic diarrhœa, broncho-pneumonia and tuberculous disease.

No. 1 *North City District, West* (Summer-hill).—The deaths (18) are equal to an annual rate of 23·5 per 1,000. There were 4 deaths from diarrhœal diseases, one death from influenza, one death each from broncho-pneumonia and *pneumonia* (not defined), 3 from tuberculous disease, and 2 from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 18·7 per 1,000. One death from epidemic diarrhœa, two deaths from tuberculous disease, one death from bronchitis, and one accidental death were recorded.

No. 3 *North City District* (Benburb-street).—The deaths (12) represent an annual rate of 18·6 per 1,000. There were 2 deaths from epidemic diarrhœa, one death from broncho-pneumonia, 4 deaths from tuberculous phthisis (*phthisis*), and 2 accidental deaths.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are :—Clontarf and Howth, No. 1, part of, 19·4 per 1,000 inhabitants ; Coolock and Drumcondra, part of, 9·0 ; and Finglas and Glasnevin, part of, 0·0. Of the 2 deaths recorded for Clontarf and Howth No. 1, part of, one was caused by epidemic diarrhœa ; and the 2 deaths for Coolock and Drumcondra, part of, comprise one death from lobar-pneumonia and one from bronchitis.

No. 1 *South City District* (South Earl-street).—The deaths (18) represent an annual rate of 22·6 per 1,000. Among them are one death each from scarlet fever, whooping-cough, diphtheria and *diarrhœa*, and 3 deaths from *phthisis*.

No. 2 *South City District* (Castle-street).—The deaths (9) are equal to an annual rate of 21·6 per 1,000, and include one death each from scarlet fever and epidemic diarrhœa.

No. 3 *South City District* (Peter-street).—The deaths (19) are equal to an annual rate of 22·9 per 1,000. There were 3 deaths from diarrhœal diseases, one death from *pneumonia* (not defined), 5 deaths from tuberculous disease, and 2 from bronchitis.

No. 4 *South City District* (Grand Canal-street).—The deaths (10) are equivalent to an annual rate of 14·5 per 1,000. and include 2 deaths from epidemic diarrhœa, one from *phthisis*, and one from bronchitis.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 23·0 per 1,000. One death from enteric fever, and 2 deaths from epidemic diarrhœa were recorded.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are :—Rathmines and Rathgar, 8·4 ; Pembroke, 23·4; Blackrock, 17·4; and Kingstown, 26·6. The deaths from the principal epidemic diseases tabulated for these districts comprise one from whooping-cough and one death from epidemic diarrhœa for Rathmines and Rathgar, one death from epidemic diarrhœa for Pembroke, and one death each from diphtheria and *diarrhœa* for Kingstown. Among the 6 deaths from all causes for Rathmines and Rathgar, are one from lobar-pneumonia, and one accidental death ; the 13 deaths from all causes for Pembroke include one death from broncho-pneumonia, 2 from tuberculous disease, one from bronchitis, and one accidental death ; of the 3 deaths from all causes for Blackrock, one was caused by tuberculous disease ; and of the 9 deaths from all causes for Kingstown, there were 2 from *pneumonia* (not defined), one from *phthisis*, one from bronchitis, and one accidental death.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District: Mr. Manly, Executive Sanitary Officer for Pembroke Urban District: Mr. Heron, Executive Sanitary Officer for Blackrock Urban District: by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 17th September, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Aug. 27,	.	—	—	5	.	.	12	.	1	9	7	.	—	—	.	—	20	—	54
	Sept. 3,	.	—	—	15	.	.	11	.	.	6	4	.	—	—	.	—	8	—	44
	Sept. 10,	.	—	—	9	.	.	9	.	.	9	12	.	—	—	.	—	12	—	51
	Sept. 17,	.	—	—	17	.	.	8	.	1	16	10	.	—	—	.	—	12	—	64
Rathmines and Rathgar Urban District.	Aug. 27,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	—	—	—	—	3
	Sept. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Sept. 10,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Sept. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
Pembroke Urban District.	Aug. 27,	.	.	.	1	.	.	.	.	.	1	1	.	—	3	.	—	.	—	6
	Sept. 3,	.	1	1	.	.	.	1	.	.	1	.	.	—	.	.	—	.	—	4
	Sept. 10,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	.	—	.
	Sept. 17,	.	1	1	.	.	.	.	.	.	.	.	.	—	4	.	—	.	—	6
Blackrock Urban District.	Aug. 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Sept. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Sept. 10,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Sept. 17,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	.	—	—	—	3
Kingstown Urban District.	Aug. 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Sept. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Sept. 10,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Sept. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Aug. 27,	.	—	—	10	.	.	1	.	1	1	1	.	—	—	—	—	20	—	34
	Sept. 3,	.	—	—	9	.	.	5	1	.	2	5	.	—	—	—	—	14	—	36
	Sept. 10,	.	—	—	8	.	.	3	.	1	3	3	.	—	—	—	—	13	—	31
	Sept. 17,	.	—	—	6	.	.	2	.	.	5	4	2	—	—	—	—	13	—	32

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 17th September, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Three cases of measles were admitted to hospital during the week, one was discharged, and there were five cases under treatment at its close.

Sixteen cases of scarlet fever were admitted to hospital, 11 were discharged, there was one death, and 68* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 61, 60, and 64, respectively.

One case of typhus remained under treatment in hospital at the close of the week.

Twelve cases of diphtheria were admitted to hospital, 17 were discharged, there were 2 deaths, and 38 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 33, 45, and 45, respectively.

Thirteen cases of enteric fever were admitted to hospital during the week, 6 were discharged, and 49 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 32, 38 and 42.

In addition to the above named diseases, 5 cases of pneumonia were admitted to hospital, 4 were discharged, and 13 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns, including London (in which the rate was 12·2) was equal to an average annual death-rate of 12·6 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 13·0 per 1,000, the rate for Glasgow being 13·3 and for Edinburgh 11·7.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 17th September. From this Report it appears that of a total of 74 cases notified, 32 were scarlet fever, 21 diphtheria, 12 phthisis, 5 erysipelas, and 4 enteric fever. Among the 336 cases of infectious diseases in hospital at the close of the week were 166 cases of scarlet fever, 57 of diphtheria, 55 of phthisis, 17 of enteric fever, 15 of whooping-cough, 13 of measles, 6 of erysipelas, 2 of chicken-pox, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 17th September, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 17TH SEPTEMBER, 1910.																									METEOROLOGY. (c)											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																							WEEK ENDING 17TH SEPTEMBER, 1910.				WEEK ENDING 10TH SEPTEMBER, 1910.				WEEK ENDING 3RD SEPTEMBER, 1910.			
	POPULATION.		DEATHS			BIRTHS.	DEATHS.																						Air Temperature				Air Temperature				Air Temperature			
	Total.a	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10–18.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·2	32·3	17·0	2·8	718	375	98	99	.	1	2	1	3	4	.	2	48	20	48	23	23	27	9	10	103	13	.	.	.	.	.	.	.	.	.	.	.	.
DUBLIN REGISTRATION AREA:—TOTAL, c.	402,918	29·3	30·4	18·8	3·6	285	145	46	33	.	.	2	.	2	2	.	1	21	10	14	9	6	9	6	5	60	1	c65·8	40·1	52·0	0·02	c65·8	41·9	54·8	0·15	c67·0	46·5	57·2	0·19
CITY of DUBLIN,	310,298	39·2	35·3	19·2	3·9	210	114	38	23	.	.	2	.	1	1	.	1	16	6	13	6	5	7	3	2	53	1	f69·1 f68·8	49·0 44·0	55·1 53·8	0·05 0·04	f68·4 f67·5	48·8 44·0	56·7 56·0	0·80 0·12	f67·2 f67·5	52·0 48·0	58·4 57·7	0·85 0·43
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	15·5	8·4	2·8	11	6	2	2	.	.	.	.	1	.	.	.	1	1	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	5·4	23·4	1·8	3	13	5	4	.	.	.	.	.	.	.	.	1	1	.	2	1	1	1	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,013	8·3	17·4	17·4	.	8	3	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	28·7	26·6	5·9	8	9	1	3	.	.	.	.	.	1	.	.	1	2	1	.	.	1	1	2	2	.	66	50	58·1	0·00	65·0	47·0	56·8	0·41	68	49	59·2	0·85
URBAN DISTRICTS.																																							
BELFAST,	391,167	26·6	35·2	15·5	2·4	264	116	23	30	.	1	.	.	1	1	.	.	15	7	14	18	10	5	1	2	20	2	65·5	38·0	55·0	0·00	64·5	42·0	56·0	0·10	62·0	47·0	55·4	1·25
CORK,	76,122	23·6	44·5	14·4	2·7	65	21	5	3	.	.	.	.	.	.	.	1	3	.	4	.	.	1	1	1	7	1	63	47	55·3	0·04	66	50	56·8	0·14	67	51	58·1	0·15
LONDONDERRY,	48,477	20·1	31·2	18·0	1·2	26	15	3	8	.	.	.	.	.	.	.	.	1	.	3	.	1	4	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	15·0	9·6	1·4	11	7	2	2	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	3	1	63·8	35·5	53·1	0·00	69·2	46·6	56·2	0·08	68·2	42·2	57	0·73
WATERFORD,	26,769	18·7	33·1	19·5	5·8	17	10	.	3	.	.	.	1	.	.	.	.	2	.	1	.	1	1	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	9·5	31·1	11·7	.	8	3	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	64	40	54	0·00	66	44	56	0·00	64	47	57·4	0·42
DUNDALK,	13,076	9·4	48·9	16·0	.	11	4	.	3	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	24·5	8·2	.	6	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,405	17·8	21·0	21·0	4·2	5	5	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	67·7	40·0	53·8	0·00	68·9	42·8	55·9	0·10	64·7	46·2	56·2	0·11
LURGAN,	11,789	13·8	4·4	17·7	.	1	4	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	67·7	40·0	53·8	0·00	68·9	42·8	55·9	0·10	64·7	46·2	56·2	0·11
LISBURN,	11,461	10·1	18·6	4·5	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	67·7	40·0	53·8	0·00	68·9	42·8	55·9	0·10	64·7	46·2	56·2	0·11
WEXFORD,	11,168	23·2	51·4	18·7	4·7	11	4	1	1	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,886	8·9	28·7	28·7	4·8	6	6	1	2	.	.	.	.	.	.	.	.	1	.	2	1	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,870	8·7	9·6	4·8	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	64·9	34·8	52·9	0·04	67·8	38·8	53·8	0·22	64·7	48·0	56·5	0·44
KILKENNY,	10,609	11·5	19·7	24·6	.	4	5	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	1	64	44	54·4	0·01	68	43	57·8	0·08	68	44	57·1	0·51
CLONMEL,	10,167	7·8	41·0	25·6	.	8	5	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,099	18·2	25·8	20·7	.	5	4	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	.	.	67·7	40·0	53·8	0·00	68·9	42·8	55·9	0·10	64·7	46·2	56·2	0·11
TRALEE,	9,867	16·6	42·3	26·4	10·6	8	5	2	1	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	57·2	11·4	5·7	10	2	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	64	48	54·7	0·00	63	48	55·6	0·14	64	45	55·1	0·53
QUEENSTOWN,	7,909	14·4	38·0	38·0	.	5	5	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	63	47	55·8	0·04	66	50	58·8	0·14	67	51	58·1	0·15
ARMAGH,	7,588	22·2	18·7	34·4	.	2	5	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1	67·7	40·0	53·8	0·00	68·9	42·8	55·9	0·10	64·7	46·2	56·2	0·11

(*a*) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910.

(*b*) Formerly described as "Simple Continued Fever."

(*c*) Exclusive of 8 deaths of persons (including one under one year old and one at 60 years) admitted to hospital from localities outside the Area.

(*d*) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (*e*) Observations at Ordnance Survey Office, Phœnix Park. (*f*) Observations by Sir John Moore

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 17th September, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.										
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF & HOWTH NO. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3	SOUTH CITY NO. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	2	2	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.
Whooping-cough,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2	.
Diphtheria,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	1	4	1	2	1	.	.	1	1	3	2	2	1	1	.	1	21	.
Pneumonia,	1	2	.	1	.	1	.	.	.	1	.	.	1	1	.	2	10	.
Tuberculous Phthisis,	.	2	1	4	.	.	.	3	.	2	1	.	.	.	.	1	14	1
Disease. Other Forms,	1	1	1	.	.	.	.	.	.	3	.	.	.	2	1	.	9	.
Cancer, Malignant Disease,	1	.	2	.	.	.	.	.	.	1	.	1	.	1	.	.	6	1
Other General Diseases,	.	1	1	.	.	.	.	3	2	.	1	.	.	.	.	.	8	1
Total,	4	10	6	7	1	1	.	10	4	10	4	4	3	5	1	5	75	3
B. LOCAL DISEASES:																		
Nervous System,	2	.	.	.	.	.	.	2	1	1	3	.	1	2	.	.	12	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	.	2	1	2	1	.	.	1	.	1	2	.	1	2	1	2	16	3
Respiratory System,	.	2	1	.	.	1	.	.	2	2	1	.	.	1	.	1	9	1
Digestive System,	2	2	1	.	.	.	.	3	2	2	.	.	.	1	1	.	14	.
Lymphatic System, &c.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Urinary System,	1	1	.	1	.	.	.	.	1	1	.	.	.	.	.	.	5	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
C. Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	5	8	3	3	1	1	.	6	4	7	6	.	2	6	2	3	57	5
E. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
F. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	.	1	.	.	.	.	2	1	2	.	.	.	1	.	.	7	.
G. VIOLENT DEATHS,	.	.	1	2	.	.	.	.	.	.	.	.	1	1	.	1	6	.
Deaths from all Causes	9	18	11	12	2	2	.	18	9	19	10	4	6	13	3	9	145	8
Annual Rate of Mortality from all causes in every 1,000 of the population.	15·7	23·5	18·7	18·6	19·1	9·0	.	22·6	21·6	22·9	14·5	23·0	8·4	23·4	17·4	26·6	18·8	.
	17·7							20·7					17·5					
	19·2																	
Deaths at Ages. Under 1 year,	3	5	4	3	1	.	.	5	5	7	3	2	2	5	.	1	46	1
1 and under 5 years,	.	.	.	1	.	.	.	1	2	2	3	.	1	2	.	.	12	.
5 „ 20 „	.	2	1	.	.	.	.	1	.	2	.	.	.	.	1	1	8	.
20 „ 40 „	1	.	1	4	.	1	.	5	1	2	.	.	1	1	.	1	18	4
40 „ 60 „	2	6	3	1	1	1	.	1	.	3	3	2	.	1	1	3	28	2
60 years and upwards,	3	5	2	3	.	.	.	5	1	3	1	.	2	4	1	3	33	1
Number of Uncertified Deaths,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	3	3	5	.	.	.	7	3	2	2	1	1	2	.	2	33	6
Workhouse Hospitals,	3	8	2	2	.	.	.	2	.	6	2	.	.	2	.	.	27	2

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in the week of the ten years 1900–1909,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Averages in 37th Week of the 10 years, 1900–1909.	In the Week ending Saturday, 17th September, 1910.								
												Deaths of Persons of the Ages of								
	Sept. 15, 1900.	Sept. 14. 1901.	Sept. 13. 1902.	Sept. 19, 1903.	Sept. 17, 1904.	Sept. 16. 1905.	Sept. 15, 1906.	Sept. 14, 1907.	Sept. 12, 1908.	Sept. 18. 1909.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 54·5	° 56·8	° 52·5	° 47·9	° 55·9	° 51·1	° 52·4	° 57·5	° 53·0	° 49·0	° 53·1	° 52·0								
ALL CAUSES.	171	164	142	146	134	123	220	137	169	136	154·2	153	13	34	12	8	22	30	30	4
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	.	6	1	.	.	.	1	6	1	1·5	.	.	.	.	.	.	.	.	.
Scarlet Fever,	1	.	.	1	.	1	1	.	.	.	·4	2	.	.	2	.	.	.	.	.
Typhus,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	2	.	1	.	1	.	1	2	.	.	·7	1	.	.	.	.	.	.	1	.
Whooping-cough,	7	1	.	6	.	.	1	1	2	2	2·0	2	.	2	.	.	.	.	.	.
Diphtheria,	2	.	2	1	2	.	1	2	.	1	1·1	2	.	.	2	.	.	.	.	.
Cerebro-spinal Fever,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain),	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	7	1	3	3	2	1	.	2	1	2	2·2	1	.	.	.	.	.	1	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.),	27	22	5	2	6	4	19	3	9	3	17·2	16	3	11	2	.	.	.	.	.
Diarrhœa, Dysentery,			14	3	8	6	21	6	11	3		5	.	3	.	.	.	1	1	.
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	2	1	.	3	1	2	.	2	.	1·1	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Infective Endocarditis	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	7	11	1	.	.	1	2	2	1	1	7·3	2	.	.	.	.	1	.	1	.
Broncho-Epidemic			3	3	3	2	2	4	3	2		4	1	3	.	.	.	.	.	.
Not defined,			2	1	5	2	5	2	3	5		4	.	.	1	.	1	1	1	
Erysipelas,	.	2	.	.	2	1	.	.	.	.	·5	1	.	1	.	.	.	.	.	.
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	1	1	.	.	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
Other Infective Conditions,	.	.	1	.	.	.	1	.	.	.	·2	1	.	.	.	.	1	.	.	.
Tuberculous Phthisis,	20	20	1	4	3	7	6	6	12	6	18·3	4	.	.	.	.	2	2	.	.
"*Phthisis*,"			13	18	8	8	14	12	9	16		11	.	.	.	.	8	3	.	.
Tuberculous Meningitis,	4	3	4	3	5	3	4	1	1	2	3·0	3	.	.	1	2	.	.	.	.
Tuberculous Peritonitis,	8	6	.	.	4	.	1	.	.	2	2·6	1	.	.	1	.	.	.	.	.
Tabes Mesenterica,			.	2	2	1	.	.	.	.		2	.	1	1	.	.	.	.	.
Tuberculous Dis. (other),	4	4	5	6	7	8	6	4	8	4	5·7	3	.	1	.	1	1	.	.	.
Scrofula,			.	.	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
Alcoholism,	1	.	.	1	.	1	.	3	.	.	·6	.	.	.	.	.	.	.	.	.
Rheumatic Fever,	1	2	.	.	.	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carcinoma,	7	7	.	2	3	3	3	2	4	3	6·8	3	.	.	.	.	.	1	2	.
Sarcoma,			.	.	1	.	1	.	.	1		.	.	.	.	.	.	.	.	.
Cancer (undefined)			4	3	4	1	7	7	3	2		4	.	.	.	.	.	2	2	.
Diabetes Mellitus,	.	.	.	1	.	1	1	.	1	.	·4	.	.	.	.	.	.	.	.	.
Premature Birth,	.	2	2	4	4	2	4	3	2	4	2·7	6	6	.	.	.	.	.	.	.

* The figures for the year 1900 are for

† Formerly described as

THIRTY-SEVENTH WEEK ending Saturday, 17th September, 1910, with the deaths from each cause in the corresponding and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 37th Week of the 10 years 1900-1909.	In the Week ending Saturday, 17th September, 1910.							
	Sept. 15, 1900.	Sept. 14, 1901.	Sept. 13, 1902.	Sept. 19, 1903.	Sept. 17, 1904.	Sept. 16, 1905.	Sept. 15, 1906.	Sept. 14, 1907.	Sept. 12, 1908.	Sept. 18, 1909.		Deaths of Persons of the Ages of							
												ALL AGES.	0 to 5.						
Mean Temperature.	54·5	56·8	52·5	47·9	55·9	51·1	52·4	57·5	53·0	49·0	53·1	Mean Temp. 52·0	Under 1 month.	1 month and under a year.	1 to 5.	5 to 30.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Meningitis (not tuberc.)			6	1	3	4	2	4	3	1		4	.	2	2	.	.	.	.	
Insanity, G. P. of Insane			.	4	1	2	.	2	2	.		2	.	.	.	.	1	.	1	.
Epilepsy			2	.	2	1	.	.	1	.		1	.	.	.	.	1	.	.	.
Convulsions			3	6	4	5	6	3	6	.		2	.	2	.	.	.	.	.	.
Locomotor Ataxy			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord			1	.	.	.	2	.	.	4		1	.	.	.	.	.	1	.	.
Nervous System (other Dis.)			.	.	.	2	5	.	.	1		2	.	.	.	.	1	.	1	.
	29	37									32·2									
Valv. Dis., Endocarditis			2	4	1	5	7	10	4	11		7	.	.	.	.	2	3	1	1
Cerebr. Hæm. Thromb.			.	4	1	.	5	4	2	3		.	.	.	.	.	.	.	.	.
Apoplexy, Hemiplegia			4	2	4	2	1	.	4	7		3	.	.	.	.	.	1	2	.
Aneurysm			.	.	.	.	1	.	.	.		.	.	.	.	.	.	.	.	.
Embolism, Thromb. (not cerebral)			.	.	.	.	1	.	.	.		1	.	.	.	.	1	.	.	.
Heart and Blood Vessels (other Dis.)			11	10	5	9	13	11	13	6		8	.	.	.	.	.	3	5	.
Croup (not Spasm, nor Memb.)	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Bronchitis	8	11	7	13	8	7	12	10	12	5	9·3	9	1	1	.	.	3	4	.	
Asthma, Emphysema	3	1	.	.	.	.	.	.	.	.	1·8	.	.	.	.	.	.	.	.	.
Pleurisy			.	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
Respiratory Dis. (other)			1	2	1	.	3	1	2	3		1	.	.	.	1	.	.	.	.
Tonsillitis, Quinsy	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.)	1	2	.	1	1	1	10	2	6	5	5·1	4	.	4	.	.	.	.	.	.
Gastro-enteritis			1	4	2	2	8	4	1	.		1	.	1	.	.	.	.	.	.
Peritonitis (not Puerp.)	1	1	1	.	.	.	.	.	2	.	·5	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver	1	1	2	.	1	.	2	.	1	4	1·6	3	.	.	.	.	.	3	.	.
Liver Dis. (other)			.	.	2	1	.	.	.	1		1	.	.	.	.	1	.	.	.
Digestive Dis. (other)	4	.	3	5	8	9	7	6	9	3	5·4	5	.	.	.	1	1	1	2	.
Nephritis, Acute			.	2	2	1	1	3	1	1		2	.	.	1	.	.	1	.	.
Bright's Dis., Albuminuria	3	.	1	.	5	3	3	4	3	2	3·9	3	.	.	.	.	.	3	.	.
Urinary Sys. (other Dis.)			.	1	.	1	.	.	2	.		1	.	.	.	.	.	.	1	.
Generative Organs Dis.	.	.	.	.	.	.	3	.	.	.	·3	.	.	.	.	.	.	.	.	.
Childbirth (Accid. of)	.	2	2	.	1	.	1	.	.	1	·7	.	.	.	.	.	.	.	.	.
Old Age	10	2	8	5	1	3	3	1	3	4	4·0	3	.	.	.	.	.	.	1	2
Other Diseases	7	17	16	12	6	7	17	3	8	10	10·3	5	1	2	.	.	.	.	2	.
ACCIDENT.																				
By Railways	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
By Vehicles and Horses	.	.	.	.	.	1	.	1	.	1	·3	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
In Conflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	1	1	.	1	.	.	1	1	.	.	·5	2	.	.	2	.	.	.	.	.
By Drowning	1	.	1	.	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
By Suffocation in Bed	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Other Deaths by Accident	3	3	2	.	1	3	.	.	3	.	1·5	4	1	.	.	1	.	1	1	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide	.	1	.	2	.	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

*he Registration Area as then constituted.
'Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910—Week ending																									
	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3,	Sept. 10	Sept. 17.
No. of weeks in Annual Series,	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37
BIRTHS registered.	242	213	255	217	221	246	280	241	181	242	253	268	272	183	228	229	272	225	248	198	209	240	194	228	260	235
*Average Births in corresponding week of previous 10 years,** ..	211	235	190	207	224	195	270	229	211	202	232	222	199	225	237	200	198	204	215	221	202	219	218	207	232	203
DEATHS registered, ...	185	168	186	183	200	198	186	180	181	160	185	183	140	180	127	143	118	144	127	145	143	126	146	120	141	153
Annual Death-rate per 1,000, ..	28·9	26·7	24·1	28·7	25·9	25·0	17·6	23·8	17·0	20·7	17·5	17·2	16·1	16·8	16·4	18·5	15·3	18·6	16·4	18·8	18·5	16·3	18·9	15·5	18·2	19·8
*Average Deaths in corresponding week of previous 10 years,**	206	211	200	200	197	189	184	178	174	171	157	154	152	147	136	138	142	146	147	146	148	156	166	159	157	154
AGES, Under 5 years, ...	52	44	44	37	49	46	26	38	37	39	31	37	25	27	31	50	29	48	31	31	54	37	57	42	38	59
5—20 ,, ...	12	18	9	11	15	18	6	16	7	10	13	10	13	9	11	11	16	8	14	17	8	6	9	3	16	8
20—40 ,, ...	34	18	26	24	33	29	26	34	20	25	26	22	27	32	23	24	17	17	18	27	23	23	13	18	19	22
40—60 ,, ...	35	32	43	38	35	43	25	32	28	40	27	29	35	31	28	25	27	29	30	30	24	32	27	23	33	30
60—80 ,, ...	42	45	53	57	39	46	40	50	36	42	33	24	33	28	33	23	34	34	33	35	26	24	33	26	33	30
80 years and upwards, ..	10	16	11	16	9	11	8	10	8	4	5	7	3	2	6	10	1	8	2	5	4	4	7	8	2	4
Deaths from—																										
Small-pox, ...	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1	.	.	1	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	1	1	.	2	.	.	.	1	.	1	3	3	1	1	1	2	1	1	2
Scarlet Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	3	2	.	4	3	2
Whooping-cough, ...	2	1	.	2	5	4	1	1	1	.	2	1	2	1	3	.	1	1	.	5	1	.	2	4	1	2
Diphtheria, ...	1	.	1	.	1	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1
Enteric Fever, ...	1	4	1	1	.	2	1	3	.	1	.	3	2	.	.	.	1	2	2	.	.	2	.	1	1	1
Diarrhœal Diseases, ...	3	.	4	2	2	1	2	1	5	2	1	3	1	1	1	6	3	5	.	2	14	6	17	12	11	21
Influenza, ...	6	6	3	5	2	3	1	3	2	.	.	.	1	.	2	.	.	1	.	1	.	1	.	.	.	1
Pneumonia, ...	14	14	17	13	20	17	8	14	13	8	8	10	7	10	3	8	7	9	5	7	8	7	6	5	6	10
Tuberculous Phthisis, ..	26	14	21	22	21	25	14	31	15	14	17	15	22	24	23	11	19	11	17	24	14	17	12	17	23	15
Disease, Other Forms, ..	10	4	10	9	18	12	11	9	9	11	15	7	15	10	14	7	8	3	9	10	15	7	5	5	13	9
Cancer, Malignant Disease, ..	6	14	7	10	11	11	6	10	3	10	10	6	7	10	10	3	5	11	10	8	8	9	10	8	9	7
Diseases of Heart and Blood Vessels, ...	20	30	37	28	37	31	21	25	20	29	21	21	25	16	23	26	17	22	23	28	20	16	20	17	23	19
Diseases of Respiratory System,	36	28	38	39	22	25	17	27	16	18	18	17	11	15	7	11	18	14	14	10	8	10	11	6	10	10
Violent Deaths, ...	2	5	5	3	3	4	6	11	2	3	6	7	7	1	2	9	3	3	5	5	6	2	4	5	3	6
Number of Uncertified Deaths, ..	3	4	9	12	8	6	2	2	6	3	3	7	5	6	3	5	.	4	7	2	3	4	4	3	2	1
Mean Temperature of the Air (Phœnix Park), ...	48·4	39·7	41·7	48·0	49·6	48·6	46·1	44·7	51·4	55·1	50·6	57·8	56·4	58·1	54·7	55·5	57·1	53·9	57·8	56·5	59·2	58·8	56·6	57·2	54·8	52·0
Average Mean Temperature in corresponding week of previous 10 years, ...	41·9	42·1	44·2	43·4	45·1	46·6	46·9	48·5	48·6	50·5	53·9	53·3	53·7	55·3	56·6	57·6	58·9	60·6	58·8	58·8	58·2	57·7	56·5	56·1	54·4	53·1
Rainfall in inches, ...	·000	·040	·205	·786	·782	·417	·670	·250	1·263	·185	·693	1·870	·010	1·291	1·780	·660	·000	·840	·355	·940	·205	1·175	·411	·194	150	·015
Mean Humidity of the Air, complete Saturation 1·0	·91	·88	·93	93	·91	·82	·77	·81	·90	·83	·81	·93	·87	·92	·87	·88	·81	·81	·81	·84	·85	·81	·84	·88	·87	·91

* See note (*) at foot of Table IV.

† Formerly described as "Simple Continued Fever."

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 17th September, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 17TH SEPTEMBER, 1910.

CLASS	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1910.	Total Number of Deaths.	AGES. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	CAUSES OF DEATH. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases	Total Cols. 10-18.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal)	Other Causes	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS.	375,350	21·3	153	59	8	22	30	30	4	.	.	2	.	2	2	.	1	21	28	10	15	9	7	2	10	6	66	1
	CLASSES.																											
	Deaths in Families of the—																											
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	12·0	4	.	.	.	.	3	1	.	.	.	.	.	.	.	1	4	5	2	.	.	1	.	2	2	16	.
II.	MIDDLE CLASS, ...	87,198	16·7	28	9	1	4	8	5	1	.	.	.	.	.	.	.	.	3	7	1	4	3	2	2	3	.	16	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,428	17·9	38	15	5	6	6	5	1	.	.	1	.	1	2	.	.	11	13	2	7	8	3	.	2	4	20	1
IV.	GENERAL SERVICE CLASS, ...	154,279	18·3	54	29	.	8	9	7	1	.	.	1	.	1	.	.	.	3	3	3	4	3	1	.	3	.	12	.
V.	INMATES OF WORKHOUSES, ...	6,024	—	29	6	2	4	7	10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																											
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	20·1	3	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,860	6·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																											
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	16·6	7	4	.	1	2	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	.	.	4	.
	6. Clerks and Commercial Assistants, ..	30,482	8·6	5	2	.	1	2	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	28·9	15	3	1	2	3	5	1	.	.	.	.	.	.	.	1	1	2	.	.	.	1	.	2	1	9	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																											
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	26·4	5	3	.	1	1	.	.	.	.	1	.	.	.	.	.	.	1	.	1	.	1	1	.	.	1	.
	9. Building and Furnishing Trades, ...	39,801	17·5	10	4	4	.	.	2	.	.	.	.	.	1	1	.	.	1	3	.	.	3	.	.	1	.	3	.
	10. Clothing Trades, ...	28,260	9·0	4	1	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	11. Food Supply Trades, ...	9,242	11·3	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	20·6	12	4	.	3	2	3	.	.	.	.	.	.	.	.	.	1	1	.	2	.	1	1	1	.	6	.
	13. Petty Shopkeepers, ...	7,894	33·0	5	2	1	1	1	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.	3	.
IV.	GENERAL SERVICE CLASS.																											
	14. Army, Police, Postal Delivery, and Prison Services, &c	13,425	28·8	6	2	.	.	2	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.	4	.
	15. Domestic Servants, ...	36,608	10·0	7	2	.	2	1	2	.	.	.	.	.	.	.	.	.	2	2	.	2	1	1	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	10·9	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	22·0	38	22	.	6	6	3	1	.	.	1	.	1	.	.	.	8	10	2	5	2	2	.	1	4	12	1
V.	INMATES OF WORKHOUSES.																											
	18. Workhouse Inmates, ...	6,024	—	29	6	2	4	7	10	.	.	.	.	.	.	.	.	.	3	3	3	4	3	1	.	3	.	12	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From Diseases in Cols. 5–18.	TOTAL DEATHS.	NUMBER OF DEATHS FROM Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st., Nth.*) Pop. in 1910 (Est.) 29,908.	July 30,	15·7	1·7	9	.	.	1	.	.	.	.	.	.	1	3	.	1	2	.	.
	Aug. 6,	12·2	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	„ 13,	15·7	5·2	9	.	.	.	.	1	.	.	.	2	1	.	.	.	1	.	1
	„ 20,	17·4	8·5	10	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.
	„ 27,	20·9	8·7	12	.	.	.	.	.	.	.	.	5	1	1	.	1	1	.	.
	Sept. 3,	13·9	1·7	8	.	.	.	.	1	.	.	.	.	.	1	.	1	.	2	.
	„ 10,	17·4	1·7	10	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.
	„ 17,	15·7	1·7	9	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1910 (Est.) 39,974.	July 30,	22·2	.	17	.	.	.	.	.	.	.	.	.	1	2	.	.	1	2	2
	Aug. 6,	22·2	.	17	.	.	.	.	.	.	.	.	.	1	5	.	.	.	3	.
	„ 13,	17·0	1·3	13	.	.	.	.	.	.	.	.	1	1	1	1	1	1	1	.
	„ 20,	10·4	1·3	8	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	.
	„ 27,	15·7	1·3	12	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.	.
	Sept. 3,	20·9	3·9	16	.	.	.	.	1	.	.	.	2	1	1	.	2	2	.	1
	„ 10,	23·5	1·3	18	.	.	.	.	.	.	.	1	.	1	3	1	.	2	.	.
	„ 17,	23·5	5·2	18	.	.	.	.	.	.	.	.	4	2	2	1	.	2	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1910 (Est.) 30,744.	July 30,	8·5	1·7	5	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.
	Aug. 6,	13·6	.	8	.	.	.	.	.	.	.	.	.	2	.	2	1	.	.	1
	„ 13,	18·7	3·4	11	.	.	.	.	.	.	.	.	2	1	.	2	.	2	.	.
	„ 20,	17·0	1·7	10	.	.	.	.	.	.	.	.	1	.	.	.	.	4	1	1
	„ 27,	22·0	6·8	13	.	.	.	.	.	.	.	.	4	1	.	.	.	.	1	.
	Sept. 3,	15·3	3·4	9	.	.	.	.	.	1	.	.	1	1	2	.	.	2	.	.
	„ 10,	17·0	.	10	.	.	.	.	.	.	.	.	.	.	1	1	2	3	.	.
	„ 17,	18·7	1·7	11	.	.	.	.	.	.	.	.	1	.	1	1	2	1	1	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1910 (Est.) 33,559.	July 30,	20·2	4·7	13	.	.	.	.	.	3	.	.	.	.	2	1	2	.	.	1
	Aug. 6,	26·4	1·6	17	.	.	.	.	.	1	.	.	.	2	2	.	1	1	.	.
	„ 13,	23·8	3·1	15	.	.	.	.	.	.	.	.	.	1	4	.	2	.	.	.
	„ 20,	23·8	4·7	15	.	.	.	.	.	2	.	.	2	.	4	1	1	2	.	.
	„ 27,	20·2	1·6	13	.	.	1	.	.	.	.	1	.	.	2	.	2	2	1	.
	Sept. 3,	20·2	3·1	13	.	.	.	.	1	.	.	.	1	.	3	1	.	1	.	.
	„ 10,	14·0	.	9	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.
	„ 17,	18·6	3·1	12	.	.	.	.	.	.	.	.	2	1	4	.	.	.	2	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1910 (Est.) 41,476.	July 30,	20·1	1·3	16	.	.	1	.	.	.	.	.	.	1	2	1	2	1	1	1
	Aug. 6,	21·4	1·3	17	.	.	1	.	.	.	.	.	.	.	3	.	3	3	.	.
	„ 13,	26·4	1·3	21	.	.	.	.	.	.	.	.	1	.	1	4	1	.	2	1
	„ 20,	10·1	1·3	8	.	.	.	.	1	.	.	.	.	.	2	.	.	1	.	.
	„ 27,	20·1	1·3	16	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	.
	Sept. 3,	18·8	1·3	11	.	.	.	.	.	.	.	.	.	.	1	2	1	.	1	.
	„ 10,	17·6	2·5	14	.	.	.	.	.	.	.	.	2	1	3	.	1	1	1	.
	„ 17,	22·6	5·0	18	.	.	1	.	1	1	.	.	1	.	3	.	.	.	.	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1910 (Est.) 21,754.	July 30,	12·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	Aug. 6,	24·0	2·4	10	.	.	.	.	1	.	.	.	1	.	2	1	1	2	.	.
	„ 13,	16·8	2·4	7	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	„ 20,	43·1	2·4	18	.	.	.	.	.	.	.	1	.	1	6	.	1	.	.	2
	„ 27,	12·0	2·4	5	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	Sept. 3,	16·8	7·2	7	.	.	.	.	.	.	.	.	3	.	.	1	.	.	1	.
	„ 10,	19·2	4·8	8	.	.	.	.	1	.	.	.	1	.	3	1	.	1	.	.
	„ 17,	21·6	4·8	9	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1910 (Est.) 43,227.	July 30,	18·1	1·2	15	.	.	1	.	.	.	.	.	.	1	1	3	1	2	.	2
	Aug. 6,	19·3	2·4	16	.	.	.	.	2	.	.	.	.	2	3	2	.	.	.	.
	„ 13,	24·1	3·6	20	.	.	1	.	1	.	.	.	1	2	4	1	.	1	.	.
	„ 20,	22·9	2·4	19	.	.	.	.	.	.	.	.	2	3	.	4	1	.	.	1
	„ 27,	25·3	8·4	21	.	.	1	.	.	1	.	.	5	1	1	1	.	2	.	1
	Sept. 3,	18·1	1·2	15	.	.	.	.	.	.	.	.	1	1	1	.	1	1	1	1
	„ 10,	26·5	4·8	22	.	.	.	.	1	.	.	.	3	1	4	3	2	.	.	.
	„ 17,	22·9	3·6	19	.	.	.	.	.	.	.	.	3	1	2	3	1	2	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1910 (Est.) 35,881.	July 30,	16·0	.	11	.	.	.	.	.	.	.	.	.	.	.	1	2	2	1	1
	Aug. 6,	21·8	1·5	13	.	.	.	.	.	.	.	.	1	1	1	1	1	1	.	1
	„ 13,	20·3	2·9	14	.	.	.	.	1	.	.	.	1	1	1	2	.	1	1	.
	„ 20,	17·4	1·5	12	.	.	.	.	.	.	.	.	1	1	.	.	3	1	.	.
	„ 27,	24·7	2·9	17	.	.	.	.	.	1	.	.	1	.	2	2	3	2	.	.
	Sept. 3,	17·4	4·4	12	.	.	.	.	1	.	.	.	3	.	4	.	.	2	.	.
	„ 10,	17·4	4·4	12	.	.	.	.	.	.	.	.	2	1	4	.	1	1	1	1
	„ 17,	14·5	2·9	10	.	.	.	.	.	.	.	.	2	.	1	.	.	1	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From all Causes	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From Diseases in Cols. 5–18.	TOTAL DEATHS.	NUMBER OF DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	July 30,	7·0	·	5	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·
	Aug. 6,	11·3	·	8	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·
	„ 13,	4·2	·	3	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·
	„ 20,	8·4	1·4	6	·	·	1	·	·	·	·	·	·	·	·	2	·	·	1	·
	„ 27,	12·7	·	9	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
	Sept. 3,	12·7	1·4	9	·	·	·	·	1	·	·	·	·	·	2	·	·	·	·	1
	„ 10,	7·0	·	5	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	„ 17.	8·4	2·8	6	·	·	·	·	1	·	·	·	·	1	1	·	·	·	1	·
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	July 30,	19·8	1·8	11	·	·	·	·	·	·	·	·	1	·	·	2	1	·	·	·
	Aug. 6,	9·0	1·8	5	·	·	·	·	·	·	·	·	·	1	·	·	3	·	·	·
	„ 13,	27·0	7·2	15	·	1	·	·	·	·	·	·	·	3	·	·	2	3	2	1
	„ 20,	9·0	·	5	·	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·
	„ 27,	16·2	·	9	·	·	·	·	·	·	·	·	·	·	1	2	·	1	2	·
	Sept. 3,	1·8	1·8	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
	„ 10,	9·0	1·8	5	·	·	·	·	·	·	·	·	·	1	·	1	·	1	·	·
	„ 17,	23·4	1·8	13	·	·	·	·	·	·	·	·	·	1	1	·	2	1	1	1
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	July 30,	17·8	·	6	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·
	Aug. 6,	14·8	·	5	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·
	„ 13,	14·8	·	5	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·
	„ 20,	8·9	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	„ 27,	11·8	·	4	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
	Sept. 3,	11·8	·	4	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
	„ 10,	20·7	·	7	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·
	„ 17,	26·6	5·9	9	·	·	·	·	·	1	·	·	·	1	2	1	·	·	1	1
Belfast. Pop. in 1910 (Est.) 391,167.	July 30,	18·0	2·4	135	·	8	·	1	·	1	·	2	6	8	15	7	7	16	1	1
	Aug. 6,	15·3	2·7	115	·	7	1	·	2	·	·	·	10	3	13	7	3	10	1	2
	„ 13,	13·6	2·7	102	·	4	·	·	1	·	1	·	14	4	12	8	7	5	6	1
	„ 20,	16·5	4·0	124	·	7	·	·	1	·	·	·	22	5	16	9	3	8	·	2
	„ 27,	17·5	4·9	131	·	3	·	·	5	·	·	·	29	10	10	5	4	8	3	·
	Sept. 3,	16·1	2·1	121	·	·	·	·	·	·	·	·	16	8	11	9	5	9	2	2
	„ 10,	13·7	2·3	103	·	3	·	·	1	·	·	·	13	6	12	6	8	5	1	2
	„ 17,	15·5	2·4	116	·	1	·	·	1	1	·	·	15	7	14	13	10	5	1	2
Cork. Pop. (in 1901) 76,122.	July 30,	16·4	1·4	24	·	·	·	·	·	1	·	1	·	1	4	1	1	3	·	1
	Aug. 6,	6·8	·	10	·	·	·	·	·	·	·	·	·	2	4	·	1	1	·	·
	„ 13,	15·1	0·7	22	·	·	·	·	·	·	·	·	1	·	3	1	1	1	1	1
	„ 20,	15·1	0·7	22	·	·	·	·	·	·	·	1	·	1	·	1	1	·	·	·
	„ 27,	17·8	1·4	26	·	·	·	·	·	·	·	·	2	·	2	2	1	·	1	3
	Sept. 3,	18·0	1·4	19	·	·	·	·	·	·	·	·	2	2	2	1	·	2	1	2
	„ 10,	18·0	1·4	19	·	·	·	·	·	·	·	·	2	·	3	·	1	·	1	1
	„ 17,	14·4	2·7	21	·	·	·	·	·	·	·	1	3	·	4	·	·	1	1	1
Londonderry. Pop. in 1910 (Est.) 43,477.	July 30,	22·8	3·6	19	·	1	·	·	·	·	·	·	2	1	6	2	·	·	·	3
	Aug. 6,	19·2	1·2	16	·	1	·	·	·	·	·	·	·	·	6	3	1	1	·	1
	„ 13,	14·4	1·2	12	·	·	·	·	·	·	·	·	1	·	·	2	2	1	·	·
	„ 20,	14·4	4·8	12	·	1	·	·	·	1	·	·	2	·	·	·	3	1	·	·
	„ 27,	10·8	3·6	9	·	1	·	·	·	1	·	·	1	·	3	·	·	·	·	·
	Sept. 3,	14·4	7·2	12	·	·	·	·	·	·	·	1	5	·	1	·	·	·	·	1
	„ 10,	20·4	2·4	17	·	·	·	·	·	·	·	·	2	·	1	1	1	3	·	·
	„ 17,	14·0	1·2	15	·	·	·	·	·	·	·	·	1	·	3	·	1	4	·	2
Limerick. Pop. (in 1901) 38,151.	July 30,	17·8	·	13	·	·	·	·	·	·	·	·	1	·	·	·	·	3	·	1
	Aug. 6,	12·3	1·4	9	·	·	·	·	·	·	·	·	·	·	1	·	·	3	·	·
	„ 13,	10·9	·	8	·	·	·	·	·	·	·	·	·	·	1	1	·	1	·	3
	„ 20,	9·6	·	7	·	·	·	·	·	·	·	·	·	·	2	·	·	1	·	·
	„ 27,	20·5	1·4	15	·	·	·	·	1	·	·	·	·	·	4	2	·	3	·	1
	Sept. 3,	17·8	·	13	·	·	·	·	·	·	·	·	·	·	2	·	1	2	·	2
	„ 10,	17·8	·	13	·	·	·	·	·	·	·	·	·	1	·	1	·	3	·	1
	„ 17,	9·6	1·4	7	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·	1
Waterford. Pop. (in 1901) 26,769.	July 30,	19·5	·	10	·	·	·	·	·	·	·	·	·	·	·	3	2	·	·	1
	Aug. 6,	19·5	5·8	10	·	·	·	·	1	·	·	·	2	·	3	2	·	1	·	·
	„ 13,	27·8	1·9	14	·	1	·	·	·	·	·	·	·	1	1	·	·	1	·	3
	„ 20,	17·5	5·8	9	·	·	·	·	·	·	·	·	3	·	1	·	·	·	·	3
	„ 27,	19·5	7·8	10	·	1	·	·	·	·	·	·	3	·	·	·	1	2	1	3
	Sept. 3,	13·6	1·9	7	·	·	·	·	·	·	·	·	1	·	1	·	·	1	·	·
	„ 10,	23·4	3·9	12	·	·	·	·	·	·	·	·	2	·	2	1	·	1	·	1
	„ 17,	19·5	5·8	10	·	·	·	1	·	·	·	·	2	·	1	·	1	1	·	·

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 17th September, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	BIRTHS: No. of	DEATHS: Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-20.	Total No. of Deaths.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia† (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	4	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		14			5	1	.	1	.	1	2	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	1	.
Do. 2 do.		43			9	1	2	1	1	2	2	.	.	.	.	.	.	.	.	2	.	2	.	.	.	.	.	.	.
Do. 3 do.		33			19	3	1	2	1	3	4	.	.	.	.	1	.	.	.	4	.	1	2	3	.	.	.	5	1
Do. 4 do.		18			10	.	1	1	2	3	3	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	4	.
Do. 5 do.		14			2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 6 do.		20			10	.	1	1	1	1	6	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	.	1
Do. 7 do.		4			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do. 8 do.	349,180	4			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		11			7	2	1	.	2	1	1	.	.	.	.	.	1	.	.	1	.	2	.	.	.	.	.	4	.
Do. 10 do.		29			12	3	2	2	2	.	3	.	1	.	.	.	.	.	.	1	2	3	1	1	.	.	1	2	.
Do. 11 do.		19			14	3	3	2	.	2	4	.	.	.	.	.	.	.	.	2	2	1	2	.	1	1	.	.	.
Do. 12 do.		23			13	5	2	.	2	3	1	.	.	.	.	.	.	.	.	.	3	.	3	1	2	.	.	2	.
Do. 13 do.		11			4	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15* do.		21			9	3	.	5	.	.	1	.	.	.	.	.	.	.	.	1	.	2	3	.	.	.	.	1	.
Total, ...	—	264	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		116	28	13	16	13	21	30	.	1	.	.	1	1	.	.	15	7	14	13	10	5	1	2	20	2
City of Cork.																													
CORK URBAN No. 1 DISTRICT, .	12,867	8	20·3	.	5	.	1	.	1	2	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2	.
Do. 2 do. .	10,701	13	14·6	9·7	3	2	.	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.
Do. 3 do. .	9,978	14	15·7	.	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 4 do. .	8,686	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 do. .	6,592	5	7·9	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 6 do. .	10,702	11	19·5	4·9	4	1	.	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1	2	.
Do. 7 do. .	16,616	11	15·7	3·1	5	2	.	.	.	2	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	1
Total, ...	76,122	65	14·4	2·7	21	5	1	.	4	8	3	.	.	.	.	.	.	.	1	3	.	4	.	.	1	1	1	7	1

* New district formed as from 1st Jan., 1910, and the boundaries of Nos. 1, 4 & 6 districts altered; the population of each of these districts, as at present constituted, is not available.

† Formerly described as Simple Continued Fever.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910—Week ending																									
	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10	Sept. 17.
No. of weeks in annual Series, ..	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37
BIRTHS registered, ...	208	207	254	247	224	265	235	214	169	264	215	193	231	202	218	199	259	239	214	179	219	210	159	219	190	264
DEATHS registered, ...	125	133	168	187	160	178	167	170	177	176	166	148	183	157	137	145	136	117	135	115	102	124	181	121	108	116
Annual Death rate per 1,000 of estimated Population, ...	16·7	18·4	22·4	24·9	21·8	23·1	22·3	22·7	23·6	23·5	22·1	19·7	24·4	20·9	18·3	19·3	18·1	15·6	18·0	15·3	13·6	16·5	17·5	16·1	13·7	15·5
AGES — Under 1 year, ...	27	27	34	38	36	33	31	29	30	37	37	20	44	33	24	34	26	25	35	27	27	35	49	30	28	23
1–5 years, ...	15	21	33	34	27	20	36	35	47	43	45	54	47	45	33	29	32	23	23	19	6	17	14	15	14	13
5–20 years, ...	7	18	19	15	14	21	19	15	15	15	14	12	15	16	13	12	7	17	10	7	7	9	11	11	4	16
20–40 years, ...	19	16	21	33	14	24	25	30	28	26	26	25	20	17	18	25	20	19	14	15	22	19	18	9	16	12
40–60 years, ...	28	22	27	24	29	41	30	30	29	28	27	16	23	20	21	20	25	17	25	21	22	21	19	26	20	23
60 years and upwards, ..	29	34	34	44	40	34	33	31	28	27	17	21	34	26	28	25	26	16	28	26	18	23	20	30	21	30
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	8	6	11	17	8	20	19	28	44	33	38	38	49	35	25	24	20	21	8	7	4	7	8	.	8	1
Scarlet Fever, ...	.	2	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Whooping-cough, ...	10	6	12	5	8	4	4	6	4	5	7	5	4	1	1	2	1	1	.	2	1	1	5	.	1	1
Diphtheria, ...	.	1	1		1	1	.	1	.	1	.	1	2	.	.	.	1	1	1	.	.	.	.	.	.	1
*Pyrexia** (origin uncertain , ..	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Enteric Fever, ...	.	1	.	.	1	.	.	1	.	.	.	1	.	1	1	.	.	1	2	.	.	.	.	.	.	.
Diarrhœal Diseases, ...	1	1	.	1	3	1	2	.	.	2	3	1	4	3	1	5	2	5	6	10	14	22	29	16	13	15
Pneumonia, ...	8	14	19	16	19	14	15	26	22	21	18	13	17	17	11	14	17	5	8	3	4	5	10	8	6	7
Tuberculous Disease, Phthisis, ..	10	20	24	27	13	22	20	24	29	14	21	19	24	22	11	11	9	16	15	13	12	16	10	11	12	14
Tuberculous Disease, Other Forms, ..	8	9	12	8	7	9	6	4	6	13	8	5	3	9	8	9	11	5	7	7	8	9	5	9	6	13
Cancer, Malignant Disease, ..	10	4	8	10	2	6	8	8	7	3	4	4	6	4	9	3	6	9	7	3	7	3	4	5	8	10
Diseases of Respiratory System,	16	16	21	22	30	15	21	14	17	14	18	17	14	16	7	7	15	6	16	10	5	8	8	9	5	5
Violent Deaths, ...	3	.	4	.	2	4	3	4	1	1	5	1	.	4	.	4	2	.	1	1	6	.	3	2	1	1
Number of Uncertified Deaths, ..	1	2	1	1	1	3	1	2	1	.	3	1	2	.	2	3	3	3	1	2	1	2	.	2	2	2

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	Sept. 17,	2,050	1,140	12·2	.	27	4	5	15	6*a*	104
EDINBURGH, ...	360,276	„ 17,	113	81	11·7	.	.	1	2	1	.	6
GLASGOW, ...	884,505	„ 17,	416	226	13·3	.	.	4	3	9	3*a*	25
CALCUTTA, ...	1,009,008	Aug. 13,	.	335	17·2	.	2	.	3	2	91‡	46*
BOMBAY, ...	977,822	„ 16,	384	661	35·2	2	2	.	.	.	81‡	101*
MADRAS, ...	509,346	July 29,	413	414	42·2	2	1	?	?	?	97	115
CAIRO, ...	682,953	Aug. 5,	584	734	56·0	.	11	1	7†	.	5	228
PARIS, ...	2,760,000	„ 13,	986	759	14·4	.	6	1	3†	11	3*a*	39*b*
BRUSSELS, ...	720,030	„ 27,	217	181	13·1	.	1	.	1†	.	1	29
ANTWERP, ...	317,171	„ 27,	123	64	10·5	.	.	.	.	1	.	16*b*
AMSTERDAM, ...	571,225	„ 27,	257	132	12·1	.	3	.	.	.	1*a*	9*b*
COPENHAGEN, ...	450,000	„ 27,	212	131	15·2	.	.	1	1†	1	.	36
STOCKHOLM, ...	341,816	„ 27,	150	77	11·7	.	.	.	2†	.	.	4
CHRISTIANIA, ...	240,178	Sept. 3,	89	46	9·1	.	.	1	2†	.	.	8
ST. PÉTERSBURG, ...	1,620,000	Aug. 13,	827	828	26·7	5	12	7	9	6	13*a*	308*
MOSCOW, ...	1,493,600	„ 6,	.	859	30·0	4	15	15	18†	1	4*a*	363*
BERLIN, ...	2,121,523	„ 20,	772	518	12·7	.	5	3	8†	4	5	102
HAMBURG, ...	895,804	„ 27,	.	238	13·8	.	4	1	6†	4	2	57
BRESLAU, ...	510,156	„ 27,	.	172	17·6	.	.	.	.	.	.	37
MUNICH, ...	576,000	Sept. 3,	.	144	13·0	.	1	.	1†	2	.	24
VIENNA (with suburbs),	2,107,981	Aug. 27,	706	545	13·4	.	3	4	1†	2	1*a*	67*b*
BUDA-PESTH, ...	833,703	„ 27,	452	252	15·7	.	2	9	2†	.	10*a*	27*b*
PRAGUE and Faubourgs.	497,905	„ 13,	167	121	12·6	.	.	.	.	1	.	7*b*
TRIESTE, ...	221,124	„ 20,	145	80	18·9	.	.	1	.	.	1*a*	14*b*
ROME, ...	590,113	July 9,	241	210	18·6	.	10	.	2	.	4*a*	30
VENICE, ...	183,224	Aug. 20,	.	.	.	.	.	.	.	.	.	.
NEW YORK, ...	4,711,956	„ 20,	2,411	1,342	14·9	.	5	1	17†	9	12*a*	237*b*
PHILADELPHIA, ..	1,598,400	July 16,	.	584	18·9	.	3	1	10†	13	.	149*b*
		„ 23,	.	592	19·2	.	2	1	6†	13	1*a*	172*b*
BOSTON, ...	629,868	Aug. 27,	.	221	18·3	.	3	2	4	.	3	36

* Including 13 deaths from cholera in Calcutta, 4 in Bombay, 168 in St. Petersburg, and 6 in Moscow.
† Including deaths from croup.
‡ Including 4 deaths from plague in Calcutta, and 26 in Bombay.
a Enteric Fever.
b Deaths from diarrhœal diseases and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 17th September, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	3	.	.	1	.	.	1	3	.	.	1	9
" " 1, West,	.	2	.	.	.	.	.	2	.	.	.	1	5
" " 2,	.	2	.	.	3	.	.	2	1	.	.	2	10
" " 3,	.	.	.	.	.	.	.	2	1	.	.	2	7
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
South City No. 1,	.	4	.	.	1	.	1	2	5	.	.	5	18
" " 2,	.	.	.	.	1	.	.	.	.	.	.	.	1
" " 3,	.	2	.	.	.	.	.	1	.	.	.	1	4
" " 4,	.	.	.	.	2	.	.	1	.	.	.	.	3
New Kilmainham,	.	.	.	.	.	.	.	5	.	.	.	.	5
Total,	.	17	.	.	8	.	1	16	10	.	.	12	64

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 17th September, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 17th September.			
	Aug. 27.	Sept. 3.	Sept. 10.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	3	.	3	3	1	.	5
Scarlet Fever,	61	60	64	16	11	1	68*
Typhus,	1	1	1	.	.	.	1
Diphtheria,	33	45	45	12	17	2	38
Enteric Fever,	32	38	42	13	6	.	49
Pneumonia,	7	7	12	5	4	.	13

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.Sc., F.R.MET.SOC., reports as follows on the weather during the week nded 17th September, 1910:—

"Ireland was covered by an anticyclone throughout this week, and the weather in this country was accordingly hiefly dry, although cool and extremely dull at times. On Sunday morning, however, a small and shallow epression was centred over Donegal, and this system kept the weather unsettled. The day broke dull and damp fter rain in Dublin, and rain fell locally in this city between 11 a.m. and 2 p.m. The afternoon was fair, but the tmosphere remained damp. By Monday the high pressure system had travelled southwards, and was now entral over Scotland and the Western Isles. Its calms caused a brisk fall of temperature in the north of Great Britain, a minimum of 35° being recorded at Wick. On Tuesday the highest pressure was found off the Kerry oast, and the anticyclone embraced all parts of the United Kingdom. In the course of the following night a well-narked depression formed quickly over the Netherlands. This led to a downpour of rain in the southeast of England, the total measurements exceeding an inch at many coast stations in that region and reaching half an inch n London, where thunder occurred on Wednesday. At this time cool N.E. winds were blowing over Ireland, but he weather was fine, especially inland. Along the east coast, however, the sky was densely clouded each morning. s the day advanced, the clouds broke, and the afternoons were comparatively clear, clouds returning in the evening. n Dublin the mean height of the barometer was 30·358 inches, pressure ranging from 30·216 inches at 9 a.m. of unday (wind, N.E.) to 30·522 inches at 9 a.m. of Saturday, (wind, N.N.E.). The corrected mean temperature vas 55·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 54·4°. The screened thermometers rose to 62·1° n Monday and sank to 49·0° on Friday. The prevalent wind was N.E. Rain fell on 2 days to the amount of ·053 nch, ·031 inch being measured on Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·182 inches. The highest reading (30·343) was on Saturday at 9 a.m., air calm, and the lowest (30·035) on Sunday at 9 a.m., air calm.

The mean temperature for the week was 52·0°, being 1·1° below the average for the corresponding period of the 10 years, 1900–1909. The temperature was highest on Monday, on which day the thermometer registered 63·3°, and was lowest on Friday, the mercury having fallen to 40·1°. The mean of the Dry Bulb for the week was 51·9° and of the Wet Bulb 50·4°. The mean humidity of the air was ·91, complete saturation being represented by 1·0. The rainfall during the week measured ·015 inch.

At Greenwich the mean temperature for the week was 56·1°, the maximum 67·0°, and the minimum 45·7°; at Glasgow the maximum was 66·3°, the minimum 39·0°, and the mean 54·6°; and at Edinburgh the maximum was 63·6°, the minimum 43·8°, and the mean 52·3°. The rainfall at Greenwich measured 0·66 in., and at Edinburgh 0·13 in. There was no rainfall recorded at Glasgow.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. Month and Day	Barometer.	Thermometer.			Hygrometer.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins		
Sunday, September 11,	30·062	60·5	44·5	52·6	51·2	50·0	·92	·5	1·7	·015	Calm.	Calm.
Monday, „ 12,	30·081	63·3	45·6	54·5	53·8	52·7	·92	·4	7·6	·000	Calm.	Calm.
Tuesday, „ 13,	30·135	61·2	46·7	54·0	54·2	52·3	·93	·6	2·5	·000	Calm.	Calm.
Wednesday, „ 14,	30·147	58·8	44·9	51·9	51·2	49·7	·89	·6	1·4	·000	Calm.	Calm.
Thursday, „ 15,	30·230	56·4	40·9	48·7	47·0	45·6	·90	·6	2·5	·000	N.N.E.	Calm.
Friday, „ 16,	30·309	58·5	40·1	49·3	53·1	51·6	·91	·6	3·3	·000	N.N.E.	Calm.
Saturday, „ 17,	30·312	57·2	48·9	53·1	52·9	51·2	·89	·3	0·7	·000	Calm.	Calm.
Mean, . . .	30·182	59·4	44·5	52·0	51·9	50·4	·91	·5	Total 19·7	Total ·015	—	

Sunday—Day overcast to cloudy, light rain a.m.; night overcast. *Monday*—Day overcast to cloudy; night cloudy. *Tuesday*—Day overcast to cloudy, fine; night clear. *Wednesday*—Day overcast to cloudy, fine; night clear. *Thursday*—Day overcast to cloudy, fine; night cloudy. *Friday*—Day cloudy, fine; night cloudy. *Saturday*—Day overcast to cloudy, fine; night cloudy.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, September 17th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperatures in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
	°	°	°	°	°	°	hrs.	ins.
Sunday, September 11,	57·5	58·6	57·2	63·0	51·7	57·4	1·1	·001
Monday, „ 12,	58·0	58·4	57·2	62·7	51·0	56·9	6·8	—
Tuesday, „ 13,	56·0	58·8	57·1	63·5	56·6	60·1	2·7	·015
Wednesday, „ 14,	52·2	58·0	57·1	59·8	48·5	54·2	0·9	—
Thursday, „ 15,	54·2	57·5	57·0	56·4	50·0	53·2	1·1	—
Friday, „ 16,	55·9	56·9	57·0	58·8	49·0	53·9	2·3	—
Saturday, „ 17,	55·0	57·0	57·0	58·4	51·2	54·8	0·2	—
Weekly Mean,	55·5	57·9	57·1	60·4	51·1	55·8	Total 15·1	Total ·016

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

29562. Wt. P. 1—80/137, 375. 4. 1910. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, LTD., 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.: or OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 24TH SEPTEMBER, 1910. [No. 38.

General Register Office, Charlemont House, Dublin, 26th September, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Average Rate for 4 weeks.
22 Town Districts.	**15·2**	**15·1**	**17·0**	**17·5**	**16·2**	Limerick, . . .	17·8	17·8	9·6	12·3	14·4
						Lisburn, . . .	9·1	9·1	4·5	18·2	10·2
Armagh, . . .	20·6	13·7	34·4	27·5	24·0	Londonderry, . .	14·4	20·4	18·0	10·8	15·9
Ballymena, . . .	23·9	.	28·7	14·4	16·7	Lurgan, . . .	4·4	17·7	17·7	22·1	15·5
Belfast, . . .	16·1	13·7	15·5	16·3	15·4	Newry, . . .	4·2	12·6	21·0	12·6	12·6
Clonmel, . . .	35·9	5·1	25·6	20·5	21·8	Newtownards, . .	.	11·4	11·4	17·2	10·0
Cork, ...	13·0	13·0	14·4	16·4	14·2	Portadown, . .	5·2	15·5	20·7	5·2	11·7
Drogheda, . . .	20·4	16·3	8·2	16·3	15·3	Queenstown, . .	19·8	6·6	33·0	13·2	18·1
Dublin Reg. Area, .	14·9	17·0	18·8	21·4	18·0	Sligo, ...	9·6	.	4·8	.	3·6
Dundalk, . . .	12·0	27·9	16·0	4·0	15·0	Tralee, . . .	10·6	21·1	26·4	15·9	18·5
Galway, . . .	7·8	7·8	11·7	19·4	11·7	Waterford, . . .	13·6	23·4	19·5	23·4	20·0
Kilkenny, . . .	24·6	9·8	24·6	4·9	16·0	Wexford, . . .	28·0	9·3	18·7	14·0	17·5

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 2·6 per 1,000, the rates varying from 0·0 in thirteen of the districts to 4·5 in Lisburn, the 4 deaths from all causes for that district including one from diarrhœa. Among the 122 deaths from all causes for Belfast are 3 from measles, one from whooping-cough, and 13 from diarrhœal diseases. Of the 24 deaths from all causes for Cork 4 are from diarrhœal diseases. Among the 9 deaths from all causes for Londonderry 2 are from diarrhœal diseases. Included in the 12 deaths from all causes for Waterford are 2 from diarrhœal diseases. The only death recorded for Dundalk is one from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 292—152 boys and 140 girls—and the deaths to 174—84 males and 90 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of 21·4 per 1,000 of the population, the rate for the total deaths registered in the Area being 22·5 per 1,000. During the thirty-eight weeks, ending with Saturday last, the death-rate averaged 21·2,

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*). Table II. ‡ See columns 10–18 of Table II.

and was 3·1 below the mean rate for the corresponding portions of the ten year 1900–9.

Among the deaths registered were 3 from measles, one from whooping-cough, 3 fro diphtheria, one from enteric fever, and 22* from diarrhœal diseases, 21 of the latter beir deaths of children under 5 years of age; there were also registered at this age-period deaths from enteritis and 4 from *gastro-enteritis*. The respective deaths in the three precedin weeks were as follows.—from measles, 0, 0, and 0; from whooping-cough, 4, 3, and 2; fro diphtheria, one, 0, and 2; from enteric fever, one, one, and one; and from diarrhœal disease 12, 11, and 21. There was one death from influenza, the mortality from this disease in th three preceding weeks being 0, 0, and one, respectively.

Broncho-pneumonia caused 3 deaths and *pneumonia* (not defined) one death.

Of 27 deaths from all forms of tuberculous disease, 19 were caused by tuberculous phthis (*phthisis*), 3 by tuberculous meningitis, and 5 by other forms of tuberculous disease. Th deaths from all forms of tuberculous disease in the three preceding weeks numbered 22, 3 and 24, respectively.

There were 3 deaths from carcinoma and 6 from cancer (undefined).

The deaths of 7 infants, prematurely born, were recorded.

Of 8 deaths from diseases of the brain and nervous system, 3 (all infants under one year o age) were ascribed to *convulsions*.

Twenty-four deaths were caused by diseases of the heart and blood vessels, and 16 b bronchitis.

The deaths attributed to accidental causes, numbering 6, included one caused by a vehicl one by burns, one by drowning, and 2 (of infants under one year of age) by overlaying.

In 3 instance the cause of death was "uncertified," there having been no medical attendan during the last illness; these cases include the deaths of 2 infants under one year old.

Seventy of the persons whose deaths were registered during the week were under 5 year of age (53 being infants under one year, of whom 12 were under one month old) and 44 wer aged 60 years and upwards, including 24 persons aged 70 and upwards, of whom 2 wer octogenarians.

Sixty-three of the deaths registered during the week occurred in hospitals and othe public institutions; of this number 10 took place in the North Dublin Union Workhous and 23 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week deaths in Public Institutions being assigned to the Districts from which the deceased wer admitted, and the annual death-rate for each District calculated on the mortality so dis tributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·4 per 1,000; the rate in the City was 23 (North City Districts, 20·7; South, 27·2) and in the Suburbs, 12·9.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 3·8 per 1,000 inhabitants, th rate for the City being 4·4 (4·3 in the North City Districts, and 4·5 in the South), and for the Suburbs, 1·7 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (14) are equal to an annual rate of 24·4 per 1,00 There were 3 deaths from tuberculous phthisis (*phthisis*), 2 from bronchitis and 2 accidental deaths.

No. 1 *North City District, West* (Summer-hill).—The deaths (16) are equal to an annual rate of 20·9 per 1,00 and include one death from diphtheria, 3 from diarrhœal diseases, one from influenza, one from *phthisis*, and 3 fron diseases of the respiratory system.

No. 2 *North City District* (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 27·1 per 1,000 Among them are one from enteric fever, 5 from epidemic diarrhœa, 2 from tuberculous phthisis (*phthisis*), and 4 fron diseases of the respiratory system.

No. 3 *North City District* (Benburb-street).—The deaths (8) represent an annual rate of 12·4 per 1,000. Ther was one death each from *diarrhœa*, broncho-pneumonia and *phthisis*.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontar and Howth, No. 1, part of, 29·1 per 1,000 inhabitants; Coolock and Drumcondra, part of, 17·9; and Finglas and Glasnevin part of, 13·6. Of the 3 deaths from all causes for the first-named district, one was caused by epidemic diarrhœa, one b bronchitis and one by burns; and the 4 deaths from all causes for Coolock and Drumcondra, part of, included one fron epidemic diarrhœa, one from tuberculous phthisis, and one accidental death.

No. 1 *South City District* (South Earl-street).—The deaths (25) represent an annual rate of 31·4 per 1,000. Two death from measles, one from epidemic diarrhœa, 6 deaths from tuberculous disease, and 4 deaths from bronchitis were recorded.

No. 2 *South City District* (Castle-street).—The deaths (9) are equal to an annual rate of 21·6 per 1,000, and include one death from epidemic diarrhœa and 2 deaths from tuberculous phthisis.

No. 3 *South City District* (Peter-street).—The deaths (26) are equal to an annual rate of 31·4 per 1,000. Among them are one death from measles, 4 deaths from epidemic diarrhœa, 4 deaths from tuberculous disease and 3 from bronchitis.

No. 4 *South City District* (Grand Canal-street).—The deaths (15) are equivalent to an annual rate of 21·8 per 1,000 Diphtheria, epidemic diarrhœa, and broncho-pneumonia, each caused one death; there were 3 deaths from tuberculous disease and 2 accidental deaths.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 23·0 per 1,000. Epidemic diarrhœa caused 2 deaths.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar 14·1; Pembroke, 12·6; Blackrock, 5·8; and Kingstown, 14·8. The deaths from the principal epidemic diseases tabulated for these districts include one death from whooping-cough for Rathmines and Rathgar, one death from *diarrhœa* fo Pembroke, and one death from diphtheria for Kingstown. Among the 10 deaths from all causes for Rathmines and Rathgar are one from broncho-pneumonia, and one from bronchitis; of the 7 deaths from all causes for Pembroke one was from tuberculous disease; the only death recorded for Blackrock was one from tuberculous meningitis; and of the 5 deaths from all causes for Kingstown, there was one death each from *pneumonia* (not defined), and bronchitis

* See note (c) at foot of Table II. † See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possibl in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 24th September, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Sept. 3,	.	—	—	15	.	.	11	.	.	6	4	.	—	—	.	—	8	—	44
	Sept. 10,	.	—	—	9	.	.	9	.	.	9	12	.	—	—	.	—	12	—	51
	Sept. 17,	.	—	—	17	.	.	8	.	1	16	10	.	—	—	.	—	12	—	64
	Sept. 24,	.	—	—	15	.	.	11	.	.	3	13	.	—	—	.	—	14	—	56
Rathmines and Rathgar Urban District.	Sept. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Sept. 10,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Sept. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Sept. 24,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
Pembroke Urban District.	Sept. 3,	.	1	1	.	.	.	1	.	.	1	.	.	—	.	.	—	.	—	4
	Sept. 10,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	.	—	.
	Sept. 17,	.	1	1	.	.	.	.	.	.	.	.	.	—	4	.	—	.	—	6
	Sept. 24,	.	.	.	.	.	.	1	.	.	.	1	.	—	4	.	—	.	—	6
Blackrock Urban District.	Sept. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Sept. 10,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Sept. 17,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	.	—	—	—	3
	Sept. 24,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	.	—	—	—	3
Kingstown Urban District.	Sept. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Sept. 10,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Sept. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Sept. 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Sept. 3,	.	—	—	9	.	.	5	1	.	2	5	.	—	—	—	—	14	—	36
	Sept. 10,	.	—	—	8	.	.	3	.	1	3	3	.	—	—	—	—	13	—	31
	Sept. 17,	.	—	—	6	.	.	2	.	.	5	4	2	—	—	—	—	13	—	32
	Sept. 24,	.	—	—	13	.	.	6	.	.	2	5	.	—	—	—	—	10	—	36

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 24th September, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

One case of measles was admitted to hospital during the week, there was one death, and 5 cases remained under treatment at its close.

Sixteen cases of scarlet fever were admitted to hospital, 16 were discharged, and 68* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 60, 64, and 68, respectively.

One case of typhus remained under treatment in hospital at the close of the week.

Fourteen cases of diphtheria were admitted to hospital, 11 were discharged, there was one death, and 40 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 45, 45, and 38, respectively.

Ten cases of enteric fever were admitted to hospital during the week, 14 were discharged, there was one death, and 44 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 38, 42 and 49.

In addition to the above named diseases, 4 cases of pneumonia were admitted to hospital, 3 were discharged, and 14 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns, including London (in which the rate was 12·0) was equal to an average annual death-rate of 13·0 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 13·6 per 1,000, the rate for Glasgow being 13·4 and for Edinburgh 11·9.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 24th September. From this Report it appears that of a total of 83 cases notified, 33 were scarlet fever, 32 diphtheria, 14 phthisis, and 4 erysipelas. Among the 371 cases of infectious diseases in hospital at the close of the week were 179 cases of scarlet fever, 84 of diphtheria, 57 of phthisis, 18 of whooping-cough, 14 of enteric fever, 8 of measles, 5 of erysipelas, one of chicken-pox, and one of puerperal fever.

* See note (*) at foot of Table XII

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 24th September, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 24TH SEPTEMBER, 1910.																							METEOROLOGY. (*d*)											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 24TH SEPTEMBER, 1910.				WEEK ENDING 17TH SEPTEMBER, 1910.				WEEK ENDING 10TH SEPTEMBER, 1910.			
						DEATHS.																				Air Temperature				Air Temperature				Air Temperature			
	POPULATION.		DEATHS.			BIRTHS.	Caused by																			Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
	Total.*a*	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10–18.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia b* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.											
COLS.	(1)	(2)	(8)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS, .	1,151,790	20·2	29·3	17·5	2·6	647	387	107	105	.	6	.	.	2	4	.	1	45	15	40	24	20	39	13	18	123	9	○	○	○	.	○	○	○	.	○	○	○	.
DUBLIN REGISTRATION AREA:— TOTAL, *c*.	402,928	29·3	37·8	21·4	3·8	292	165	52	43	.	3	.	.	1	3	.	1	21	4	17	8	8	20	6	10	54	3	*e*64·8	36·7	50·4	0·02	*e*63·3	40·1	52·0	0·02	*e*65·8	41·9	54·8	0·15
CITY of DUBLIN,	310,298	39·2	42·2	23·9	4·4	251	142	46	33	.	3	.	.	.	2	.	1	20	2	17	6	5	18	6	10	46	2	*f*63·2 *g*63·8	41·8 39·0	52·4 47·9	0·01 0·01	*f*62·1 *g*63·8	49·0 44·0	55·1 53·8	0·05 0·04	*g*67·5	44·0	56·0	0·12
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	21·1	14·1	1·4	15	10	3	4	.	.	.	.	1	.	.	.	.	1	.	.	1	1	.	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	27·0	12·6	1·8	15	7	3	3	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,013	8·3	28·9	5·8	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	17·8	14·8	3·0	6	5	.	3	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.	.	1	.	64·0	43·0	53·0	0·00	66	50	56·1	0·00	65·0	47·0	56·8	0·41
URBAN DISTRICTS.																																							
BELFAST,	391,167	26·6	25·9	16·8	2·8	194	122	29	35	.	8	.	.	1	.	.	.	13	10	11	6	8	8	5	5	39	.	60·0	41·0	51·2	0·00	65·5	38·0	55·0	0·00	64·5	42·0	56·0	0·10
CORK,	76,122	33·6	28·1	16·4	2·7	41	24	5	7	.	.	.	.	.	.	.	.	4	1	6	2	1	1	1	1	13	.	63	43	53·5	0·00	63	47	55·8	0·04	66	50	56·8	0·14
LONDONDERRY,	43,477	20·1	34·8	10·8	2·4	29	9	4	1	.	.	.	.	.	.	.	.	2	.	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	9·6	12·3	1·4	7	9	2	5	.	.	.	.	.	.	.	.	1	.	.	1	.	3	.	.	5	.	63·4	37·3	51·6	0·00	63·8	35·5	52·1	0·00	69·2	46·6	56·2	0·08
WATERFORD,	26,769	18·7	35·1	13·4	3·9	18	12	5	1	.	.	.	.	.	.	.	.	2	.	1	2	1	.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	2·5	15·5	19·4	.	4	5	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	2	2	64	38	53	0·00	64	40	54	0·00	68	44	56	0·00
DUNDALK,	18,076	9·4	15·8	4·0	4·0	14	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	4·1	16·3	4·1	1	4	.	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,405	17·8	25·2	12·6	.	6	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	64·9	38·6	51·8	0·01	67·7	40·0	53·8	0·00	68·9	42·8	55·9	0·10
LURGAN,	11,782	13·8	26·6	22·1	.	6	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	64·9	38·6	51·8	0·01	67·7	40·0	53·8	0·00	68·9	42·8	55·9	0·10
LISBURN,	11,461	10·1	22·7	18·2	4·5	5	4	1	3	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	64·9	38·6	51·8	0·01	67·7	40·0	53·8	0·00	68·9	42·8	55·9	0·10
WEXFORD,	11,168	23·2	18·7	14·0	.	4	3	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,686	8·9	4·8	14·4	.	1	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,670	3·7	19·2	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	61·4	36·6	50·5	0·09	64·9	34·3	52·9	0·01	67·8	33·8	53·8	0·22
KILKENNY,	10,609	11·5	9·8	4·9	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	62	40	51·9	0·00	64	44	54·4	0·01	68	43	57·8	0·08
CLONMEL,	10,167	7·8	20·5	20·5	.	4	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,099	18·2	31·0	5·2	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	64·9	38·6	51·8	0·01	67·7	40·0	53·8	0·00	68·9	42·8	55·9	0·10
TRALEE,	9,667	16·6	21·1	15·9	.	4	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	11·4	17·2	.	2	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	61	45	52·1	0·02	64	48	54·7	0·00	62	48	55·6	0·14
QUEENSTOWN,	7,909	14·4	6·6	18·2	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	63	43	53·5	0·00	63	47	55·8	0·04	66	50	56·8	0·14
ARMAGH,	7,588	22·2	18·7	27·5	.	2	4	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	64·9	38·6	51·8	0·01	67·7	40·0	53·8	0·00	68·9	42·8	55·9	0·10

(*a*) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (*b*) Formerly described as "Simple Continued Fever." (*c*) Exclusive of 9 deaths of persons (including one under one year old and one at 63 years) admitted to hospital from localities outside the Area: of the 9 deaths one was from epidemic diarrhœa. (*d*) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (*e*) Observations at Ordnance Survey Office, Phœnix Park. (*f*) Observations by Sir John Moore

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 24th September, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN REGISTRATION DISTRICTS IN											URBAN DISTRICTS OF						
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	3	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Diphtheria,	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	3	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	.	3	5	1	1	1	.	1	1	4	1	2	.	1	.	.	21	1
Pneumonia,	.	.	.	1	.	.	.	.	.	.	1	.	1	.	.	1	4	.
Tuberculous Phthisis,	3	1	2	1	.	1	.	3	2	2	2	.	.	.	.	.	17	2
Disease. Other Forms,	.	.	.	.	.	.	.	3	.	2	1	.	.	1	1	.	8	.
Cancer, Malignant Disease,	2	.	.	.	.	.	.	.	.	1	2	.	1	2	.	.	8	1
Other General Diseases,	3	4	.	1	.	.	.	1	2	3	.	.	2	.	.	1	17	.
Total,	8	9	8	4	1	2	.	10	5	13	8	2	5	4	1	3	83	4
B. LOCAL DISEASES:																		
Diseases of Nervous System,	1	.	.	.	.	.	.	2	1	.	1	.	1	.	.	.	6	2
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	.	2	1	1	.	1	.	6	1	3	2	2	3	.	.	1	23	1
Respiratory System,	2	3	4	.	1	.	.	4	1	3	.	.	1	.	.	1	20	.
Digestive System,	1	2	1	2	.	.	1	3	.	3	1	.	.	2	.	.	16	1
Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	1	.	.	.	.	.	.	1	.	.	.	1	.	.	3	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	4	7	7	3	1	1	1	15	3	10	4	2	5	3	.	2	68	5
C. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	.	1	1	.	.	1	.	1	3	1	.	.	.	.	.	8	.
E. VIOLENT DEATHS,	2	.	.	.	1	1	.	.	.	.	2	.	.	.	.	.	6	.
Deaths from all Causes	14	16	16	8	3	4	2	25	9	26	15	4	10	7	1	5	165	9
Annual Rate of Mortality from all causes in every 1,000 of the population.	24·4	20·9	27·1	12·4	29·1	17·9	13·6	31·4	21·6	31·4	21·8	23·0	14·1	12·6	5·8	14·8	21·4	.
	20·7							27·2					12·9					
	23·9																	
Ages at Death. Under 1 year,	3	6	5	4	1	1	1	9	1	8	5	2	3	3	.	.	52	1
1 and under 5 years,	1	2	2	1	.	.	.	4	1	3	1	.	1	.	1	.	17	.
5 „ 20 „	.	2	.	1	.	.	.	.	2	1	1	.	.	.	.	1	8	1
20 „ 40 „	1	.	2	2	1	1	.	3	1	1	2	.	1	.	.	.	15	4
40 „ 60 „	3	4	4	.	.	1	1	3	1	5	4	1	1	1	.	1	30	2
60 years and upwards,	6	2	3	.	1	1	.	6	3	8	2	1	4	3	.	3	43	1
Number of Uncertified Deaths,	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	3	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	3	3	.	1	1	.	2	1	3	1	1	3	1	.	1	23	7
Workhouse Hospitals,	2	2	1	2	1	.	.	8	4	4	4	.	3	.	.	.	31	2

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in the week of the ten years 1900–1909,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Average in 38th Week of the 10 years, 1900-1909.	In the Week ending Saturday, 24th September, 1910.							
												Deaths of Persons of the Ages of							
	Sept. 22, 1900.	Sept. 21, 1901.	Sept. 20, 1902.	Sept. 26, 1903.	Sept. 24, 1904.	Sept. 23, 1905.	Sept. 22, 1906.	Sept. 21, 1907.	Sept. 19, 1908.	Sept. 25, 1909.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 56·2	° 54·7	° 52·9	° —	° 52·6	° 51·3	° 51·9	° 57·2	° 55·7	° 52·0	° 53·8‡	° 50·4								
ALL CAUSES.	167	180	168	165	194	137	201	145	153	157	166·7	174	12	41	17	9	19	32	42	2
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	.	13	.	1	.	1	.	3	.	1·8	3	.	.	3	.	.	.	.	.
Scarlet Fever,	.	1	2	.	.	.	1	.	.	1	·5	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	.	.	.	.	.	1	.	.	·2	1	.	.	.	.	.	.	1	.
Whooping-cough,	3	4	1	.	4	1	1	1	1	.	1·6	1	.	.	1	.	.	.	.	.
Diphtheria,	1	2	4	1	.	.	.	2	.	2	1·2	3	.	.	1	2	.	.	.	.
Cerebro-spinal Fever,	.	.	.	.	1	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain),	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	3	3	1	1	1	2	2	.	1	2	1·6	1	.	.	.	.	1	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.),	26	20	9	4	17	4	23	6	15	3	18·4	19	1	14	4	.	.	.	.	.
Diarrhœa, Dysentery,			11	10	11	6	11	4	1	3		3	.	2	.	.	1	.	.	.
Tetanus,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	2	3	.	.	1	.	2	3	1	1	1·3	1	.	1	.	.	.	.	.	.
Puerperal Septicæmia,	.	.	1	.	.	.	2	1	.	.	·5	.	.	.	.	.	.	.	.	.
Puerperal Pyæmia,			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Puerperal Fever,			.	1	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Infective Endocarditis	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	5	9	5	3	1	4	3	2	1 6	1	7·3	3	.	1	1	.	.	.	1	.
Broncho-Epidemic			2	9	5	1	4	4	5	2		1	.	.	.	.	.	.	1	.
Not defined,												2	.	.	.	.	.	1	1	.
Erysipelas,	1	1	.	.	1	.	1	.	.	.	·4	2	.	.	.	.	.	1	1	.
Septicæmia (not Puerperal)	.	1	1	.	2	.	.	1	.	2	1·0	1	.	.	.	1	.	.	.	.
Pyæmia (not Puerperal),			.	.	1	1	.	.	.	1		1	.	.	1	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	.	.	.	1	·1	1	.	.	.	.	.	.	.	.
Tuberculous Phthisis,	13	27	15	8 19	8 17	5 20	6 20	8 13	13 8	11 10	22·1	10	.	1	.	2	4	2	1	.
"*Phthisis*,"												9	.	.	.	.	4	4	1	.
Tuberculous Meningitis,	.	1	1	2	4	2	5	6	6	3	3·0	3	.	1	2	.	.	.	.	.
Tuberculous Peritonitis,	8	7	1	1	2	1	.	1	.	.	2·5	.	.	.	.	.	.	.	.	.
Tabes Mesenterica,			.	.	1	2	.	1	.	.		.	.	.	.	.	.	.	.	.
Tuberculous Dis. (other),	8	9	4	4	7	6	7	4	3	6	5·9	5	.	3	.	.	.	1	1	.
Scrofula,			.	.	1	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Alcoholism,	.	2	3	1	.	.	1	1	.	.	·8	.	.	.	.	.	.	.	.	.
Rheumatic Fever,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carcinoma,	7	10	2	3	1	2	3	3	4	7	8·6	3	.	.	.	.	.	2	1	.
Sarcoma,			.	2	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Cancer (undefined)			6	1	8	3	3	6	4	11		6	.	.	.	.	.	3	3	.
Diabetes Mellitus,	.	.	.	.	1	1	.	.	1	2	·5	.	.	.	.	.	.	.	.	.
Premature Birth,	4	5	2	8	6	6	5	5	4	4	4·9	7	7	.	.	.	.	.	.	.

‡ For nine years only.

* The figures for the year 1900 are for

† Formerly described as

IRTY-EIGHTH WEEK ending Saturday, 24th September, 1910, with the deaths from each cause in the corresponding
l the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 38th Week of the 10 years 1900-1909.	In the Week ending Saturday, 24th September, 1910.							
												Deaths of Persons of the Ages of							
	Sept. 22, 1900.	Sept. 21, 1901.	Sept. 20, 1902.	Sept. 26, 1903.	Sept. 24, 1904.	Sept. 23, 1905.	Sept. 22, 1906.	Sept. 21, 1907.	Sept. 19, 1908.	Sept. 25, 1909.		ALL AGES.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 56·2	° 54·7	° 52·9	—	° 52·6	° 51·3	° 51·9	° 57·2	° 55·7	° 52·0	° 53·8‡	° 50·4								
Meningitis (not tuberc.)			3	·	2	2	4	2	1	2		1	·	·	1	·	·	·	·	·
Insanity, G. P. of Insane			1	4	2	3	·	2	1	2		2	·	·	·	·	1	·	1	·
Epilepsy			·	·	1	2	2	·	·	1		·	·	·	·	·	·	·	·	·
Convulsions			10	7	2	2	9	1	2	4		3	1	2	·	·	·	·	·	·
Locomotor Ataxy			·	·	·	1	·	·	·	1		1	·	·	·	·	·	·	·	·
Paraplegia Dis. of Cord			·	2	·	1	·	·	·	·		·	·	·	·	·	·	1	·	·
Nervous System (other Dis.)			·	1	4	2	4	·	·	·		1	·	·	·	·	1	·	·	·
Valv. Dis., Endocarditis	38	29	2	4	4	6	6	9	7	5	33·4	3	·	·	·	1	1	·	1	·
Cerebr. Hæm. Thromb.			2	2	3	2	2	3	4	1		5	·	·	·	·	2	2	1	·
Apoplexy, Hemiplegia			5	5	7	·	4	2	4	1		1	·	·	·	·	·	1	·	·
Aneurysm			·	·	2	·	·	·	1	·		·	·	·	·	·	·	·	·	·
Embolism, Thromb. (not cerebral)			·	·	·	·	·	·	·	·		·	·	·	·	·	·	·	·	·
Heart and Blood Vessels (other Dis.)			8	13	11	10	13	9	14	7		15	·	·	·	·	1	4	10	·
Croup (not Spasm. nor Memb.)	1	1	1	1	·	·	·	·	·	·	·4	·	·	·	·	·	·	·	·	·
Bronchitis	9	9	8	10	18	6	10	14	11	13	10·8	16	1	1	1	·	1	5	6	1
Asthma, Emphysema			·	·	1	·	·	·	·	·	1·6	1	·	·	·	1	·	·	1	·
Pleurisy	·	2	·	·	·	·	·	·	2	1		1	·	·	·	·	·	·	·	·
Respiratory Dis. (other)			4	1	1	·	·	·	·	4		2	·	·	·	1	·	1	·	·
Tonsillitis, Quinsy	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·
Enteritis (not Epid.)	1	1	2	2	2	1	3	3	5	2	4·5	6	·	4	·	·	·	1	1	·
Gastro-enteritis			3	2	2	3	6	3	3	1		4	·	3	1	·	·	·	·	·
Peritonitis (not Puerp.)	·	2	·	·	·	·	1	·	·	·	·3	·	·	·	·	·	·	·	·	·
Cirrhosis of Liver	5	2	2	1	2	1	2	1	1	5	2·7	2	·	·	·	·	·	1	1	·
Liver Dis. (other)			·	1	2	1	1	·	·	·		1	·	·	·	·	·	1	·	·
Digestive Dis. (other)	4	5	4	5	6	3	7	2	4	6	4·6	3	·	2	·	·	·	1	·	·
Nephritis, Acute			·	·	2	·	3	2	2	2		1	·	·	·	1	·	·	·	·
Bright's Dis., Albuminuria	3	3	2	5	3	6	3	2	·	4	5·0	1	·	·	·	·	·	·	1	·
Urinary Sys. (other Dis.)			·	2	2	1	1	1	1	·		1	·	·	·	·	·	·	1	·
Generative Organs Dis.	·	1	·	1	·	·	·	1	1	·	·4	1	·	·	·	·	·	1	·	·
Childbirth (Accid. of)	·	·	·	·	·	1	·	3	·	1	·5	·	·	·	·	·	·	·	·	·
Old Age	9	9	8	5	3	3	2	2	1	1	4·3	4	·	·	·	·	·	·	4	·
Other Diseases	10	9	16	11	8	9	12	6	5	16	10·2	8	2	4	·	·	·	·	1	1
ACCIDENT.																				
By Railways	·	1	·	·	·	·	·	·	1	1	·1	·	·	·	·	·	·	·	·	·
By Vehicles and Horses	·	·	·	·	1	·	2	·	1	1	·5	1	·	·	·	·	·	1	·	·
In Ships, Boats, Docks (exclusive of Drowning)	·	·	·	·	·	·	·	·	1	·	·1	·	·	·	·	·	·	·	·	·
In Building Operations	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
In Conflagrations	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
By Burns, Scalds, Explosions	1	·	·	·	·	2	1	·	1	1	·6	1	·	·	·	·	1	·	·	·
By Drowning	·	1	·	·	·	2	1	·	1	·	·5	1	·	·	·	·	·	·	·	·
By Suffocation in Bed	·	·	·	·	·	·	1	1	·	·	·2	2	·	2	·	·	·	·	·	·
By Poison or Poisonous Vapours	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Deaths by Accident	3	·	2	1	1	·	·	3	·	·	1·0	1	·	·	·	·	·	·	1	·
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	·	·	·	·	·	·	·	·	·	·	·2	·	·	·	·	·	·	·	·	·
Suicide	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·

e Registration Area as then constituted.

Simple Continued Fever."

‡ For nine years only.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910—Week ending																								
	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10	Sept. 17.	Sept. 24.
No. of weeks in Annual Series,	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38
BIRTHS registered.	213	255	217	221	246	280	241	181	242	253	268	272	183	223	229	272	225	248	198	209	240	194	228	261	235	292
*Average Births in corresponding week of previous 10 years,** ..	235	190	207	224	195	270	229	211	202	232	222	199	225	237	200	198	204	215	221	202	219	218	207	232	203	200
DEATHS registered, ...	168	186	183	200	198	186	180	131	160	185	188	140	130	127	143	118	144	127	145	143	126	146	120	141	153	174
Annual Death-rate per 1,000, ..	21·7	24·1	23·7	25·9	25·0	17·6	23·3	17·0	20·7	17·5	17·2	18·1	16·8	16·4	18·5	15·3	18·6	16·4	18·8	18·5	16·3	18·9	15·5	18·2	19·8	22·5
*Average Deaths in corresponding week of previous 10 years,**	211	200	200	197	189	184	178	174	171	157	154	152	147	136	138	142	146	147	146	148	156	166	159	157	154	167
AGES, Under 5 years, ...	44	44	37	49	46	36	38	37	39	31	37	25	27	31	50	29	48	31	31	54	37	57	42	38	59	70
5—25 ,, ...	13	9	11	15	18	6	16	7	10	18	10	13	9	11	11	10	8	18	17	8	6	9	8	16	8	9
25—40 ,, ...	18	26	24	33	29	26	34	20	25	26	23	27	32	28	24	17	17	18	27	23	23	18	18	19	22	19
40—60 ,, ...	32	43	38	35	43	25	32	28	40	27	29	35	34	28	25	27	29	30	30	28	32	27	23	33	30	32
60—80 ,, ...	45	53	57	59	46	40	50	36	42	33	28	38	28	33	28	34	34	33	35	26	24	33	26	33	30	42
80 years and upwards, ..	16	11	16	9	11	3	10	3	4	5	7	3	2	6	10	1	8	2	5	4	4	7	8	2	4	2
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1	.	.	1	.	.	.	.	.	3
Measles, ...	.	.	.	.	.	.	1	1	.	2	.	.	1	.	.	1	3	3	1	1	1	2	1	1	2	.
Scarlet Fever, ...	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	2	5	4	1	1	1	.	2	1	2	1	3	.	1	1	.	3	3	2	.	4	3	2	1
Whooping-cough, ..	1	.	.	1	.	.	.	.	.	.	.	.	.	1	2	1	.	5	1	.	2	4	1	.	2	3
Diphtheria, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain), ..	.	.	1	.	2	1	3	.	1	.	.	2	.	.	.	1	2	2	.	.	2	.	1	1	1	1
Enteric Fever, ...	4	1	1	.	1	2	1	5	2	1	3	1	1	1	6	3	5	.	2	14	6	17	12	11	21	22
Diarrhœal Diseases, ..	.	4	2	2	3	1	3	2	.	.	.	1	.	2	.	.	1	.	1	.	1	.	.	.	1	1
Influenza, ...	6	8	5	2	3	1	3	2	.	.	.	1	.	2	.	.	1	.	1	.	1	.	.	.	.	1
Pneumonia, ...	14	17	18	20	17	8	14	13	8	8	10	7	10	3	8	7	9	5	7	8	7	6	5	6	10	4
Tuberculous Phthisis,	14	21	22	31	25	14	31	15	14	17	15	22	24	23	11	19	11	17	24	14	17	12	17	23	15	19
Disease, Other Forms, ..	4	10	9	18	12	11	9	9	11	15	7	15	10	14	7	8	3	9	10	15	7	5	5	13	9	8
Cancer, Malignant Disease, ..	14	7	10	11	11	6	10	3	10	10	6	7	10	10	8	5	11	10	8	8	9	10	8	9	7	9
Diseases of Heart and Blood Vessels, ...	30	37	28	37	31	21	25	20	29	21	21	25	16	23	26	17	22	23	23	20	16	20	17	23	19	24
Diseases of Respiratory System,	23	38	39	22	25	17	27	16	18	13	17	11	15	7	11	18	14	12	10	8	10	11	6	10	10	20
Violent Deaths, ...	5	5	3	3	4	6	11	2	3	6	7	7	1	2	2	3	8	5	3	6	2	4	5	3	6	6
Number of Uncertified Deaths, ..	4	9	12	8	6	2	2	6	3	3	7	5	6	3	5	.	4	7	2	3	4	4	3	2	1	3
Mean Temperature of the Air (Phœnix Park), ...	39·7	41·7	43·0	49·6	48·6	46·1	44·7	51·4	55·1	50·6	57·8	56·4	58·1	54·7	55·5	57·1	55·9	57·8	56·5	59·2	53·8	56·6	57·2	54·8	52·0	50·4
Average Mean Temperature in corresponding week of previous 10 years, ...	42·1	44·2	43·4	45·1	46·6	46·9	48·5	48·6	50·5	53·9	53·3	53·7	55·3	56·6	57·6	58·9	60·6	58·8	58·8	58·2	57·7	56·5	56·1	54·4	53·1	53·8‡
Rainfall in inches, ...	·040	·205	·736	·782	·417	·670	·250	1·283	·135	·692	1·870	·010	1·291	1·730	·660	·000	·840	·355	·940	·205	1·175	·411	·194	150	·015	·015
Mean Humidity of the Air, complete Saturation 1·0	·88	·93	93	·91	·82	·77	·81	·90	·88	·81	·92	·87	·92	·87	·88	·81	·81	·81	·84	·85	·81	·84	·88	·87	·91	·85

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 24th September, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 24TH SEPTEMBER, 1910.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 24 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death-Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	Tubercular Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Convulsions.	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS.	375,350	24·2	174	70	9	19	32	42	2	.	3	.	.	1	3	.	1	22	30	4	19	8	9	3	20	6	75	3
	CLASSES. **Deaths in Families of the—**																												
I.	Professional and Independent Class, ..	17,436	12·0	4	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
II.	Middle Class, ...	87,188	16·1	27	8	3	2	7	7	.	.	.	.	.	.	.	.	.	4	4	.	3	1	2	1	2	.	14	1
III.	Artisan Class and Petty Shopkeepers, ..	110,428	17·5	37	13	2	2	7	12	1	.	.	.	.	.	1	.	.	5	6	1	4	1	1	.	4	1	19	.
IV.	General Service Class, ...	154,279	24·7	73	38	2	11	11	11	.	.	3	.	.	1	2	.	1	11	18	1	7	2	2	2	10	5	26	2
V.	Inmates of Workhouses, ...	6,024	—	33	11	2	3	6	10	1	.	.	.	.	.	.	.	.	2	2	1	5	4	3	.	4	.	14	.
I.	Professional and Independent Class.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	20·1	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,860	6·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	Middle Class.																												
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	23·7	10	3	.	1	2	4	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	.	.	7	.
	6. Clerks and Commercial Assistants, ..	30,482	15·4	9	4	2	1	1	1	.	.	.	.	.	.	.	.	.	2	2	.	2	.	1	1	1	.	2	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	13·5	7	1	1	.	3	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	1	.	4	.
III.	Artisan Class and Petty Shopkeepers.																												
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	26·4	5	3	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	9. Building and Furnishing Trades, ...	29,801	12·2	7	2	1	2	1	1	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	2	.	2	.
	10. Clothing Trades, ...	28,260	9·0	2	2	.	.	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.	2	.
	11. Food Supply Trades, ...	9,242	22·6	4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,552	25·8	15	3	1	.	3	7	1	.	.	.	.	.	1	.	.	1	2	1	1	.	1	.	1	1	8	.
	18. Petty Shopkeepers, ...	7,894	18·2	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.
IV.	General Service Class.																												
	14. Army, Police, Postal Delivery, and Prison Services, &c	13,425	19·4	5	1	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	3	.
	15. Domestic Servants, ...	36,603	10·0	7	3	.	3	.	1	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	1	2	2	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	36·2	10	5	.	1	4	.	.	.	.	.	.	1	.	.	.	.	1	.	1	1	.	.	3	1	3	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	29·6	51	29	2	6	7	7	.	.	3	.	.	.	2	.	.	1	10	16	1	4	1	2	2	5	2	18	2
V.	Inmates of Workhouses.																												
	18. Workhouse Inmates, ...	6,024	—	33	11	2	3	6	10	1	.	.	.	.	.	.	.	.	2	2	1	5	4	3	.	4	.	14	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From Diseases in Cols. 5–18.	Total Deaths.	NUMBER OF DEATHS FROM Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of).																				
North City, No. 1 (E.)	Aug. 6,	12·2	.	7	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	
	„ 13,	15·7	5·2	9	.	.	.	.	1	.	.	.	2	1	.	.	1	1	.	1
	„ 20,	17·4	8·5	10	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	
(*Office*,	„ 27,	20·9	8·7	12	.	.	.	.	.	.	.	.	5	1	1	.	1	1	.	
Clarence-st., Nth.)	Sept. 3,	18·9	1·7	8	.	.	.	.	1	.	.	.	.	.	1	.	1	.	2	
	„ 10,	17·4	1·7	10	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	
Pop. in 1910	„ 17,	15·7	1·7	9	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	
(Est.) 29,908.	„ 24,	24·4	.	14	.	.	.	.	.	.	.	.	.	.	3	.	2	2	2	
North City, No. 1 (W.)	Aug. 6,	22·2	.	17	.	.	.	.	.	.	.	.	.	.	5	.	.	.	3	.
	„ 13,	17·0	1·3	13	.	.	.	.	.	.	.	.	1	1	1	1	1	1	.	
	„ 20,	10·4	1·3	8	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	
(*Office*,	„ 27,	15·7	1·3	12	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.	
Summer-hill.)	Sept. 3	20·9	3·9	16	.	.	.	.	1	.	.	.	2	1	1	.	2	2	.	1
	„ 10	23·5	1·3	18	.	.	.	.	.	.	.	1	.	1	3	1	.	2	.	
Pop. in 1910	„ 17,	23·5	5·2	18	.	.	.	.	.	.	.	.	4	2	2	1	.	2	.	
(Est.) 39,974.	„ 24,	20·9	5·2	16	.	.	.	.	.	1	.	.	3	.	1	.	.	3	.	
North City, No. 2.	Aug. 6,	13·6	.	8	.	.	.	.	.	.	.	.	.	2	.	2	1	.	.	1
	„ 13,	18·7	3·4	11	.	.	.	.	.	.	.	.	2	1	.	2	.	2	.	
	„ 20,	17·0	1·7	10	.	.	.	.	.	.	.	.	1	.	.	.	.	4	1	1
(*Office*,	„ 27,	23·0	6·8	13	.	.	.	.	.	.	.	.	4	1	.	.	.	.	1	
Lisburn-street.	Sept. 3,	15·3	3·4	9	.	.	.	.	.	1	.	.	1	1	2	.	.	2	.	
	„ 10,	17·0	.	10	.	.	.	.	.	.	.	.	.	.	1	1	1	3	.	
	„ 17,	18·7	1·7	11	.	.	.	.	.	.	.	.	1	.	1	1	2	1	1	
Pop. in 1910	„ 24,	27·1	10·2	16	.	.	.	.	.	.	.	1	5	.	2	.	.	4	.	
North City, No. 3.	Aug. 6,	26·4	1·6	17	.	.	.	.	.	1	.	.	.	3	2	.	1	1	.	
	„ 13,	23·5	3·1	15	.	.	.	.	.	.	.	.	2	1	4	.	2	.	.	
	„ 20,	23·5	4·7	15	.	.	.	.	.	2	.	1	.	.	4	1	1	2	.	
(*Office*,	„ 27,	20·2	1·6	13	.	.	1	.	.	.	.	.	.	.	2	.	2	2	1	
Benburb-street.)	Sept. 3,	20·2	3·1	13	.	.	.	.	1	.	.	.	1	.	3	1	.	1	.	
	„ 10,	14·0	.	9	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	
	„ 17,	18·6	3·1	12	.	.	.	.	.	.	.	.	2	1	4	.	.	.	2	
Pop. in 1910	„ 24,	12·4	1·6	8	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	
South City, No. 1.	Aug. 6,	21·4	1·3	17	.	.	1	.	.	.	.	.	.	.	3	.	3	3	.	
	„ 13,	26·4	1·3	21	.	.	.	.	.	.	.	.	1	.	1	4	1	.	2	1
	„ 20,	10·1	1·3	8	.	.	.	.	1	.	.	.	.	.	2	.	.	1	.	
(*Office*,	„ 27,	20·1	1·3	16	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	
Sth. Earl-street.)	Sept. 3,	13·8	1·3	11	.	.	.	.	.	.	.	.	1	.	1	2	1	.	1	
	„ 10,	17·6	2·5	14	.	.	.	.	.	.	.	.	2	1	3	.	1	1	1	
Pop. in 1910	„ 17,	22·6	5·0	18	.	.	1	.	1	1	.	.	1	.	3	.	.	.	.	1
(Est.) 41,476.	„ 24,	31·4	3·8	25	.	2	.	.	.	.	.	.	1	.	3	3	.	4	.	2
South City, No. 2.	Aug. 6,	24·0	2·4	10	.	.	.	.	1	.	.	.	.	.	2	1	1	2	.	
	„ 13,	16·8	2·4	7	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	
	„ 20,	43·1	2·4	18	.	.	.	.	.	.	.	1	.	1	6	.	1	.	.	2
	„ 27,	12·0	2·4	5	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	
(*Office*,	Sept. 3,	16·8	7·2	7	.	.	.	.	.	.	.	.	3	.	.	1	.	.	1	
Castle-street.)	„ 10,	19·2	4·8	8	.	.	.	.	.	.	.	.	1	.	3	1	.	1	.	
Pop. in 1910	„ 17,	21·6	4·8	9	.	.	1	.	1	.	.	.	1	.	3	1	.	1	.	
(Est.) 21,754.	„ 24,	21·6	2·4	9	.	.	.	.	.	.	.	.	1	.	2	.	.	1	.	
South City, No. 3.	Aug. 6,	19·3	2·4	16	.	.	.	.	2	.	.	.	.	2	3	2	.	.	.	
	„ 13,	24·1	3·6	20	.	.	1	.	1	.	.	.	1	2	4	1	.	1	.	
	„ 20,	22·9	2·4	19	.	.	.	.	.	.	.	.	2	3	.	4	1	.	.	1
(*Office*,	„ 27,	25·3	8·4	21	.	.	1	.	.	1	.	.	5	1	1	1	.	2	.	1
Peter-street.)	Sept. 3,	16·1	1·2	15	.	.	.	.	.	.	.	.	1	1	1	.	1	1	1	1
	„ 10,	26·5	4·8	22	.	.	.	.	1	.	.	.	3	1	4	3	2	.	.	
Pop. in 1910	„ 17,	22·9	3·6	19	.	.	.	.	.	.	.	.	3	1	2	3	1	2	.	
(Est.) 43,227.	„ 24,	31·4	6·0	26	.	1	.	.	.	.	.	.	4	.	2	2	1	3	.	
South City, No. 4.	Aug. 6,	21·8	1·5	15	.	.	.	.	.	.	.	.	1	1	1	1	1	1	.	1
	„ 13,	20·3	2·9	14	.	.	.	.	1	.	.	.	1	1	1	2	.	1	1	
	„ 20,	17·4	1·5	12	.	.	.	.	.	.	.	.	1	1	.	.	3	1	.	
(*Office*,	„ 27,	24·7	2·9	17	.	.	.	.	.	1	.	.	1	.	2	2	3	2	.	
Grand Canal-st.)	Sept. 3,	17·4	4·4	12	.	.	.	.	.	.	.	.	3	2	4	.	.	.	.	
	„ 10,	17·4	4·4	12	.	.	.	.	1	.	.	.	2	1	4	.	1	1	1	1
Pop. in 1910	„ 17,	14·5	2·9	10	.	.	.	.	.	.	.	.	2	1	1	.	.	1	.	
(Est.) 35,881.	„ 24,	21·8	2·9	15	.	.	.	.	.	1	.	.	1	1	2	1	2	.	2	

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From all Causes	From Diseases in Cols. 5–18.	Total Deaths.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	Aug. 6,	11·3	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	„ 13,	4·2	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	„ 20,	8·4	1·4	6	.	.	1	.	.	.	.	.	.	.	2	.	.	1	.	.
	„ 27,	12·7	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
	Sept. 3,	12·7	1·4	9	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	1
	„ 10,	7·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 17,	8·4	2·8	6	.	.	.	.	1	.	.	.	1	1	.	.	.	.	1	.
	„ 24,	14·1	1·4	10	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	1
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	Aug. 6,	9·0	1·8	5	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.
	„ 13,	27·0	7·2	15	.	1	.	.	.	.	.	.	3	.	.	2	3	2	1	.
	„ 20,	9·0	.	5	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	„ 27,	16·2	.	9	.	.	.	.	.	.	.	.	.	1	2	.	1	2	.	.
	Sept. 3,	1·8	1·8	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 10,	9·0	1·8	5	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.
	„ 17,	23·4	1·8	13	.	.	.	.	.	.	.	.	1	1	.	2	1	1	.	.
	„ 24,	12·6	1·8	7	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	Aug. 6,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	„ 13,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 20,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 27,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
	Sept. 3,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 10,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 17,	26·6	5·9	9	.	.	.	.	.	1	.	.	1	2	1	.	.	1	1	.
	„ 24,	14·8	3·0	5	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.	.
Belfast. Pop. in 1910 (Est.) 391,167.	Aug. 6,	15·3	2·7	115	.	7	1	.	2	.	.	.	10	3	13	7	3	10	1	2
	„ 13,	13·6	2·7	102	.	4	.	.	1	.	1	.	14	4	12	8	7	5	6	1
	„ 20,	16·5	4·0	124	.	7	.	.	1	.	.	.	22	5	16	9	3	8	.	2
	„ 27,	17·5	4·9	131	.	3	.	.	5	.	.	.	29	10	10	5	4	8	3	.
	Sept. 3,	16·1	2·1	121	.	.	.	.	.	.	.	.	16	8	11	9	5	9	2	2
	„ 10,	13·7	2·3	103	.	3	.	.	1	.	.	.	13	6	12	6	8	5	1	2
	„ 17,	15·5	2·4	116	.	1	.	.	1	1	.	.	15	7	14	13	10	5	1	2
	„ 24,	16·3	2·3	122	.	3	.	.	1	.	.	.	13	10	11	6	8	8	5	.
Cork. Pop. (in 1901) 76,122.	Aug. 6,	6·8	.	10	.	.	.	.	.	.	.	.	.	2	4	.	1	1	.	.
	„ 13,	15·1	0·7	22	.	.	.	.	.	.	.	.	1	.	3	1	1	1	1	.
	„ 20,	15·1	0·7	22	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	1
	„ 27,	17·8	1·4	26	.	.	.	.	.	.	.	.	2	.	2	2	1	.	1	3
	Sept. 3,	13·0	1·4	19	.	.	.	.	.	.	.	.	2	2	2	1	.	2	1	2
	„ 10,	13·0	1·4	19	.	.	.	.	.	.	.	.	2	.	3	.	1	.	1	1
	„ 17,	14·4	2·7	21	.	.	.	.	.	.	.	1	3	.	4	.	.	1	1	1
	„ 24,	16·4	2·7	24	.	.	.	.	.	.	.	.	4	1	6	2	1	1	1	.
Londonderry. Pop. in 1910 (Est.) 43,477.	Aug. 6,	19·2	1·2	16	.	1	.	.	.	.	.	.	.	.	6	2	1	1	.	1
	„ 13,	14·4	1·2	12	.	.	.	.	.	.	.	.	1	.	.	2	2	1	.	.
	„ 20,	14·4	4·8	12	.	1	.	.	.	1	.	.	2	.	.	.	3	1	.	.
	„ 27,	10·8	3·6	9	.	1	.	.	.	1	.	.	1	.	3	.	.	.	.	1
	Sept. 3,	14·4	7·2	12	.	.	.	.	.	.	.	1	5	.	1	.	.	.	.	1
	„ 10,	20·4	2·4	17	.	.	.	.	.	.	.	.	2	.	1	1	1	3	.	.
	„ 17,	18·0	1·2	5	.	.	.	.	.	.	.	.	1	.	3	.	1	4	.	2
	„ 24,	10·8	2·4	9	.	.	.	.	.	.	.	.	2		.	1	.	1	.	.
Limerick. Pop. (in 1901) 38,151.	Aug. 6,	12·3	1·4	9	.	.	.	.	.	.	.	.	1	.	1	.	.	3	.	.
	„ 13,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	3
	„ 20,	9·6	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.
	„ 27,	20·5	1·4	15	.	.	.	.	1	.	.	.	.	.	4	2	.	3	.	1
	Sept. 3,	17·8	.	13	.	.	.	.	.	.	.	.	.	.	2	.	1	2	.	2
	„ 10,	17·8	.	13	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.	1
	„ 17,	9·6	1·4	7	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	1
	„ 24,	12·3	1·4	9	.	.	.	.	.	.	.	.	1	.	.	1	.	3	.	.
Waterford. Pop. (in 1901) 26,769.	Aug. 6,	19·5	5·8	10	.	.	.	.	1	.	.	.	2	.	3	2	.	1	.	.
	„ 13,	27·3	1·9	14	.	1	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	„ 20,	17·5	5·8	9	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	3
	„ 27,	19·5	7·8	10	.	1	.	.	.	.	.	.	3	.	.	.	1	2	1	3
	Sept. 3,	13·6	1·9	7	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.
	„ 10,	23·4	3·9	12	.	.	.	.	.	.	.	.	2	.	2	1	.	1	.	.
	„ 17,	19·5	5·8	10	.	.	.	1	.	.	.	.	2	.	1	.	1	1	.	1
	„ 24,	23·4	3·9	12	.	.	.	.	.	.	.	.	2	.	1	2	1	.	.	1

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 24th September, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS.																										
			Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.						DEATHS FROM																	
			All Causes.	Diseases in Cols. 12-20.		Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexial (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	4	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		7	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		11	5	1	2	1	1	1	.	.	.	.	1	.	.	.	1	.	2	1	.	2	1	1	3	.
Do. 2 do.		29			19	4	.	1	3	3	8	.	.	.	.	.	.	.	.	2	2	3	.	.	1	.	.	7	.
Do. 3 do.		32			16	2	1	3	3	2	5	.	.	.	.	.	.	.	.	2	1	1	1	1	1	1	1	3	.
Do. 4 do.		18			6	1	.	.	2	1	2	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	4	.
Do. 5 do.		12			8	3	.	.	3	1	1	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	6	.
Do. 6 do.		18			7	2	.	.	.	1	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.
Do 7 do.		.			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 8 do.	349,180	.			2	.	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 9 do.		5			10	3	1	.	3	2	1	.	.	.	.	.	.	.	.	2	1	1	.	2	.	1	1	4	.
Do 10 do.		20			5	1	2	.	1	.	1	.	1	.	.	.	.	.	.	1	.	1	.	.	.	1	.	3	.
Do. 11 do.		15			9	.	1	.	4	.	4	.	.	.	.	.	.	.	.	1	.	2	.	1	.	1	1	3	.
Do. 12 do.		24			15	5	4	.	1	3	2	.	1	.	.	.	.	.	.	.	5	.	2	1	2	.	.	4	.
Do. 13 do.		8			6	1	.	.	1	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15* do.		6			7	2	.	.	1	3	1	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	.	1	.
Total, . . .	—	194			122	29	11	6	28	18	35	.	3	.	.	1	.	.	.	13	10	11	6	8	8	5	5	29	.
City of Cork.																													
CORK URBAN No. 1 DISTRICT, .	12,867	5	32·4	4·1	8	2	.	.	2	.	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	4	.
Do. 2 do. .	10,701	12	4·9	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 3 do. .	9,878	8	15·7	.	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	3	.
Do. 4 do. .	8,666	3	18·1	12·0	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.
Do. 5 do. .	6,592	2	23·7	.	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.
Do. 6 do. .	10,702	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	1	5	.
Do. 7 do. .	16,616	6	18·8	3·1	6	.	1	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, . . .	76,122	41	16·4	2·7	24	5	1	1	6	4	7	.	.	.	.	.	.	.	.	4	1	6	2	1	1	1	1	13	.

* New district formed as from [illegible]

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910—Week ending																								
	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10	Sept. 17.	Sept. 24.
No. of weeks in annual Series, ..	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38
BIRTHS registered, ...	207	251	247	224	266	235	214	169	264	215	193	231	202	213	199	259	239	214	179	219	210	159	219	190	264	194
DEATHS registered, ...	133	168	187	160	173	167	170	177	176	166	148	183	157	137	145	136	117	135	115	102	124	131	121	103	116	122
Annual Death rate per 1,000 of estimated Population, ...	18·4	22·4	24·9	21·3	23·1	22·3	22·7	23·6	23·5	22·1	19·7	24·4	20·9	18·3	19·3	18·1	15·6	18·0	15·3	13·6	16·5	17·5	16·1	13·7	15·5	16·3
AGES — Under 1 year, ...	27	34	38	36	33	31	29	30	37	37	20	44	33	24	34	26	25	35	27	27	35	49	30	28	23	29
AGES — 1–5 years, ...	21	33	34	27	20	36	35	47	43	45	54	47	45	33	29	32	23	23	19	6	17	14	15	14	19	11
AGES — 5–20 years, ...	18	19	15	14	21	12	15	15	15	14	12	15	16	13	12	7	17	10	7	7	9	11	11	4	16	6
AGES — 20–40 years, ...	16	21	32	14	24	25	30	28	26	26	25	20	17	18	25	20	19	14	15	22	19	18	9	16	12	23
AGES — 40–60 years, ...	22	27	24	29	41	30	30	29	28	27	16	23	20	21	20	25	17	25	21	22	21	19	26	20	22	18
AGES — 60 years and upwards, ..	34	34	44	40	34	33	31	28	27	17	21	34	26	28	25	26	16	28	26	18	23	20	30	21	30	35
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	6	11	17	8	20	19	23	44	33	38	38	49	36	25	24	20	21	8	7	4	7	3	.	3	1	3
Scarlet Fever, ...	2	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Whooping-cough, ...	6	12	5	8	4	4	6	4	5	7	5	4	1	1	2	1	1	.	2	1	1	5	.	1	1	1
Diphtheria, ...	1	1		1	1	.	1	.	1	.	1	2	.	.	.	1	1	1	.	.	.	.	.	.	1	.
*Pyrexia** (origin uncertain , ..	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Enteric Fever, ...	1	.	.	1	.	.	1	.	.	.	1	.	1	1	.	.	1	2	.	.	.	.	.	.	.	.
Diarrhœal Diseases, ...	1	.	1	3	1	2	.	.	2	3	1	4	3	1	5	2	5	6	10	14	22	29	16	13	15	13
Pneumonia, ...	14	19	16	19	14	15	26	22	21	18	13	17	17	11	14	17	5	8	3	4	5	10	8	6	7	10
Tuberculous Disease, Phthisis, ..	20	24	27	13	22	20	24	29	14	21	19	24	22	11	11	9	16	15	13	12	16	10	11	12	14	11
Tuberculous Disease, Other Forms, ..	9	12	8	7	9	6	4	6	13	8	5	8	9	8	9	11	5	7	7	8	9	5	9	6	13	6
Cancer, Malignant Disease, ..	4	8	10	2	6	8	8	7	8	4	4	6	4	9	3	6	9	7	3	7	3	4	5	8	10	8
Diseases of Respiratory System,	16	21	22	30	15	21	14	17	14	18	17	14	16	7	7	15	6	16	10	5	8	8	9	5	5	8
Violent Deaths, ...	.	4	.	2	4	3	4	1	1	3	1	.	4	.	4	2	.	1	1	6	.	3	2	1	1	3
Number of Uncertified Deaths, ..	2	1	1	1	3	1	2	1	.	3	1	2	.	2	3	3	3	1	2	1	2	.	2	2	2	.

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	Sept. 24,	2,079	1,118*c*	12·0	.	18	3	9	11	12*a*	76
EDINBURGH, ...	360,276	„ 24,	135	82	11·9	.	.	.	4	1	.	5
GLASGOW,... ...	884,505	„ 24,	396	228*c*	13·4	.	.	3	3	2	2*a*	22
CALCUTTA, ...	1,009,008	Aug. 20,	.	342	17·6	1	1	.	.	2	83‡	48*
BOMBAY, ...	977,822	„ 23,	390	610	32·4	.	2	.	.	.	80‡	83*
MADRAS, ...	509,346	„ 5,	383	432	44·1	2	1	?	?	?	104	98
CAIRO, ...	682,953	„ 12,	615	686	52·4	.	15	.	9†	.	8*a*	217
PARIS, ...	2,760,000	„ 20,	994	767	14·5	.	6	.	5†	7	3*a*	51*b*
BRUSSELS,.. ...	720,030	Sept. 3,	209	176	12·7	.	1	1	.	2	4	26
ANTWERP,... ...	317,171	„ 3,	112	71	11·6	.	3	1	1†	.	.	12*b*
AMSTERDAM, ...	571,225	„ 3,	231	98	8·9	.	.	.	1†	1	2*a*	5*b*
COPENHAGEN, ...	450,000	„ 3,	212	127	14·7	.	.	3	1†	1	1*a*	33
STOCKHOLM, ...	341,816	„ 3,	155	82	12·5	.	.	1	.	1	.	1
CHRISTIANIA, ...	240,178	„ 10,	88	53	11·5	.	1	1	1†	1	.	4
ST. PETERSBURG, ...	1,620,000	Aug. 20,	813	761	24·5	7	11	4	8	6	3*a*	220*
MOSCOW, ...	1,493,600	„ 13,	.	815	28·5	2	7	14	15†	1	7*a*	311*
BERLIN, ...	2,122,839	„ 27,	791	591	14·5	.	.	3	13†	3	2	90
HAMBURG, ...	895,804	Sept. 3,	.	241	14·0	.	2	.	8†	3	1	40
BRESLAU, ...	510,156	„ 3,	.	150	15·3	.	.	.	.	.	1	22
MUNICH, ...	576,000	„ 10,	.	176	15·9	.	6	.	.	.	.	25
VIENNA (with suburbs),	2,107,981	„ 3,	740	505	12·5	.	2	5	4†	3	3*a*	52*b*
BUDA-PESTH, ...	833,703	„ 3,	367	267	16·6	.	1	4	2†	2	4*a*	32*b*
PRAGUE and Faubourgs.	497,905	Aug. 20,	191	126	13·2	.	1	.	.	.	.	8*b*
TRIESTE, ...	221,124	„ 27,	136	86	20·3	.	.	.	.	1	1*a*	16*b*
ROME, ...	590,113	July 16,	257	199	17·6	.	8	1	1	2	3*a*	29
VENICE, ...	183,224	Aug. 20,	.	.	.	.	.	.	.	.	.	.
NEW YORK, ..	4,711,956	„ 27,	2,236	1,378	15·3	.	6	1	23†	9	15*a*	246*b*
PHILADELPHIA, .. 1,598,400		July 30,	.	611	19·9	.	6	1	6†	19	4*a*	162*b*
		Aug. 6,	.	521	16·9	.	7	.	6†	11	1*a*	124*b*
BOSTON, ...	629,868	Sept. 3,	.	188	15·6	.	2	1	2	2	2*a*	36

* Including 12 deaths from cholera in Calcutta, one in Bombay, 115 in St. Petersburg, and 7 in Moscow.
† Including deaths from croup.
‡ Including 12 deaths from plague in Calcutta, and 29 in Bombay.
a Enteric Fever.
b Deaths from diarrhœal diseases and from enteritis of children under two years of age.
c Including one death from cerebro-spinal fever in London, and one from *cerebro-spinal meningitis* in Glasgow.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 24th September, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 1, West,	.	2	.	.	3	.	.	.	.	.	.	.	5
" " 2,	.	.	.	.	1	.	.	1	.	.	.	6	8
" " 3,	.	4	.	.	1	.	.	.	1	.	.	.	6
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	1	.	.	.	.	.	.	.	1
South City No. 1,	.	4	.	.	1	.	.	1	7	.	.	5	18
" " 2,	.	1	.	.	1	.	.	.	.	.	.	.	2
" " 3,	.	2	.	.	.	.	.	1	2	.	.	1	3
" " 4,	.	1	.	.	3	.	.	.	.	.	.	2	9
New Kilmainham,	.	1	.	.	.	.	.	.	.	.	.	.	3
Total,	.	15	.	.	11	.	.	3	13	.	.	14	56

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 24th September, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 24th September.			
	Sept. 3.	Sept. 10.	Sept. 17.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	.	3	5	1	.	1	5
Scarlet Fever,	60	64	68	16	16	.	68*
Typhus,	1	1	1	.	.	.	1
Diphtheria,	45	45	38	14	11	1	40
Enteric Fever,	38	42	49	10	14	1	44
Pneumonia,	7	12	13	4	3	.	14

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 24th September, 1910:—

"Quiet, uneventful, anticyclonic weather prevailed throughout this week. Some very low temperatures for September were reported from time to time—for example, 36° at Birr Castle on Tuesday and 35° at Bath, Rhyl and Bettws-y-coed on Wednesday, and 34° at Towyn, Merioneth, on both Wednesday and Thursday. On Sunday the area of highest pressure (30·4 inches and slightly more) stretched eastwards from Anglesey across the North of England and the North Sea to Germany, while depressions existed off the Norwegian coast and to the southward of Spain. On Monday morning a fresh anticyclone came in over Ireland from the Atlantic, and this system held its position throughout the remainder of the week, save that on Friday its centre moved southwards to the south-west of this country. Sunday was a dull day, the wind being light and variable. Early on Monday morning there was a slight rainfall, but the sky cleared and the wind drew into N., so that the weather became bright, cool and dry—at 4 p.m. the percentage of relative humidity fell to 60. There was much cirrus cloud in the evening and a lunar halo appeared. During the following night the thermometer fell in Dublin to 41·8° in the screen and 37·9° on the ground. A partial solar halo was seen on Tuesday. On Wednesday evening a near apparent approach of the moon and the planet Saturn was seen under favourable conditions. Thursday was fair to cloudy, Friday was dull, and Saturday was fine and warm. In Dublin the mean height of the barometer was 30·370 inches, the range being from 30·171 inches at 9 a.m. of Monday (wind, N.) to 30·508 inches at 9 a.m. of Thursday (wind, N.W.) The corrected mean temperature was 52·4°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 52·3°. On Tuesday the screened thermometers fell to 41·8°; on Saturday they rose to 63·2°. The wind was almost constantly N. or N.W. Rain was measured on one day, the amount being only ·009 inch."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·198 inches. The highest reading (30·333) was on Thursday at 9 a.m., air calm, and the lowest (29·999) on Monday at 9 a.m., wind N.W.

The mean temperature for the week was 50·4°, being 3·4° below the average for the corresponding period of the 9 years, 1900–2 and 1904-8. The temperature was highest on Saturday, on which day the thermometer registered 64·8°, and was lowest on Tuesday and Thursday, the mercury having fallen to 36·7°. The mean of the Dry Bulb for the week was 50·3° and of the Wet Bulb 48·1°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The rainfall during the week measured ·015 inch.

At Greenwich the mean temperature for the week was 53·8°, the maximum 65·7°, and the minimum 39·3°; at Glasgow the maximum was 64·2°, the minimum 37·2°, and the mean 52·9°; and at Edinburgh the maximum was 64·1°, the minimum 37·8°, and the mean 51·9°. The rainfall at Glasgow measured 0·02 in. There was no rainfall recorded at Greenwich or Edinburgh.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. Month and Day.	Barometer.	Thermometer.			Hygrometer.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins		
Sunday, September 18,	30·098	57·3	49·9	53·6	52·8	51·6	·91	·5	0·1	·015	Calm.	Calm.
Monday, „ 19.	30·058	56·8	43·3	50·1	49·0	45·8	·78	·6	8·4	·000	N.W.	Calm.
Tuesday, „ 20,	30·235	53·2	36·7	45·0	46·8	43·6	·78	·6	4·5	·000	N.N.W.	Calm.
Wednesday, „ 21,	30·299	56·7	41·7	49·2	48·7	46·0	·83	·4	2·0	·000	N.N.W.	Calm.
Thursday, „ 22.	30·327	58·8	36·7	47·8	48·6	46·8	·88	·4	9·5	·000	Calm.	Calm.
Friday, „ 23,	30·236	57·3	41·9	49·9	53·2	50·8	·84	·6	0·0	·000	Calm.	W.S.W.
Saturday, „ 24,	30·132	64·8	49·8	57·3	53·3	52·2	·93	·2	3·6	·000	W.S.W.	Calm.
Mean, . . .	30·198	57·9	42·9	50·4	50·3	48·1	·85	·5	Total 28·1	Total ·015	—	

Sunday—Day overcast, fine; night cloudy, drizzle a.m. *Monday*—Day cloudy, fine; night clear. *Tuesday*—Day cloudy to overcast, fine; night cloudy. *Wednesday*—Day cloudy to overcast, fine; night clear. *Thursday*—Fine day, cloudy; night cloudy. *Friday*—Day overcast, fine; night cloudy. *Saturday*—Day cloudy, fine; night cloudy.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, September 24th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperatures in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
	°	°	°	°	°	°	hrs.	ins.
Sunday, September 18,	55·6	57·0	56·9	58·0	51·8	54·9	—	·008
Monday, „ 19,	52·1	56·4	56·9	58·0	46·9	52·5	6·5	—
Tuesday, „ 20,	50·8	55·6	56·8	55·1	41·1	48·1	4·4	—
Wednesday, „ 21,	54·9	55·1	56·5	57·6	47·1	52·4	1·5	—
Thursday, „ 22	50·7	54·8	56·3	59·0	43·0	51·0	7·9	—
Friday, „ 23,	54·3	54·7	56·1	59·0	46·0	52·5	—	—
Saturday, „ 24,	59·0	55·0	56·0	64·0	52·6	58·3	4·5	—
Weekly Mean,	53·9	55·5	56·5	58·7	46·9	52·8	Total 24·8	Total ·008

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

29603. Wt. P. 213—12/138, 375. 8. 1910. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN:

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.: or
OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

General Register Office, Charlemont House, Dublin, 3rd October, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending Sept. 10.	Sept. 17.	Sept 24.	Oct. 1.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Average Rate for 4 weeks.
22 Town Districts.	**15·1**	**17·0**	**17·5**	**17·8**	**16·8**	Limerick, . . .	17·8	9·6	12·3	15·0	13·7
						Lisburn, . . .	9·1	4·5	18·2	22·7	13·6
Armagh, . . .	13·7	34·4	27·5	6·9	20·6	Londonderry, . .	20·4	18·0	10·8	21·6	17·7
Ballymena, . . .	.	28·7	14·4	14·4	14·4	Lurgan, . . .	17·7	17·7	22·1	13·3	17·7
Belfast, ...	13·7	15·5	16·3	14·0	14·9	Newry, . . .	12·6	21·0	12·6	12·6	14·7
Clonmel, . . .	5·1	25·6	20·5	10·3	15·4	Newtownards, . .	11·4	11·4	17·2	11·4	12·9
Cork, ...	13·0	14·4	16·4	21·2	16·3	Portadown, . .	15·5	20·7	5·2	10·3	12·9
Drogheda, . . .	16·3	8·2	16·3	20·4	15·3	Queenstown, . .	6·6	33·0	13·2	13·2	16·5
Dublin Reg. Area, .	17·0	18·8	21·4	20·2	19·3	Sligo, ...	.	4·8	.	43·2	12·0
Dundalk, . . .	27·9	16·0	4·0	47·9	23·9	Tralee, . . .	21·1	26·4	15·9	26·4	22·4
Galway, ...	7·8	11·7	19·4	31·1	17·5	Waterford, . . .	23·4	19·5	23·4	13·6	20·0
Kilkenny, . . .	9·8	24·6	4·9	4·9	11·1	Wexford, . . .	9·3	18·7	14·0	9·3	12·8

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 2·6 per 1,000, the rates varying from 0·0 in thirteen of the districts to 16·0 in Dundalk, the 12 deaths from all causes for that district including one from scarlet fever and 3 from diphtheria. Among the 105 deaths from all causes for Belfast are one from measles, 3 from whooping-cough, one from enteric fever, and 2 from diarrhœal diseases. Of the 31 deaths from all causes for Cork 6 are from diarrhœal diseases. Included in the 18 deaths from all causes for Londonderry is one from each of measles and diarrhœa. One death from diphtheria is included in the 8 deaths from all causes for Galway. One of the 2 deaths for Portadown is from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 196—98 boys and 98 girls—and the deaths to 164—76 males and 88 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, represent an annual rate of 20·2 per 1,000 of

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*), Table II. ‡ See columns 10-18 of Table II.

the population, the rate for the total deaths registered in the Area being 21·2 per 1,000 During the thirty-nine weeks, ending with Saturday last, the death-rate averaged 21· and was 3·0 below the mean rate for the corresponding portions of the ten year 1900–9.

The deaths from all causes included 2 from whooping-cough, 2* from diphtheria, and 27 fro diarrhœal diseases (of the latter figure 23 were deaths of children under 5 years of age). I each of the three preceding weeks deaths from whooping-cough numbered 3, 2, and one deaths from diphtheria, 0, 2, and 3; and deaths from diarrhœal diseases, 11, 21, and 2 There were 2 deaths from influenza, which had caused one death in each of the two precedin weeks.

There were 6 deaths from broncho-pneumonia.

Tuberculous disease, which in the three weeks preceding had caused 36, 24, and 27 death respectively, in the period under notice caused 29 deaths; the latter figure includes 18 death from tuberculous phthisis (*phthisis*), 3 deaths from tuberculous meningitis, and 8 deaths fro other forms of the disease.

Five deaths were from carcinoma and 6 were attributed to cancer or malignant diseas (undefined).

Prematurity was the registered cause of death of 4 infants.

Diseases of the heart or blood vessels caused the deaths of 30 persons, and bronchitis wa accountable for 10 deaths.

Of 3 deaths attributed to accidental violence, one was caused by a motor car.

In 3 instances the cause of death was "uncertified," there having been no medical attendan during the last illness; these cases were all of persons aged 60 years and upwards.

Sixty of the persons whose deaths were registered during the week were under 5 yea of age (41 being infants under one year, of whom 7 were under one month old) and 44 wer aged 60 years and upwards, including 27 persons aged 70 and upwards, of whom 6 wer octogenarians, and one (a female) was stated to have been aged 91 years.

Seventy-six of the deaths registered during the week occurred in hospitals and othe public institutions; of this number 17 took place in the North Dublin Union Workhous and 24 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week deaths in Public Institutions being assigned to the Districts from which the deceased wer admitted, and the annual death-rate for each District calculated on the mortality so dis tributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·2 per 1,000; the rate in the City was 22 (North City Districts, 21·0; South, 23·1) and in the Suburbs, 14·1.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 3·9 per 1,000 inhabitants, th rate for the City being 4·2 (4·9 in the North City Districts, and 3·4 in the South), and for the Suburbs, 2·8 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (13) are equal to an annual rate of 22·7 per 1,00 There were 2 deaths from diarrhœal diseases, one death each from broncho-pneumonia and tuberculous phthisis and 2 deaths from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (14) are equal to an annual rate of 18·3 per 1,00 Among them are 5 deaths from diarrhœal diseases, and 4 deaths from tuberculous disease.

No. 2 *North City District* (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 23·7 per 1,00 Two deaths from epidemic diarrhœa, 2 deaths from broncho-pneumonia, one death from tuberculous disease, or death from bronchitis and one accidental death were recorded.

No. 3 *North City District* (Benburb-street).—The deaths (17) represent an annual rate of 26·4 per 1,000. Ther were 5 deaths from diarrhœal diseases, one death from broncho-pneumonia, 4 deaths from tuberculous disease, or death from bronchitis, and one accidental death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontar and Howth, No. 1, part of, 9·7 per 1,000 inhabitants: Coolock and Drumcondra, part of, 13·5; and Finglas and Glasnevi part of, 13·6. Of the 3 deaths from all causes for Coolock and Drumcondra, part of, one was from epidemic diarrhœ and one from tuberculous phthisis.

No. 1 *South City District* (South Earl-street).—The deaths (19) represent an annual rate of 23·9 per 1,000, and includ one death each from whooping-cough and *diarrhœa*, 3 deaths from tuberculous disease, and 3 from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (9) are equal to an annual rate of 21·6 per 1,000. There wer 2 deaths from tuberculous disease, one death from bronchitis, and one accidental death.

No. 3 *South City District* (Peter-street).—The deaths (15) are equal to an annual rate of 18·1 per 1,000. Among the are one death from whooping-cough, 3 from epidemic diarrhœa, and 3 from tuberculous disease.

No. 4 *South City District* (Grand Canal-street).—The deaths (23) are equivalent to an annual rate of 33·4 per 1,00 Of the deaths, one was from diphtheria, 3 were from diarrhœal diseases, 6 from tuberculous disease, and one fro bronchitis.

New Kilmainham District.—There was one death recorded for this district, equivalent to an annual rate of 5·7 per 1,000

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathga 21·1; Pembroke, 5·4; Blackrock, 17·4; and Kingstown, 11·8. The deaths from the principal epidemic diseases tabulate for these districts comprise 3 from *diarrhœa* for Rathmines and Rathgar, one from *diarrhœa* for Pembroke, and or from *diarrhœa* for Kingstown. Of the 15 deaths from all causes for Rathmines and Rathgar, 2 are from *phthisis* an one from bronchitis; the 3 deaths from all causes for Pembroke include 2 from broncho-pneumonia, among the deaths from all causes for Blackrock, one is from influenza; and the 4 deaths from all causes for Kingstown als include one death from influenza.

* See note (*c*) at foot of Table II. † See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possib in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin : Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District : Mr. Manly, Executive Sanitary Officer for Pembroke Urban District : Mr. Heron, Executive Sanitary Officer for Blackrock Urban District : by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District ; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz. :—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 1st October, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Sept. 10,	.	—	—	9	.	.	9	.	.	9	12	.	—	—	.	—	12	—	51
	Sept. 17,	.	—	—	17	.	.	8	.	1	16	10	.	—	—	.	—	12	—	64
	Sept. 24,	.	—	—	15	.	.	11	.	.	3	13	.	—	—	.	—	14	—	56
	Oct. 1,	.	—	—	16	.	.	6	.	2	9	13	.	—	—	.	—	11	—	57
Rathmines and Rathgar Urban District.	Sept. 10,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Sept. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Sept. 24,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
	Oct. 1,	.	—	—	3	.	.	3	.	.	.	.	.	—	—	—	—	—	—	6
Pembroke Urban District.	Sept. 10,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	.	—	.
	Sept. 17,	.	1	1	.	.	.	.	.	.	.	.	.	—	4	.	—	.	—	6
	Sept. 24,	.	.	.	.	.	.	1	.	.	.	1	.	—	4	.	—	.	—	6
	Oct. 1,	.	.	1	.	.	.	1	.	.	.	1	.	—	.	.	—	.	—	3
Blackrock Urban District.	Sept. 10,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Sept. 17,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	.	—	—	—	3
	Sept. 24,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	.	—	—	—	3
	Oct. 1,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Sept. 10,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Sept. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Sept. 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Oct. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Sept. 10,	.	—	—	8	.	.	3	.	1	3	3	.	—	—	—	—	13	—	31
	Sept. 17,	.	—	—	6	.	.	2	.	.	5	4	2	—	—	—	—	13	—	32
	Sept. 24,	.	—	—	13	.	.	6	.	.	2	5	.	—	—	—	—	10	—	36
	Oct. 1,	.	—	—	17	.	.	6	.	.	1	2	1	—	—	—	—	11	—	38

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 1st October, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Two cases of measles were admitted to hospital during the week, and 7 cases remained under treatment at its close.

Sixteen cases of scarlet fever were admitted to hospital, 11 were discharged, and 73* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 64, 68, and 68, respectively.

One case of typhus was discharged from hospital during the week, and no case remained under treatment at its close.

Twelve cases of diphtheria were admitted to hospital, 6 were discharged, there was one death, and 45 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 45, 38, and 40, respectively.

Eleven cases of enteric fever were admitted to hospital during the week, 6 were discharged, and 49 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 42, 49, and 44.

In addition to the above named diseases, 9 cases of pneumonia were admitted to hospital, 3 were discharged, and 20 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns, including London (in which the rate was 13·0) was equal to an average annual death-rate of 13·4 per 1,000 persons living ; the average rate for 8 principal towns of Scotland was 13·7 per 1,000, the rate for Glasgow being 12·9 and for Edinburgh 14·6.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 1st October. From this Report it appears that of a total of 94 cases notified, 53 were scarlet fever, 24 diphtheria, 15 phthisis, one enteric fever, and one erysipelas. Among the 381 cases of infectious diseases in hospital at the close of the week were 195 cases of scarlet fever, 90 of diphtheria, 51 of phthisis, 16 of whooping-cough, 13 of enteric fever, 6 of measles, 4 of erysipelas, one of chicken-pox, and one of puerperal fever.

* See note (*) at foot of Table XII

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 1st October, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 1st OCTOBER, 1910.																							METEOROLOGY. (d)											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 1ST OCTOBER, 1910.				WEEK ENDING 24TH SEPTEMBER, 1910.				WEEK ENDING 17TH SEPTEMBER, 1910			
	POPULATION.		DEATHS			DEATHS.																				Air Temperature				Air Temperature				Air Temperature			
	Total.a	Persons to an Acre.	From all Causes.	From Diseases in cols. 10–18.	BIRTHS.	Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by																	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
									Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.											
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·2	26·3	17·8	2·6	581	393	90	100	.	3	1	.	5	5	.	1	43	19	39	13	23	34	7	14	132	18	° .	° .	- .	.	- .	৩ .	ɔ .	.	- .	ɔ .	ɔ .	.
DUBLIN REGISTRATION AREA:— TOTAL, c.	402,928	29·3	25·4	20·2	3·9	196	156	41	41	.	.	.	.	2	1	.	.	27	6	16	11	11	11	3	5	68	3	e68·7	39·5	54·2	0·39	e64·8	36·7	50·4	0·02	e63·3	40·1	52·0	0·02
CITY of DUBLIN,	310,298	39·2	28·7	22·0	4·2	171	131	34	29	.	.	.	.	2	1	.	.	22	4	14	11	7	10	3	5	64	2	f68·1 g69·9	43·8 40·0	56·2 55·2	0·36 0·51	f63·2 g63·8	41·8 39·0	52·4 47·9	0·01 0·01	f62·1 g63·8	49·0 44·0	55·1 53·8	0·05 0·04
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	12·7	21·1	4·2	9	15	4	6	.	.	.	.	.	.	.	.	3	.	2	.	2	1	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	18·0	5·4	1·8	10	3	1	1	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,013	8·3	11·6	17·4	.	2	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	11·6	11·8	3·0	4	4	2	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	68	48	56·5	0·29	64·0	43·0	53·0	0·00	66	50	55·1	0·00
URBAN DISTRICTS.																																							
BELFAST,	391,167	26·6	22·9	14·0	1·6	122	105	25	18	.	1	.	.	3	.	.	1	7	7	17	7	5	11	2	4	24	1	65·0	42·0	55·0	1·00	60·0	41·0	51·2	0·00	65·5	38·0	55·0	0·00
CORK,	76,122	33·6	28·8	21·2	4·1	42	31	8	8	.	.	.	.	.	.	.	.	6	2	1	2	1	.	1	2	12	4	62	44	54·9	1·31	63	43	53·5	0·00	63	47	55·8	0·04
LONDONDERRY,	48,477	20·1	16·4	21·6	2·4	22	18	3	6	.	1	.	.	.	.	.	.	1	1	.	1	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	64·2	15·0	.	47	11	3	3	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	.	1	1	68	37·7	55·6	0·93	63·4	37·3	51·6	0·00	63·8	35·5	52·1	0·00
WATERFORD,	26,769	18·7	31·2	18·6	1·9	16	7	1	1	.	.	.	.	.	1	.	.	1	1	2	1	.	.	.	.	3	2	61	40	51	0·80	64	38	53	0·00	61	40	54	0·00
GALWAY,	18,426	2·5	25·0	31·1	3·9	9	8	1	5	.	.	.	.	.	3	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DUNDALK	18,076	9·4	19·9	47·9	16·0	5	12	1	3	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	5	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	32·7	20·4	.	8	5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,405	17·8	16·8	12·6	.	4	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	66·0	43·0	55·2	0·99	64·9	38·6	51·8	0·01	67·7	40·0	53·8	0·00
LURGAN,	11,782	13·8	22·1	13·8	.	5	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	66·0	43·0	55·2	0·99	64·9	38·6	51·8	0·01	67·7	40·0	53·8	0·00
LISBURN,	11,461	10·1	18·2	22·7	.	4	5	1	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	3	.	66·0	43·0	55·2	0·99	64·9	38·6	51·8	0·01	67·7	40·0	53·8	0·00
WEXFORD,	11,168	23·2	18·7	9·5	.	4	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,686	8·9	.	14·4	.	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,670	8·7	38·6	48·2	.	7	9	2	3	.	.	.	.	.	.	.	.	.	1	1	.	2	2	.	1	8	.	65·0	38·9	52·8	1·01	61·4	36·6	50·5	0·09	64·9	34·3	52·9	0·04
KILKENNY,	10,609	11·5	9·8	4·9	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	64	38	55·3	0·92	62	40	51·9	0·00	64	44	54·4	0·01
CLONMEL,	10,167	7·8	76·9	10·3	.	15	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,092	13·2	25·8	10·3	5·2	5	2	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	66·0	43·0	55·2	0·99	64·9	38·6	51·8	0·01	67·7	40·0	53·8	0·00
TRALEE,	9,867	16·6	31·7	26·4	.	6	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	25·8	11·4	5·7	8	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	64	42	52·8	0·87	61	45	52·1	0·01	64	48	54·7	0·00
QUEENSTOWN,	7,909	14·4	13·2	13·2	.	2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	62	44	54·9	1·31	63	43	53·5	0·00	63	47	55·8	0·04
ARMAGH,	7,588	22·2	13·7	6·9	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	66·0	43·0	55·2	0·99	64·9	38·6	51·8	0·01	67·7	40·0	53·8	0·00

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (b) Formerly described as "Simple Continued Fever." (c) Exclusive of 8 deaths of persons (including 3 at 60 years or upwards) admitted to hospital from localities outside the Area; of the 8 deaths one was from diphtheria. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 1st October, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN REGISTRATION DISTRICTS IN											URBAN DISTRICTS OF						
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	2	5	2	5	.	1	.	1	.	3	3	.	3	1	.	1	27	.
Pneumonia,	1	.	2	1	.	.	.	.	.	.	.	.	.	2	.	.	6	.
Tuberculous Disease. } Phthisis,	1	2	.	2	.	1	.	1	1	2	4	.	2	.	.	.	16	2
Tuberculous Disease. } Other Forms,	.	2	1	2	.	.	.	2	1	1	2	.	.	.	.	.	11	.
Cancer, Malignant Disease,	2	.	1	1	1	.	.	1	.	.	1	.	2	.	1	1	11	.
Other General Diseases,	.	.	1	.	.	.	.	1	1	1	2	.	.	.	1	1	8	.
Total,	6	9	7	11	1	2	.	7	3	8	13	.	7	3	2	3	82	3
B. LOCAL DISEASES:																		
Diseases of Nervous System,	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	3	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Heart and Blood Vessels,	4	2	3	2	.	1	1	2	3	3	6	.	3	.	.	.	30	.
Diseases of Respiratory System,	2	1	1	1	.	.	.	3	1	.	1	.	1	.	.	.	11	1
Diseases of Digestive System,	.	2	1	.	.	.	.	2	.	.	1	.	4	.	1	.	11	2
Diseases of Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	.	1	1	.	.	1	1	1	.	.	.	.	.	.	.	5	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Diseases of Locomotor System,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	6	5	6	4	.	1	2	10	5	3	8	1	8	.	1	1	61	5
C. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	1	.	.	1	.	.	.	2	.	4	2	.	.	.	.	.	10	.
E. VIOLENT DEATHS,	.	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	3	.
Deaths from all Causes	13	14	14	17	1	3	2	19	9	15	23	1	15	3	3	4	156	8
Annual Rate of Mortality from all causes in every 1,000 of the population.	22·7	18·3	23·7	26·4	9·7	13·5	13·6	23·9	21·6	18·1	33·4	5·7	21·1	5·4	17·4	11·8	20·2	.
	21·0							23·1					14·1					
	22·0																	
Ages at Death. Under 1 year,	2	4	3	5	.	1	.	5	2	7	5	.	4	1	.	2	41	.
Ages at Death. 1 and under 5 years,	.	2	2	3	.	.	.	3	1	1	5	.	1	1	.	.	19	.
Ages at Death. 5 „ 20 „	.	.	.	1	.	.	.	2	2	.	1	.	3	.	.	.	9	2
Ages at Death. 20 „ 40 „	2	1	2	2	.	.	.	.	.	4	2	.	1	.	.	.	14	2
Ages at Death. 40 „ 60 „	3	5	5	5	1	1	1	4	1	.	5	1	.	.	.	.	32	1
Ages at Death. 60 years and upwards,	6	2	2	1	.	1	1	5	3	3	5	.	6	1	3	2	41	3
Number of Uncertified Deaths,	1	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	3	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	3	5	3	.	1	1	3	2	2	4	.	2	1	.	.	28	7
Workhouse Hospitals,	6	3	1	6	.	.	.	6	5	5	6	1	1	.	.	.	40	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in the week of the ten years 1900–1909,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Averages in 39th Week of the 10 years, 1900–1909.	In the Week ending Saturday, 1st October, 1910.							
	Sept. 23, 1900.	Sept. 28. 1901.	Sept. 27. 1902.	Oct. 3, 1903.	Oct. 1, 1904.	Sept. 30, 1905.	Sept. 29, 1906.	Sept. 28, 1907.	Sept. 26, 1908.	Oct. 2, 1909.		Deaths of Persons of the Ages of							
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 54·1	° 57·0	° 55·5	° 56·8	° 50·6	° 49·4	° 50·4	° 56·9	° 52·5	° 53·6	° 53·7	° 54·2								
ALL CAUSES.	167	133	213	139	146	168	184	143	164	144	160·1	164	7	34	19	11	16	33	37	7
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	.	10	.	.	.	.	1	5	.	1·6	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	1	3	.	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	1	.	1	·2	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	2	3	2	1	1	.	.	1	1	.	1·1	2	.	.	.	.	.	1	1	
Whooping-cough,	3	1	1	.	1	.	5	1	1	2	1·5	2	.	1	1	.	.	.	.	
Diphtheria,	.	.	5	.	.	.	.	1	.	1	·7	2	.	.	1	1	.	.	.	
Cerebro-spinal Fever,	.	.	2	1	.	.	.	.	2	.	·5	.	.	.	.	.	.	.	.	
Pyrexia † (origin uncertain),	.	.	.	.	.	1	.	1	.	.	·2	.	.	.	.	.	.	.	.	
Enteric Fever,	4	3	8	2	2	2	1	.	1	1	2·4	.	.	.	.	.	.	.	.	
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Epidemic Diarrhœa (Infective Enteritis.),	18	12	4	1	5	4	15	6	3	3	14·2	15	.	10	5	.	.	.	.	
Diarrhœa, Dysentery,			15	2	11	5	16	11	9	2		12	1	6	1	.	.	3	1	.
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Venereal Disease,	1	.	.	.	2	1	3	1	1	.	·9	.	.	.	.	.	.	.	.	
Puerperal Septicæmia,	.	1	.	.	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	
Puerperal Pyæmia, *Puerperal Fever*,			.	.	.	1	.	.	.	.		.	.	.	.	.	.	.	.	
Infective Endocarditis	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	
Pneumonia, Lobar,	3	7	2	3	1	3	3	1	3	1	8·5	6	.	1	3	.	.	.	2	.
Broncho-Epidemic			5	3	4	9	6	4	5	6		.	.	.	.	.	.	.	.	.
Not defined,												.	.	.	.	.	.	.	.	.
Erysipelas,	1	.	.	1	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	1	3	.	1	1	.	.	.	.	.	·6	.	.	.	.	.	.	.	.	
Other Infective Conditions,	.	.	.	.	2	1	1	1	.	1	·6	.	.	.	.	.	.	.	.	
Tuberculous Phthisis,	31	17	1	3	3	11	6	6	13	5	19·8	9	.	.	.	3	2	3	1	.
"*Phthisis*,"			19	16	8	12	13	13	11	10		9	.	.	.	3	3	3	.	.
Tuberculous Meningitis,	2	3	4	2	4	.	4	9	2	1	3·1	3	.	.	3	.	.	.	.	
Tuberculous Peritonitis,	6	11	.	1	1	1	2	1	.	1	3·3	.	.	.	.	.	.	.	.	
Tabes Mesenterica,			1	2	.	.		1	3	2		.	.	.	.	.	.	.	.	
Tuberculous Dis. (other),	4	2	7	10	6	9	7	3	5	3	5·8	8	.	4	1	2	.	1	.	.
Scrofula,			.	.	1	.	1	.	.	.		.	.	.	.	.	.	.	.	.
Alcoholism,	2	.	1	.	1	.	.	.	.	.	·4	1	.	.	.	.	1	.	.	.
Rheumatic Fever,	.	1	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carcinoma,	5	4	1	.	2	2	1	3	3	4	5·6	5	.	.	.	.	.	2	1	2
Sarcoma,			.	.	.	.	1	.	.	1		.	.	.	.	.	.	.	.	.
Cancer (undefined)			3	4	6	3	4	4	3	2		6	.	.	.	1	2	3	.	
Diabetes Mellitus,	.	.	2	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	
Premature Birth,	4	2	3	3	3	3	4	1	2	5	3·0	4	3	1	.	.	.	.	.	

* The figures for the year 1900 are for

† Formerly described as

HIRTY-NINTH WEEK ending Saturday, 1st October, 1910, with the deaths from each cause in the corresponding
nd the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 39th Week of the 10 years 1900-1909.	In the Week ending Saturday, 1st October, 1910. Deaths of Persons of the Ages of							
	Sept. 29, 1900.	Sept. 28, 1901.	Sept. 27, 1902.	Oct. 3, 1903.	Oct. 1, 1904.	Sept. 30, 1905.	Sept. 29, 1906.	Sept. 28, 1907.	Sept. 26, 1908.	Oct. 2, 1909.		ALL AGES.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 54·1	° 57·0	° 55·5	° 56·8	° 50·6	° 49·4	° 50·4	° 56·9	° 52·5	° 53·6	° 53·7	° 54·2								
Meningitis (not tuberc.)			7	1	3	1	3	2	3	.		.	.	.	.	.	.	.	.	.
Insanity, G. P. of Insane			3	.	1	.	2	2	.	3		.	.	.	.	.	.	.	.	.
Epilepsy			.	2	1	1	.	1	1	1		.	.	.	.	.	.	.	.	.
Convulsions			9	7	2	6	3	3	9	1		1	1	.	.	.	.	.	.	.
Locomotor Ataxy			1	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord			.	1	1	1	.	1	2	4		1	.	.	.	.	.	1	.	.
Nervous System (other Dis.)			2	.	1	3	2	.	2	2		1	.	.	.	.	.	.	1	.
Valv. Dis., Endocarditis	33	21	3	5	3	5	3	2	2	5	31·8	7	.	.	.	1	1	3	1	1
Cerebr. Hæm. Thromb.			1	1	1	2	4	1	2	4		3	.	.	.	.	.	1	2	
Apoplexy, Hemiplegia			3	1	1	6	.	5	1	6		8	.	.	.	.	.	1	5	2
Aneurysm			.	.	.	1	.	.	1	1		.	.	.	.	.	.	.	.	.
Embolism, Thromb. (not cerebral)			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Heart and Blood Vessels (other Dis.)			14	10	15	13	11	7	11	12		12	.	.	.	.	1	5	6	.
Croup (not Spasm. nor Memb.)	.	.	.	1	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Bronchitis	10	12	16	11	8	16	13	11	11	15	12·3	10	.	2	.	.	1	1	5	1
Asthma, Emphysema	1	1	1	.	.	.	.	1	1	1	1·6	.	.	.	.	.	.	.	.	.
Pleurisy			.	1	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
Respiratory Dis. (other)			3	.	.	1	1	1	1	1		2	.	.	.	.	.	1	1	.
Tonsillitis, Quinsy	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.)	.	1	2	.	2	3	4	7	2	3	4·6	7	.	4	3	.	.	.	.	.
Gastro-enteritis	.	.	4	2	3	.	7	3	2	1		.	.	.	.	.	.	.	.	.
Peritonitis (not Puerp.)	2	.	1	.	1	1	.	1	.	.	·6	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver	2	2	1	.	.	1	.	2	2	.	2·1	2	.	.	.	.	1	1	.	.
Liver Dis. (other)			4	2	1	1	1	.	2	.		2	.	.	.	.	.	.	2	.
Digestive Dis. (other)	10	4	8	5	6	7	9	6	6	5	6·6	2	.	.	.	1	1	.	.	.
Nephritis, Acute	5	8	1	2	6	1	.	1	3	1	5·4	2	.	.	.	.	.	1	1	.
Bright's Dis., Albuminuria			7	4	1	2	.	.	5	2		3	.	.	.	.	1	2	.	.
Urinary Sys. (other Dis.)			2	1	.	.	1	1	.			.	.	.	.	.	.	.	.	.
Generative Organs Dis.	.	1	1	.	1	.	1	1	.	1	·6	1	.	.	.	.	.	1	.	.
Childbirth (Accid. of)	.	1	.	.	.	.	.	1	2	2	·6	1	.	.	.	.	1	.	.	.
Old Age	5	4	2	3	3	5	6	1	2	2	3·3	2	.	.	.	.	.	.	2	.
Other Diseases	8	4	21	12	10	11	11	6	11	8	10·2	10	2	4	1	.	1	1	1	.
ACCIDENT.																				
By Railways	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles and Horses	.	.	.	.	.	1	.	.	1	.	·2	1	.	.	.	.	.	.	1	.
In Ships, Boats, Docks (exclusive of Drowning)	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
In Building Operations	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations	.	.	.	.	.	.	2	.	.	1	·2	.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	.	1	2	.	1	1	.	.	.	1	·6	.	.	.	.	.	.	.	.	.
By Drowning	1	.	.	.	.	2	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
By Suffocation in Bed	.	.	.	.	.	1	1	1	2	1	·6	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident	1	1	3	5	4	2	.	2	.	.	1·8	2	.	1	.	.	1	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	1	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Suicide	.	.	1	.	.	.	1	.	.	2	·4	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

the Registration Area as then constituted.
" Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910—Week ending																								
	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.
No. of weeks in Annual Series,	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39
BIRTHS registered.	255	217	231	246	230	241	181	242	253	268	272	183	223	229	272	225	243	198	209	240	194	228	260	235	292	196
*Average Births in corresponding week of previous 10 years,** ..	190	207	224	195	270	223	211	202	232	222	199	225	237	200	198	204	215	221	202	219	218	207	232	203	200	252
DEATHS registered, ...	186	188	200	198	186	180	181	160	185	188	140	180	127	143	118	144	127	145	143	126	146	130	141	153	174	164
Annual Death-rate per 1,000, ..	24·1	23·7	25·9	25·0	17·6	23·3	17·0	20·7	17·5	17·2	18·1	16·8	16·4	18·5	15·3	18·6	16·4	18·8	18·5	16·3	18·9	15·5	18·2	19·8	22·5	21·2
*Average Deaths in corresponding week of previous 10 years,**	200	200	197	189	184	178	174	171	157	154	152	147	136	138	142	146	147	146	148	156	166	159	157	154	167	160
AGES, Under 5 years, ...	44	37	49	46	36	38	37	39	31	37	25	27	31	50	29	48	31	31	54	37	57	42	38	59	70	60
5—20 ,, ...	9	11	15	18	6	16	7	10	18	10	12	9	11	11	10	8	18	17	8	6	9	3	16	8	9	11
20—40 ,, ...	26	24	38	29	26	34	20	25	26	22	27	32	23	24	17	17	13	27	23	23	13	18	19	22	19	16
40—60 ,, ...	43	38	35	43	25	32	28	40	27	29	35	32	23	25	27	29	30	30	28	32	27	23	33	30	32	33
60—80 ,, ...	53	57	59	46	40	50	36	42	33	23	38	28	33	23	34	34	33	35	26	24	38	26	33	30	42	37
80 years and upwards, ..	11	16	9	11	3	10	3	4	5	7	3	2	6	10	1	8	2	5	4	4	7	8	2	4	2	7
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1	.	.	1	.	.	.	.	.	3	.
Measles, ...	.	.	.	.	.	1	1	.	2	.	.	1	1	.	1	3	3	1	1	1	2	1	1	2	.	.
Scarlet Fever, ...	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	2	5	4	1	1	1	.	2	1	2	1	3	.	1	1	.	3	3	2	.	4	3	2	1	2
Whooping-cough, ...	1	.	1	.	.	.	.	.	.	.	.	.	1	2	1	.	5	1	.	2	4	1	.	2	3	2
Diphtheria, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain), ..	1	1	.	2	1	3	.	1	.	2	.	.	.	.	1	2	2	.	.	2	.	1	1	1	1	.
Enteric Fever, ...	4	2	2	1	2	1	5	2	1	3	1	1	1	6	3	5	.	2	14	6	17	12	11	21	22	27
Diarrhœal Diseases, ...	3	5	2	3	1	2	2	.	.	.	1	.	2	.	.	1	.	1	.	1	.	.	.	1	1	2
Influenza, ...	17	18	20	17	8	14	18	8	8	10	7	10	3	8	7	9	5	7	8	7	6	5	6	10	4	6
Pneumonia, ...	21	22	31	25	14	31	15	14	17	15	22	24	23	11	19	11	17	24	14	17	12	17	23	15	19	18
Tuberculous Phthisis, ..	10	9	18	12	11	9	9	11	15	7	15	10	14	7	8	3	9	10	15	7	5	5	13	9	8	11
Disease, Other Forms, ..	7	10	11	11	6	10	3	10	10	6	7	10	10	8	5	11	10	8	8	9	10	8	9	7	9	11
Cancer, Malignant Disease, ..	37	28	37	31	21	25	20	29	21	21	25	16	23	26	17	22	23	23	20	16	20	17	23	19	24	30
Diseases of Heart and Blood Vessels, ...	38	39	22	25	17	27	16	18	18	17	11	13	7	11	18	14	12	10	8	10	11	6	10	10	20	12
Diseases of Respiratory System,	5	3	3	4	6	11	2	3	6	7	7	1	2	9	3	8	5	3	6	2	4	5	3	6	6	3
Violent Deaths, ...	9	12	8	6	2	2	6	3	3	7	5	6	3	5	.	4	7	2	3	4	4	3	2	1	3	3
Number of Uncertified Deaths, ..																										
Mean Temperature of the Air (Phœnix Park), ...	47·7	48·0	49·6	48·6	46·1	44·7	51·4	55·1	50·6	57·8	56·4	58·1	54·7	55·5	57·1	57·9	57·8	56·5	59·2	53·8	56·6	57·2	54·8	51·0	50·4	54·2
Average Mean Temperature in corresponding week of previous 10 years, ...	44·2	43·4	45·1	46·6	46·9	43·5	48·6	50·5	53·9	53·3	53·7	55·3	56·6	57·6	58·9	60·6	58·8	58·8	58·2	57·7	56·5	56·1	54·4	53·1	53·8‡	53·7
Rainfall in inches, ...	·205	·736	·782	·417	·670	·230	1·263	·135	·692	1·870	·010	1·291	1·780	·660	·000	·840	·355	·940	·205	1·175	·111	·194	·150	·015	·015	·391
Mean Humidity of the Air, complete Saturation 1·0	·93	·93	·91	·82	·77	·81	·90	·83	·81	·92	·87	·92	·87	·88	·81	81	·81	·84	·85	81	·81	·88	·87	·91	·85	·89

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 1st October, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 24 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 1st OCTOBER, 1910.																												
			Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES.						CAUSES OF DEATH.																				
					Under 5 Years	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases	Total Cols. 10-18.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Convulsions.	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes	Number of Uncertified Deaths.				
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)			
	ALL PERSONS, ...	375,850	22·8	164	60	11	16	33	37	7	.	.	.	.	2	2	.	.	27	31	6	18	11	11	1	12	3	71	3			
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	9·0	8	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.				
II.	MIDDLE CLASS, ...	87,198	18·5	31	9	3	1	9	6	3	.	.	.	.	.	.	.	.	4	4	1	2	1	6	1	3	.	13	1			
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,428	17·0	36	9	4	5	7	11	.	.	.	.	.	.	1	.	.	7	8	2	4	2	2	.	1	.	17	1			
IV.	GENERAL SERVICE CLASS, ...	154,279	17·9	53	32	3	4	7	7	.	.	.	.	.	2	1	.	.	14	17	1	6	4	2	.	2	2	19	1			
V.	INMATES OF WORKHOUSES, ...	6,024	—	41	10	1	6	10	11	3	.	.	.	.	.	.	.	.	2	2	2	6	4	1	.	5	1	20	.			
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	20·1	8	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.				
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
	3. Persons of Rank and Property, not otherwise described, ...	8,860	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.				
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	18·9	8	1	.	.	5	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.				
	6. Clerks and Commercial Assistants, ..	30,482	20·6	12	6	2	1	2	1	.	.	.	.	.	.	.	.	.	3	3	1	2	1	2	.	1	.				
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,098	19·3	10	2	1	.	1	3	3	.	.	.	.	.	.	.	.	1	1	.	.	.	2	1	1	.				
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	21·1	4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	.	.	.				
	9. Building and Furnishing Trades, ...	29,801	17·5	10	3	1	3	1	2	.	.	.	.	.	.	1	.	.	1	2	1	3	.	.	.	1	.				
	10. Clothing Trades, ...	28,260	11·2	5	.	1	.	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.				
	11. Food Supply Trades, ...	9,242	16·9	3	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
	12. Other Trades and Callings ranking with Trades, ...	30,352	17·2	10	3	1	1	1	4	.	.	.	.	.	.	.	.	.	3	3	.	.	1	1	.	.	.				
	13. Petty Shopkeepers, ...	7,894	26·4	4	1	1	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.				
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c	13,425	7·8	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.				
	15. Domestic Servants, ...	36,603	7·1	5	3	.	.	1	1	.	.	.	.	.	.	.	.	.	2	2	.	1	.	1	.	.	.				
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	10·9	3	2	1	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.	.	.	1				
	17. Hawkers, Porters, Labourers, &c., ..	89,861	25·0	43	27	2	4	6	4	.	.	.	.	.	2	.	.	.	11	13	1	5	4	1	.	1	2	16	1			
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	41	10	1	6	10	11	3	.	.	.	.	.	.	.	.	2	2	2	6	4	1	.	5	1	20	.			

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From Diseases in Cols. 5–13.	Total Deaths.	NUMBER OF DEATHS FROM Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercuious Disease. Phthisis.	Tubercuious Disease. Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of). North City, No. 1 (E.) (*Office, Clarence-st., Nth.*) Pop. in 1910 (Est.) 29,908.	Aug. 13,	15·7	5·2	9	.	.	.	.	1	.	.	.	2	1	.	.	.	1	.	1
	„ 20,	17·4	3·5	10	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.
	„ 27,	20·9	8·7	12	.	.	.	.	.	.	.	.	5	1	1	.	1	1	.	.
	Sept. 3,	13·9	1·7	8	.	.	.	.	1	.	.	.	.	.	1	.	1	.	2	.
	„ 10,	17·4	1·7	10	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.
	„ 17,	15·7	1·7	9	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.
	„ 24,	24·4	.	14	.	.	.	.	.	.	.	.	.	.	3	.	2	2	2	.
	Oct. 1,	22·7	3·5	13	.	.	.	.	.	.	.	.	2	1	1	.	2	2	.	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1910 (Est.) 39,974.	Aug. 13,	17·0	1·3	13	.	.	.	.	.	.	.	.	1	1	1	1	1	1	.	.
	„ 20,	10·4	1·3	8	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	.
	„ 27,	15·7	1·3	12	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.	.
	Sept. 3,	20·9	3·9	16	.	.	.	.	1	.	.	.	2	1	1	.	2	2	.	1
	„ 10,	23·5	1·3	18	.	.	.	.	.	.	.	1	.	1	3	1	.	2	.	.
	„ 17,	23·5	5·2	18	.	.	.	.	.	.	.	.	4	2	2	1	.	2	.	.
	„ 24,	20·9	5·2	16	.	.	.	.	.	1	.	.	3	.	1	.	.	3	.	.
	Oct. 1,	18·3	6·5	14	.	.	.	.	.	.	.	.	5	.	2	2	.	1	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1910 (Est.) 30,744.	Aug. 13,	18·7	3·4	11	.	.	.	.	.	.	.	.	2	1	.	2	.	2	.	.
	„ 20,	17·0	1·7	10	.	.	.	.	.	.	.	.	1	.	.	.	.	4	1	1
	„ 27,	22·0	6·8	13	.	.	.	.	.	.	.	.	4	1	.	.	.	.	1	.
	Sept. 3,	15·3	3·4	9	.	.	.	.	.	1	.	.	1	1	2	.	.	2	.	.
	„ 10,	17·0	.	10	.	.	.	.	.	.	.	.	.	.	1	1	1	3	.	.
	„ 17,	18·7	1·7	11	.	.	.	.	.	.	.	.	1	.	1	1	3	1	1	.
	„ 24,	27·1	10·2	16	.	.	.	.	.	.	.	1	5	.	3	.	.	4	.	.
	Oct. 1,	23·7	3·4	14	.	.	.	.	.	.	.	.	2	3	.	1	1	1	1	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1910 (Est.) 33,559.	Aug 13,	23·3	3·1	15	.	.	.	.	.	.	.	.	2	1	4	.	2	.	.	.
	„ 20,	23·3	4·7	15	.	.	.	.	.	2	.	1	.	.	4	1	1	2	.	.
	„ 27,	20·2	1·6	13	.	.	1	.	.	.	.	.	.	.	2	.	2	2	1	.
	Sept. 3,	20·2	3·1	13	.	.	.	.	1	.	.	.	1	.	3	1	.	1	.	.
	„ 10,	14·0	.	9	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.
	„ 17,	18·6	3·1	12	.	.	.	.	.	.	.	.	2	1	4	.	.	.	2	.
	„ 24,	12·4	1·6	8	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.
	Oct 1,	26·4	7·8	17	.	.	.	.	.	.	.	.	5	1	2	2	1	1	1	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1910 (Est.) 41,476.	Aug. 13,	26·4	1·3	21	.	.	.	.	.	.	.	.	1	.	1	4	1	.	2	1
	„ 20,	10·1	1·3	8	.	.	.	.	1	.	.	.	.	.	2	.	.	1	.	.
	„ 27,	20·1	1·3	16	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
	Sept. 3,	18·8	1·3	11	.	.	.	.	.	.	.	.	1	.	1	2	1	.	1	.
	„ 10,	17·6	2·5	14	.	.	.	.	.	.	.	.	2	1	3	.	1	1	1	.
	„ 17,	22·6	5·0	18	.	.	1	.	1	1	.	.	1	.	3	.	.	.	.	1
	„ 24,	31·4	3·8	25	.	2	.	.	.	.	.	.	1	.	3	3	.	4	.	2
	Oct. 1,	23·9	2·5	19	.	.	.	.	1	.	.	.	1	.	1	2	1	3	.	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1910 (Est.) 21,754.	Aug. 13,	16·8	2·4	7	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.
	„ 20,	43·1	2·4	18	.	.	.	.	.	.	.	1	.	1	6	.	1	.	.	2
	„ 27,	12·0	2·4	5	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	Sept. 3,	16·8	7·2	7	.	.	.	.	.	.	.	.	3	.	.	1	.	.	1	.
	„ 10,	19·2	4·8	8	.	.	.	.	1	.	.	.	1	.	3	1	.	1	.	.
	„ 17,	21·6	4·8	9	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.
	„ 24,	21·6	2·4	9	.	.	1	.	.	.	.	.	1	.	2	.	.	1	.	.
	Oct. 1.	21·6	.	9	.	.	.	.	.	.	.	.	.	.	1	1	1	1	1	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1910 (Est.) 43,227.	Aug. 13,	24·1	3·6	20	.	.	1	.	1	.	.	.	1	2	4	1	.	1	.	.
	„ 20,	22·3	2·4	19	.	.	.	.	.	.	.	.	2	3	.	4	1	.	.	1
	„ 27,	25·3	3·4	21	.	.	1	.	.	1	.	.	5	1	1	1	.	2	.	1
	Sept. 3,	18·1	1·2	15	.	.	.	.	.	.	.	.	1	1	1	.	1	1	1	1
	„ 10,	26·5	4·8	22	.	.	.	.	1	.	.	.	3	1	4	3	2	.	.	.
	„ 17,	22·9	3·6	19	.	.	.	.	.	.	.	.	3	1	2	3	1	2	.	.
	„ 24,	31·4	6·0	26	.	1	.	.	.	.	.	.	4	.	2	2	1	3	.	.
	Oct. 1,	18·1	4·8	15	.	.	.	.	1	.	.	.	3	.	2	1	.	.	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1910 (Est.) 35,881.	Aug. 13,	20·3	2·9	14	.	.	.	.	1	.	.	.	1	1	1	2	.	1	1	.
	„ 20,	17·4	1·5	12	.	.	.	.	.	.	.	.	1	1	.	.	3	1	.	.
	„ 27,	24·7	2·9	17	.	.	.	.	.	1	.	.	1	.	2	2	3	2	.	.
	Sept. 3,	17·4	4·4	12	.	.	.	.	.	.	.	.	3	.	4	.	.	.	.	.
	„ 10,	17·4	4·4	12	.	.	.	.	1	.	.	.	2	1	4	.	1	1	1	1
	„ 17,	14·5	2·9	10	.	.	.	.	.	.	.	.	2	.	1	.	.	1	.	.
	„ 24,	21·8	2·9	15	.	.	.	.	.	1	.	.	1	1	2	1	2	.	2	.
	Oct. 1,	33·4	5·8	23	.	.	.	.	.	1	.	.	3	.	4	2	1	1	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																
		FROM ALL CAUSES	FROM DISEASES IN COLS. 5–18.		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	19	(20)
Rathmines and Rathgar Urban District.	Aug. 13,	4·2	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	„ 20,	8·4	1·4	6	.	.	1	.	.	.	.	.	.	.	2	.	.	1	.	.
	„ 27,	12·7	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
	Sept. 3,	13·7	1·4	9	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	1
	„ 10,	7·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 17,	8·4	2·8	6	.	.	.	.	1	.	.	.	1	1	.	.	.	.	1	.
	„ 24,	14·1	1·4	10	.	.	.	.	1	.	.	.	.	1	.	.	1	1	.	1
Pop. in 1910 (Est.) 37,047.	Oct. 1,	21·1	4·2	15	.	.	.	.	.	.	.	.	3	.	2	.	2	1	.	1
Pembroke Urban District.	Aug. 13,	27·0	7·2	15	.	1	.	.	.	.	.	.	3	.	.	2	3	2	1	.
	„ 20,	9·0	.	5	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	„ 27,	16·2	.	9	.	.	.	.	.	.	.	.	.	1	2	.	1	2	.	.
	Sept. 3,	1·8	1·8	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 10,	9·0	1·8	5	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.
	„ 17,	23·4	1·8	13	.	.	.	.	.	.	.	.	1	1	.	2	1	1	1	.
	„ 24,	12·6	1·8	7	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.
Pop. in 1910 (Est.) 28,948.	Oct. 1,	5·4	1·8	3	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.
Kingstown Urban District.	Aug. 13,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 20,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 27,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
	Sept. 3,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 10,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 17,	23·7	3·0	8	.	.	.	.	.	.	.	.	1	2	1	.	.	1	1	.
	„ 24,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
Pop. in 1910 (Est.) 17,622.	Oct. 1,	11·8	3·0	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
Belfast.	Aug. 13,	13·6	2·7	102	.	4	.	.	1	.	1	.	14	4	12	8	7	5	6	1
	„ 20,	16·5	4·0	124	.	7	.	.	1	.	.	.	22	5	16	9	3	8	.	2
	„ 27,	17·5	4·9	131	.	3	.	.	5	.	.	.	29	10	10	5	4	8	3	.
	Sept. 3,	16·1	2·1	121	.	.	.	.	.	.	.	.	16	8	11	9	5	9	2	2
	„ 10,	13·7	2·3	103	.	3	.	.	1	.	.	.	13	6	12	6	8	5	1	2
	„ 17,	15·5	2·4	116	.	1	.	.	1	1	.	.	15	7	14	13	10	5	1	2
Pop. in 1910 (Est.) 391,167.	„ 24,	16·3	2·3	122	.	3	.	.	1	.	.	.	13	10	11	6	8	8	5	.
	Oct. 1,	14·0	1·6	105	.	1	.	.	3	.	.	1	7	7	17	7	5	11	2	1
Cork.	Aug. 13,	15·1	0·7	22	.	.	.	.	.	.	.	.	1	.	3	1	1	1	1	1
	„ 20,	15·1	0·7	22	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	.
	„ 27,	17·8	1·4	26	.	.	.	.	.	.	.	.	2	.	2	2	1	.	1	3
	Sept. 3,	13·0	1·4	19	.	.	.	.	.	.	.	.	2	2	2	1	.	2	1	2
	„ 10,	13·0	1·4	19	.	.	.	.	.	.	.	.	2	.	3	.	1	.	1	1
Pop. (in 1901) 76,122.	„ 17,	14·4	2·7	21	.	.	.	.	.	.	.	1	3	.	4	.	.	1	1	1
	„ 24,	16·4	2·7	24	.	.	.	.	.	.	.	.	4	1	6	2	1	1	1	.
	Oct. 1,	21·2	4·1	31	.	.	.	.	.	.	.	.	6	2	1	2	1	.	1	4
Londonderry.	Aug. 13,	14·4	1·2	19	.	.	.	.	.	1	.	.	1	.	.	2	2	1	.	.
	„ 20,	14·4	4·8	12	.	1	.	.	.	.	.	.	2	.	.	.	3	1	.	.
	„ 27,	10·8	3·6	9	.	1	.	.	.	1	.	.	1	.	3	.	.	.	.	.
	Sept. 3,	14·4	7·2	12	.	.	.	.	.	.	.	1	5	.	1	.	.	.	.	1
Pop. in 1910 (Est.) 43,477.	„ 10,	20·4	2·4	17	.	.	.	.	.	.	.	.	2	.	1	1	1	3	.	.
	„ 17,	13·0	1·3	5	.	.	.	.	.	.	.	.	1	.	3	.	1	4	.	2
	„ 24,	10·8	2·4	9	.	.	.	.	.	.	.	.	3	.	.	1	.	1	.	.
	Oct. 1,	21·6	2·4	18	.	1	.	.	.	.	.	.	1	1	.	1	.	1	.	.
Limerick.	Aug. 13,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	3
	„ 20,	9·8	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.
	„ 27,	20·5	1·4	15	.	.	.	.	1	.	.	.	.	.	4	2	1	3	.	1
	Sept. 3,	17·8	.	13	.	.	.	.	.	.	.	.	.	.	2	.	1	2	.	2
Pop. (in 1901) 38,151.	„ 10,	17·8	.	13	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.	1
	„ 17,	9·6	1·4	7	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	1
	„ 24,	12·3	1·4	9	.	.	.	.	.	.	.	.	1	.	.	1	.	3	.	.
	Oct. 1,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	1
Waterford.	Aug. 13,	27·3	1·9	14	.	1	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	„ 20,	17·5	5·8	9	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	3
	„ 27,	19·5	7·8	10	.	1	.	.	.	.	.	.	3	.	.	.	1	2	1	3
	Sept. 3,	13·6	1·9	7	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.
Pop. (in 1901) 26,769.	„ 10,	23·4	3·9	12	.	.	.	.	.	.	.	.	2	.	2	1	.	1	.	1
	„ 17,	19·5	5·8	10	.	.	.	1	.	.	.	.	2	.	1	.	1	1	.	.
	„ 24,	23·4	3·9	12	.	.	.	.	.	.	.	.	2	.	1	2	1	.	.	1
	Oct. 1,	13·6	1·9	7	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 1st October, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from		Total No. of Deaths.	DEATHS — AGES AT DEATH.					
			All Causes.	Diseases in Cols. 12-20.		Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.
COLS.	(1)	(2)	(3)	4	(5)	(6)	(7)	(8)	(9)	(10)	(11)
City of Belfast.											
BELFAST URBAN No. 1 DISTRICT,		13			3	.	2	.	1	.	.
Do. 2 do.		18			13	4	1	.	2	.	6
Do. 3 do.		16			14	1	2	1	4	4	2
Do. 4 do.		22			10	5	1	1	1	2	.
Do. 5 do.		5			4	.	2	.	1	1	.
Do. 6 do.		12			12	2	1	1	3	2	3
Do. 7 do.		.			.	.	.	.	.	.	.
Do. 8 do.		6			2	.	.	1	1	.	.
Do. 9 do.	349,180	17			11	2	.	4	1	3	1
Do. 10 do.		10			5	1	.	.	.	2	2
Do. 11 do.		20			5	2	.	1	1	.	1
Do. 12 do.		17			13	5	1	1	2	3	1
Do. 13 do.		7			2	1	.	1	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.
Do. 15 do.		9			11	2	4	.	.	3	2
Total, ...	—	172			105	25	14	11	17	20	18
City of Cork.											
CORK URBAN No. 1 DISTRICT, .	12,867	3	20·3	.	5	.	2	.	1	1	1
Do. 2 do. .	10,701	5	39·0	14·6	8	2	2	.	.	2	2
Do. 3 do. .	9,978	4	15·7	.	3	.	.	.	.	2	1
Do. 4 do. .	8,666	8	6·0	6·0	1	.	1	.	.	.	.
Do. 5 do. .	6,592	6	31·6	.	4	2	.	.	.	.	2
Do. 6 do. .	10,702	10	14·6	4·9	3	1	1	.	.	.	1
Do. 7 do. .	16,616	6	22·0	3·1	7	3	.	2	.	1	1
Total, ...	76,122	42	21·2	4·1	31	8	6	2	1	6	8

The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.

CITIES AND REGISTRARS' DISTRICTS.	DEATHS — DEATHS FROM																		Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.					
COLS.	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)		(27)	(28)	(29)
City of Belfast.																					
BELFAST URBAN No. 1 DISTRICT,	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.		.	.	.		
Do. 2 do.	.	1	.	.	.	.	.	.	1	1	2	.	1	.	.		.	3	.		
Do. 3 do.	.	.	.	.	1	.	.	.	1	.	4	2	1	1	.		.	4	.		
Do. 4 do.	.	.	.	.	.	.	.	.	1	1	2	.	.	1	.		.	3	.		
Do. 5 do.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.		1	2	.		
Do. 6 do.	.	.	.	.	1	.	.	.	2	.	3	.	1	1	.		.	4	.		
Do. 7 do.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.		
Do. 8 do.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.		.	.	.		
Do. 9 do.	.	.	.	.	.	.	.	1	1	2	2	.	.	.	1		1	2	.		
Do. 10 do.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.		.	.	.		
Do. 11 do.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.		.	2	.		
Do. 12 do.	.	.	.	.	.	.	.	.	.	.	.	.	2	4	1		2	3	.		
Do. 13 do.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.		.	.	.		
Do. 14 do.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.		
Do. 15 do.	.	.	.	.	.	.	.	.	.	1	.	4	.	2	.		.	1	1		
Total, ...	.	1	.	.	3	.	.	1	7	7	17	7	5	11	2		4	24	1		
City of Cork.																					
CORK URBAN No. 1 DISTRICT, .	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1		1	5	.		
Do. 2 do. .	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.		1	.	2		
Do. 3 do. .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	1	.		
Do. 4 do. .	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.		.	.	.		
Do. 5 do. .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	1	2		
Do. 6 do. .	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.		.	.	.		
Do. 7 do. .	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.		.	5	.		
Total, ...	.	.	.	.	.	.	.	.	6	2	1	2	1	.	1		2	12	4		

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910—Week ending																								
	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14	May 21	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10	Sept. 17.	Sept. 24.	Oct. 1.
No. of weeks in annual Series, ..	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39
BIRTHS registered, ...	254	247	224	265	235	214	169	264	215	193	231	202	218	199	259	239	214	179	219	210	159	219	190	264	194	172
DEATHS registered, ...	168	187	160	173	167	170	177	176	166	148	183	157	137	145	136	117	135	115	102	124	131	121	103	116	122	105
Annual Death rate per 1,000 of estimated Population, ...	22·4	24·9	21·3	23·1	22·3	22·7	23·6	23·5	22·1	19·7	24·4	20·9	18·3	19·3	18·1	15·6	18·0	15·3	13·6	16·5	17·5	16·1	13·7	15·5	16·3	14·0
AGES — Under 1 year, ...	34	38	36	33	31	29	30	37	37	20	44	33	24	34	26	25	35	27	27	35	49	30	28	23	29	25
AGES — 1-5 years, ...	33	34	27	20	36	35	47	44	45	54	47	45	33	29	34	23	23	19	6	17	14	15	14	13	11	14
AGES — 5 20 years, ...	19	15	14	21	12	15	15	15	14	12	15	16	13	12	7	17	10	7	7	9	11	11	4	16	6	11
AGES — 20-40 years, ...	21	32	14	24	25	30	28	26	26	25	20	17	18	25	20	19	14	15	22	19	18	9	16	12	23	17
AGES — 40-60 years, ...	27	24	29	41	30	30	29	28	27	16	23	20	21	20	25	17	25	21	22	21	19	26	20	22	18	20
AGES — 60 years and upwards, ..	34	44	40	34	33	31	28	27	17	21	34	26	28	25	26	16	28	26	18	23	20	30	21	30	25	18
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	11	17	8	20	19	23	44	33	38	38	49	36	25	24	20	21	8	7	4	7	3	.	3	1	3	1
Scarlet Fever, ...	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	12	5	8	4	4	6	4	5	7	5	4	1	1	2	1	1	.	2	1	1	5	.	1	1	1	3
Diphtheria, ...	1	1	1	1	.	1	.	1	.	1	2	.	.	.	1	1	1	.	.	.	.	.	.	1	.	.
*Pyrexia** (origin uncertain , ..	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Enteric Fever, ...	.	.	1	.	.	1	.	.	.	1	.	1	1	.	.	1	2	.	.	.	.	.	.	.	.	1
Diarrhœal Diseases, ...	.	1	3	1	2	.	.	2	3	1	4	3	1	5	2	5	6	10	14	22	29	16	13	15	18	7
Pneumonia, ...	19	16	19	14	15	26	23	21	18	13	17	17	11	14	17	5	8	3	4	5	10	8	6	7	10	7
Tuberculous Disease, Phthisis, ..	24	27	13	22	20	24	29	14	21	19	24	22	11	11	9	16	15	13	12	16	10	11	12	14	11	17
Tuberculous Disease, Other Forms, ..	12	8	7	9	6	4	6	13	8	5	3	9	8	9	11	5	7	7	8	9	5	9	6	13	6	7
Cancer, Malignant Disease, ..	8	10	2	6	8	8	7	3	4	4	6	4	9	3	6	9	7	3	7	3	4	5	8	10	8	5
Diseases of Respiratory System,	21	22	30	15	21	14	17	14	18	17	14	16	7	7	15	6	16	10	5	8	8	9	5	5	8	11
Violent Deaths, ...	4	.	2	4	3	4	1	1	5	1	.	4	.	4	2	.	1	1	6	.	3	2	1	1	5	2
Number of Uncertified Deaths, ..	1	1	1	3	1	2	1	.	3	1	2	.	2	3	3	3	1	2	1	2	.	2	2	2	.	1

* Formerly described as " Simple Continued Fever.'

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	Oct. 1,	2,239	1,215	13·0	.	15	4	10	10	10*a*	82
EDINBURGH, ...	360,276	„ 1,	125	101	14·6	.	3	2	2	1	.	5
GLASGOW, ...	884,505	„ 1,	343	219	12·9	.	2	3	4	3	.	21
CALCUTTA, ...	1,009,008	Aug. 27,	.	379	19·5	.	3	.	3	2	97‡	47*
BOMBAY, ...	977,822	„ 30,	383	566	30·1	.	1	.	1	.	81‡	77*
MADRAS, ...	509,346	„ 12,	409	409	41·7	4	3	?	?	?	90	105*
CAIRO, ...	682,953	„ 19,	641	663	50·6	.	11	3	10†	.	9*a*	189
PARIS, ...	2,760,000	„ 27,	907	713	13·5	.	7	.	3†	6	2*a*	37*b*
BRUSSELS, ...	720,030	Sept. 10,	225	184	13·3	.	.	1	.	1	12	21
ANTWERP, ...	317,171	„ 10,	115	75	12·8	.	1	.	.	1	.	16*b*
AMSTERDAM, ...	572,074	„ 10,	223	110	10·0	.	1	.	.	.	1*a*	6*b*
COPENHAGEN, ...	450,000	„ 10,	228	111	12·9	.	.	2	2†	2	.	25
STOCKHOLM, ...	341,816	„ 10,	156	69	10·5	.	.	.	.	.	.	4
CHRISTIANIA, ...	240,178	„ 17,	120	44	9·5	.	.	1	.	.	.	2
ST. PETERSBURG, ...	1,620,000	Aug. 27,	790	748	24·1	5	5	13	7	4	6*a*	239*
MOSCOW, ...	1,493,600	„ 20,	.	792	27·6	2	5	15	21†	2	4*a*	304*
BERLIN, ...	2,123,985	Sept. 3,	803	556	13·6	.	1	3	12†	1	1	76
HAMBURG, ...	895,804	„ 10,	.	263	15·3	.	2	.	10†	1	2	43
BRESLAU, ...	510,156	„ 10,	.	173	17·7	.	1	.	3	6	.	22
MUNICH, ...	576,000	„ 17,	.	194	17·5	.	3	.	1†	1	.	22
VIENNA (with suburbs),	2,107,981	„ 10,	793	561	13·8	.	2	2	7†	1	.	46*
BUDA-PESTH, ...	833,703	„ 10,	416	214	13·3	.	.	8	1†	.	5*a*	26*b*
PRAGUE and Faubourgs.	497,905	Aug. 27,	169	129	13·5	.	.	.	1†	1	.	11*b*
TRIESTE, ...	221,124	Sept. 3,	141	91	21·5	.	.	.	.	.	.	20*b*
ROME, ...	590,113	July 23,	278	220	19·4	.	15	.	.	4	6*a*	28
VENICE, ...	183,224	Aug. 20,	.	.	.	.	.	.	.	.	.	.
NEW YORK, .	4,711,956	Sept. 3,	2,661	1,267	14·0	.	5	4	14†	9	22*a*	220*b*
PHILADELPHIA, ..	1,598,400	Aug. 13,	.	454	14·8	.	6	4	4†	16	1*a*	79*b*
		„ 20,	.	487	15·8	.	1	2	5†	18	6*a*	85*b*
BOSTON, ...	629,868	Sept. 10,	.	196	15·2	.	1	1	3	2	4*a*	39

* Including 9 deaths from cholera in Calcutta, 2 in Bombay, 3 in Madras, 140 in St. Petersburg, 17 in Moscow, and one in Vienna.
† Including deaths from croup.
‡ Including 10 deaths from plague in Calcutta, and 25 in Bombay.
a Enteric Fever.
b Deaths from diarrhœal diseases and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 1st October, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	.	.	.	1	.	.	2	.	.	.	.	3
" " 1, West,	.	.	.	.	.	.	.	.	3	.	.	.	3
" " 2,	.	.	.	.	2	.	.	1	1	.	.	1	5
" " 3,	.	5	.	.	.	.	1	1	.	.	.	2	9
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	2	.	.	.	.	2
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
South City No. 1,	.	3	.	.	.	.	.	2	6	.	.	6	17
" " 2,	.	3	.	.	.	.	.	.	.	.	.	.	3
" " 3,	.	2	.	.	2	.	.	1	2	.	.	1	8
" " 4,	.	1	.	.	1	.	1	.	1	.	.	1	5
New Kilmainham,	.	1	.	.	.	.	.	.	.	.	.	.	1
Total,	.	16	.	.	6	.	2	9	13	.	.	11	57

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 1st October, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 1st October.			
	Sept. 10.	Sept. 17.	Sept. 24.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	3	5	5	2	.	.	7
Scarlet Fever,	64	63	68	16	11	.	73*
Typhus,	1	1	1	.	1	.	.
Diphtheria,	45	38	40	12	6	1	45
Enteric Fever,	42	49	44	11	6	.	49
Pneumonia,	12	13	14	9	3	.	20

* Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 1st October, 1910:—

"During the greater part of this week a high pressure system of medium intensity hovered over Central Europe. England lay within the sphere of influence of this anticyclonic area except on Thursday, when a shallow 'low' covered both England and Ireland. This latter country, on the contrary, experienced the unsettled, showery weather which attended the passage northwards of a succession of Atlantic depressions, of no great depth indeed but nevertheless capable of causing unsettled weather. The most defined and energetic of these perturbations of the atmosphere was centred over the Co. Cork at 7 a.m. of Monday, when the barometer read 29·58 inches at Roche's Point, but 30·12 inches at Great Yarmouth and 30·39 inches at Berlin. The depression travelled northwards, its centre passing Dublin at 4 p.m., when the wind drifted from S.E. to N.W. after a brief period of calm, and it reached the Orkneys next morning. It gradually filled up as it travelled, the lowest pressure in Dublin being 29·71 inches at 4 p.m. of Monday. On Tuesday another depression brought heavy rain to the West of Ireland, but a warm S. wind passed over England, sending the thermometer up to 75° in London, 74° at Bath and Oxford, 72° at Nottingham and 71° or 70° at many English and Welsh stations. As Thursday's shallow depression moved eastwards from Ireland to England a brisk fall of temperature occurred over the former country, so that at 7 a.m. of Friday the thermometer read only 39° at Birr Castle and at Valentia Observatory. This cold snap was quite transitory, and a warm S. wind on Saturday sent the thermometer up to 63·4° in Dublin. In this City the mean height of the barometer was 29·964 inches, pressure ranging between 30·208 inches at 9 a.m. of Sunday (wind, E.S.E.) and 29·707 inches at 4 p.m. of Monday (calm). The corrected mean temperature was 56·2°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 56·0°. On Tuesday the screened thermometers rose to 68·1°; on Friday they sank to 43·8°. S.E. and S.S.W. were the dominant winds. Rain fell on 4 days, the total measurement being ·358 inch, of which ·121 inch was recorded on Wednesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·794 inches. The highest reading (30·031) was on Sunday at 9 a.m., air calm, and the lowest (29·601) on Monday at 9 a.m., wind E.S.E.

The mean temperature for the week was 54·2°, being 0·5° above the average for the corresponding period of the 10 years, 1900-1909. The temperature was highest on Tuesday, on which day the thermometer registered 68·7°, and was lowest on Friday, the mercury having fallen to 39·5°. The mean of the Dry Bulb for the week was 54·3° and of the Wet Bulb 52·5°. The mean humidity of the air was ·89, complete saturation being represented by 1·0. The rainfall during the week measured ·391 inch.

At Greenwich the mean temperature for the week was 58·6°, the maximum 75·2°, and the minimum 43·7°; at Glasgow the maximum was 68·5°, the minimum 45·0°, and the mean 56·0°; and at Edinburgh the maximum was 66·5°, the minimum 44·9°, and the mean 55·0°. The rainfall at Greenwich measured 0·10 in.; at Glasgow 0·30 in.; and at Edinburgh 0·08 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. Month and Day.	Barometer.	Thermometer.			Hygrometer.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Maximum.	Minimum.	Mean	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins		
Sunday, September 25,	29·935	60·8	42·9	51·9	55·4	51·4	·91	·5	0·1	·050	Calm.	E.
Monday, „ 26,	29·679	60·7	53·9	57·3	57·1	55·6	·91	·5	1·1	·026	E.S.E.	W.
Tuesday, „ 27,	29·907	68·7	46·3	57·5	54·4	51·5	·83	·5	5·5	·175	S.	Calm.
Wednesday, „ 28,	29·686	66·3	45·9	56·1	57·7	56·4	·92	·4	3·0	·140	E.N.E.	S.W.
Thursday, „ 29,	29·745	59·8	43·8	51·8	47·5	46·8	·96	·4	1·1	·000	Calm.	Calm.
Friday, „ 30,	29·896	60·6	39·5	50·1	47·4	45·6	·87	·6	9·3	·000	Calm.	Calm.
Saturday, October 1,	29·710	66·2	42·9	54·6	60·6	57·4	·82	·6	8·3	·000	S.	S.W.
Mean, . . .	29·794	63·3	45·0	54·2	54·3	52·5	·89	·5	Total 28·4	Total ·391	—	

Sunday—Day overcast, fine; night overcast, light rain, a.m. *Monday*—Day overcast to cloudy, drizzle a.m. and p.m.; night cloudy. *Tuesday*—Day cloudy, fine; night cloudy, rain a.m. *Wednesday*—Day overcast to cloudy, rain a.m.; night overcast; drizzle and heavy rain a.m. *Thursday*—Day overcast to cloudy, fine; night clear. *Friday*—Fine bright day; night clear. *Saturday*—Day cloudy, fine; night clear.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, October 1st, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperatures in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
	°	°	°	°	°	°	hrs.	ins.
Sunday, September 25,	58·1	55·2	55·9	61·8	47·9	54·9	1·0	·048
Monday, „ 26,	58·5	55·6	55·8	60·5	53·0	56·8	0·6	·078
Tuesday, „ 27,	61·1	55·9	55·8	70·1	51·1	60·6	5·1	·110
Wednesday, „ 28,	59·6	56·3	55·7	66·5	52·7	59·6	2·6	·100
Thursday, „ 29	55·9	57·0	55·0	62·0	49·0	55·5	0·1	—
Friday, „ 30,	49·8	56·8	55·6	59·6	43·6	51·6	7·0	—
Saturday, October 1,	56·6	56·6	55·6	64·9	52·0	58·5	4·5	—
Weekly Mean,	57·1	56·2	55·7	63·6	49·9	56·8	Total 20·9	Total ·336

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

29659. Wt. P. 272—22/138, 375. 10. 1910. G. III.

FOR OFFICIAL USE.

QUARTERLY SUMMARY OF THE WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

DUBLIN:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY (LTD.), 116, GRAFTON STREET, DUBLIN; or
WYMAN AND SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

Price 1½*d.*

VOL. XLVII.] QUARTER ENDING SATURDAY, 1ST OCTOBER, 1910. [No. 39A.

DUBLIN REGISTRATION AREA.—Births.—In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, the total area thereof being 13,759 statute acres, and the population, estimated to the middle of 1910, 402,928, there were registered during the thirteen weeks ended on Saturday, 1st October, 1910, 3,021 births—1,569 boys and 1,452 girls—being equal to an annual ratio of 1 in 33·3, or 30·0 in every 1,000 of the population.

The number of births registered in the city was 2,592, equivalent to an annual rate of 33·4 in every 1,000 of the population; and in the urban districts named above, 429, equal to an annual rate of 18·5 in every 1,000 of the population.

There were registered in London during the same period 28,406 births—being equal to an annual birth-rate of 23·3 in every 1,000 of the estimated population; in Glasgow there were registered 5,217, being equal to 23·6 per 1,000; and in Edinburgh, 1,645—a number affording an annual birth-rate of 18·3 in every 1,000 of the estimated population.

Deaths.—Omitting the deaths (104) of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the deaths for the Area, numbering 1,740, are equivalent to an annual rate of 17·3 per 1,000 of the estimated population, the total number of deaths registered in the Dublin Registration Area during the quarter being 1,844—949 males and 895 females—affording an annual ratio of 1 in 54·6, or 18·3 in every 1,000 of the estimated population. The annual mean mortality represented by the deaths registered during the third quarter of the ten years, 1900–1909, in the Dublin Registration Area as then constituted, was 20·7 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants* of the North City districts registered last quarter was 704, representing an annual mortality of 17·7 in every 1,000 of the population; and the number in the South City districts was 737, equivalent to a rate of 19·5 per 1,000. In the urban districts the number of deaths registered was 299, being equal to an annual death-rate of 12·9 in every 1,000.

The number of deaths registered in London during the same period was 13,318—a number equal to an annual rate of mortality of 10·9 in every 1,000 of the inhabitants; in Glasgow the number was 2,893, equal to 13·1 in every 1,000; and in Edinburgh, 1,081, affording an annual death-rate of 12·0 in every 1,000 of the estimated population.

Diseases.—The number of deaths from the principal epidemic diseases† registered in the Dublin Registration Area during last quarter was 224, being 150 above the number for the preceding quarter; and the annual rate per 1,000 of the population represented by the deaths from these diseases was 2·22, being 1·49 above the rate for the preceding three months.

The following tabular statement shows the mortality from each of the principal epidemic diseases in the period under notice, and the average number of deaths from these diseases which occurred in the corresponding period of the 10 years, 1900–1909:—

NAMES OF DISEASES.	No. of Deaths in September Quarter, 1910.	Average No. of Deaths in September Quarters, 1900–1909.
Small-pox,	–	–
Measles,	6	33
Scarlet Fever,	16	6
Typhus,	–	1
Whooping-cough,	22	25
Diphtheria,	23	12
Pyrexia (origin uncertain),	–	2
Enteric Fever,	11	17
Diarrhœal Diseases,	146	183

Small-pox.—There was no record of mortality from small-pox during the quarterly period under notice, neither was there any case of the disease notified under the Infectious Diseases (Notification) Act, 1889.

Measles.—The deaths caused by measles were 6 in number, having been 5, 4, and 2 in each of the 3 preceding quarterly periods, the average for the third quarter of the 10 years, 1900-9, being 33 deaths from this disease.

Scarlet Fever.—The mortality from scarlet fever increased to 16 deaths, from 10, 7, and 5 deaths in the 3 quarters preceding; the 16 deaths represent an annual rate of 0·16 per 1,000 of the population of the Dublin Registration Area, and we are above the average (6) for the September quarter of the preceding decennial period. Of the total deaths, 6 belonged to North Dublin City, 8 to South Dublin City, one to the urban district of Rathmines and Rathgar, and one death, that was of a person admitted to an institution from outside the Area. From Table I., it appears that 82 cases of scarlet fever were under treatment in Dublin hospitals at the close of the previous quarterly period, 197 cases were admitted during the quarter, 195 were discharged; there were 11 deaths, and 73 cases remained under treatment at the close of the September quarter (not including 22 patients in Beneavin, the convalescent home of Cork-street Fever Hospital).

* The death-rates referring to the several Dublin Districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in Public Institutions according to the localities from which the deceased persons were admitted

† See note (*), p. 648*b*.

Typhus.—Three cases of typhus were under treatment in hospital during the quarter, but these were all discharged, no death having been registered as occurring from the disease.

Whooping-cough.—The rate represented by the 22 deaths from whooping-cough was 0·22 per 1,000. Of the deaths, 7 appertained to the city districts of North Dublin, 12 to the city districts of South Dublin, and 3 to the urban district of Rathmines and Rathgar. Deaths from whooping-cough in the 3 quarters preceding were 16, 29, and 23, respectively.

Diphtheria.—The decline in the mortality from diphtheria noticed in the preceding June quarter, namely, from 13 deaths in March quarter, to 4 in June quarter, is not maintained, the number of deaths registered in the period under notice being 23; this figure is also considerably above the average (12) and corresponds to an annual death rate of 0·23 per 1,000 of the estimated population of the Area. The deaths from diphtheria appertained as follows:—11 to the city districts of North Dublin; 6 to the city districts of South Dublin, 2 to the urban district of Blackrock, and one death to each of the urban districts of Rathmines and Rathgar, and of Pembroke. In Table I. it may be seen that 157 cases of diphtheria were admitted to the hospital for treatment during the quarter, 153 were discharged, 15 died, and 45 cases were under treatment at the close of the quarter, as compared with 56 cases under treatment at the close of the preceding quarter.

Enteric Fever.—As in the June quarter, 11 deaths from enteric fever were registered; the deaths in the 3 quarters preceding June quarter being 14, 12, and 12, respectively. The deaths (11) are below the average (17), and are equal to an annual rate of 0·11 per 1,000 of the population of the Area In Table II. the distribution of the 11 deaths from enteric fever is shown, and in Table I. the hospital statistics for the disease are given.

Diarrhœal Diseases.—The September quarter, in comparison with the other quarters, is always marked by a large increase in the mortality from diarrhœal diseases, the deaths occurring principally in urban centres, and among young children. The September quarter of 1910, with 146 deaths for the Dublin Registration Area, makes no departure from the above general observation; the deaths are, however, below the average (183), but above the number registered in the September quarter of 1909, namely, 132; the total (146) represents an annual death rate of 1·45 per 1,000. The rates represented by deaths from diarrhœal diseases for the north and south city districts and the urban districts collectively were 1·74, 1·59, and 0·65 per 1,000, respectively. Of the total, 134 were deaths of children under 5 years of age. The total does not include 67 deaths attributed to either of enteritis or *gastro-enteritis.*

Influenza.—The deaths of 7 persons were caused by influenza, the average deaths for the corresponding quarter in the 10 preceding years being 8.

Cerebro-spinal-Fever.—There was no reported mortality from this disease.

Pneumonia.—The 88 deaths from pnuemonia, all forms, equal an annual rate of 0·87 per 1,000 of the estimated population of the Area.

Tuberculous Disease.—The deaths from all forms of tuberculous disease numbered 327, corresponding to an annual rate of 3·25 per 1,000; in the September quarter of 1908 the number of such deaths was 377, and in the

September quarter of 1909, deaths from all forms of the disease numbered 329. Of the deaths registered in the period under notice, 217 were from tuberculous phthisis (*phthisis*), 43 from tuberculous meningitis, 4 from tuberculous peritonitis, 7 from *tabes mesenterica*, and 56 from other forms of the disease. From Table II. it appears that 115 deaths from tuberculous disease belong to the city districts of North Dublin, 149 to the city districts of South Dublin, 10 to the urban district of Rathmines and Rathgar, 15 to the urban district of Pembroke, 11 to the urban district of Blackrock, and 10 to the urban district of Kingstown. The respective rates corresponding to the above figures relating to the city and urban districts are as follows:—2·90, 3·94, 1·99, 1·08, 2·07, 4·88, 2·27 per 1,000.

Malignant Disease.—Under the heading of malignant disease, 113 deaths were classified; this number is equivalent to an annual rate of 1·12 per 1,000 of the estimated population. Of the total deaths (113), 57 were attributed to carcinoma, 7 to sarcoma, and 49 to cancer or malignant disease (undefined).

Premature Birth.—The deaths of 62 infants were attributed to prematurity.

Diseases of the Brain and Nervous System.—Of 114 deaths from diseases of the brain and nervous system, 40 were those of children under 5 years of age, from *convulsions*

Diseases of the Heart and Blood Vessels.—The deaths accounted for under the above heading numbered 280, and represent an annual rate of 2·78 per 1,000 of the estimated population.

Diseases of the Respiratory System.—Included in the total deaths (152) from diseases of the respiratory system, were 128 deaths from bronchitis; the total (152) is equivalent to an annual rate of 1·51 per 1,000.

Accidental Violence.—Among the total deaths—59—there were 10 by vehicles and horses, 9 by burns, scalds or explosions (7 of the latter being deaths of children under 5 years of age), 9 by drowning, and 3 of infants by suffocation in bed.

Homicide.—No record.

Suicide.—Four deaths by suicide were registered.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 1st October, 1910.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Small-pox,	–	–	–	–	–
Measles,	4	17	13	1	7
Scarlet Fever,	82	197	195	11	73*
Typhus,	2	1	3	–	–
Diphtheria,	56	157	153	15	45
Enteric Fever,	36	95	76	6	49
Pneumonia,	17	69	60	6	20

* Exclusive of 22 patients in Beneavin, the convalescent home of Cork-street Fever Hospital.

In 41 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 41 cases, 23 (or 56·1 per cent.) were deaths of children under 5 years of age: these 23 deaths form 3·8 per cent. of the total number of deaths of children of that age-period. Of the deaths of 133 infants under one month old registered, there were 11 (or 8·3 per cent.) regarding which the cause was uncertified.

From Table II., on pages 646–47, it will be seen that, excluding 104 deaths of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 1,740, equal to an annual rate of 17·3 per 1,000 of the estimated population, and that 218 of these deaths, representing an annual rate of 2·2 per 1,000 persons, were caused by the principal epidemic diseases.* The death-rate for the city (from all causes) was 18·6 per 1,000, and for the urban districts 12·9 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 2·5, and in the urban districts 1·1, the rates for the several districts varying from 0·5 in Kingstown to 3·3 in North City, No. 2, the 151 deaths from all causes for that district including one from scarlet fever, 2 from diphtheria, one from enteric fever, and 21 from diarrhœal diseases.

Occupations.—Table III., on pages 648–648*a*, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 11·5 per 1,000 of the persons in that class according to the Census of 1901; in the "Middle Class" the death-rate was 12·5 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 13·9; and in the "General Service Class" it was 19·1.

Ages.—Of the 1,844 persons whose deaths were registered in the Dublin Registration Area during the quarter, 606 were under 5 years of age, including 440 infants under one year of age, the latter representing a rate of 145·6 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 63·5 n every 1,000 children at that age (according to the Census of 1901); 134 were between the ages of 5 and 20, representing an annual rate of 5·0 per 1,000 persons of that age-period; the total number under 20 years being equal to an annual mortality of 20·4 per 1,000 of the population at that age-period (according to the Census of 1901); 251, or 7·4 per 1,000 persons, were between 20 and 40; 379, or 22·1 per 1,000, between 40 and 60; 410, or 67·6 per 1,000, between 60 and 80; and 64, or 134·5 per 1,000, were aged 80 and upwards, including 8 persons aged 90 and upwards.

Public Institutions.—Of the 1,844 deaths recorded during the quarter, 846, or 45·9 per cent., occurred in public institutions, viz., 447 in the various hospitals, prisons, and lunatic asylums; 171 in the North Dublin Union Workhouse; 219 in the South Dublin Union Workhouse; and 9 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

Weather.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 55·9°. At Greenwich, for the quarter, it was 58·2°; and at Edinburgh, 55·3°.

The rainfall at Dublin during the thirteen weeks measured 5·351 inches; at Greenwich, 6·08 inches; and at Edinburgh, 9·72 inches.

* See note (*), page 648*b*.

TABLE II.—Showing for the **Quarter** (13 weeks) **ended 1st October, 1910,** the number AREA, the annual Rate per 1,000 of the Population of the respective Districts represented of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified *were admitted.*

REGISTRARS' DISTRICTS, &c.	POPULATION, ESTIMATED TO MIDDLE OF 1910.*	QUARTER (13 WEEKS) ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS		DEATHS. TOTAL DEATHS.	Infants under 1 year of Age.	1 and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	Persons aged 60 years and upwards.	CAUSED BY Small-pox.	Measles.	Scarlet Fever.
		FROM ALL CAUSES.	FROM DISEASES IN COLS. 11–19.										
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
North City.													
NORTH CITY, No 1, E.,	29,908	18·2	2·4	136	39	7	6	18	23	43	.	.	2
,, 1, W.,	39,974	18·9	2·3	189	52	18	18	17	37	47	.	.	.
,, 2,	30,744	19·6	3·3	151	47	18	3	16	34	33	.	.	1
,, 3,	33,559	18·8	2·9	158	33	15	14	33	31	32	.	.	2
CLONTARF AND HOWTH, No. 1, part of,	5,381	13·4	2·2	18	4	.	2	2	4	6	.	.	.
COOLOCK AND DRUMCONDRA, part of,	11,622	10·3	1·4	30	5	1	2	7	8	7	.	.	1
FINGLAS AND GLASNEVIN, part of,	7,693	11·4	1·0	22	3	3	2	4	2	8	.	.	.
South City.													
SOUTH CITY, No. 1,	41,476	19·9	1·8	206	58	18	11	30	37	52	.	4	3
,, 2,	21,754	19·1	2·4	104	24	13	10	15	25	17	.	.	1
,, 3,	43,227	21·2	3·1	229	64	29	15	29	42	50	.	1	4
,, 4,	35,881	19·4	2·5	174	43	18	10	20	40	43	.	.	.
NEW KILMAINHAM,	9,079	10·6	2·2	24	6	1	3	2	9	3	.	.	.
Urban Districts.													
RATHMINES AND RATHGAR,	37,047	11·3	1·0	105	18	8	8	10	19	42	.	.	1
PEMBROKE,	28,948	13·3	1·8	96	28	7	11	6	15	29	.	1	.
BLACKROCK,	9,013	14·2	0·9	32	2	2	5	3	7	13	.	.	.
KINGSTOWN,	17,622	15·0	0·5	66	4	3	1	9	18	31	.	.	.
Total City, North,	158,881	17·7	2·5	704	183	62	47	97	139	176	.	.	6
Total City, South,	151,417	19·5	2·5	737	195	79	49	96	153	165	.	5	8
Total City, North & South,	310,298	18·6	2·5	1,441	378	141	96	193	292	341	.	5	14
Total Urban Districts,	92,630	12·9	1·1	299	52	20	25	28	59	115	.	1	1
Total Registration Area,	402,928	17·3	2·2	1,740	430	161	121	221	351	456	.	6	15
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above),				104	10	5	13	30	28	18	.	.	1

* See note (*) on page 648*c*.

of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some Deaths; *the Deaths in Public Institutions being assigned to the Districts from which the deceased*

ENDED 1ST OCTOBER, 1910.

DEATHS. CAUSED BY													REGISTRARS' DISTRICTS, &c.
Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia* † (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Number of Uncertified Deaths.	
(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	
													North City.
.	2	.	.	1	13	8	18	2	13	12	4	4	NORTH CITY, No. 1, E.
.	3	2	.	2	16	11	19	7	5	21	9	6	„ 1, W.
.	.	2	.	1	21	9	10	8	5	25	6	4	„ 2.
.	1	6	.	2	13	6	30	7	10	11	5	2	„ 3.
.	.	.	.	.	3	.	3	.	3	1	2	1	CLONTARF AND HOWTH, No. 1, part of.
.	1	.	.	.	2	2	5	1	1	2	3	.	COOLOCK AND DRUMCONDRA, part of.
.	.	1	.	.	1	1	4	1	.	1	.	.	FINGLAS AND GLASNEVIN, part of.
													South City.
.	3	2	.	.	7	3	22	16	10	19	6	6	SOUTH CITY, No. 1.
.	2	.	.	1	9	5	21	6	3	7	3	2	„ 2
.	5	1	.	.	23	15	24	23	8	18	4	6	„ 3.
.	2	3	.	.	17	8	22	12	17	13	6	3	„ 4.
.	.	.	.	1	4	.	2	1	2	1	2	.	NEW KILMAINHAM.
													Urban Districts.
.	3	1	.	.	4	6	9	1	4	7	4	5	RATHMINES AND RATHGAR.
.	.	1	.	2	9	7	5	10	11	6	3	.	PEMBROKE.
.	.	2	.	.	.	.	4	7	3	.	.	1	BLACKROCK.
.	.	.	.	.	2	4	7	3	3	4	2	1	KINGSTOWN.
.	7	11	.	6	69	37	89	26	37	73	29	17	**North.** } **Total**
.	12	6	.	2	60	31	91	58	40	58	21	17	**South.** } **City.**
.	19	17	.	8	129	68	180	84	77	131	50	34	**North & South.** }
.	3	4	.	2	15	17	25	21	21	17	9	7	**Total Urban Districts.**
.	22	21	.	10	144	85	205	105	98	148	59	41	**Total Registration Area.**
.	.	2	.	1	2	3	12	5	15	4	4	.	

* See note (*) on page 648*b*.

† Formerly described as "Simple Continued Fever."

TABLE III.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL **Quarter** (13 weeks) **ending Saturday, 1st October, 1910;** the Annual Death Rate the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, QUARTER							
			Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES.					
					Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
	ALL PERSONS,	375,350	19·7	1,844	606	134	251	379	410	64
	CLASSES. Deaths in Families of the—									
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	11·5	50	1	2	3	7	26	11
II.	MIDDLE CLASS,	87,188	12·5	272	52	24	35	69	71	21
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	13·9	385	104	38	58	86	93	6
IV.	GENERAL SERVICE CLASS,	154,279	19·1	738	356	52	100	119	103	8
V.	INMATES OF WORKHOUSES,	6,024	—	399	93	18	55	98	117	18
I.	PROFESSIONAL AND INDEPENDENT CLASS.									
	1. Clerical, Medical, Legal, and other Professions: Naval and Military Officers, and Heads of Public Departments,	7,799	21·0	41	1	2	3	6	21	8
	2. Merchants and Manufacturers, Higher Class,	1,277	3·1	1	.	.	.	.	1	.
	3. Persons of Rank and Property, not otherwise described,	8,360	3·8	8	.	.	.	1	4	3
II.	MIDDLE CLASS.									
	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	10·9	21	.	2	2	9	6	2
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	22,016	15·1	83	21	3	8	20	26	5
	6. Clerks and Commercial Assistants,	30,432	9·1	69	21	7	17	15	6	3
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	27,028	14·7	99	10	12	8	25	33	11
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.									
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	12·6	31	16	.	5	6	4	.
	9. Building and Furnishing Trades,	29,801	12·6	94	34	12	17	16	15	.
	10. Clothing Trades,	23,260	9·5	55	7	3	14	14	15	2
	11. Food Supply Trades,	9,242	13·8	32	12	2	5	6	6	1
	12. Other Trades and Callings ranking with Trades,	30,352	19·6	149	30	17	15	34	51	2
	13. Petty Shopkeepers,	7,894	12·2	24	5	4	2	10	2	1
IV.	GENERAL SERVICE CLASS.									
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	18·5	62	22	3	7	11	18	1
	15. Domestic Servants,	36,603	6·6	60	18	1	15	14	12	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	19·5	70	29	8	13	11	8	1
	17. Hawkers, Porters, Labourers, &c.,	89,861	24·3	546	287	40	65	83	65	6
V.	INMATES OF WORKHOUSES.									
	18. Workhouse Inmates,	6,024	—	399	93	18	55	98	117	18

POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and

(13 WEEKS) ENDING SATURDAY, 1ST OCTOBER, 1910.

CAUSES OF DEATH.																		CLASS AND ORDER.
Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	TUBERCULOUS DISEASE. Phthisis.	TUBERCULOUS DISEASE. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System.	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.	
(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	
.	6	16	.	22	23	.	11	146	224	88	217	110	113	40	152	63	837	41	
.	.	.	.	.	.	.	.	1	1	6	.	4	5	.	3	1	30	.	I.
.	.	.	.	.	3	.	6	14	23	11	27	8	20	4	15	11	153	5	II.
.	.	5	.	6	6	.	2	28	47	27	46	23	25	3	38	9	162	15	III.
.	6	11	.	16	14	.	3	84	134	34	69	44	40	28	43	37	309	21	IV.
.	.	.	.	.	.	.	.	19	19	10	75	31	23	.	53	5	183	.	V.
																			I.
.	.	.	.	.	.	.	.	1	1	5	.	4	3	.	2	.	26	.	1
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	1	1	3	.	3
																			II.
.	.	.	.	.	.	.	1	.	1	.	2	.	2	.	.	2	14	.	4
.	.	.	.	.	1	.	2	2	5	6	3	3	7	2	4	1	52	1	5
.	.	.	.	.	2	.	1	7	10	2	14	2	4	1	5	3	28	2	6
.	.	.	.	.	.	.	2	5	7	3	8	3	7	1	6	5	59	2	7
																			III.
.	.	1	.	.	1	.	.	2	4	1	4	1	1	1	2	1	16	.	8
.	.	1	.	2	3	.	.	10	16	11	9	9	4	2	10	3	30	1	9
.	.	1	.	1	.	.	.	2	4	1	10	3	2	.	11	1	23	3	10
.	.	1	.	2	.	.	.	3	6	2	3	3	2	2	2	2	10	2	11
.	.	1	.	1	1	.	2	8	13	10	17	6	16	2	12	2	70	8	12
.	.	.	.	.	1	.	.	3	4	2	3	1	.	.	1	.	13	1	13
																			IV.
.	.	4	.	.	.	.	.	4	8	.	3	2	6	.	6	1	36	.	14
.	.	.	.	.	.	.	.	9	9	3	10	1	9	3	1	4	20	2	15
.	1	1	.	2	3	.	.	5	12	2	5	8	1	1	5	3	33	1	16
.	5	6	.	14	11	.	3	66	105	29	51	33	24	24	31	29	220	18	17
																			V.
.	.	.	.	.	.	.	.	19	19	10	75	31	23	.	53	5	183	.	18

* Formerly described as "Simple Continued Fever."

Twenty-two Principal Town Districts of Ireland.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and twenty-one of the principal Urban Districts of Ireland (exclusive of deaths in Public Institutions of persons admitted from without the districts), was 16·3 per 1,000 persons, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest :— Sligo, 10·7 ; Lurgan, 11·2 ; Portadown, 12·7 ; Limerick, 13·8 ; Lisburn, 14·0 ; Tralee, 14·2 ; Newry, 14·5 ; Drogheda, 15 0 ; Cork, 15·4 ; Londonderry, 15·5 ; Dundalk, 15·6 ; Queenstown, 15·7 ; Ballymena, 15·8 ; Belfast, 16·1 ; Wexford, 16·1 ; Newtownards 16·2 ; Galway, 16·4 ; Dublin Registration Area, 17·3 ; Kilkenny, 17·3 ; Clonmel, 17·7 ; Armagh, 19·0 ; and Waterford, 19·3.

The average annual rate represented by the deaths from the principal epidemic diseases* in the 22 districts is 2·2 per 1,000 of the population, the rates varying from 0·0 in Sligo and Clonmel to 3·3 in Waterford, the 129 deaths from all causes for that district including 2 from measles, 2 from typhus, one from whooping-cough, and 17 from diarrhœal diseases.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *twenty-one provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter :—

Small-pox.—During the quarterly period no death from small-pox was recorded in any of the principal town districts of Ireland.

Measles.—In Belfast 102 deaths from measles were registered ; in Londonderry there were 8 ; in Portadown, 5 ; in Waterford, 2 ; and in Queenstown one death was registered.

Scarlet Fever.—One death was registered in Belfast, and one in Dundalk.

Typhus.—There was one death in Belfast, and there were 2 deaths in Waterford.

Whooping-cough.—Of 22 deaths, 19 appertained to Belfast, and one to each of Limerick, Waterford, and Drogheda.

Diphtheria.—The deaths were as follows :—In Belfast, 4 ; in Dundalk, 4 ; in each of Cork and Londonderry, 3 ; in Galway, 2 ; and in each of Limerick and Lisburn there was one death from diphtheria.

Enteric Fever.—This disease caused, in Belfast, 4 deaths ; in Cork, 6 deaths ; and in each of Londonderry, Limerick, and Galway, one death.

Diarrhœal Diseases.—In the aggregate there were 242 deaths from diarrhœal diseases ; of the total, 157 belonged to Belfast, 20 to Cork, 18 to Londonderry, and 17 to Waterford.

Cerebro-spinal Fever.—There was not one death from cerebro-spinal fever in Belfast during the period under notice. In the three preceding quarters, deaths from cerebro-spinal fever or *cerebro-spinal meningitis* for Belfast numbered one, one, and 0, respectively.

Phthisis.—The annual death-rate from phthisis for the 22 towns in the aggregate was 1·9 per 1,000 of the population ; for the Dublin Registration Area it was 2·0 per 1,000, for Belfast County Borough 1·7 per 1,000, and for the Urban Districts collectively (exclusive of Belfast and Dublin Registration Area), it was 1·9 per 1,000, exclusive of deaths in public institutions of persons admitted from without the respective areas.

* Small-pox, measles, scarlet fever, typhus. whooping-cough, diphtheria, *pyrexia* (origin uncertain), enteric fever, and diarrhœal diseases.

TABLE IV.—BIRTHS and DEATHS Registered during the **Quarter** (13 weeks) **ending Saturday, 1st October, 1910,** in the Dublin Registration Area, and in each of the undermentioned Twenty-one Urban Districts (exclusive of Deaths in Public Institutions of persons admitted from other localities), with the number of Deaths from some of the principal causes; also the number of Uncertified Deaths.

TOWNS AND DISTRICTS.	Census Statistics of Districts.*		REGISTRATION—QUARTER (13 WEEKS) ENDING SATURDAY, 1st OCTOBER, 1910.																								
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																					
						BIRTHS.	DEATHS.																				
	POPULATION.			DEATHS.						Caused by																	
	Total.	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10–18.	BIRTHS.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexiat* (origin uncertain)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·2	28·1	16·3	2·2	8,082	4,685	1,076	1,191	.	124	17	3	44	39	1	23	386	233	541	287	241	410	109	174	1,429	163
DUBLIN REGISTRATION AREA:																											
TOTAL,	402,928	29·3	30·0	17·3	2·2	3,021	1740	430	456	.	6	15	.	22	21	.	10	144	85	205	105	98	148	59	73	742	41
CITY OF DUBLIN,	310,298	39·2	33·4	18·6	2·5	2,592	1,441	378	341	.	5	14	.	19	17	.	8	129	68	180	84	77	131	50	60	663	34
Urban Districts. RATHMINES & RATHGAR,	37,047	21·6	17·2	11·3	1·0	159	105	18	42	.	.	1	.	3	1	.	.	4	6	9	1	4	7	4	4	34	5
PEMBROKE,	28,948	18·2	20·9	13·3	1·8	151	96	28	29	.	1	.	.	.	1	.	2	9	7	5	10	11	6	3	5	26	.
BLACKROCK,	9,013	8·3	17·8	14·2	0·9	40	32	2	13	.	.	.	.	.	2	.	.	.	.	4	7	3	.	.	.	5	1
KINGSTOWN,	17,622	12·1	17·9	15·0	0·5	79	66	4	31	.	.	.	.	.	.	.	.	2	4	7	3	3	4	2	4	14	1
URBAN DISTRICTS.																											
BELFAST,	391,167	26·6	27·8	16·1	3·0	2,717	1,572	393	316	.	102	1	1	19	4	1	4	157	104	167	102	78	113	28	57	342	22
CORK,	76,122	33·6	25·4	15·4	1·5	484	293	50	84	.	.	.	.	.	3	.	6	20	12	45	15	10	20	8	17	121	15
LONDONDERRY,	43,477	20·1	28·8	15·5	2·8	313	168	33	45	.	8	.	.	.	3	.	1	18	3	24	11	9	17	.	4	20	7
LIMERICK,	38,151	18·1	23·6	13·8	0·5	225	132	33	38	.	.	.	.	1	1	.	1	2	3	11	8	2	25	.	2	44	16
WATERFORD,	26,769	18·7	26·2	19·3	3·3	175	129	24	31	.	2	.	2	1	.	.	.	17	3	14	14	5	10	1	7	44	10
GALWAY,	13,426	2·5	25·0	16·4	1·2	84	55	8	16	.	.	.	.	.	2	.	1	1	1	8	3	3	6	1	.	22	7
DUNDALK,	13,076	9·4	30·3	15·6	1·5	99	51	6	16	.	.	1	.	.	4	.	.	.	3	1	2	6	3	2	2	12	2
DROGHEDA,	12,760	8·6	21·6	15·0	0·9	69	48	6	19	.	.	.	.	1	.	.	.	2	.	4	1	2	7	1	3	5	4
NEWRY,	12,405	17·8	23·5	14·5	1·0	73	45	9	11	.	.	.	.	.	.	.	.	3	3	7	2	4	7	.	.	7	1
LURGAN,	11,782	13·8	27·8	11·2	0·3	82	33	3	8	.	.	.	.	.	.	.	.	1	1	9	3	2	2	1	.	3	3
LISBURN,	11,461	10·1	24·1	14·0	0·7	69	40	4	20	.	.	.	.	.	1	.	.	1	2	2	2	3	4	1	1	10	1
WEXFORD,	11,168	23·2	29·7	16·1	1·1	83	45	9	18	.	.	.	.	.	.	.	.	3	4	4	3	3	5	.	.	3	5
BALLYMENA,	10,886	8·9	25·0	15·8	2·2	68	43	11	15	.	.	.	.	.	.	.	.	6	.	8	5	3	2	1	1	2	6
SLIGO,	10,870	3·7	22·1	10·7	.	60	29	4	13	.	.	.	.	.	.	.	.	.	1	3	1	4	4	.	1	10	1
KILKENNY,	10,609	11·5	20·0	17·3	0·8	53	46	14	19	.	.	.	.	.	.	.	.	2	2	4	.	1	13	.	.	11	4
CLONMEL,	10,167	7·8	25·6	17·7	.	65	45	8	17	.	.	.	.	.	.	.	.	.	2	6	4	2	2	.	.	12	3
PORTADOWN,	10,092	13·2	30·5	12·7	2·8	77	32	6	6	.	5	.	.	.	.	.	.	2	1	5	2	1	1	1	1	.	2
TRALEE,	9,867	16·6	34·0	14·2	0·8	84	35	7	6	.	.	.	.	.	.	.	.	2	1	2	1	1	3	1	.	5	.
NEWTOWNARDS,	9,110	18·9	36·4	16·2	1·8	83	37	8	14	.	.	.	.	.	.	.	.	4	1	5	.	1	9	2	2	5	3
QUEENSTOWN,	7,909	14·4	26·3	15·7	0·5	52	31	4	10	.	1	.	.	.	.	.	.	.	1	4	2	1	6	.	1	2	1
ARMAGH,	7,588	22·2	24·2	19·0	0·5	46	36	6	13	.	.	.	.	.	.	.	.	1	.	3	1	2	3	2	2	7	9

*The population given for the Dublin Registration Area and its component parts, and the cities of Belfast and Londonderry, is that estimated to the middle of the year 1910; that for each of the other districts is the Population according to the Census of 1901.

† Formerly described as "simple continued fever."

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) **ended 1st October, 1910,** Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the Population according to the Census of 1901 represented by the Deaths from All Causes and from the principal Epidemic Diseases; the Number of Deaths at certain AGE-PERIODS: the Number of Deaths from some of the Principal CAUSES: the Number of UNCERTIFIED DEATHS, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS.																										
			Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.						DEATHS FROM																	
			All Causes.	Diseases in Cols. 12-20.		Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia*.* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease.		Cancer, Malignant Disease.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
																						Phthisis.	Other Forms.						
COLS.	(1.)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN, No. 1 DISTRICT,		119			64	16	11	7	8	11	11	.	3	.	.	3	.	.	.	10	9	5	4	3	2	1	2	12	2
,, 2 ,,		864			199	53	18	13	34	37	44	.	5	.	.	1	.	.	1	35	10	25	6	11	13	1	4	50	4
,, 3 ,,		342			234	52	31	26	33	45	47	.	7	.	.	5	.	1	.	31	16	25	26	15	16	3	6	43	3
,, 4 ,,		801			151	48	20	13	19	26	25	.	9	.	.	3	.	.	.	7	10	21	7	5	8	1	2	51	4
,, 5 ,,		130			88	29	7	6	14	10	17	.	4	.	.	.	.	.	.	2	3	8	8	1	1	1	2	28	2
,, 6 ,,		197			102	21	6	4	14	17	40	.	3	.	.	2	1	.	.	8	8	4	5	13	4	4	3	18	1
,, 7 ,,		18			9	4	1	.	.	1	3	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.
,, 8 ,,	349,180	27			14	1	3	1	3	5	1	.	2	.	.	.	.	.	.	.	1	2	1	.	2	.	1	3	.
,, 9 ,,		169			91	22	11	9	12	20	17	.	4	.	.	.	1	.	1	10	8	9	2	7	3	4	4	26	1
,, 10 ,,		222			121	37	17	11	18	16	22	.	8	.	.	1	.	.	1	11	10	17	10	4	10	3	7	12	1
,, 11 ,,		146			154	27	28	13	25	27	34	.	16	.	.	.	.	.	.	14	6	20	9	7	13	4	7	47	.
,, 12 ,,		305			169	41	52	8	26	28	14	.	36	.	.	1	1	.	.	12	13	15	10	4	22	3	6	22	1
,, 13 ,,		182			48	11	4	5	8	6	14	.	1	1	.	1	1	.	1	1	1	6	.	3	6	.	4	3	.
,, 14 ,,		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 15† ,,		145			133	31	21	12	15	27	27	.	4	.	1	1	.	.	.	14	9	10	14	5	13	3	9	27	3
Total, .	—	2,717	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		1,572	398	230	128	229	276	316	.	102	1	1	19	4	1	4	157	104	167	102	78	113	28	57	342	22
City of Cork.																													
CORK URBAN, No. 1 DISTRICT,	12,867	73	16·8	1·2	54	9	4	4	10	12	15	.	.	.	.	.	1	.	.	3	4	13	1	2	1	1	3	29	1
,, 2 ,,	10,701	87	13·8	8·4	37	8	2	4	7	6	10	.	.	.	.	.	1	.	4	4	.	3	1	2	.	1	2	10	5
,, 3 ,,	9,978	61	15·6	1·2	39	8	3	3	9	11	10	.	.	.	.	.	1	.	1	1	1	6	3	2	8	.	1	13	2
,, 4 ,,	8,666	52	11·1	1·8	24	7	4	.	2	6	5	.	.	.	.	.	.	.	.	4	1	.	2	.	3	1	3	5	.
,, 5 ,,	6,592	34	18·8	.	31	8	.	3	2	8	10	.	.	.	.	.	.	.	.	.	2	4	3	1	.	2	2	11	2
,, 6 ,,	10,702	78	16·1	0·8	43	4	3	4	8	9	15	.	.	.	.	.	.	.	.	2	1	7	3	1	1	1	3	22	3
,, 7 ,,	16,616	99	15·6	1·7	65	11	3	6	10	16	19	.	.	.	.	.	.	.	1	6	3	12	2	2	7	2	3	31	2
Total, . .	76,122	484	15·4	1·5	293	50	19	24	48	68	84	.	.	.	.	.	3	.	6	20	12	45	15	10	20	8	17	121	15

* Formerly described as Simple Continued Fever.

† New district formed as from 1st Jan., 1910 and the boundaries of Nos. 1, 4 & 6 districts altered; the population of each of these districts, as at present constituted, is not available.

GENERAL REGISTER OFFICE,
Charlemont House, Dublin,

WILLIAM J. THOMPSON,
Registrar-General.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.
(23712). P. 215-12/13. 375. 10. 1910. G. III. Sch. 9.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 8TH OCTOBER, 1910. [No. 40.

General Register Office, Charlemont House, Dublin, 10th October, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 15·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Average Rate for 4 weeks.
22 Town Districts.	17·0	17·5	17·8	15·9	17·0	Limerick, . . .	9·6	12·3	15·0	9·6	11·6
						Lisburn, . . .	4·5	18·2	22·7	18·2	15·9
Armagh, . . .	34·4	27·5	6·9	13·7	20·6	Londonderry, . .	18·0	10·8	21·6	9·6	15·0
Ballymena, . . .	28·7	14·4	14·4	14·4	18·0	Lurgan, . . .	17·7	22·1	13·3	13·3	16·6
Belfast, ...	15·5	16·3	14·0	12·5	14·6	Newry, . . .	21·0	12·6	12·6	4·2	12·6
Clonmel, . . .	25·6	20·5	10·3	20·5	19·2	Newtownards, . .	11·4	17·2	11·4	·	10·0
Cork, ...	14·4	16·4	21·2	22·6	18·6	Portadown, . .	20·7	5·2	10·3	10·3	11·6
Drogheda, . . .	8·2	16·3	20·4	8·2	13·3	Queenstown, . .	33·0	13·2	13·2	13·2	18·1
Dublin Reg. Area, .	18·8	21·4	20·2	19·5	20·0	Sligo, ...	4·8	.	43·2	4·8	13·2
Dundalk, . .	16·0	4·0	47·9	23·9	22·9	Tralee, . . .	26·4	15·9	26·4	5·3	18·5
Galway, . . .	11·7	19·4	31·1	15·5	19·4	Waterford, . . .	19·5	23·4	13·6	19·5	19·0
Kilkenny, . . .	24·6	4·9	4·9	39·3	18·4	Wexford, . . .	18·7	14·0	9·3	23·3	16·3

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·8 per 1,000, the rates varying from 0·0 in fourteen of the districts to 5·2 in Portadown, one of the 2 deaths recorded for that district being from diarrhœa. Among the 94 deaths from all causes for Belfast are one from measles, one from whooping-cough, and 7 from diarrhœal diseases. Included in the 33 deaths from all causes for Cork are one from diphtheria, and 4 from diarrhœal diseases. Of the 7 deaths from all causes for Limerick, one is from diphtheria, and of the 10 deaths from all causes for Waterford 2 are from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 219—109 boys and 110 girls—and the deaths to 160—76 males and 84 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·5 per 1,000 of the population, the rate for the total deaths registered in the Area being 20·7 per 1,000.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*). Table II. ‡ See columns 10–18 of Table II.

During the forty weeks, ending with Saturday last, the death-rate averaged 21·2 and was 2·9 below the mean rate for the corresponding portions of the ten years, 1900-9.

The total deaths from all causes registered during the week include one death from each of measles and scarlet fever, 2 deaths from whooping-cough, 2 deaths from diphtheria, 3* deaths from enteric fever, 12 deaths from diarrhœal diseases, all of children under 5 years of age; there were also registered at this age, the deaths of 7 children from enteritis. In each of the three preceding weeks, deaths from measles were 0, 3, and 0; deaths from scarlet fever were 2, 0, and 0; deaths from whooping-cough were 2, one, and 2; deaths from diphtheria were 2, 3, and 2; deaths from enteric fever were one, one, and 0; and deaths from diarrhœal diseases were 21, 22, and 27. There was one death from influenza, which in each of the 3 preceding weeks had caused one, one, and 2 deaths.

The deaths from pneumonia (all forms), include 2 deaths from lobar pneumonia, one death from broncho-pneumonia, and 2 deaths from *pneumonia* (not defined).

Twenty-nine deaths were attributed to all forms of tuberculous disease, the total includes 17 deaths from tuberculous phthisis (*phthisis*), 2 deaths from tuberculous meningitis, one death from tuberculous peritonitis, and 9 deaths from other forms of the disease. In the three preceding weeks, deaths from tuberculous diseases numbered 24, 27, and 29, respectively.

Carcinoma caused 6 deaths, and 6 deaths were attributed to cancer or malignant disease (undefined).

The deaths of 5 prematurely born infants were registered.

Of 15 deaths from diseases of the brain and nervous system, there were 9 from *convulsions*, of the latter figure 4 were deaths of infants under one month, 4 over one month and under one year, and one was aged one year and 7 months.

There were 20 deaths from diseases of the heart or blood vessels, and 15 deaths from bronchitis.

Among the deaths from accident or negligence, which were 10 in number, there was one caused by a motor car; 3 of children under 5 years of age by burns or scalds; one by drowning; and one of an infant by suffocation in bed.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the death of one infant under one year of age, and the deaths of 2 persons aged 60 years and upwards.

Fifty-eight of the persons whose deaths were registered during the week were under 5 years of age (38 being infants under one year, of whom 11 were under one month old) and 35 were aged 60 years and upwards, including 23 persons aged 70 and upwards, of whom 6 were octogenarians, and one (a female) was stated to have been aged 90 years.

Fifty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse, and 5 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·5 per 1,000; the rate in the City was 21·7 North City Districts, 22·6; South 20·7) and in the Suburbs, 12·4.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·6 per 1,000 inhabitants, the rate for the City being 3·2 (3·9 in the North City Districts, and 2·4 in the South), and for the Suburbs, 0·6 per 1,000

No. 1 *North City District, East* (Clarence-street, North).—The deaths (11) are equal to an annual rate of 19·2 per 1,000, and include one death from scarlet fever, 2 from diarrhœal diseases, and 3 from diseases of the respiratory system.

No. 1 *North City District, West* (Summer-hill).—The deaths (22) are equal to an annual rate of 28·7 per 1,000. Among them are one from enteric fever, one from influenza, 3 from epidemic diarrhœa 5 from tuberculous disease, 3 from bronchitis, and 2 accidental deaths.

No. 2 *North City District* (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 22·0 per 1,000. There were 3 deaths from diarrhœal diseases, one from *pneumonia* (not defined), and 3 from tuberculous disease

No. 3 *North City District* (Benburb-street).—The deaths (15) represent an annual rate of 23·3 per 1,000. One death each from diphtheria and epidemic diarrhœa, 4 deaths from tuberculous disease and one death caused by scalds were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf, and Howth, No. 1, part of, 29·1 per 1,000 inhabitants; Coolock and Drumcondra, part of, 17·9; and Finglas and Glasnevin, part of, 6·8. The 4 deaths from all causes for Coolock and Drumcondra, part of, included one death from lobar-pneumonia, and one from tuberculous disease,; and the only death recorded for Finglas and Glasnevin, part of, was one caused accidentally.

No. 1. *South City District* (South Earl-street).—The deaths (23) represent an annual rate of 28·9 per 1,000, and include one death each from measles and whooping-cough, 2 deaths from tuberculous phthisis (*phthisis*), 2 from bronchitis; and 3 accidental deaths.

No. 2 *South City District* (Castle-street).—The deaths (5) are equal to an annual rate of 12·0 per 1,000. Of the deaths one was caused by *phthisis*, one by bronchitis,, and one by a motor car.

No. 3 *South City District* (Peter-street).—The deaths (16) are equal to an annual rate of 19·3 per 1,000. Broncho-pneumonia caused one death, tuberculous disease, 6 deaths, and bronchitis, 2 deaths.

No. 4 *South City District* (Grand Canal-street).—The deaths (15) are equivalent to an annual rate of 21·8 per 1,000. One death each from whooping-cough and diphtheria, 3 deaths from epidemic diarrhœa, and one death from tuberculous phthisis were recorded.

New Kilmainham District.—There was one death recorded for this district, equivalent to an annual rate of 5·7 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 14·1: Pembroke, 7·2; Blackrock, 23·1; and Kingstown, 11·8. The only death from any of the principal epidemic diseases tabulated for these districts is one from enteric fever for Rathmines and Rathgar, the 10 deaths from all causes for that district, including one death from lobar-pneumonia, 3 from tuberculous disease, one from bronchitis, and one from burns; of the 4 deaths from all causes for Pembroke, one is from tuberculous phthisis, and one from bronchitis; among the 4 deaths from all causes for Blackrock, is one from bronchitis; and the 4 deaths from all causes for Kingstown include one from *pneumonia* (not defined), and one from bronchitis.

* See note (c) to Table II. † See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin: Mr. Fawcett Executive Sanitary Officer for Rathmines and Rathgar Urban District: Mr. Manly, Executive Sanitary Officer for Pembroke Urban District: Mr. Heron, Executive Sanitary Officer for Blackrock Urban District: by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District: and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 8th October, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Sept. 17,	.	—	—	17	.	.	8	.	1	16	10	.	—	—	.	—	12	—	64
	Sept. 24,	.	—	—	15	.	.	11	.	.	3	13	.	—	—	.	—	14	—	56
	Oct. 1,	.	—	—	16	.	.	6	.	2	9	13	.	—	—	.	—	11	—	57
	Oct. 8,	.	—	—	12	.	.	12	.	2	12	9	.	—	—	.	—	9	—	56
Rathmines and Rathgar Urban District.	Sept. 17.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Sept. 24,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
	Oct. 1,	.	—	—	3	.	.	3	.	.	.	.	.	—	—	—	—	—	—	6
	Oct. 8,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
Pembroke Urban District.	Sept. 17,	.	1	1	.	.	.	.	.	.	.	.	.	—	4	.	—	.	—	6
	Sept. 24,	.	.	.	.	.	.	1	.	.	.	1	.	—	4	.	—	.	—	6
	Oct. 1,	.	.	1	.	.	.	1	.	.	.	1	.	—	.	.	—	.	—	3
	Oct. 8,	.	.	.	.	.	.	.	.	.	.	2	1	—	1	.	—	.	—	4
Blackrock Urban District.	Sept. 17,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	.	—	—	—	3
	Sept. 24,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	.	—	—	—	3
	Oct. 1,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Oct. 8,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Sept. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Sept. 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Oct. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Oct. 8,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	1	—	2
City of Belfast.	Sept. 17,	.	—	—	6	.	.	2	.	.	5	4	2	—	—	—	—	13	—	32
	Sept. 24,	.	—	—	13	.	.	6	.	.	2	5	.	—	—	—	—	10	—	36
	Oct. 1,	.	—	—	17	.	.	6	.	.	1	2	1	—	—	—	—	11	—	38
	Oct. 8,	.	—	—	22	.	.	8	.	.	3	3	.	—	—	—	—	13	—	49

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 8th October, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

One case of measles was admitted to hospital during the week, 5 were discharged, and 3 cases remained under treatment at its close.

Twenty cases of scarlet fever were admitted to hospital, 12 were discharged, there was one death, and 80* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 68, 68, and 73, respectively.

Thirteen cases of diphtheria were admitted to hospital, 3 were discharged, there was one death, and 54 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 38, 40, and 45, respectively.

Four cases of enteric fever were admitted to hospital during the week, 6 were discharged, and 47 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 49, 44, and 49.

In addition to the above named diseases, 5 cases of pneumonia were admitted to hospital, 4 were discharged, and 21 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns, including London (in which the rate was 12·3) was equal to an average annual death-rate of 12·8 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 14·4 per 1,000, the rate for Glasgow being 14·9 and for Edinburgh 13·9.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 8th October. From this Report it appears that of a total of 76 cases notified, 40 were scarlet fever, 19 phthisis, 12 diphtheria, and 5 erysipelas. Among the 392 cases of infectious diseases in hospital at the close of the week were 206 cases of scarlet fever, 91 of diphtheria, 47 of phthisis, 14 of enteric fever, 11 of whooping-cough, 10 of measles, 6 of erysipelas, one of chicken-pox, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 8th October, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 8TH OCTOBER, 1910.																							METEOROLOGY. (d)											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 8TH OCTOBER, 1910.				WEEK ENDING 1ST OCTOBER, 1910.				WEEK ENDING 24TH SEPTEMBER, 1910.			
										DEATHS.																Air Temperature				Air Temperature				Air Temperature			
	POPULATION.		DEATHS			BIRTHS.	DEATHS.			Caused by																Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
	Total.(a)	Persons to an Acre.	From all Causes.	From Diseases in cols. 10-18.	BIRTHS.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.											
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS, .	1,151,790	20·2	27·3	15·9	1·8	604	351	91	81	.	2	1	.	3	4	.	2	28	11	48	16	25	33	11	17	104	11	.	.	.	.	.	.	.	.	.	.	.	.
DUBLIN REGISTRATION AREA:— TOTAL, *c.*	402,928	29·3	28·3	19·5	2·6	219	151	37	32	.	1	1	.	2	2	.	2	12	5	17	10	11	15	9	12	49	3	*c*68·6	33·2	52·5	0·59	*c*68·7	39·5	54·2	0·89	*c*64·8	36·7	50·4	0·02
CITY of DUBLIN,	310,298	39·2	31·1	21·7	3·2	185	129	32	25	.	1	1	.	2	2	.	1	12	3	15	8	10	11	8	11	46	3	*f*68·3 *g*64·8	43·6 40·0	53·8 53·7	1·10 0·89	*f*68·1 *g*69·9	43·8 40·0	56·2 55·2	0·35 0·51	*f*63·2 *g*63·8	41·8 39·0	52·4 47·9	0·01 0·01
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	14·1	14·1	1·4	10	10	2	2	.	.	.	.	.	.	.	1	.	1	1	2	1	1	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	18·0	7·2	.	10	4	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,013	8·3	34·7	23·1	.	6	4	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	23·7	11·8	.	8	4	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	63	44	54·7	0·78	68	48	56·5	0·29	64·0	43·0	53·0	0·00
URBAN DISTRICTS.																																							
BELFAST,	391,167	26·6	26·7	12·5	1·2	200	94	31	20	.	1	.	.	1	.	.	.	7	5	9	3	.	9	.	2	20	1	66·0	40·0	55·8	0·39	65·0	42·0	55·0	1·00	60·0	41·0	51·2	0·00
CORK,	76,122	33·6	28·1	22·6	3·4	41	33	6	11	.	.	.	.	1	.	.	.	4	1	1	.	2	2	1	2	18	1	64	48	55·2	0·48	62	44	54·9	1·31	63	43	53·5	0·00
LONDONDERRY,	43,477	20·1	30·0	9·6	.	25	8	1	3	.	.	.	.	.	.	.	.	.	.	1	1	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	24·6	9·6	1·4	18	7	.	.	.	.	.	.	1	.	.	.	.	.	3	.	1	.	.	.	4	.	64	44·5	54·2	0·26	68	37·7	55·6	0·93	63·4	37·3	51·6	0·00
WATERFORD,	26,769	18·7	25·3	19·5	3·9	13	10	4	3	.	.	.	.	.	.	.	.	2	.	1	.	2	.	1	1	3	2	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	2·5	35·0	15·5	.	9	4	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2	.	67	46	57	0·87	64	40	54	0·80	64	38	53	0·00
DUNDALK	18,076	9·4	19·9	28·9	.	5	6	1	1	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	28·6	8·2	.	7	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,405	17·8	25·2	4·2	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	66·0	38·5	54·1	0·31	66·0	43·0	55·2	0·99	64·9	38·6	51·8	0·01
LURGAN,	11,782	13·8	35·4	13·8	4·4	8	3	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.	66·0	38·5	54·1	0·31	66·0	43·0	55·2	0·99	64·9	38·6	51·8	0·01
LISBURN,	11,461	10·1	27·8	18·2	.	6	4	.	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.	66·0	38·5	54·1	0·31	66·0	43·0	55·2	0·99	64·9	38·6	51·8	0·01
WEXFORD,	11,168	23·2	46·7	28·3	4·7	10	5	2	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,686	8·9	28·9	14·4	.	5	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,670	3·7	14·4	4·8	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	65·7	38·0	52·5	0·88	65·0	38·9	53·8	1·01	61·4	36·6	50·5	0·09
KILKENNY,	10,609	11·5	59·0	39·3	.	12	8	2	2	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.	2	.	65	43	53·0	0·56	64	38	55·3	0·92	62	40	51·9	0·00
CLONMEL,	10,167	7·8	35·9	20·5	.	7	4	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,092	13·2	15·5	10·3	5·2	3	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	66·0	38·5	54·1	0·31	66·0	43·0	55·2	0·99	64·9	38·6	51·8	0·01
TRALEE,	9,867	16·6	21·1	5·3	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	11·4	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	65	45	54·8	0·66	64	42	52·8	0·87	61	45	53·1	0·03
QUEENSTOWN,	7,909	14·4	.	18·2	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	64	48	55·2	0·48	62	44	54·9	1·31	63	43	53·5	0·00
ARMAGH,	7,588	22·2	6·9	13·7	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	66·0	38·5	54·1	0·31	66·0	43·0	55·2	0·99	64·9	38·6	51·8	0·01

(*a*) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (*b*) Formerly described as "Simple Continued Fever." (*c*) Exclusive of 9 deaths of persons (including one under 1 year old and 3 at 60 years or upwards) admitted to hospital from localities outside the Area; of the 9 deaths one was from enteric fever. (*d*) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 8th October, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.															TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN REGISTRATION DISTRICTS IN Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.					URBAN DISTRICTS OF				
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																	
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Scarlet Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.
Diphtheria,	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	2	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	1
Diarrhœal Diseases,	2	3	3	1	.	.	.	.	.	.	3	.	1	.	.	.	12	.
Pneumonia,	.	.	1	.	.	1	.	.	.	1	.	.	1	.	.	1	5	.
Tuberculous Disease. Phthisis,	.	4	2	2	.	.	.	2	1	3	1	.	1	1	.	.	17	.
Tuberculous Disease. Other Forms,	.	1	1	3	.	1	.	.	.	3	.	2	1	.	.	.	10	2
Cancer, Malignant Disease,	.	3	.	3	.	1	.	.	.	.	2	1	1	.	.	.	11	1
Other General Diseases,	.	1	1	.	1	.	.	2	2	2	1	.	1	.	.	.	11	1
Total,	3	13	8	9	1	3	.	6	3	9	9	1	7	1	.	1	74	5
B. LOCAL DISEASES:																		
Diseases of Nervous System,	1	.	3	2	.	.	.	1	.	2	.	.	1	.	2	2	14	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Heart and Blood Vessels,	3	3	1	1	1	1	.	2	.	1	4	.	.	1	1	.	19	1
Diseases of Respiratory System,	3	3	.	.	.	.	.	2	1	2	.	.	1	1	1	1	15	1
Diseases of Digestive System,	1	1	1	.	.	.	.	7	.	1	.	.	.	.	.	.	11	.
Diseases of Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	.	.	1	.	.	.	1	.	1	2	.	.	.	.	.	5	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	8	7	5	4	1	1	.	13	1	7	6	.	2	2	4	3	64	3
C. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	.	.	1	1	.	.	1	.	.	.	.	.	1	.	.	4	.
E. VIOLENT DEATHS,	.	2	.	1	.	.	1	3	1	.	.	.	1	.	.	.	9	1
Deaths from all Causes	11	22	13	15	3	4	1	23	5	16	15	1	10	4	4	4	151	9
Annual Rate of Mortality from all causes in every 1,000 of the population.	19·2	28·7	22·0	23·3	29·1	17·9	6·8	28·9	12·0	19·3	21·8	5·7	14·1	7·2	23·1	11·8	19·5	.
	22·6							20·7					12·4					
	21·7																	
Ages at Death. Under 1 year,	4	4	5	2	.	.	.	6	2	5	4	.	2	1	1	1	37	1
Ages at Death. 1 and under 5 years,	1	1	2	4	.	.	.	8	.	1	1	.	1	.	.	1	20	.
Ages at Death. 5 " 20 "	2	1	.	.	.	.	.	.	.	2	.	.	.	1	1	.	7	.
Ages at Death. 20 " 40 "	.	5	1	2	.	2	.	2	.	2	2	.	3	.	.	1	19	3
Ages at Death. 40 " 60 "	2	10	3	3	2	1	1	1	3	2	4	1	3	.	.	.	36	2
Ages at Death. 60 years and upwards,	2	1	2	4	1	1	.	6	.	4	4	.	2	2	2	1	32	3
Number of Uncertified Deaths,	1	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	3	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	7	3	5	.	.	1	2	2	4	4	.	3	.	.	.	32	9
Workhouse Hospitals,	2	2	4	3	1	.	.	2	.	2	1	.	.	.	.	.	17	.

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in the week of the ten years 1900–1909,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Average in 40th Week of the 10 years, 1900–1909.	In the Week ending Saturday, 8th October, 1910. Deaths of Persons of the Ages of							
	Oct. 6, 1900.	Oct. 5, 1901.	Oct. 4, 1902.	Oct. 10, 1903.	Oct. 8, 1904.	Oct. 7, 1905.	Oct. 6, 1906.	Oct. 5, 1907.	Oct. 3, 1908.	Oct. 9, 1909.		All Ages.	0 to 5.						
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 50·4	° 52·1	° 51·1	° 52·4	° 48·3	° 48·3	° 53·3	° 52·4	° 60·6	° 53·2	° 52·2	° 52·5								
ALL CAUSES.	182	149	169	150	130	158	198	161	146	134	157·7	160	11	27	20	7	22	38	28	7
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	1	.	8	.	.	.	.	.	4	1	1·4	1	.	.	1	.	.	.	.	.
Scarlet Fever,	.	.	.	1	1	.	.	.	1	.	·3	1	.	.	.	1	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	1	1	.	1	1	1	.	.	·5	1	.	1	.	.	.	.	.	.
Whooping-cough,	5	2	1	2	3	.	1	3	.	3	2·0	2	.	1	1	.	.	.	.	.
Diphtheria,	.	2	5	1	.	.	.	3	1	1	1·3	2	.	.	2	.	.	.	.	.
Cerebro-spinal Fever,	.	.	.	1	.	.	.	.	1	1	·3	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	3	8	6	2	1	2	.	.	4	.	2·6	3	.	.	.	.	3	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.),	28	9	7	3	2	.	14	3	5	2	12·7	10	.	7	3	.	.	.	.	.
Diarrhœa, Dysentery,			12	1	8	1	17	9	3	3		2	.	1	1	.	.	.	.	.
Tetanus,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	.	1	1	1	2	1	2	.	4	1·2	1	.	1	.	.	.	.	.	.
Puerperal Septicæmia,	.	1	1	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Puerperal Pyæmia,			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Puerperal Fever,			.	.	.	.	1	.	.	.		.	.	.	.	.	.	.	.	.
Infective Endocarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	5	12	1	5	2	4	4	2	2	3	8·3	2	.	.	.	.	1	1	.	.
Pneumonia, Broncho-Epidemic			1	5	3	4	4	2	2	3		1	.	.	1	.	.	.	.	.
Pneumonia, Not defined,			6	2	2	5	6	3	4	7		2	.	.	.	.	1	1	.	.
Erysipelas,	1	1	.	.	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal)	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Pyæmia (not Puerperal),			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	2	1	.	1	1	·5	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis,	14	21	2	2	4	4	5	13	4	8	21·4	7	.	.	.	1	4	2	.	.
" *Phthisis*,"			16	25	20	21	18	19	9	9		10	.	.	.	.	5	4	1	.
Tuberculous Meningitis,	3	1	4	.	2	6	3	5	4	3	3·1	2	.	1	1	.	.	.	.	.
Tuberculous Peritonitis,	7	11	.	4	.	1	2	.	2	.	3·0	1	.	.	1	.	.	.	.	.
Tabes Mesenterica,			.	1	2	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Tuberculous Dis. (other),	2	3	3	9	4	10	3	6	7	2	5·0	8	.	1	.	3	3	1	.	.
Scrofula,			1	.	.	.	.	.	.	.		1	.	.	.	.	.	1	.	.
Alcoholism,	1	.	.	1	1	.	.	.	1	.	·4	1	.	.	.	.	.	1	.	.
Rheumatic Fever,	.	.	1	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carcinoma,	7	6	2	4	2	7	5	8	3	4	8·5	6	.	.	.	.	.	5	1	.
Sarcoma,			.	.	.	.	.	1	2	.		.	.	.	.	.	.	.	.	.
Cancer (undefined)			2	5	1	4	8	3	7	4		6	.	.	.	.	.	3	3	.
Diabetes Mellitus,	.	.	1	.	.	.	1	2	1	.	·5	.	.	.	.	.	.	.	.	.
Premature Birth,	7	1	5	1	2	7	3	2	2	4	3·4	5	5	.	.	.	.	.	.	.

* The figures for the year 1900 are for

† Formerly described as

FORTIETH WEEK ending Saturday, 8th October, 1910, with the deaths from each cause in the corresponding and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 40th Week of the 10 years 1900-1909.	In the Week ending Saturday, 8th October, 1910.							
	Oct. 6, 1900.	Oct. 5, 1901.	Oct. 4, 1902.	Oct. 10, 1903.	Oct. 8, 1904.	Oct. 7, 1905.	Oct. 6, 1906.	Oct. 5, 1907.	Oct. 3, 1908.	Oct. 9, 1909.		Deaths of Persons of the Ages of							
												ALL AGES.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
													Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 50·4	° 52·1	° 51·1	° 52·4	° 48·3	° 48·3	° 53·3	° 52·4	° 60·6	° 53·2	° 52·2	Mean Temp. ° 52·5								
Meningitis (not tuberc.)			2	2	2	3	3	2	1	3		2	.	1	.	1	.	.	.	.
Insanity, G. P. of Insane			2	.	.	2	1	1	1	2		1	.	.	.	.	1	.	.	.
Epilepsy			.	.	.	1	.	1	2	1		.	.	.	.	.	.	.	.	.
Convulsions			13	5	.	5	5	4	3	2		9	4	4	1	.	.	.	.	.
Locomotor Ataxy			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord			1	1	1	1	2	2	3	.		1	.	.	.	.	.	1	.	.
Nervous System (other Dis.)			1	1	1	.	2	1	.	4		2	.	.	.	.	.	2	.	.
Valv. Dis., Endocarditis	32	24	5	5	9	4	2	6	6	5	32·1	3	.	.	.	.	1	2	.	
Cerebr. Hæm. Thromb.			.	1	1	2	4	1	4	2		4	.	.	.	1	2	.	1	
Apoplexy, Hemiplegia			3	3	7	2	6	3	6	3		.	.	.	.	.	.	.	.	
Aneurysm			.	1	.	.	.	.	1	.		.	.	.	.	.	.	.	.	
Embolism, Thromb. (not cerebral)			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
Heart and Blood Vessels (other Dis.)			6	12	10	10	12	11	17	5		13	.	.	.	1	4	4	4	
Croup (not Spasm. nor Memb.)	3	.	.	.	.	.	1	1	.	.	·5	.	.	.	.	.	.	.	.	
Bronchitis	11	9	11	8	11	10	21	6	7	8	10·2	15	.	2	1	1	2	7	1	
Asthma, Emphysema			1	.	.	1	1	1	.	.	1·8	.	.	.	.	.	.	.	.	
Pleurisy	4	1	.	1	2	.	.	.	.	.		.	.	.	.	.	.	.	.	
Respiratory Dis. (other)			.	1	2	2	.	1	1	1		1	.	.	.	.	1	.	.	
Tonsillitis, Quinsy	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	
Enteritis (not Epid.)	.	.	4	.	1	4	.	1	4	1	3·2	7	.	4	3	.	.	.	.	
Gastro-enteritis			2	5	1	3	3	1	1	1		.	.	.	.	.	.	.	.	
Peritonitis (not Puerp.)	.	.	1	2	.	1	.	.	.	1	·5	.	.	.	.	.	.	.	.	
Cirrhosis of Liver	2	.	.	2	1	1	.	1	.	2	2·0	2	.	.	.	.	1	1	.	
Liver Dis. (other)			2	1	.	3	3	.	.	2		1	.	.	.	.	.	1	.	
Digestive Dis. (other)	6	9	5	5	4	3	6	6	1	3	4·8	1	.	1	.	.	.	.	.	
Nephritis, Acute			1	.	1	4	2	1	2	1		.	.	.	.	.	.	.	.	
Bright's Dis., Albuminuria	3	2	1	5	2	3	3	4	.	1	3·9	5	.	.	.	1	2	2	.	
Urinary Sys. (other Dis.)			1	.	.	1	.	1	.	.		.	.	.	.	.	.	.	.	
Generative Organs Dis.	1	.	1	.	.	1	.	.	1	.	·4	.	.	.	.	.	.	.	.	
Childbirth (Accid. of)	1	1	1	.	.	.	.	5	.	1	·9	.	.	.	.	.	.	.	.	
Old Age	11	9	5	4	2	4	5	6	1	6	5·3	2	.	.	.	.	.	1	1	
Other Diseases	17	12	11	11	8	5	18	5	11	13	11·1	6	2	1	1	.	.	1	1	.
ACCIDENT.																				
By Railways	.	.	.	.	.	.	.	.	.	.	·4	1	.	.	.	.	.	1	.	.
By Vehicles and Horses	.	.	2	.	.	1	1	.	.	.										
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
In Building Operations	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
In Conflagrations	.	.	.	.	.	.	.	.	.	.										
By Burns, Scalds, Explosions	.	.	.	.	.	1	.	.	1	.	·2	3	.	.	3	.	.	.	.	.
By Drowning	1	.	1	.	1	.	.	2	.	1	·6	1	.	.	.	1	.	.	.	.
By Suffocation in Bed	.	.	.	1	1	.	.	.	.	.	·2	1	.	1	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Other Deaths by Accident	6	2	.	.	1	.	3	1	1	3	1·7	4	.	.	.	.	3	1	.	
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

the Registration Area as then constituted.
" Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA,	1910—Week ending																									
	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.
No. of weeks in Annual Series,	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
BIRTHS registered.	217	221	246	230	241	181	242	258	268	272	188	228	229	272	225	243	198	209	240	194	228	261	235	292	196	219
*Average Births in corresponding week of previous 10 years,** ..	207	224	195	270	229	211	202	232	222	199	225	237	200	198	204	215	221	202	219	218	207	232	203	200	252	192
DEATHS registered, ...	133	200	193	186	180	131	160	135	183	140	130	127	148	118	144	127	145	143	126	146	120	141	153	174	164	160
Annual Death-rate per 1,000, ..	23·7	25·9	25·0	17·6	23·3	17·0	20·7	17·5	17·2	18·1	16·8	16·4	18·5	15·3	18·6	16·4	18·8	18·5	16·3	18·9	15·5	18·2	19·8	22·5	21·2	20·7
*Average Deaths in corresponding week of previous 10 years,**	200	197	189	184	178	174	171	157	154	152	147	136	138	142	146	147	146	148	156	166	159	157	154	167	160	158
AGES, Under 5 years, ...	37	49	46	36	38	37	39	31	37	25	27	31	50	29	48	31	31	54	37	57	42	38	59	70	60	58
5—20 ,, ...	11	15	18	6	16	7	10	18	10	12	9	11	11	10	8	15	17	8	6	9	8	16	8	9	11	7
20—40 ,, ...	24	33	29	26	34	20	25	26	22	27	32	23	24	17	17	18	27	23	23	13	18	19	23	19	16	22
40—60 ,, ...	38	35	43	25	32	28	40	27	29	35	32	23	25	27	29	30	30	28	32	27	23	33	30	32	33	38
60—80 ,, ...	57	59	46	40	50	36	42	33	23	38	28	38	28	34	34	33	35	26	24	38	26	33	30	42	37	23
80 years and upwards, ..	16	9	11	3	10	3	4	5	7	3	2	6	10	1	8	2	5	4	4	7	3	2	4	2	7	7
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1	.	.	1	.	.	.	.	.	3	.	1
Measles, ...	.	.	.	.	1	1	.	2	.	.	1	.	.	1	3	3	1	1	1	2	1	1	2	.	.	1
Scarlet Fever, ...	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	2	.	.	.	.	.	.	.	.	.	.	3	.	1	1	.	3	3	2	.	4	3	2	1	2	2
Whooping-cough, ...	2	5	4	1	1	1	.	2	1	2	1	1	2	1	.	5	1	.	2	4	1	.	2	3	2	2
Diphtheria, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	2	.	1	1	1	1	.	3
Enteric Fever, ...	1	.	2	1	3	.	1	.	3	1	1	1	6	3	5	.	2	14	6	17	12	11	21	22	27	12
Diarrhœal Diseases, ...	2	2	1	2	1	5	2	1	3	1	.	2	.	.	1	.	1	.	1	.	.	.	1	1	2	1
Influenza, ...	5	2	3	1	3	2	.	.	.	1	.	2	.	.	1	.	1	.	1	.	.	.	10	4	6	5
Pneumonia, ...	18	20	17	8	14	13	8	8	10	7	10	3	8	7	9	5	7	8	7	6	5	6	15	19	18	17
Tuberculous Disease, {Phthisis, ..	22	31	25	14	31	15	14	17	15	22	24	23	11	19	11	17	24	14	17	12	17	28	9	8	11	12
Disease, {Other Forms, ..	9	18	12	11	9	9	11	15	7	15	10	14	7	8	3	9	10	15	7	5	5	13	9	8	11	12
Cancer, Malignant Disease, ..	10	11	11	6	10	3	10	10	6	7	10	10	8	5	11	10	8	8	9	10	8	9	7	9	11	12
Diseases of Heart and Blood Vessels, ...	28	37	31	21	25	20	29	21	21	25	16	23	26	17	22	23	23	20	16	20	17	23	19	24	30	20
Diseases of Respiratory System,	39	22	25	17	27	16	18	18	17	11	15	7	11	18	14	12	10	8	10	11	6	10	10	20	12	16
Violent Deaths, ...	3	3	4	6	11	2	3	6	7	7	1	2	9	3	8	5	3	6	2	4	5	3	6	6	3	10
Number of Uncertified Deaths, ..	12	8	6	2	2	6	3	3	7	5	6	3	5	.	4	7	2	3	4	4	3	2	1	3	3	3
Mean Temperature of the Air (Phœnix Park), ...	48·0	49·6	48·6	46·1	44·7	51·4	55·1	50·6	57·8	56·4	58·1	54·7	55·5	57·1	53·9	57·8	56·5	59·2	53·8	56·6	57·2	54·8	52·0	50·4	54·2	52·5
Average Mean Temperature in corresponding week of previous 10 years, ...	43·4	45·1	46·6	46·9	48·5	48·6	50·5	53·9	53·3	53·7	55·3	56·6	57·6	58·9	60·6	58·8	58·8	58·2	57·7	56·5	56·1	54·4	53·1	53·8‡	53·7	52·2
Rainfall in inches, ...	·736	·782	·417	·670	·250	1·268	·135	·692	1·870	·010	1·291	1·780	·660	·000	·840	·355	·940	·205	1·175	·111	·194	150	·015	·015	·891	·585
Mean Humidity of the Air, complete Saturation 1·0	93	·91	·82	·77	·81	·90	·88	·81	·92	·87	·92	·87	·88	·81	81	·81	·84	·85	81	·84	·88	·87	·91	·85	·89	·90

* See note (*) at foot of Table IV.

† Formerly described as "Simple Continued Fever."

‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 8th October, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 8TH OCTOBER, 1910. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 Years	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	CAUSES OF DEATH. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases	Total Cols. 10-18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS, ...	375,350	22·2	160	58	7	22	38	28	7	.	1	1	.	2	2	.	3	13	21	5	17	12	12	9	16	10	58	3
	CLASSES.																												
	Deaths in Families of the—																												
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	12·0	4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.
II.	MIDDLE CLASS, ...	87,188	17·9	30	5	2	6	9	5	3	.	.	.	.	.	.	.	1	.	1	3	2	7	2	1	2	1	11	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,428	15·1	82	9	2	3	12	5	1	.	.	1	.	1	1	.	.	3	6	1	4	.	5	2	3	2	9	.
IV.	GENERAL SERVICE CLASS, ...	154,279	26·0	77	36	3	12	12	12	2	.	1	.	.	1	1	.	2	7	12	1	8	3	3	6	9	7	28	3
V.	INMATES OF WORKHOUSES, ...	6,024	—	17	6	.	1	5	5	.	.	.	.	.	.	.	.	.	2	2	.	3	2	2	.	1	.	7	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	20·1	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																												
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	27·0	4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	14·2	6	1	.	1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	1	.	3	.
	6. Clerks and Commercial Assistants, ..	30,482	10·3	6	1	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	1	.	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	27·0	14	1	1	4	5	2	1	.	.	.	.	.	.	.	1	.	1	3	1	2	1	.	.	1	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	5·3	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	1	3	.
	9. Building and Furnishing Trades, ...	29,801	17·5	10	3	.	2	5	.	.	.	.	.	.	1	.	.	.	.	2	.	2	.	2	.	.	.	4	.
	10. Clothing Trades, ...	28,260	11·2	5	2	.	.	2	1	.	.	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	1	.
	11. Food Supply Trades, ...	9,242	5·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,852	24·1	14	4	2	1	3	3	1	.	.	.	1	.	.	1	.	.	2	1	1	.	2	1	2	.	5	.
	13. Petty Shopkeepers, ...	7,894	6·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
IV.	GENERAL SERVICE CLASS.																												
	14. Army, Police, Postal Delivery, and Prison Services, &c	18,425	7·8	2	.	.	1	.	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	1	.
	15. Domestic Servants, ...	86,603	5·7	4	.	.	2	1	.	1	.	.	.	.	.	1	.	.	1	2	.	2	.	.	.	.	1	2	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	29·0	8	5	.	1	2	.	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	2	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ..	39,861	36·6	63	31	3	8	9	11	1	.	1	.	.	.	1	.	1	6	9	1	5	3	3	4	9	6	23	3
V.	INMATES OF WORKHOUSES.																												
	18. Workhouse Inmates, ...	6,024	—	17	6	.	1	5	5	.	.	.	.	.	.	.	.	.	2	2	.	3	2	2	.	1	.	7	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Populati the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutio* each of the Provinci

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	From Diseases in Cols. 5–18.	TOTAL DEATHS.	NUMBER OF DEATHS FROM Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)
City of Dublin (Part of).																			
North City, No. 1 (E.)	Aug. 20,	17·4	8·5	10									2	1			1		
	„ 27,	20·9	8·7	12									5	1	1		1	1	
	Sept. 3,	18·9	1·7	8					1						1		1		2
(*Office, Clarence-st., Nth.*)	„ 10,	17·4	1·7	10									1	1			2		
	„ 17,	15·7	1·7	9									1	1		1	1		
Pop. in 1910 (Est.) 29,908.	„ 24,	24·4	.	14									1	1			1		
	Oct. 1,	22·7	3·5	18									2	1	3		2	2	
	„ 8,	19·2	5·2	11			1						2		1		2	2	
North City, No. 1 (W.)	Aug. 20,	10·4	1·3	8					1					1			1		
	„ 27,	15·7	1·3	12									1	1				2	
	Sept. 3,	20·9	3·9	16					1				2	1	1			2	
(*Office, Summer-hill.*)	„ 10,	23·5	1·3	18								1		1	3	1		2	
	„ 17,	23·5	5·2	18									4	2	2	1		2	
	„ 24,	20·9	5·2	16					1				3		1			3	
Pop. in 1910 (Est.) 39,974.	Oct. 1,	18·3	6·5	14									5		2	2		1	
	„ 8,	28·7	5·2	22								1	3		4	1	3	3	2
North City, No. 2.	Aug. 20,	17·0	1·7	10									1					4	1
	„ 27,	22·0	6·8	13									4	1					1
	Sept. 3,	15·3	3·4	9					1				1	1	2			2	
(*Office, Lisburn-street.*)	„ 10,	17·0	.	10											1	1	1	3	
	„ 17,	18·7	1·7	11									1		1	1	2	1	1
	„ 24,	27·1	10·2	16								1	5		2			4	
Pop. in 1910 (Est.) 30,744.	Oct. 1,	23·7	3·4	14									2	2		1	1	1	1
	„ 8,	22·0	5·1	13									3	1	2	1			
North City, No. 3.	Aug 20,	23·3	4·7	15						2		1			4	1	1	2	
	„ 27,	20·2	1·6	13			1								2		2	2	1
	Sept. 3,	20·2	3·1	13					1				1		3	1		1	
(*Office, Benburb-street.*)	„ 10,	14·0	.	9											2	1			
	„ 17,	18·6	3·1	12									2	1	4				2
	„ 24,	12·4	1·6	8									1	1	1				
Pop. in 1910 (Est.) 33,559.	Oct. 1,	26·4	7·8	17									5	1	2	2	1	1	1
	„ 8,	23·3	3·1	15					1				1		2	2	3		1
South City, No. 1.	Aug. 20,	10·1	1·3	8					1						2			1	
	„ 27,	20·1	1·3	16						1						1			
	Sept. 3,	13·8	1·3	11									1		1	2	1		1
(*Office, Sth. Earl-street.*)	„ 10,	17·6	2·5	14									2	1	3		1	1	1
	„ 17,	22·6	5·0	18			1		1	1			1		3				
	„ 24,	31·4	3·8	25		2							1		3	3		4	
Pop. in 1910 (Est.) 41,476.	Oct. 1,	23·9	2·5	19					1				1		1	2	1	3	
	„ 8,	26·9	2·5	23		1			1						2			2	3
South City, No. 2.	Aug. 20,	43·1	2·4	18								1		1	6		1		
	„ 27,	12·0	2·4	5									1		1				
	Sept. 3,	16·8	7·2	7									3			1			1
	„ 10,	19·2	4·8	8					1				1		3	1		1	
(*Office, Castle-street.*)	„ 17,	21·3	4·8	9			1						1						
	„ 24,	21·6	2·4	9									1		2			1	
Pop. in 1910 (Est.) 21,754.	Oct. 1,	21·6	.	9											1	1		1	1
	„ 8,	19·0	.	5											1			1	
South City, No. 3.	Aug. 20,	22·9	2·4	19								2	3		4	1			
	„ 27,	25·3	8·4	21			1			1			5	1	1		2	2	
	Sept 3,	18·1	1·2	15									1	1	1	1		1	1
(*Office, Peter-street.*)	„ 10,	26·5	4·8	22					1				3	1	4	3	2		
	„ 17,	22·9	3·6	19									3	1	2	3	1	2	
	„ 24,	31·4	6·0	26		1							4		2	2	1	3	
Pop. in 1910 (Est.) 43,227.	Oct 1,	18·1	4·8	15					1				3		2	1			
	„ 8,	19·3	.	16										1	3	3		2	
South City, No. 4.	Aug. 20,	17·4	1·5	12									1	1			3	1	
	„ 27,	24·7	2·9	17						1			1		2	2	3	2	
(*Office, Grand Canal-st.*)	Sept. 3,	17·4	4·4	12									3		4				
	„ 10,	17·4	4·4	12					1				2	1	4		1	1	1
	„ 17,	14·5	2·9	10									2		1			1	
Pop. in 1910 (Est.) 35,881.	„ 24,	21·8	2·9	15						1			1	1	2	1	2		
	Oct. 1,	33·4	5·8	23						1			3		2	2	1	1	
	„ 8,	21·8	7·3	15					1	1			3		1		2		1

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From all Causes	From Diseases in Cols. 5–18.	Total Deaths.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	Aug. 20,	8·4	1·4	6	.	.	1	.	.	.	.	.	.	.	2	.	.	1	.	.
	„ 27,	12·7	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
	Sept. 3,	12·7	1·4	9	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	1
	„ 10,	7·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 17,	8·4	2·8	6	.	.	.	.	1	.	.	.	1	1	.	.	.	.	1	.
	„ 24,	14·1	1·4	10	.	.	.	.	1	.	.	.	.	1	.	.	1	1	.	1
	Oct. 1,	21·1	4·2	15	.	.	.	.	.	.	.	.	3	.	2	.	2	1	.	1
	„ 8,	14·1	1·4	10	.	.	.	.	.	.	.	1	.	1	1	2	1	1	1	.
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	Aug. 20,	9·0	.	5	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	„ 27,	16·2	.	9	.	.	.	.	.	.	.	.	1	2	.	.	1	2	.	.
	Sept. 3,	1·8	1·8	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 10,	9·0	1·8	5	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.
	„ 17,	23·4	1·8	13	.	.	.	.	.	.	.	.	1	1	.	2	1	1	1	.
	„ 24,	12·6	1·8	7	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.
	Oct. 1,	5·4	1·8	3	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.
	„ 8,	7·2	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	Aug. 20,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 27,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
	Sept. 3,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 10,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 17,	23·7	3·0	8	.	.	.	.	.	.	.	.	1	2	1	.	.	.	1	.
	„ 24,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	Oct. 1,	11·8	3·0	4	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.
	„ 8,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Belfast. Pop. in 1910 (Est.) 391,167.	Aug. 20,	16·5	4·0	124	.	7	.	.	1	.	.	.	23	5	16	9	3	8	.	2
	„ 27,	17·5	4·9	131	.	3	.	.	5	.	.	.	29	10	10	5	4	8	3	
	Sept. 3,	16·1	2·1	121	.	.	.	.	.	.	.	.	16	8	11	9	5	9	2	2
	„ 10,	15·7	2·3	103	.	3	.	.	1	.	.	.	13	6	12	6	8	5	1	2
	„ 17,	15·5	2·4	116	.	1	.	.	1	1	.	.	15	7	14	13	10	5	1	2
	„ 24,	16·3	2·3	122	.	3	.	.	1	.	.	.	13	10	11	6	8	8	5	.
	Oct. 1,	14·0	1·6	105	.	1	.	.	3	.	.	1	7	7	17	7	5	11	2	1
	„ 8,	12·5	1·2	94	.	1	.	.	1	.	.	.	7	5	9	3	5	9	.	1
Cork. Pop. (in 1901) 76,122.	Aug. 20,	15·1	0·7	22	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	.
	„ 27,	17·8	1·4	26	.	.	.	.	.	.	.	.	2	.	2	2	1	.	1	3
	Sept. 3,	13·0	1·4	19	.	.	.	.	.	.	.	.	2	2	2	1	.	2	1	2
	„ 10,	13·0	1·4	19	.	.	.	.	.	.	.	.	2	.	3	.	1	.	1	1
	„ 17,	14·4	2·7	21	.	.	.	.	.	.	.	1	3	.	4	.	.	1	1	1
	„ 24,	16·4	2·7	24	.	.	.	.	.	.	.	.	4	1	6	2	1	1	1	.
	Oct. 1,	21·2	4·1	31	.	.	.	.	.	.	.	.	6	4	1	2	1	.	1	4
	„ 8,	22·6	3·4	33	.	.	.	.	.	1	.	.	4	1	1	.	2	2	1	1
Londonderry. Pop. in 1910 (Est.) 43,477.	Aug. 20,	14·4	4·8	12	.	1	.	.	.	1	.	.	2	.	.	.	3	1	.	.
	„ 27,	10·8	3·6	9	.	1	.	.	.	1	.	.	1	.	3	.	.	.	.	.
	Sept. 3,	14·4	7·2	12	.	.	.	.	.	.	.	1	5	.	1	.	.	.	.	1
	„ 10,	20·4	2·4	17	.	.	.	.	.	.	.	.	2	.	1	1	1	3	.	.
	„ 17,	18·0	1·2	5	.	.	.	.	.	.	.	.	1	.	3	.	1	4	.	2
	„ 24,	10·8	2·4	9	.	.	.	.	.	.	.	.	2	.	.	1	.	1	.	.
	Oct. 1,	21·6	2·4	18	.	1	.	.	.	.	.	.	1	1	.	1	1	1	.	.
	„ 8,	9·6	.	8	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.
Limerick. Pop. (in 1901) 38,151.	Aug. 20,	9·6	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.
	„ 27,	20·5	1·4	15	.	.	.	.	1	.	.	.	.	.	4	2	.	3	.	1
	Sept. 3,	17·8	.	13	.	.	.	.	.	.	.	.	.	.	2	.	1	2	.	2
	„ 10,	17·8	.	13	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.	1
	„ 17,	9·6	1·4	7	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	1
	„ 24,	12·3	1·4	9	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	.
	Oct. 1,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	1
	„ 8,	9·6	1·4	7	.	.	.	.	1	.	.	.	.	.	3	.	1	4	.	.
Waterford. Pop. (in 1901) 26,769.	Aug. 20,	17·5	5·8	9	.	.	.	.	.	.	.	.	3	.	1	.	.	2	.	3
	„ 27,	19·5	7·8	10	.	1	.	.	.	.	.	.	3	.	.	.	1	2	1	3
	Sept. 3,	18·6	1·9	7	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	.
	„ 10,	23·4	3·9	12	.	.	.	.	.	.	.	.	2	.	2	1	.	1	.	1
	„ 17,	19·5	5·8	10	.	.	.	1	.	.	.	.	2	.	1	.	1	1	.	.
	„ 24,	23·4	3·9	12	.	.	.	.	.	.	.	.	2	.	1	2	1	.	.	1
	Oct. 1,	18·6	1·9	7	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	.
	„ 8,	19·5	3·9	10	.	.	.	.	.	.	.	.	2	.	1	.	2	.	1	2

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 8th October, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901,** represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-20.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	DEATHS FROM. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexiæ (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	4	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		4			11	5	.	.	.	3	3	.	1	.	.	.	.	.	.	2	1	2	.	1	.		.	2	.
Do. 2 do.		24			7	1	1	1	.	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1		2	1	.
Do. 3 do.		24			10	2	2	1	1	1	3	.	.	.	.	1	.	.	.	1	1	1	1	.	.		.	.	1
Do. 4 do.		33			8	3	.	.	1	3	1	.	.	.	.	.	.	.	.	1	.	.	.	2	.		.	4	.
Do. 5 do.		6			4	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.		.	2	.
Do. 6 do.		20			8	3	.	1	1	1	2	.	.	.	.	.	.	.	.	1	1	2	.	.	.		.	.	.
Do 7 do.		3			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.
Do 8 do.	349,180	3			2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.
Do. 9 do.		7			6	2	.	2	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2		.	2	.
Do 10 do.		12			8	3	.	1	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	1	2		.	2	.
Do. 11 do.		23			9	3	.	1	1	1	3	.	.	.	.	.	.	.	.	1	1	.	.	.	1		.	2	.
Do. 12 do.		22			8	3	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1		.	1	.
Do. 13 do.		12			5	4	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.		.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.
Do. 15 do.		7			8	.	1	1	.	3	3	.	.	.	.	.	.	.	.	.	.	2	1	.	1		.	4	.
Total, ...	—	200			94	31	6	8	8	21	20	.	1	.	.	1	.	.	.	7	5	9	3	5	9		2	20	1
City of Cork.																													
CORK URBAN No. 1 DISTRICT,	12,867	7	36·5	.	9	.	1	2	1	1	4	.	.	.	.	.	.	.	.	.	1	1	.	.	.		.	2	.
Do. 2 do.	10,701	9	14·6	4·9	3	.	2	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1		.	2	.
Do. 3 do.	9,978	6	20·9	5·2	4	1	.	1	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	1	1		.	.	.
Do. 4 do.	8,666	4	18·1	6·0	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1	1	.
Do. 5 do.	6,592	.	23·7	.	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	2	.
Do. 6 do.	10,702	4	29·2	4·9	6	2	1	.	1	.	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.		.	5	.
Do. 7 do.	16,616	11	15·7	3·1	5	1	1	.	1	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1	1	1
Total, ...	76,122	41	22·6	3·4	33	6	5	3	5	3	11	.	.	.	.	.	1	.	.	4	1	1	.	2	2		1	18	1

The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910—Week ending																								
	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14	May 21	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.
No. of weeks in annual Series, ..	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
BIRTHS registered, ...	247	224	266	235	214	169	264	215	193	231	202	218	199	259	239	214	179	219	210	159	219	190	264	194	172	200
DEATHS registered, ...	187	160	173	167	170	177	176	166	148	183	157	137	145	186	117	135	115	102	124	131	121	103	116	122	105	94
Annual Death rate per 1,000 of estimated Population, ...	24·9	24·3	23·1	22·3	22·7	23·6	23·5	22·1	19·7	24·4	20·9	18·3	19·3	18·1	15·6	18·0	15·3	13·6	16·5	17·5	16·1	13·7	15·5	16·3	14·0	12·5
AGES — Under 1 year, ...	38	36	33	31	29	30	37	37	20	44	38	24	34	26	25	35	27	27	35	49	30	28	23	29	25	31
1-5 years, ...	34	27	20	36	35	47	43	45	54	47	45	33	29	32	23	23	19	6	17	14	15	14	13	11	14	6
5-20 years, ...	15	14	21	12	15	15	15	14	12	15	16	13	12	7	17	10	7	7	9	11	11	4	16	6	11	8
20-40 years, ...	32	14	24	25	30	28	26	26	25	20	17	18	25	20	19	14	15	22	19	18	9	16	12	23	17	8
40-60 years, ...	24	29	41	30	30	29	28	27	16	23	20	21	20	25	17	25	21	22	21	19	26	20	22	18	20	21
60 years and upwards, ..	44	40	34	33	31	28	27	17	21	34	26	28	25	26	16	28	26	18	23	20	30	21	30	35	18	20
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	3	1	1
Measles, ...	17	8	20	19	23	44	33	38	38	49	36	25	24	20	21	8	7	4	7	3	.	.	.	.	.	.
Scarlet Fever, ...	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1	1	3	1
Whooping-cough, ...	5	8	4	4	6	4	5	7	5	4	1	1	2	1	1	.	2	1	1	5	.	.	1	.	.	.
Diphtheria, ...	1	1	1	.	1	.	1	.	1	2	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain , ..	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Enteric Fever, ...	.	1	.	.	1	.	.	.	1	.	1	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases, ...	1	3	1	2	.	.	2	3	1	4	3	1	5	2	5	6	10	14	22	29	16	13	15	13	7	7
Pneumonia, ...	16	19	14	15	26	22	21	18	13	17	17	11	14	17	5	8	3	4	5	10	8	6	7	10	7	5
Tuberculous Disease, { Phthisis, ..	27	13	22	20	24	29	14	21	19	24	22	11	11	9	16	15	13	12	16	10	11	12	14	11	17	9
Other Forms, ..	8	7	9	6	4	6	13	8	5	3	9	8	3	11	5	7	7	8	9	5	9	6	13	6	7	3
Cancer, Malignant Disease, ..	10	2	6	8	8	7	3	4	4	6	4	9	3	6	9	7	3	7	3	4	5	8	10	8	5	5
Diseases of Respiratory System,	22	30	15	21	14	17	14	18	17	14	16	7	7	15	6	16	10	5	8	8	9	5	5	8	11	9
Violent Deaths, ...	.	2	4	3	4	1	1	5	1	.	4	.	4	2	.			6	.	3	2	1	1	5	2	.
Number of Uncertified Deaths, ..	1	1	3	1	2	1	.	3	1	2	.	2	3	3	3		2	1	2	.	2	2	2	.	1	1

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	Oct. 8,	2,137	1,148	12·3	.	18	3	8	10	7*a*	59
EDINBURGH, ...	360,276	„ 8,	141	96	13·9	.	.	1	4	.	.	2
GLASGOW, ...	884,505	„ 8,	398	252*c*	14·9	.	.	3	8	4	1*a*	23
CALCUTTA, ...	1,009,008	Sept. 3,	.	412	21·2	1	.	.	1	.	108‡	52*
BOMBAY, ...	977,822	„ 6,	380	573	30·5	1	2	.	1	.	62‡	81*
MADRAS, ...	509,346	Aug. 19,	465	413	42·1	4	1	?	?	?	85	106*
CAIRO, ...	682,953	„ 26,	497	653	49·9	.	17	.	10†	.	6*a*	198
PARIS, ...	2,760,000	Sept. 3,	886	710	13·4	.	7	.	8†	6	2*a*	48*b*
BRUSSELS, ...	720,030	„ 17,	224	177	12·8	.	.	2	1†	2	15	25
ANTWERP, ...	317,171	„ 17,	109	64	10·5	.	1	.	1†	.	.	14*b*
AMSTERDAM, ...	572,074	„ 17,	250	99	9·0	.	.	.	1†	1	.	3*b*
COPENHAGEN, ...	450,000	„ 17,	218	130	15·1	.	.	.	2†	1	.	20
STOCKHOLM, ...	341,816	„ 17,	147	86	13·1	.	.	.	4†	.	.	1
CHRISTIANIA, ...	240,178	„ 24,	117	48	10·4	.	.	1	.	.	.	2
ST. PETERSBURG, ...	1,620,000	„ 3,	837	701	22·6	2	2	14	3	4	7*a*	207*
MOSCOW, ...	1,493,600	Aug. 27,	.	712	24·9	1	2	17	20†	2	3*a*	259*
BERLIN, ...	2,122,865	Sept. 10,	821	543	13·3	.	3	3	15†	4	3*a*	72
HAMBURG, ...	895,804	„ 17,	.	218	12·7	.	1	.	9†	.	2*a*	37
BRESLAU, ...	510,664	„ 17,	.	156	15·9	.	1	.	2	2	1	15
MUNICH, ...	576,000	„ 24,	.	166	15·0	.	3	.	1†	1	.	20
VIENNA (with suburbs),	2,107,981	„ 17,	769	597	14·7	.	4	5	3†	5	2*a*	53*
BUDA-PESTH, ...	833,703	„ 17,	428	258	16·1	.	.	9	5†	1	1*a*	25*b*
PRAGUE and Faubourgs.	497,905	„ 3,	177	123	12·8	.	.	.	3†	1	.	8*b*
TRIESTE, ...	221,124	„ 10,	134	81	19·1	.	.	.	.	1	.	11*b*
ROME, ...	590,113	July 30,	227	180	15·9	.	13	.	.	1	1*a*	24
VENICE, ...	183,224	Aug. 20,	.	.	.	.	.	.	.	.	.	.
NEW YORK, ...	4,711,956	Sept. 10,	2,383	1,402	15·5	.	8	6	14†	6	14*a*	214*b*
PHILADELPHIA, ...	1,598,400	Aug. 27,	.	.	.	.	.	.	.	.	.	.
BOSTON, ...	670,585	Sept. 17,	.	219	17·0	.	.	.	3	2	4*a*	48

* Including 10 deaths from cholera in Calcutta, 2 in Bombay, 2 in Madras, 126 in St. Petersburg, and 7 in Moscow.
† Including deaths from croup.
‡ Including 7 deaths from plague in Calcutta, and 17 in Bombay.
a Enteric Fever.
b Deaths from diarrhœal diseases and from enteritis of children under two years of age.
c Including one death from cerebro-spinal meningitis.

BLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 8th October, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—*Continued fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
orth City No. 1, East,	.	.	.	.	.	.	.	1	.	.	.	2	3
„ „ 1, West,	.	1	.	.	2	.	.	1	.	.	.	3	7
„ „ 2,	.	2	.	.	2	.	.	2	.	.	.	1	7
„ „ 3,	.	4	.	.	2	.	2	1	2	.	.	2	13
lontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
oolock and Drumcondra (part of),	.	1	.	.	1	.	.	1	.	.	.	.	3
inglas and Glasnevin (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
outh City No. 1,	.	.	.	.	3	.	.	3	7	.	.	1	14
„ „ 2,	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 3,	.	2	.	.	.	.	.	2	.	.	.	.	4
„ „ 4,	.	1	.	.	2	.	.	1	.	.	.	.	4
ew Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	12	.	.	12	.	2	12	9	.	.	9	56

ABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 8th October, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 8th October.			
	Sept. 17.	Sept. 24.	Oct. 1.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
mall-pox,	.	.	.	.	.	.	.
Measles,	5	5	7	1	5	.	3
Scarlet Fever,	68	68	73	20	12	1	80*
Typhus,	1	1	.	.	.	.	.
Diphtheria,	38	40	45	13	3	1	54
Enteric Fever,	49	44	49	4	6	.	47
Pneumonia,	13	14	20	5	4	.	21

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.Sc., F.R.MET.SOC., reports as follows on the weather during the week nded 8th October, 1910:—

"The outstanding feature in the weather of this week was the downpour of rain which visited the southwest, ast, and north-east parts of Ireland on Sunday, and which was much more severe in the Dublin district, this City eceiving more than an inch of rain in some 4½ hours, the rainstorm being accompanied by thunder and lightning. The storm was connected with a deep V.-shaped atmospheric depression, which appeared off the West Coast of reland on Saturday evening, October 1, and was central over St. George's Channel at 6 p.m. of Sunday, the 2nd ast. Passing thence in a north-easterly direction across Great Britain and the North Sea it reached Sweden on Tuesday morning. In Dublin the rain began at 4.15 p.m., and shortly afterwards the wind suddenly shifted from . to N.W. and freshened with torrents of rain and some thunder and lightning. Monday was a fine, cool day—a ight drizzling shower fell at 6 p.m. An anticyclone now spread northwards from the Bay of Biscay, and on Wed- esday morning the barometer read 30·63 inches at Roche's Point, Cork Harbour, and 30·62 inches at Valentia in Kerry. On Tuesday evening a brilliant sunset and 'afterglow' were followed by an aurora borealis, and a band of auroral light was seen to the northward on Thursday evening also. The coming of the anticyclone was accom- anied by dense fogs on Thursday and Friday. Saturday broke fair, but the sky quickly became overcast from N., and a period of gloom gave place to drizzling showers in the afternoon. In Dublin the mean atmospheric pressure was 30·228 inches, the barometer rising from 29·511 inches at 4 p.m. of Sunday (wind, S.) to 30·578 inches at 9 a.m. of Wednesday (wind, W.N.W.). The corrected mean temperature was 53·8°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 52·5°. On Tuesday the screened thermometers rose to 63·3°; on Saturday they fell to 43·6°. N.W. winds prevailed. The rainfall was 1·101 inches, of which 1·083 inches fell on Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·063 inches. The highest reading (30·413) was on Wednesday at 9 a.m., wind W., and the lowest (29·450) on Sunday at 9 a.m., wind S.S.E.

The mean temperature for the week was 52·5°, being 0·3° above the average for the corresponding period of the 10 years, 1900-1909. The temperature was highest on Tuesday, on which day the thermometer registered 63·6°, and was lowest on Saturday, the mercury having fallen to 38·2°. The mean of the Dry Bulb for the week was 51·2° and of the Wet Bulb 49·6°. The mean humidity of the air was ·90, complete saturation being represented by 1·0. The rainfall during the week measured ·585 inch.

At Greenwich the mean temperature for the week was 57·4°, the maximum 73·2°, and the minimum 47·2°; at Glasgow the maximum was 66·6°, the minimum 40·8°, and the mean 56·0°; and at Edinburgh the maximum was 65·1°, the minimum 47·7°, and the mean 55·7°. The rainfall at Greenwich measured 0·08 in.; at Glasgow 0·38 in.; and at Edinburgh 0·21 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY.			BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
			Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.				9 A.M.	9 P.M.
			(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins		
Sunday,	October	2,	29·472	61·1	48·7	54·9	55·4	51·6	·82	·6	0·4	·575	S.S.E.	W.
Monday,	,,	3,	30·071	59·8	43·9	51·9	53·2	50·5	·83	·6	6·3	·000	W.	W.S.W.
Tuesday,	,,	4,	30·346	63·6	53·4	58·5	56·3	54·0	·85	·6	2·5	·000	W.S.W.	W.S.W.
Wednesday,	,,	5,	30·401	61·4	45·7	53·6	51·6	50·2	·92	·4	1·5	·000	N.	Calm.
Thursday,	,,	6,	30·264	61·8	43·9	52·9	46·8	46·5	·95	·3	6·2	·000	Calm.	Calm.
Friday,	,,	7,	29·997	56·8	42·0	49·4	45·8	45·6	·99	·0	1·2	·000	Calm.	Calm.
Saturday,	,,	8,	29·890	54·9	38·2	46·6	49·2	48·6	·97	·3	0·0	·010	Calm.	Calm.
Mean,	.	.	30·063	59·9	45·1	52·5	51·2	49·6	·90	·4	Total 18·1	Total ·585	—	

Sunday—Day overcast, heavy rain p.m.; night clear. *Monday*—Day cloudy; night clear. *Tuesday*—Day overcast to cloudy, fine; night clear. *Wednesday*—Day cloudy, fine; night clear. *Thursday*—Day cloudy, fine; night clear. *Friday*—Day cloudy; night overcast. *Saturday*—Day overcast, light rain, p.m.; night clear.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, October 8th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY.			Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperatures in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
				1 Foot.	4 Feet.	Max.	Min.	Mean.		
			°	°	°	°	°	°	hrs.	ins.
Sunday,	October	2,	59·9	56·5	55·6	62·0	49·2	55·6	1·3	1·120
Monday,	,,	3,	51·9	56·2	55·6	60·4	46·0	53·2	5·6	·001
Tuesday,	,,	4,	58·0	55·8	55·6	64·4	54·6	59·5	2·8	—
Wednesday,	,,	5,	58·8	55·6	55·5	63·6	53·0	58·3	2·8	—
Thursday,	,,	6	49·8	55·1	55·4	61·9	45·4	53·7	6·2	—
Friday,	,,	7,	48·0	54·7	55·3	57·7	45·0	51·4	0·1	—
Saturday,	,,	8,	48·1	54·4	55·2	55·7	43·0	49·4	—	·005
Weekly Mean,			53·5	55·5	55·5	60·8	48·0	54·4	Total 18·8	Total 1·126

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

29659. Wt. P. 272—22/138, 375. 10. 1910. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN:

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 15TH OCTOBER, 1910. [No. 41.

General Register Office, Charlemont House,
Dublin, 17th October, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 16·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Average Rate for 4 weeks.
22 Town Districts.	**17·5**	**17·8**	**15·9**	**16·9**	**17·0**	Limerick, . . .	12·3	15·0	9·6	15·0	13·0
						Lisburn, . . .	18·2	22·7	18·2	9·1	17·0
Armagh, . . .	27·5	6·9	13·7	6·9	13·8	Londonderry, . .	10·8	21·6	9·6	14·4	14·1
Ballymena, . . .	14·4	14·4	14·4	14·4	14·4	Lurgan, . . .	22·1	13·3	13·3	8·9	14·4
Belfast, ...	16·3	14·0	12·5	16·3	14·8	Newry, . . .	12·6	12·6	4·2	16·8	11·6
Clonmel, . . .	20·5	10·3	20·5	41·0	23·1	Newtownards, .	17·2	11·4	·	11·4	10·0
Cork, ...	16·4	21·2	22·6	14·4	18·6	Portadown, . .	5·2	10·3	10·3	31·0	14·2
Drogheda, . . .	16·3	20·4	8·2	4·1	12·3	Queenstown, . .	13·2	13·2	13·2	19·8	14·9
Dublin Reg. Area, .	21·4	20·2	19·5	18·9	20·0	Sligo, ...	.	43·2	4·8	9·6	14·4
Dundalk, . .	4·0	47·9	23·9	19·9	23·9	Tralee, . . .	15·9	26·4	5·3	.	11·9
Galway, . . .	19·4	31·1	15·5	15·5	20·4	Waterford, . . .	23·4	13·6	19·5	21·4	19·5
Kilkenny, . . .	4·9	4·9	39·3	19·7	17·2	Wexford, . . .	14·0	9·3	23·3	18·7	16·3

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·4 per 1,000, the rates varying from 0·0 in fifteen of the districts to 10·3 in Portadown, the 6 deaths from all causes for that district including 2 from measles. Among the 122 deaths from all causes for Belfast are 3 from measles, one from whooping-cough, 2 from diphtheria, one from enteric fever, and 3 from diarrhœal diseases; of the 21 deaths from all causes for Cork one is from whooping-cough and one from enteric fever; and the 11 deaths from all causes for Waterford include 2 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 161—78 boys and 83 girls—and the deaths to 151—79 males and 72 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·9 per 1,000 of the population, the rate for the total deaths registered in the Area being 19·5 per 1,000.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*), Table II. ‡ See columns 10-18 of Table II.

During the forty-one weeks, ending with Saturday last, the death-rate averaged 21·2, and was 2·9 below the mean rate for the corresponding portions of the ten years, 1900–9.

The deaths from all causes included 2 from whooping-cough, one death from each of diphtheria and enteric fever, and 10* deaths from diarrhœal diseases, including 9 deaths of infants under one year of age; there were also registered at this age 2 deaths from enteritis and 4 deaths from *gastro-enteritis*. There was one death from influenza. In each of the three weeks preceding deaths from whooping-cough were one, 2, and 2; deaths from diphtheria were 3, 2, and 2; deaths from enteric fever were one, 0, and 3; deaths from diarrhœal diseases were 22, 27, and 12; and deaths from influenza were one, 2, and one.

Of 11 deaths from pneumonia (all forms), 2 were from lobar pneumonia, 3 were from broncho-pneumonia, and 6 were attributed to *pneumonia* (not defined).

The total deaths from tuberculous disease was 22, as against 27, 29, and 29 deaths in each of the three preceding weeks. The 22 deaths comprise 14 from tuberculous phthisis (*phthisis*), one death from each of tuberculous meningitis and tuberculous peritonitis, 2 deaths from *tabes mesenterica*, and 4 deaths from other forms of the disease.

There was one death from carcinoma, and 10 deaths were from cancer or malignant disease (undefined).

The deaths of 3 prematurely born infants were recorded.

Twenty-four deaths were from diseases of the heart or blood vessels, and bronchitis caused the deaths of 13 persons.

Among the deaths assigned to accidental causes, 2 were by drowning and one was by carbolic acid poisoning.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 2 infants under one year of age, and the deaths of 4 persons aged 60 years and upwards.

Forty-four of the persons whose deaths were registered during the week were under 5 years of age (41 being infants under one year, of whom 6 were under one month old) and 48 were aged 60 years and upwards, including 28 persons aged 70 and upwards, of whom 9 were octogenarians.

Sixty-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse and 30 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·9 per 1,000; the rate in the City was 20·2 (North City Districts, 17·1; South 23·4) and in the Suburbs, 14·6.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·7 per 1,000 inhabitants, the rate for the City being 1·8 (2·3 in the North City Districts, and 1·4 in the South), and for the Suburbs, 1·1 per 1,000

No. 1 North City District, East (Clarence-street, North).—The deaths (10) are equal to an annual rate of 17·4 per 1,000. Among them are one death from whooping-cough, one from *phthisis*, one from bronchitis, and one from accidental drowning.

No. 1 North City District, West (Summer-hill).—The deaths (15) are equal to an annual rate of 19·6 per 1,000. There were 2 deaths from diarrhœal diseases, one from tuberculous phthisis, and one from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (7) are equivalent to an annual rate of 11·9 per 1,000, and include 2 deaths from epidemic diarrhœa, one from broncho-pneumonia, and 2 from tuberculous disease.

No. 3 North City District (Benburb-street).—The deaths (14) represent an annual rate of 21·8 per 1,000. One death each from enteric fever and epidemic diarrhœa, 2 deaths from *pneumonia* (not defined), one from tuberculous meningitis, and 2 deaths from bronchitis were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf, and Howth, No. 1, part of, 9·7 per 1,000 inhabitants; Coolock and Drumcondra, part of, 13·5; and Finglas and Glasnevin, part of, 13·6. Of the 3 deaths from all causes for Coolock and Drumcondra, part of, 2 were *phthisis*; and the 2 deaths for Finglas and Glasnevin, part of, comprise one from *pneumonia* (not defined), and one from *phthisis*.

No. 1. South City District (South Earl-street).—The deaths (26) represent an annual rate of 32·7 per 1,000. One death was caused by *diarrhœa*, one death each by broncho-pneumonia and *pneumonia* (not defined), 5 deaths by tuberculous disease, and 7 by diseases of the respiratory system.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 24·0 per 1,000. Of the 10 deaths one was from diphtheria, 2 were from tuberculous disease, and one was from bronchitis.

No. 3 South City District (Peter-street).—The deaths (25) are equal to an annual rate of 30·2 per 1,000. There were 2 deaths from diarrhœal diseases, 2 from lobar-pneumonia, one from broncho-pneumonia, 4 from tuberculous disease, 3 from diseases of the respiratory system, and one death from poison (carbolic acid).

No. 4 South City District (Grand Canal-street).—The deaths (5) are equivalent to an annual rate of 7·3 per 1,000. *Phthisis* caused one death.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·5 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 16·9; Pembroke, 18·0; Blackrock, 17·4; and Kingstown, 3·0. The deaths from the principal epidemic diseases tabulated for these districts comprise one from whooping-cough for Pembroke, and one from *diarrhœa* for Rathmines and Rathgar. The 10 deaths from all causes for Pembroke include one from *pneumonia* (not defined), and one from tuberculous phthisis, and of the 3 deaths from all causes for Blackrock, one is from influenza and one from tuberculous phthisis.

* See note (*c*) Table II. † See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 89," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly rnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin: Mr. Fawcett xecutive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for mbroke Urban District: Mr. Heron, Executive Sanitary Officer for Blackrock Urban District: by Dr. R. A. Donovan, Medical Superintendent Officer of Health for Kingstown Urban District: and by Dr. Bailie, Medical perintendent Officer of Health for the City of Belfast.

ABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 15th October, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Sept. 24,	.	—	—	15	.	.	11	.	.	3	13	.	—	—	.	—	14	—	56
	Oct. 1,	.	—	—	16	.	.	6	.	2	9	13	.	—	—	.	—	11	—	57
	Oct. 8,	.	—	—	12	.	.	12	.	2	12	9	.	—	—	.	—	9	—	56
	Oct. 15,	.	—	—	10	.	.	14	.	3	4	7	.	—	—	.	—	8	—	46
Rathmines and Rathgar Urban District.	Sept. 24,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
	Oct. 1,	.	—	—	3	.	.	3	.	.	.	.	.	—	—	—	—	—	—	6
	Oct. 8,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	Oct. 15,	.	—	—	.	.	.	.	.	.	.	2	.	—	—	—	—	—	—	2
Pembroke Urban District.	Sept. 24,	.	.	.	.	.	.	1	.	.	.	1	.	—	4	.	—	.	—	6
	Oct. 1,	.	.	1	.	.	.	1	.	.	.	1	.	—	.	.	—	.	—	3
	Oct. 8,	.	.	.	.	.	.	.	.	.	.	2	1	—	1	.	—	.	—	4
	Oct. 15,	.	.	.	1	.	.	2	.	.	.	.	.	—	.	.	—	.	—	3
Blackrock Urban District.	Sept. 24,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	.	—	—	—	3
	Oct. 1,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Oct. 8,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	.	—	—	—	1
	Oct. 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Sept. 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Oct. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Oct. 8,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	1	—	2
	Oct. 15,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	1	—	2
City of Belfast.	Sept. 24,	.	—	—	13	.	.	6	.	.	2	5	.	—	—	—	—	10	—	36
	Oct. 1,	.	—	—	17	.	.	6	.	.	1	2	1	—	—	—	—	11	—	38
	Oct. 8,	.	—	—	22	.	.	8	.	.	3	3	.	—	—	—	—	13	—	49
	Oct. 15,	.	—	—	16	.	.	6	.	.	3	7	.	—	—	—	—	5	—	37

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 15th October, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Six cases of measles were admitted to hospital during the week, and 9 cases remained nder treatment at its close.

Fifteen cases of scarlet fever were admitted to hospital, 12 were discharged, there was ne death, and 82* cases remained under treatment at the close of the week. At the close f the 3 preceding weeks the cases in hospital were 68, 73, and 80, respectively.

One case of typhus was admitted to hospital during the week, and remained under reatment at its close.

Fourteen cases of diphtheria were admitted to hospital, 9 were discharged, and 59 patients emained under treatment at the close of the week. The cases in hospital at the close of he 3 preceding weeks numbered 40, 45, and 54, respectively.

Two cases of enteric fever were admitted to hospital during the week, 6 were discharged, here were 2 deaths, and 41 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 4, 49, and 47.

In addition to the above named diseases, 2 cases of pneumonia were admitted to hospital, were discharged, and 18 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns, including London (in which the ate was 12·8) was equal to an average annual death-rate of 13·1 per 1,000 persons living; he average rate for 8 principal towns of Scotland was 12·9 per 1,000, the rate for Glasgow being 13·2 and for Edinburgh 12·3.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 15th October. From his Report it appears that of a total of 85 cases notified, 39 were scarlet fever, 25 phthisis, 14 diphtheria, and 7 erysipelas. Among the 415 cases of infectious diseases in hospital at the close of the week were 231 cases of scarlet fever, 89 of diphtheria, 47 of phthisis, 19 of measles, 12 of enteric fever, 9 of whooping-cough, 5 of erysipelas, one of chicken-pox, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 15th October, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 12 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 15TH OCTOBER, 1910.																									METEOROLOGY. (d)											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																						WEEK ENDING 15TH OCTOBER, 1910.				WEEK ENDING 8TH OCTOBER, 1910.				WEEK ENDING 1ST OCTOBER, 1910.			
									DEATHS.																			Air Temperature				Air Temperature				Air Temperature			
	POPULATION.		DEATHS.			BIRTHS.	DEATHS.																																
	Total.(a)	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10–18.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·2	24·7	16·9	1·4	545	374	89	104	.	5	.	.	4	3	.	3	16	24	42	28	22	42	5	11	112	18	○	○	○	.	○	○	○	.	○	○	○	.
DUBLIN REGISTRATION AREA:— TOTAL, c.	402,928	29·3	20·8	18·9	1·7	161	146	40	47	.	.	.	.	2	1	.	1	9	10	14	8	10	16	3	8	56	6	e58·4	31·9	48·2	0·14	e63·6	33·2	52·3	0·59	e68·7	39·5	54·2	0·39
CITY of DUBLIN,	310,298	39·2	23·5	20·2	1·8	140	120	35	35	.	.	.	.	1	1	.	1	8	9	12	8	9	15	2	7	54	8	f58·5 g57·9	37·9 34·0	50·2 49·1	0·15 0·10	f63·3 g64·8	43·6 40·0	53·8 53·7	1·10 0·89	f68·1 g69·9	43·8 40·0	56·2 55·2	0·36 0·51
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	5·6	16·9	1·4	4	12	3	6	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	18·0	18·0	1·8	10	10	1	5	.	.	.	.	1	.	.	.	.	1	1	.	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,018	8·3	5·8	17·4	.	1	3	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	17·8	8·0	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	58·0	40·0	51·2	0·11	63	44	54·7	0·78	68	48	56·5	0·29
URBAN DISTRICTS.																																							
BELFAST,	391,167	26·6	27·3	16·3	1·3	205	122	27	27	.	3	.	.	1	2	.	1	3	11	17	8	7	16	.	.	33	1	58·0	38·5	51·1	0·09	66·0	40·0	55·8	0·39	65·0	42·0	55·0	1·00
CORK,	76,122	38·6	17·1	14·4	1·4	25	21	1	6	.	.	.	.	1	.	.	1	.	.	5	.	1	1	.	.	7	.	61	44	51·5	0·65	64	48	55·2	0·48	62	44	54·9	1·31
LONDONDERRY,	43,477	20·1	25·2	14·4	.	21	13	3	3	.	.	.	.	.	.	.	.	.	1	1	3	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	16·4	15·0	.	12	11	1	3	.	.	.	.	.	.	.	.	.	.	3	.	.	3	.	.	5	2	59	35	49·3	0·31	64	44·5	54·2	0·26	68	37·7	55·6	0·93
WATERFORD,	26,769	18·7	56·5	21·4	3·9	29	11	3	2	.	.	.	.	.	.	.	.	2	.	2	.	.	1	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	2·5	27·2	15·5	.	7	4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	60	39	50	0·19	67	46	57	0·87	64	40	51	0·80
DUNDALK	18,076	9·4	8·0	19·9	.	2	5	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	32·7	4·1	.	8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,405	17·8	29·4	16·8	.	7	4	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	58·1	35·0	47·9	0·05	66·0	38·5	54·1	0·31	66·0	43·0	55·2	0·99
LURGAN,	11,782	13·8	39·8	8·9	.	9	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	58·1	35·0	47·9	0·05	66·0	38·5	54·1	0·31	66·0	43·0	55·2	0·99
LISBURN,	11,461	10·1	18·6	9·1	4·5	8	2	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	58·1	35·0	47·9	0·05	66·0	38·5	54·1	0·31	66·0	43·0	55·2	0·99
WEXFORD,	11,168	23·2	28·0	18·7	.	6	4	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,886	8·9	76·6	14·4	.	16	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	58·1	35·0	47·9	0·05	66·0	38·5	54·1	0·31	66·0	43·0	55·2	0·99
SLIGO,	10,870	8·7	19·2	9·6	4·8	4	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	57·5	38·4	47·9	0·57	65·7	38·0	52·5	0·88	65·0	38·9	52·8	1·01
KILKENNY,	10,609	11·5	24·8	19·7	.	7	4	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	60	36	48·6	0·35	65	43	53·0	0·56	64	38	55·8	0·92
CLONMEL,	10,167	7·8	5·1	41·0	.	1	8	5	2	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,092	18·2	31·0	31·0	10·3	6	6	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	58·1	35·0	47·9	0·05	66·0	38·5	54·1	0·31	66·0	43·0	55·2	0·99
TRALEE,	9,867	16·6	31·7	.	.	6	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	28·6	11·4	.	5	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	58	41	49·9	0·13	65	45	54·8	0·66	64	42	52·8	0·87
QUEENSTOWN,	7,909	14·4	13·2	19·8	.	2	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	61	44	51·5	0·65	64	48	55·2	0·48	62	44	54·9	1·31
ARMAGH,	7,588	22·2	20·6	6·9	.	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	58·1	35·0	47·9	0·05	66·0	38·5	54·1	0·31	66·0	43·0	55·2	0·99

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (b) Formerly described as "Simple Continued Fever." (c) Exclusive of 5 deaths of persons (including one under 1 year old and one aged 63 years) admitted to hospital from localities outside the Area; of the 5 deaths one was from epidemic diarrhœa. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases;

BLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 15th October, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF					
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.										
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF & HOWTH NO. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3	SOUTH CITY NO. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	.	2	2	1	.	.	.	1	.	2	.	.	1	.	.	.	9	1
Pneumonia,	.	.	1	2	.	.	1	2	.	3	.	.	.	1	.	.	10	1
Tuberculous Disease. } Phthisis,	1	1	1	.	.	2	1	2	1	2	1	.	.	1	1	.	14	.
Tuberculous Disease. } Other Forms,	.	.	1	1	.	.	.	3	1	2	.	.	.	.	.	.	8	.
Cancer, Malignant Disease,	1	2	1	.	1	.	.	1	1	1	.	1	.	1	.	.	10	1
Other General Diseases,	1	2	.	2	.	.	.	3	1	2	1	.	2	1	1	.	16	.
Total,	4	7	6	7	1	2	2	12	5	12	2	1	3	5	2	.	71	3
LOCAL DISEASES:																		
Nervous System,	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	3	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	2	2	1	2	.	.	.	3	1	4	1	.	5	3	.	.	24	.
Respiratory System,	1	1	.	2	.	.	.	7	1	3	.	.	1	.	.	.	16	1
Digestive System,	1	2	.	1	.	1	.	1	1	2	2	1	.	1	1	.	14	.
Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	1	.	.	.	.	.	1	.	1	.	.	1	.	.	.	4	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
idents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
eases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	4	6	1	6	.	1	.	12	4	11	3	1	7	4	1	.	61	1
THER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
AUSES ILL-DEFINED AND NOT SPECIFIED,	1	2	.	1	.	.	.	2	1	1	.	.	2	1	.	.	11	.
VIOLENT DEATHS,	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	3	1
ths from all Causes	10	15	7	14	1	3	2	26	10	25	5	2	12	10	3	1	146	5
ual Rate of Mortality m all causes in every 1,000 the population.	17·4	19·6	11·9	21·8	9·7	13·5	13·6	32·7	24·0	30·2	7·3	11·5	16·9	18·0	17·4	3·0	18·9	.
	17·1							23·4					14·6					
	20·2																	
Under 1 year,	2	3	3	4	.	.	.	8	2	9	3	1	3	1	1	.	40	1
1 and under 5 years,	.	.	.	2	.	1	.	1	2	1	.	.	.	1	.	.	7	1
5 " 20 "	.	.	.	2	.	1	.	1	2	.	.	.	.	2	1	1	24	.
20 " 40 "	2	2	2	4	.	1	1	2	1	3	2	.	.	.	.	.	26	1
40 " 60 "	4	4	1	1	.	.	1	4	1	5	.	1	3	1	.	.	47	1
60 years and upwards,	2	6	1	3	1	1	.	10	4	7	.	.	6	5	1	.	6	.
nber of Uncertified Deaths,	1	.	.	.	.	.	.	.	.	2	.	.	2	1	.	.		

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

lic Hospitals, Prisons, and natic Asylums,	1	3	1	4	.	2	.	.	2	2	.	.	.	1	.	.	16	5
rkhouse Hospitals,	3	1	2	3	1	1	.	13	5	7	3	.	1	.	.	.	40	.

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in t week of the ten years 1900–190

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Averages in 41st Week of the 10 years, 1900-1909.	In the Week ending Saturday, 15th October, 1910.							
												Deaths of Persons of the Ages of							
	Oct. 13, 1900.	Oct. 12, 1901.	Oct. 11, 1902.	Oct. 17, 1903.	Oct. 15, 1904.	Oct. 14, 1905.	Oct. 13, 1906.	Oct. 12, 1907.	Oct. 10, 1908.	Oct. 16, 1909.		All Ages.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.				
Mean Temperature.	° 50·9	° 48·0	° 48·2	° 50·0	° 47·9	° 49·6	° 52·5	° 48·9	° 57·7	° 52·5	° 50·6	° 48·2							
ALL CAUSES.	183	146	192	145	162	141	175	157	134	127	156·2	151	6	35	3	7	25	27	39
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	.	11	.	.	.	1	1	4	.	1·7	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	2	.	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	1	.	1	.	.	1	1	1	3	·8	1	.	.	.	.	.	.	1
Whooping-cough,	1	1	.	1	3	.	2	2	2	.	1·2	2	.	2	.	.	.	.	.
Diphtheria,	1	.	2	.	.	.	1	1	2	1	·8	1	.	.	.	1	.	.	.
Cerebro-spinal Fever,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain),	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
Enteric Fever,	4	6	2	4	1	1	4	3	4	1	3·0	1	.	.	.	1	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.),	16	14	7	1	5	3	4	10	4	1	11·0	6	.	6	.	.	.	.	.
Diarrhœa, Dysentery,			10	4	3	1	8	13	3	3		4	.	3	.	.	.	1	.
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	.	.	3	.	1	.	.	.	2	·6	.	.	.	.	.	.	.	.
Puerperal Septicæmia,	.	.	.	.	.	2	.	.	.	.	·2	2	.	.	.	.	2	.	.
Puerperal Pyæmia,			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
Puerperal Fever,			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
Infective Endocarditis	.	.	1	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	7	7	1	.	1	.	4	.	1	.	8·0	2	.	1	.	.	.	1	.
Pneumonia, Broncho-Epidemic			2	.	4	3	5	5	2	1		3	1	1	.	.	.	.	1
Pneumonia, Not defined,			5	4	5	6	7	3	3	4		6	.	.	1	.	3	2	.
Erysipelas,	1	.	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal)	.	1	1	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.
Pyæmia (not Puerperal),			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
Other Infective Conditions,	.	.	.	1	.	.	2	.	.	.	·3	.	.	.	.	.	.	.	.
Tuberculous Phthisis,	26	21	1	6	2	7	8	5	6	7	19·0	9	.	.	.	.	8	1	.
"*Phthisis*,"			25	19	6	10	8	16	12	5		5	.	.	.	1	4	.	.
Tuberculous Meningitis,	2	.	2	1	4	3	3	2	2	1	2·0	1	.	.	.	1	.	.	.
Tuberculous Peritonitis,	5	5	1	.	1	3	.	.	1	1	1·9	1	.	1	.	.	.	.	.
Tabes Mesenterica,			1	1	.	.	.	.	.	.		2	.	1	1	.	.	.	.
Tuberculous Dis. (other),	8	5	6	8	8	6	4	6	8	1	6·1	4	.	.	.	2	2	.	.
Scrofula,			.	.	.	1	.	.	.	.		.	.	.	.	.	.	.	.
Alcoholism,	.	1	1	1	3	.	.	.	1	.	·7	.	.	.	.	.	.	.	.
Rheumatic Fever,	1	.	.	.	1	.	.	1	.	2	·5	.	.	.	.	.	.	.	.
Gout,	1	.	.	.	.	2	.	.	.	.	·3	.	.	.	.	.	.	.	.
Carcinoma,	5	3	.	3	1	2	3	4	1	1	6·1	1	.	.	.	.	.	1	.
Sarcoma,			.	2	.	.	1	.	.	.		.	.	.	.	.	.	.	.
Cancer (undefined)			2	3	6	5	5	4	3	7		10	.	.	.	.	1	3	6
Diabetes Mellitus,	.	.	.	.	.	1	.	.	.	.	·1	2	.	.	.	.	1	.	1
Premature Birth,	4	1	5	4	7	3	4	5	1	3	3·7	3	3	.	.	.	.	.	.

* The figures for the year 1900 are fo
† Formerly described a

FORTY-FIRST WEEK ending Saturday, 15th October, 1910, with the deaths from each cause in the corresponding and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 41st Week of the 10 years 1900-1909.	In the Week ending Saturday, 15th October, 1910.							
												Deaths of Persons of the Ages of							
												ALL AGES.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60	60 and under 80.	80 and upwards.
	Oct. 13, 1900.	Oct. 12, 1901.	Oct. 11, 1902.	Oct. 17, 1903.	Oct. 15, 1904.	Oct. 14, 1905.	Oct. 13, 1906.	Oct. 12, 1907.	Oct. 10, 1908.	Oct. 16, 1909.			Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 50·9	° 48·0	° 48·2	° 50·0	° 47·9	° 49·6	° 52·5	° 48·9	° 57·7	° 52·5	° 50·6	Mean Temp. ° 48·2							
Meningitis (not tuberc.)			8	5	2	1	2	1	1	3		2	.	1	1	.	.	.	.	.
Insanity, G. P. of Insane			.	3		3			1	1		1	.	.	.	.	.	1	.	.
Epilepsy			1	1	1		1	1					.	.	.	.	.	.	.	.
Convulsions			10	5	13	3	5	2	3	4			.	.	.	.	.	.	.	.
Locomotor Ataxy			.	.	.		1	.	1	1			.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord			.	2	.	2	.	1	.	2			.	.	.	.	.	.	.	.
Nervous System (other Dis.)			4	.	1	3	2	3	.	.			.	.	.	.	.	.	.	.
Valv. Dis., Endocarditis	37	37	4	7	10	4	3	3	2	9	35·3	3	.	.	.	.	1	1	1
Cerebr. Hæm. Thromb.			1	2	6	2	3	.	2	2		2	.	.	.	.	.	1	.	1
Apoplexy, Hemiplegia			6	2	1	3	4	4	1	1		3	.	.	.	.	.	.	3	.
Aneurysm			.	2	.	2	.	2	.	.		1	.	.	.	.	1	.	.	.
Embolism, Thromb. (not cerebral)			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Heart and Blood Vessels (other Dis.)			8	15	9	12	15	9	13	6		15	.	.	.	.	2	10	3
Croup (not Spasm. nor Memb.)	.	.	2	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Bronchitis	22	9	13	12	23	14	18	13	12	11	14·7	13	.	2	.	.	7	3	1
Asthma, Emphysema	.	.	2	.	.	2	.	2	.	.	1·7	2	.	.	.	.	.	2	.
Pleurisy			.	1	1	.	1	.	.	.		2	.	.	.	1	.	1	.
Respiratory Dis. (other)			.	2	1	.	2	1	1	2		.	.	.	.	.	.	.	.	.
Tonsillitis, Quinsy	.	1	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.)	3	.	3	1	2	2	3	4	6	4	4·1	2	.	2	.	.	.	.	.	.
Gastro-enteritis			1	.	3	.	3	4	.	2		4	.	4	.	.	.	.	.	.
Peritonitis (not Puerp.)	.	1	1	.	.	.	1	.	1	1	·5	1	.	.	.	1	.	.	.	.
Cirrhosis of Liver	3	3	1	.	.	1	2	.	3	3	2·3	.	.	.	.	.	.	.	.	.
Liver Dis. (other)			2	.	.	2	.	1	2	.		1	1	.	.	.	.	.	.	.
Digestive Dis. (other)	5	4	1	4	5	2	5	1	3	6	3·6	6	.	4	.	.	.	2	.
Nephritis, Acute	3	3	2	.	.	.	2	.	3	.	4·6	1	.	.	.	.	1	.	.
Bright's Dis., Albuminuria			3	2	2	.	3	4	2	4		2	.	.	.	.	1	1	.
Urinary Sys. (other Dis.)			1	1	.	2	4	2	1	2		1	.	.	.	.	.	.	1
Generative Organs Dis.	.	.	1	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Childbirth (Accid. of)	1	.	.	.	.	2	1	.	.	1	·5	.	.	.	.	.	.	.	.	.
Old Age	9	7	6	2	4	.	2	1	.	4	3·5	5	1	.	.	.	.	4	1
Other Diseases	13	10	20	8	14	13	11	7	8	12	11·6	14	1	7	.	.	3	2	1
ACCIDENT.																				
By Railways	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles and Horses	.	.	.	.	.	2	.	1	2	.	·5	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	2	1	1	1	.	1	3	2	.	.	1·1	.	.	.	.	.	.	.	.	.
By Drowning	2	1	.	.	1	.	1	.	.	.	·5	2	.	.	.	.	2	.	.	.
By Suffocation in Bed	.	.	.	.	.	.	2	.	.	.	·2	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	1	.	.	.	.	.	.	.	.	·1	1	.	.	.	1	.	.	.	.
Other Deaths by Accident	1	2	1	.	1	1	.	4	2	1	1·3	1	.	.	.	1	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Suicide	.	.	.	.	.	1	.	.	2	.	·3	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.

* Registration Area as then constituted.
† "Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910—Week ending																								
	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct 1.	Oct. 8.	Oct. 15.
No. of weeks in Annual Series,	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41
BIRTHS registered.	221	246	230	241	181	242	253	268	272	183	223	229	272	225	243	198	209	240	194	228	260	235	292	196	219	161
*Average Births in corresponding week of previous 10 years,** ..	224	195	270	229	211	202	232	222	199	225	237	200	198	204	215	221	202	219	218	207	232	203	200	252	192	184
DEATHS registered, ...	200	198	186	180	181	160	185	188	140	130	127	143	118	144	127	145	143	126	146	120	141	153	174	161	160	151
Annual Death-rate per 1,000, ..	25·9	25·0	17·6	23·8	17·0	20·7	17·5	17·2	18·1	16·8	16·4	18·5	15·3	18·6	16·4	18·8	18·5	16·3	18·9	15·5	18·2	19·8	22·5	21·2	20·7	19·5
*Average Deaths in corresponding week of previous 10 years,**	197	189	184	178	174	171	157	154	152	147	136	138	142	146	147	146	148	156	166	159	157	154	167	160	158	156
AGES, Under 5 years, ...	49	46	36	38	37	39	31	37	25	27	31	50	29	48	31	31	54	37	57	42	38	59	70	60	58	44
5—20 ,, ...	15	18	6	16	7	10	18	10	12	9	11	11	10	8	18	17	8	6	9	3	16	8	9	11	7	7
20—40 ,, ...	38	29	26	34	20	25	26	22	27	32	23	24	17	17	18	27	23	23	18	18	19	22	19	16	22	25
40—60 ,, ...	35	48	25	32	28	40	27	29	35	32	23	25	27	29	30	30	28	32	27	23	33	30	32	33	38	27
60—80 ,, ...	59	46	40	50	36	42	33	28	38	28	33	28	34	34	33	35	26	24	33	26	33	30	42	37	28	39
80 years and upwards, ..	9	11	3	10	3	4	5	7	3	2	6	10	1	8	2	5	4	4	7	8	2	4	2	7	7	9
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	1	1	.	.	1	.	1	.	.	1	.	.	.	.	.	3	.	1	.
Measles, ...	.	.	.	1	1	.	2	.	.	.	1	.	1	3	3	1	1	1	2	1	1	2	.	.	1	.
Scarlet Fever, ...	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	2	1	2	1	3	.	1	1	.	3	3	2	.	4	3	2	1	2	2	2
Whooping-cough, ...	5	4	1	1	1	.	.	.	.	.	1	2	1	.	5	1	.	2	4	1	.	2	3	2	2	1
Diphtheria, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain), ..	.	.	1	3	.	1	.	2	.	.	.	.	1	2	2	.	.	2	.	1	1	1	1	.	3	1
Enteric Fever, ...	.	2	1	3	5	2	1	3	1	1	1	6	3	5	.	2	14	6	17	12	11	21	22	27	12	10
Diarrhœal Diseases, ...	2	1	2	1	5	2	1	3	1	1	1	6	3	5	.	2	14	6	17	12	11	21	22	27	12	10
Influenza, ...	2	3	1	3	2	.	.	.	1	.	2	.	.	1	.	1	.	1	.	.	.	1	1	2	1	1
Pneumonia, ...	2	3	1	3	2	.	.	.	1	.	2	.	.	1	.	1	.	1	.	.	.	1	1	2	1	1
Tuberculous Phthisis, ..	20	17	8	14	13	8	8	10	7	10	3	8	7	9	5	7	8	7	6	5	6	10	4	6	5	11
Disease, Other Forms, ..	31	25	14	31	15	14	17	15	22	24	23	11	19	11	17	24	14	17	12	17	23	15	19	18	17	14
Cancer, Malignant Disease, ..	18	12	11	9	9	11	15	7	15	10	14	7	8	3	9	10	15	7	5	5	13	9	8	11	12	8
Diseases of Heart and Blood Vessels, ...	11	11	6	10	3	10	10	6	7	10	10	8	5	11	10	8	8	9	10	8	9	7	9	11	12	11
Diseases of Respiratory System,	37	31	21	25	20	29	21	21	25	16	23	26	17	22	23	23	20	16	20	17	23	19	24	30	20	24
Violent Deaths, ...	22	25	17	27	16	18	18	17	11	15	7	11	18	14	12	10	8	10	11	6	10	10	20	12	16	17
Number of Uncertified Deaths, ..	3	4	6	11	2	3	6	7	7	1	2	9	3	8	5	3	6	2	4	5	3	6	6	3	10	4
Mean Temperature of the Air (Phœnix Park), ...	8	6	2	2	6	3	3	7	5	6	3	5	.	4	7	2	3	4	4	3	2	1	3	3	3	6
Average Mean Temperature in corresponding week of previous 10 years, ...	49·6	48·6	46·1	44·7	51·4	55·1	50·6	57·8	56·4	58·1	54·7	55·5	57·1	55·9	57·8	56·5	59·2	53·8	56·6	57·2	54·8	52·0	50·4	54·2	52·5	48·2
Rainfall in inches, ...	45·1	46·6	46·9	48·5	48·6	50·5	53·9	53·3	53·7	55·3	56·6	57·6	58·9	60·6	58·8	58·8	58·2	57·7	56·5	56·1	54·4	53·1	53·8‡	53·7	52·2	50·6
Mean Humidity of the Air, complete Saturation 1·0	·782	·417	·670	·250	1·263	·135	·692	1·870	·010	1·291	1·780	·660	·000	·840	·355	·940	·205	1·175	·411	·194	150	·015	·015	·391	·585	·133
	·91	·82	·77	·81	·90	·88	·81	·92	·87	·92	·87	·88	·81	·81	·81	·84	·85	·81	·84	·88	·87	·91	·85	·89	·90	84

* See note (*) at foot of Table IV.

† Formerly described as "Simple Continued Fever."

‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 15th October, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 15TH OCTOBER, 1910.																											
			Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES.						CAUSES OF DEATH.																			
					Under 5 Years	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–16.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Convulsions.	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal)	Other Causes	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS.	375,350	21·0	151	44	7	25	27	39	9	.	.	.	.	2	1	.	1	10	14	11	14	8	11	.	17	4	72	6
	CLASSES.																												
	Deaths in Families of the—																												
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	9·0	3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	1	.	1	.
II.	MIDDLE CLASS, ...	67,186	14·4	24	4	2	3	5	4	6	.	.	.	.	1	.	.	.	1	2	2	3	1	2	.	1	1	12	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,428	14·2	30	10	2	6	8	3	1	.	.	.	.	1	1	.	1	4	7	.	2	2	2	.	3	1	13	2
IV.	GENERAL SERVICE CLASS, ...	154,279	18·8	54	21	2	6	7	16	2	.	.	.	.	.	.	.	.	5	5	7	1	1	4	.	7	2	27	4
V.	INMATES OF WORKHOUSES, ...	6,024	—	40	9	1	7	7	16	.	.	.	.	.	.	.	.	.	.	.	2	5	4	3	.	6	.	20	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	13·4	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class,	1,877	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,860	6·2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·8	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	5·5	4	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	1	.	.
	6. Clerks and Commercial Assistants, ..	30,482	8·6	5	2	.	1	1	1	.	.	.	.	.	1	.	.	.	.	1	2	.	.	.	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	23·2	12	2	1	1	1	2	5	.	.	.	.	.	.	.	.	1	1	.	2	.	1	.	1	.	7	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	26·4	5	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	3	.
	9. Building and Furnishing Trades, ...	29,801	12·2	7	5	.	1	1	.	.	.	.	.	.	.	.	.	.	3	3	.	1	.	.	.	1	.	2	1
	10. Clothing Trades, ...	23,260	11·2	5	2	1	.	1	1	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	2	.	1	.
	11. Food Supply Trades, ...	9,242	5·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,852	15·5	9	2	1	1	2	2	1	.	.	.	.	1	.	.	1	1	3	.	.	.	1	.	.	.	5	1
	13. Petty Shopkeepers, ...	7,894	19·8	3	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c	18,425	15·5	4	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	1
	15. Domestic Servants, ...	86,608	2·8	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	18·1	5	1	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	2	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	25·0	43	20	1	4	3	13	2	.	.	.	.	.	.	.	.	5	5	6	1	1	2	.	5	2	21	2
V.	INMATES OF WORKHOUSES.																												
	18. Workhouse Inmates, ...	6,024	—	40	9	1	7	7	16	.	.	.	.	.	.	.	.	.	.	.	2	5	4	3	.	6	.	20	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincia

	DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	From Diseases in Cols. 5–18.	Total Deaths.	NUMBER OF DEATHS FROM Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercuious Disease. Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st., Nth.*) Pop. in 1910 (Est.) 29,908.	Aug. 27,	20·9	8·7	12	.	.	.	.	.	.	.	.	5	1	1	.	1	1	.	.
		Sept. 3,	13·2	1·7	8	.	.	.	.	1	.	.	.	.	.	1	.	1	.	2	.
		„ 10,	17·4	1·7	10	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.
		„ 17,	15·7	1·7	9	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.
		„ 24,	24·4	.	14	.	.	.	.	.	.	.	.	.	.	3	.	2	2	.	.
		Oct. 1,	22·7	3·5	13	.	.	.	.	.	.	.	.	2	1	1	.	2	2	2	1
		„ 8,	19·2	5·2	11	.	.	1	.	.	.	.	.	2	.	.	.	.	3	.	1
		„ 15,	17·4	1·7	10	.	.	.	.	1	.	.	.	.	.	1	.	1	1	1	1
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1910 (Est.) 39,974.	Aug. 27,	15·7	1·3	12	.	.	.	.	.	.	.	.	1	1	.	.	2	2	.	.
		Sept. 3,	20·9	3·9	16	.	.	.	.	1	.	.	.	2	1	1	.	2	2	.	1
		„ 10,	23·5	1·3	18	.	.	.	.	.	.	.	1	.	1	3	1	.	2	.	.
		„ 17,	23·5	5·2	18	.	.	.	.	.	.	.	.	4	2	2	1	.	2	.	.
		„ 24,	20·9	5·2	16	.	.	.	.	.	1	.	.	3	.	1	.	.	3	.	.
		Oct. 1,	18·3	6·5	14	.	.	.	.	.	.	.	.	5	.	2	2	.	1	.	.
		„ 8,	28·7	5·2	22	.	.	.	.	.	.	.	1	3	.	4	1	3	3	2	.
		„ 15,	19·6	2·6	15	.	.	.	.	.	.	.	.	2	.	1	.	2	1	.	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1910 (Est.) 30,744.	Aug. 27,	23·0	6·8	18	.	.	.	.	.	.	.	.	4	1	.	.	.	.	1	.
		Sept. 3,	15·8	3·4	9	.	.	.	.	.	1	.	.	1	1	2	.	.	2	.	.
		„ 10,	17·0	.	10	.	.	.	.	.	.	.	.	.	.	1	1	1	3	.	.
		„ 17,	18·7	1·7	11	.	.	.	.	.	.	.	.	1	.	1	1	2	1	1	.
		„ 24,	27·1	10·2	16	.	.	.	.	.	.	.	1	5	.	2	.	.	4	.	.
		Oct. 1,	23·7	3·4	14	.	.	.	.	.	.	.	.	2	2	.	1	1	1	1	.
		„ 8,	22·0	5·1	13	.	.	.	.	.	.	.	.	3	1	2	1	.	.	.	.
		„ 15,	11·9	3·4	7	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1910 (Est.) 33,559.	Aug. 27,	20·2	1·6	13	.	.	1	.	.	.	.	.	.	.	2	.	2	2	1	.
		Sept. 3,	20·2	3·1	13	.	.	.	.	1	.	.	.	1	.	3	1	.	1	.	.
		„ 10,	14·0	.	9	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.
		„ 17,	18·6	3·1	12	.	.	.	.	.	.	.	.	2	1	4	.	.	.	2	.
		„ 24,	12·4	1·6	8	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.
		Oct. 1,	26·4	7·8	17	.	.	.	.	.	.	.	.	5	1	2	2	1	1	1	.
		„ 8,	23·3	3·1	15	.	.	.	.	.	1	.	.	5	.	2	2	3	.	1	1
		„ 15,	21·8	3·1	14	.	.	.	.	.	.	.	1	1	2	.	1	.	2	.	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1910 (Est.) 41,476.	Aug. 27,	20·1	1·3	16	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
		Sept. 3,	13·8	1·3	11	.	.	.	.	.	.	.	.	1	.	1	2	1	.	1	.
		„ 10,	17·6	2·6	14	.	.	.	.	.	.	.	.	2	1	3	.	1	1	1	.
		„ 17,	22·6	5·0	18	.	.	1	.	1	1	.	.	1	.	3	.	.	.	.	.
		„ 24,	31·4	3·8	25	.	2	.	.	.	.	.	.	1	.	3	3	.	4	.	.
		Oct. 1,	23·9	2·5	19	.	.	.	.	1	.	.	.	1	.	1	2	1	3	.	.
		„ 8,	28·9	2·5	23	.	1	.	.	1	.	.	.	.	.	2	.	.	2	3	.
		„ 15,	32·7	1·3	26	.	.	.	.	.	.	.	.	1	2	2	3	1	7	.	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1910 (Est.) 21,754.	Aug. 27,	13·0	2·4	5	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
		Sept. 3,	16·8	7·2	7	.	.	.	.	.	.	.	.	3	.	.	1	.	.	1	.
		„ 10,	19·2	4·8	8	.	.	.	.	1	.	.	.	1	.	3	1	.	1	.	.
		„ 17,	21·6	4·8	9	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.
		„ 24,	21·6	2·4	9	.	.	.	.	.	.	.	.	1	.	2	.	.	1	.	.
		Oct. 1,	21·6	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.
		„ 8,	13·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.
		„ 15,	24·0	2·4	10	.	.	.	.	.	1	.	.	.	.	1	1	1	1	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1910 (Est.) 43,227.	Aug. 27,	25·3	8·4	21	.	.	1	.	.	1	.	.	5	1	1	1	.	2	.	1
		Sept. 3,	18·1	1·2	15	.	.	.	.	.	.	.	.	1	1	1	.	1	1	1	1
		„ 10,	26·5	4·8	22	.	.	.	.	1	.	.	.	3	1	4	3	2	.	.	.
		„ 17,	22·9	8·6	19	.	.	.	.	.	.	.	.	3	1	2	3	1	2	.	.
		„ 24,	31·4	6·0	26	.	1	.	.	.	.	.	.	4	.	2	2	1	3	.	.
		Oct. 1,	18·1	4·8	15	.	.	.	.	1	.	.	.	3	.	2	1	.	.	.	.
		„ 8,	19·3	.	16	.	.	.	.	.	.	.	.	.	1	3	3	.	2	.	.
		„ 15,	30·2	2·4	25	.	.	.	.	.	.	.	.	2	3	2	2	1	3	1	2
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1910 (Est.) 35,881.	Aug. 27,	24·7	2·2	17	.	.	.	.	.	1	.	.	1	.	2	2	3	2	.	.
		Sept. 3,	17·4	4·4	12	.	.	.	.	.	.	.	.	3	.	4	.	1	.	.	.
		„ 10,	17·4	4·4	12	.	.	.	.	1	.	.	.	2	1	4	.	1	1	1	1
		„ 17,	14·5	2·9	10	.	.	.	.	.	.	.	.	2	.	1	.	1	1	.	.
		„ 24,	21·8	2·9	15	.	.	.	.	.	1	.	.	1	1	2	1	2	.	2	.
		Oct. 1,	33·4	5·8	28	.	.	.	.	.	1	.	.	3	.	4	2	1	1	.	.
		„ 8,	21·8	7·3	15	.	.	.	.	1	1	.	.	3	.	1	.	2	.	.	1
		„ 15,	7·3	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From all Causes	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From Diseases in Cols. 5–18.	Total Deaths.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia.* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District.	Aug. 27,	12·7	.	9	.	.	.	.	1	.	.	.	.	2	1	.	.	.	1	1
	Sept. 3,	12·7	1·4	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	,, 10,	7·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	,, 17,	8·4	2·8	6	.	.	.	.	1	.	.	.	1	1	.	.	.	.	1	.
	,, 24,	14·1	1·4	10	.	.	.	.	1	.	.	.	.	1	.	.	1	1	.	1
	Oct. 1,	21·1	4·2	15	.	.	.	.	.	.	.	.	3	.	2	.	2	1	.	1
Pop. in 1910 (Est.) 37,047.	,, 8,	14·1	1·4	10	.	.	.	.	.	.	.	1	.	1	1	2	1	1	1	.
	,, 15,	16·9	1·4	12	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	2
Pembroke Urban District.	Aug. 27,	16·2	.	9	.	.	.	.	.	.	.	.	.	1	2	.	1	2	.	.
	Sept. 3,	1·8	1·8	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	,, 10,	9·0	1·8	5	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.
	,, 17,	23·4	1·8	13	.	.	.	.	.	.	.	.	1	1	.	2	1	1	1	
	,, 24,	12·6	1·8	7	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	
Pop. in 1910 (Est.) 28,948.	Oct. 1,	5·4	1·8	3	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.
	,, 8,	7·2	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	,, 15,	18·0	1·8	10	.	.	.	.	1	.	.	.	.	1	1	.	1	.	.	1
Kingstown Urban District.	Aug. 27,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
	Sept. 3,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	,, 10,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	,, 17,	23·7	3·0	8	.	.	.	.	.	.	.	.	1	2	1	.	.	1	1	.
	,, 24,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
Pop. in 1910 (Est.) 17,622.	Oct. 1,	11·8	3·0	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
	,, 8,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	,, 15,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Belfast. Pop. in 1910 (Est.) 391,167.	Aug. 27,	17·5	4·9	131	.	3	.	.	5	.	.	.	29	10	10	5	4	8	3	
	Sept. 3,	16·1	2·1	121	.	.	.	.	.	.	.	.	16	8	11	9	5	9	2	2
	,, 10,	13·7	2·3	103	.	3	.	.	1	.	.	.	13	6	12	6	8	5	1	2
	,, 17,	15·5	2·4	116	.	1	.	.	1	1	.	.	15	7	14	13	10	5	1	2
	,, 24,	16·3	2·3	122	.	3	.	.	1	.	.	.	13	10	11	6	8	8	5	.
	Oct. 1,	14·0	1·6	105	.	1	.	.	3	.	.	1	7	7	17	7	5	11	2	1
	,, 8,	12·5	1·2	94	.	1	.	.	1	.	.	.	7	5	9	3	5	9	.	1
	,, 15,	16·3	1·3	122	.	3	.	.	1	2	.	1	3	11	17	8	7	16	.	1
Cork. Pop. (in 1901) 76,122.	Aug. 27,	17·8	1·4	26	.	.	.	.	.	.	.	.	2	.	2	2	1	.	1	3
	Sept. 3,	13·0	1·4	19	.	.	.	.	.	.	.	.	2	2	2	1	.	2	1	2
	,, 10,	13·0	1·4	19	.	.	.	.	.	.	.	.	2	.	3	.	1	.	1	1
	,, 17,	14·4	2·7	21	.	.	.	.	.	.	.	1	3	.	4	.	.	1	1	1
	,, 24,	16·4	2·7	24	.	.	.	.	.	.	.	.	4	1	6	2	1	1	1	.
	Oct. 1,	21·2	4·1	31	.	.	.	.	.	.	.	.	6	2	1	2	1	.	1	4
	,, 8,	22·6	3·4	33	.	.	.	.	.	1	.	.	4	1	1	.	2	2	1	1
	,, 15,	14·4	1·4	21	.	.	.	.	1	.	.	1	.	.	5	.	1	1	.	.
Londonderry. Pop. in 1910 (Est.) 43,477.	Aug. 27,	10·8	3·6	9	.	1	.	.	.	1	.	.	1	.	3	.	.	.	.	.
	Sept. 3,	14·4	7·2	12	.	.	.	.	.	.	.	1	5	.	1	.	.	.	.	1
	,, 10,	20·4	2·4	17	.	.	.	.	.	.	.	.	2	.	1	1	1	3	.	.
	,, 17,	18·0	1·2	5	.	.	.	.	.	.	.	.	1	.	3	.	1	4	.	2
	,, 24,	10·8	2·4	9	.	.	.	.	.	.	.	.	2	.	.	1	.	1	.	.
	Oct. 1,	21·6	2·4	18	.	1	.	.	.	.	.	.	1	1	.	1	.	1	.	.
	,, 8,	9·6	.	8	.	.	.	.	.	.	.	.	.	.	1	1	1	2	.	.
	,, 15,	14·4	.	12	.	.	.	.	.	.	.	.	.	1	1	3	1	1	.	.
Limerick. Pop. (in 1901) 38,151.	Aug. 27,	20·5	1·4	15	.	.	.	.	1	.	.	.	.	.	4	2	.	3	.	1
	Sept. 3,	17·8	.	13	.	.	.	.	.	.	.	.	.	.	2	.	1	2	.	2
	,, 10,	17·8	.	13	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.	1
	,, 17,	9·6	1·4	7	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	1
	,, 24,	12·3	1·4	9	.	.	.	.	.	.	.	.	1	.	.	1	.	3	.	.
	Oct. 1,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	1
	,, 8,	9·6	1·4	7	.	.	.	.	.	1	.	.	.	.	3	.	1	.	.	.
	,, 15,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	3	.	.	3	.	2
Waterford. Pop. (in 1901) 26,769.	Aug. 27,	19·5	7·8	10	.	1	.	.	.	.	.	.	3	.	.	.	1	2	1	3
	Sept. 3,	18·6	1·9	7	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.
	,, 10,	23·4	3·9	12	.	.	.	.	.	.	.	.	2	.	2	1	.	1	.	1
	,, 17,	19·5	5·8	10	.	.	.	1	.	.	.	.	2	.	1	.	1	1	.	.
	,, 24,	23·4	3·9	12	.	.	.	.	.	.	.	.	2	.	1	2	1	.	.	1
	Oct. 1,	18·6	1·9	7	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	.
	,, 8,	19·5	3·9	10	.	.	.	.	.	.	.	.	2	.	1	.	2	.	1	2
	,, 15,	21·4	3·9	11	.	.	.	.	.	.	.	.	2	.	2	.	.	1	.	2

* Formerly described as "Simple Continued Fever."

Table VIII.—Showing, by Registrars' Districts, the Number of Births and Deaths in the Cities (or Urban Districts) of BELFAST and CORK, registered during the week ended 15th October, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the Annual Rate of Mortality per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain Age Periods; the Number of Deaths from some of the Principal Causes; the Number of Uncertified Deaths, &c.

Cities and Registrars' Districts.	Population in 1901.	Births	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from		Deaths	Ages at Death.						Deaths from																				Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
			All Causes.	Diseases in Cols. 12-20.		Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease.		Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.								
																						Phthisis.	Other Forms.										
Cols.	(1)	(2)	(3)	4	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)			(27)	(28)	(29)		
City of Belfast.																																	
Belfast Urban No. 1 District,		5			9	2	1	2	.	.	4	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.			.	4	.		
Do. 2 do.		80			17	2	2	1	4	4	4	.	1	.	.	.	.	.	.	.	1	2	1	2	1	.			.	6	1		
Do. 3 do.		31			18	3	2	3	3	2	.	.	.	.	.	.	.	.	.	.	5	3	.	1	1	.			.	3	.		
Do. 4 do.		25			17	5	2	1	.	3	6	.	1	.	.	.	.	.	1	.	.	.	.	1	3	.			.	6	.		
Do. 5 do.		6			7	1	.	2	.	2	2	.	.	.	.	.	1	.	.	.	.	1	1	1	1	.			.	5	.		
Do. 6 do.		11			9	1	.	1	2	2	3	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.			.	1	.		
Do 7 do.		2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.	.	.		
Do 8 do.	349,180	4			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.	.	.		
Do. 9 do.		9			9	2	2	2	.	1	2	.	1	.	.	.	.	.	1	.	2	.	2	1	.	.			.	3	.		
Do 10 do.		15			11	1	3	2	3	2	.	.	.	.	.	.	1	.	.	.	1	3	.	.	2	.			.	2	.		
Do. 11 do.		25			9	4	1	.	1	2	1	.	.	.	.	1	.	.	.	.	2	2	.	.	1	.			.	2	.		
Do. 12 do.		25			9	3	1	1	.	2	2	.	.	.	.	.	.	.	.	.	.	.	2	.	3	.			.	.	.		
Do. 13 do.		7			6	1	.	1	2	1	1	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.			.	.	.		
Do. 14 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.	.	.		
Do. 15 * do.		9			6	2	.	1	.	1	2	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.			.	1	.		
Total,	—	205	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		122	27	14	17	15	22	27	.	3	.	.	1	2	.	1	3	11	17	8	7	16	.			.	33	1		
City of Cork																																	
Cork Urban No. 1 District,	12,867	3	24·3	.	6	.	.	.	2	2	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.			.	3	.		
Do. 2 do.	10,701	3	9·7	.	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.	.	.		
Do. 3 do.	9,978	3	15·7	5·2	3	.	2	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.			.	1	.		
Do. 4 do.	8,666	4	24·1	.	4	.	1	.	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.			.	.	.		
Do. 5 do.	6,592	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.	.	.		
Do. 6 do.	10,702	2	19·5	4·9	4	1	1	.	.	2	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.			.	1	.		
Do. 7 do.	16,616	8	6·3	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.			.	2	.		
Total,	76,122	25	14·4	1·4	21	1	6	.	3	5	6	.	.	.	.	1	.	.	1	.	.	5	.	1	1	.			.	7	.		

* New district formed as from 1st Jan., 1910, and the boundaries of Nos. 1, 4 & 6 districts altered; the population of each of these districts, as at present constituted, is not available.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910—Week ending																								
	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.
No. of weeks in annual Series, ..	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41
BIRTHS registered, ...	224	266	235	214	169	264	215	193	231	202	213	199	259	239	214	179	219	210	159	219	190	264	194	172	200	205
DEATHS registered, ...	160	178	167	170	177	176	166	148	188	157	187	145	136	117	135	115	102	124	131	121	108	116	122	105	94	122
Annual Death rate per 1,000 of estimated Population, ...	21·3	23·1	22·3	22·7	23·6	23·5	22·1	19·7	24·4	20·9	18·3	19·3	18·1	15·6	18·0	15·3	13·6	16·5	17·5	16·1	13·7	15·5	16·3	14·0	12·5	16·3
AGES — Under 1 year, ...	36	33	31	29	30	37	37	20	44	33	24	34	26	25	35	27	27	35	49	30	28	23	29	25	31	27
AGES — 1-5 years, ...	27	20	36	35	47	41	45	54	47	45	33	29	32	23	23	19	6	17	14	15	14	13	11	14	6	14
AGES — 5-20 years, ...	14	21	12	15	15	15	14	12	15	16	13	12	7	17	10	7	7	9	11	11	4	16	6	11	8	17
AGES — 20-40 years, ...	14	24	25	30	28	26	26	25	20	17	18	25	20	19	14	15	22	19	18	9	16	12	23	17	8	15
AGES — 40-60 years, ...	29	41	30	30	29	28	27	16	23	20	21	20	25	17	25	21	22	21	19	26	20	23	18	20	21	23
AGES — 60 years and upwards, ..	40	34	33	31	28	27	17	21	34	26	26	25	26	16	28	26	18	23	20	30	21	30	35	18	20	27
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	8	20	19	28	44	33	38	38	49	36	25	24	20	21	8	7	4	7	3	.	3	1	3	1	1	3
Scarlet Fever, ...	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	8	4	4	6	4	5	7	5	4	1	1	2	1	1	.	2	1	1	5	.	1	1	1	3	1	1
Diphtheria, ...	1	1	.	1	.	1	.	1	2	.	.	.	1	1	1	.	.	.	.	.	.	1	.	.	.	2
*Pyrexia** (origin uncertain , ..	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	1	.	.	1	.	.	.	1	.	1	1	.	.	1	2	.	.	.	.	.	.	.	.	1	.	1
Diarrhœal Diseases, ...	3	1	2	.	.	2	3	1	4	3	1	5	2	5	6	10	14	22	29	16	13	15	13	7	7	3
Pneumonia, ...	19	14	15	26	23	21	18	13	17	17	11	14	17	5	8	3	4	5	10	8	6	7	10	7	5	11
Tuberculous Disease, Phthisis, ..	13	23	20	24	29	14	21	19	24	22	11	11	9	16	15	13	12	16	10	11	12	14	11	17	9	17
Tuberculous Disease, Other Forms, ..	7	9	6	4	6	13	8	5	3	9	8	2	11	5	7	7	8	9	5	9	6	13	6	7	3	3
Cancer, Malignant Disease, ..	2	6	3	3	7	3	4	4	6	4	9	3	6	9	7	3	7	3	4	5	3	10	3	5	5	7
Diseases of Respiratory System,	30	15	21	14	17	14	18	17	14	16	7	7	15	6	16	10	5	3	3	9	5	5	3	11	9	16
Violent Deaths, ...	2	4	3	4	1	1	5	1	.	4	.	4	2	.	1	1	6	.	3	2	1	1	5	2	.	.
Number of Uncertified Deaths, ..	1	3	1	2	1	.	3	1	2	.	2	3	3	3	1	2	1	2	.	2	2	2	.	1	1	1

* Formerly described as " Simple Continued Fever.'

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	Oct. 15,	2,029	1,200	12·8	.	17	5	5	7	16*a*	73
EDINBURGH, ...	360,276	„ 15,	149	85	12·3	.	2	.	1	.	1*a*	1
GLASGOW, ...	884,505	„ 15,	403	224	13·2	.	.	2	9	4	1*a*	19
CALCUTTA, ...	1,009,008	Sept. 10,	.	387	19·9	.	.	.	.	.	78‡	53*
BOMBAY, ...	977,822	„ 13,	354	611	32·5	1	1	.	.	.	73‡	78
MADRAS, ...	509,346	Aug. 26,	457	484	49·4	3	.	?	?	?	105	118*
CAIRO, ...	682,953	Sept. 2,	613	544	41·5	.	3	.	15†	.	9*a*	154
PARIS, ...	2,760,000	„ 10,	883	748	14·2	.	5	.	1†	4	3*a*	45*b*
BRUSSELS, ...	720,030	„ 24,	220	158	11·4	.	.	.	1†	.	13	11
ANTWERP, ...	317,171	„ 24,	123	65	10·7	.	2	.	.	.	.	12*b*
AMSTERDAM, ...	572,074	„ 24,	234	109	9·9	.	.	1	1†	2	1	9*b*
COPENHAGEN, ...	450,000	„ 24,	226	102	11·8	.	.	.	.	.	.	11
STOCKHOLM, ...	341,816	„ 24,	160	84	12·8	.	.	.	.	.	.	5
CHRISTIANIA, ...	240,178	Oct. 1,	102	46	10·0	.	1	.	.	.	.	2
ST. PETERSBURG, ...	1,620,000	Sept. 10,	915	601	19·3	5	6	11	3	7	8*a*	142*
MOSCOW, ...	1,493,600	„ 3,	.	718	25·1	.	1	14	21†	6	5*a*	208*
BERLIN, ...	2,124,467	„ 17,	837	536	13·2	.	2	10	12†	2	1*a*	63
HAMBURG, ...	895,804	„ 24,	.	215	12·5	.	1	1	7†	2	1*a*	32
BRESLAU, ...	510,664	„ 24,	.	138	14·1	.	.	.	4	5	.	19
MUNICH, ...	576,000	Oct. 1,	.	163	14·7	.	4	.	.	.	.	19
VIENNA (with suburbs),	2,107,981	Sept. 24,	757	500	12·3	.	3	3	10†	1	.	56*
BUDA-PESTH, ...	833,703	„ 24,	424	256	15·9	.	1	6	3†	1	6*a*	22*b*
PRAGUE and Faubourgs.	497,905	„ 10,	160	153	16·0	.	.	1	4†	3	1*a*	8*b*
TRIESTE, ...	221,124	„ 17,	115	88	20·8	.	.	.	.	3	1*a*	12*b*
ROME, ...	590,113	Aug. 6,	335	160	14·1	.	3	2	.	3	2*a*	16
VENICE, ...	183,224	„ 20,	.	.	.	.	.	.	.	.	.	.
NEW YORK, ..	4,803,264	Sept. 17,	2,659	1,250	13·6	.	6	2	8†	3	12*a*	183*b*
PHILADELPHIA, ..	1,598,400	Aug. 27,	.	446	14·6	.	4	.	3†	17	4	69
BOSTON, ...	670,585	Sept. 24,	.	227	17·7	.	.	.	4	1	2*a*	44

* Including 12 deaths from cholera in Calcutta, 16 in Madras, 89 in St. Petersburg, and 12 in Moscow.
† Including deaths from croup.
‡ Including 5 deaths from plague in Calcutta, and 12 in Bombay.
a Enteric Fever.
b Deaths from diarrhœal diseases and from enteritis of children under two years of age.

ABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 15th October, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	1	.	.	.	.	.	.	.	.	.	.	1
" " 1, West,	.	1	.	.	2	.	2	1	1	.	.	.	7
" " 2,	.	.	.	.	1	.	.	.	.	.	.	.	1
" " 3,	.	3	.	.	4	.	1	1	.	.	.	1	10
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	1	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	1	.	.	.	1
South City No. 1,	.	2	.	.	.	.	.	1	4	.	.	5	12
" " 2,	.	1	.	.	1	.	.	.	.	.	.	.	2
" " 3,	.	.	.	.	2	.	.	1	.	.	.	1	4
" " 4,	.	1	.	.	3	.	.	.	1	.	.	1	6
New Kilmainham,	.	1	.	.	.	.	.	.	.	.	.	.	1
Total,	.	10	.	.	14	.	3	4	7	.	.	8	46

ABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 15th October, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 15th October.			
	Sept. 24.	Oct. 1.	Oct. 8.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	5	7	3	6	.	.	9
Scarlet Fever,	68	73	80	15	12	1	82*
Typhus,	1	.	.	1	.	.	1
Diphtheria,	40	45	54	14	9	.	59
Enteric Fever,	44	49	47	2	6	2	41
Pneumonia,	14	20	21	2	5	.	18

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.Sc., F.R.MET.SOC., reports as follows on the weather during the week ded 15th October, 1910:—

"Atmospheric pressure was in a state of very unstable equilibrum throughout this week, and the weather was nsequently changeable and anomalous. On Sunday the barometer stood tolerably high all over the British Isles d France, Spain and Germany, and the weather was fine and quiet after a sharp night. Clouds increased wards evening. Next day a primary atmospheric depression arrived off the S.W. of Iceland and afterwards ssed eastwards across that island. At the same time a secondary V.-shaped depression came in over Ireland m the Atlantic, gathering energy as it travelled. On Tuesday morning a trough of low pressure stretched uthwards from Cape Wrath to the North of Spain. With the shift of wind from S. to N.W., which occurred as trough passed the meridian of Dublin, heavy rain fell in this City between 11 p.m. and midnight on Monday, d there were some light showers on Tuesday forenoon. By 4 p.m. of the latter day the barometer fell to 29·710 ches, but next morning (Wednesday) it was below 29·6 inches over the east and south-east of England, in which gions rain was falling heavily. In Ireland the weather was clear and cold, the screened thermometer falling on ednesday morning to 36° at Birr Castle and 38° in Dublin. The barometer now rose rapidly in the N., thus using steep gradients for N.E. and E. winds, with the result that a disastrous gale from these quarters burst on e Irish and English coasts. Over Scotland, on the contrary, the anticyclonic air was calm, and the thermometer ood as low as 30° in the screen at both Wick and Nairn at 7 a.m. of Friday. At the same hour the barometer ad 30·76 inches at these stations and 30·78 inches at Aberdeen. On Saturday the barometer gave way sharply as large depression spread northwards from the Bay of Biscay, and showers fell in Dublin after 6 p.m. In this ty the mean height of the barometer was 30·123 inches, the range being from 29·710 inches at 4 p.m. of Tuesday wind, N.W.) to 30·539 inches at 9 p.m. of Thursday (wind, E.N.E.). The corrected mean temperature was 50·2°, e mean dry bulb reading at 9 a.m. and 9 p.m. being 50·3°. The screened thermometers rose to 58·5° on Monday, d fell to 37·9° on Wednesday on which day the grass minimum was 35·1°. N.W., and afterwards E.N.E. winds revailed. Rain fell on 3 days to the amount of ·148 inch, ·073 inch being measured on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·954 inches. The highest reading (30·371) was on Thursday at 9 p.m., wind E.N.E., and the lowest (29·546) on Tuesday at 9 a.m., wind S.W.

The mean temperature for the week was 48·2°, being 2·4° below the average for the corresponding period of the 10 years, 1900-1909. The temperature was highest on Monday, on which day the thermometer registered 58·4°, and was lowest on Sunday, the mercury having fallen to 31·9°. The mean of the Dry Bulb for the week was 49·0° and of the Wet Bulb 46·6°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The rainfall during the week measured 0·138 inch.

At Greenwich the mean temperature for the week was 53·1°, the maximum 69·2°, and the minimum 43·2°; at Glasgow the maximum was 56·0°, the minimum 40·9°, and the mean 49·8°; and at Edinburgh the maximum was 58·4°, the minimum 41·4°, and the mean 48·3°. The rainfall at Greenwich measured 0·61 in.; at Glasgow 0·10 in.; and at Edinburgh 0·10 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY.	BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins		
Sunday, October 9,	29·891	54·6	31·9	43·3	46·9	46·4	·97	·4	3·1	·000	Calm.	Calm.
Monday, „ 10,	29·720	58·4	46·9	52·7	52·6	51·4	·92	·5	0·0	·050	Calm.	Calm.
Tuesday, „ 11,	29·575	55·6	39·4	47·5	46·5	45·5	·93	·4	0·0	·018	S.W.	Calm.
Wednesday, „ 12,	29·842	53·8	33·9	43·9	45·2	42·9	·84	·5	7·2	·000	Calm.	N.
Thursday, „ 13,	30·310	51·9	45·5	48·7	49·4	44·5	·68	·4	1·8	·000	N.E.	E.N.E.
Friday, „ 14,	30·304	54·8	48·9	51·9	51·4	47·0	·72	·4	1·3	·000	E.N.E.	E.N.E.
Saturday, „ 15,	30·037	54·0	45·4	49·7	51·0	48·2	·82	·3	1·0	·070	E.	E.N.E.
Mean, . . .	29·954	54·7	41·7	48·2	49·0	46·6	·84	·4	Total 14·4	Total ·138	—	

Sunday—Day cloudy to overcast: night overcast. *Monday*—Day overcast, rain p.m.; night cloudy. *Tuesday*—Day overcast, rain a.m.; night clear. *Wednesday*—Day bright to cloudy, fine; night cloudy. *Thursday*—Day cloudy, fine; night cloudy. *Friday*—Day overcast to cloudy, fine; night cloudy. *Saturday*—Day cloudy to overcast, light rain p.m.; night overcast, drizzle a.m.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, October 15th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperatures in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
	°	°	°	°	°	°	hrs.	ins.
Sunday, October 9,	48·0	54·0	55·1	55·2	40·5	47·9	3·4	—
Monday, „ 10,	55·0	53·9	55·1	59·1	48·6	53·9	—	·070
Tuesday, „ 11,	52·2	54·0	55·0	55·8	45·0	50·4	—	·002
Wednesday, „ 12,	44·2	52·7	55·0	55·4	37·8	46·6	9·0	—
Thursday, „ 13,	50·0	52·0	54·7	52·2	46·9	49·6	1·0	—
Friday, „ 14,	53·0	51·5	54·5	56·0	46·9	51·5	0·7	—
Saturday, „ 15,	53·0	51·5	54·5	55·6	49·0	52·8	0·6	·055
Weekly Mean,	50·8	52·8	54·8	55·6	45·0	50·4	Total 14·7	Total ·127

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

29659. Wt. P. 272–22 1138, 375. 10. 1910. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, LTD., 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 22ND OCTOBER, 1910. [No. 42.

General Register Office, Charlemont House, Dublin, 24th October, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending				Average Rate for 4 weeks.	TOWNS, &c.	Week ending				Average Rate for 4 weeks.
	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.			Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	
22 Town Districts.	**17·8**	**15·9**	**16·9**	**17·4**	**17·0**	Limerick, . . .	15·0	9·6	15·0	5·5	11·3
						Lisburn, . . .	22·7	18·2	9·1	4·5	13·6
Armagh, . . .	6·9	13·7	6·9	13·7	10·3	Londonderry, . .	21·6	9·6	14·4	8·4	13·5
Ballymena, . . .	14·4	14·4	14·4	9·6	13·2	Lurgan, . . .	13·3	13·3	8·9	.	8·9
Belfast, ...	14·0	12·5	16·3	16·0	14·7	Newry, . . .	12·6	4·2	16·8	8·4	10·5
Clonmel, . . .	10·3	20·5	41·0	.	17·9	Newtownards, . .	11·4	.	11·4	17·2	10·0
Cork, ...	21·2	22·6	14·4	15·8	18·5	Portadown, . .	10·3	10·3	31·0	25·8	19·3
Drogheda, . . .	20·4	8·2	4·1	20·4	13·3	Queenstown, . .	13·2	13·2	19·8	19·8	16·5
Dublin Reg. Area, .	20·2	19·5	18·9	20·7	19·8	Sligo, ...	43·2	4·8	9·6	9·6	16·8
Dundalk, . .	47·9	23·9	19·9	23·9	28·9	Tralee, . . .	26·4	5·3	.	63·4	23·8
Galway, . . .	31·1	15·5	15·5	23·3	21·3	Waterford, . . .	13·6	19·5	21·4	29·2	20·9
Kilkenny, . . .	4·9	39·3	19·7	9·8	18·4	Wexford, . . .	9·3	23·3	18·7	18·7	17·5

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·8 per 1,000, the rates varying from 0·0 in fourteen of the districts to 9·6 in Sligo, the 2 deaths recorded for that district being from enteric fever. Among the 120 deaths from all causes for Belfast are 5 from measles, one from scarlet fever, one from diphtheria, and 8 from diarrhœal diseases. Among the 23 deaths from all causes for Cork are one from diphtheria and one from diarrhœa. Included in the 7 deaths from all causes for Londonderry are 2 from diarrhœal diseases. Two deaths from typhus are among the 6 deaths from all causes for Dundalk; and the 2 deaths recorded for Ballymena include one from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 244—123 boys and 121 girls—and the deaths to 174—87 males and 87 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 14) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·7 per

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*), Table II.

‡ See columns 10-18 of Table II.

1,000 of the population, the rate for the total deaths registered in the Area being 22·5 per 1,000. During the forty-two weeks, ending with Saturday last, the death-rate averaged 21·2, and was 2·8 below the mean rate for the corresponding portions of the ten years, 1900–9.

Among the 174 deaths registered are one* from scarlet fever, 5 from whooping-cough, from enteric fever, and 8 (all being those of children under 5 years of age) from diarrhœal diseases; there were also registered at this age-period 2 deaths from enteritis and 4 from *gastro-enteritis*. Influenza caused 2 deaths. In the three preceding weeks, deaths from scarlet fever were 0, one, and 0; deaths from whooping-cough were 2, 2, and 2; deaths from enteric fever were 0, 3, and one; deaths from diarrhœal diseases were 27, 12, and 10; and deaths from influenza were 2, one, and one, respectively.

There were 12 deaths from broncho-pneumonia, one from lobar pneumonia, and 2 from *pneumonia* (not defined).

Deaths from all forms of tuberculous disease, which in the three preceding weeks numbered 29, 29, and 22, respectively, rose to 31 in the week under review, the latter comprising 2 deaths from tuberculous phthisis (*phthisis*), 3 from tuberculous meningitis, and 5 from other forms of tuberculous disease.

Three deaths were caused by carcinoma and 9 by cancer, malignant disease, (undefined).

The deaths of 3 infants, prematurely born, were recorded.

There were 10 deaths from diseases of the brain and nervous system.

Diseases of the heart and blood vessels caused 25 deaths, and bronchitis 13 deaths.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; both cases were of persons aged 60 years and upwards.

Fifty-six of the persons whose deaths were registered during the week were under 5 years of age (35 being infants under one year, of whom 10 were under one month old) and 47 were aged 60 years and upwards, including 27 persons aged 70 and upwards, of whom 5 were octogenarians, and one (a man) was stated to have been aged 93 years.

Seventy-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 21 took place in the North Dublin Union Workhouse and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week: deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·7 per 1,000; the rate in the City was 23 (North City Districts, 22·0; South 24·1) and in the Suburbs, 12·9.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·9 per 1,000 inhabitants, the rate for the City being 2·4 (2·0 in the North City Districts, and 2·8 in the South), and for the Suburbs, 0·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (10) are equal to an annual rate of 17·4 per 1,000 and include one death from whooping-cough, one from broncho-pneumonia, one from *phthisis*, and 3 from diseases of the respiratory system.

No. 1 *North City District, West* (Summer-hill).—The deaths (14) are equal to an annual rate of 18·3 per 1,000. There was one death from influenza, and there were 2 deaths from broncho-pneumonia, 2 from tuberculous disease and one from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (19) are equivalent to an annual rate of 32·2 per 1,000. Among them are 2 deaths from epidemic diarrhœa, 3 from broncho-pneumonia, 3 from tuberculous disease and one from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (17) represent an annual rate of 26·4 per 1,000. Enteric fever and *diarrhœa* each caused one death, tuberculous disease caused 4 deaths, and bronchitis, 2 deaths.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf, and Howth, No. 1, part of, 19·4 per 1,000 inhabitants; Coolock and Drumcondra, part of, 9·0; and Finglas and Glasnevin, part of, 20·3. Of the 2 deaths recorded for Clontarf and Howth No. 1, part of, one was from epidemic diarrhœa; and of the 2 deaths for Coolock and Drumcondra, part of, one was from *pneumonia* (not defined).

No. 1. *South City District* (South Earl-street).—The deaths (16) represent an annual rate of 20·1 per 1,000, and include one death each from whooping-cough and *diarrhœa*, one from broncho pneumonia, one from *pneumonia* (not defined), 4 from tuberculous phthisis (*phthisis*), and 2 from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (12) are equal to an annual rate of 28·8 per 1,000. One death from *diarrhœa*, one from tuberculous phthisis and one from bronchitis were recorded.

No. 3 *South City District* (Peter-street).—The deaths (18) are equal to an annual rate of 21·7 per 1,000. One of the deaths was from whooping-cough, and there were 2 deaths from broncho-pneumonia, and 4 from tuberculous disease.

No. 4 *South City District* (Grand Canal-street).—The deaths (19) are equivalent to an annual rate of 27·6 per 1,000. Among them are one death each from whooping-cough, enteric fever, and influenza, 2 from diarrhœal diseases, one death each from lobar pneumonia and broncho-pneumonia and 3 from bronchitis.

New Kilmainham District.—The deaths (5) are equal to an annual rate of 28·7 per 1,000. One of the deaths was from tuberculous meningitis, and one from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 7·0; Pembroke, 16·2; Blackrock, 34·7; and Kingstown, 8·9. The only death from any of the principal epidemic diseases tabulated for these districts was one from whooping-cough for Blackrock. Of the 5 deaths from all causes for Rathmines and Rathgar 2 were from tuberculous disease; the 9 deaths from all causes for Pembroke included one from bronchopneumonia and 3 from tuberculous disease; among the 6 deaths from all causes for Blackrock were 2 from tuberculous phthisis; and of the 3 deaths from all causes for Kingstown one was from broncho-pneumonia.

* See note (*c*) Table II. † See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 9," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly nished by :—

ir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin : Mr. Fawcett ecutive Sanitary Officer for Rathmines and Rathgar Urban District : Mr. Manly, Executive Sanitary Officer for mbroke Urban District : Mr. Heron, Executive Sanitary Officer for Blackrock Urban District : by Dr. R. A. Donovan, Medical Superintendent Officer of Health for Kingstown Urban District ; and by Dr. Bailie, Medical perintendent Officer of Health for the City of Belfast.

BLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 22nd October, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Oct. 1,	.	—	—	16	.	.	6	.	2	9	13	.	—	—	.	—	11	—	57
	Oct. 8,	.	—	—	12	.	.	12	.	2	12	9	.	—	—	.	—	9	—	56
	Oct. 15,	.	—	—	10	.	.	14	.	3	4	7	.	—	—	.	—	8	—	46
	Oct. 22,	.	—	—	21	3	.	20	.	.	6	12	.	—	—	.	—	21	—	83
Rathmines and Rathgar Urban District.	Oct. 1,	.	—	—	3	.	.	3	.	.	.	.	.	—	—	—	—	—	—	6
	Oct. 8,	.	—	—	2	.	.	.	.	.	.	2	.	—	—	—	—	—	—	2
	Oct. 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	Oct. 22,	.	—	—	3	.	.	1	.	.	1	.	.	—	—	—	—	—	—	5
Pembroke Urban District.	Oct. 1,	.	.	1	.	.	.	1	.	.	.	1	.	—	—	.	—	.	—	3
	Oct. 8,	.	.	.	.	.	.	.	.	.	.	2	1	—	1	.	—	.	—	4
	Oct. 15,	.	.	.	1	.	.	2	.	.	.	.	.	—	.	.	—	.	—	3
	Oct. 22,	.	4	.	1	.	.	.	.	.	2	.	.	—	5	.	—	.	—	12
Blackrock Urban District.	Oct. 1,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Oct. 8,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	.	—	—	—	1
	Oct. 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Oct. 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Oct. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Oct. 8,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	1	—	2
	Oct. 15,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	1	—	2
	Oct. 22,	.	—	—	.	.	.	3	.	.	.	1	.	—	—	—	—	.	—	4
City of Belfast.	Oct. 1,	.	—	—	17	.	.	6	.	.	1	2	1	—	—	—	—	11	—	38
	Oct. 8,	.	—	—	22	.	.	8	.	.	3	3	.	—	—	—	—	13	—	49
	Oct. 15,	.	—	—	16	.	.	6	.	.	3	7	.	—	—	—	—	5	—	37
	Oct. 22,	.	—	—	18	.	.	8	.	1	3	4	.	—	—	—	—	3	—	37

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 22nd October, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Five cases of measles were admitted to hospital during the week, 2 were discharged, and 12 cases remained under treatment at its close.

Nineteen cases of scarlet fever were admitted to hospital, 17 were discharged, and 84* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 73, 80, and 82, respectively.

Two cases of typhus were admitted to hospital during the week, and 3 cases remained under treatment at its close.

Twenty-four cases of diphtheria were admitted to hospital, 15 were discharged, and 38 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 45, 54, and 59, respectively.

Eight cases of enteric fever were admitted to hospital during the week, 9 were discharged, and 40 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 49, 47, and 41.

In addition to the above named diseases, 4 cases of pneumonia were admitted to hospital, 5 were discharged, there was one death, and 16 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns, including London (in which the rate was 12·6) was equal to an average annual death-rate of 13·0 per 1,000 persons living ; the average rate for 8 principal towns of Scotland was 13·0 per 1,000, the rate for Glasgow being 12·8 and for Edinburgh 12·7.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 22nd October. From his Report it appears that of a total of 79 cases notified, 48 were scarlet fever, 14 phthisis, 14 diphtheria, 2 erysipelas, and one cerebro-spinal fever. Among the 428 cases of infectious diseases in hospital at the close of the week were 241 cases of scarlet fever, 85 of diphtheria, 48 of phthisis, 23 of measles, 10 of whooping cough, 8 of enteric fever, 4 of erysipelas, 2 of chicken-pox, one of puerperal fever, and one of cerebro-spinal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 22nd October, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 22ND OCTOBER, 1910.																									METEOROLOGY. (d)											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																						WEEK ENDING 22ND OCTOBER, 1910.				WEEK ENDING 15TH OCTOBER, 1910.				WEEK ENDING 8TH OCTOBER, 1910.			
	POPULATION.		DEATHS.			BIRTHS.	DEATHS.																					Air Temperature				Air Temperature				Air Temperature			
	Total.(a)	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10-18.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS, .	1,151,790	20·2	28·0	17·4	1·8	619	384	75	103	.	5	1	2	5	3	.	4	20	28	35	20	18	35	6	18	122	5	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—TOTAL, c.	402,928	29·3	31·6	20·7	1·9	244	160	34	47	.	.	.	.	5	.	.	2	8	15	19	8	9	16	.	2	64	2	c58·4	38·4	49·1	0·33	c58·4	31·9	48·2	0·14	c63·6	38·2	52·5	0·59
CITY of DUBLIN,	310,298	39·2	33·8	23·0	2·4	201	137	32	39	.	.	.	.	4	.	.	2	8	13	14	6	7	16	.	1	57	2	f58·2 g58·8	40·9 39·0	50·6 50·0	0·34 0·49	f58·5 g57·9	37·9 34·0	50·2 49·1	0·15 0·10	f63·8 g64·8	48·6 40·0	53·8 53·7	1·10 0·89
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	28·9	7·0	.	17	5	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	23·4	16·2	.	13	9	.	3	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,013	8·8	28·9	34·7	5·8	5	6	1	1	.	.	.	.	1	.	.	.	.	.	2	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	23·7	8·9	.	8	3	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.	59	40	51·5	0·28	58·0	40·0	51·2	0·11	63	44	54·7	0·73
URBAN DISTRICTS.																																							
BELFAST,	391,167	26·6	30·4	16·0	2·0	228	120	27	27	.	5	1	.	.	1	.	.	8	11	10	6	5	9	2	5	28	.	58·0	42·0	50·7	0·65	58·0	38·5	51·1	0·09	66·0	40·0	53·8	0·39
CORK,	76,122	33·6	19·9	15·8	1·4	29	28	.	7	.	.	.	.	.	1	.	.	1	1	1	2	1	4	1	2	9	1	57	44	51·4	0·21	61	44	51·5	0·65	64	48	55·2	0·48
LONDONDERRY,	43,477	20·1	26·4	8·4	2·4	22	7	2	2	.	.	.	.	.	.	.	2	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	12·3	5·5	.	9	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	61	38·2	49·3	0·26	59	35	49·3	0·31	64	44·5	54·2	0·26
WATERFORD,	26,769	16·7	29·2	29·2	.	15	15	2	3	.	.	.	.	.	.	.	.	.	.	2	1	1	1	1	1	5	2	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	13,426	2·5	3·9	23·3	.	1	6	3	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	58	42	51·4	0·31	60	39	50	0·19	67	46	57	0·87
DUNDALK	13,076	9·4	8·0	23·9	8·0	2	6	1	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	13,760	8·6	18·6	20·4	.	7	5	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	13,405	17·8	25·2	8·4	.	6	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	59·5	38·0	49·2	0·31	58·1	35·0	47·9	0·05	66·0	38·5	54·1	0·31
LURGAN,	11,782	13·8	35·4	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	59·5	38·0	49·2	0·31	58·1	35·0	47·9	0·05	66·0	38·5	54·1	0·31
LISBURN,	11,461	10·1	22·7	4·5	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	59·5	38·0	49·2	0·31	58·1	35·0	47·9	0·05	66·0	38·5	54·1	0·31
WEXFORD,	11,168	23·2	23·3	18·7	.	5	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,866	8·2	4·8	9·6	4·8	1	2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,870	8·7	19·2	9·6	9·6	4	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.	57·9	35·1	48·4	0·62	57·5	38·4	47·9	0·57	65·7	38·0	52·5	0·88
KILKENNY,	10,609	11·5	4·9	9·8	.	1	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	60	39	49·9	0·55	60	36	48·6	0·35	65	43	53·0	0·56
CLONMEL,	10,167	7·8	20·5	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,092	13·2	20·7	25·8	.	4	5	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	59·5	38·0	49·2	0·31	58·1	35·0	47·9	0·05	66·0	38·5	54·1	0·31
TRALEE,	9,867	16·6	42·3	63·4	.	8	12	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	28·6	17·2	5·7	5	3	1	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	58	40	50·4	0·84	58	41	49·9	0·13	65	45	54·8	0·66
QUEENSTOWN,	7,909	14·4	39·6	19·8	.	6	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	57	44	51·4	0·24	61	44	51·5	0·65	64	48	55·2	0·48
ARMAGH,	7,586	22·2	34·4	13·7	.	5	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	59·5	38·0	49·2	0·31	58·1	35·0	47·9	0·05	66·0	38·5	54·1	0·31

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910.

(b) Formerly described as "Simple Continued Fever."

(c) Exclusive of 14 deaths of persons (including one under one year old) admitted to hospital from localities outside the Area; of the 14 deaths one was from scarlet fever.

(d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases;

LE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 22nd October, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN REGISTRATION DISTRICTS IN											URBAN DISTRICTS OF						
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.										
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF & HOWTH NO. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3	SOUTH CITY NO. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	.	.	.	.	.	.	1	.	1	1	.	.	.	1	.	5	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Enteric Fever,	.	.	2	1	1	.	.	1	1	.	.	.	.	.	.	.	8	.
Diarrhœal Diseases,	.	.	3	.	.	1	.	2	.	2	2	.	1	.	1	.	15	.
Pneumonia,	1	2	2	3	.	.	.	4	1	2	.	.	1	2	2	.	19	4
Tuberculous Disease. } Phthisis,	1	1	1	1	.	.	.	.	.	2	.	1	1	1	.	.	8	.
} Other Forms,	.	1	.	1	.	.	.	1	.	1	2	.	.	1	1	.	9	3
Cancer, Malignant Disease,	.	2	1	.	.	.	1	1	4	2	3	1	1	1	.	.	17	1
Other General Diseases,																		
Total,	3	8	9	7	1	1	1	10	6	10	11	2	3	6	4	1	83	9
LOCAL DISEASES:																		
Nervous System,	.	1	1	.	.	.	.	.	2	2	1	1	.	.	.	.	8	2
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	2	1	3	5	.	.	.	2	2	1	1	1	2	2	2	1	25	.
Respiratory System,	3	1	1	2	1	.	1	2	1	3	2	1	.	.	.	.	16	1
Digestive System,	.	3	1	1	.	.	.	2	1	3	2	.	.	.	.	.	13	.
Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
idents of Childbirth,	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	2	1
eases of Locomotor System,	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
, Integumentary System,	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Total,	5	6	9	10	1	.	2	6	6	8	7	3	2	2	2	2	71	5
OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CAUSES ILL-DEFINED AND NOT SPECIFIED,	2	.	1	.	.	1	.	.	.	.	1	.	.	1	.	.	6	.
VIOLENT DEATHS,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
aths from all Causes	10	14	19	17	2	2	3	16	12	18	19	5	5	9	6	3	160	14
nual Rate of Mortality om all causes in every 1,000 the population.	17·4	18·3	32·2	26·4	19·4	9·0	20·3	20·1	28·8	21·7	27·6	28·7	7·0	16·2	34·7	8·9	20·7	.
	22·0							24·1					12·9					
	23·0																	
Death. Under 1 year,	.	3	5	2	1	.	.	3	5	6	4	3	1	.	1	.	34	1
1 and under 5 years,	2	2	1	.	.	.	.	4	3	3	2	.	1	2	1	.	21	.
5 „ 20 „	1	.	3	1	.	.	.	.	.	2	2	.	1	1	1	.	12	2
20 „ 40 „	.	3	1	6	.	.	1	3	1	2	2	.	.	1	1	.	20	6
40 „ 60 „	3	2	2	2	.	.	1	2	1	3	5	1	1	2	1	.	26	5
60 years and upwards,	4	4	7	6	1	2	2	4	2	2	4	1	1	3	1	3	47	.
mber of Uncertified Deaths,	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

blic Hospitals, Prisons, and Lunatic Asylums,	.	2	1	.	1	.	1	4	3	5	6	.	1	3	1	2	30	13
orkhouse Hospitals,	2	5	8	6	.	.	.	6	2	3	1	1	.	.	.	.	34	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in the ing, week of the ten years 1900–1909

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Average in 42nd Week of the 10 years, 1900–1909.	In the Week ending Saturday, 22nd October, 1910.							
	Oct. 20, 1900.	Oct. 19, 1901.	Oct. 18, 1902.	Oct. 24, 1903.	Oct. 22, 1904.	Oct. 21, 1905.	Oct. 20, 1906.	Oct. 19, 1907.	Oct. 17, 1908.	Oct. 23, 1909.		Deaths of Persons of the Ages of							
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 46·4	° 46·5	° 49·4	° 48·8	° 53·9	° 40·0	° 45·5	° 47·0	° 55·7	° 51·1	° 48·4	° 49·1								
ALL CAUSES.	168	150	200	164	191	143	166	164	134	124	160·4	174	10	25	21	14	26	31	41	6
Small-pox,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cowpox,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles (Morbilli),	·	·	19	·	6	·	·	·	2	·	2·7	·	·	·	·	·	·	·	·	·
Scarlet Fever,	·	·	2	·	·	·	2	1	1	1	·7	1	·	·	·	1	·	·	·	·
Typhus,	·	·	·	·	·	·	·	·	·	1	·1	·	·	·	·	·	·	·	·	·
Plague,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza,	·	·	4	·	1	·	1	1	2	·	·9	2	·	·	·	·	·	1	1	·
Whooping-cough,	2	1	1	1	·	1	2	2	1	1	1·2	5	·	3	2	·	·	·	·	·
Diphtheria,	3	1	1	·	1	2	2	·	1	·	1·1	·	·	·	·	·	·	·	·	·
Cerebro-spinal Fever,	·	·	·	1	·	·	·	1	·	·	·2	·	·	·	·	·	·	·	·	·
Pyrexia † (origin uncertain),	1	·	·	·	·	·	·	·	1	·	·2	·	·	·	·	·	·	·	·	·
Enteric Fever,	4	3	1	4	·	4	4	1	2	·	2·3	2	·	·	·	1	1	·	·	·
Asiatic Cholera,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Epidemic Diarrhœa (Infective Enteritis.),	9	5	4	1	4	·	2	6	3	·	7·9	4	·	3	1	·	·	·	·	·
Diarrhœa, Dysentery,			7	7	7	1	10	9	2	2		4	·	2	2	·	·	·	·	·
Tetanus,	·	·	·	1	·	1	·	·	·	·	·2	·	·	·	·	·	·	·	·	·
Rabies, Hydrophobia,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Glanders,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Anthrax (Splenic Fever),	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Venereal Disease,	·	1	·	·	1	·	·	1	1	·	·4	1	1	·	·	·	·	·	·	·
Puerperal Septicæmia,	·	·	·	·	·	·	·	·	·	·	·1	·	·	·	·	·	·	·	·	·
Puerperal Pyæmia, *Puerperal Fever*,			·	·	1	·	·	·	·	·		·	·	·	·	·	·	·	·	·
Infective Endocarditis	·	·	·	·	·	·	·	1	·	·	·1	·	·	·	·	·	·	·	·	·
Pneumonia, Lobar,	7	6	5	2	3 8	2	4 5	11	1 2	5	9·2	1 12	·	4	3	1 ·	2	·	3	·
Pneumonia, Broncho-Epidemic			·	·	·	·	·	·	·	·		·	·	·	·	·	·	·	·	·
Pneumonia, Not defined,			7	2	3	4	8	3	2	2		2	·	·	1	·	·	·	1	·
Erysipelas,	·	1	·	·	1	·	1	·	1	·	·4	·	·	·	·	·	·	·	·	·
Septicæmia (not Puerperal)) Pyæmia (not Puerperal),	1	·	·	·	1	1	·	·	·	1	·4	·	·	·	·	·	·	·	·	·
Other Infective Conditions,	·	·	·	1	·	2	1	·	·	1	·5	1	·	·	·	·	·	·	1	·
Tuberculous Phthisis,	23	20	18	7 12	6 19	2 16	12 9	13 12	14 11	16 9	21·9	13 10	·	·	1 ·	2	7 5	3 3	·	·
"*Phthisis*,"																2				
Tuberculous Meningitis,	2	1	3	3	3	2	2	1	3	3	2·3	3	·	2	1	·	·	·	·	·
Tuberculous Peritonitis,	4	5	2	1	1	·	1	1	·	·	1·9	·	·	·	·	·	·	·	·	·
Tabes Mesenterica,			·	2	1	·	·	1	·	·		·	·	·	·	·	·	·	·	·
Tuberculous Dis. (other),	5	5	2	4	6	5	2	4	6	1	4·1	5	·	1	2	2	·	·	·	·
Scrofula,			1	·	·	·	·	·	·	·		·	·	·	·	·	·	·	·	·
Alcoholism,	1	·	·	1	1	·	·	·	·	·	·3	1	·	·	·	·	1	·	·	·
Rheumatic Fever,	·	·	·	·	·	1	·	1	1	·	·3	·	·	·	·	·	·	·	·	·
Gout,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Carcinoma,	7	4	2	1	1	4	2	·	2	2	5·8	3	·	·	·	·	·	2	1	·
Sarcoma,			·	·	·	1	1	·	·	·		·	·	·	·	·	2	3	4	·
Cancer (undefined)			5	6	5	5	4	4	1	1		9	·	·	·	·	·	·	·	·
Diabetes Mellitus,	·	·	·	·	1	1	·	·	·	·	·2	1	·	·	·	·	1	·	·	·
Premature Birth,	4	3	1	3	9	2	11	5	3	6	4·7	3	3	·	·	·	·	·	·	·

* The figures for the year 1900 are for
† Formerly described as

ORTY-SECOND WEEK ending Saturday, 22nd October, 1910, with the deaths from each cause in the correspond-d the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 42nd Week of the 10 years 1900-1909.	In the Week ending Saturday, 22nd October, 1910.								
												Deaths of Persons of the Ages of								
	Oct. 30, 1900.	Oct. 19, 1901.	Oct. 18, 1902.	Oct. 24, 1903.	Oct. 22, 1904.	Oct. 21, 1905.	Oct. 20, 1906.	Oct. 19, 1907.	Oct. 17, 1908.	Oct. 23, 1909.		All Ages.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 46·4	° 46·5	° 49·4	° 48·8	° 53·9	° 40·0	° 45·5	° 47·0	° 55·7	° 51·1	° 48·4	° 49·1								
Meningitis (not tuberc.)			3	2	1	1	1	4	3	4		1	.	.	1	.	.	.	.	.
Insanity, G. P. of Insane			1	3	4	.	.	3	1	.		1	.	.	.	.	.	.	1	.
Epilepsy			1	.	.	.	.	.	2	1		.	.	.	.	.	.	.	.	.
Convulsions			11	11	8	.	5	7	8	2		1	.	.	1	.	.	.	.	.
Locomotor Ataxy			.	.	.	.	.	1	.	.		1	.	.	.	.	.	1	.	.
Paraplegia Dis. of Cord			.	.	1		2	.	2	.		2	.	.	.	.	.	1	1	.
Nervous System (other Dis.)			1	.	2	.	2	.	1	3		4	.	.	.	1	.	2	1	.
	29	46									34·7									
Valv. Dis., Endocarditis			4	8	2	7	7	3	7	5		7	.	.	.	1	5	1	.	
Cerebr. Hæm. Thromb.			1		8	5	3	2	2	2		4	.	.	.	.	.	3	1	
Apoplexy, Hemiplegia			4	2	4	2	2	3	2	3		1	.	.	.	.	.	1	.	
Aneurysm			.	1	1	.	.	2	.	.		.	.	.	.	.	.	.	.	
Embolism, Thromb. (not cerebral)			1	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
Heart and Blood Vessels (other Dis.)			10	5	8	15	12	9	9	2		13	.	.	.	1	2	8	2	
Croup (not Spasm. nor Memb.)	2	1	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Bronchitis	24	14	27	19	19	15	14	9	10	8	15·9	13	.	2	3	.	.	3	5	.
Asthma, Emphysema			.	.	.	.	.	.	1	1	1·8	.	.	.	.	.	.	.	.	.
Pleurisy	.	.	.	.	.	1	1	.	.	.		.	.	.	.	.	.	.	.	.
Respiratory Dis. (other)			3	4	.	2	1	3	.	2		4	1	.	.	.	.	1	2	.
Tonsillitis, Quinsy	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.)	.	.	3	1	1	2	1	8	3	1	3·6	2	.	2	.	.	.	.	.	.
Gastro-enteritis			3	2	2	.	2	2	2	3		4	.	2	2	.	.	.	.	.
Peritonitis (not Puerp.)	1	.	1	2	.	.	.	1	.	.	·5	1	.	.	.	1	.	.	.	.
Cirrhosis of Liver	7	.	1	.	1	2	1	1	.	1	2·3	2	2	.	.	.	.	.	.	.
Liver Dis. (other)			.	1	4	1	.	.	2											
Digestive Dis. (other)	4	7	5	6	9	8	5	3	6	5	5·8	4	.	1	1	1	.	1	.	.
Nephritis, Acute			1	2	3	1	1	.	1	2	4·5	1	.	.	.	.	1	.	.	.
Bright's Dis., Albuminuria	4	5	2	4	1	1	2	4	2	1		2	.	.	.	.	.	1	1	.
Urinary Sys. (other Dis.)			1	3	.	2	2	.	.	.		.	.	.	.	.	.	.	.	.
Generative Organs Dis.	.	.	.	.	.	1	.	1	.	.	·3	1	.	.	.	.	2	1	.	1
Childbirth (Accid. of)	1	.	.	.	.		.		.	.		3	.	.	.	.			.	.
Old Age	12	11	6	7	1	3	1	4	.	4	4·9	6	.	.	.	.	.	4	2	
Other Diseases	9	6	19	12	17	9	12	10	6	11	11·1	13	3	2	1	3	1	1	2	.
ACCIDENT.																				
By Railways	2	.	.	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
By Vehicles and Horses	.	.	.	2	.	.	.	2	.	1	·5	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
In Building Operations	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
In Conflagrations	.	.	.	.	.	.	1	2	.	1	·7	.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	.	2	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
By Drowning	.	.	.	1		.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Suffocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident	.	2	4	4	2	6	3	1	.	2	2·4	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

he Registration Area as then constituted.
' Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910—Week ending																								
	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3,	Sept. 10	Sept. 17.	Sept. 24.	Oct 1.	Oct. 8.	Oct. 15.	Oct. 22.
No. of weeks in Annual Series,	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
BIRTHS registered.	246	230	241	181	242	253	268	272	183	228	229	272	225	243	198	209	240	194	228	260	285	292	196	219	161	244
*Average Births in corresponding week of previous 10 years,** ..	195	270	227	211	202	232	222	199	225	237	200	198	204	215	221	202	219	218	207	232	203	200	252	192*	184	209
DEATHS registered, ...	193	186	180	131	160	185	183	140	130	127	148	118	144	127	145	143	126	146	130	141	153	174	164	160	151	174
Annual Death-rate per 1,000, ..	25·0	17·6	23·3	17·0	20·7	17·5	17·2	18·1	16·8	16·4	18·5	15·3	18·6	16·4	18·8	18·5	16·3	18·9	16·5	18·2	19·8	22·5	21·2	20·7	19·5	22·5
*Average Deaths in corresponding week of previous 10 years,**	189	184	178	174	171	157	154	152	147	136	138	142	146	147	146	148	156	166	159	157	154	167	160	158	156	160
AGES, Under 5 years, ...	46	36	38	37	39	31	37	25	27	31	50	29	48	31	31	54	37	57	42	38	59	70	60	58	41	56
5—20 ,, ...	18	6	16	7	10	13	10	12	9	11	11	10	8	13	17	8	6	9	3	16	8	9	11	7	7	14
20—40 ,, ...	29	26	34	20	25	26	22	27	32	23	24	17	17	13	27	28	23	18	18	19	22	19	16	22	25	26
40—60 ,, ...	43	25	32	28	40	27	29	35	32	23	25	27	29	30	30	28	32	27	28	33	30	32	38	38	27	31
60—80 ,, ...	46	40	50	36	42	33	28	38	28	33	28	34	34	33	35	26	24	33	26	33	30	42	37	28	39	41
80 years and upwards, ..	11	3	10	3	4	5	7	3	2	6	10	1	8	2	5	4	4	7	8	2	4	2	7	7	9	6
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	1	1	.	.	1	.	1	.	.	1	.	.	.	.	.	3	.	1	.	.
Scarlet Fever, ...	.	.	1	1	.	2	.	.	.	1	.	1	3	3	1	1	1	2	1	1	2	.	.	1	.	1
Typhus, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	1	1	1	1	.	2	1	2	1	3	.	1	1	.	3	3	2	.	1	3	2	1	2	2	2	5
Diphtheria, ...	.	.	.	.	.	.	.	.	.	1	2	1	.	5	1	.	2	1	.	2	3	2	2	1	1	.
Pyrexia † (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	2	1	3	.	1	.	.	2	.	.	.	1	2	2	.	.	2	.	1	1	1	1	.	3	1	2
Diarrhœal Diseases, ...	1	2	1	5	2	1	3	1	1	1	6	3	5	.	2	14	6	17	12	11	21	22	27	12	10	8
Influenza, ...	3	1	3	2	.	.	.	1	.	2	.	.	1	.	1	.	1	.	.	.	1	1	2	1	1	2
Pneumonia, ...	17	8	14	13	8	8	10	7	10	3	8	7	9	5	7	8	7	6	5	6	10	4	6	5	11	15
Tuberculous Phthisis,	25	14	31	15	14	17	15	22	24	23	11	19	11	17	24	14	17	12	17	23	15	19	18	17	14	23
Disease, Other Forms, ..	12	11	9	9	11	15	7	15	10	14	7	8	3	9	10	15	7	5	5	13	9	8	11	12	8	8
Cancer, Malignant Disease, ..	11	6	10	3	10	10	6	7	10	10	8	5	11	10	8	8	9	10	8	9	7	9	11	12	11	12
Diseases of Heart and Blood Vessels, ...	31	21	25	20	29	21	21	25	16	23	26	17	23	23	23	20	16	20	17	23	19	24	30	20	24	25
Diseases of Respiratory System,	25	17	27	16	18	18	17	11	15	7	11	18	14	12	10	8	10	11	6	10	10	20	12	16	17	17
Violent Deaths, ...	4	6	11	2	3	6	7	7	1	2	9	3	8	5	3	6	2	4	5	3	6	6	3	10	4	.
Number of Uncertified Deaths, ..	6	2	2	6	3	3	7	5	6	3	5	.	4	7	2	3	4	4	3	2	1	3	3	3	6	2
Mean Temperature of the Air (Phœnix Park), ...	43·6	46·1	44·7	51·4	55·1	50·6	57·8	56·4	58·1	54·7	55·5	57·1	53·9	57·8	56·5	59·2	53·8	58·6	57·2	54·8	52·0	50·4	54·2	52·5	48·2	49·1
Average Mean Temperature in corresponding week of previous 10 years, ...	46·6	46·9	48·5	48·6	50·5	53·9	53·3	53·7	55·3	56·6	57·6	58·9	60·6	59·8	58·8	58·2	57·7	56·5	56·1	54·4	53·1	53·8‡	53·7	52·2	50·6	48·4
Rainfall in inches, ...	·417	·670	·250	1·263	·135	·692	1·870	·010	1·291	1·730	·630	·000	·840	·355	·940	·205	1·175	·111	·194	150	·015	·015	·891	·535	·133	·383
Mean Humidity of the Air, complete Saturation 1·0	·82	·77	·81	·90	·83	·81	·92	·87	·92	·87	·88	·81	·81	·81	·84	·85	·81	·84	·88	·87	·91	·85	·89	·90	84	·92

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 22nd October, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 24 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 22ND OCTOBER, 1910.																										
			Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages.						Causes of Death.																		
					Under 5 Years	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS, ...	375,350	24·2	174	56	14	26	31	41	6	.	.	1	.	5	.	.	2	8	16	15	23	8	12	1	17	.	82	2
	CLASSES. **Deaths in Families of the—**																												
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	17·9	6	.	.	1	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	5	.
II.	MIDDLE CLASS, ...	87,188	16·7	28	6	3	7	4	6	2	.	.	.	.	.	.	.	1	1	2	1	5	1	4	.	1	.	14	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,428	16·5	35	12	2	3	7	9	2	.	.	.	.	2	.	.	.	1	3	5	2	2	2	.	5	.	15	1
IV.	GENERAL SERVICE CLASS, ...	154,279	23·7	70	32	6	8	11	12	1	.	.	1	.	3	.	.	1	4	9	6	11	5	3	1	6	.	29	1
V.	INMATES OF WORKHOUSES, ...	6,024	—	35	6	3	7	6	12	1	.	.	.	.	.	.	.	.	2	2	3	5	.	2	.	5	.	18	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	26·7	4	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	12·5	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
II.	MIDDLE CLASS.																												
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	1	.	2	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	1	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	14·2	6	1	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	3	.
	6. Clerks and Commercial Assistants, ..	30,482	15·4	9	2	2	2	.	2	1	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	19·3	10	2	1	3	.	3	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	6	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	10·6	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	9. Building and Furnishing Trades, ...	29,801	21·0	12	7	1	1	2	1	.	.	.	.	.	1	.	.	.	.	1	2	2	1	.	.	.	2	.	4	.
	10. Clothing Trades, ...	23,260	13·5	6	1	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	4	.
	11. Food Supply Trades, ...	9,242	22·6	4	2	1	.	.	1	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	1	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,852	12·0	7	.	.	.	3	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	4	1
	13. Petty Shopkeepers, ...	7,894	26·4	4	1	.	1	.	1	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	3	.
IV.	GENERAL SERVICE CLASS.																												
	14. Army, Police, Postal Delivery, and Prison Services, &c	18,425	42·7	11	5	1	1	2	1	1	.	.	.	.	.	.	.	.	.	.	2	1	2	1	.	.	.	5	1
	15. Domestic Servants, ...	86,608	8·5	6	1	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,890	21·7	6	2	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	2	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	27·3	47	24	4	6	6	7	.	.	.	1	.	2	.	.	1	4	8	3	8	2	2	1	4	.	19	.
V.	INMATES OF WORKHOUSES.																												
	18. Workhouse Inmates, ...	6,024	—	35	6	3	7	6	12	1	.	.	.	.	.	.	.	.	2	2	3	5	.	2	.	5	.	18	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From all Causes.	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From Diseases in Cols. 5–13.	Total Deaths.	NUMBER OF DEATHS FROM Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st., Nth.*) Pop. in 1910 (Est.) 29,908.	Sept. 3,	13·9	1·7	8	.	.	.	.	1	.	.	.	.	.	1	..	1	..	2	.
	,, 10,	17·4	1·7	10	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.
	,, 17,	15·7	1·7	9	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.
	,, 24,	24·4	.	14	.	.	.	.	.	.	.	.	.	.	3	.	1	2	.	1
	Oct. 1,	22·7	3·5	13	.	.	.	.	.	.	.	.	2	1	1	.	2	2	.	1
	,, 8,	19·2	5·2	11	.	.	1	.	.	.	.	.	2	.	.	.	.	3	2	1
	,, 15,	17·4	1·7	10	.	.	.	.	1	.	.	.	.	.	1	.	1	1	1	1
	,, 22,	17·4	1·7	10	.	.	.	.	1	.	.	.	.	1	1	.	.	3	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1910 (Est.) 39,974.	Sept. 3,	20·9	3·9	16	.	.	.	.	1	.	.	.	2	1	1	.	2	2	.	1
	,, 10,	28·5	1·3	18	.	.	.	.	.	.	.	1	.	1	3	1	.	2	.	.
	,, 17,	28·5	5·2	18	.	.	.	.	.	.	.	.	4	2	2	1	.	2	.	.
	,, 24,	20·9	5·2	16	.	.	.	.	.	1	.	.	3	.	1	.	.	3	.	.
	Oct. 1,	18·3	6·5	14	.	.	.	.	.	.	.	.	5	.	2	2	.	1	.	.
	,, 8,	28·7	5·2	23	.	.	.	.	.	.	.	1	3	.	4	1	3	3	2	.
	,, 15,	19·6	2·6	15	.	.	.	.	.	.	.	.	2	.	1	.	2	1	.	.
	,, 22,	18·3	.	14	.	.	.	.	.	.	.	.	.	3	1	1	2	1	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1910 (Est.) 30,744.	Sept. 3,	15·8	3·4	9	.	.	.	.	.	1	.	.	1	1	2	.	.	2	.	.
	,, 10,	17·0	.	10	.	.	.	.	.	.	.	.	.	.	1	1	1	3	.	.
	,, 17,	18·7	1·7	11	.	.	.	.	.	.	.	.	1	.	1	1	2	1	1	.
	,, 24,	27·1	10·2	16	.	.	.	.	.	.	.	1	5	.	2	.	.	4	.	.
	Oct. 1,	23·7	3·4	14	.	.	.	.	.	.	.	.	2	2	.	1	1	1	1	.
	,, 8,	22·0	5·1	13	.	.	.	.	.	.	.	.	3	1	2	1	.	.	.	.
	,, 15,	11·9	3·4	7	.	.	.	.	.	.	.	.	2	1	1	1	.	.	.	.
	,, 22,	32·2	3·4	19	.	.	.	.	.	.	.	.	2	3	2	1	.	1	.	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1910 (Est.) 33,559.	Sept. 3,	20·3	3·1	13	.	.	.	.	1	.	.	.	1	.	3	1	.	1	.	.
	,, 10,	14·0	.	9	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.
	,, 17,	18·6	3·1	12	.	.	.	.	.	.	.	.	2	1	4	.	.	.	2	.
	,, 24,	12·4	1·6	8	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.
	Oct. 1,	26·4	7·8	17	.	.	.	.	.	.	.	.	5	1	2	2	1	1	1	.
	,, 8,	23·3	3·1	15	.	.	.	.	.	1	.	.	3	.	2	2	3	.	1	1
	,, 15,	21·8	3·1	14	.	.	.	.	.	.	.	1	1	2	.	1	.	2	.	.
	,, 22,	26·4	3·1	17	.	.	.	.	.	.	.	1	1	.	3	1	1	2	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1910 (Est.) 41,476.	Sept. 3,	13·8	1·3	11	.	.	.	.	.	.	.	.	1	.	1	2	1	.	1	.
	,, 10,	17·6	2·5	14	.	.	.	.	.	.	.	.	2	1	3	.	1	1	1	.
	,, 17,	22·6	5·0	18	.	.	1	.	1	1	.	.	1	.	3	.	.	.	.	1
	,, 24,	31·4	3·8	25	.	2	.	.	.	.	.	.	1	.	8	3	.	4	.	1
	Oct. 1,	23·9	2·5	19	.	.	.	.	1	.	.	.	1	.	1	2	1	3	.	2
	,, 8,	28·9	2·5	23	.	1	.	.	1	.	.	.	.	.	2	.	.	2	3	.
	,, 15,	32·7	1·3	26	.	.	.	.	.	.	.	.	1	2	2	3	1	7	.	.
	,, 22,	20·1	2·5	16	.	.	.	.	1	.	.	.	1	2	4	.	1	2	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1910 (Est.) 21,754.	Sept. 3,	16·8	7·2	7	.	.	.	.	.	.	.	.	3	.	.	1	.	.	1	.
	,, 10,	19·2	4·8	8	.	.	.	.	1	.	.	.	1	.	3	1	.	1	.	.
	,, 17,	21·6	4·8	9	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.
	,, 24,	21·6	2·4	9	.	.	.	.	.	.	.	.	1	.	2	.	.	1	.	.
	Oct. 1,	21·6	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.
	,, 8,	12·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.
	,, 15,	24·0	2·4	10	.	.	.	.	.	1	.	.	.	.	1	1	1	1	.	.
	,, 22,	28·8	2·4	12	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	1
South City, No. 3. (*Office, Peter-street.*) Pop. in 1910 (Est.) 43,227.	Sept. 3,	18·1	1·2	15	.	.	.	.	.	.	.	.	1	1	1	.	1	1	1	1
	,, 10,	26·5	4·8	22	.	.	.	.	1	.	.	.	3	1	4	3	2	.	.	.
	,, 17,	22·2	3·6	19	.	.	.	.	.	.	.	.	3	1	2	3	1	2	.	.
	,, 24,	31·4	6·0	26	.	1	.	.	.	.	.	.	4	.	2	2	1	3	.	.
	Oct. 1,	18·1	4·8	15	.	.	.	.	1	.	.	.	3	.	2	1	.	.	.	.
	,, 8,	19·3	.	16	.	.	.	.	.	.	.	.	.	1	3	3	.	2	.	.
	,, 15,	30·2	2·4	25	.	.	.	.	.	.	.	.	2	3	2	2	1	3	1	2
	,, 22,	21·7	1·2	18	.	.	.	.	1	.	.	.	.	2	2	2	1	.	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1910 (Est.) 35,881.	Sept. 3,	17·4	4·4	12	.	.	.	.	.	1	.	.	3	.	4	.	1	.	1	1
	,, 10,	17·4	4·4	12	.	.	.	.	.	.	.	.	2	1	4	.	1	1	.	1
	,, 17,	14·5	2·9	10	.	.	.	.	.	.	.	.	2	.	1	.	2	1	2	.
	,, 24,	21·8	2·9	15	.	.	.	.	.	1	.	.	1	1	2	1	2	.	.	.
	Oct. 1,	33·4	5·8	23	.	.	.	.	.	1	.	.	3	.	4	2	1	1	.	1
	,, 8,	21·8	7·3	15	.	.	.	.	1	1	.	.	3	.	1	.	2	.	.	.
	,, 15,	7·3	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	,, 22,	27·6	5·8	19	.	.	.	.	.	.	.	1	2	2	.	.	2	3	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes	From Diseases in Cols. 5–13.	TOTAL DEATHS.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District.	Sept. 3,	12·7	1·4	9	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	1
	,, 10,	7·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	,, 17,	8·4	2·8	6	.	.	.	.	1	.	.	.	1	1	.	.	.	.	1	.
	,, 24,	14·1	1·4	10	.	.	.	.	1	.	.	.	.	1	.	.	1	1	.	1
	Oct. 1,	21·1	4·2	15	.	.	.	.	.	.	.	.	3	.	2	.	2	1	.	1
	,, 8,	14·1	1·4	10	.	.	.	.	.	.	.	1	.	1	1	2	1	1	1	.
Pop. in 1910 (Est.) 37,047.	,, 15,	16·9	1·4	12	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	2
	,, 22,	7·0	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
Pembroke Urban District.	Sept. 3,	1·8	1·8	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	,, 10,	9·0	1·8	5	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.
	,, 17,	23·4	1·8	13	.	.	.	.	.	.	.	.	1	1	.	2	1	1	1	.
	,, 24,	12·6	1·8	7	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.
	Oct. 1,	5·4	1·8	3	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.
Pop. in 1910 (Est.) 28,948.	,, 8,	7·2	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	,, 15,	18·0	1·8	10	.	.	.	.	1	.	.	.	.	1	1	.	1	.	.	1
	,, 22,	16·2	.	9	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.
Kingstown Urban District.	Sept. 3,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	,, 10,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	,, 17,	28·7	8·0	8	.	.	.	.	.	.	.	.	1	2	1	.	.	1	1	.
	,, 24,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	Oct. 1,	11·8	8·0	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
Pop. in 1910 (Est.) 17,622.	,, 8,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	,, 15,	8·0	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	,, 22,	8·9	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Belfast. Pop. in 1910 (Est.) 391,167.	Sept. 3,	16·1	2·1	121	.	.	.	.	.	.	.	.	16	8	11	9	5	9	2	2
	,, 10,	13·7	2·3	103	.	3	.	.	1	.	.	.	13	6	12	6	3	5	1	2
	,, 17,	15·5	2·4	116	.	1	.	.	1	1	.	.	15	7	14	13	10	5	1	2
	,, 24,	16·3	2·3	122	.	3	.	.	1	.	.	.	13	10	11	6	3	3	5	.
	Oct. 1,	14·0	1·6	105	.	1	.	.	3	.	.	1	7	7	17	7	5	11	2	1
	,, 8,	12·5	1·2	94	.	1	.	.	1	.	.	.	7	5	9	3	5	9	.	1
	,, 15,	16·3	1·3	122	.	3	.	.	1	2	.	1	8	11	17	8	7	16	.	1
	,, 22,	16·0	2·0	120	.	5	1	.	.	1	.	.	8	11	10	6	5	9	2	.
Cork. Pop. (in 1901) 76,122.	Sept. 3,	18·0	1·4	19	.	.	.	.	.	.	.	.	2	2	2	1	.	2	1	2
	,, 10,	12·0	1·4	12	.	.	.	.	.	.	.	.	2	.	3	.	1	.	1	1
	,, 17,	14·4	2·7	21	.	.	.	.	.	.	.	1	3	.	4	.	.	1	1	1
	,, 24,	16·4	2·7	24	.	.	.	.	.	.	.	.	4	1	5	2	1	1	1	.
	Oct. 1,	21·2	4·1	31	.	.	.	.	.	.	.	.	6	2	1	2	1	.	1	4
	,, 8,	22·6	3·4	33	.	.	.	.	1	.	.	.	4	1	1	.	2	2	1	1
	,, 15,	14·4	1·4	21	.	.	.	.	.	.	.	1	.	.	5	.	1	1	.	.
	,, 22,	15·8	1·4	28	.	.	.	.	.	1	.	.	1	1	1	2	1	4	1	1
Londonderry. Pop. in 1910 (Est.) 43,477.	Sept. 3,	14·4	7·2	12	.	.	.	.	.	.	.	1	5	.	1	.	.	.	.	1
	,, 10,	20·4	2·4	17	.	.	.	.	.	.	.	.	2	.	1	1	1	3	.	.
	,, 17,	18·0	1·2	5	.	.	.	.	.	.	.	.	1	.	3	.	1	4	.	2
	,, 24,	10·8	2·4	9	.	.	.	.	.	.	.	.	2	.	.	1	.	1	.	.
	Oct. 1,	21·6	2·4	18	.	1	.	.	.	.	.	.	1	1	.	1	.	1	.	.
	,, 8,	9·6	.	8	.	.	.	.	.	.	.	.	.	.	1	1	1	2	.	.
	,, 15,	14·4	.	12	.	.	.	.	.	.	.	.	.	1	1	3	1	1	.	.
	,, 22,	8·4	2·4	7	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.
Limerick. Pop. (in 1901) 38,151.	Sept. 3,	17·8	.	13	.	.	.	.	.	.	.	.	.	.	2	.	1	2	.	2
	,, 10,	17·8	.	13	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.	1
	,, 17,	9·6	1·4	7	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	1
	,, 24,	12·8	1·4	9	.	.	.	.	.	.	.	.	1	.	.	1	.	3	.	.
	Oct. 1,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	1
	,, 8,	9·6	1·4	7	.	.	.	.	.	1	.	.	.	.	3	.	1	.	.	.
	,, 15,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	3	.	.	3	.	2
	,, 22,	5·5	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Waterford. Pop. (in 1901) 26,769.	Sept. 3,	18·6	1·9	7	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.
	,, 10,	23·4	3·9	12	.	.	.	.	.	.	.	.	2	.	2	1	.	1	.	1
	,, 17,	19·5	5·8	10	.	.	.	1	.	.	.	.	2	.	1	.	1	1	.	.
	,, 24,	23·4	3·9	12	.	.	.	.	.	.	.	.	2	.	1	2	1	.	.	1
	Oct. 1,	18·6	1·9	7	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	.
	,, 8,	19·5	3·9	10	.	.	.	.	.	.	.	.	2	.	1	.	2	.	1	2
	,, 15,	21·4	3·9	11	.	.	.	.	.	.	.	.	2	.	2	.	.	1	.	2
	,, 22,	29·2	.	15	.	.	.	.	.	.	.	.	.	.	2	1	1	1	1	2

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 22nd October, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS																										
			Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.						DEATHS FROM																	
			All Causes.	Diseases in Cols. 12-20.		Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia† (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	4	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		12			5	.	2	1	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
Do. 2 do.		20			18	4	5	2	1	2	4	.	3	.	.	.	.	.	.	2	1	2	.	.	5	.	.	5	.
Do. 3 do.		49			13	3	1	.	1	3	5	.	.	.	.	.	.	.	.	1	3	1	.	2	.	.	.	2	.
Do. 4 do.		22			8	.	.	1	.	1	6	.	.	.	.	.	.	.	.	.	1	.	1	1	2	1	1	3	.
Do. 5 do.		9			8	4	.	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	3	.
Do. 6 do.		14			8	1	.	.	.	4	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.
Do 7 do.		3			3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.
Do 8 do.	349,180	3			5	2	2	1	.	.	.	.	1	.	.	.	.	.	.	1	1	1	.	.	.	.	.	1	.
Do. 9 do.		14			4	3	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
Do 10 do.		27			8	.	1	.	5	2	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	.	.	.
Do. 11 do.		14			12	.	3	1	4	3	1	.	.	1	.	.	1	.	.	1	2	2	.	.	.	1	1	5	.
Do. 12 do.		16			13	6	2	1	1	2	1	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	3	.
Do. 13 do.		10			7	2	.	1	.	2	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15* do.		15			8	1	.	.	3	1	3	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	1	.
Total, ...	—	228			120	27	16	9	18	13	27	.	5	1	.	.	1	.	.	8	11	10	6	5	9	2	5	28	.
City of Cork.																													
CORK URBAN No. 1 DISTRICT,	12,867	1	12·2	.	3	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.
Do. 2 do.	10,701	3	24·4	9·7	5	.	2	.	1	2	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	.	3	.
Do. 3 do.	9,978	3	5·2	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.
Do. 4 do.	8,666	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 do.	6,692	2	28·7	.	3	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 6 do.	10,702	5	19·5	.	4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Do. 7 do.	16,616	6	22·0	.	7	.	2	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	4	.	.	2	1
Total, ...	76,122	29	15·8	1·4	23	.	4	1	5	6	7	.	.	.	.	.	1	.	.	1	1	1	2	1	4	1	2	9	1

The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901 and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.

* New district formed as from 1st Jan., 1910, and the boundaries of Nos. 1, 4 & 6 districts altered; the population of each of these districts, as at present constituted, is not available.

† Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910—Week ending																								
	Apr. 30.	May 7.	May 14	May 21	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.
No. of weeks in annual Series, ..	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
BIRTHS registered, ...	263	235	214	169	264	215	193	231	202	213	199	259	239	214	179	219	210	159	219	190	264	194	172	200	205	228
DEATHS registered, ...	178	167	170	177	176	166	148	188	157	137	145	136	117	135	115	102	124	131	121	108	116	122	105	94	122	120
Annual Death rate per 1,000 of estimated Population, ...	23·1	22·3	22·7	23·6	23·5	22·1	19·7	24·4	20·9	18·3	19·3	18·1	15·6	18·0	15·3	13·6	16·5	17·5	16·1	13·7	15·5	16·3	14·0	12·5	16·3	16·0
AGES — Under 1 year, ...	33	31	29	30	37	37	20	44	33	24	34	26	25	35	27	27	35	49	30	28	23	29	25	31	27	27
AGES — 1-5 years, ...	20	36	35	47	43	45	54	47	45	33	29	32	23	23	19	6	17	14	15	14	13	11	14	6	14	16
AGES — 5-20 years, ...	21	12	15	15	15	14	12	15	16	13	12	7	17	10	7	7	9	11	11	4	16	6	11	8	17	9
AGES — 20-40 years, ...	24	25	30	28	26	26	25	20	17	18	25	20	19	14	15	22	19	18	9	16	12	23	17	8	15	18
AGES — 40-60 years, ...	41	30	30	29	28	27	16	23	20	21	20	25	17	25	21	22	21	19	26	20	22	18	20	21	22	23
AGES — 60 years and upwards, ..	34	33	31	28	27	17	21	34	26	28	25	26	16	28	26	18	23	20	30	21	30	25	18	20	27	27
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	20	19	23	44	33	38	38	49	36	25	24	20	21	8	7	4	7	3	.	3	1	3	1	1	3	5
Scarlet Fever, ...	.	.	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	4	4	6	4	5	7	5	4	1	1	2	1	1	.	2	1	1	5	.	1	1	1	3	1	1	.
Diphtheria, ...	1	.	1	.	1	.	1	2	.	.	.	1	1	1	.	.	.	.	.	.	1	.	.	.	2	1
*Pyrexia** (origin uncertain), ..	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	.	.	1	.	.	.	1	.	1	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases, ...	1	2	.	.	2	3	1	4	3	1	5	2	5	6	10	14	22	29	16	13	15	13	7	7	3	8
Pneumonia, ...	14	15	26	22	21	18	13	17	17	11	14	17	5	8	3	4	5	10	8	6	7	10	7	5	11	11
Tuberculous Disease, Phthisis, ..	22	20	24	29	14	21	19	24	22	11	11	9	16	15	13	13	16	10	11	12	14	11	17	9	17	10
Tuberculous Disease, Other Forms, ..	9	6	4	6	13	8	5	3	9	8	9	11	5	7	7	8	9	5	9	6	13	6	7	3	8	6
Cancer, Malignant Disease, ..	6	8	8	7	3	4	4	6	4	9	3	6	9	7	3	7	3	4	5	8	10	8	5	5	7	5
Diseases of Respiratory System,	15	21	14	17	14	18	17	14	16	7	7	15	6	16	10	5	8	8	9	5	5	8	11	9	16	9
Violent Deaths, ...	4	3	4	1	1	5	1	.	4	.	4	2	.	1	1	6	.	3	2	1	1	5	2	.	.	2
Number of Uncertified Deaths, ..	3	1	2	1	.	3	1	2	.	2	3	3	3	1	2	1	2	.	2	2	2	.	1	1	1	.

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	Oct. 22,	2,227	1,176	12·6	.	33	4	11	7	9*a*	69
EDINBURGH, ...	360,276	„ 22,	125	88	12·7	.	.	.	.	.	.	4
GLASGOW, ...	884,505	„ 22,	411	217*c*	12·8	.	.	.	4	2	.	10
CALCUTTA, ...	1,009,008	Sept. 17,	.	416	21·4	1	1	.	.	1	89‡	58*
BOMBAY, ...	977,822	„ 20,	395	640	34·0	.	2	.	.	.	72‡	71*
MADRAS, ...	509,346	„ 2,	463	453	46·2	3	1	?	?	?	108	94*
CAIRO, ...	682,953	„ 9,	.	.	.	.	.	.	.	.	.	.
PARIS, ...	2,760,000	„ 17,	927	716	13·6	.	4	1	3†	2	5*a*	44*b*
BRUSSELS, ...	720,030	Oct. 1,	238	199	14·4	.	.	1	.	4	9	21
ANTWERP, ...	317,171	„ 1,	135	66	10·8	1	.	.	1†	.	.	21*b*
AMSTERDAM, ...	572,074	„ 1,	257	133	12·1	.	.	.	1†	.	.	4*b*
COPENHAGEN, ...	450,000	„ 1,	239	109	12·6	.	.	1	.	.	.	14
STOCKHOLM, ...	341,816	„ 1,	162	84	12·8	.	.	1	2†	1	.	4
CHRISTIANIA, ...	240,178	„ 8,	116	49	10·6	.	1	.	1†	.	.	2
ST. PETERSBURG, ...	1,620,000	Sept. 17,	1,094	643	20·7	4	3	8	7	.	8*a*	176*
MOSCOW, ...	1,493,600	„ 10,	.	682	23·8	1	6	15	19†	7	5*a*	175*
BERLIN, ...	2,125,294	„ 24,	843	528	13·0	.	1	5	10†	4	2*a*	52
HAMBURG, ...	895,804	Oct. 1,	.	261	15·2	.	.	1	13†	1	.	35
BRESLAU, ...	510,664	„ 1,	.	158	16·1	.	.	1	.	3	2*a*	16
MUNICH, ...	576,000	„ 8,	.	162	14·6	.	.	.	3†	.	.	19
VIENNA (with suburbs),	2,107,981	„ 1,	345	579	14·3	.	2	3	5†	3	2*a*	58
BUDA-PESTH, ...	333,703	„ 1,	418	312	19·4	.	1	7	3†	1	12*a*	19*b*
PRAGUE and Faubourgs.	497,905	Sept. 17,	222	133	13·9	.	.	1	1†	.	1*a*	3*b*
TRIESTE, ...	221,124	„ 24,	137	76	17·9	.	.	1	.	2	.	11*b*
ROME, ...	590,113	Aug. 13,	241	177	15·6	.	5	1	1	2	3*a*	25
VENICE, ...	183,224	„ 20,	.	.	.	.	.	.	.	.	.	.
NEW YORK, ...	4,803,264	Sept. 24,	2,261	1,302	14·1	.	6	4	19†	5	11*a*	165*b*
PHILADELPHIA, ...	1,500,595	„ 3,	.	449	14·6	.	1	3	7†	7	4*a*	82
BOSTON, ...	670,585	Oct. 1,	.	218	16·9	.	.	.	2	.	4*a*	31

* Including 15 deaths from cholera in Calcutta, 3 in Bombay, 4 in Madras, 104 in St. Petersburg, and 5 in Moscow.
† Including deaths from croup.
‡ Including 8 deaths from plague in Calcutta, and 11 in Bombay.
a Enteric Fever.
b Deaths from diarrhœal diseases and from enteritis of children under two years of age.
c Including one death from cerebro-spinal meningitis.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 22nd October, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	.	.	.	1	.	.	1	.	.	.	1	3
" " 1, West,	.	.	.	.	1	.	.	1	1	.	.	3	6
" " 2,	.	3	.	.	1	.	.	.	.	.	.	3	7
" " 3,	.	3	.	.	3	.	.	.	1	.	.	1	8
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	1	1
Coolock and Drumcondra (part of),	.	4	.	.	1	.	.	.	1	.	.	.	6
Finglas and Glasnevin (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
South City No. 1,	.	2	3	.	3	.	.	1	7	.	.	11	27
" " 2,	.	.	.	.	1	.	.	2	.	.	.	.	3
" " 3,	.	2	.	.	6	.	.	.	.	.	.	.	8
" " 4,	.	5	.	.	3	.	.	1	2	.	.	1	12
New Kilmainham,	.	1	.	.	.	.	.	.	.	.	.	.	1
Total,	.	21	3	.	20	.	.	6	12	.	.	21	83

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 22nd October, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 22nd October.			
	Oct. 1.	Oct. 8.	Oct. 15.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	7	3	9	5	2	.	12
Scarlet Fever,	73	80	82	19	17	.	84*
Typhus,	.	.	1	2	.	.	3
Diphtheria,	45	54	59	24	15	.	68
Enteric Fever,	49	47	41	8	9	.	40
Pneumonia,	20	21	18	4	5	1	16

* Exclusive of 26 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 22nd October, 1910:—

"The atmosphere over north-western Europe was in a perturbed state during this week, and a series of depressions passed eastwards or north-eastwards across the British Isles. None of these systems was of any great depth, and so their accompanying cyclonic winds were not strong; but they kept the weather unsettled and rain fell at frequent intervals. The precipitation was particularly heavy in the south and south-east of England, especially on Thursday when a thunderstorm passed along the Kentish coasts, giving Dover 2·40 inches of rain, Folkestone 1·68 inches, and Dungeness 1·60 inches. Except on Tuesday, when one of the depressions above-mentioned passed eastwards across the north of Ireland, this country lay to the north of the track of the depressions, and so the wind blew from northerly points and temperature ran low from Wednesday to Saturday. Thursday was a particularly cold day in Dublin, and a shower of hail fell at 3.30 p.m. There was some recovery of temperature on Saturday after a calm, cold, foggy night on Friday. In the course of Thursday the thunderstorm depression over the English Channel and a primary system over the North Sea changed their path and passed south-eastwards across France and Germany, gradually dispersing at the same time. One reason for this apparently was the rapid development of an anticyclone of considerable intensity over Sweden and Norway, the barometer rising to 30·6 inches at Hernösand on Friday morning. Severe cold set in simultaneously, 9° Fahr. being recorded at Haparanda, on the Gulf of Bothnia, at 7 a.m. of Friday. In Dublin the mean atmospheric pressure was 29·918 inches, the range being from 30·084 inches at 9 a.m. of Sunday (wind, E.S.E.) to 29·674 inches at 9 p.m. of Tuesday (wind, W.S.W.). The corrected mean temperature was 50·6°, the mean dry bulb temperature at 9 a.m. and 9 p.m. being 49·6°. The screened thermometer rose to 58·2° on Tuesday and fell to 40·9° on Thursday. The prevalent winds were N.N.W. and E. Rain fell on 5 days to the amount of ·343 inch, of which ·172 inch was measured on Tuesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·748 inches. The highest reading (29·907) was on Sunday at 9 a.m., wind E.S.E., and the lowest (29·521) on Tuesday at 9 p.m., air calm.

The mean temperature for the week was 49·1°, being 0·7° above the average for the corresponding period of the 10 years, 1900-1909. The temperature was highest on Monday, on which day the thermometer registered 58·4°, and was lowest on Thursday, the mercury having fallen to 38·4°. The mean of the Dry Bulb for the week was 48·2° and of the Wet Bulb 46·9°. The mean humidity of the air was ·92, complete saturation being represented by 1·0. The rainfall during the week measured 0·333 inch.

At Greenwich the mean temperature for the week was 51·4°, the maximum 60·6°, and the minimum 42·3°; at Glasgow the maximum was 58·0°, the minimum 37·0°, and the mean 49·3°; and at Edinburgh the maximum was 56·1°, the minimum 37·8°, and the mean 48·1°. The rainfall at Greenwich measured 0·63 in.; at Glasgow 0·48 in.; and at Edinburgh 1·53 ins.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY.	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	THERMOMETER. Maximum.	Minimum.	Mean.	HYGROMETER. Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins		
Sunday, October 16,	29·869	55·8	47·9	51·9	51·4	50·8	·97	·0	0·0	·055	E.S.E.	Calm.
Monday, ,, 17,	29·833	58·4	47·6	53·0	51·3	50·3	·95	·4	5·2	·017	Calm.	Calm.
Tuesday, ,, 18,	29·572	57·7	42·7	50·2	50·2	49·3	·94	·7	0·8	·240	S.S.E.	Calm.
Wednesday, ,, 19,	29·652	55·0	41·5	48·3	46·1	44·0	·85	·5	3·7	·005	N.W.	W.N.W.
Thursday, ,, 20,	29·718	53·8	38·4	46·1	45·0	43·4	·88	·5	6·0	·016	W.N.W.	N.W.
Friday, ,, 21,	29·775	54·3	38·9	46·6	44·3	43·2	·93	·0	3·1	·000	Calm.	Calm.
Saturday, ,, 22,	29·815	55·1	39·4	47·3	45·0	47·4	·89	·5	4·7	·000	E.	Calm.
Mean, . . .	29·748	55·7	42·3	49·1	48·2	46·9	·92	·4	Total 23·5	Total ·333	—	

Sunday—Day overcast, drizzle at intervals; night overcast, drizzle a.m. *Monday*—Day cloudy; night clear. *Tuesday*—Day overcast to cloudy, light and heavy rain a.m. and p.m.; night overcast, drizzle a.m. *Wednesday*—Day cloudy, light rain a.m.; night clear, drizzle a.m. *Thursday*—Day cloudy, light rain p.m.; night cloudy. *Friday*—Day cloudy; night cloudy. *Saturday*—Day cloudy, fine; night clear.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, October 22nd, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Min.	Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, October 16,	54·1	51·8	54·0	57·8	49·0	53·4	0·5	·070
Monday, ,, 17,	54·8	52·1	53·9	58·5	50·4	54·5	3·9	·001
Tuesday, ,, 18,	56·2	52·3	53·7	59·4	46·0	52·5	1·0	·167
Wednesday, ,, 19,	50·9	52·0	53·5	56·9	43·5	50·2	2·0	·010
Thursday, ,, 20,	48·0	51·0	53·5	54·9	40·5	47·7	3·2	·046
Friday, ,, 21,	48·8	50·6	53·2	55·0	44·5	49·8	2·5	·002
Saturday, ,, 22,	54·5	50·8	53·2	56·1	45·1	50·6	5·5	—
Weekly Mean,	52·5	51·5	53·6	56·9	45·6	51·2	Total 18·6	Total ·296

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

29659. Wt. P. 272–22 1138, 375. 10. 1910. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 29TH OCTOBER, 1910. [No. 43.

General Register Office, Charlemont House, Dublin, 31st October, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 16·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending				Average Rate for 4 weeks.	TOWNS, &c.	Week ending				Average Rate for 4 weeks.
	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.			Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	
22 Town Districts.	**15·9**	**16·9**	**17·4**	**16·8**	**16·8**	Limerick, . . .	9·6	15·0	5·5	21·9	13·0
						Lisburn, . . .	18·2	9·1	4·5	18·2	12·5
Armagh, . . .	13·7	6·9	13·7	.	8·6	Londonderry, . .	9·6	14·4	8·4	21·6	13·5
Ballymena, . . .	14·4	14·4	9·6	23·9	15·6	Lurgan, . . .	13·3	8·9	.	8·9	7·8
Belfast, ...	12·5	16·3	16·0	15·3	15·0	Newry, ...	4·2	16·8	8·4	25·2	13·7
Clonmel, ...	20·5	41·0	.	35·9	24·3	Newtownards, . .	.	11·4	17·2	.	7·2
Cork, ...	22·6	14·4	15·8	17·1	17·5	Portadown, . .	10·3	31·0	25·8	31·0	24·5
Drogheda, . . .	8·2	4·1	20·4	8·2	10·2	Queenstown, . .	13·2	19·8	19·8	13·2	16·5
Dublin Reg. Area, .	19·5	18·9	20·7	16·6	18·9	Sligo, ...	4·8	9·6	9·6	19·2	10·8
Dundalk, . .	23·9	19·9	23·9	19·9	21·9	Tralee, ...	5·3	.	63·4	21·1	22·4
Galway, . . .	15·5	15·5	23·3	15·5	17·4	Waterford, . . .	19·5	21·4	29·2	13·6	20·9
Kilkenny, . . .	39·3	19·7	9·8	24·6	23·3	Wexford, . . .	23·3	18·7	18·7	32·7	23·3

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·5 per 1,000, the rates varying from 0·0 in thirteen of the districts to 20·7 in Portadown, the 6 deaths from all causes for that district including 3 from measles and one from whooping-cough. Among the 115 deaths from all causes for Belfast are one from whooping-cough, one from enteric fever, and 10 from diarrhœal diseases. Of the 25 deaths from all causes for Cork one is from enteric fever Two deaths from diarrhœa are among the 16 deaths from all causes for Limerick, and 2 deaths from diarrhœa are also included among the 7 deaths from all causes for Clonmel.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 182—90 boys and 92 girls—and the deaths to 139—63 males and 76 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 16·6 per

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a), Table II. ‡ See columns 10-18 of Table II.

1,000 of the population, the rate for the total deaths registered in the Area being 18·0 per 1,000. During the forty-three weeks, ending with Saturday last, the death-rate averaged 21·1, and was 2·8 below the mean rate for the corresponding portions of the ten years, 1900–9.

The total deaths from all causes include one death from each of scarlet fever, influenza, whooping-cough, and paratyphoid fever, 4 deaths from diphtheria,* and 4 deaths from diarrhœal diseases,* of this latter figure, 3 were of infants under one year of age; there were also 2 deaths of infants from enteritis.

In each of the three preceding weeks deaths from scarlet fever were one, 0, and one; deaths from influenza were one, one, and 2; deaths from whooping-cough were 2, 2, and 5; deaths from diphtheria were 2, one, and 0; deaths from enteric fever were 3, 1, and 2; and deaths from diarrhœal diseases were 12, 10, and 8.

The deaths from pneumonia (all forms) include one death from lobar pneumonia, 5 deaths from broncho-pneumonia, and 6 deaths from *pneumonia* (not defined).

Of 21 deaths from all forms of tuberculous disease, 17 were from tuberculous phthisis (*phthisis*), and there was one death from each of the following:—tuberculous meningitis, tuberculosis peritonitis, *tabes mesenterica*, and general tuberculosis. In the 3 preceding weeks deaths from all forms of tuberculous disease numbered 29, 22, and 31 respectively.

There were 4 deaths from carcinoma, and 5 from cancer, malignant disease (undefined).

Prematurity caused the deaths of 2 infants.

Three deaths of children under 5 years of age were ascribed to *convulsions*, one being under one month old, another between one month and one year, and one aged 3½ years.

Twenty-three deaths were attributed to diseases of the heart and blood vessels, and of 12 deaths from diseases of the respiratory organs 11 were caused by bronchitis.

Of 2 deaths from violence, one was by a motor car accident and one was by suffocation in bed of an infant.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year of age and the death of one person aged 77 years.

Forty of the persons whose deaths were registered during the week were under 5 years of age (27 being infants under one year, of whom 11 were under one month old) and 46 were aged 60 years and upwards, including 27 persons aged 70 and upwards, of whom 4 were octogenarians, and one (a man) was stated to have been aged 90 years.

Sixty-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 9 took place in the North Dublin Union Workhouse and 15 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 16·6 per 1,000; the rate in the City was 18·3 (North City Districts, 19·4; South 17·2) and in the Suburbs, 10·7.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·2 per 1,000 inhabitants, the rate for the City being 1·3 (1·3 in the North City Districts, and 1·4 in the South), and for the Suburbs, 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (10) are equal to an annual rate of 17·4 per 1,000, and include one death from influenza, 3 deaths from tuberculous phthisis (*phthisis*), 2 from bronchitis, and one death caused by a motor car accident.

No. 1 North City District, West (Summer-hill).—The deaths (17) are equal to an annual rate of 22·2 per 1,000. Among them are one death each from diphtheria and epidemic diarrhœa, one death from broncho-pneumonia, 3 deaths from tuberculous phthisis (*phthisis*), and 3 from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (9) are equivalent to an annual rate of 15·3 per 1,000. One of the deaths was due to *phthisis* and one, that of an infant, to suffocation in bed

No. 3 North City District (Benburb-street).—The deaths (19) represent an annual rate of 29·5 per 1,000. One death was caused by diphtheria, one by *pneumonia* (not defined), 3 were caused by *phthisis* and 2 by diseases of the respiratory system.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·4 per 1,000 inhabitants: Cooiock and Drumcondra, part of, 9·0: and Finglas and Glasnevin, part of, 0·0. Of the 2 deaths recorded for Clontarf and Howth No. 1, part of, one was from *pneumonia* (not defined).

No. 1 South City District (South Earl-street).—The deaths (12) represent an annual rate of 15·1 per 1,000. Of the deaths, one was from *diarrhœa*, 2 were from tuberculous phthisis (*phthisis*), and 2 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 24·0 per 1,000. Broncho-pneumonia, tuberculous disease, and bronchitis, each caused one death.

No. 3 South City District (Peter-street).—The deaths (19) are equal to an annual rate of 22·9 per 1,000, and include one death from whooping-cough, one from epidemic diarrhœa, one from lobar pneumonia, one from broncho-pneumonia, 4 from tuberculous disease, and one from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (9) are equivalent to an annual rate of 13·1 per 1,000. There was one death each from scarlet fever, broncho-pneumonia, *phthisis*, and bronchitis.

New Kilmainham District.—There were no deaths recorded for this district during the week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 14·1; Pembroke, 7·2; Blackrock, 11·6; and Kingstown, 8·9. The only death from any of the principal epidemic diseases tabulated for these districts was one from diphtheria for Rathmines and Rathgar, the 10 deaths from all causes for this district including one from *pneumonia* (not defined), and one from tuberculous phthisis; of the 4 deaths from all causes for Pembroke one is from *pneumonia* (not defined); and the 2 deaths recorded for Blackrock include one from broncho-pneumonia.

* See note (c) at foot of Table II. † See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 89," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly rnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett ecutive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for mbroke Urban District: Mr. Heron, Executive Sanitary Officer for Blackrock Urban District: by Dr. R. A. Donovan, Medical Superintendent Officer of Health for Kingstown Urban District: and by Dr. Bailie, Medical perintendent Officer of Health for the City of Belfast.

BLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 29th October, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Oct. 8,	.	—	—	12	.	.	12	.	2	12	9	.	—	—	.	—	9	—	56
	Oct. 15,	.	—	—	10		.	14	.	3	4	7	.	—	—	.	—	8	—	46
	Oct. 22,	.	—	—	21	3	.	20	.	.	6	12	.	—	—	.	—	21	—	83
	Oct. 29,	.	—	—	22	.	.	17	.	1	6	14	.	—	—	.	—	16	—	76
Rathmines and Rathgar Urban District.	Oct. 8,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	Oct. 15,	.	—	—	.	.	.	.	.	.	.	2	.	—	—	—	—	—	—	2
	Oct. 22,	.	—	—	3	.	.	1	.	.	1	.	.	—	—	—	—	—	—	5
	Oct. 29,	.	—	—	1	.	.	2	.	.	1	.	.	—	—	—	—	—	—	4
Pembroke Urban District.	Oct. 8,	.	.	.	.	.	.	.	.	.	.	2	1	—	1	.	—	.	—	4
	Oct. 15,	.	.	.	1	.	.	2	.	.	.	.	.	—	.	.	—	.	—	3
	Oct. 22,	.	4	.	1	.	.	.	.	.	2	.	.	—	5	.	—	.	—	12
	Oct. 29,	.	.	.	.	.	.	.	.	.	.	.	.	—	2	.	—	.	—	2
Blackrock Urban District.	Oct. 8,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	.	—	—	—	1
	Oct. 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Oct. 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Oct. 29,	.	—	—	5	.	.	.	.	.	.	.	.	—	—	.	—	—	—	5
Kingstown Urban District.	Oct. 8,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	1	—	2
	Oct. 15,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	1	—	2
	Oct. 22,	.	—	—	.	.	.	3	.	.	.	1	.	—	—	—	—	.	—	4
	Oct. 29,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	Oct. 8,	.	—	—	22	.	.	8	.	.	3	3	.	—	—	—	—	13	—	49
	Oct. 15,	.	—	—	16	.	.	6	.	.	3	7	.	—	—	—	—	5	—	37
	Oct. 22,	.	—	—	18	.	.	8	.	1	3	4	.	—	—	—	—	3	—	37
	Oct. 29,	.	—	—	17	1	.	6	.	.	3	8	1	—	—	—	—	7	—	43

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 29th October, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Twelve cases of measles were admitted to hospital during the week, 7 were discharged, and 17 cases remained under treatment at its close.

Twenty-eight cases of scarlet fever were admitted to hospital, 9 were discharged, there was one death, and 102* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 80, 82, and 84, respectively.

Three cases of typhus remained under treatment in hospital at the close of the week.

Twenty-six cases of diphtheria were admitted to hospital, 12 were discharged, there were 3 deaths, and 79 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 54, 59, and 68, respectively.

Six cases of enteric fever were admitted to hospital during the week, 7 were discharged, there was one death, and 38 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 47, 41, and 40.

In addition to the above named diseases, 8 cases of pneumonia were admitted to hospital, 2 were discharged, and 22 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns, including London (in which the rate was 12·9) was equal to an average annual death-rate of 13·0 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 12·7 per 1,000, the rate for Glasgow being 13·0 and for Edinburgh 13·8.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., D.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 29th October. From his Report it appears that of a total of 91 cases notified, 41 were scarlet fever, 24 diphtheria, 18 phthisis, erysipelas, 2 enteric fever, and one puerperal fever. Among the 451 cases of infectious diseases in hospital at the close of the week were 249 cases of scarlet fever, 92 of diphtheria, 50 of phthisis, 32 of measles, 9 of whooping cough, 7 of enteric fever, 3 of erysipelas, 2 of chicken-pox, 2 of puerperal fever, and one of cerebro-spinal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 29th October, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

	TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 29TH OCTOBER, 1910.																							METEOROLOGY. (*d*)											
				Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																					WEEK ENDING 29TH OCTOBER, 1910.				WEEK ENDING 22ND OCTOBER, 1910.				WEEK ENDING 15TH OCTOBER, 1910.			
										DEATHS.																											
										Caused by																													
		POPULATION.		DEATHS.			BIRTHS.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia b* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Air Temperature Absolute Highest.	Air Temperature Absolute Lowest.	Air Temperature Mean.	Rainfall in Inches.	Air Temperature Absolute Highest.	Air Temperature Absolute Lowest.	Air Temperature Mean.	Rainfall in Inches.	Air Temperature Absolute Highest.	Air Temperature Absolute Lowest.	Air Temperature Mean.	Rainfall in Inches.
		Total.*a*	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases. in cols. 10–18.																																
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	21	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
	TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·2	25·8	16·8	1·5	569	372	79	117	.	3	1	.	3	3	.	5	20	20	37	16	21	46	3	9	105	14	.	.	.	.	.	.	.	.	.	.	.	.
	DUBLIN REGISTRATION AREA:—TOTAL, *c.*	402,928	29·3	23·6	16·6	1·2	182	128	27	46	.	.	1	.	1	3	.	1	3	10	15	4	9	12	2	5	51	4	*e*55·8	39·9	50·4	0·37	*e*58·4	38·4	49·1	0·33	*e*58·4	31·9	48·2	0·14
	CITY OF DUBLIN,	310,298	29·2	26·6	18·3	1·3	158	109	24	34	.	.	1	.	1	2	.	1	3	7	14	4	7	12	2	5	47	4	*f*56·3	46·9	51·6	0·41	*f*58·2	40·9	50·6	0·34	*f*58·5	37·9	50·2	0·15
																													*g*56·8	45·0	51·3	0·31	*g*58·8	39·0	50·0	0·49	*g*57·9	34·0	49·1	0·10
Urban Dists.	RATHMINES AND RATHGAR.	37,047	21·6	9·9	14·1	1·4	7	10	1	6	.	.	.	.	.	1	.	.	.	1	1	.	1	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	PEMBROKE,	28,948	18·2	21·6	7·2	.	12	4	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	BLACKROCK,	9,013	8·3	11·6	11·6	.	2	2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	KINGSTOWN,	17,622	12·1	8·9	8·9	.	3	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	58	48	52·3	0·42	59	40	51·5	0·28	58·0	40·0	51·2	0·11
	URBAN DISTRICTS.																																						
	BELFAST,	391,167	26·6	26·8	15·3	1·6	201	115	28	34	.	.	.	.	1	.	.	1	10	7	12	8	7	19	.	4	21	.	57·0	41·0	51·2	0·03	58·0	42·0	50·7	0·65	58·0	38·5	51·1	0·09
	CORK,	76,122	33·6	30·1	17·1	0·7	44	25	5	9	.	.	.	.	.	.	.	1	.	.	5	.	.	3	.	.	11	.	56	51	53·4	2·52	57	44	51·4	0·24	61	44	51·5	0·65
	LONDONDERRY,	43,477	20·1	24·0	21·6	.	20	18	4	3	.	.	.	.	.	.	.	.	.	.	.	1	2	5	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
	LIMERICK,	38,151	18·1	24·6	21·9	2·7	18	16	3	2	.	.	.	.	.	.	.	.	2	.	2	.	2	1	.	.	1	2	57·8	44	51	0·34	61	38·2	49·3	0·26	59	35	49·3	0·31
	WATERFORD,	26,769	18·7	23·4	13·6	1·9	12	7	3	3	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.
	GALWAY,	18,426	2·5	15·5	15·5	.	4	4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	57	45	51	0·28	58	42	51·4	0·31	60	39	50	0·19
	DUNDALK	18,078	9·4	27·9	19·9	4·0	7	5	1	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.
	DROGHEDA,	12,760	8·6	12·3	8·2	.	8	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
	NEWRY,	12,405	17·8	33·6	25·2	.	8	6	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	LURGAN,	11,792	13·8	26·6	8·9	.	6	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	55·0	46·0	50·0	0·03	59·5	38·0	49·9	0·31	58·1	35·0	47·9	0·05
	LISBURN,	11,461	10·1	3·4	18·2	.	8	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	55·0	46·0	50·0	0·03	59·5	38·0	49·9	0·31	58·1	35·0	47·9	0·05
	WEXFORD,	11,168	23·2	28·0	23·7	.	6	7	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
	BALLYMENA,	10,686	8·9	23·9	23·9	4·8	5	5	1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	SLIGO,	10,870	3·7	5·8	19·2	.	11	4	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	57·0	42·9	49·7	0·05	57·9	35·1	48·4	0·62	57·5	38·4	47·9	0·57
	KILKENNY,	10,609	11·5	19·7	24·6	.	4	5	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	2	.	57	47	51·4	0·58	60	39	49·9	0·55	60	36	48·6	0·35
	CLONMEL,	10,167	7·8	20·5	35·9	10·	4	7	.	3	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.
	PORTADOWN,	10,098	18·2	25·8	31·0	20·	5	6	1	.	.	1	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	1	55·0	46·0	50·0	0·03	59·5	38·0	49·9	0·31	58·1	35·0	47·9	0·05
	TRALEE,	9,867	16·6	47·6	21·1	.	9	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
	NEWTOWNARDS,	9,110	18·9	34·3	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	55	49	51·8	.	58	40	50·4	0·84	58	41	49·9	0·18
	QUEEN'S TOWN,	7,909	14·4	16·4	18·2	.	4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	56	51	53·4	2·52	57	44	51·4	0·24	61	44	51·5	0·65
	ARMAGH,	7,588	22·2	18·7	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	55·0	46·0	50·0	0·03	59·5	38·0	49·9	0·31	58·1	35·0	47·9	0·05

(*a*) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910.

(*b*) Formerly described as "Simple Continued Fever."

(*c*) Exclusive of 11 deaths of persons admitted to hospital from localities outside the Area; of the 11 deaths one was from diphtheria and one from *diarrhœa*.

(*d*) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Portadown, those at Tralee for Queenstown, [illegible] (*f*) Observations by Sir John Moore's

BLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 29th October, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN REGISTRATION DISTRICTS IN											URBAN DISTRICTS OF						
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	GOOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Diphtheria,	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	3	1
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	.	1	.	.	.	.	.	1	.	1	.	.	.	.	.	.	3	1
Pneumonia,	.	1	.	1	1	.	.	.	1	2	1	.	1	1	1	.	10	2
Tuberculous Phthisis,	3	3	1	3	.	.	.	2	.	1	1	.	1	.	.	.	15	2
Disease. Other Forms,	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	.	4	.
Cancer, Malignant Disease,	.	1	2	1	.	1	.	1	.	1	.	.	1	.	.	1	9	.
Other General Diseases,	1	.	.	1	.	.	.	.	.	2	2	.	1	.	.	.	7	1
Total,	4	8	3	7	1	1	.	4	2	11	5	.	5	1	1	1	54	7
LOCAL DISEASES:																		
Nervous System,	.	.	.	2	.	.	.	1	.	2	1	.	.	.	.	.	6	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	.	2	3	4	.	1	.	2	4	2	.	.	4	.	1	.	23	.
Respiratory System,	2	3	.	2	.	.	.	2	1	1	1	.	.	.	.	.	12	.
Digestive System,	2	4	.	3	.	.	.	1	1	.	.	.	.	.	.	.	11	.
Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	2	.	.	.	.	1	.	1	.	.	.	1	.	1	6	3
Generative System,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
ccidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
iseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	4	9	5	11	.	1	.	7	6	7	2	.	4	1	1	1	59	3
OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CAUSES ILL-DEFINED AND NOT SPECIFIED,	1	.	.	1	1	.	.	1	2	1	2	.	1	2	.	1	13	1
VIOLENT DEATHS,	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
eaths from all Causes	10	17	9	19	2	2	.	12	10	19	9	.	10	4	2	3	128	11
nnual Rate of Mortality rom all causes in every 1,000 f the population.	17·4	22·2	15·3	29·5	19·4	9·0	.	15·1	24·0	22·9	13·1	.	14·1	7·2	11·6	8·9	16·6	.
	19·4							17·2					10·7					
	18·3																	
Death. Under 1 year,	2	4	1	5	1	.	.	2	1	6	2	.	1	2	.	.	27	.
1 and under 5 years,	.	1	.	3	.	.	.	1	2	3	1	.	1	.	.	.	12	1
5 „ 20 „	2	1	.	.	.	.	.	.	1	1	.	.	.	.	.	.	5	1
20 „ 40 „	2	2	3	4	1	.	.	2	1	2	.	.	.	.	.	.	17	4
40 „ 60 „	2	4	4	1	.	1	.	1	1	2	2	.	2	.	.	1	21	5
60 years and upwards,	2	5	1	6	.	1	.	6	4	5	4	.	6	2	2	2	46	.
umber of Uncertified Deaths,	1	.	.	1	.	1	.	.	.	1	.	.	.	.	.	.	4	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.																		
ublic Hospitals, Prisons, and Lunatic Asylums,	3	6	4	3	.	.	.	1	.	5	2	.	3	.	.	.	27	11
Vorkhouse Hospitals,	1	5	1	2	.	.	.	6	5	2	1	.	1	.	.	.	24	.

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in the corresponding week of the ten years 1900–1909

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Average in 43rd Week of the 10 years, 1900–1909.	In the Week ending Saturday, 29th October, 1910. Deaths of Persons of the Ages of							
	Oct. 27, 1900.	Oct. 26, 1901.	Oct. 25, 1902.	Oct. 31, 1903.	Oct. 29, 1904.	Oct. 28, 1905.	Oct. 27, 1906.	Oct. 26, 1907.	Oct. 24, 1908.	Oct. 30, 1909.		ALL AGES.	0 to 5.						
													Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 47·0	° 44·2	° 50·7	° 44·3	° 47·6	° 41·1	° 51·2	° 47·3	° 48·7	° 40·3	° 46·2	Mean Temp. ° 50·4								
ALL CAUSES.	141	146	223	162	156	133	170	154	129	148	156·2	139	11	16	13	6	21	26	41	5
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	.	20	.	4	1	2	5	1	.	3·3	.	.	.	.	.	.	.	.	.
Scarlet Fever,	2	1	2	1	2	1	.	.	.	.	·9	1	.	.	1	.	.	.	.	.
Typhus,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	5	.	3	3	1	.	2	1	1	.	1·6	1	.	.	.	.	.	1	.	.
Whooping-cough,	2	2	1	2	2	2	2	1	3	1	1·8	1	.	.	1	.	.	.	.	.
Diphtheria,	.	1	2	1	1	.	.	.	.	.	·5	4	.	.	4	.	.	.	.	.
Cerebro-spinal Fever,	.	.	.	1	1	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain),	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	4	.	1	.	1	.	2	.	3	1	1·2	1	.	.	.	.	.	1	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.),	6	5	4	.	3	1	4	3	3	3	6·1	2	1	1	.	.	.	.	.	.
Diarrhœa, Dysentery,			10	4	3	2	4	5	1	.		2	.	1	.	.	1	.	.	.
Tetanus,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	1	2	1	2	.	1	1	.	.	2	1·0	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia,	.	.	.	.	1	.	1	1	.	.	·3	.	.	.	.	.	.	.	.	.
Puerperal Pyæmia,			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Puerperal Fever,			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Infective Endocarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	9	7	14	2	1	1	1	1	.	4	11·0	1	.	.	.	.	1	.	.	.
Pneumonia, Broncho-				3	3	6	6	4	3	5		5	.	1	2	.	.	2	.	.
Pneumonia, Epidemic			8	2	4	3	6	4	9	4		6	.	1	.	1	1	1	1	1
Pneumonia, Not defined,																				
Erysipelas,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal))	.	1	1	1	.	.	.	1	.	.	·5	.	.	.	.	.	.	.	.	.
Pyæmia (not Puerperal),			.	.	.	.	1	.	.	.		1	.	.	.	.	.	1	.	.
Other Infective Conditions,	.	.	.	.	.	1	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis,	15	19	2	6	6	10	3	9	5	17	19·2	6	.	.	.	1	1	3	1	.
"*Phthisis*,"			15	18	19	11	14	4	9	10		11	.	.	.	.	8	1	2	.
Tuberculous Meningitis,	4	1	5	2	.	2	3	1	1	2	2·1	1	.	.	.	1	.	.	.	.
Tuberculous Peritonitis,	4	2	2	1	2	.	1	1	.	2	2·0	1	.	.	1	.	.	.	.	.
Tabes Mesenterica,			.	.	1	.	1	1	2	.		1	.	1	.	.	.	.	.	.
Tuberculous Dis. (other),	1	4	4	4	5	2	8	10	4	5	4·7	1	.	.	1	.	.	.	.	.
Scrofula,			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Alcoholism,	.	3	.	2	1	.	1	.	2	.	·9	1	.	.	.	.	1	.	.	.
Rheumatic Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Carcinoma,	7	8	1	2	3	5	3	2	4	2	7·2	4	.	.	.	.	2	1	1	.
Sarcoma,			.	.	1	.	.	1	1	.		.	.	.	.	.	.	.	.	.
Cancer (undefined)			5	1	1	3	7	5	6	4		5	.	.	.	.	2	3	.	.
Diabetes Mellitus,	.	.	.	1	.	.	2	1	1	1	·6	.	.	.	.	.	.	.	.	.
Premature Birth,	7	2	4	6	4	3	4	5	2	5	4·2	2	2	.	.	.	.	.	.	.

* The figures for the year 1900 are for

† Formerly described as

FORTY-THIRD WEEK ending Saturday, 29th October, 1910, with the deaths from each cause in the and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 43rd Week of the 10 years 1900-1909.	In the Week ending Saturday, 29th October, 1910.								
	Oct. 27, 1900.	Oct. 26, 1901.	Oct. 25, 1902.	Oct. 31, 1903.	Oct. 29, 1904.	Oct. 28, 1905.	Oct. 27, 1906.	Oct. 26, 1907.	Oct. 24, 1908.	Oct. 30, 1909.		Deaths of Persons of the Ages of								
												ALL AGES.	0 to 5.							
													Under 1 month.	1 month and under a year.	1 to 5.	5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 47·0	° 44·2	° 50·7	° 44·3	° 47·6	° 41·1	° 51·2	° 47·3	° 48·7	° 40·3	° 46·2	Mean Temp. ° 50·4								
Meningitis (not tuberc.)			3	2	3	1	4	5	2	1		·	·	·	·	·	·	·	·	·
Insanity, G. P. of Insane			·	3	1	·	·	1	·	2		·	·	·	·	·	·	·	·	·
Epilepsy			1	·	·	·	·	·	·	1		·	·	·	·	·	·	·	·	·
Convulsions			13	5	5	5	4	2	4	3		3	1	1	1	·	·	·	·	·
Locomotor Ataxy			·	·	·	·	·	·	·	·		2	·	·	·	·	·	·	·	·
Paraplegia Dis. of Cord			3	2	2	·	1	1	1	3		1	·	·	·	·	1	·	2	·
Nervous System (other Dis.)			·	2	1	2	1	2	1	·		·	·	·	·	·	·	·	·	·
Valv. Dis., Endocarditis	24	36	5	5	3	8	3	8	3	4	33·2	1	·	·	·	·	·	1	·	
Cerebr. Hæm. Thromb.			2	5	2	2	2	·	2	3		4	·	·	·	·	2	2	·	
Apoplexy, Hemiplegia			7	4	7	1	4	3	1	1		·	·	·	·	·	·	·	·	
Aneurysm			·	·	·	·	·	·	·	·		·	·	·	·	·	·	·	·	
Embolism, Thromb. (not cerebral)			·	·	·	·	·	·	·	·		·	·	·	·	·	·	·	·	
Heart and Blood Vessels (other Dis.)			11	12	12	8	17	11	14	9		18	·	·	·	1	2	2	12	1
Croup (not Spasm. nor Memb.)	1	·	1	·	·	·	·	·	·	·	·2	·	·	·	·	·	·	·	·	·
Bronchitis	17	19	23	15	10	14	17	9	7	13	14·4	11	·	·	·	1	·	·	9	1
Asthma, Emphysema	2	1	·	·	·	2	·	1	·	1	2·0	1	·	·	·	·	·	·	·	·
Pleurisy			1	·	1	·	·	1	·	·		·	·	·	·	·	·	·	1	·
Respiratory Dis. (other)			2	2	2	1	2	1	·	·		·	·	·	·	·	·	·	·	·
Tonsillitis, Quinsy	1	·	·	·	·	·	·	·	·	·	·1	·	·	·	·	·	·	·	·	·
Enteritis (not Epid.)		1	1	4	2	1	1	7	2	6	3·7	3	·	2	·	·	·	1	·	·
Gastro-enteritis	·	·	3	1	2	1	·	3	1	1		·	·	·	·	·	·	·	·	·
Peritonitis (not Puerp.)	1	1	1	·	1	1	·	1	·	2	·8	·	·	·	·	·	·	·	·	·
Cirrhosis of Liver	2	·	·	1	3	1	1	1	·	1	2·2	1	·	·	·	·	1	·	·	·
Liver Dis. (other)			4	1	2	1	2	·	·	2		·	·	·	·	·	·	·	·	·
Digestive Dis. (other)	8	1	5	4	3	5	1	4	4	2	3·7	7	1	2	2	·	·	2	·	·
Nephritis, Acute	4	1	2	·	·	1	2	1	·	3	3·6	4	·	·	·	·	3	1	·	·
Bright's Dis., Albuminuria			1	1	2	3	1	2	2	2		4	·	·	·	·	·	3	1	·
Urinary Sys. (other Dis.)			·	5	2	·	1	·	·	·		1	·	·	·	·	·	·	·	1
Generative Organs Dis.	·	·	·	·	1	·	·	·	1	2	·4	1	·	·	·	·	1	·	·	·
Childbirth (Accid. of)	·	1	1	2	·	·	1	2	1	·	·8	·	·	·	·	·	·	·	·	·
Old Age	7	5	5	2	5	8	5	2	2	5	4·6	4	·	·	·	·	·	3	1	
Other Diseases	4	19	19	13	10	6	13	12	13	11	12·0	13	5	6	·	·	2	·	·	
ACCIDENT.																				
By Railways	·	·	·	·	·	·	1	·	1	·	·2	·	·	·	·	·	·	·	·	·
By Vehicles and Horses	·	·	·	·	·	·	1	·	·	·	·1	1	·	·	·	1	·	·	·	·
In Ships, Boats, Docks (exclusive of Drowning)	·	·	·	·	1	·	·	·	·	·	·1	·	·	·	·	·	·	·	·	·
In Building Operations	·	1	·	·	·	·	·	·	·	·	·1	·	·	·	·	·	·	·	·	·
In Conflagrations	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
By Burns, Scalds, Explosions	·	1	1	1	1	2	·	·	·	·	·6	·	·	·	·	·	·	·	·	·
By Drowning	1	1	1	·	1	1	1	·	1	·	·7	·	·	·	·	·	·	·	·	·
By Suffocation in Bed	·	·	·	·	·	1	·	1	·	·	·2	1	1	·	·	·	·	·	·	·
By Poison or Poisonous Vapours	·	·	·	1	·	·	·	·	·	·	·1	·	·	·	·	·	·	·	·	·
Other Deaths by Accident	2	·	1	3	·	2	4	4	4	1	2·1	·	·	·	·	·	·	·	·	·
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
Suicide	·	·	·	1	·	·	·	·	·	·	·2	·	·	·	·	·	·	·	·	·
Execution	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·

he Registration Area as then constituted.
' Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910—Week ending May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.
No. of weeks in Annual Series,	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
BIRTHS registered.	230	241	181	242	253	268	272	183	228	229	272	225	243	198	209	240	194	228	261	235	202	196	219	161	244	182
*Average Births in corresponding week of previous 10 years,** ..	270	227	211	202	232	222	199	225	237	200	198	204	215	221	202	219	218	207	232	203	200	252	192	184	209	206
DEATHS registered, ...	186	180	131	160	135	133	140	130	127	143	118	141	127	145	143	126	146	120	141	153	174	161	160	151	174	139
Annual Death-rate per 1,000, ..	17·6	23·3	17·0	20·7	17·5	17·2	18·1	16·8	16·4	18·5	15·3	18·6	16·4	18·8	18·5	16·3	18·9	15·5	18·2	19·8	22·5	21·2	20·7	19·5	22·5	18·0
*Average Deaths in corresponding week of previous 10 years,**	184	178	174	171	157	154	152	147	136	138	142	146	147	146	148	156	166	159	157	154	167	160	158	156	160	156
AGES, Under 5 years, ...	36	38	37	39	31	37	25	27	31	30	29	48	31	31	34	37	57	42	38	59	70	60	58	44	56	40
5—20 ,, ...	6	16	7	10	13	10	12	9	11	11	10	8	18	17	8	6	9	3	16	8	9	11	7	7	14	6
20—40 ,, ...	26	34	20	25	26	22	27	32	23	24	17	17	18	27	23	23	18	18	19	22	19	16	22	25	26	21
40—60 ,, ...	25	32	28	40	27	29	33	32	28	25	27	29	30	30	28	32	27	23	33	30	32	33	38	27	31	26
60—80 ,, ...	40	50	36	42	33	28	38	28	33	28	34	34	33	35	26	24	33	26	33	30	42	37	28	39	41	41
80 years and upwards, ..	3	10	3	4	5	7	3	2	6	10	1	8	2	5	4	4	7	8	2	4	2	7	7	9	6	5
Deaths from—																										
Small-pox, ...	.	.	.	.	.	1	1	.	.	1	.	1	.	.	1	.	.	.	.	.	.	.	1	.	.	.
Measles, ...	.	.	.	.	2	.	.	.	1	.	1	3	3	1	1	1	2	1	1	2	.	1	.	1	.	1	1
Scarlet Fever, ...	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	1	1	1	.	2	1	2	1	3	.	1	1	.	3	3	2	.	4	3	2	1	2	2	2	5	1
Whooping-cough, ...	.	.	.	.	.	.	.	.	1	2	1	.	5	1	.	2	4	1	.	2	3	2	2	1	.	4
Diphtheria, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain), ..	1	3	.	1	.	2	.	.	1	2	2	.	.	2	.	2	1	1	1	1	1	.	3	1	2	1
Enteric Fever, ...	2	1	5	2	1	3	1	1	1	6	3	5	.	2	14	6	17	12	11	21	22	27	12	10	8	4
Diarrhœal Diseases, ...	1	3	2	.	.	1	.	2	.	.	.	1	.	1	.	1	.	.	.	1	1	2	1	1	2	1
Influenza, ...	8	14	13	8	8	10	7	10	3	8	7	9	5	7	8	7	6	5	6	10	4	6	5	11	15	12
Pneumonia, ...	14	31	15	14	17	15	22	24	28	11	19	11	17	24	14	17	12	17	23	15	19	18	17	14	23	17
Tuberculous { Phthisis,	11	9	9	11	15	7	15	10	14	7	8	3	9	10	15	7	5	5	13	9	8	11	12	8	8	4
Disease, { Other Forms, ..	6	10	3	10	10	6	7	10	10	8	5	11	10	8	8	9	10	8	9	7	9	11	12	11	12	9
Cancer, Malignant Disease, ..	21	25	20	29	21	21	25	16	23	26	17	22	23	23	20	16	20	17	23	19	24	30	20	24	25	23
Diseases of Heart and Blood Vessels, ...	17	27	16	18	18	17	11	15	7	11	18	14	12	10	8	10	11	6	10	10	20	12	16	17	17	12
Diseases of Respiratory System,	6	11	2	3	6	7	7	1	2	9	3	8	5	3	6	2	4	5	3	6	6	3	10	4	.	2
Violent Deaths, ...	2	2	6	3	3	7	5	6	3	5	.	4	7	2	3	4	4	3	2	1	3	3	3	6	2	4
Number of Uncertified Deaths, ..	46·1	44·7	51·4	55·1	50·6	57·8	56·4	58·1	54·7	55·5	57·1	55·9	57·8	56·5	59·2	53·8	56·6	57·2	54·8	52·0	50·4	54·2	52·5	48·2	49·1	50·4
Mean Temperature of the Air (Phœnix Park), ...	47·9	43·5	48·6	50·5	53·9	53·3	53·7	55·3	56·6	57·6	58·9	60·6	58·8	58·8	58·2	57·7	56·5	56·1	54·4	53·1	53·8‡	53·7	52·2	50·6	48·4	46·2
Average Mean Temperature in corresponding week of previous 10 years, ...	·670	·250	1·263	·185	·693	1·870	·010	1·291	1·730	·660	·000	·840	·355	·940	·205	1·175	·411	·194	·150	·015	·015	·391	·585	1·38	·383	·365
Rainfall in inches, ...	·77	·81	·90	·83	·81	·92	·87	·92	·87	·88	·81	·81	·81	·84	·85	·81	·81	·88	·87	·91	·85	·89	·90	84	·92	·87
Mean Humidity of the Air, complete Saturation 1·0																										

* See note (*) at foot of Table IV.

† Formerly described as "Simple Continued Fever."

‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 29th October, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS	OCCUPATION OF SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 29TH OCTOBER, 1910.																														
			AGES.						CAUSES OF DEATH.																								
			Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Under 5 Years	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases	Total Cols. 10–18.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS.	375,350	19·3	139	40	6	21	26	41	5	.	.	1	.	1	4	.	1	4	11	12	17	4	9	3	12	2	69	4
	CLASSES. **Deaths in Families of the—**																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	6·0	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS, ...	87,188	16·7	28	7	1	4	5	8	3	.	.	.	.	.	1	.	.	.	1	4	3	.	2	2	.	1	15	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,428	16·1	84	11	1	5	9	8	.	.	.	.	.	.	2	.	.	1	3	1	4	1	3	1	3	.	18	1
IV.	GENERAL SERVICE CLASS, ...	154,279	17·2	51	19	3	8	7	13	1	.	.	1	.	1	1	.	1	3	7	7	4	1	2	.	5	1	24	3
V.	INMATES OF WORKHOUSES, ...	6,024	—	24	3	1	4	4	11	1	.	.	.	.	.	.	.	.	.	.	.	6	2	2	.	4	.	10	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	13·4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class,	1,277	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	MIDDLE CLASS.																														
II.	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	14·2	6	.	.	.	1	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	4	.
	6. Clerks and Commercial Assistants, ..	30,482	18·8	11	7	.	3	1	.	.	.	.	.	.	.	1	.	.	.	1	1	3	.	.	2	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	15·4	8	.	1	.	1	4	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	5	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	31·7	6	3	.	.	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	5	1
	9. Building and Furnishing Trades, ...	29,801	14·0	8	4	.	2	1	1	.	.	.	.	.	.	2	.	.	.	2	.	1	1	1	1	.	.	4	.
	10. Clothing Trades, ...	28,260	13·5	6	1	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	4	.
	11. Food Supply Trades, ...	9,242	16·2	3	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	17·2	10	3	.	1	3	3	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	2	.	4	.
	13. Petty Shopkeepers, ...	7,894	6·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	GENERAL SERVICE CLASS.																														
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c	13,425	15·5	4	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
	15. Domestic Servants, ...	36,603	2·8	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	18·1	5	.	1	2	1	1	.	.	.	.	.	.	.	.	1	.	1	2	1	.	1	.	.	.	4	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	23·2	40	17	2	5	3	12	1	.	.	1	.	1	1	.	.	3	6	4	3	1	.	.	5	1	20	3
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	24	3	1	4	4	11	1	.	.	.	.	.	.	.	.	.	.	.	6	2	2	.	4	.	10	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From Diseases in Cols. 5-13.	TOTAL DEATHS.	NUMBER OF DEATHS FROM Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercuous Disease. Phthisis.	Tubercuous Disease. Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of).																				
North City, No. 1 (E.)	Sept. 10,	17·4	1·7	10	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.
	„ 17,	15·7	1·7	9	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.
	„ 24,	24·4	.	14	.	.	.	.	.	.	.	.	.	.	3	.	2	2	2	.
(*Office*,	Oct. 1,	22·7	3·5	18	.	.	.	.	.	.	.	.	2	1	1	.	2	2	.	1
Clarence-st., Nth.)	„ 8,	19·2	5·2	11	.	.	1	.	.	.	.	.	2	.	.	.	.	3	.	1
	„ 15,	17·4	1·7	10	.	.	.	.	1	.	.	.	.	.	1	.	1	1	1	1
Pop. in 1910	„ 22,	17·4	1·7	10	.	.	.	.	1	.	.	.	.	1	1	.	.	3	.	.
(Est.) 29,908.	„ 29,	17·4	.	10	.	.	.	.	.	.	.	.	.	.	3	.	.	2	1	1
North City, No. 1 (W.)	Sept. 10,	23·5	1·3	18	.	.	.	.	.	.	.	1	.	1	3	1	.	2	.	.
	„ 17,	23·5	5·2	18	.	.	.	.	.	.	.	.	4	2	2	1	.	2	.	.
	„ 24,	20·9	5·2	16	.	.	.	.	1	.	.	.	3	.	1	.	.	3	.	.
(*Office*,	Oct. 1,	18·3	6·5	14	.	.	.	.	.	.	.	.	5	.	2	2	.	1	.	.
Summer-hill.)	„ 8,	23·7	5·2	24	.	.	.	.	.	.	.	1	3	.	4	1	3	3	2	.
	„ 15,	19·6	2·6	15	.	.	.	.	.	.	.	.	2	.	1	.	3	1	.	.
	„ 22,	18·3	.	14	.	.	.	.	.	.	.	.	.	2	1	1	2	1	.	.
Pop. in 1910	„ 29,	24·2	3·9	17	.	.	.	.	.	1	.	1	1	1	3	.	1	3	.	.
(Est.) 39,974.																				
North City, No. 2.	Sept. 10,	17·0	.	10	.	.	.	.	.	.	.	.	.	.	1	1	1	3	.	.
	„ 17,	18·7	1·7	11	.	.	.	.	.	.	.	.	1	.	1	1	2	1	1	.
	„ 24,	27·1	10·2	16	.	.	.	.	.	.	.	1	5	.	2	.	.	4	.	.
(*Office*,	Oct. 1,	23·7	3·4	14	.	.	.	.	.	.	.	.	2	2	.	1	1	1	1	.
Lisburn-street.	„ 8,	22·0	5·1	13	.	.	.	.	.	.	.	.	3	1	2	1	.	.	.	.
	„ 15,	11·9	3·4	7	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.
Pop. in 1910	„ 22,	32·2	3·4	19	.	.	.	.	.	.	.	.	2	3	2	1	.	1	.	1
(Est.) 30,744.	„ 29,	15·3	.	9	.	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.
North City, No. 3.	Sept. 10,	14·0	.	9	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.
	„ 17,	18·6	3·1	12	.	.	.	.	.	.	.	.	2	1	4	.	.	.	2	.
	„ 24,	12·4	1·6	8	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.
(*Office*,	Oct. 1,	26·4	7·8	17	.	.	.	.	.	.	.	.	5	1	2	2	1	1	.	1
Benburb-street.)	„ 8,	23·3	3·1	15	.	.	.	.	.	1	.	.	1	.	2	2	3	.	1	1
	„ 15,	21·8	3·1	14	.	.	.	.	.	.	.	1	1	2	.	1	.	2	.	.
Pop. in 1910	„ 22,	26·4	3·1	17	.	.	.	.	.	.	.	1	1	.	3	1	1	2	.	.
(Est.) 33,559.	„ 29,	29·5	1·6	15	.	.	.	.	.	1	.	.	.	1	3	.	1	2	.	1
South City, No. 1.	Sept. 10,	17·6	2·5	14	.	.	.	.	.	.	.	.	2	1	3	.	1	1	1	.
	„ 17,	22·6	5·0	18	.	.	1	.	1	1	.	.	1	.	3	.	.	.	.	1
	„ 24,	31·4	3·8	25	.	2	.	.	.	.	.	.	1	.	3	3	.	4	.	2
(*Office*,	Oct. 1,	23·9	2·5	19	.	.	.	.	1	.	.	.	1	.	1	2	1	3	.	1
Sth. Earl-street.)	„ 8,	28·9	2·5	23	.	1	.	.	1	.	.	.	.	.	2	.	.	2	3	.
	„ 15,	32·7	1·3	26	.	.	.	.	.	.	.	.	1	2	2	3	1	7	.	.
Pop. in 1910	„ 22,	20·1	2·5	16	.	.	.	.	1	.	.	.	1	2	4	.	1	2	.	.
(Est.) 41,476.	„ 29,	15·1	1·3	12	.	.	.	.	.	.	.	.	1	.	2	.	1	2	.	.
South City, No. 2.	Sept. 10,	19·2	4·8	8	.	.	.	.	1	.	.	.	1	.	3	1	.	1	.	.
	„ 17,	21·6	4·8	9	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 24,	21·6	2·4	9	.	.	.	.	.	.	.	.	1	.	2	.	.	1	.	.
(*Office*,	Oct. 1,	21·6	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.
Castle-street.)	„ 8,	12·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.
	„ 15,	24·0	2·4	10	.	.	.	.	.	1	.	.	.	.	1	1	1	1	.	.
Pop. in 1910	„ 22,	28·8	2·4	12	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	1
(Est.) 21,754.	„ 29,	24·0	.	10	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.
South City, No. 3.	Sept 10,	26·5	4·8	22	.	.	.	.	1	.	.	.	3	1	4	3	2	.	.	.
	„ 17,	22·9	5·6	19	.	.	.	.	.	.	.	.	3	1	2	3	1	2	.	.
	„ 24,	31·4	6·0	26	.	1	.	.	.	.	.	.	4	.	2	2	1	3	.	.
(*Office*,	Oct. 1,	18·1	4·8	15	.	.	.	.	1	.	.	.	3	.	2	1	.	.	.	.
Peter-street.)	„ 8,	19·3	.	16	.	.	.	.	.	.	.	.	.	1	3	3	.	2	.	.
	„ 15,	30·2	2·4	25	.	.	.	.	.	.	.	.	2	3	2	2	1	3	1	2
Pop. in 1910	„ 22,	21·7	1·2	18	.	.	.	.	1	.	.	.	.	2	2	2	1	.	.	.
(Est.) 43,227.	„ 29,	22·9	2·4	19	.	.	.	.	1	.	.	.	1	2	1	3	1	1	.	1
South City, No. 4.	Sept 10,	17·4	4·4	12	.	.	.	.	1	.	.	.	2	1	4	.	1	1	1	1
	„ 17,	14·5	2·9	10	.	.	.	.	.	.	.	.	2	.	1	.	.	1	.	.
	„ 24,	21·8	2·9	15	.	.	.	.	.	1	.	.	1	1	2	1	2	1	2	.
(*Office*,	Oct. 1,	33·4	5·8	23	.	.	.	.	.	1	.	.	3	.	4	2	1	1	.	.
Grand Canal-st.)	„ 8,	21·8	7·3	15	.	.	.	.	1	1	.	.	3	.	1	.	2	.	.	1
	„ 15,	7·3	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Pop. in 1910	„ 22,	27·6	5·8	19	.	.	.	.	1	.	.	1	2	2	.	.	2	3	.	.
(Est.) 35,881.	„ 29,	13·1	1·5	9	.	.	1	.	.	.	.	.	.	1	1	.	.	1	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From all Causes	From Diseases in Cols. 5–18.	Total Deaths.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	Sept. 10,	7·0	·	5	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	,, 17,	8·4	2·8	6	·	·	·	·	1	·	·	·	1	1	·	·	·	·	1	·
	,, 24,	14·1	1·4	10	·	·	·	·	1	·	·	·	·	1	·	·	1	1	·	1
	Oct. 1,	21·1	4·2	15	·	·	·	·	·	·	·	·	3	·	2	·	2	1	·	1
	,, 8,	14·1	1·4	10	·	·	·	·	·	·	·	1	·	1	1	2	1	1	1	·
	,, 15,	16·9	1·4	12	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	2
	,, 22,	7·0	·	5	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·
	,, 29,	14·1	1·4	10	·	·	·	·	·	1	·	·	·	1	1	·	1	·	·	·
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	Sept. 10,	9·0	1·8	5	·	·	·	·	·	·	·	·	1	·	1	·	1	·	·	·
	,, 17,	23·4	1·8	13	·	·	·	·	·	·	·	·	1	1	·	2	1	1	1	·
	,, 24,	12·6	1·8	7	·	·	·	·	·	·	·	·	1	·	·	1	2	·	·	·
	Oct. 1,	5·4	1·8	3	·	·	·	·	·	·	·	·	1	2	·	·	·	·	·	·
	,, 8,	7·2	·	4	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·
	,, 15,	18·0	1·8	10	·	·	·	·	1	·	·	·	·	1	1	·	1	·	·	1
	,, 22,	16·2	·	9	·	·	·	·	·	·	·	·	·	1	2	1	1	·	·	·
	,, 29,	7·2	·	4	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	Sept. 10,	20·7	·	7	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·
	,, 17,	23·7	3·0	8	·	·	·	·	·	·	·	·	·	2	1	·	·	1	1	·
	,, 24,	11·8	·	4	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·
	Oct. 1,	11·8	3·0	4	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·
	,, 8,	11·8	·	4	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·
	,, 15,	3·0	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
	,, 22,	8·9	·	3	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
	,, 29,	8·9	·	3	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·
Belfast. Pop. in 1910 (Est.) 391,167.	Sept. 10,	13·7	2·3	103	·	3	·	·	1	·	·	·	13	6	12	6	8	5	1	2
	,, 17,	15·5	2·4	116	·	1	·	·	1	1	·	·	15	7	14	13	10	5	1	2
	,, 24,	16·3	2·3	122	·	3	·	·	1	·	·	·	13	10	11	6	8	8	5	·
	Oct. 1,	14·6	1·6	105	·	1	·	·	3	·	·	1	7	7	17	7	6	11	2	1
	,, 8,	12·5	1·2	94	·	1	·	·	1	·	·	·	7	5	9	3	5	2	·	1
	,, 15,	16·3	1·3	122	·	3	·	·	1	2	·	1	3	11	17	8	7	16	·	1
	,, 22,	16·0	2·0	120	·	5	1	·	·	1	·	·	8	11	10	6	5	9	2	·
	,, 29,	15·3	1·6	115	·	·	·	·	1	·	·	1	10	7	12	8	7	19	·	·
Cork. Pop. (in 1901) 76,122.	Sept. 10,	13·0	1·4	19	·	·	·	·	·	·	·	·	2	·	3	·	1	·	1	1
	,, 17,	14·4	2·7	21	·	·	·	·	·	·	·	1	3	·	4	·	·	1	1	1
	,, 24,	16·4	2·7	24	·	·	·	·	·	·	·	·	4	1	6	2	1	1	1	·
	Oct. 1,	21·2	4·1	31	·	·	·	·	·	·	·	·	6	2	1	2	1	·	1	4
	,, 8,	22·6	3·4	33	·	·	·	·	·	1	·	·	4	1	1	·	2	2	1	1
	,, 15,	14·4	1·4	21	·	·	·	·	1	·	·	1	·	·	5	·	1	1	·	·
	,, 22,	15·8	1·4	28	·	·	·	·	·	1	·	·	1	1	1	2	1	4	1	1
	,, 29,	17·1	0·7	25	·	·	·	·	·	·	·	1	·	·	5	·	·	3	·	·
Londonderry. Pop. in 1910 (Est.) 43,477.	Sept. 10,	20·4	2·4	17	·	·	·	·	·	·	·	·	2	·	1	1	1	3	·	·
	,, 17,	18·0	1·2	5	·	·	·	·	·	·	·	·	1	·	3	·	1	4	·	2
	,, 24,	10·8	2·1	9	·	·	·	·	·	·	·	·	2	·	·	1	·	1	·	·
	Oct. 1,	21·6	2·4	18	·	1	·	·	·	·	·	·	1	1	·	1	·	1	·	·
	,, 8,	9·6	·	8	·	·	·	·	·	·	·	·	·	·	1	1	1	2	·	·
	,, 15,	14·4	·	12	·	·	·	·	·	·	·	·	·	1	1	3	1	1	·	·
	,, 22,	8·4	2·4	7	·	·	·	·	·	·	·	·	2	·	·	·	1	1	·	·
	,, 29,	21·6		18	·	·	·	·	·	·	·	·	·	·	·	1	2	5	·	1
Limerick. Pop. (in 1901) 38,151.	Sept. 10,	17·8	·	18	·	·	·	·	·	·	·	·	·	1	·	1	·	2	·	1
	,, 17,	9·6	1·4	7	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·	1
	,, 24,	12·3	1·4	9	·	·	·	·	·	·	·	·	1	·	·	1	·	3	·	·
	Oct. 1,	15·0	·	11	·	·	·	·	·	·	·	·	·	·	1	·	·	4	·	1
	,, 8,	9·6	1·4	7	·	·	·	·	1	·	·	·	·	·	3	·	1	·	·	·
	,, 15,	15·0	·	11	·	·	·	·	·	·	·	·	·	·	3	·	·	3	·	2
	,, 22,	5·5	·	4	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·
	,, 29,	21·9	2·7	16	·	·	·	·	·	·	·	·	2	·	2	·	2	1	·	2
Waterford. Pop. (in 1901) 26,769.	Sept. 10,	23·4	3·9	12	·	·	·	·	·	·	·	·	2	·	2	1	·	1	·	1
	,, 17,	19·5	5·8	10	·	·	·	1	·	·	·	·	2	·	1	·	1	1	·	·
	,, 24,	23·4	3·9	12	·	·	·	·	·	·	·	·	2	·	1	2	1	·	·	1
	Oct. 1,	13·6	1·9	7	·	·	·	·	·	·	·	·	1	1	2	1	·	·	·	·
	,, 8,	19·5	3·9	10	·	·	·	·	·	·	·	·	2	·	1	·	2	·	1	2
	,, 15,	21·4	3·9	11	·	·	·	·	·	·	·	·	2	·	2	·	·	1	·	2
	,, 22,	29·2	·	15	·	·	·	·	·	·	·	·	·	·	2	1	1	1	1	2
	,, 29,	13·6	1·9	7	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	1

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 29th October, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-20.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	DEATHS FROM. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexial (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		6	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		5	1	.	2	2	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	2	.
Do. 2 do.		26			14	3	1	2	2	1	5	.	.	.	.	.	.	.	.	3	.	2	.	.	4	.	.	2	.
Do. 3 do.		20			17	3	1	3	.	5	5	.	.	.	.	.	.	.	.	1	2	2	.	2	2	.	1	1	.
Do. 4 do.		22			9	2	2	.	.	1	4	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	3	.
Do. 5 do.		8			7	1	.	1	2	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
Do 6 do.		17			12	2	.	.	3	3	4	.	.	.	.	.	.	.	.	.	1	2	.	3	2	.	1	4	.
Do 7 do.		3			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 8 do.	349,180	.			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Do. 9 do.		21			7	3	.	.	2	1	1	.	.	.	.	1	.	.	1	1	1	.	1	.	1	.	.	2	.
Do 10 do.		18			4	1	.	.	.	2	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
Do. 11 do.		14			12	4	.	1	2	1	4	.	.	.	.	.	.	.	.	2	1	.	1	.	3	.	.	2	.
Do. 12 do.		19			11	3	2	.	2	3	2	.	.	.	.	.	.	.	.	.	.	.	3	.	2	.	1	1	.
Do. 13 do.		8			7	2	1	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15* do.		19			8	3	1	.	1	1	2	.	.	.	.	.	.	.	.	3	1	.	2	1	.	.	.	1	.
Total, ...	—	201			115	28	8	9	16	20	34	.	.	.	.	1	.	.	1	10	7	12	8	7	19	.	4	21	.
City of Cork.																													
CORK URBAN No. 1 DISTRICT, .	12,867	7	20·3	.	5	3	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 2 do. .	10,701	8	14·6	.	3	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Do. 3 do. .	9,978	6	15·7	.	3	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 4 do. .	8,666	5	12·0	.	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 5 do. .	6,592	3	15·8	.	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 6 do. .	10,702	5	14·6	.	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2	.
Do. 7 do. .	16,616	10	22·0	2·1	7	.	1	.	2	.	4	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	4	.
Total, ...	76,122	44	17·1	0·7	25	5	1	2	6	2	9	.	.	.	.	.	.	.	1	.	.	5	.	.	3	.	.	11	.

* New district formed as from 1st Jan., 1910, and the boundaries of Nos. 1, 4 & 6 districts altered; the population of each of these districts, as at present constituted, is not available.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910—Week ending																								
	May 7.	May 14	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.
No. of weeks in annual Series, ..	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
BIRTHS registered, ...	235	214	169	264	215	193	231	202	213	199	259	239	214	179	219	210	159	219	190	264	194	172	200	205	228	201
DEATHS registered, ...	167	170	177	176	166	148	188	157	137	145	136	117	135	115	102	124	131	121	103	116	122	105	94	122	120	115
Annual Death rate per 1,000 of estimated Population, ...	22·3	22·7	23·6	23·5	22·1	19·7	24·4	20·9	18·3	19·3	18·1	15·6	18·0	15·3	13·6	16·5	17·5	16·1	13·7	15·5	16·3	14·0	12·5	16·3	16·0	15·3
AGES — Under 1 year, ...	31	29	30	37	37	20	44	38	24	34	26	25	35	27	27	35	49	30	28	23	29	25	31	27	27	28
AGES — 1-5 years, ...	36	35	47	43	45	54	47	45	33	29	32	23	23	19	6	17	14	15	14	13	11	14	6	14	16	8
AGES — 5-20 years, ...	12	15	15	15	14	12	15	16	13	12	7	17	10	7	7	9	11	11	4	16	6	11	8	17	9	9
AGES — 20-40 years, ...	25	30	28	26	26	25	20	17	18	25	20	19	14	15	22	19	18	9	16	12	23	17	8	15	18	16
AGES — 40-60 years, ...	30	30	29	28	27	16	23	20	21	20	25	17	25	21	22	21	19	26	20	23	18	20	21	23	23	20
AGES — 60 years and upwards, ..	33	31	28	27	17	21	34	26	28	25	26	16	28	26	18	23	20	30	21	30	35	18	20	27	27	34
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	19	28	44	33	38	38	49	36	25	24	20	21	8	7	4	7	3	.	3	1	3	1	1	3	5	.
Scarlet Fever, ...	.	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	4	6	4	5	7	5	4	1	1	2	1	1	.	2	1	1	5	.	1	1	1	3	1	1	.	1
Diphtheria, ...	.	1	.	1	.	1	2	.	.	.	1	1	1	.	.	.	.	.	.	1	.	.	.	2	1	.
*Pyrexia** (origin uncertain , ..	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	.	1	.	.	.	1	.	1	1	.	.	1	2	.	.	.	.	.	.	.	.	1	.	1	.	1
Diarrhœal Diseases, ...	2	.	.	2	3	1	4	3	1	5	2	5	6	10	14	22	29	16	13	15	13	7	7	3	8	10
Pneumonia, ...	15	26	22	21	18	13	17	17	11	14	17	5	8	3	4	5	10	8	6	7	10	7	5	11	11	7
Tuberculous Disease, Phthisis, ..	20	24	29	14	21	19	24	22	11	11	9	16	15	13	12	16	10	11	12	14	11	17	9	17	10	12
Tuberculous Disease, Other Forms, ..	6	4	6	13	8	5	3	9	8	9	11	5	7	7	8	9	5	9	6	13	6	7	3	3	3	3
Cancer, Malignant Disease, ..	8	3	7	3	4	4	6	4	9	3	6	9	7	3	7	3	4	5	3	10	8	5	5	7	5	7
Diseases of Respiratory System,	21	14	17	14	18	17	14	16	7	7	15	6	16	10	5	8	8	9	5	5	8	11	9	16	9	19
Violent Deaths, ...	3	4	1	1	5	1	.	4	.	4	2	.	1	1	6	.	3	2	1	1	5	2	.	.	2	.
Number of Uncertified Deaths, ..	1	2	1	.	3	1	2	.	2	3	3	3	1	2	1	2	.	2	2	2	.	1	1	1	.	.

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	Oct. 29,	2,316	1,209	12·9	.	44	2	9	7	11*a*	41
EDINBURGH, ...	360,276	„ 29,	146	95	13·8	.	.	1	1	.	.	4
GLASGOW, ...	884,505	„ 29,	400	220*c*	13·0	.	.	2	3	4	1*a*	11
CALCUTTA, ...	1,009,008	Sept. 24,	.	372	19·1	.	1	.	.	.	76‡	50*
BOMBAY, ...	977,822	„ 27,	430	569	30·3	1	1	.	.	.	60‡	50*
MADRAS, ...	509,346	„ 9,	391	468	47·7	4	6	?	?	?	127	77*
CAIRO, ...	682,953	„ 9,	670	481	36·7	.	3	.	9†	.	6*a*	141
PARIS, ...	2,760,000	„ 24,	.	758	14·4	.	3	.	4†	1	3*a*	35*b*
		Oct. 1,	992	777	14·7	.	2	.	2†	8	4*a*	35*b*
BRUSSELS, ...	720,030	„ 8,	228	178	12·8	.	.	.	1†	.	5*a*	17
ANTWERP, ...	317,171	„ 8,	118	68	11·2	.	1	.	.	.	.	19*b*
AMSTERDAM, ...	573,246	„ 8,	269	121	11·0	.	.	.	.	.	3*a*	2*b*
COPENHAGEN, ...	450,000	„ 8,	237	116	13·4	.	.	1	.	.	1*a*	12
STOCKHOLM, ...	341,816	„ 8,	144	91	13·8	.	.	1	3†	1	.	7
CHRISTIANIA, ...	240,178	„ 15,	126	57	12·3	.	1	.	1†	.	.	3
ST. PETERSBURG, ...	1,620,000	Sept. 24,	885	603	19·4	2	3	10	7	3	3*a*	130*
MOSCOW, ...	1,493,600	„ 17,	.	635	22·2	1	4	17	19†	3	9*a*	133*
BERLIN, ...	2,125,248	Oct. 1,	835	525	12·9	.	4	4	9†	1	3*a*	44
HAMBURG, ...	895,804	„ 8,	.	242	14·0	.	1	.	20†	.	.	41
BRESLAU, ...	510,664	„ 8,	.	168	17·2	.	.	2	5	.	.	29
MUNICH, ...	576,000	„ 15,	.	180	16·3	.	7	.	2†	2	.	21
VIENNA (with suburbs), BUDA-PESTH, ...	2,130,320	„ 8,	792	558	13·6	.	2	5	3†	1	.	42
	833,703	„ 8,	409	259	16·1	.	.	6	2†	1	3*a*	19*b*
PRAGUE and Faubourgs.	497,905	Sept. 24,	176	143	14·9	.	.	1	.	1	1*a*	10*b*
TRIESTE, ...	221,124	Oct. 1,	138	72	17·0	.	.	.	.	.	1	10*b*
ROME, ...	590,113	Aug. 20,	265	196	17·3	.	5	1	1	.	4*a*	42
VENICE, ...	183,224	„ 20,	.	.	.	.	.	.	.	.	.	.
NEW YORK, ...	4,803,264	Oct. 1,	2,552	1,352	14·7	.	8	3	13†	4	24*a*	146*b*
PHILADELPHIA, ...	1,598,400	Sept. 10,	.	439	14·3	.	5	2	2†	15	10*a*	48
BOSTON, ...	670,585	Oct. 8,	.	220	17·1	.	.	1	6	2	3*a*	22

* Including 17 deaths from cholera in Calcutta, 2 in Bombay, 6 in Madras, 65 in St. Petersburg, and 2 in Moscow.
† Including deaths from croup.
‡ Including 5 deaths from plague in Calcutta, and 16 in Bombay.
a Enteric Fever.
b Deaths from diarrhœal diseases and from enteritis of children under two years of age.
c Including one death from cerebro-spinal meningitis.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 29th October, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	3	.	.	1	.	.	.	2	.	.	1	7
" " 2,	.	1	.	.	1	.	.	.	.	.	.	1	3
" " 3,	.	5	.	.	4	.	.	.	2	.	.	2	13
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	3	.	.	.	.	.	.	1	.	.	.	4
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	.	2	7	.	.	7	16
" " 2,	.	2	.	.	4	.	1	1	.	.	.	1	9
" " 3,	.	.	.	.	6	.	.	3	2	.	.	2	13
" " 4,	.	5	.	.	1	.	.	.	.	.	.	2	8
New Kilmainham,	.	3	.	.	.	.	.	.	.	.	.	.	3
Total,	.	22	.	.	17	.	1	6	14	.	.	16	76

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 29th October, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 29th October.			
	Oct. 8.	Oct. 15.	Oct. 22.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	3	9	12	12	7	.	17
Scarlet Fever,	80	82	84	28	9	1	102*
Typhus,	.	1	3	.	.	.	3
Diphtheria,	54	59	68	26	12	3	79
Enteric Fever,	47	41	40	6	7	1	38
Pneumonia,	21	18	16	8	2	.	22

* Exclusive of 23 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 29th October, 1910:—

"A monotonous spell of easterly winds, with cloudy skies and (after Monday) frequent rain or showers, characterised this week. These conditions were determined by the persistent presence over Scandinavia and the Baltic of an anticyclone, in the centre of which the barometer stood continuously above 30·4 inches, and on Wednesday and Thursday touched or exceeded 30·5 inches. On the other hand, a wide spreading area of relatively low atmospheric pressure was constantly found over the Atlantic to the southwestward of the British Isles and the Bay of Biscay. This system spread northward and eastward after Wednesday, and on Friday morning it was found to have thrown off a V.-shaped secondary depression, which then covered the south of England. It was to this juxta-position of high and low areas of atmospheric pressure that the fresh easterly winds, clouds, and rains of the period were due. The London district escaped rain until Friday morning. In Dublin the rains began at 7 a.m. of Tuesday, Sunday and Monday having been dry though cloudy days. Wednesday was very fine and bright after a damp, cloudy morning, but the evening proved overcast and again damp. The easterly wind freshened considerably on Thursday and blew strongly until Friday afternoon, when a wet, gloomy period set in. At the end of the week the atmospheric depression was filling up and drifting slowly eastwards or northeastwards. Owing to clouds, the diurnal range of temperature was trifling, save at Nairn where the thermometer sank from a maximum of 53° on Sunday to a minimum of 32° next morning. In Dublin the mean height of the barometer was 29·898 inches, the observed range being between 30·056 inches at 9 a.m. of Wednesday (wind, E. by S.), and 29·774 inches at 9 a.m. of Friday (wind, E.). The corrected mean temperature was 51·6°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 51·5°. On Sunday the screened thermometers fell to 46·9°; on Wednesday they rose to 56·3°. Easterly winds prevailed throughout. Rain fell on 6 days, the total measurement being ·408 inch, of which ·148 inch was recorded on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·726 inches. The highest reading (29·877) was on Wednesday at 9 a.m., wind E., and the lowest (29·599) on Friday at 9 a.m., wind E.

The mean temperature for the week was 50·4°, being 4·2° above the average for the corresponding period of the 10 years, 1900-1909. The temperature was highest on Wednesday, on which day the thermometer registered 55·8°, and was lowest on Sunday, the mercury having fallen to 39·9°. The mean of the Dry Bulb for the week was 50·9° and of the Wet Bulb 49·0°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The rainfall during the week measured 0·365 inch.

At Greenwich the mean temperature for the week was 51·2°, the maximum 61·4°, and the minimum 39·6°: at Glasgow the maximum was 56·0°, the minimum 33·2°, and the mean 47·6°; and at Edinburgh the maximum was 51·6°, the minimum 42·1°, and the mean 47·3°. The rainfall at Greenwich measured 0·30 in.; at Glasgow 0·01 in.; and at Edinburgh 0·10 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY	BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Maximum.	Minimum	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins		
Sunday, October 23,	29·716	53·1	39·9	46·5	50·9	48·1	·81	·5	0·2	·000	E.	Calm.
Monday, „ 24,	29·666	52·3	47·9	50·1	49·7	46·8	·81	·0	0·0	·005	E.	E.N.E.
Tuesday, „ 25,	29·803	53·3	45·7	49·5	51·1	50·1	·93	·0	0·0	·075	N.E.	E.
Wednesday, „ 26,	29·848	55·8	52·2	54·0	52·6	51·7	·94	·0	1·5	·020	E.	E.N.E.
Thursday, „ 27,	29·682	54·2	50·9	52·6	51·6	49·7	·87	·1	1·3	·005	E.N.E.	E.
Friday, „ 28,	29·614	51·3	47·3	49·3	49·7	47·1	·83	·0	0·0	·125	E.	Calm.
Saturday, „ 29,	29·754	52·9	47·9	50·4	50·9	49·8	·93	·4	0·0	·135	Calm.	N.E.
Mean, ...	29·726	53·3	47·4	50·4	50·9	49·0	·87	·1	Total 3·0	Total ·365	Prevailing Wind, E.	

Sunday—Day overcast, fine: night overcast. *Monday*—Day overcast; night cloudy. *Tuesday*—Day overcast and drizzling: night overcast. *Wednesday*—Day overcast to cloudy, drizzle p.m.; night overcast, drizzle a.m. *Thursday*—Day overcast to cloudy, drizzle a.m.; night cloudy. *Friday*—Day overcast and drizzling; night overcast, drizzle a.m. *Saturday*—Day overcast, light and heavy rain p.m.; night overcast, drizzle a.m.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, October 29th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperatures in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m	Rainfall.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
	°	°	°	°	°	°	hrs.	ins.
Sunday, October 23,	52·7	51·0	53·0	54·8	46·8	50·8	0·20	—
Monday, „ 24,	52·5	51·0	52·9	53·5	49·8	51·7	0·05	·026
Tuesday, „ 25,	51·0	50·9	52·8	54·3	49·7	52·0	—	·100
Wednesday, „ 26,	53·9	51·4	52·6	56·5	52·0	54·3	1·70	·010
Thursday, „ 27,	53·7	51·8	52·5	54·7	51·8	53·3	0·10	·002
Friday, „ 28,	51·3	51·5	52·5	53·2	48·5	50·9	—	·122
Saturday, „ 29,	52·2	51·2	52·3	53·8	49·0	51·4	—	·038
Weekly Mean,	52·5	51·3	52·7	54·4	49·7	52·1	Total 2·05	Total ·298

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

29659. Wt. P. 272—22/138, 375. 10. 1910. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.: or
OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 5TH NOVEMBER, 1910. [No. 44.

General Register Office, Charlemont House, Dublin, 7th November, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 15·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Average Rate for 4 weeks.
22 Town Districts.	**16·9**	**17·4**	**16·8**	**15·1**	**16·6**	Limerick,	15·0	5·5	21·9	23·2	16·4
						Lisburn,	9·1	4·5	18·2	13·6	11·4
Armagh,	6·9	13·7	.	13·7	8·6	Londonderry,	14·4	8·4	21·6	10·8	13·8
Ballymena,	14·4	9·6	23·9	4·8	13·2	Lurgan,	8·9	.	8·9	13·3	7·8
Belfast,	16·3	16·0	15·3	14·4	15·5	Newry,	16·8	8·4	25·2	8·4	14·7
Clonmel,	41·0	.	35·9	5·1	20·5	Newtownards,	11·4	17·2	.	28·6	14·3
Cork,	14·4	15·8	17·1	11·0	14·6	Portadown,	31·0	25·8	31·0	15·5	25·8
Drogheda,	4·1	20·4	8·2	8·2	10·2	Queenstown,	19·8	19·8	13·2	19·8	18·1
Dublin Reg. Area,	18·9	20·7	16·6	18·1	18·6	Sligo,	9·6	9·6	19·2	9·6	12·0
Dundalk,	19·9	23·9	19·9	12·0	18·9	Tralee,	.	63·4	21·1	10·6	23·8
Galway,	15·5	23·3	15·5	11·7	16·5	Waterford,	21·4	29·2	13·6	7·8	18·0
Kilkenny,	19·7	9·8	24·6	.	13·5	Wexford,	18·7	18·7	32·7	23·3	23·3

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·3 per 1,000, the rates varying from 0·0 in sixteen of the districts to 5·7 in Newtownards, the 5 deaths from all causes for that district including one from diarrhœa. Among the 108 deaths from all causes for Belfast are 3 from measles, one from scarlet fever, and 6 from diarrhœal diseases. Of the 16 deaths from all causes for Cork one is from diphtheria and one from diarrhœa, and the only death recorded for Ballymena is one from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 211—119 boys and 92 girls—and the deaths to 147—76 males and 71 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·1 per 1,000 of the population, the rate for the total deaths registered in the Area being 19·0 per 1,000.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*). Table II.

‡ See columns 10-18 of Table II.

During the forty-four weeks, ending with Saturday last, the death-rate averaged 21·1, an was 2·8 below the mean rate for the corresponding portions of the ten years, 1900-9.

The deaths from all causes included one from measles, 3 from scarlet fever, one from typhu 4 from influenza, one from whooping-cough, one from diphtheria, one from enteric fever, an 5 from diarrhœal diseases. Of the latter figure, 4 were deaths of children under 5 yea of age ; there were also registered at this age 2 deaths from enteritis, and 5 deaths fro *gastro-enteritis.*

In each of the three preceding weeks deaths from measles were 0, 0, and 0 ; deaths fro scarlet fever were 0, one, and one ; deaths from typhus were 0, 0, and 0 ; deaths from whoopin cough were 2, 5, and one ; deaths from diphtheria were one, 0, and 4 ; deaths from enter fever were one, 2, and one ; deaths from diarrhœal diseases were 10, 8, and 4 ; and death from influenza were one, 2, and one.

The deaths from pneumonia (all forms) included one death from lobar pneumonia, 5 death from broncho-pneumonia, and 7 deaths from *pneumonia* (not defined).

Twenty-nine deaths were attributed to tuberculous disease in all its forms ; the total include 18 deaths from tuberculous phthisis (*phthisis*), 5 from tuberculous meningitis, one fro tuberculous peritonitis, and 5 from other forms of the disease. In the 3 preceding week deaths from all forms of tuberculous disease numbered 22, 31, and 21, respectively.

There were 4 deaths from carcinoma, and 3 from cancer (undefined).

Four deaths of prematurely born infants were recorded.

The deaths of 2 infants were attributed to *convulsions.*

Seventeen deaths were assigned to diseases of the heart and blood-vessels, and 15 death were caused by bronchitis.

There was one death by an accident with a horse and cart.

In one instance the cause of death was "uncertified," there having been no medical attendan during the last illness ; this case was that of a person aged 72 years.

Forty-six of the persons whose deaths were registered during the week were under years of age (29 being infants under one year, of whom 9 were under one month old) and 2 were aged 60 years and upwards, including 16 persons aged 70 and upwards, of whom were octogenarians.

Fifty-seven of the deaths registered during the week occurred in hospitals and othe public institutions ; of this number 13 took place in the North Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week deaths in Public Institutions being assigned to the Districts from which the deceased wer admitted, and the annual death-rate for each District calculated on the mortality so dis tributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·1 per 1,000 ; the rate in the City was 19· (North City Districts, 19·7 ; South 19·3) and in the Suburbs, 13·5.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·7 per 1,000 inhabitants, th rate for the City being 2·0 (1·3 in the North City Districts, and 2·8 in the South), and for the Suburbs, 0·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (18) are equal to an annual rate of 31·4 per 1,000 There were 3 deaths from influenza, 2 from *pneumonia* (not defined), one from *phthisis*, and 4 from diseases of th respiratory system.

No. 1 *North City District, West* (Summer-hill).—The deaths (11) are equal to an annual rate of 14·3 per 1,000 and include one death from measles, one from enteric fever, one from *pneumonia* (not defined), and 2 from tuberculou disease.

No. 2 *North City District* (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 25·4 per 1,000 Among them are one from epidemic diarrhœa, 3 from tuberculous disease, and 2 from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (14) represent an annual rate of 21·8 per 1,000. On death from *diarrhœa*, one from *pneumonia* (not defined), 4 deaths from tuberculous disease, and 2 deaths from bronchiti were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are :—Coolock and Drumcondra, part of, 9·0 per 1,000 inhabitants ; Clontarf and Howth, No. 1, part of, 0·0 ; and Finglas and Glasnevin, par of, 0·0.

No. 1 *South City District* (South Farl-street).—The deaths (14) represent an annual rate of 17·6 per 1,000. There were 2 deaths from scarlet fever, one from whooping-cough, one from epidemic diarrhœa, one from influenza, one from broncho-pneumonia, one from tuberculous meningitis, and 5 from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (11) are equal to an annual rate of 26·4 per 1,000, and includ one death from broncho-pneumonia, 4 from tuberculous disease, 2 from bronchitis, and one accidental death.

No. 3 *South City District* (Peter-street).—The deaths (16) are equal to an annual rate of 19·3 per 1,000. Two death from diarrhœal diseases, one death each from broncho-pneumonia and *pneumonia* (not defined), 3 deaths from tubercu lous disease, and one death from bronchitis were recorded.

No. 4 *South City District* (Grand Canal-street).—The deaths (12) are equivalent to an annual rate of 17·4 per 1,000 Among them are one death from typhus, one death from broncho-pneumonia, and 3 deaths from tuberculous phthisis (*phthisis*).

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·2 per 1,000. Scarlet fever caused one death

Urban Districts.—The annual death-rates represented by the deaths recorded last week are :—Rathmines and Rathgar 9·9 ; Pembroke, 16·2 ; Blackrock, 23·1 ; and Kingstown, 11·8. The only death from any of the principal epidemic diseases tabulated for these districts was one from diphtheria for Pembroke. Among the 7 deaths from all causes for Rath mines are 3 from tuberculous disease ; of the 9 deaths from all causes for Pembroke one is from broncho-pneumonia and 3 are from tuberculous disease ; the 4 deaths from all causes for Blackrock include one from tuberculous phthisis and of the 4 deaths for Kingstown one is from *pneumonia* (not defined).

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possibl in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 89," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly rnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin ; Mr. Fawcett ecutive Sanitary Officer for Rathmines and Rathgar Urban District : Mr. Manly, Executive Sanitary Officer for mbroke Urban District : Mr. Heron, Executive Sanitary Officer for Blackrock Urban District ; by Dr. R. A. Donovan, Medical Superintendent Officer of Health for Kingstown Urban District : and by Dr. Bailie, Medical perintendent Officer of Health for the City of Belfast.

ABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz. :—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 5th November, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Oct. 15,	.	—	—	10	.	.	14	.	3	4	7	.	—	—	.	—	8	—	46
	Oct. 22,	.	—	—	21	3	.	20	.	.	6	12	.	—	—	.	—	21	—	83
	Oct. 29,	.	—	—	22	.	.	17	.	1	6	14	.	—	—	.	—	16	—	76
	Nov. 5,	.	—	—	16	1	.	13	.	1	5	8	.	—	—	.	—	11	—	55
Rathmines and Rathgar Urban District.	Oct. 15,	.	—	—	.	.	.	.	.	.	.	2	.	—	—	—	—	—	—	2
	Oct. 22,	.	—	—	3	.	.	1	.	.	1	.	.	—	—	—	—	—	—	5
	Oct. 29,	.	—	—	1	.	.	2	.	.	1	.	.	—	—	—	—	—	—	4
	Nov. 5,	.	—	—	.	.	.	5	.	.	3	1	.	—	—	—	—	—	—	9
Pembroke Urban District.	Oct. 15,	.	.	.	1	.	.	2	.	.	.	.	.	—	.	.	—	.	—	3
	Oct. 22,	.	4	.	1	.	.	.	.	.	2	.	.	—	5	.	—	.	—	12
	Oct. 29,	.	.	.	.	.	.	.	.	.	.	.	.	—	2	.	—	.	—	2
	Nov. 5,	.	4	.	3	.	.	.	.	.	.	.	.	—	3	.	—	.	—	10
Blackrock Urban District.	Oct. 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Oct. 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Oct. 29,	.	—	—	5	.	.	.	.	.	.	.	.	—	—	.	—	—	—	5
	Nov. 5,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	—	3
Kingstown Urban District.	Oct. 15,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	1	—	2
	Oct. 22,	.	—	—	.	.	.	3	.	.	.	1	.	—	—	—	—	.	—	4
	Oct. 29,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	Nov. 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Oct. 15,	.	—	—	16	.	.	6	.	.	3	7	.	—	—	—	—	5	—	37
	Oct. 22,	.	—	—	18	.	.	8	.	1	3	4	.	—	—	—	—	3	—	37
	Oct. 29,	.	—	—	17	1	.	6	.	.	3	8	1	—	—	—	—	7	—	43
	Nov. 5,	.	—	—	32	.	.	8	.	.	4	5	.	—	—	—	—	8	—	57

The Registrar of Drogheda, No. 2 district, reports :—"Five cases from one house were sent to Fever Hospital during the week. Examination of the blood pointed to Typhoid Fever. Two of those cases were covered with a very peculiar rash which led me at first to suspect Typhus."

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 5th November, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

One case of measles was admitted to hospital during the week, one was discharged, and 17 cases remained under treatment at its close.

Twenty-three cases of scarlet fever were admitted to hospital, 20 were discharged, there were 2 deaths, and 103* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 82, 84, and 102, respectively.

One case of typhus was admitted to hospital during the week, there was one death, and 3 cases remained under treatment at its close.

Nineteen cases of diphtheria were admitted to hospital, 21 were discharged, there was one death, and 76 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 59, 68, and 79, respectively.

Four cases of enteric fever were admitted to hospital during the week, 8 were discharged, and 34 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 41, 40, and 38.

In addition to the above named diseases, 3 cases of pneumonia were admitted to hospital, 8 were discharged, and 17 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns, including London (in which the rate was 13·1) was equal to an average annual death-rate of 13·1 per 1,000 persons living ; the average rate for 8 principal towns of Scotland was 13·6 per 1,000, the rate for Glasgow being 14·3 and for Edinburgh 13·0.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 5th November. From this Report it appears that of a total of 63 cases notified, 32 were scarlet fever, 13 diphtheria, 12 phthisis, 5 erysipelas, and one puerperal fever. Among the 455 cases of infectious diseases in hospital at the close of the week were 249 cases of scarlet fever, 88 of diphtheria, 53 of phthisis, 36 of measles, 7 of whooping cough, 6 of enteric fever, 6 of erysipelas, 2 of chicken-pox, one of puerperal fever, and one of cerebro-spinal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 5th November, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts. POPULATION. Total.*a*	Persons to an Acre.	REGISTRATION.—WEEK ENDING SATURDAY, 5TH NOVEMBER, 1910. Annual Rate per 1,000 persons represented by BIRTHS.	DEATHS. From all Causes.	DEATHS. From Diseases in cols. 10–18.	NUMBERS REGISTERED. BIRTHS.	DEATHS. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia b* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. WEEK ENDING 5TH NOVEMBER, 1910. Air Temperature: Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	WEEK ENDING 29TH OCTOBER, 1910. Air Temperature: Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	WEEK ENDING 22ND OCTOBER, 1910. Air Temperature: Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(8)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·2	25·5	15·1	1·3	564	634	68	75	.	4	4	1	1	3	.	1	14	21	39	14	23	39	7	12	98	11	.	.	.	.	.	.	.	.	.	.	.	.	.
DUBLIN REGISTRATION AREA:—TOTAL, *c*	402,928	29·3	27·3	18·1	1·7	211	140	18	27	.	1	3	1	.	1	.	1	5	11	17	11	6	18	1	2	50	1	*e*55·5	29·9	43·1	0·56	*e*55·8	33·9	50·4	0·37	*e*53·4	38·4	49·1	0·33
CITY of DUBLIN,	310,298	39·2	31·6	19·5	2·0	188	116	27	17	.	1	3	1	1	.	.	1	5	9	12	9	6	17	1	2	43	1	*f*56·3 *g*56·0	38·0 30·2	44·2 43·5	0·47 0·40	*f*56·3 *g*56·8	46·9 45·0	51·6 51·3	0·41 0·31	*f*58·2 *g*58·8	40·9 39·0	50·6 50·0	0·34 0·49
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	8·4	9·9	.	6	7	.	3	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	14·4	16·2	1·8	8	9	1	3	.	.	.	.	.	1	.	.	.	1	2	1	.	.	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,018	8·8	.	23·1	.	.	4	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	26·6	11·8	.	9	4	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	57	36	45·1	0·50	58	43	52·3	0·42	59	40	51·5	0·38
URBAN DISTRICTS.																																								
BELFAST,	391,167	26·6	24·4	14·4	1·3	183	108	24	23	.	3	1	.	.	.	.	.	6	7	14	2	9	11	3	5	25	2	54·5	34·5	41·5	1·22	57·0	41·0	51·2	0·33	58·0	42·0	50·7	0·65
CORK,	76,122	33·6	16·4	11·0	1·4	24	16	2	3	.	.	.	.	.	1	.	.	1	.	2	.	2	1	.	.	5	.	56	41	47·4	0·51	56	51	53·4	2·52	57	44	51·4	0·21
LONDONDERRY,	48,477	20·1	20·4	10·8	.	17	9	.	3	.	.	.	.	.	.	.	.	.	.	2	.	.	3	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	38·3	28·2	.	39	17	4	3	.	.	.	.	.	.	.	.	.	2	1	.	2	3	.	2	4	3	53·5	30·1	44	1·00	57·3	44	51	0·34	61	38·2	49·3	0·26
WATERFORD,	26,769	18·7	19·5	7·8	.	10	4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	9·5	19·4	11·7	.	5	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	54	34	44	0·71	57	45	51	0·23	58	42	51·4	0·31
DUNDALK	13,076	9·4	12·0	12·0	.	3	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	20·4	8·2	.	5	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	13,405	17·8	16·8	8·4	.	4	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	53·8	31·9	42·7	0·73	55·0	46·0	50·0	0·03	59·5	38·0	49·9	0·31
LURGAN,	11,782	13·8	39·8	13·8	.	9	3	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	53·8	31·9	42·7	0·73	55·0	46·0	50·0	0·03	59·5	38·0	49·9	0·31
LISBURN,	11,461	10·1	30·4	13·6	.	8	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	53·8	31·9	42·7	0·73	55·0	46·0	50·0	0·03	59·5	38·0	49·9	0·31
WEXFORD,	11,168	23·2	18·7	23·3	.	4	5	1	4	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,886	6·9	23·9	4·8	4·8	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,870	8·7	14·4	9·6	.	3	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	55·7	27·9	42·2	2·87	57·0	42·9	49·7	0·05	57·9	35·1	43·4	0·62
KILKENNY,	10,609	11·5	9·8	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	56	32	41·7	1·00	57	47	51·4	0·58	60	39	49·9	0·55
CLONMEL,	10,167	7·8	46·2	5·1	.	9	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,092	18·2	25·8	15·5	5·2	5	3	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	53·8	31·9	42·7	0·73	55·0	46·0	50·0	0·03	59·5	38·0	49·9	0·31
TRALEE,	9,867	16·6	16·4	10·6	.	5	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	45·8	28·6	5·7	8	5	2	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1	1	1	54	35	43·6	1·11	55	49	51·8	.	58	40	50·4	0·84
QUEENSTOWN,	7,909	14·4	38·0	19·8	.	5	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	56	41	47·4	0·51	56	51	53·4	2·52	57	44	51·4	0·24
ARMAGH,	7,588	22·2	.	13·7	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	53·8	31·9	42·7	0·73	55·0	46·0	50·0	0·03	59·5	38·0	49·9	0·31

(*a*) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (*b*) Formerly described as "Simple Continued Fever." (*c*) Exclusive of 7 deaths of persons (including one under 1 year old and 2 at 60 years or upwards) admitted to hospital from localities outside the Area (*d*) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 5th November, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	3	.
Typhus,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Whooping-cough,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	.	.	1	1	.	.	.	1	.	2	.	.	.	.	.	.	5	.
Pneumonia,	2	1	.	1	.	.	.	1	1	2	1	.	.	1	.	1	11	2
Tuberculous Disease. Phthisis,	1	1	2	1	.	.	.	.	2	2	3	.	2	2	1	.	17	1
Tuberculous Disease. Other Forms,	.	1	1	3	.	.	.	1	2	1	.	.	1	1	.	.	11	.
Cancer, Malignant Disease,	1	.	1	.	.	.	.	.	.	1	3	.	.	.	.	.	6	1
Other General Diseases,	4	.	.	1	.	.	.	2	1	1	1	1	.	2	1	.	14	1
Total,	8	5	5	7	.	.	.	8	6	9	9	2	3	7	2	1	72	5
B. LOCAL DISEASES:																		
Diseases of Nervous System,	.	1	.	1	.	.	.	.	1	.	1	.	1	.	.	.	5	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Heart and Blood Vessels,	1	2	5	3	.	1	.	.	.	1	1	.	2	1	.	.	17	.
Diseases of Respiratory System,	4	.	2	2	.	.	.	5	2	1	.	1	.	.	.	1	18	.
Diseases of Digestive System,	4	3	1	.	.	.	.	.	1	4	.	.	.	.	1	1	15	1
Diseases of Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	1	.	1	.	.	.	.	.	.	.	.	.	1	1	1	.	5	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
„ Integumentary System,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	10	6	10	6	.	2	.	5	4	6	2	1	4	2	2	2	62	2
C. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	.	.	1	.	.	.	1	.	1	1	.	.	.	.	1	5	.
E. VIOLENT DEATHS,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Deaths from all Causes	18	11	15	14	.	2	.	14	11	16	12	3	7	9	4	4	140	7
Annual Rate of Mortality from all causes in every 1,000 of the population.	31·4	14·3	25·4	21·8	.	9·0	.	17·6	26·4	19·3	17·4	17·2	9·9	16·2	23·1	11·8	18·1	.
	19·7							19·3					13·5					
	19·5																	
Ages at Death. Under 1 year,	3	2	1	2	.	.	.	4	4	7	4	.	.	1	.	1	28	1
Ages at Death. 1 and under 5 years,	2	1	3	2	.	.	.	3	2	.	1	.	.	2	.	1	17	.
Ages at Death. 5 „ 20 „	.	.	1	4	.	1	.	2	1	1	1	1	.	1	1	.	14	.
Ages at Death. 20 „ 40 „	4	7	3	2	.	.	.	1	3	2	2	1	3	1	1	.	30	3
Ages at Death. 40 „ 60 „	6	1	5	1	.	.	.	1	.	4	3	.	1	1	1	.	24	1
Ages at Death. 60 years and upwards,	3	.	2	3	.	1	.	3	1	2	1	1	3	3	1	3	27	2
Number of Uncertified Deaths,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	5	3	4	.	1	.	3	3	3	3	2	.	6	1	.	37	7
Workhouse Hospitals.	6	1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	13	.

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in th corresponding week of the ten years 1900–1909

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Averages in 44th Week of the 10 years, 1900–1909.	In the Week ending Saturday, 5th November, 1910.							
												Deaths of Persons of the Ages of							
	Nov. 3, 1900.	Nov. 2, 1901.	Nov. 1, 1902.	Nov. 7, 1903.	Nov. 5, 1904.	Nov. 4, 1905.	Nov. 3, 1906.	Nov. 2, 1907.	Oct. 31, 1908.	Nov. 6, 1909.		All Ages.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 50·8	° 51·0	° 50·1	° 43·9	° 49·0	° 42·7	° 40·6	° 49·0	° 48·5	° 45·0	° 47·1	° 43·1								
ALL CAUSES.	152	168	183	166	162	195	204	169	171	145	171·5	147	9	20	17	14	33	25	24	5
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	1	.	16	.	6	.	2	1	2	.	2·8	1	.	1	.	.	.	.	.	.
Scarlet Fever,	1	1	3	.	1	.	.	1	.	.	·7	3	.	.	1	2	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	1	2	1	1	2	2	.	1	1·1	4	.	.	1	.	1	1	.	1
Whooping-cough,	3	4	1	.	1	.	3	.	1	1	1·4	1	.	.	1	.	.	.	.	.
Diphtheria,	.	1	1	.	1	.	1	1	.	.	·5	1	.	.	1	.	.	.	.	.
Cerebro-spinal Fever,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain),	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	3	5	2	1	.	2	1	2	3	1	2·0	1	.	.	.	.	1	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.), *Diarrhœa*, Dysentery,	5	9	.	.	2	2	2	5	2	1	4·7	3	.	2	1	.	.	.	.	.
			3	1	3	2	5	1	3	1		2	.	1	.	1	.	.	.	.
Tetanus,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	1	1	1	.	.	1	1	3	.	.	·8	2	.	2	.	.	.	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Infective Endocarditis	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar, Broncho-, Epidemic, Not defined,	7	8	.	5	2	1	3	.	1	.	10·3	1	.	3	1	.	1	.	.	.
			5	9	9	6	4	6	3	2		5	.	.	.	.	1	.	.	.
			.	.	2	.	6	3	4	6		.	.	.	.	.	.	.	.	.
			7	9	2	9	6	3	4	6		7	.	.	.	.	3	1	3	.
Erysipelas,	.	.	.	.	.	.	1	1	.	.	·2	.	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	.	.	1	.	1	.	1	.	.	1	·4	1	.	.	.	.	1	.	.	.
			.	.	.	.	.	.	.	.		1	.	.	.	.	1	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	1	.	1	.	·2	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*,"	16	11	1	5	8	7	13	7	12	9	20·0	7	.	.	1	.	3	2	1	.
			20	21	12	17	8	9	14	10		11	.	.	.	2	7	1	1	.
Tuberculous Meningitis,	3	1	4	1	3	4	3	4	2	3	2·8	5	.	.	2	3	.	.	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*,	4	5	.	2	.	.	3	.	1	.	1·9	1	.	.	.	.	1	.	.	.
			.	.	2	.	.	2	.	.		.	.	.	.	.	.	.	.	.
Tuberculous Dis. (other), *Scrofula*,	2	2	8	7	7	4	11	6	7	4	5·9	5	.	.	.	3	2	.	.	.
			.	.	.	1	.	.	.	.		.	.	.	.	.	.	.	.	.
Alcoholism,	3	.	1	.	2	.	1	1	.	1	9	.	.	.	.	.	.	.	.	.
Rheumatic Fever,	1	.	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Carcinoma, Sarcoma, Cancer (undefined)	10	7	1	7	2	2	6	3	6	5	8·8	4	.	.	.	.	.	3	1	.
			.	.	1	1	1	3	1	.		.	.	.	.	.	.	.	.	.
			6	1	3	4	3	3	7	5		3	.	.	.	.	1	1	1	.
Diabetes Mellitus,	.	.	.	1	1	1	.	.	.	.	3	.	.	.	.	.	.	.	.	.
Premature Birth,	.	5	3	5	4	6	6	7	5	2	4·3	4	4	.	.	.	.	.	.	.

* The figures for the year 1900 are for

† Formerly described as

ORTY-FOURTH WEEK ending Saturday, 5th November, 1910, with the deaths from each cause in the d the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 44th Week of the 10 years 1900-1909.	In the Week ending Saturday, 5th November, 1910.							
	Nov. 3, 1900.	Nov. 2, 1901.	Nov. 1, 1902.	Nov. 7, 1903.	Nov. 5, 1904.	Nov. 4, 1905.	Nov. 3, 1906.	Nov. 2, 1907.	Oct. 31, 1908.	Nov. 6, 1909.		Deaths of Persons of the Ages of							
												All Ages.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 50·8	° 51·0	° 50·1	° 43·9	° 49·0	° 42·7	° 40·6	° 49·0	° 48·5	° 45·0	° 47·1	° 43·1								
Meningitis (not tuberc.)			6	5	4	2	1	2	1	3		1	.	.	.	1	.	.	.	.
Insanity, G. P. of Insane			1	2	.	1	2	1	2	.		.	.	.	.	.	.	.	.	.
Epilepsy			2	1	1	1	1	1	2	3		.	.	.	.	.	.	.	.	.
Convulsions			8	10	4	5	7	6	3	2		2	1	1	.	.	.	.	.	.
Locomotor Ataxy			.	.	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord			1	2	2	2	1	2	1	2		.	.	.	.	.	.	.	.	.
Nervous System (other Dis.)			2	.	1	1	2	4	1	1		2	.	.	.	1	.	1	.	.
Valv. Dis., Endocarditis	26	41	2	7	1	9	8	5	10	5	38·3	3	.	.	.	.	3	.	.	.
Cerebr. Hæm. Thromb.			1	2	5	3	4		1	4		1	.	.	.	.	1	.	.	.
Apoplexy, Hemiplegia			2	4	6	6	3	1	4	4		3	.	.	.	1	1	1	.	.
Aneurysm			1	.	.	1	.	1	.	.		1	.	.	.	1	.	.	.	.
Embolism, Thromb. (not cerebral)			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Heart and Blood Vessels (other Dis.)			12	10	11	10	18	18	15	6		9	.	.	.	3	2	2	2	
Croup (not Spasm. nor Memb.)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	27	18	23	23	17	37	32	18	12	13	22·0	15	.	2	4	.	6	3	.	
Asthma, Emphysema			.	.	1	2	.	.	1	.		2	.	.	.	.	.	2	.	
Pleurisy	2	3	.	.	.	.	.	1	.	.	2·3	.	.	.	.	.	.	.	.	
Respiratory Dis. (other)			2	2	1	3	1	.	2	2		1	.	.	.	.	.	1	.	
Tonsillitis, Quinsy	.	3	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.)			.	1	1	4	1	1	3	8	3·0	2	.	1	1	.	.	.	.	.
Gastro-enteritis	.	.	1	1	.	.	3	1	5	.		5	2	3	.	.	.	.	.	.
Peritonitis (not Puerp.)	.	1	.	1	.	1	.	.	.	.	·3	2	.	.	.	1	1	.	.	.
Cirrhosis of Liver	2	1	.	3	1	.	2	1	2	.	2·7	.	.	.	.	.	.	.	.	.
Liver Dis. (other)			1	2	4	5	2	1	1	1		1	.	.	.	.	.	1	.	.
Digestive Dis. (other)	.	3	4	2	4	7	6	6	4	3	3·2	6	1	1	1	.	2	1	.	
Nephritis, Acute			.	2	1	2	2	3	2	3	5·8	3	.	.	.	1	1	.	1	.
Bright's Dis., Albuminuria	4	6	3	3	1	3	4	6	3	4		1	.	.	.	.	.	1	.	.
Urinary Sys. (other Dis.)			.	1	1	2	1	.	1	.		1	.	.	.	.	.	1	.	.
Generative Organs Dis.	.	2	2	1	1	.	.	.	1	.	·7	1	.	.	.	1	.	.	.	.
Childbirth (Accid. of)	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Old Age	14	8	3	5	5	2	4	4	2	7	5·4	3	.	.	.	.	.	2	1	
Other Diseases	9	14	19	8	11	11	12	10	14	17	12·5	7	1	3	1	1	.	.	1	
ACCIDENT.																				
By Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses	.	.	.	1	1	.	.	.	.	.	·2	1	.	.	1	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
In Conflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	1	2	.	1	1	.	1	.	2	2	1·0	.	.	.	.	.	.	.	.	.
By Drowning	1	2	.	.	.	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
By Suffocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	1	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Other Deaths by Accident	4	1	1	.	.	2	.	1	2	.	1·1	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide	.	2	.	.	2	.	.	.	.	1	·5	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

e Registration Area as then constituted.
Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910 – Week ending																								
	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug 6	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10	Sept. 17.	Sept. 24.	Oct 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29	Nov.
No. of weeks in Annual Series,	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44
BIRTHS registered.	241	181	242	253	268	272	183	223	229	272	225	243	198	209	240	191	228	261	235	292	196	209	161	214	182	211
*Average Births in corresponding week of previous 10 years,** ..	229	211	202	232	222	199	215	237	200	198	204	215	221	202	219	218	207	232	203	200	252	192	184	209	206	209
DEATHS registered, ...	180	131	160	135	133	140	130	127	143	118	144	127	145	143	126	146	120	141	153	174	164	160	151	171	139	147
Annual Death-rate per 1,000, ..	23·3	17·0	20·7	17·5	17·2	18·1	16·8	16·4	18·5	15·3	18·6	16·4	18·8	18·5	16·3	18·9	15·5	18·2	19·8	22·5	21·2	20·7	19·5	22·5	18·0	19·0
*Average Deaths in corresponding week of previous 10 years,**	178	174	171	157	154	152	147	136	138	142	146	147	146	148	156	166	159	157	151	167	162	158	156	160	156	172
AGES, Under 5 years, ...	38	37	39	31	37	25	27	31	50	29	48	31	31	34	37	37	42	36	50	70	60	53	44	56	40	46
5—20 ,, ...	16	7	10	18	10	12	9	11	11	10	8	18	17	8	6	9	3	16	8	9	11	7	7	14	6	14
20—40 ,, ...	34	30	25	26	23	27	32	28	24	17	17	13	27	23	28	18	18	19	22	19	16	22	25	26	21	34
40—60 ,, ...	32	28	40	27	29	35	32	28	25	27	29	30	30	28	32	27	28	34	30	32	33	38	27	31	26	25
60—80 ,, ...	50	36	42	33	28	38	28	38	23	34	34	38	35	26	24	34	26	38	30	42	37	24	39	41	41	24
80 years and upwards, ..	10	8	4	5	7	8	2	6	10	1	8	2	5	4	4	7	8	2	4	2	7	7	9	6	5	5
Deaths from—																										
Small-pox, ...	.	.	.	.	1	1	.	.	1	.	1	.	.	1	.	.	.	.	.	8	.	1	.	.	.	1
Measles, ...	1	1	.	2	.	.	1	.	.	1	3	3	1	1	1	2	1	1	2	.	.	1	.	1	1	3
Scarlet Fever, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Typhus, ...	1	1	.	2	1	2	1	3	.	1	1	.	3	3	2	.	4	3	2	1	2	2	2	5	1	1
Whooping-cough, ...	.	.	.	.	.	.	.	1	2	1	.	5	1	.	2	4	1	.	2	3	2	2	1	.	4	1
Diphtheria, ...	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1	1	.	3	1	2	1	1
Pyrexia † (origin uncertain), ..	3	.	1	.	.	2	.	.	.	1	2	2	.	.	2	.	1	1	1	1	.	3	1	2	1	1
Enteric Fever, ...	1	5	2	1	3	1	1	1	6	3	5	.	2	14	6	17	12	11	21	22	27	12	10	8	4	5
Diarrhœal Diseases, ...	3	2	.	.	.	1	.	2	.	.	1	.	1	.	1	.	.	.	1	1	2	1	1	2	1	4
Influenza, ...	14	13	8	8	10	7	10	3	8	7	9	5	7	8	7	6	5	6	10	4	6	5	11	15	12	13
Pneumonia, ...	31	15	14	17	15	22	24	23	11	19	11	17	24	14	17	12	17	23	15	19	18	17	14	23	17	18
Tuberculous Phthisis, ..	9	9	11	15	7	15	10	14	7	8	3	9	10	15	7	5	5	13	9	8	11	12	8	8	4	11
Disease, Other Forms, ..	10	3	10	10	6	7	10	10	8	5	11	10	8	8	9	10	8	9	7	9	11	12	11	12	9	7
Cancer, Malignant Disease, ..	25	20	29	21	21	25	16	23	26	17	23	23	23	20	16	20	17	23	19	24	30	20	24	25	23	17
Diseases of Heart and Blood Vessels, ...	27	16	18	18	17	11	15	7	11	13	14	11	10	8	10	11	6	10	10	20	13	16	17	17	12	18
Diseases of Respiratory System.	11	2	3	6	7	7	1	2	9	3	8	5	3	6	2	4	5	3	6	6	3	10	4	.	2	1
Violent Deaths, ...	2	6	3	3	7	5	6	3	5	.	4	7	2	3	4	4	3	2	1	3	3	3	6	2	4	1
Number of Uncertified Deaths, ..																										
Mean Temperature of the Air (Phœnix Park), ...	44·7	51·4	55·1	50·6	57·8	56·4	58·1	54·7	55·5	57·1	51·9	57·8	56·5	59·2	53·8	53·6	57·2	54·8	52·0	50·4	51·2	52·5	48·2	49·1	50·4	49·1
Average Mean Temperature in corresponding week of previous 10 years, ...	43·5	48·6	50·5	53·9	53·3	53·7	55·3	56·6	57·6	58·9	(0 6	58·8	58·8	58·2	57·7	56·5	56·1	54·4	53·1	53·8‡	53·7	52·2	50·6	48·4	46·2	47·1
Rainfall in inches, ...	·220	1·263	·185	·691	1·870	·010	1·291	1·780	·630	·000	·840	·855	·940	·205	1·175	·411	·194	·150	·015	·015	·891	·535	·133	·383	·365	·558
Mean Humidity of the Air, complete Saturation 1·0	·81	·90	·88	·81	·92	·87	·92	·87	·88	·81	·81	·81	·84	·85	·81	·81	·83	·87	·91	·85	·89	·90	·84	·92	·87	·90

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 5th November, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 5TH NOVEMBER, 1910. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 Years	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	CAUSES OF DEATH. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(29)
	ALL PERSONS.	375,350	20·4	147	46	14	33	25	24	5	.	1	3	1	1	1	.	1	5	13	13	18	11	7	2	18	1	61	1
	CLASSES. **Deaths in Families of the—**																												
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	17·9	6	.	.	.	2	4	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1	.	2	.
II.	MIDDLE CLASS, ...	87,198	18·8	23	1	5	6	3	6	2	.	.	2	.	.	.	.	1	.	3	1	4	1	1	1	2	.	10	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,428	15·6	33	10	3	6	7	5	2	.	.	.	1	1	.	.	.	1	3	2	5	.	2	.	1	.	20	.
IV.	GENERAL SERVICE CLASS, ...	154,279	24·3	72	33	6	18	7	7	1	.	1	1	.	.	1	.	.	4	7	7	9	10	1	1	10	1	26	1
V.	INMATES OF WORKHOUSES, ...	6,024	—	13	2	.	3	6	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	4	.	6	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	33·4	5	.	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
II.	MIDDLE CLASS.																												
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	18·5	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	9·5	4	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
	6. Clerks and Commercial Assistants, ..	8,482	13·7	8	1	2	4	.	1	.	.	.	2	.	.	.	.	1	.	3	.	2	.	.	1	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	17·4	9	.	3	2	2	2	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	2	.	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	21·1	4	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	29,801	12·2	7	2	1	1	2	1	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.	.	4	.
	10. Clothing Trades, ...	28,260	9·0	4	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	2	.
	11. Food Supply Trades, ...	9,242	22·6	4	1	.	1	2	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	1	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	22·3	13	1	1	2	3	4	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	10	.
	13. Petty Shopkeepers, ...	7,894	6·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																												
	14. Army, Police, Postal Delivery, and Prison Services, &c	13,425	11·7	3	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
	15. Domestic Servants, ...	56,603	5·7	4	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	29·0	8	4	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	2	3	.	.	.	.	.	3	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	33·1	57	29	5	11	6	6	.	.	1	1	.	.	1	.	.	4	7	4	5	8	1	1	10	1	20	1
V.	INMATES OF WORKHOUSES.																												
	18. Workhouse Inmates, ...	6,024	—	13	2	.	3	6	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	4	.	6	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

	DISTRICTS.	1910. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Diseases in Cols. 5–13.	Total Deaths.	Number of Deaths from: Small pox.	Measles.	Scarlet Fever.*	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of).	North City, No. 1 (E.)	Sept. 17,	15·7	1·7	9	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.
		„ 24,	24·4	.	14	.	.	.	.	.	.	.	.	.	3	.	.	2	.	2	.
		Oct. 1,	22·7	3·5	18	.	.	.	.	.	.	.	.	2	1	1	.	2	2	.	1
	(*Office*,	„ 8,	19·2	5·2	11	.	.	1	.	.	.	.	.	2	.	.	.	.	3	.	1
	Clarence-st., Nth.	„ 15,	17·4	1·7	10	.	.	.	.	1	.	.	.	.	1	1	.	1	1	1	1
		„ 22,	17·4	1·7	10	.	.	.	.	1	.	.	.	.	1	1	.	.	3	.	.
	Pop. in 1910	„ 29,	17·4	.	10	.	.	.	.	.	.	.	.	.	.	3	.	.	2	1	1
	(Est.) 29,908.	Nov. 5,	31·4	.	18	.	.	.	.	.	.	.	.	.	2	1	.	1	4	.	.
	North City, No. 1 (W.)	Sept. 17,	28·5	5·2	18	.	.	.	.	.	.	.	.	4	2	2	1	.	2	.	.
		„ 24,	20·9	5·2	16	.	.	.	.	.	1	.	.	3	.	1	.	.	3	.	.
		Oct. 1,	18·8	6·5	14	.	.	.	.	.	.	.	.	5	.	2	2	.	1	.	.
	(*Office*,	„ 8,	28·7	5·2	22	.	.	.	.	.	.	.	1	3	.	4	1	3	3	2	.
	Summer-hill.)	„ 15,	19·6	2·6	15	.	.	.	.	.	.	.	.	3	.	1	.	2	1	.	.
		„ 22,	18·3	.	14	.	.	.	.	.	.	.	.	.	2	1	1	2	1	.	.
	Pop. in 1910	„ 29,	23·2	3·9	17	.	.	.	.	.	1	.	1	1	1	3	.	1	3	.	.
	(Est.) 39,974.	Nov. 5,	14·3	2·6	11	.	1	.	.	.	.	.	1	.	1	1	1	.	.	.	.
	North City, No. 2.	Sept. 17,	18·7	1·7	11	.	.	.	.	.	.	.	.	1	.	1	1	2	1	1	.
		„ 24,	27·1	10·2	16	.	.	.	.	.	.	.	1	5	.	3	.	.	4	.	.
		Oct. 1,	23·7	3·4	14	.	.	.	.	.	.	.	.	2	2	.	1	1	1	.	.
	(*Office*,	„ 8,	22·0	5·1	13	.	.	.	.	.	.	.	.	3	1	2	1	.	.	.	.
	Lisburn-street.	„ 15,	11·9	3·4	7	.	.	.	.	.	.	.	.	2	1	1	1	.	.	.	.
		„ 22,	32·2	3·4	19	.	.	.	.	.	.	.	.	2	3	2	1	.	1	.	1
	Pop. in 1910	„ 29,	15·3	.	9	.	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.
	(Est.) 30,744.	Nov. 5,	25·4	1·7	15	.	.	.	.	.	.	.	.	1	.	2	1	1	2	.	.
	North City, No. 3.	Sept. 17,	18·6	3·1	12	.	.	.	.	.	.	.	.	2	1	4	.	.	.	2	.
		„ 24,	12·4	1·6	8	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.
		Oct. 1,	26·4	7·8	17	.	.	.	.	.	.	.	.	5	1	2	2	1	1	1	.
	(*Office*,	„ 8,	28·3	3·1	15	.	.	.	.	.	1	.	.	1	.	2	2	3	.	1	1
	Benburb-street.)	„ 15,	21·8	3·1	14	.	.	.	.	.	.	.	1	1	2	.	1	.	2	.	.
		„ 22,	26·4	3·1	17	.	.	.	.	.	.	.	1	1	.	3	1	1	2	.	.
	Pop. in 1910	„ 29,	29·5	1·6	19	.	.	.	.	.	1	.	.	.	1	3	.	1	2	.	1
	(Est.) 33,559.	Nov. 5,	21·8	1·6	14	.	.	.	.	.	.	.	.	1	1	1	3	.	2	.	.
	South City, No. 1.	Sept. 17,	22·6	5·0	18	.	.	1	.	1	1	.	.	1	.	3	.	.	.	.	1
		„ 24,	31·4	3·8	25	.	2	.	.	.	.	.	.	1	.	3	3	.	4	.	2
		Oct. 1,	28·9	2·5	19	.	.	.	.	1	.	.	.	1	.	1	2	1	3	.	1
	(*Office*,	„ 8,	28·9	2·5	23	.	1	.	.	1	.	.	.	.	.	2	.	.	2	3	.
	Sth. Earl-street.)	„ 15,	33·7	1·3	26	.	.	.	.	.	.	.	.	1	2	2	3	1	7	.	.
		„ 22,	20·1	2·5	16	.	.	.	.	1	.	.	.	1	2	4	.	1	2	.	.
	Pop. in 1910	„ 29,	15·1	1·3	12	.	.	.	.	.	.	.	.	1	.	2	.	1	2	.	.
	(Est.) 41,476.	Nov. 5,	17·6	5·0	14	.	.	2	.	1	.	.	.	1	1	.	1	.	5	.	1
	South City, No. 2.	Sept. 17,	21·6	4·8	9	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.
		„ 24,	21·6	2·4	9	.	.	.	.	.	.	.	.	1	.	2	.	.	1	.	.
		Oct. 1,	21·6	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.
	(*Office*,	„ 8,	12·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.
	Castle-street.)	„ 15,	24·0	2·4	10	.	.	.	.	.	1	.	.	.	.	1	1	1	1	.	.
		„ 22,	28·8	2·4	12	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	1
	Pop. in 1910	„ 29,	24·0	.	10	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.
	(Est.) 21,754.	Nov. 5,	26·4	.	11	.	.	.	.	.	.	.	.	.	1	2	2	.	2	1	.
	South City, No. 3.	Sept 17,	22·9	3·6	19	.	.	.	.	.	.	.	.	3	1	2	3	1	2	.	.
		„ 24,	31·4	6·0	26	.	1	.	.	.	.	.	.	4	.	2	2	1	3	.	.
		Oct. 1,	18·1	4·8	15	.	.	.	.	1	.	.	.	3	.	2	1	.	.	.	.
	(*Office*,	„ 8,	19·3	.	16	.	.	.	.	.	.	.	.	.	1	3	3	.	2	.	.
	Peter-street.)	„ 15,	30·2	2·4	25	.	.	.	.	.	.	.	.	2	3	2	2	1	3	1	2
		„ 22,	21·7	1·2	18	.	.	.	.	1	.	.	.	.	2	2	2	1	.	.	.
	Pop. in 1910	„ 29,	22·9	2·4	19	.	.	.	.	1	.	.	.	1	2	1	3	1	1	.	1
	(Est.) 43,227.	Nov. 5,	19·3	2·4	16	.	.	.	.	.	.	.	.	2	2	2	1	1	1	.	.
	South City, No. 4.	Sept 17,	14·5	2·9	10	.	.	.	.	.	.	.	.	2	.	1	.	.	1	.	.
		„ 24,	21·8	2·9	15	.	.	.	.	.	1	.	.	1	1	2	1	2	1	2	.
		Oct. 1,	33·4	5·8	28	.	.	.	.	1	.	.	.	3	.	4	2	1	1	.	.
	(*Office*,	„ 8,	21·8	7·3	15	.	.	.	.	1	1	.	.	3	.	1	.	2	.	.	1
	Grand Canal-st.)	„ 15,	7·3	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
		„ 22,	27·6	5·8	19	.	.	.	.	1	.	.	1	2	2	.	.	2	3	.	.
	Pop. in 1910	„ 29,	18·1	1·5	9	.	.	1	.	.	.	.	.	.	1	1	.	.	1	.	.
	(Est.) 35,881.	Nov. 5,	17·4	1·5	12	.	.	.	1	.	.	.	.	.	1	3	.	3	.	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From all Causes	From Diseases in Cols. 5–18.	Total Deaths.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	Sept. 17,	8·4	2·8	6	.	.	.	.	1	.	.	.	1	1	.	.	.	.	1	.
	„ 24,	14·1	1·4	10	.	.	.	.	1	.	.	.	.	1	.	.	1	1	.	1
	Oct. 1,	21·1	4·2	15	.	.	.	.	.	.	.	.	3	.	2	.	2	1	.	1
	„ 8,	14·1	1·4	10	.	.	.	.	.	.	.	1	.	1	1	2	1	1	1	.
	„ 15,	16·9	1·4	12	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	2
	„ 22,	7·0	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 29,	14·1	1·4	10	.	.	.	.	.	1	.	.	.	1	1	.	1	.	.	.
	Nov. 5,	9·9	.	7	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	Sept. 17,	23·4	1·8	13	.	.	.	.	.	.	.	.	1	1	.	2	1	1	1	.
	„ 24,	12·6	1·8	7	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.
	Oct. 1,	5·4	1·8	3	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.
	„ 8,	7·2	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	„ 15,	18·0	1·8	10	.	.	.	.	1	.	.	.	.	1	1	.	1	.	.	1
	„ 22,	16·2	.	9	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.
	„ 29,	7·2	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	Nov. 5,	16·2	1·8	9	.	.	.	.	.	1	.	.	.	1	2	1	.	.	.	.
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	Sept. 17,	23·7	3·0	8		.	.	.	.	.	.	.	1	2	1	.	.	1	1	.
	„ 24,	11·8	.	4		.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	Oct. 1,	11·8	3·0	4		.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
	„ 8,	11·8	.	4		.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	„ 15,	3·0	.	1		.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	„ 22,	8·9	.	3		.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 29,	8·9	.	3		.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	Nov. 5,	11·8	.	4		.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
Belfast. Pop. in 1910 (Est.) 391,167.	Sept. 17,	15·5	2·4	116	.	1	.	.	1	1	.	.	15	7	14	13	10	5	1	2
	„ 24,	16·3	2·3	122	.	3	.	.	1	.	.	.	18	10	11	6	8	8	5	.
	Oct. 1,	14·0	1·6	105	.	1	.	.	3	.	.	1	7	7	17	7	5	11	2	1
	„ 8,	12·5	1·2	94	.	1	.	.	1	.	.	.	7	5	9	3	5	9	.	1
	„ 15,	16·3	1·3	122	.	3	.	.	1	2	.	1	3	11	17	8	7	16	.	1
	„ 22,	16·0	2·0	120	.	5	1	.	.	1	.	.	8	11	10	6	5	9	2	.
	„ 29,	15·3	1·6	115	.	.	.	.	1	.	.	1	10	7	12	8	7	19	.	.
	Nov. 5,	14·4	1·3	108	.	3	1	.	.	.	.	.	6	7	14	2	9	11	3	2
Cork. Pop. (in 1901) 76,122.	Sept. 17,	14·4	2·7	21	.	.	.	.	.	.	.	1	3	.	4	.	.	1	1	1
	„ 24,	16·4	2·7	24	.	.	.	.	.	.	.	.	4	1	6	2	1	1	1	.
	Oct. 1,	21·2	4·1	31	.	.	.	.	.	.	.	.	6	2	1	2	1	.	1	4
	„ 8,	22·6	3·4	33	.	.	.	.	1	.	.	.	4	1	1	.	2	2	1	1
	„ 15,	14·4	1·4	21	.	.	.	.	1	.	.	1	.	.	5	.	1	1	.	.
	„ 22,	15·8	1·4	28	.	.	.	.	.	1	.	.	1	1	1	2	1	4	1	1
	„ 29,	17·1	0·7	25	.	.	.	.	.	.	.	1	.	.	5	.	.	3	.	.
	Nov. 5,	11·0	1·4	16	.	.	.	.	.	1	.	.	1	.	2	.	2	1	.	.
Londonderry. Pop. in 1910 (Est.) 43,477.	Sept. 17,	18·0	1·2	5	.	.	.	.	.	.	.	.	1	.	3	.	1	4	.	2
	„ 24,	10·8	2·4	9	.	.	.	.	.	.	.	.	2	.	.	1	.	1	.	.
	Oct. 1,	21·6	2·4	18	.	1	.	.	.	.	.	.	1	1	.	1	.	1	.	.
	„ 8,	9·6	.	8	.	.	.	.	.	.	.	.	.	.	1	1	1	2	.	.
	„ 15,	14·4	.	12	.	.	.	.	.	.	.	.	.	1	1	3	1	1	.	.
	„ 22,	8·4	2·4	7	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.
	„ 29,	21·6	.	18	.	.	.	.	.	.	.	.	.	.	.	1	2	5	.	1
	Nov. 5,	10·8	.	9	.	.	.	.	.	.	.	.	.	.	2	.	.	3	1	.
Limerick. Pop. (in 1901) 38,151.	Sept. 17,	9·6	1·4	7	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	1
	„ 24,	12·3	1·4	9	.	.	.	.	.	.	.	.	1	.	.	1	.	3	.	.
	Oct. 1,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	1
	„ 8,	9·6	1·4	7	.	.	.	.	1	.	.	.	.	.	3	.	1	.	.	.
	„ 15,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	3	.	.	3	.	2
	„ 22,	5·5	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 29,	21·9	2·7	16	.	.	.	.	.	.	.	.	2	.	2	.	2	1	.	2
	Nov. 5,	23·2	.	17	.	.	.	.	.	.	.	.	.	2	1	.	2	3	.	2
Waterford. Pop. (in 1901) 26,769.	Sept. 17,	19·5	5·8	10	.	.	.	1	.	.	.	.	2	.	1	.	1	1	.	.
	„ 24,	25·4	3·9	12	.	.	.	.	.	.	.	.	3	.	1	2	1	.	.	1
	Oct. 1,	18·6	1·9	7	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	.
	„ 8,	19·5	3·9	10	.	.	.	.	.	.	.	.	2	.	1	.	2	.	1	2
	„ 15,	21·4	3·9	11	.	.	.	.	.	.	.	.	2	.	2	.	.	1	.	2
	„ 22,	22·2	.	15	.	.	.	.	.	.	.	.	.	.	2	1	1	1	1	2
	„ 29,	13·6	1·9	7	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1
	Nov. 5,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 5th November, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901,** represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS.																											
			Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.						DEATHS FROM																		
			All Causes.	Diseases in Cols. 12-20.		Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexial (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	4	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		3			10	4	.	.	4	1	1	.	.	.	.	.	.	.	.	2	1	3	.	.	.	.	1	2
Do. 2 do.		31			10	1	4	2	.	1	2	.	.	1	.	.	.	.	.	.	1	.	1	1	1	1	2	.
Do. 3 do.		25			16	3	2	1	2	5	3	.	.	.	.	.	.	.	.	4	2	1	.	2	.	.	3	.
Do. 4 do.		21			11	2	2	.	3	1	3	.	.	.	.	.	.	.	.	.	.	2	.	2	.	1	2	5	.
Do. 5 do.		8			7	3	1	1	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	2	.
Do 6 do.		12			10	.	.	.	3	2	5	.	.	.	.	.	.	.	.	.	.	1	.	3	1	.	.	2	.
Do 7 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 8 do.	849,180	1	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		2	.	1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
Do. 9 do.		6			3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do 10 do.		10			7	2	1	2	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.
Do. 11 do.		28			7	2	.	2	1	2	.	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	1	.
Do. 12 do.		17			9	4	.	.	3	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1	2	.
Do. 13 do.		9			4	.	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15* do.		11			12	3	.	.	5	1	3	.	2	.	.	.	.	.	.	.	1	1	1	2	.	.	6	.
Total,		188			108	14	11	9	25	16	23	.	3	1	.	.	.	.	.	6	7	14	2	9	11	3	5	25	2
City of Cork.																													
CORK URBAN No 1 DISTRICT,	12,867	8	8·1	4·1	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Do. 2 do.	10,701	7	19·5	.	4	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	3	.
Do. 3 do.	9,978	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 4 do.	8,666	5	12·0	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 do.	6,592	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.	10,702	.	19·5	.	4	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do. 7 do.	16,616	7	12·6	2·1	4	.	.	2	1	.	1	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.
Total,	76,122	24	11·0	1·4	16	2	1	2	1	7	3	.	.	.	.	.	1	.	.	1	.	2	.	2	1	.	.	5	.

* New district formed as from 1st Jan., 1910, and the boundaries of Nos. 1, 4, 5, 6 Districts [illegible]

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910—Week ending																								
	May 14	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.
No. of weeks in annual Series, ..	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44
BIRTHS registered, ...	214	169	264	215	193	231	202	213	199	259	239	214	179	219	211	159	219	190	264	194	172	200	205	228	201	183
DEATHS registered, ...	170	177	176	166	148	183	157	137	145	186	117	135	115	102	124	131	121	108	116	122	105	94	122	120	115	108
Annual Death rate per 1,000 of estimated Population, ...	22·7	23·6	23·5	22·1	19·7	24·4	20·9	18·3	19·3	18·1	15·6	18·0	15·3	13·6	16·5	17·5	16·1	13·7	15·5	16·3	14·0	12·5	16·3	16·0	15·3	14·4
AGES — Under 1 year, ...	29	30	37	37	20	44	33	24	34	26	25	35	27	27	35	49	30	28	23	29	25	31	27	27	28	24
AGES — 1-5 years, ...	35	47	43	45	54	47	45	33	29	32	23	23	19	6	17	14	15	14	13	11	14	6	14	16	8	11
AGES — 5-20 years, ...	15	15	15	14	12	15	16	13	12	7	17	10	7	7	9	11	11	4	16	6	11	8	17	9	9	9
AGES — 20-40 years, ...	30	28	26	26	25	20	17	18	25	20	19	14	15	22	19	18	9	16	12	23	17	8	15	18	13	25
AGES — 40-60 years, ...	30	29	28	27	16	23	20	21	20	25	17	25	21	22	21	19	26	20	23	18	20	21	23	23	20	16
AGES — 60 years and upwards, ..	31	28	27	17	21	34	26	28	25	26	16	28	26	18	23	20	30	21	30	35	18	20	27	27	34	23
Deaths from:—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	28	44	33	38	38	49	36	25	24	29	21	8	7	4	7	3	.	3	1	3	1	1	3	5	.	3
Scarlet Fever, ...	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	6	4	5	7	5	4	1	1	2	1	1	.	2	1	1	5	.	1	1	1	3	1	1	.	1	.
Diphtheria, ...	1	.	1	.	1	2	.	.	.	1	1	1	.	.	.	.	.	.	1	.	.	.	2	1	.	.
*Pyrexia** (origin uncertain , ..	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	1	.	.	.	1	.	1	1	.	.	1	2	.	.	.	.	.	.	.	.	1	.	1	.	1	.
Diarrhœal Diseases, ...	.	.	2	3	1	4	3	1	5	2	5	6	10	14	22	29	16	13	15	13	7	7	3	8	10	6
Pneumonia, ...	26	23	21	13	13	17	17	11	14	17	5	8	3	4	5	10	8	6	7	10	7	5	11	11	7	7
Tuberculous Disease, Phthisis, ..	24	29	14	21	19	24	22	11	11	9	16	15	13	12	16	10	11	12	14	11	17	9	17	10	12	14
Tuberculous Disease, Other Forms, ..	4	6	13	8	5	3	9	8	3	11	5	7	7	8	9	5	9	6	13	6	7	3	3	6	8	2
Cancer, Malignant Disease, ..	8	7	3	4	4	6	4	9	3	6	9	7	3	7	3	4	5	8	10	3	5	5	7	5	7	9
Diseases of Respiratory System,	14	17	14	18	17	14	16	7	7	15	6	16	10	5	8	8	9	5	5	8	11	9	16	9	19	11
Violent Deaths, ...	4	1	1	5	1	.	4	.	4	2	.	1	1	6	.	3	2	1	1	5	2	.	.	2	.	3
Number of Uncertified Deaths, ..	2	1	.	3	1	2	.	2	3	3	3	1	2	1	2	.	2	2	2	.	1	1	1	.	.	2

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	Nov. 5,	2,167	1,226	13·1	.	50	3	6	10	6*a*	35
EDINBURGH, ...	360,276	„ 5,	123	90	13·0	.	1	1	2	.	.	5
GLASGOW, ...	884,505	„ 5,	391	242	14·3	.	.	3	7	7	2*a*	6
CALCUTTA, ...	1,009,008	Oct. 1,	.	344	17·7	1	1	.	2	.	77‡	41*
BOMBAY, ...	977,822	„ 4,	421	526	28·0	2	1	.	.	.	79‡	47*
MADRAS, ...	509,346	Sept. 16,	451	483	49·3	7	.	?	?	?	105	130*
CAIRO, ...	682,953	„ 16,	649	486	37·1	.	6	.	18†	.	2*a*	125
PARIS, ...	2,760,000	Oct. 8,	879	679	12·9	.	4	.	2†	3	5*a*	40*b*
BRUSSELS, ...	720,030	„ 15,	235	174	12·6	.	.	.	.	.	1*a*	13*b*
ANTWERP, ...	317,171	„ 15,	110	73	12·0	.	3	2	.	1	.	12*b*
AMSTERDAM, ...	573,246	„ 15,	230	125	11·4	.	2	.	.	1	2*a*	2*b*
COPENHAGEN, ...	450,000	„ 15,	216	126	14·6	.	1	2	.	.	1*a*	7
STOCKHOLM, ...	341,816	„ 15,	.	.	.	.	.	.	.	.	.	.
CHRISTIANIA, ...	240,178	„ 22,	99	50	10·8	.	2	.	2†	.	1*a*	3
ST. PETERSBURG, ...	1,620,000	„ 1,	983	621	20·0	3	11	8	14	4	6*a*	106*
MOSCOW, ...	1,493,600	Sept. 24,	.	693	24·2	.	3	21	21†	8	9*a*	129*
BERLIN, ...	2,122,016	Oct. 8	786	507	12·5	.	4	5	11†	1	3*a*	46
HAMBURG, ...	895,804	„ 15,	.	256	14·9	.	1	1	12†	5	.	32
BRESLAU, ...	512,328	„ 15,	.	162	16·5	.	.	.	1	2	1*a*	16
MUNICH, ...	576,000	„ 22,	.	160	14·4	.	1	.	.	.	.	16
VIENNA (with suburbs),	2,130,320	„ 15,	824	562	13·7	.	4	6	4†	.	1*a*	33*b*
BUDA-PESTH, ...	833,703	„ 15,	399	289	18·0	.	4	12	1†	.	4*a*	21*b*
PRAGUE and Fauxbourgs.	497,905	„ 1,	148	150	15·7	.	.	1	3†	1	1*a*	7*b*
TRIESTE, ...	223,521	„ 8,	114	82	19·1	.	1	.	1†	2	.	4*b*
ROME, ...	590,113	Aug. 27,	237	154	13·6	.	4	.	2	.	2*a*	22
VENICE, ...	183,224	„ 20,	79	59	16·8	.	.	.	.	.	.	14
		„ 27,	82	50	14·2	.	.	.	.	.	1*a*	9
NEW YORK, ...	4,803,264	Oct. 8,	2,459	1,333	14·5	.	3	4	20†	5	17*a*	165*b*
PHILADELPHIA, ...	1,598,400	Sept. 17,	.	418	13·6	.	2	.	5†	4	9*a*	45*b*
BOSTON, ...	670,585	Oct. 15,	.	205	15·9	.	.	.	3	2	2*a*	18

* Including 16 deaths from cholera in Calcutta, 3 in Bombay, 26 in Madras, 52 in St. Petersburg, and one in Moscow.
† Including deaths from croup.
‡ Including 8 deaths from plague in Calcutta, and 13 in Bombay.
a Enteric Fever.
b Deaths from diarrhœal diseases and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 5th November, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	1	.	.	2	.	.	.	1	.	.	.	3
" " 1, West,	.	.	.	.	1	.	.	.	.	.	.	3	5
" " 2,	.	3	.	.	.	.	1	2	1	.	.	.	3
" " 3,	.	.	.	.	2	.	.	.	1	.	.	.	6
Clontarf and Howth No. 1 (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	4	.	.	1	.	.	.	3	.	.	.	1
South City No. 1,	.	.	.	.	1	.	.	.	1	.	.	2	10
" " 2,	.	3	.	.	3	.	.	1	.	.	.	5	7
" " 3,	.	1	1	.	1	.	.	2	1	.	.	.	7
" " 4,	.	2	.	.	2	.	.	.	1	.	.	1	6
New Kilmainham,	.												6
Total,	.	16	1	.	13	.	1	5	8	.	.	11	55

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 5th November, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 5th November.			
	Oct. 15.	Oct. 22.	Oct. 29.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	9	12	17	1	1	.	17
Scarlet Fever,	82	84	102	23	20	2	103*
Typhus,	1	3	3	1	.	1	3
Diphtheria,	59	68	79	19	21	1	76
Enteric Fever,	41	40	38	4	8	.	34
Pneumonia,	18	16	22	3	8	.	17

* Exclusive of 26 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.Sc., F.R.MET.SOC., reports as follows on the weather during the week nded 5th November, 1910:—

"The weather was throughout unsettled and—except for a brief spell on Monday—distinctly cold for the time f year. The period opened with an area of relatively high atmospheric pressure—30·2 inches central off the N.W. f Scotland, a shallow 'low'—under 29·8 inches—lying over the Bay of Biscay and Northern France, and a much eeper and larger depression rapidly approaching Iceland from Greenland. In Dublin Sunday was fine until 4 p.m., fter which hour rain fell in showers, rather heavily in the southern suburbs. In the course of the following ight the barometer fell fast as the Icelandic depression, ever increasing in depth, spread southeastwards to the lorth Sea. Its S.W. winds at first raised temperature rapidly to 56° or 57° in many parts of Great Britain and reland on Monday afternoon or during the ensuing night. At this time also the wind rose to a fresh or strong gale -at first from S W., but soon from W. or N W., with heavy showers of rain and hail, and in several districts thunder nd lightning. As the wind veered, temperature fell as quickly as it had previously risen, and from Tuesday nward the weather was very cold. The Dublin and Wicklow Mountains were snowcapped on and after Wednes- lay. At Skudesnæs, in the S.W. of Norway, the barometer fell to 28·28; inches at 7 a.m. of Tuesday. On Thursday deep secondary depression passed rapidly eastwards across the South of Ireland and England, reaching Germany n Friday morning. This disturbance caused heavy rains in the districts named, whereas the weather became older, drier and brighter in the other parts of North-western Europe. On Saturday morning a sharp frost occurred n England, the thermometer falling to 26° at Bath. In Dublin the mean height of the barometer was 29·473 inches, he range being from 30·109 inches at 9 p.m. of Sunday (wind, E.) to 29·059 inches at 4 p.m. of Thursday (wind, N.W.). he corrected mean temperature was 44·2°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 42·5°. The creened thermometers rose to 56·3° on Tuesday and fell to 33·0° on Saturday, when hoar frost occurred. N.W. inds predominated. The rainfall was ·465 inch on 6 days, ·192 inch being recorded on Monday. Gales occurred on Monday and Tuesday. Hail fell on Tuesday. There was an aurora borealis on Saturday night."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·306 inches. The highest reading (29·929) was on Sunday at 9 p.m., air calm, and the lowest (28·933) on Thursday at 9 a.m., air calm.

The mean temperature for the week was 43·1°, being 4·0° below the average for the corresponding period of the 10 years, 1900-1909. The temperature was highest on Monday, on which day the thermometer registered 55·5°, and was lowest on Saturday, the mercury having fallen to 29·9°. The mean of the Dry Bulb for the week was 41·6° and of the Wet Bulb 40·4°. The mean humidity of the air was ·90, complete saturation being represented by 1·0. The rainfall during the week measured 0·588 inch.

At Greenwich the mean temperature for the week was 42·7°, the maximum 54·9°, and the minimum 27·6°; at Glasgow the maximum was 52·2°, the minimum 29·3°, and the mean 41·4°; and at Edinburgh the maximum was 50 9°, the minimum 33·1°, and the mean 41·4°. The rainfall at Greenwich measured 1·03 ins.; at Glasgow 0·89 in.; and at Edinburgh 0·29 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY	BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity. complete saturation =1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins		
Sunday, October 30,	29·916	51·8	44·4	48·1	46·1	44·6	·90	·6	3·3	·008	N.E.	Calm.
Monday, „ 31,	29·372	55·5	35·9	45·7	49·5	47·9	·88	·4	0·0	·155	S.W.	W.
Tuesday, November 1,	28·991	54·8	37·9	46·4	41·6	39·9	·87	·6	5·6	·190	W.	W.
Wednesday, „ 2,	29·243	43·4	35·5	39·5	38·0	36·7	·89	·5	5·3	·060	W.S.W.	W.S.W.
Thursday, „ 3,	28·942	45·5	36·4	41·0	41·5	40·3	·91	·6	0·3	·120	Calm.	S.W.
Friday, „ 4,	29·281	49·1	35·9	42·5	40·2	39·3	·94	·5	4·9	·000	Calm.	W.N.W.
Saturday, „ 5,	29·399	46·6	29·9	38·3	34·6	33·9	·93	·5	7·5	·025	W.	W.
Mean, . . .	29·306	49·5	36·6	43·1	41·6	40·4	·90	·5	Total 26·9	Total ·558	Prevailing Wind, W.	

Sunday—Day cloudy, light rain a.m. and p.m.; night clear. *Monday*—Day overcast, rain a.m. and p.m.; night cloudy, rain a.m. *Tuesday*—Day cloudy, passing showers; night clear, light rain a.m. *Wednesday*—Day cloudy rain a.m. and p.m.; night clear. *Thursday*—Day overcast to cloudy; night overcast, drizzle and heavy rain a.m. *Friday*—Day cloudy; night clear. *Saturday*—Day bright, fine; night overcast, drizzle a.m.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH-TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, November 5th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperatures in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m	Rainfall.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
	°	°	°	°	°	°	hrs.	ins.
Sunday, October 30,	49·5	51·1	52·3	53·2	46·4	49·8	1·6	·004
Monday, „ 31,	44·9	50·4	52·2	56·6	40·5	48·6	—	·196
Tuesday, November 1,	45·9	50·1	52·2	52·2	39·0	45·6	3·6	·156
Wednesday, „ 2,	40·0	48·2	52·1	44·1	37·5	40·8	3·5	·015
Thursday, „ 3,	43·0	47·0	52·0	45·9	38·4	42·2	0·3	·045
Friday, „ 4,	42·6	47·0	51·7	49·5	39·4	44·5	1·0	·001
Saturday, „ 5,	35·9	41·0	51·2	46·8	33·0	39·9	4·5	·001
Weekly Mean,	43·1	47·8	52·0	49·8	39·2	44·5	Total 14·5	Total ·418

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

29794. Wt. P. 272—22/138, 375. 10. 1910. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN:

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND,

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, LTD., 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 12TH NOVEMBER, 1910. [No. 45.

General Register Office, Charlemont House, Dublin, 14th November, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 16·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Average Rate for 4 weeks.
22 Town Districts.	**17·4**	**16·8**	**15·1**	**16·2**	**16·4**	Limerick,	5·5	21·9	23·2	6·8	14·4
						Lisburn,	4·5	18·2	13·6	18·2	13·6
Armagh,	13·7	.	13·7	13·7	10·3	Londonderry,	8·4	21·6	10·8	15·6	14·1
Ballymena,	9·6	23·9	4·8	23·9	15·6	Lurgan,	.	8·9	13·3	17·7	10·0
Belfast,	16·0	15·3	14·4	16·3	15·5	Newry,	8·4	25·2	8·4	12·6	13·7
Clonmel,	.	35·9	5·1	25·6	16·6	Newtownards,	17·2	.	28·6	17·2	15·8
Cork,	15·8	17·1	11·0	15·8	14·9	Portadown,	25·8	31·0	15·5	10·3	20·6
Drogheda,	20·4	8·2	8·2	20·4	14·3	Queenstown,	19·8	13·2	19·8	19·8	18·1
Dublin Reg. Area,	20·7	16·6	18·1	17·1	18·1	Sligo,	9·6	19·2	9·6	14·4	13·2
Dundalk,	23·9	19·9	12·0	12·0	16·9	Tralee,	63·4	21·1	10·6	31·7	31·7
Galway,	23·3	15·5	11·7	7·8	14·6	Waterford,	29·2	13·6	7·8	15·6	16·5
Kilkenny,	9·8	24·6	.	9·8	11·1	Wexford,	18·7	32·7	23·3	14·0	22·2

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·2 per 1,000, the rates varying from 0·0 in thirteen of the districts to 13·3 in Lurgan, the 4 deaths from all causes for that district including 2 from measles, and one from scarlet fever. Among the 122 deaths from all causes for Belfast are one from measles, one from diphtheria, 4 from diarrhœal diseases, and one from cerebro-spinal fever. Of the 13 deaths from all causes for Londonderry 2 are from diarrhœal diseases. Two deaths from diphtheria are included in the 3 deaths from all causes for Dundalk. Of the 5 deaths from all causes for Drogheda one is from enteric fever, and 2 of the 3 deaths from all causes for Wexford are from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 207—108 boys and 99 girls—and the deaths to 141—70 males and 71 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·1 per 1,000 of the population, the rate for the total deaths registered in the Area being 18·2 per 1,000.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*), Table II. ‡ See columns 10-18 of Table II.

During the forty-five weeks, ending with Saturday last, the death-rate averaged 21·0, and was 2·9 below the mean rate for the corresponding portions of the ten years, 1900–9.

The total deaths from all causes registered include 4 from whooping-cough, 2 from diphtheria, and 4* from diarrhœal diseases (all of children under 5 years of age); there were also registered at this age 2 deaths from enteritis, and one death from *gastro-enteritis*. There was one death from influenza.

In each of the three preceding weeks deaths from whooping-cough were 5, one, and one; deaths from diphtheria were 0, 4, and one; deaths from diarrhœal diseases were 8, 4, and 5; and deaths from influenza were 2, one, and 4.

Broncho-pneumonia caused 9 deaths, and there were 2 deaths from *pneumonia* (not defined).

The deaths caused by tuberculous diseases, in number 27, include 16 deaths from tuberculous phthisis (*phthisis*), 3 deaths from tuberculous meningitis, and 8 deaths from other forms of the disease. In the 3 weeks preceding, tuberculosis caused 31, 21, and 29 deaths respectively.

There were 6 deaths from carcinoma, and 3 deaths from cancer (undefined).

The deaths of 3 infants prematurely born were registered.

Eighteen deaths were attributed to diseases of the heart and blood vessels, and bronchitis caused 23 deaths.

Of 2 deaths assigned to accidental causes one was by a motor car and one was by scalds.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 children under 5 years of age (including 3 infants under one year old), and the death of one person aged 62 years.

Forty-seven of the persons whose deaths were registered during the week were under 5 years of age (27 being infants under one year, of whom 9 were under one month old) and 41 were aged 60 years and upwards, including 21 persons aged 70 and upwards, of whom 2 were octogenarians, and one (a female) was stated to have been aged 93 years.

Seventy-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse and 24 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·1 per 1,000; the rate in the City was 18·3 (North City Districts, 13·5; South 23·4) and in the Suburbs, 12·9.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·2 per 1,000 inhabitants, the rate for the City being 1·2 (1·0 in the North City Districts, and 1·4 in the South), and for the Suburbs, 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 24·4 per 1,000. One death from epidemic diarrhœa, 3 deaths from tuberculous disease, and 3 deaths from bronchitis were recorded.

No. 1 North City District, West (Summer-hill).—The deaths (10) are equal to an annual rate of 13·0 per 1,000. There were 2 deaths from diphtheria, 2 from tuberculous phthisis (*phthisis*), one death from bronchitis, and one accidental death caused by a motor car.

No. 2 North City District (Lisburn-street).—The deaths (5) are equivalent to an annual rate of 8·5 per 1,000. One of the deaths was caused by broncho-pneumonia, and one by *phthisis*.

No. 3 North City District (Benburb-street).—The deaths (9) represent an annual rate of 14·0 per 1,000. Broncho-pneumonia, *phthisis*, and bronchitis each caused one death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Finglas and Glasnevin, part of, 20·3 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Coolock and Drumcondra, part of, 0·0. Of the 3 deaths from all causes for the first-named district one was from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (24) represent an annual rate of 30·2 per 1,000, and include one death from whooping-cough, one from influenza, one from broncho-pneumonia, 2 from tuberculous disease, and 10 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 21·6 per 1,000. Tuberculous disease caused 3 deaths and bronchitis, 2 deaths.

No. 3 South City District (Peter-street).—The deaths (20) are equal to an annual rate of 24·1 per 1,000. Among them are one death from whooping-cough, 3 deaths from broncho-pneumonia, one death from *pneumonia* (not defined), and 7 deaths from tuberculous disease

No. 4 South City District (Grand Canal-street).—The deaths (12) are equivalent to an annual rate of 17·4 per 1,000. Whooping-cough and epidemic diarrhœa each caused one death; there were 2 deaths from broncho-pneumonia, one death from tuberculous meningitis and 3 deaths from diseases of the respiratory system.

New Kilmainham District.—The deaths (3), equal to an annual rate of 17·2 per 1,000, were caused by tuberculous disease.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 14·1; Pembroke, 7·2; Blackrock, 23·1; and Kingstown, 14·8. The deaths from the principal epidemic diseases tabulated for these districts comprise one from whooping-cough and one from *diarrhœa* for Rathmines and Rathgar, the 10 deaths from all causes for that district including one from broncho-pneumonia, one from tuberculous disease, and 2 from bronchitis; one of the 4 deaths from all causes for Pembroke was caused by tuberculous phthisis and one by accidental scalds; and of the 4 deaths from all causes for Blackrock one was from *pneumonia* (not defined), and one from tuberculous phthisis.

* See note (c) Table II. † See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 89," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly rnished by:—
Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin: Mr. Fawcett xecutive Sanitary Officer for Rathmines and Rathgar Urban District: Mr. Manly, Executive Sanitary Officer for mbroke Urban District: Mr. Heron, Executive Sanitary Officer for Blackrock Urban District: by Dr. R. A. Donovan, Medical Superintendent Officer of Health for Kingstown Urban District: and by Dr. Bailie, Medical perintendent Officer of Health for the City of Belfast.

ABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 12th November, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis.*)	Other Notifiable Diseases.	Total.
City of Dublin.	Oct. 22,	.	—	—	21	3	.	20	.	.	6	12	.	—	—	.	—	21	—	83
	Oct. 29,	.	—	—	22	.	.	17	.	1	6	14	.	—	—	.	—	16	—	76
	Nov. 5,	.	—	—	16	1	.	13	.	1	5	8	.	—	—	.	—	11	—	55
	Nov. 12,	.	—	—	21	.	.	10	.	1	5	13	.	—	—	.	—	14	—	64
Rathmines and Rathgar Urban District.	Oct. 22,	.	—	—	3	.	.	1	.	.	1	.	.	—	—	—	—	—	—	5
	Oct. 29,	.	—	—	1	.	.	2	.	.	1	.	.	—	—	—	—	—	—	4
	Nov. 5,	.	—	—	.	.	.	5	.	.	3	1	.	—	—	—	—	—	—	9
	Nov. 12,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	—	2
Pembroke Urban District.	Oct. 22,	.	4	.	1	.	.	.	.	.	2	.	.	—	5	.	—	.	—	12
	Oct. 29,	.	.	.	.	.	.	.	.	.	.	.	.	—	2	.	—	.	—	2
	Nov. 5,	.	4	.	3	.	.	.	.	.	.	.	.	—	3	.	—	.	—	10
	Nov. 12,	.	1	.	2	.	.	.	.	.	1	.	.	—	.	.	—	2	—	6
Blackrock Urban District.	Oct. 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Oct. 29,	.	—	—	5	.	.	.	.	.	.	.	.	—	—	.	—	—	—	5
	Nov. 5,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	—	3
	Nov. 12,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	—	3
Kingstown Urban District.	Oct. 22,	.	—	—	.	.	.	3	.	.	.	1	.	—	—	—	—	.	—	4
	Oct. 29,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	Nov. 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Nov. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Oct. 22,	.	—	—	18	.	.	8	.	1	3	4	.	—	—	—	—	3	—	37
	Oct. 29,	.	—	—	17	1	.	6	.	.	3	8	1	—	—	—	—	7	—	43
	Nov. 5,	.	—	—	32	.	.	8	.	.	4	5	.	—	—	—	—	8	—	57
	Nov. 12,	.	—	—	27	1	.	7	.	.	2	13	.	—	—	—	—	10	—	60

NOTE.—One death from cerebro-spinal fever was registered in Belfast Urban No. 12 during the week ended th instant.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 12th November, 1910, and the number under reatment at the close of each of the 3 preceding weeks.

From this it appears that:—

One case of measles was admitted to hospital during the week, one was discharged, nd 17 cases remained under treatment at its close.

Twenty cases of scarlet fever were admitted to hospital, 13 were discharged, there vas one death, and 109* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 84, 102, and 103, respectively.

One case of typhus was discharged from hospital during the week, and 2 cases emained under treatment at its close.

Seventeen cases of diphtheria were admitted to hospital, 15 were discharged, here were 2 deaths, and 76 patients remained under treatment at the close of the veek. The cases in hospital at the close of the 3 preceding weeks numbered 68, 79, and 6, respectively.

Fourteen cases of enteric fever were admitted to hospital during the week, one was dischargd, and 47 cases remained under treatment in hospital at the close of the week, the espective numbers in hospital at the close of the three preceding weeks being 40, 38 nd 34.

In addition to the above named diseases, 6 cases of pneumonia were admitted to hospital, were discharged, and 16 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns, including London (in which the ate was 15·8) was equal to an average annual death-rate of 14·8 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 13·3 per 1,000, the rate for Glasgow being 13·8 and for Edinburgh 13·6.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., D.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 12th November. From this Report it appears that of a total of 96 cases notified, 49 were scarlet fever, 24 phthisis, 17 diphtheria, 4 erysipelas, one puerperal fever, and one cerebro-spinal fever. Among the 469 cases of infectious diseases in hospital at the close of the week were 263 cases of scarlet fever, 89 of diphtheria, 51 of phthisis, 36 of measles, 3 of whooping cough, 7 of erysipelas, 6 of enteric fever, 2 of chicken-pox, 2 of puerperal fever, and 2 of cerebro-pinal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 12th November, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 12TH NOVEMBER, 1910.																							METEOROLOGY. (*d*)											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 12TH NOVEMBER, 1910.				WEEK ENDING 5TH NOVEMBER, 1910.				WEEK ENDING 29TH OCTOBER, 1910.			
							DEATHS.																			Air Temperature				Air Temperature				Air Temperature			
	POPULATION.		DEATHS.			BIRTHS.	Caused by																															
	Total.*a*	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10–18.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia b* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Phthisis.	Tuberculous Disease Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS, .	1,151,790	20·8	25·1	16·2	1·2	555	358	68	105	.	3	1	.	6	5	.	1	11	28	41	21	18	60	7	14	125	17	°	°	°	.	°	°	°	.	°	°	°	.
DUBLIN REGISTRATION AREA:—TOTAL, *c*.	402,928	29·3	26·8	17·1	1·2	207	132	24	40	.	.	.	.	4	2	.	.	3	11	16	10	5	26	2	3	68	8	*e*58·8	22·7	39·6	0·86	*e*55·5	29·9	43·1	0·56	*e*55·8	39·9	50·4	0·37
CITY of DUBLIN,	310,298	39·2	28·4	18·5	1·2	169	109	19	31	.	.	.	.	3	2	.	.	2	9	14	9	3	23	1	3	56	5	*f*58·4 *g*58·5	30·2 24·2	41·4 39·8	0·55 0·79	*f*56·3 *g*56·0	33·0 30·2	44·2 43·5	0·47 0·40	*f*56·8 *g*56·8	46·9 45·0	51·6 51·8	0·41 0·31
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	14·1	14·1	2·8	10	10	3	3	.	.	.	.	1	.	.	.	1	1	.	1	1	2	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,918	18·2	28·8	7·2	.	16	4	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,018	8·3	11·6	23·1	.	2	4	.	2	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	29·6	14·8	.	10	5	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2	55	32	43·2	0·46	57	36	45·1	0·50	58	43	52·3	0·42
URBAN DISTRICTS.																																						
BELFAST (*h*)	391,167	26·6	28·7	16·8	0·8	178	122	28	32	.	1	.	.	.	1	.	.	4	18	12	7	5	23	4	9	34	3	49·0	27·2	39·0	0·90	54·5	34·5	41·5	1·22	57·0	41·0	51·2	0·03
CORK,	76,122	33·6	17·8	15·8	0·7	26	23	3	11	.	.	.	.	.	.	.	.	1	1	3	1	3	4	1	1	11	.	53	35	41·6	1·04	56	41	47·4	0·51	56	51	53·4	2·52
LONDONDERRY,	43,477	20·1	28·8	15·6	2·4	24	13	6	3	.	.	.	.	.	.	.	.	2	1	1	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	30·1	6·8	.	24	5	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	2	.	53·4	25	40·3	1·21	55·5	30·1	41	1·00	57·8	44	51	0·34
WATERFORD,	26,769	18·7	15·6	15·6	.	8	8	1	3	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	9·5	15·5	7·8	.	4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	52	28	42	1·86	54	34	44	0·71	57	45	51	0·23
DUNDALK	13,076	9·4	31·9	12·0	8·0	8	3	.	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	18·6	20·4	4·1	7	5	1	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,405	17·8	8·4	12·6	.	2	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	51·4	28·7	39·2	0·74	53·8	31·9	42·7	0·73	55·0	46·0	50·0	0·03
LURGAN,	11,782	13·8	8·9	17·7	13·3	2	4	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	51·4	28·7	39·2	0·74	53·8	31·9	42·7	0·73	55·0	46·0	50·0	0·03
LISBURN,	11,461	10·1	31·8	18·2	.	7	4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	51·4	28·7	39·2	0·74	53·8	31·9	42·7	0·73	55·0	46·0	50·0	0·03
WEXFORD,	11,168	23·2	65·4	14·0	9·3	14	3	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,886	8·9	28·7	23·9	.	6	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,870	3·7	19·2	14·4	.	4	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	52·1	28·7	39·2	1·72	55·7	27·9	42·2	2·37	57·0	43·9	49·7	0·05
KILKENNY,	10,609	11·5	34·3	9·8	.	7	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	58	25	40·7	1·01	56	32	41·7	1·00	57	47	51·4	0·58
CLONMEL,	10,167	7·8	20·5	25·6	.	4	5	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,092	13·2	25·8	10·3	5·2	5	2	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	51·4	28·7	39·2	0·74	53·8	31·9	42·7	0·73	55·0	46·0	50·0	0·03
TRALEE,	9,867	16·6	37·0	31·7	.	7	6	1	.	.	.	.	.	.	.	.	.	.	2	4	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	22·9	17·2	.	4	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	50	31	40·2	1·27	54	35	43·6	1·11	55	49	51·8	.
QUEENSTOWN,	7,909	14·4	46·1	19·8	.	7	3	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	53	35	44·6	1·04	56	41	47·4	0·51	56	51	53·4	2·52
ARMAGH,	7,588	22·2	18·7	18·7	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	51·4	28·7	39·2	0·74	53·8	31·9	42·7	0·73	55·0	46·0	50·0	0·03

(*a*) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (*b*) Formerly described as "Simple Continued Fever." (*c*) Exclusive of 9 deaths of persons (including 3 under one year old, and one at 71 years) admitted to hospital from localities outside the Area; of the 9 deaths one was from epidemic diarrhœa. (*d*) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards; those at Armagh for Lisburn, Lurgan, Newry, and Portadown; those at Markree for Sligo, and those at Roche's Point

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 12th November, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN REGISTRATION DISTRICTS IN											URBAN DISTRICTS OF						
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	1	.	1	1	.	1	.	.	.	4	.
Diphtheria,	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	3	1
Pneumonia,	.	.	1	1	.	.	.	1	.	4	2	.	1	.	1	.	11	.
Tuberculous Phthisis,	2	2	1	1	.	.	.	1	2	4	.	1	.	1	1	.	16	.
Disease. Other Forms,	1	.	.	.	.	.	.	1	1	3	1	2	1	.	.	.	10	1
Cancer, Malignant Disease,	.	1	.	2	.	.	.	.	.	.	.	.	1	.	1	.	5	4
Other General Diseases,	2	.	.	1	.	.	.	4	1	1	.	.	.	.	.	1	10	2
Total,	6	5	2	5	.	.	.	8	4	13	5	3	5	1	3	1	61	8
B. LOCAL DISEASES:																		
Nervous System,	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	3	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	1	.	1	2	.	.	1	3	.	4	2	.	1	2	.	1	18	.
Respiratory System,	3	1	1	1	.	.	1	10	2	1	3	.	2	.	.	1	26	.
Digestive System,	2	1	.	1	.	.	.	1	1	.	2	.	.	.	.	2	10	.
Lymphatic System, &c.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Urinary System,	1	1	1	.	.	.	.	1	1	2	.	.	.	.	1	.	8	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	7	4	3	4	.	.	3	16	5	7	7	.	4	2	1	4	67	.
C. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	1
E. VIOLENT DEATHS,	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
Deaths from all Causes	14	10	5	9	.	.	3	24	9	20	12	3	10	4	4	5	132	9
Annual Rate of Mortality from all causes in every 1,000 of the population.	24·4	13·0	8·5	14·0	.	.	20·3	30·2	21·6	24·1	17·4	17·2	14·1	7·2	23·1	14·8	17·1	.
	13·5							23·4					12·9					
	18·3																	
Ages at Death. Under 1 year,	3	.	.	2	.	.	.	4	2	4	4	.	3	.	.	2	24	3
1 and under 5 years,	1	1	1	2	.	.	.	5	1	4	1	2	1	.	.	.	19	1
5 „ 20 „	1	2	1	.	.	.	1	1	1	.	1	.	2	1	.	.	10	1
20 „ 40 „	.	2	.	.	.	.	1	1	2	4	.	.	.	.	.	.	10	1
40 „ 60 „	2	3	3	2	.	.	1	4	3	4	1	1	1	.	2	2	29	2
60 years and upwards,	7	2	.	3	.	.	1	9	.	4	5	.	3	3	2	1	40	1
Number of Uncertified Deaths,	2	.	.	1	.	.	1	1	.	.	.	.	1	.	.	2	8	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	4	1	2	.	.	1	2	3	5	2	1	1	2	2	1	29	7
Workhouse Hospitals,	1	4	.	5	.	.	.	12	3	5	2	1	1	.	.	.	34	2

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—Deaths at Eight periods of Life from each Disease registered in th corresponding week of the ten years 1900–1909

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Averages in 45th Week of the 10 years, 1900–1909.	In the Week ending Saturday, 12th November, 1910.							
												Deaths of Persons of the Ages of							
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
	Nov. 10, 1900.	Nov. 9 1901.	Nov. 8, 1902.	Nov. 14, 1903.	Nov. 12, 1904.	Nov. 11, 1905.	Nov. 10, 1906.	Nov. 9, 1907.	Nov. 7, 1908.	Nov. 13, 1909.		Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 45·1	° 43·2	° 47·7	° 47·6	° 46·7	° 43·0	° 43·8	° 45·1	° 48·2	° 41·9	° 45·2	° 39·6								
ALL CAUSES.	154	171	228	157	156	152	192	178	185	177	1750	141	9	18	20	11	11	31	38	3
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	.	16	.	7	.	6	2	3	.	3·4	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	4	1	1	1	.	.	.	1	·8	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	4	1	.	1	1	.	1	2	1·1	1	.	.	.	.	.	1	.	.
Whooping-cough,	1	1	.	3	.	.	2	2	2	1	1·2	4	.	4	.	.	.	.	.	.
Diphtheria,	.	.	3	.	.	1	1	2	1	1	·9	2	.	.	1	1	.	.	.	.
Cerebro-spinal Fever,	.	.	.	.	1	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain),	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	4	2	5	3	.	2	1	2	3	1	2·3	.	.	.	.	.	.	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.), *Diarrhœa*, Dysentery,	6	2	.	.	3	.	.	3	2	3	3·6	3	.	2	1	.	.	.	.	.
			2	1	2	4	2	1	4	1		1	.	1	.	.	.	.	.	.
Tetanus,	.	.	1	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	1	.	1	2	.	.	1	.	3	1	·9	1	.	.	1	.	.	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*,	1	.	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
			1	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Infective Endocarditis	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar, Broncho- Epidemic Not defined,	4	10	8	5	1	3	2	2	1	3	10·3	9	1	1	6	.	.	.	1	.
			9	1	2	5	2	8	7	5		2	.	.	.	.	.	2	.	.
			9	1	3	5	4	3	4	6										
Erysipelas,	.	.	2	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	.	.	.	.	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
			2	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other Infective Conditions,	.	.	2	.	1	1	.	.	.	2	·6	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*,"	26	19	1	4	6	8	15	13	12	10	22·9	7	.	.	.	1	2	4	.	.
			23	12	16	13	16	12	13	10		9	.	1	.	1	4	3	.	.
Tuberculous Meningitis,	.	5	6	4	1	.	2	2	3	4	2·7	3	.	1	.	2	.	.	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*,	5	3	2	.	.	.	1	1	1	.	1·5	.	.	.	.	.	.	.	.	.
			.	1	.	.	1	.	.	.		.	.	.	.	.	.	.	.	.
Tuberculous Dis. (other), *Scrofula*,	4	3	6	5	4	6	5	5	6	4	4·8	8	.	3	4	1	.	.	.	.
			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Alcoholism,	.	1	4	.	2	.	1	.	1	1	1·0	.	.	.	.	.	.	.	.	.
Rheumatic Fever,	.	.	.	.	.	1	1	1	.	1	·4	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carcinoma,	9	1	1	3	7	2	3	2	4	4	7·5	6	.	.	.	.	.	3	3	.
Sarcoma,			.	1	1	1	1	.	.	1		.	.	.	.	.	.	.	.	.
Cancer (undefined)			4	5	3	3	7	4	5	3		3	.	.	.	.	1	.	2	.
Diabetes Mellitus,	.	.	.	.	.	.	3	.	2	1	·6	.	.	.	.	.	.	.	.	.
Premature Birth,	6	7	1	3	5	2	4	4	8	6	4·6	3	3	.	.	.	.	.	.	.

* The figures for the year 1900 are for
† Formerly described as

'ORTY-FIFTH WEEK ending Saturday, 12th November, 1910, with the deaths from each cause in the nd the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 45th Week of the 10 years 1900–1909.	In the Week ending Saturday, 12th November, 1910.							
	Nov. 10, 1900.	Nov. 9, 1901.	Nov. 8, 1902.	Nov. 14, 1903.	Nov. 12, 1904.	Nov. 11, 1905.	Nov. 10, 1906.	Nov. 9, 1907.	Nov. 7, 1908.	Nov. 13, 1909.		Deaths of Persons of the Ages of							
												ALL AGES.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60	60 and under 80.	80 and upwards.
Mean Temperature.	° 45·1	° 43·2	° 47·7	° 47·6	° 46·7	° 43·0	° 43·8	° 45·1	° 48·2	° 41·9	° 45·2	Mean Temp. ° 39·6	Under 1 month.	1 month and under a year.	1 to 5.					
Meningitis (not tuberc.)			4	4	.	5	3	1	3	1		2	.	.	.	2	.	.	.	.
Insanity, G. P. of Insane			.	.	3	1	2	4	2	3		.	.	.	.	.	.	.	.	.
Epilepsy			.	2	1	.	2	.	.	2		.	.	.	.	.	.	.	.	.
Convulsions			6	7	6	6	8	4	4	4		.	.	.	.	.	.	.	.	.
Locomotor Ataxy			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord			.	.	1	1	.	1	.	1		.	.	.	.	.	.	.	.	.
Nervous System (other Dis.)			1	.	1	3	.	1	.	2		1	.	.	.	.	.	1	.	.
	28	52									40·5									
Valv. Dis., Endocarditis			5	5	8	6	10	6	2	5		2	.	.	.	.	.	1	1	.
Cerebr. Hæm. Thromb.			.	2	3	.	5	2	2	1		5	.	.	.	.	.	2	3	.
Apoplexy, Hemiplegia			8	4	1	4	2	5	5	7		2	.	.	.	.	.	.	2	.
Aneurysm			2	1	.	1	.	.	1	1		.	.	.	.	.	.	.	.	.
Embolism, Thromb. (not cerebral)			.	2	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Heart and Blood Vessels (other Dis.)			12	18	7	10	15	24	14	19		9	.	.	.	2	2	4	1	
Croup (not Spasm. nor Memb.)	1	2	.	.	.	1	1	1	.	.	·6	.	.	.	.	.	.	.	.	.
Bronchitis	15	19	35	24	21	24	15	12	22	19	20·6	23	.	2	3	2	.	5	10	1
Asthma, Emphysema			1	.	2	.	1	1	.	.		.	.	.	.	.	.	.	.	.
Pleurisy	3	3	.	2	.	.	2	1	.	2	2·9	.	.	.	.	.	.	.	.	.
Respiratory Dis. (other)			4	2	.	1	.	2	1	1		3	.	.	.	.	.	1	2	.
Tonsillitis, Quinsy	.	1	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.)	1	.	3	1	1	1	2	1	3	6	2·7	2	.	.	2	.	.	.	.	.
Gastro-enteritis			.	.	2	.	1	2	1	2		1	.	.	1	.	.	.	.	.
Peritonitis (not Puerp.)	.	1	.	2	.	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver	1	2	1	1	2	1	3	3	1	1	2·4	.	.	.	.	.	.	.	.	.
Liver Dis. (other)			.	1	2	2	2	.	.	1		1	.	.	.	.	.	1	.	.
Digestive Dis. (other)	9	4	7	3	1	3	11	6	6	3	5·3	6	2	.	.	1	2	1	.	
Nephritis, Acute	3	7	4	.	1	1	2	.	4	.	6·1	5	.	.	.	.	.	3	2	.
Bright's Dis., Albuminuria			4	2	2	5	5	5	5	3		3	.	.	.	.	1	.	1	1
Urinary Sys. (other Dis.)			1	1	4	1	.	.	2	2										
Generative Organs Dis.	.	1	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Childbirth (Accid. of)	1	.	1	.	1	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
Old Age	11	13	6	5	3	7	4	3	6	4	6·2	1	.	.	.	.	.	2	1	.
Other Diseases	7	6	11	8	11	8	10	16	9	9	9·5	11	3	3	1	.	.	2	2	.
ACCIDENT.																				
By Railways	.	.	.	.	.	.	.	.	.	.	·4	1	.	.	.	1	.	.	.	.
By Vehicles and Horses	.	.	1	.	1	.	.	1	.	1										
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
In Building Operations	.	.	.	.	1	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
In Conflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	3	2	.	1	1	1	1	1	.	.	1·0	1	.	.	.	.	.	.	1	.
By Drowning	.	.	1	.	2	.	1	1	2	.	·7	.	.	.	.	.	.	.	.	.
By Suffocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident	1	4	1	3	.	.	1	3	1	2	1·6	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	1	.	.	.	.	1	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Suicide	1	.	1	.	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

he Registration Area as then constituted.
' Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910—Week ending																								
	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10	Sept. 17.	Sept. 24.	Oct 1	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29	Nov. 5.	Nov. 12.
No. of weeks in Annual Series,	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
BIRTHS registered,	181	242	253	268	272	183	228	229	272	225	243	198	209	240	194	228	260	235	202	196	219	161	244	182	211	207
*Average Births in corresponding week of previous 10 years,** ..	211	202	232	222	199	225	237	200	198	204	215	221	202	219	218	207	232	203	200	252	192	184	209	206	209	202
DEATHS registered, ...	131	160	185	138	140	130	127	143	118	144	127	145	143	126	146	120	141	153	174	161	160	151	174	139	147	141
Annual Death-rate per 1,000, ..	17·0	20·7	17·5	17·2	18·1	16·8	16·4	18·5	15·3	18·6	16·4	18·8	18·5	16·3	18·9	15·5	18·2	19·8	22·5	21·2	20·7	19·5	22·5	18·0	19·0	18·2
*Average Deaths in corresponding week of previous 10 years,**	174	171	157	154	152	147	136	138	142	146	147	146	148	156	166	159	157	154	167	160	158	156	160	156	172	175
AGES, Under 5 years, ...	37	39	31	37	25	27	31	50	29	48	31	31	54	37	57	42	38	59	70	60	58	44	56	40	46	47
5—20 ,, ...	7	10	13	10	12	9	11	11	10	8	18	17	8	6	9	3	16	8	9	11	7	7	14	6	11	11
20—40 ,, ...	20	25	26	22	27	32	23	24	17	17	13	27	23	23	13	18	19	22	19	16	22	25	26	21	33	11
40—60 ,, ...	28	40	27	29	35	32	23	25	27	29	30	30	28	32	27	23	34	30	32	33	38	27	31	26	25	31
60—80 ,, ...	36	42	33	28	38	28	33	23	34	34	33	35	26	24	33	26	33	30	42	37	28	39	41	41	24	38
80 years and upwards, ..	3	4	5	7	3	2	6	10	1	8	2	5	4	4	7	8	2	4	2	7	7	9	6	5	5	3
Deaths from—																										
Small-pox, ...	.	.	.	1	1	.	.	1	.	1	.	.	1	.	.	.	.	.	3	.	1	.	.	.	1	.
Measles, ...	1	.	2	.	.	1	.	1	3	3	1	1	1	2	1	1	2	.	.	1	.	1	1	3	.	.
Scarlet Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus, ...	1	.	2	1	2	1	3	.	1	1	.	3	3	2	.	4	3	2	1	2	2	2	5	1	1	4
Whooping-cough, ...	.	.	.	.	.	.	1	2	1	.	5	1	.	2	4	1	.	2	3	2	2	1	.	4	1	2
Diphtheria, ...	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	1	1	1	.	.	3	1	2	1	1	.
Pyrexia †(origin uncertain), ..	.	1	.	.	2	.	.	.	1	.	.	1	.	1	2	.	.	.	1	2	.	.	.	.	.	.
Enteric Fever, ...	5	2	1	3	1	1	1	6	3	5	.	2	14	6	17	12	11	21	22	27	12	10	8	4	5	4
Diarrhœal Diseases, ...	2	.	.	.	1	.	2	.	.	1	.	1	.	1	.	.	.	1	1	2	1	1	2	1	4	1
Influenza, ...	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1	2	1	1	2	1	4	1
Pneumonia, ...	13	8	8	10	7	10	8	8	7	9	5	7	8	7	6	5	6	10	4	6	5	11	15	12	18	11
Tuberculous Phthisis, ..	15	14	17	15	22	24	23	11	19	11	17	24	14	17	12	17	23	15	19	18	17	14	23	17	18	16
Disease. Other Forms,	9	11	15	7	15	10	11	7	8	3	9	10	15	7	5	5	13	9	8	11	12	8	8	4	11	11
Cancer, Malignant Disease, ..	8	10	10	6	7	10	10	8	5	11	10	8	8	9	10	8	9	7	9	11	12	11	12	9	7	9
Diseases of Heart and Blood Vessels, ...	20	29	21	21	25	16	23	26	17	22	23	23	20	16	20	17	23	19	24	30	20	24	25	23	17	18
Diseases of Respiratory System,	16	18	18	17	11	15	7	11	18	14	12	10	8	10	11	6	10	10	20	12	16	17	17	12	18	20
Violent Deaths, ...	2	3	6	7	7	1	2	2	3	3	5	3	6	2	4	5	3	6	6	3	10	4	.	2	1	2
Number of Uncertified Deaths, ..	6	3	3	7	5	6	3	5	.	4	7	2	3	4	4	3	2	1	3	3	3	6	2	4	1	3
Mean Temperature of the Air (Phœnix Park), ...	51·4	55·1	50·6	57·8	56·4	58·1	54·7	55·5	57·1	55·9	57·8	56·5	59·2	53·8	56·6	57·2	54·8	52·0	50·4	54·2	52·5	48·2	49·1	51·4	43·1	39·6
Average Mean Temperature in corresponding week of previous 10 years, ...	48·6	50·5	53·9	53·3	53·7	55·3	56·6	57·6	58·9	60·6	58·8	58·8	58·2	57·7	56·5	56·1	54·4	53·1	53·8‡	53·7	52·2	50·6	48·4	46·2	47·1	45·2
Rainfall in inches, ...	1·263	·185	·692	1·870	·010	1·291	1·780	·660	·000	·840	·355	·940	·205	1·175	·111	·194	150	·015	·015	·391	·585	·188	·383	·365	·558	·360
Mean Humidity of the Air, complete Saturation 1·0	·90	·88	·81	·92	·87	·92	·87	·88	·81	·81	·81	·84	·85	·81	·84	·88	·87	·91	·85	·89	·90	84	·92	·87	·90	·89

* See note (*) at foot of Table IV.

† Formerly described as "Simple Continued Fever."

‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 12th November, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS.	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS WEEK ENDING SATURDAY, 12TH NOVEMBER, 1910.																												
			Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES.						CAUSES OF DEATH.																				
					Under 5 Years	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases	Total Cols. 10-16.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Convulsions.	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal)	Other Causes	Number of Uncertified Deaths.				
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)			
	ALL PERSONS.	375,850	19·6	141	47	11	11	31	38	3	.	.	.	.	4	2	.	.	4	10	11	16	11	9	.	26	2	56	8			
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,436	9·0	2	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.			
II.	MIDDLE CLASS, ...	67,188	18·2	22	5	3	2	6	5	2	.	.	.	.	.	1	.	.	.	1	1	2	1	3	.	1	1	12	1			
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,428	18·7	29	8	2	2	9	8	.	.	.	.	.	1	.	.	.	1	2	3	3	1	.	.	7	.	13	1			
IV.	GENERAL SERVICE CLASS, ...	154,279	17·2	51	25	4	4	7	11	.	.	.	.	.	3	1	.	.	2	6	6	6	3	2	.	9	1	18	6			
V.	INMATES OF WORKHOUSES, ...	6,094	—	36	9	2	2	9	14	.	.	.	.	.	.	.	.	.	1	1	1	4	6	3	.	9	.	12	.			
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	13·4	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.			
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
	3. Persons of Rank and Property, not otherwise described, ...	8,860	6·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.			
	MIDDLE CLASS.																														
II.	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1			
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	29,016	14·2	6	1	1	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	3	.			
	6. Clerks and Commercial Assistants, ..	30,482	12·0	7	1	.	2	.	3	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	4	.			
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,088	15·4	8	3	2	.	1	1	1	.	.	.	.	.	1	.	.	.	1	.	.	.	2	.	.	1	4	.			
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	10·6	2	1	.	.	1	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	1	.			
	9. Building and Furnishing Trades, ...	29,801	5·3	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.			
	10. Clothing Trades, ...	23,260	9·0	4	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	2	.			
	11. Food Supply Trades, ...	9,242	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
	12. Other Trades and Callings ranking with Trades, ...	30,352	32·6	19	3	2	2	6	6	.	.	.	.	.	.	.	.	.	.	.	2	3	.	.	.	6	.	3	1			
	13. Petty Shopkeepers, ...	7,894	6·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.			
	GENERAL SERVICE CLASS.																														
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c	18,425	3·9	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.			
	15. Domestic Servants, ...	36,608	7·1	5	.	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	3	.			
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	29·0	8	4	1	.	3	.	.	.	.	.	.	.	1	.	.	.	1	1	1	3	2	.	1	.	4	2			
	17. Hawkers, Porters, Labourers, &c., ..	89,861	21·5	37	21	3	3	2	8	.	.	.	.	.	3	.	.	.	2	5	5	4	3	2	.	7	1	10	4			
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	36	9	2	2	9	14	.	.	.	.	.	.	.	.	.	1	1	1	4	6	3	.	9	.	12	.			

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	From Diseases in Cols. 5–13.	Total Deaths.	NUMBER OF DEATHS FROM Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st., Nth.*) Pop. in 1910 (Est.) 29,908.	Sept. 24,	24·4	.	14	.	.	.	.	.	.	.	.	.	.	3	.	2	2	2	.
	Oct. 1,	22·7	3·5	18	.	.	.	.	.	.	.	.	2	1	1	.	2	2	.	1
	,, 8,	19·2	5·2	11	.	.	1	.	.	.	.	.	.	.	.	.	.	3	.	1
	,, 15,	17·4	1·7	10	.	.	.	.	1	.	.	.	.	1	1	.	1	1	1	1
	,, 22,	17·4	1·7	10	.	.	.	.	1	.	.	.	.	.	1	.	.	3	.	1
	,, 29,	17·4	.	10	.	.	.	.	.	.	.	.	.	1	3	.	.	2	1	1
	Nov. 5,	31·4	.	18	.	.	.	.	.	.	.	.	.	2	1	.	1	4	.	.
	,, 12,	24·4	1·7	14	.	.	.	.	.	.	.	.	1	.	2	1	.	3	.	2
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1910 (Est.) 39,974.	Sept. 24,	20·9	5·2	16	.	.	.	.	.	1	.	.	3	.	1	.	.	3	.	.
	Oct. 1,	18·3	6·5	14	.	.	.	.	.	.	.	.	5	.	2	2	.	1	.	.
	,, 8,	28·7	5·2	22	.	.	.	.	.	.	.	1	3	.	4	1	3	3	2	.
	,, 15,	19·6	2·6	15	.	.	.	.	.	.	.	.	2	.	1	.	2	1	.	.
	,, 22,	18·3	.	14	.	.	.	.	.	.	.	.	.	2	1	1	2	1	.	.
	,, 29,	22·2	3·9	17	.	.	.	.	.	1	.	1	1	1	3	.	1	3	.	.
	Nov. 5,	14·8	2·6	11	.	1	.	.	.	.	.	1	.	1	1	1	.	.	.	.
	,, 12,	16·0	2·6	10	.	.	.	.	.	2	.	.	.	.	2	.	1	1	1	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1910 (Est.) 30,744.	Sept. 24,	27·1	10·2	16	.	.	.	.	.	.	.	1	5	.	2	.	.	4	.	.
	Oct. 1,	28·7	8·4	14	.	.	.	.	.	.	.	.	2	2	.	1	1	1	1	.
	,, 8,	22·0	5·1	13	.	.	.	.	.	.	.	.	3	1	2	1	.	.	.	.
	,, 15,	11·9	3·4	7	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.
	,, 22,	32·2	3·4	19	.	.	.	.	.	.	.	.	2	3	2	1	.	1	.	1
	,, 29,	15·8	.	9	.	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.
	Nov. 5,	25·4	1·7	15	.	.	.	.	.	.	.	.	1	.	2	1	1	2	.	.
	,, 12,	8·5	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1910 (Est.) 33,559.	Sept. 24,	12·4	1·6	8	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.
	Oct. 1,	26·4	7·8	17	.	.	.	.	.	.	.	.	5	1	2	2	1	1	1	.
	,, 8,	23·8	8·1	15	.	.	.	.	1	.	.	.	1	.	2	2	3	.	1	1
	,, 15,	21·8	5·1	14	.	.	.	.	.	.	.	1	1	2	.	1	.	2	.	.
	,, 22,	26·4	8·1	17	.	.	.	.	.	.	.	1	1	.	3	1	1	2	.	.
	,, 29,	29·5	1·6	19	.	.	.	.	1	.	.	.	.	1	3	.	1	2	.	1
	Nov. 5,	21·8	1·6	14	.	.	.	.	.	.	.	.	1	1	1	3	.	2	.	.
	,, 12,	14·0	.	9	.	.	.	.	.	.	.	.	.	1	1	.	2	1	.	1
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1910 (Est.) 41,476.	Sept. 24,	31·4	3·8	25	.	2	.	.	.	.	.	.	1	.	3	3	.	4	.	2
	Oct. 1,	23·9	2·5	19	.	.	.	.	1	.	.	.	1	.	1	2	1	3	.	1
	,, 8,	23·9	2·5	23	.	1	.	.	1	.	.	.	.	.	2	.	.	2	3	.
	,, 15,	32·7	1·3	26	.	.	.	.	.	.	.	.	1	2	2	3	1	7	.	.
	,, 22,	20·1	2·5	16	.	.	.	.	1	.	.	.	1	2	4	.	1	2	.	.
	,, 29,	15·1	1·3	12	.	.	.	.	.	.	.	.	1	.	2	.	1	2	.	.
	Nov. 5,	17·6	5·0	14	.	.	2	.	1	.	.	.	1	1	1	.	.	5	.	1
	,, 12,	30·2	1·3	24	.	.	.	.	1	.	.	.	.	1	1	1	.	10	.	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1910 (Est.) 21,754.	Sept. 24,	21·6	2·4	9	.	.	.	.	.	.	.	.	1	.	2	.	.	1	.	.
	Oct. 1,	21·6	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.
	,, 8,	12·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.
	,, 15,	24·0	2·4	10	.	.	.	.	.	1	.	.	.	.	1	1	1	1	.	.
	,, 22,	28·8	2·4	12	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	1
	,, 29,	24·0	.	10	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.
	Nov. 5,	26·4	.	11	.	.	.	.	.	.	.	.	.	1	2	2	.	2	1	.
	,, 12,	21·6	.	9	.	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1910 (Est.) 43,227.	Sept. 24,	31·4	6·0	26	.	1	.	.	.	.	.	.	4	.	2	2	1	3	.	.
	Oct. 1,	18·1	4·8	16	.	.	.	.	1	.	.	.	3	.	2	1	.	.	.	.
	,, 8,	19·3	.	16	.	.	.	.	.	.	.	.	.	1	3	3	.	2	.	.
	,, 15,	30·2	2·4	25	.	.	.	.	.	.	.	.	2	3	2	2	1	3	1	2
	,, 22,	21·7	1·2	18	.	.	.	.	1	.	.	.	.	2	2	2	1	.	.	.
	,, 29,	22·9	2·4	19	.	.	.	.	1	.	.	.	1	2	1	3	1	1	.	1
	Nov. 5,	19·3	2·4	16	.	.	.	.	.	.	.	.	2	2	2	1	1	1	.	.
	,, 12,	24·1	1·2	20	.	.	.	.	1	.	.	.	.	4	4	3	.	1	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1910 (Est.) 35,881.	Sept. 24,	21·8	2·9	15	.	.	.	.	.	1	.	.	1	1	2	1	2	.	2	.
	Oct. 1,	33·4	5·8	28	.	.	.	.	.	1	.	.	3	.	4	2	1	1	.	.
	,, 8,	21·8	7·3	15	.	.	.	.	1	1	.	.	3	.	1	.	2	.	.	1
	,, 15,	7·3	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	,, 22,	27·6	5·8	19	.	.	.	.	1	.	.	1	2	2	.	.	2	3	.	.
	,, 29,	18·1	1·5	9	.	.	1	.	.	.	.	.	.	1	1	.	.	1	.	.
	Nov. 5,	17·4	1·5	12	.	.	.	1	.	.	.	.	1	1	3	.	3	.	.	.
	,, 12,	17·4	2·9	12	.	.	.	.	1	.	.	.	1	2	.	1	.	3	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From all Causes	From Diseases in Cols. 5–18.	Total Deaths.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia* * (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	Sept. 24,	14·1	1·4	10	.	.	.	.	1	.	.	.	.	1	.	.	1	1	.	1
	Oct. 1,	21·1	4·2	15	.	.	.	.	.	.	.	.	3	.	2	.	2	1		1
	,, 8,	14·1	1·4	10	.	.	.	.	.	.	.	1	.	1	1	2	1	1	1	
	,, 15,	16·9	1·4	12	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	2
	,, 22,	7·0	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	,, 29,	14·1	1·4	10	.	.	.	.	.	1	.	.	.	1	1	.	1	.	.	.
	Nov. 5,	9·9	.	7	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.
	,, 12,	14·1	2·8	10	.	.	.	.	1	.	.	.	1	1	.	1	1	2	.	1
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	Sept. 24,	12·6	1·8	7	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.
	Oct. 1,	5·4	1·8	3	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.
	,, 8,	7·2	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	,, 15,	18·0	1·8	10	.	.	.	.	1	.	.	.	.	1	1	.	1	.	.	1
	,, 22,	16·2	.	9	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.
	,, 29,	7·2	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	Nov. 5,	16·2	1·8	9	.	.	.	.	.	1	.	.	.	1	2	1	.	.	.	.
	,, 12,	7·2	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	Sept. 24,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	Oct. 1,	11·8	3·0	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
	,, 8,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	,, 15,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	,, 22,	8·9	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	,, 29,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	Nov. 5,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	,, 12,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
Belfast. Pop. in 1910 (Est.) 391,167.	Sept. 24,	16·3	2·3	122	.	3	.	.	1	.	.	.	13	10	11	6	8	8	5	.
	Oct. 1,	14·0	1·6	105	.	1	.	.	3	.	.	1	7	7	17	7	5	11	2	1
	,, 8,	12·5	1·2	94	.	1	.	.	1	.	.	.	7	5	9	3	5	9	.	1
	,, 15,	16·3	1·3	122	.	3	.	.	1	2	.	1	3	11	17	8	7	16	.	1
	,, 22,	16·0	2·0	120	.	5	1	.	.	1	.	.	8	11	10	6	5	9	2	.
	,, 29,	15·3	1·6	115	.	.	.	.	1	.	.	1	10	7	12	8	7	19	.	.
	Nov. 5,	14·4	1·3	108	.	3	1	.	.	.	.	.	6	7	14	2	9	11	3	2
	,, 12,	16·3	0·8	122	.	1	.	.	.	1	.	.	4	13	12	7	5	28	4	3
Cork. Pop. (in 1901) 76,122.	Sept. 24,	16·4	2·7	24	.	.	.	.	.	.	.	.	4	1	5	2	1	1	1	.
	Oct. 1,	21·2	4·1	31	.	.	.	.	.	.	.	.	6	2	1	2	1	.	1	4
	,, 8,	22·6	3·4	33	.	.	.	.	.	1	.	.	4	1	1	.	2	2	1	1
	,, 15,	14·4	1·4	21	.	.	.	.	1	.	.	1	.	.	5	.	1	1	.	.
	,, 22,	15·8	1·4	23	.	.	.	.	.	1	.	.	1	1	1	2	1	4	1	1
	,, 29,	17·1	0·7	25	.	.	.	.	.	1	.	1	.	.	5	.	.	3	.	.
	Nov. 5,	11·0	1·4	16	.	.	.	.	.	1	.	.	1	.	2	.	2	1		.
	,, 12,	15·8	0·7	23	.	.	.	.	.	.	.	.	1	1	3	1	3	4	1	.
Londonderry. Pop. in 1910 (Est.) 43,477.	Sept. 24,	10·8	2·4	9	.	.	.	.	.	.	.	.	2	.	.	1	.	1	.	.
	Oct. 1,	21·6	2·4	18	.	1	.	.	.	.	.	.	1	1	.	1		1	.	.
	,, 8,	9·6	.	8	.	.	.	.	.	.	.	.	.	.	1	1	1	2	.	.
	,, 15,	14·4	.	12	.	.	.	.	.	.	.	.	.	1	1	3	1	1	.	.
	,, 22,	8·4	2·4	7	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.
	,, 29,	21·6	.	18	.	.	.	.	.	.	.	.	.	.	.	1	2	5	.	1
	Nov. 5,	10·8	.	9	.	.	.	.	.	.	.	.	.	.	2	.	.	3	1	.
	,, 12,	15·6	2·4	13	.	.	.	.	.	.	.	.	2	1	1	.	1	1	.	.
Limerick. Pop. (in 1901) 38,151.	Sept. 24,	12·3	1·4	9	.	.	.	.	.	.	.	.	1	.	.	1	.	3	.	.
	Oct. 1,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	1
	,, 8,	9·6	1·4	7	.	.	.	.	.	1	.	.	.	.	3	.	1	.	.	.
	,, 15,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	3	.	.	3	.	2
	,, 22,	5·5	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	,, 29,	21·9	2·7	16	.	.	.	.	.	.	.	.	2	.	2	.	2	1	.	2
	Nov. 5,	23·2	.	17	.	.	.	.	.	.	.	.	.	2	1	.	2	3	.	3
	,, 12,	6·8	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
Waterford. Pop. (in 1901) 26,769.	Sept. 24,	23·4	3·9	12	.	.	.	.	.	.	.	.	2	.	1	2	1	.	.	1
	Oct. 1,	13·6	1·9	7	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	.
	,, 8,	19·5	3·9	10	.	.	.	.	.	.	.	.	2	.	1	.	2	.	1	2
	,, 15,	21·4	3·9	11	.	.	.	.	.	.	.	.	2	.	2	.	.	1	.	3
	,, 22,	29·2	.	15	.	.	.	.	.	.	.	.	.	.	2	1	1	1	1	2
	,, 29,	13·6	1·9	7	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1
	Nov. 5,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	,, 12,	15·6	.	8	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	1

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 12th November, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS.																												
			Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.						DEATHS FROM																			
			All Causes.	Diseases in Cols. 12-20.		Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	4	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,		7			9	1	1	1	1	2	3	.	.	.	.	.	.	.	.	.	2	.	.	2	.	1	1	3	.
Do. 2 do.		19			11	1	2	2	1	3	2	.	.	.	.	.	1	.	.	1	1	.	1	.	1	.	2	4	.
Do. 3 do.		22			12	1	1	.	6	2	2	.	.	.	.	.	.	.	.	1	.	3	2	1	1	.	.	5	.
Do. 4 do.		21			14	4	1	2	1	2	4	.	.	.	.	.	.	.	.	.	3	1	.	1	2	.	.	4	2
Do. 5 do.		6			9	4	.	.	.	4	1	.	.	.	.	.	.	.	.	.	2	1	.	.	2	2	2	2	.
Do 6 do.		11			6	1	.	.	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.
Do 7 do.		1			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do 8 do.	349,180	5			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		15			11	1	.	.	1	4	5	.	.	.	.	.	.	.	.	.	1	1	.	.	4	.	.	2	.
Do 10 do.		13			10	1	1	.	3	.	5	.	.	.	.	.	.	.	.	.	2	2	.	.	2	.	.	4	.
Do. 11 do.		17			10	1	.	2	3	2	2	.	.	.	.	.	.	.	.	.	1	4	1	.	1	.	.	1	.
Do. 12 do.		22			16	6	.	3	2	4	1	.	1	.	.	.	.	.	.	.	1	.	1	.	5	1	3	6	.
Do. 13 do.		9			3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15* do.		10			9	5	.	.	.	1	3	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	1	2	.
Total, . . .	—	178	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		122†	28	6	18	18	25	32	.	1	.	.	.	1	.	.	4	13	12	7	5	23	4	9	31	3
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	12,867	1	4·1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 2 do.	10,701	4	4·9	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 3 do.	9,978	8	15·7	.	3	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 4 do.	8,666	1	36·1	.	6	1	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	1	3	.
Do. 5 do.	6,592	2	18·7	.	3	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Do. 6 do.	10,702	3	14·6	.	3	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
Do. 7 do.	16,616	7	18·8	2·1	6	1	2	.	1	.	2	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	.	3	.
Total, . . .	76,122	26	15·8	0·7	23	3	2	1	3	3	11	.	.	.	.	.	.	.	.	1	1	3	1	3	4	1	1	11	.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910—Week ending																								
	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.
No. of weeks in annual Series, ..	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
BIRTHS registered, ...	169	264	215	193	231	202	218	199	259	239	214	179	219	210	159	219	190	264	194	172	200	205	228	201	183	178
DEATHS registered, ...	177	176	166	148	188	157	137	145	136	117	135	115	102	124	131	121	108	116	122	105	94	122	120	115	108	122†
Annual Death rate per 1,000 of estimated Population, ...	23·6	23·5	22·1	19·7	24·4	20·9	18·3	19·3	18·1	15·6	18·0	15·3	13·6	16·5	17·5	16·1	13·7	15·5	16·3	14·0	12·5	16·3	16·0	15·3	14·4	16·3
AGES — Under 1 year, ...	30	37	37	20	44	38	24	34	26	25	35	27	27	35	49	30	28	23	29	25	31	27	27	28	24	28
AGES — 1–5 years, ...	47	43	45	54	47	45	33	29	32	23	23	19	6	17	14	15	14	13	11	14	6	14	16	8	11	6
AGES — 5 20 years, ...	15	15	14	12	15	16	18	12	7	17	10	7	7	9	11	11	4	16	6	11	8	17	9	9	9	13
AGES — 20-40 years, ...	28	26	26	25	20	17	18	25	20	19	14	15	22	19	18	9	16	12	23	17	8	15	18	16	25	18
AGES — 40-60 years, ...	29	28	27	1	23	20	21	20	25	17	25	21	22	21	19	26	20	22	18	20	21	22	23	20	16	25
AGES — 60 years and upwards, ..	28	27	17	21	34	26	28	25	26	16	28	26	18	28	20	30	21	30	35	18	20	27	27	34	23	32
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	44	33	33	38	49	34	25	24	20	21	8	7	4	7	3	.	3	1	3	1	1	3	5	.	3	1
Scarlet Fever, ...	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	4	5	7	5	4	1	1	2	1	1	.	2	1	1	5	.	1	1	1	3	1	1	.	1	.	.
Diphtheria, ...	.	1	.	1	2	.	.	.	1	1	1	.	.	.	.	.	.	1	.	.	.	2	1	.	.	1
*Pyrexia** (origin uncertain ,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	.	.	.	1	.	1	1	.	.	1	2	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.
Diarrhœal Diseases, ...	.	2	3	1	4	3	1	5	2	5	3	10	14	22	29	16	18	15	18	7	7	3	8	10	6	4
Pneumonia, ...	22	21	18	13	17	17	11	14	17	5	8	3	4	5	10	8	6	7	10	7	5	11	11	7	7	18
Tuberculous Disease, Phthisis,	29	14	21	19	24	22	11	11	9	16	15	13	12	16	10	11	12	14	11	17	9	17	10	12	14	12
Tuberculous Disease, Other Forms, ..	6	13	8	5	3	9	8	9	11	5	7	7	8	9	5	9	6	13	6	7	3	3	6	8	2	7
Cancer, Malignant Disease, ..	7	3	4	4	6	4	9	3	6	9	7	3	7	3	4	5	3	10	8	5	5	7	5	7	9	5
Diseases of Respiratory System,	17	14	18	17	14	16	7	7	15	6	16	10	5	8	8	9	5	5	8	11	9	16	9	19	11	23
Violent Deaths, ...	1	1	5	1	.	4	.	4	2	.	1	1	6	.	3	2	1	1	5	2	.	.	2	.	3	4
Number of Uncertified Deaths, ..	1	.	3	1	2	.	2	3	3	3	1	2	1	2	.	2	2	2	.	1	1	1	.	.	2	3

* Formerly described as "Simple Continued Fever."
† Including one death from cerebro-spinal fever.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	Nov. 12,	2,243	1,476	15·8	.	67	3	13	7	8*a*	29
EDINBURGH, ...	360,276	„ 12,	121	94	13·6	.	1	.	1	1	.	2
GLASGOW, ...	884,505	„ 12,	390	234*c*	13·8	.	.	5	6	4	3*a*	6
CALCUTTA, ...	1,009,008	Oct. 8,	.	390	20·0	1	.	.	1	.	97‡	45*
BOMBAY, ...	977,822	„ 11,	429	615	32·7	.	2	.	.	.	90‡	55*
MADRAS, ...	509,346	Sept. 23,	472	517	52·7	2	2	?	?	?	114	140*
CAIRO, ...	682,953	„ 23,	682	392	29·9	.	6	.	17†	?	.	77*b*
PARIS, ...	2,760,000	Oct. 15,	961	758	14·4	.	2	1	1†	3	3*a*	39*b*
BRUSSELS, ...	720,030	„ 22,	183	182	13·1	.	.	.	2†	.	1*a*	16*b*
ANTWERP, ...	317,171	„ 22,	125	70	11·5	.	4	.	1†	.	.	17*b*
AMSTERDAM, ...	573,246	„ 22,	253	139	12·6	.	4	.	2†	2	3*a*	6*b*
COPENHAGEN, ...	450,000	„ 22,	205	114	13·3	.	.	1	.	1	.	8
STOCKHOLM, ...	341,816	„ 15,	148	85	12·9	.	.	2	2†	.	1*a*	3
CHRISTIANIA, ...	240,178	„ 29,	92	53	11·5	.	1	.	.	.	.	.
ST. PETERSBURG, ...	1,620,000	„ 8,	816	620	20·0	11	2	11	12	7	5*a*	73*
MOSCOW, ...	1,493,600	„ 1,	.	665	23·2	.	3	18	27†	3	7*a*	92
BERLIN, ...	2,122,956	„ 15,	768	541	13·3	.	3	8	13†	2	1*a*	37
HAMBURG, ...	895,804	„ 22,	.	268	15·6	.	3	1	16†	1	. .	29
BRESLAU, ...	512,328	„ 22,	.	190	19·3	.	.	.	1	4	2*a*	21
MUNICH, ...	576,000	„ 29,	.	175	15·8	.	4	.	1†	.	.	14
VIENNA (with suburbs),	2,130,320	„ 22,	763	534	13·0	.	1	6	7†	.	1*a*	31*b*
BUDA-PESTH, ...	833,703	„ 22,	423	309	19·3	.	.	10	6†	.	5*a*	22*b*
PRAGUE and Faubourgs.	497,905	„ 8,	176	166	17·3	.	.	2	6†	.	2*a*	9*b*
TRIESTE, ...	223,521	„ 15,	121	79	18·4	.	.	.	.	.	1*a*	11*b*
ROME, ...	590,113	Sept. 3,	235	167	14·8	.	4	.	2	1	1*a*	22
VENICE, ...	183,224	„ 3,	105	57	16·2	.	.	.	1†	.	3*a*	15
		„ 10,	85	57	16·2	.	.	.	.	.	2*a*	11
NEW YORK, ...	4,803,264	Oct. 15,	2,452	1,291	14·0	.	2	1	10†	5	20*a*	142*b*
PHILADELPHIA, ...	1,598,400	Sept. 24,	.	361	11·7	.	.	.	5†	9	3*a*	42*b*
BOSTON, ...	670,585	Oct. 22,	.	197	15·3	.	.	.	.	1	1*a*	18

* Including 15 deaths from cholera in Calcutta, 2 in Bombay, 28 in Madras, and 22 in St. Petersburg.
† Including deaths from croup.
‡ Including 7 deaths from plague in Calcutta, and 16 in Bombay.
a Enteric Fever.
b Deaths from diarrhœal diseases and from enteritis of children under two years of age
c Including one death from cerebro-spinal meningitis.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 12th November, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	1	.	.	.	.	.	.	.	.	.	1	2
" " 1, West,	.	2	.	.	.	.	.	1	1	.	.	1	5
" " 2,	.	.	.	.	.	.	1	2	.	.	.	1	4
" " 3,	.	4	.	.	3	.	.	.	3	.	.	3	13
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	2	.	.	1	.	.	.	.	.	.	1	4
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	4	.	.	1	.	.	.	6	.	.	5	16
" " 2,	.	1	.	.	.	.	.	1	.	.	.	1	3
" " 3,	.	3	.	.	2	.	.	1	1	.	.	1	8
" " 4,	.	4	.	.	3	.	.	.	1	.	.	.	8
New Kilmainham,	.	.	.	.	.	.	.	.	1	.	.	.	1
Total,	.	21	.	.	10	.	1	5	13	.	.	14	64

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 12th November, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 12th November.			
	Oct. 22.	Oct. 29.	Nov. 5.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	12	17	17	1	1	.	17
Scarlet Fever,	84	102	103	20	13	1	109*
Typhus,	3	3	3	.	1	.	2
Diphtheria,	68	79	76	17	15	2	76
Enteric Fever,	40	38	34	14	1	.	47
Pneumonia,	16	22	17	6	7	.	16

* Exclusive of 24 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.Sc., F.R.MET.SOC., reports as follows on the weather during the week nded 12th November, 1910:—

"Cold and unsettled, but at times fair and bright, was the weather of this week. The barometer stood more or ss high both in the direction of Iceland, northward, and over the Iberian Peninsula, southward. This distribution atmospheric pressure favoured the eastward advance of depressions from the Atlantic over the intervening region the British Isles, the North Sea, Scandinavia, and (on Friday) Germany. At the very beginning of the week a ep depression appeared suddenly off the extreme N.W. coasts of the British Isles, with the result that strong ualls or gales from S.W. sprang up, accompanied by heavy showers of rain and hail and, in places, thunder and ghtning. The depression grew deeper as it travelled slowly eastward, so that at 7 a.m. of Monday the barometer ad 28·37 inches at Wick. Meanwhile a 'secondary' had advanced over Ireland to the Irish Sea and St. George's annel, the weather consequently remaining squally, showery and cold. Tuesday was bright and cold, so also was ednesday after and before a frosty night. But on Thursday morning a sheet of cirriform cloud spread across the y and the barometer fell fast as a new depression approached the N.W. of Ireland. This system travelled quickly ross Ireland, England, and the North Sea, reaching Germany on Friday. As it moved away another fine day was joyed in Ireland—namely, Friday. But Saturday proved dull, raining for a time, and mild, as yet another depres- on arrived from the Atlantic Ocean. In Dublin the mean height of the barometer was 29·521 inches, pressure ranging om 28·608 inches at 7 a.m of Monday (wind, W.) to 30·030 inches at 9 p.m. of Wednesday (wind, W.). The mean mperature was 41·4°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 40·5°. On Thursday the screened ermometers fell to 30·2° ; on Saturday they rose to 53·4°. The prevalent wind was W.N.W. Rain fell on 5 days to e amount of ·550 inch, ·189 inch being measured on Sunday and ·219 inch on Saturday. Hail fell on Sunday also, nd lightning was seen at 11 p.m. of that day."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·356 inches. The highest reading (29·863) was on Wednesday at 9 p.m., air calm, and the lowest (28·581) on Monday at 9 a.m., wind W.

The mean temperature for the week was 39·6°, being 5·6° below the average for the corresponding period of the 10 years, 1900-1909. The temperature was highest on Saturday, on which day the thermometer registered 52·8°, and was lowest on Thursday, the mercury having fallen to 22·7°. The mean of the Dry Bulb for the week was 38·8° and of the Wet Bulb 37·6°. The mean humidity of the air was ·89, complete saturation being represented by 1·0. The rainfall during the week measured 0·860 inch.

At Greenwich the mean temperature for the week was 40·8°, the maximum 51·6°, and the minimum 28·4°; at Glasgow the maximum was 44·0°, the minimum 23·8°, and the mean 36·1°; and at Edinburgh the maximum was 42·5°, the minimum 27·7°, and the mean 36·0°. The rainfall at Greenwich measured 0·31 in.; at Glasgow 1·45 ins.; and at Edinburgh 0·96 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	THERMOMETER. Maximum.	Minimum.	Mean	HYGROMETER. Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins		
Sunday, November 6,	28·758	51·7	33·9	42·8	44·1	42·2	·86	·5	4·4	·295	S.W.	S.W.
Monday, „ 7,	28·816	47·9	34·9	41·4	39·5	38·3	·88	·6	1·7	·065	W.	W.S.W.
Tuesday, „ 8,	29·373	44·7	31·8	38·3	35·7	34·8	·93	·5	6·0	·010	S.W.	W.S.W.
Wednesday, „ 9,	29·783	44·0	28·5	36·3	30·5	30·2	·88	·5	6·7	·000	W.S.W.	Calm.
Thursday, „ 10.	29·600	48·8	22·7	35·8	39·2	37·8	·89	·6	0·0	·140	Calm.	W.S.W.
Friday, „ 11,	29·635	47·1	32·1	39·6	35·2	34·6	·94	·6	7·0	·000	W.	W.
Saturday, „ 12,	29·529	52·8	34·0	43·4	47·2	45·0	·84	·4	0·0	·350	S.S.W.	S.S.W.
Mean,	29·356	48·1	31·1	39·6	38·8	37·6	·89	·5	Total 25·8	Total ·860	Prevailing Wind, W.S.W.	

Sunday—Day cloudy, passing showers a.m. and p.m.; night clear to cloudy, drizzle a.m. *Monday*—Day cloudy passing showers; night clear. *Tuesday*—Day cloudy, light rain p.m.; night clear. *Wednesday*—Fine bright day night clear. *Thursday*—Day overcast, rain a.m. and p.m.; night clear. *Friday*—Day bright to cloudy; night cloudy *Saturday*—Day overcast and rain; night overcast, drizzle and rain a.m.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, November 12th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot	4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Min.	Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, November 6,	49·4	45·5	51·0	52·4	36·9	44·7	?	·245
Monday, „ 7,	45·0	45·3	50·6	48·7	38·1	43·4	0·5	·040
Tuesday, „ 8,	37·5	44·7	50·3	45·5	35·1	40·3	4·6	·004
Wednesday, „ 9.	35·0	43·8	50·0	44·0	32·0	38·0	5·1	—
Thursday, „ 10	43·0	42·2	49·5	50·0	29·5	39·8	—	·078
Friday, „ 11,	37·5	43·0	49·2	47·2	35·9	41·6	4·5	—
Saturday, „ 12,	44·0	42·8	48·9	54·8	35·9	45·3	—	·249
Weekly Mean,	41·6	43·9	49·9	48·9	34·8	41·9	Total ?	Total ·616

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

29794. Wt. P. 272—22/138, 375. 10. 1910. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, LTD., 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.: or OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 19TH NOVEMBER, 1910. [No. 46.

General Register Office, Charlemont House, Dublin, 21st November, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Average Rate for 4 weeks.
22 Town Districts.	**16·8**	**15·1**	**16·2**	**17·9**	**16·5**	Limerick,	21·9	23·2	6·8	5·5	14·4
						Lisburn,	18·2	13·6	18·2	22·7	18·2
Armagh,	.	13·7	13·7	13·7	10·3	Londonderry,	21·6	10·8	15·6	18·0	16·5
Ballymena,	23·9	4·8	23·9	9·6	15·6	Lurgan,	8·9	13·3	17·7	17·7	14·4
Belfast,	15·3	14·4	16·3	17·6	15·9	Newry,	25·2	8·4	12·6	12·6	14·7
Clonmel,	35·9	5·1	25·6	30·8	24·3	Newtownards,	.	28·6	17·2	28·6	18·6
Cork,	17·1	11·0	15·8	14·4	14·6	Portadown,	31·0	15·5	10·3	25·8	20·6
Drogheda,	8·2	8·2	20·4	16·3	13·3	Queenstown,	13·2	19·8	19·8	6·6	14·9
Dublin Reg. Area,	16·6	18·1	17·1	20·3	18·0	Sligo,	19·2	9·6	14·4	4·8	12·0
Dundalk,	19·9	12·0	12·0	8·0	13·0	Tralee,	21·1	10·6	31·7	21·1	21·1
Galway,	15·5	11·7	7·8	11·7	11·7	Waterford,	13·6	7·8	15·6	25·3	15·6
Kilkenny,	24·6	.	9·8	9·8	11·1	Wexford,	32·7	23·3	14·0	23·3	23·3

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 0·8 per 1,000, the rates varying from 0·0 in eighteen of the districts to 2·4 in Londonderry, the 15 deaths from all causes for that district including one from scarlet fever and one from whooping-cough. Among the 132 deaths from all causes for Belfast are one from diphtheria, one from enteric fever, and 3 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 204—99 boys and 105 girls—and the deaths to 166—72 males and 94 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·3 per 1,000 of the population, the rate for the total deaths registered in the Area being 21·5 per 1,000. During the forty-six weeks, ending with Saturday last, the death-rate averaged 21·0, and was 2·9 below the mean rate for the corresponding portions of the ten years, 1900-9.

The total deaths from all causes included one death from measles, 2 deaths from scarlet fever, 2 deaths from whooping-cough, 3 from diphtheria, and 2 deaths of infants from epidemic

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*), Table II. ‡ See columns 10-18 of Table II.

diarrhœa; there were also 2 deaths from enteritis, and one from *gastro-enteritis* of infants under one year of age.

In the three preceding weeks deaths from measles were 0, one and 0; deaths from scarlet fever were one, 3, and 0; deaths from whooping-cough were one, one, and 4; deaths from diphtheria were 4, one, and 2; and deaths from diarrhœal diseases were 4, 5, and 4.

There were 9 deaths from broncho-pneumonia, and 7 from *pneumonia* (not defined).

Of 28 deaths from all forms of tuberculous disease, 20 were caused by tuberculous phthisis (*phthisis*), 2 by tuberculous meningitis, one by *tabes mesenterica*, and 5 by other forms of the disease. In the 3 preceding weeks, deaths from all forms of tuberculous disease were 21, 29, and 27, respectively.

Carcinoma was the cause of 6 deaths, and 2 deaths were attributed to cancer, malignant disease (undefined).

The deaths of 6 infants prematurely born were registered.

Diseases of the brain and nervous system caused the deaths of 15 persons, this figure includes 6 deaths of children from *convulsions*, namely, the death of one infant under one month, 4 deaths of infants between the ages of one month and one year, and one death of a child aged one year.

Twenty-two deaths were assigned to diseases of the heart and blood vessels, and 26 to diseases of the respiratory system; of the latter figure 23 deaths were from bronchitis.

Two children aged respectively 15 months and 5 years lost their lives by accidental burning.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 infants under one year of age and the deaths of 2 persons aged 65 years and upwards.

Fifty-seven of the persons whose deaths were registered during the week were under 5 years of age (39 being infants under one year, of whom 8 were under one month old) and 50 were aged 60 years and upwards, including 28 persons aged 70 and upwards, of whom 4 were octogenarians, and 3 (females) were stated to have been aged 92, 92, and 96 years respectively.

Sixty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse, and 17 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week: deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·3 per 1,000; the rate in the City was 21·2 (North City Districts, 17·7; South 24·8) and in the Suburbs, 17·5.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·3 per 1,000 inhabitants, the rate for the City being 1·5 (0·7 in the North City Districts, and 2·4 in the South), and for the Suburbs, 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 22·7 per 1,000. There were 2 deaths from broncho-pneumonia, one from *pneumonia* (not defined), 2 from *phthisis*, and one from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (11) are equal to an annual rate of 14·3 per 1,000, and include one death from epidemic diarrhœa, one from *pneumonia* (not defined), 2 from tuberculous disease, and 3 from diseases of the respiratory system.

No. 2 North City District (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 25·4 per 1,000. Among them are one from broncho-pneumonia, 2 from tuberculous disease, and 2 from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (9) represent an annual rate of 14·0 per 1,000. Broncho-pneumonia caused one death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·4 per 1,000 inhabitants: Coolock and Drumcondra, part of, 17·9; and Finglas and Glasnevin, part of, 0·0. Of the 2 deaths recorded for Clontarf and Howth, No. 1, part of, one was from tuberculous phthisis; and the 4 deaths from all causes for Coolock and Drumcondra, part of, included one from diphtheria, one from broncho-pneumonia, and one from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (18) represent an annual rate of 22·6 per 1,000. One death from scarlet fever, one death from whooping-cough, 2 deaths from broncho-pneumonia, 2 from *phthisis*, and 7 from bronchitis were recorded.

No. 2 South City District (Castle-street).—The deaths (8) are equal to an annual rate of 19·2 per 1,000. There were 3 deaths from *pneumonia* (not defined), and one death each from tuberculous phthisis and bronchitis.

No. 3 South City District (Peter-street).—The deaths (25) are equal to an annual rate of 30·2 per 1,000, and include one death from measles. 2 deaths each from broncho-pneumonia, and *pneumonia* (not defined), 4 deaths from tuberculous disease, 3 deaths from bronchitis, and one death caused by accidental burns.

No. 4 South City District (Grand Canal-street).—The deaths (21) are equivalent to an annual rate of 30·5 per 1,000. Among them are one death each from scarlet fever, whooping-cough, diphtheria, and epidemic diarrhœa, 5 deaths from tuberculous phthisis (*phthisis*), and 3 from diseases of the respiratory system.

New Kilmainham District.—There were no deaths recorded for this district during last week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 22·5; Pembroke, 14·4; Blackrock, 17·4; and Kingstown, 11·8. The only death from any of the principal epidemic diseases tabulated for these districts was one from diphtheria for Rathmines and Rathgar, the 16 deaths from all causes for that district including 2 deaths from diseases of the respiratory system. Among the 8 deaths from all causes for Pembroke are 3 from tuberculous phthisis (*phthisis*), one from bronchitis, and one from accidental burns; the 3 deaths from all causes for Blackrock include one death from bronchitis; and of the 4 deaths from all causes for Kingstown, 2 were from tuberculous disease, and one was from bronchitis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly rnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin: Mr. Fawcett xecutive Sanitary Officer for Rathmines and Rathgar Urban District: Mr. Manly, Executive Sanitary Officer for embroke Urban District: Mr. Heron, Executive Sanitary Officer for Blackrock Urban District: by Dr. R. A. 'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District: and by Dr. Bailie, Medical uperintendent Officer of Health for the City of Belfast.

ABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 19th November, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Oct. 29,	.	—	—	22	.	.	17	.	1	6	14	.	—	—	.	—	16	—	76
	Nov. 5,	.	—	—	16	1	.	13	.	1	5	8	.	—	—	.	—	11	—	55
	Nov. 12,	.	—	—	21	.	.	10	.	1	5	13	.	—	—	.	—	14	—	64
	Nov. 19,	.	—	—	27	.	.	16	.	.	8	9	.	—	—	.	—	22	—	82
Rathmines and Rathgar Urban District.	Oct. 29,	.	—	—	1	.	.	2	.	.	1	.	.	—	—	—	—	—	—	4
	Nov. 5,	.	—	—	.	.	.	5	.	.	3	1	.	—	—	—	—	—	—	9
	Nov. 12,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	—	2
	Nov. 19,	.	—	—	1	.	.	6	.	.	.	.	.	—	—	—	—	—	—	7
Pembroke Urban District.	Oct. 29,	.	.	.	.	.	.	.	.	.	.	.	.	—	2	.	—	.	—	2
	Nov. 5,	.	4	.	3	.	.	.	.	.	.	.	.	—	3	.	—	.	—	10
	Nov. 12,	.	1	.	2	.	.	.	.	.	1	.	.	—	.	.	—	2	—	6
	Nov. 19,	.	.	.	2	.	.	.	.	.	1	.	.	—	4	.	—	.	—	7
Blackrock Urban District.	Oct. 29,	.	—	—	5	.	.	.	.	.	.	.	.	—	—	.	—	—	—	5
	Nov. 5,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	—	3
	Nov. 12,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	—	3
	Nov. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Oct. 29,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	Nov. 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Nov. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Nov. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Oct. 29,	.	—	—	17	1	.	6	.	.	3	8	1	—	—	—	—	7	—	43
	Nov. 5,	.	—	—	32	.	.	8	.	.	4	5	.	—	—	—	—	8	—	57
	Nov. 12,	.	—	—	27	1	.	7	.	.	2	13	.	—	—	—	—	10	—	60
	Nov. 19,	.	—	—	29	.	.	9	.	.	.	4	.	—	—	—	—	18	—	60

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the ublin Hospitals during the week ended 19th November, 1910, and the number under reatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Three cases of measles were admitted to hospital during the week, 8 were discharged, nd 12 cases remained under treatment at its close.

Twenty-seven cases of scarlet fever were admitted to hospital, 24 were discharged, there ere two deaths, and 110* cases remained under treatment at the close of the week. t the close of the 3 preceding weeks the cases in hospital were 102, 103, and 109, respectively.

Two cases of typhus were discharged from hospital during the week, and no cases mained under treatment at its close.

Fifteen cases of diphtheria were admitted to hospital, 24 were discharged, there ere 3 deaths, and 64 patients remained under treatment at the close of the week. he cases in hospital at the close of the 3 preceding weeks numbered 79, 76, and 76, spectively.

Six cases of enteric fever were admitted to hospital during the week, 7 were dis- harged, and 46 cases remained under treatment in hospital at the close of the week, the spective numbers in hospital at the close of the three preceding weeks being 38, 34 nd 47.

In addition to the above named diseases, 9 cases of pneumonia were admitted to hospital, were discharged, there was one death, and 13 cases remained under treatment at the nd of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns, including London (in which the ate was 16·4) was equal to an average annual death-rate of 15·5 per 1,000 persons living; he average rate for 8 principal towns of Scotland was 16·2 per 1,000, the rate for lasgow being 16·1 and for Edinburgh 16·8.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., D.Sc., Medical Officer of Health for dinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 19th November From is Report it appears that of a total of 80 cases notified, 42 were scarlet fever, 16 phthisis, 16 diphtheria, erysipelas, and 2 enteric fever. Among the 478 cases of infectious diseases in hospital at the close of the eek were 262 cases of scarlet fever, 86 of diphtheria, 52 of phthisis, 41 of measles, 14 of whooping cough, of erysipelas, 4 of enteric fever, 2 of chicken-pox, 2 of puerperal fever, and 2 of cerebro-spinal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 19th November, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 19TH NOVEMBER, 1910.																							METEOROLOGY. (d)											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 19TH NOVEMBER, 1910.				WEEK ENDING 12TH NOVEMBER, 1910.				WEEK ENDING 5TH NOVEMBER, 1910.			
	POPULATION.		DEATHS.			BIRTHS.	DEATHS.																			Air Temperature				Air Temperature				Air Temperature			
	Total.(a)	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10–18.		TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia (b) (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·8	24·5	17·9	0·8	541	396	78	124	.	1	3	.	3	4	.	1	6	29	48	23	24	51	6	14	126	9												
DUBLIN REGISTRATION AREA:— TOTAL, c.	402,928	29·3	26·4	20·8	1·3	204	157	39	50	.	1	2	.	2	3	.	.	2	16	17	7	7	26	2	4	60	6	53·8	25·1	38·2	0·35	53·8	22·7	39·6	0·86	55·5	29·9	43·1	0·56
CITY of DUBLIN,	310,298	39·2	30·1	21·2	1·5	179	126	35	34	.	1	2	.	2	2	.	.	2	16	14	5	4	21	1	2	51	4	53·7	29·1	39·0	0·43	53·4	30·2	41·4	0·55	56·3	33·0	44·2	0·47
Urban Districts. RATHMINES AND RATHGAR.	37,047	21·6	16·9	22·5	1·4	12	16	4	7	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1	7	1	58·1	26·0	37·5	0·39	58·5	24·2	39·8	0·79	56·0	30·2	43·5	0·40
PEMBROKE,	28,948	18·2	12·6	14·4	.	7	8	.	3	.	.	.	.	.	.	.	.	.	.	3	.	2	1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,013	8·3	23·1	17·4	.	4	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	5·9	11·8	.	2	4	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	55	31	40·6	0·40	55	32	43·2	0·46	57	36	45·1	0·50
URBAN DISTRICTS.																																							
BELFAST (b)	391,167	26·6	20·8	17·6	0·7	156	132	27	37	.	.	.	.	.	1	.	1	3	11	17	8	8	16	2	5	31	.	51·0	31·0	40·7	0·81	49·0	27·2	39·0	0·90	54·5	34·5	41·5	1·22
CORK,	76,122	33·6	35·6	14·4	.	52	21	2	6	.	.	.	.	.	.	.	.	.	.	5	1	2	1	1	3	10	2	50	31	41·9	0·36	53	35	44·6	1·04	55	41	47·4	0·31
LONDONDERRY,	48,477	20·1	22·8	18·0	2·4	19	15	1	5	.	.	1	.	1	.	.	.	.	.	1	1	1	3	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	17·8	5·5	.	13	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	52	23	37·8	0·21	53·4	25	40·8	1·21	55·5	30·1	41	1·00
WATERFORD,	26,769	18·7	33·1	25·3	1·9	17	13	2	5	.	.	.	.	.	.	1	.	.	.	1	3	1	.	.	1	6	.	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	2·5	31·1	11·7	.	8	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	56	27	40·3	0·95	52	28	42	1·86	54	34	44	0·71
DUNDALK	18,076	9·4	12·0	8·0	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	28·6	16·3	.	7	4	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,405	17·8	12·6	12·6	.	3	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	51·2	28·0	37·5	0·15	51·4	28·7	39·3	0·74	53·8	31·9	42·7	0·73
LURGAN,	11,782	13·8	4·4	17·7	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1	1	.	51·2	28·0	37·5	0·15	51·4	28·7	39·2	0·74	53·8	31·9	42·7	0·73
LISBURN,	11,461	10·1	22·7	22·7	.	5	5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	51·2	28·0	37·5	0·15	51·4	28·7	39·2	0·74	53·8	31·9	42·7	0·73
WEXFORD,	11,168	23·2	28·0	28·3	.	6	5	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,886	8·9	14·4	9·6	.	3	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,870	8·7	19·2	4·8	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	51·0	24·0	39·0	0·91	52·1	23·7	39·2	1·72	55·7	27·9	42·2	2·37
KILKENNY,	10,609	11·5	63·9	9·8	.	13	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	50	28	36·7	0·51	58	25	40·7	1·01	56	32	41·7	1·00
CLONMEL,	10,167	7·8	15·4	30·8	.	3	6	1	3	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,092	18·2	46·5	25·8	.	9	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	51·2	28·0	37·5	0·15	51·4	28·7	39·2	0·74	53·8	31·9	42·7	0·73
TRALEE,	9,867	16·6	10·6	21·1	.	2	4	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	34·3	28·6	.	6	5	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	48	33	39·8	0·35	50	31	40·2	1·27	54	35	43·6	1·11
QUEENSTOWN,	7,909	14·4	33·0	6·6	.	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	50	32	41·9	0·86	53	35	44·6	1·04	55	41	47·4	0·51
ARMAGH,	7,588	22·2	18·7	13·7	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	51·2	28·0	37·5	0·15	51·4	28·7	39·2	0·74	53·8	31·9	42·7	0·73

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910.

(b) Formerly described as "Simple Continued Fever."

(c) Exclusive of 9 deaths of persons admitted to hospital from localities outside the Area.

(d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases;

ABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 19th November, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin Registration Districts in												Urban Districts of					
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.										
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock & Drumcondra (pt. of).	Finglas and Glasnevin (part of).	South City No. 1.	South City No. 2.	South City No. 3	South City No. 4	New Kilmainham	Rathmines and Rathgar.	Pembroke.	Blackrock.	Kingstown.		
I. General Diseases:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	3	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Pneumonia,	3	1	1	1	.	1	.	2	3	4	.	.	.	.	.	.	16	.
Tuberculous Phthisis,	2	1	.	.	1	.	.	2	1	2	5	.	.	3	.	.	17	3
Disease. Other Forms,	.	1	2	.	.	.	.	.	.	2	.	.	.	.	.	2	7	1
Cancer, Malignant Disease,	.	.	1	.	.	.	.	.	1	.	2	.	1	2	.	.	7	1
Other General Diseases,	1	1	1	1	.	.	.	.	.	3	1	.	2	.	.	.	10	1
Total,	6	5	5	2	1	2	.	6	5	12	12	.	4	5	.	2	67	6
II. Local Diseases:																		
Nervous System,	1	.	1	3	1	.	.	1	.	1	3	.	2	1	.	.	14	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	2	2	1	2	.	.	.	2	.	4	1	.	4	.	2	1	21	1
Respiratory System,	1	3	2	.	.	1	.	7	1	3	3	.	2	1	1	1	26	.
Digestive System,	1	.	3	.	.	1	.	.	.	3	.	.	3	.	.	.	11	.
Lymphatic System, &c.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	2	.
Urinary System,	.	1	1	1	.	.	.	.	.	1	.	.	.	.	.	.	4	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ccidents of Childbirth,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
iseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	5	6	8	7	1	2	.	10	2	12	7	.	12	2	3	2	79	3
III. Other Specified Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. Causes Ill-defined and Not Specified,	2	.	2	.	.	.	.	2	1	.	2	.	.	.	.	.	9	.
V. Violent Deaths,	.	.	.	.		.	.	.	.	1	.	.	.	1	.	.	2	.
eaths from all Causes	13	11	15	9	2	4	.	18	8	25	21	.	16	8	3	4	157	9
nnual Rate of Mortality rom all causes in every 1,000 f the population.	22·7	14·3	25·4	14·0	19·4	17·9	.	22·6	13·2	30·2	30·5	.	22·5	14·4	17·4	11·8	20·3	.
	17·7							24·8					17·5					
	21·2																	
Death, Under 1 year,	6	4	6	3	.	1	.	1	3	7	4	.	4	.	.	.	39	.
1 and under 5 years,	.	.	2	2	.	1	.	3	.	6	3	.	.	1	.	.	18	.
5 „ 20 „	.	.	.	.	.	.	.	2	1	1	1	.	1	2	.	1	9	1
20 „ 40 „	1	1	2	1	1	1	.	2	1	4	5	.	1	1	.	.	21	6
40 „ 60 „	1	2	2	1	1	.	.	3	2	3	1	.	3	1	.	.	20	2
60 years and upwards,	5	4	3	2	.	1	.	7	1	4	7	.	7	3	3	3	50	.
mber of Uncertified Deaths,	1	.	.	1	.	.	.	.	2	.	.	.	1	.	1	.	6	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

blic Hospitals, Prisons, and Lunatic Asylums,	1	3	.	.	.	2	.	2	1	9	7	.	6	1	.	.	32	7
orkhouse Hospitals,	4	4	4	1	.	.	.	5	2	3	3	.	1	1	.	.	28	2

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in th corresponding week of the ten years 1900–190

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Average in 46th Week of the 10 years, 1900-1909.	In the Week ending Saturday, 19th November, 1910.							
												Deaths of Persons of the Ages of							
	Nov. 17, 1900.	Nov. 16, 1901.	Nov. 15, 1902.	Nov. 21, 1903.	Nov. 19, 1904.	Nov. 18, 1905.	Nov. 17, 1906.	Nov. 16, 1907.	Nov. 14, 1908.	Nov. 20, 1909.		ALL AGES.	0 to 5.						
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 44·4	° 40·2	° 47·9	° 40·2	° 45·8	° 38·0	° 42·9	° 44·1	° 45·4	° 37·7	° 42·7	° 38·2								
ALL CAUSES.	179	180	202	182	183	158	191	163	157	190	178·5	166	8	31	18	10	27	22	43	7
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	1	.	10	.	8	.	9	3	1	.	3·2	1	.	.	1	.	.	.	.	.
Scarlet Fever,	1	.	2	.	.	1	.	.	.	.	·4	2	.	.	.	2	.	.	.	.
Typhus,	.	.	2	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	3	1	1	1	4	3	1	1	1	1·6	.	.	.	.	.	.	.	.	.
Whooping-cough,	2	1	1	2	4	1	1	1	1	2	1·6	2	.	1	1	.	.	.	.	.
Diphtheria,	1	3	1	2	1	1	.	2	.	2	1·3	3	.	.	2	1	.	.	.	.
Cerebro-spinal Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	3	.	4	2	2	.	1	2	2	.	1·6	.	.	.	.	.	.	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.), *Diarrhœa*, Dysentery,	4	2	.	.	1	.	.	2	.	1	3·2	2	.	2	.	.	.	.	.	.
			3	4	4	2	3	1	4	1		.	.	.	.	.	.	.	.	.
Tetanus,	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	2	.	2	2	2	2	1	.	.	1	1·2	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*,	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Infective Endocarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	9	8	2	1	1	3	5	.	5	2	13·7	9	.	4	4	1	.	.	.	.
Broncho-Epidemic			9	9	6	6	4	5	13	9										
Not defined,			7	8	1 9	5	3	5	4	7		7	2	1	1	.	1	1	1	.
Erysipelas,	1	1	.	.	.	2	.	.	1	.	·5	1	.	.	.	.	.	1	.	.
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	.	.	.	1	1	.	2	.	1	.	·6	.	.	.	.	.	.	.	.	.
			.	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	2	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*,"	30	36	19	2 18	10 13	11 15	8 11	13 9	11 12	12 8	23·8	6 14	.	.	1	2	3 10	2	1 1	.
Tuberculous Meningitis,	3	3	2	5	2	3	.	4	3	2	2·7	2	.	.	1	.	1	.	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*,	2	4	2	2	1 1	.	.	1	. 1	1 1	1·6	. 1	.	1	.	.	.	.	.	.
Tuberculous Dis. (other), *Scrofula*,	.	3	3	6	5	9	5	2	5	2	4·0	5	.	1	1	2	.	.	1	.
			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Alcoholism,	.	2	.	1	.	1	.	.	.	.	·4	2	.	.	.	.	1	1	.	.
Rheumatic Fever,	.	.	.	.	2	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Carcinoma,	6	9	.	2	4	2	7	5	1	6	9·2	6	.	.	.	1	1	1	3	.
Sarcoma,			1	.	.	.	2	.	1	2		.	.	.	.	.	.	.	.	.
Cancer (undefined)			5	4	5	3	4	5	9	9		2	.	.	.	.	.	1	1	.
Diabetes Mellitus,	.	.	1	1	1	.	1	.	.	.	·4	1	.	.	.	.	.	.	1	.
Premature Birth,	3	8	2	1	3	5	5	1	3	4	3·5	6	4	2	.	.	.	.	.	.

* The figures for the year 1900 are for
† Formerly described as

ORTY-SIXTH WEEK ending Saturday, 19th November, 1910, with the deaths from each cause in the nd the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 46th Week of the 10 years 1900–1909.	In the Week ending Saturday, 19th November, 1910.							
												Deaths of Persons of the Ages of							
	Nov. 17, 1900.	Nov. 16, 1901.	Nov. 15, 1902.	Nov. 21, 1903.	Nov. 19, 1904.	Nov. 18, 1905.	Nov. 17, 1906.	Nov. 16, 1907.	Nov. 14, 1908.	Nov. 20, 1909.		ALL AGES.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 44·4	° 40·2	° 47·9	° 40·2	° 45·8	° 38·0	° 42·9	° 44·1	° 45·4	° 37·7	° 42·7	° 38·2								
Meningitis (not tuberc.) ...			2	1	5	1	2	4	3	3		3	.	1	2	.	.	.	.	.
Insanity, G. P. of Insane ...			1	2	1	2	.	2	2	1		3	.	.	.	.	1	1	1	.
Epilepsy			.	2	.	.	1	1	.	2		.	.	.	.	.	.	.	.	.
Convulsions			7	8	7	4	5	3	1	4		7	1	4	1	.	1	.	.	.
Locomotor Ataxy ...			.	.	.	.	.	.	.	.		1	.	.	.	.	1	.	.	.
Paraplegia Dis. of Cord ...			.	4	1	2	1	1	1	2		1	.	.	.	.	1	.	.	.
Nervous System (other Dis.)			4	1	3	2	5	.	1	1		.	.	.	.	.	.	.	.	.
	37	36									39·6									
Valv. Dis., Endocarditis ...			6	4	7	6	5	4	3	7		6	.	.	.	.	1	1	4	.
Cerebr. Hæm. Thromb.			2	2	2	2	2	5	3	4		4	.	.	.	.	.	.	3	1
Apoplexy, Hemiplegia ...			9	6	3	3	4	4	3	4		2	.	.	.	.	.	1	1	.
Aneurysm ...			1	2	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Embolism, Thromb. (not cerebral)			1	.	.	.	1	.	.	.		.	.	.	.	.	.	.	.	.
Heart and Blood Vessels (other Dis.)			20	13	11	12	15	14	10	17		10	.	.	.	.	1	2	5	2
Croup (not Spasm. nor Memb.)	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Bronchitis	22	15	26	31	21	24	31	26	21	21	23·8	23	.	3	2	.	2	15	1	
Asthma, Emphysema ...			.	.	.	1	.	.	.	.		.	.	.	.	.	.	.	.	
Pleurisy	5	2	.	1	1	.	1	.	.	.	2·0	1	.	.	.	.	1	.	.	
Respiratory Dis. (other) ...			2	1	1	1	2	1	2	1		2	.	.	.	.	1	.	1	
Tonsillitis, Quinsy ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.) ...	1	1	.	1	1	.	4	.	4	5	2·6	3	.	2	.	.	.	1	.	
Gastro-enteritis			.	1	1	2	2	1	1	1		1	.	1	.	.	.	.	.	
Peritonitis (not Puerp.) ...	.	.	1	1	.	.	.	.	.	1	·3	1	.	.	.	.	1	.	.	
Cirrhosis of Liver ...	1	2	2	.	3	.	1	.	1	1	1·7	1	.	.	.	.	.	1	.	
Liver Dis. (other) ...			1	2	1	.	.	2	.	.		1	.	.	.	.	.	.	.	1
Digestive Dis. (other) ...	7	4	8	5	4	3	5	2	5	6	4·9	4	.	4	.	.	.	.	.	
Nephritis, Acute			4	.	2	1	.	1	1	2		1	.	.	.	.	1	.	.	
Bright's Dis., Albuminuria	7	2	2	3	5	2	1	2	1	6	4·7	4	.	.	.	.	1	3	.	
Urinary Sys. (other Dis.) ...			2	.	.	.	.	.	.	3		.	.	.	.	.	.	.	.	
Generative Organs Dis. ...	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.	.	.	.	
Childbirth (Accid. of) ...	.	.	2	.	1	1	.	1	.	.	·5	1	.	.	.	.	1	.	.	
Old Age	14	12	6	6	3	3	3	5	.	6	5·8	5	.	.	.	.	.	4	1	
Other Diseases	10	16	20	10	4	5	15	17	10	12	11·9	7	1	4	.	1	1	.	.	
ACCIDENT.																				
By Railways	1		.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	
By Vehicles and Horses ...	.	1	.	.	1	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
In Building Operations ..	.	1	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	
In Conflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
By Burns, Scalds, Explosions	2	.	.	1	1	2	2	1	1	1	1·1	2	.	.	1	1	.	.	.	
By Drowning	2	2	.	.	1	.	2	.	.	2	·9	.	.	.	.	.	.	.	.	
By Suffocation in Bed ...	.	.	.	.	.	.	1	1	.	.	·2	.	.	.	.	.	.	.	.	
By Poison or Poisonous Vapours	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	
Other Deaths by Accident	2	1	2	.	2	1	4	1	2	1	1·6	.	.	.	.	.	.	.	.	
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	1	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	
Suicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

te Registration Area as then constituted.
Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910—Week ending																								
	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.
No. of weeks in Annual Series,	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46
BIRTHS registered.	242	253	268	272	183	223	229	272	225	243	198	209	240	194	228	260	235	202	196	219	161	244	182	211	207	204
*Average Births in corresponding week of previous 10 years,** ..	202	232	222	199	215	237	200	198	204	215	221	202	219	218	207	232	203	200	252	192	184	209	206	209	202	195
DEATHS registered, ...	160	135	133	140	130	127	143	118	141	127	145	143	126	146	130	141	158	174	164	160	151	174	189	147	141	166
Annual Death-rate per 1,000, ..	20·7	17·5	17·2	18·1	16·8	16·4	18·5	15·3	18·3	16·4	18·8	18·5	16·3	18·9	16·5	18·2	19·8	22·5	21·2	20·7	19·5	22·5	18·0	19·0	18·2	21·5
*Average Deaths in corresponding week of previous 10 years,**	171	157	154	152	147	136	138	142	146	147	146	148	156	166	159	157	154	167	160	158	156	160	156	172	175	179
AGES, Under 5 years, ...	39	31	37	25	27	31	50	29	48	31	31	54	37	57	42	38	59	70	60	58	44	56	40	46	47	57
AGES, 5—25 ,, ...	10	13	10	12	9	11	11	10	8	13	17	8	6	9	3	16	8	9	11	7	7	14	6	14	11	10
AGES, 25—40 ,, ...	26	26	22	27	32	23	24	17	17	13	27	23	23	18	18	19	22	19	16	22	25	26	21	33	11	37
AGES, 40—60 ,, ...	40	27	29	35	32	23	25	27	29	30	30	23	32	27	23	33	30	32	33	38	27	31	26	25	31	22
AGES, 60—80 ,, ...	42	33	26	38	28	33	23	34	34	33	35	26	24	33	36	33	30	42	37	28	29	41	41	24	33	43
AGES, 80 years and upwards, ..	4	5	7	3	2	6	10	1	8	2	5	4	4	7	3	2	4	2	7	7	9	6	5	5	3	7
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Measles, ...	.	2	.	.	.	1	.	1	3	3	1	1	1	2	1	1	2	.	.	1	.	1	1	3	.	2
Scarlet Fever, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Typhus, ...	.	2	1	2	1	3	.	1	1	.	3	3	2	.	4	3	2	1	2	2	2	5	1	1	4	2
Whooping-cough, ...	.	.	.	.	.	1	2	1	.	5	1	.	2	4	1	.	2	3	2	2	1	.	4	1	2	3
Diphtheria, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	1	1	1	.	3	1	2	1	1	.	.
Enteric Fever, ...	1	.	.	2	.	.	.	1	2	2	.	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.
Diarrhœal Diseases, ...	2	1	3	1	1	1	6	3	5	.	2	14	6	17	12	11	21	22	27	12	10	8	4	5	4	2
Influenza, ...	.	.	.	1	.	2	.	.	1	.	1	.	1	.	.	.	1	1	2	1	1	2	1	4	1	.
Pneumonia, ...	8	8	10	7	10	3	8	7	9	5	7	8	7	6	5	6	10	4	6	5	11	15	12	13	11	16
Tuberculous Disease, { Phthisis,	14	17	15	22	24	23	11	19	11	17	24	14	17	12	17	23	15	19	18	17	14	23	17	18	16	20
Tuberculous Disease, { Other Forms,	11	15	7	15	10	14	7	8	3	9	10	15	7	5	5	13	9	8	11	12	8	8	4	11	11	8
Cancer, Malignant Disease, ..	10	10	6	7	10	10	8	5	11	10	8	8	9	10	8	9	7	9	11	12	11	12	9	7	9	8
Diseases of Heart and Blood Vessels, ...	29	21	21	25	16	23	26	17	22	23	23	20	16	20	17	23	19	24	30	20	24	25	23	17	18	22
Diseases of Respiratory System,	18	13	17	11	15	7	11	18	14	12	10	8	10	11	6	10	10	20	12	16	17	17	12	18	26	26
Violent Deaths, ...	3	6	7	7	1	2	9	3	8	5	3	6	2	4	5	3	6	6	3	10	4	.	2	1	2	2
Number of Uncertified Deaths, ..	3	3	7	5	6	3	5	.	4	7	2	3	4	4	3	2	1	3	3	3	6	2	4	1	3	6
Mean Temperature of the Air (Phœnix Park), ...	55·1	50·6	57·8	56·4	58·1	54·7	55·5	57·1	53·9	57·8	56·5	59·2	53·8	56·6	57·2	54·8	52·0	50·4	54·2	52·5	48·2	49·1	50·4	48·1	39·6	38·2
Average Mean Temperature in corresponding week of previous 10 years, ...	50·5	53·9	53·3	53·7	55·3	56·6	57·6	58·9	60·6	58·8	58·8	58·2	57·7	56·5	56·1	54·4	53·1	53·8‡	53·7	52·2	50·6	48·4	46·2	47·1	45·2	42·7
Rainfall in inches, ...	·185	·692	1·870	·010	1·291	1·780	·660	·000	·840	·355	·940	·205	1·175	·411	·194	·150	·015	·015	·391	·585	·133	·383	·365	·558	·860	·352
Mean Humidity of the Air, complete Saturation 1·0	·88	·81	·92	·87	·92	·87	·88	·81	·81	·81	·84	·85	·81	·84	·88	·87	·91	·85	·89	·90	·84	·92	·87	·90	·89	·85

* See note (*) at foot of Table IV.

† Formerly described as "Simple Continued Fever."

‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 19th November, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS WEEK ENDING SATURDAY, 19TH NOVEMBER, 1910.

Class	OCCUPATION OR SOCIAL POSITION. [The 26,660 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 Years	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	CAUSES OF DEATH. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases	Total Colls. 10–18.	Pneumonia.	Tubercuious Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal)	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS.	375,850	23·1	166	57	10	27	22	43	7	.	1	2	.	2	3	.	.	2	10	16	20	8	8	7	26	2	69	6
	CLASSES.																												
	Deaths in Families of the—																												
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	20·9	7	.	.	1	2	3	1	.	.	.	.	.	.	.	.	.	.	.	3	.	1	.	2	.	1	.
II.	MIDDLE CLASS, ...	87,188	18·5	31	6	1	8	5	9	2	.	.	1	.	.	1	.	.	.	2	2	3	1	2	2	1	.	18	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,423	15·1	32	13	3	6	1	7	2	.	.	.	.	.	.	.	.	.	1	3	2	3	.	3	5	1	14	3
IV.	GENERAL SERVICE CLASS, ...	154,279	22·3	66	32	6	9	2	16	1	.	1	.	.	1	2	.	.	1	5	10	9	4	3	2	10	1	22	2
V.	INMATES OF WORKHOUSES, ...	6,024	—	30	6	.	3	12	8	1	.	.	.	.	1	.	.	.	1	2	1	3	.	2	.	8	.	14	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,795	20·1	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described.	8,860	24·0	4	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.
II.	MIDDLE CLASS.																												
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	30·8	13	3	.	3	3	3	1	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	.	8	.
	6. Clerks and Commercial Assistants, ..	30,482	8·6	5	2	.	2	1	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	1	.	.	2	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	21·2	11	1	1	3	1	4	1	.	.	1	.	.	.	.	.	.	1	.	1	1	1	.	1	.	6	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1
	9. Building and Furnishing Trades, ...	29,801	12·2	7	2	1	2	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2	1	2	.
	10. Clothing Trades, ...	28,260	11·2	5	1	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	2	1
	11. Food Supply Trades, ...	9,242	45·1	8	4	2	.	.	1	1	.	.	1	.	.	.	.	.	.	1	.	.	1	.	1	.	.	5	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	12·0	7	4	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	1	.	2	1
	13. Petty Shopkeepers, ...	7,894	13·2	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
IV.	GENERAL SERVICE CLASS.																												
	14. Army, Police, Postal Delivery, and Prison Services, &c	13,425	23·3	6	3	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	4	1
	15. Domestic Servants, ...	86,603	8·5	6	3	1	1	.	1	.	.	.	.	.	.	1	.	.	.	1	.	2	.	.	1	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,990	25·4	7	2	.	2	.	3	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	3	.	1	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	27·3	47	24	5	6	2	9	1	.	1	.	.	1	1	.	.	1	4	9	5	3	3	1	6	1	15	1
V.	INMATES OF WORKHOUSES.																												
	18. Workhouse Inmates, ...	6,024	—	30	6	.	3	12	8	1	.	.	.	.	1	.	.	.	1	2	1	3	.	2	.	8	.	14	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

	DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From Diseases in Cols. 5–13.	TOTAL DEATHS.	NUMBER OF DEATHS FROM Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercculous Disease. Phthisis.	Tubercculous Disease. Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of).	North City, No. 1 (E.)	Oct. 1,	22·7	8·5	13	.	.	.	.	.	.	.	.	2	1	1	.	2	2	.	1
		„ 8,	19·2	5·2	11	.	.	1	.	.	.	.	.	2	.	.	.	.	3	.	1
		„ 15,	17·4	1·7	10	.	.	.	.	1	.	.	.	.	.	.	.	1	1	1	1
	(*Office*,	„ 22,	17·4	1·7	0	.	.	.	.	1	.	.	.	.	1	1	.	.	3	.	.
	Clarence-st., Nth.)	„ 29,	17·4	.	10	.	.	.	.	.	.	.	.	.	.	3	.	.	2	1	1
		Nov. 5,	31·4	.	18	.	.	.	.	.	.	.	.	.	2	1	.	1	4	.	.
	Pop. in 1910	„ 12,	24·4	1·7	14	.	.	.	.	.	.	.	.	1	.	2	1	.	3	.	2
	(Est.) 29,908.	„ 19,	22·7	.	13	.	.	.	.	.	.	.	.	.	3	2	.	.	1	.	1
	North City, No. 1 (W.)	Oct. 1,	18·3	6·5	14	.	.	.	.	.	.	.	.	5	.	2	2	.	1	.	.
		„ 8,	28·7	5·2	22	.	.	.	.	.	.	.	1	3	.	4	1	3	3	2	.
		„ 15,	19·6	2·6	15	.	.	.	.	.	.	.	.	2	.	1	.	2	1	.	.
	(*Office*,	„ 22,	18·3	.	14	.	.	.	.	.	.	.	.	.	2	1	1	2	1	.	.
	Summer-hill.)	„ 29,	22·2	3·9	17	.	.	.	.	.	1	.	1	1	1	3	.	1	3	.	.
		Nov. 5,	14·8	2·6	11	.	1	.	.	.	.	.	1	.	1	1	1	.	.	.	.
	Pop. in 1910	„ 12,	18·0	2·6	10	.	.	.	.	.	2	.	.	.	.	2	.	1	1	1	.
	(Est.) 39,974.	„ 19,	14·3	1·8	11	.	.	.	.	.	.	.	.	1	1	1	1	.	3	.	.
	North City, No. 2.	Oct. 1,	23·7	3·4	14	.	.	.	.	.	.	.	.	2	2	.	1	1	1	1	.
		„ 8,	22·0	5·1	18	.	.	.	.	.	.	.	.	3	1	2	1	.	.	.	.
		„ 15,	11·9	3·4	7	.	.	.	.	.	.	.	.	2	1	1	1	.	.	.	.
	(*Office*,	„ 22,	32·2	3·4	19	.	.	.	.	.	.	.	.	2	3	2	1	.	1	.	1
	Lisburn-street.)	„ 29,	15·3	.	9	.	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.
		Nov. 5,	25·4	1·7	15	.	.	.	.	.	.	.	.	1	.	2	1	1	2	.	.
	Pop. in 1910	„ 12,	8·5	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	(Est.) 30,744.	„ 19,	25·4	.	15	.	.	.	.	.	.	.	.	.	1	.	2	1	2	.	.
	North City, No. 3.	Oct. 1,	26·4	7·3	17	.	.	.	.	.	.	.	.	5	1	2	2	1	1	1	.
		„ 8,	23·3	3·1	15	.	.	.	.	.	1	.	.	1	.	2	2	3	.	1	1
		„ 15,	21·8	3·1	14	.	.	.	.	.	.	.	1	1	2	.	1	.	2	.	.
	(*Office*,	„ 22,	26·4	3·1	17	.	.	.	.	.	.	.	1	1	.	3	1	1	2	.	.
	Benburb-street.)	„ 29,	29·5	1·6	13	.	.	.	.	.	1	.	.	.	1	3	.	1	2	.	1
		Nov. 5,	21·8	1·6	14	.	.	.	.	.	.	.	.	1	1	1	3	.	2	.	.
	Pop. in 1910	„ 12,	14·0	.	9	.	.	.	.	.	.	.	.	.	1	1	.	2	1	.	1
	(Est.) 33,559.	„ 19,	14·0	.	9	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
	South City, No. 1.	Oct. 1,	23·9	2·5	19	.	.	.	.	1	.	.	.	1	.	1	2	1	3	.	1
		„ 8,	26·9	2·5	23	.	1	.	.	1	.	.	.	.	.	2	.	.	2	3	.
		„ 15,	32·7	1·3	26	.	.	.	.	.	.	.	.	1	2	2	3	1	7	.	.
	(*Office*,	„ 22,	20·1	2·5	16	.	.	.	.	1	.	.	.	1	2	4	.	1	2	.	.
	Sth. Earl-street.)	„ 29,	15·1	1·3	13	.	.	.	.	.	.	.	.	1	.	2	.	1	2	.	.
		Nov. 5,	17·6	5·0	14	.	2	.	.	1	.	.	.	1	1	.	1	.	5	.	1
	Pop. in 1910	„ 12,	30·2	1·3	24	.	.	.	.	1	.	.	.	.	1	1	1	.	10	.	1
	(Est.) 41,476.	„ 19,	22·6	2·5	18	.	.	1	.	1	.	.	.	.	2	2	.	.	7	.	.
	South City, No. 2.	Oct. 1,	21·6	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.
		„ 8,	12·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.
		„ 15,	24·0	2·4	10	.	.	.	.	.	1	.	.	.	.	1	1	1	1	.	.
	(*Office*,	„ 22,	28·8	2·4	12	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	1
	Castle-street.)	„ 29,	24·0	.	10	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.
		Nov. 5,	26·4	.	11	.	.	.	.	.	.	.	.	.	1	2	2	.	2	1	.
	Pop. in 1910	„ 12,	21·6	.	9	.	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.
	(Est.) 21,754.	„ 19,	19·2	.	8	.	.	.	.	.	.	.	.	.	3	1	.	1	1	.	2
	South City, No. 3.	Oct. 1,	18·1	4·8	15	.	.	.	.	1	.	.	.	3	.	2	1	.	.	.	.
		„ 8,	19·3	.	16	.	.	.	.	.	.	.	.	.	1	3	3	.	2	.	.
		„ 15,	30·2	2·4	25	.	.	.	.	.	.	.	.	2	3	2	2	1	3	1	2
	(*Office*,	„ 22,	21·7	1·2	18	.	.	.	.	1	.	.	.	.	2	2	2	1	.	.	.
	Peter-street.)	„ 29,	22·9	2·4	19	.	.	.	.	1	.	.	.	1	2	1	3	1	1	.	1
		Nov. 5,	19·3	2·4	16	.	.	.	.	.	.	.	.	2	2	2	1	1	1	.	.
	Pop. in 1910	„ 12,	24·1	1·2	20	.	.	.	.	1	.	.	.	.	4	4	3	.	1	.	.
	(Est.) 43,227.	„ 19,	30·2	1·2	25	.	1	.	.	.	.	.	.	.	4	2	2	.	3	1	.
	South City, No. 4.	Oct. 1,	33·4	5·8	22	.	.	.	.	.	1	.	.	3	.	4	2	1	1	.	.
		„ 8,	21·8	7·3	15	.	.	.	.	1	1	.	.	3	.	1	.	2	.	.	1
		„ 15,	7·3	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	(*Office*,	„ 22,	27·6	5·8	19	.	.	.	.	1	.	.	1	2	2	1	.	2	3	.	.
	Grand Canal-st.)	„ 29,	12·1	1·5	9	.	.	1	.	.	.	.	.	.	1	1	.	.	1	.	.
		Nov. 5,	17·4	1·5	12	.	.	.	1	.	.	.	.	1	1	3	.	3	.	.	.
	Pop. in 1910	„ 12,	17·4	2·9	12	.	.	.	.	1	.	.	.	1	2	.	1	.	3	.	.
	(Est.) 35,881.	„ 19,	30·5	5·8	21	.	.	1	.	1	1	.	.	1	.	5	.	2	3	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes	From Diseases in Cols. 5–18.	TOTAL DEATHS.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia* * (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	Oct. 1,	21·1	4·2	15	.	.	.	.	.	.	.	.	3	.	2	.	2	1	.	1
	,, 8,	14·1	1·4	10	.	.	.	.	.	.	.	1	.	1	1	2	1	1	.	
	,, 15,	16·9	1·4	12	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	2
	,, 22,	7·0	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	,, 29,	14·1	1·4	10	.	.	.	.	.	1	.	.	.	1	1	.	1	.	.	.
	Nov. 5,	9·9	.	7	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.
	,, 12,	14·1	2·8	10	.	.	.	.	1	.	.	.	1	1	.	1	1	2	.	1
	,, 19,	22·5	1·4	16	.	.	.	.	.	1	.	.	.	.	.	.	1	2	.	1
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	Oct. 1,	5·4	1·8	3	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.
	,, 8,	7·2	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	,, 15,	18·0	1·8	10	.	.	.	.	1	.	.	.	.	1	1	.	1	.	.	1
	,, 22,	16·2	.	9	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.
	,, 29,	7·2	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	Nov. 5,	16·2	1·8	9	.	.	.	.	.	1	.	.	.	1	2	1	.	.	.	.
	,, 12,	7·2	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	,, 19,	14·4	.	8	.	.	.	.	.	.	.	.	.	.	3	.	2	1	1	.
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	Oct. 1,	11·8	3·0	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
	,, 8,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	,, 15,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	,, 22,	8·9	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	,, 29,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	Nov. 5,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	,, 12,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	,, 19,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.
Belfast. Pop. in 1910 (Est.) 391,167.	Oct. 1,	14·0	1·6	105	.	1	.	.	3	.	.	1	7	7	17	7	5	11	2	1
	,, 8,	12·5	1·2	94	.	1	.	.	1	.	.	.	7	5	9	3	5	9	.	1
	,, 15,	16·3	1·3	122	.	3	.	.	1	2	.	1	3	11	17	8	7	16	.	1
	,, 22,	16·0	2·0	120	.	5	1	.	.	1	.	.	8	11	10	6	5	9	2	.
	,, 29,	15·3	1·6	115	.	.	.	.	1	.	.	1	10	7	12	8	7	19	.	.
	Nov. 5,	14·4	1·3	108	.	3	1	.	.	.	.	.	6	7	14	2	9	11	3	2
	,, 12,	16·3	0·8	122	.	1	.	.	.	1	.	.	4	13	12	7	5	23	4	3
	,, 19,	17·6	0·7	132	.	.	.	.	.	1	.	1	3	11	17	8	8	16	3	.
Cork. Pop. (in 1901) 76,122.	Oct. 1,	21·2	4·1	31	.	.	.	.	.	.	.	.	6	2	1	2	1	.	1	4
	,, 8,	22·6	3·4	33	.	.	.	.	.	1	.	.	4	1	1	.	2	2	1	1
	,, 15,	14·4	1·4	21	.	.	.	.	1	.	.	1	.	.	5	.	1	1	.	.
	,, 22,	15·8	1·4	23	.	.	.	.	.	1	.	.	1	1	1	2	1	4	1	1
	,, 29,	17·1	0·7	25	.	.	.	.	.	.	.	1	.	.	5	.	.	3	.	.
	Nov. 5,	11·0	1·4	16	.	.	.	.	.	1	.	.	1	.	2	.	2	1	.	.
	,, 12,	15·8	0·7	23	.	.	.	.	.	.	.	.	1	1	3	1	3	4	1	.
	,, 19,	14·4	.	21	.	.	.	.	.	.	.	.	.	.	5	1	2	1	1	2
Londonderry. Pop. in 1910 (Est.) 43,477.	Oct. 1,	21·6	2·4	18	.	1	.	.	.	.	.	.	1	1	.	1	.	1	.	.
	,, 8,	9·6	.	8	.	.	.	.	.	.	.	.	.	.	1	1	1	2	.	.
	,, 15,	14·4	.	12	.	.	.	.	.	.	.	.	.	1	1	3	1	1	.	.
	,, 22,	8·4	2·4	7	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.
	,, 29,	21·6	.	18	.	.	.	.	.	.	.	.	.	.	.	1	2	5	.	1
	Nov. 5,	10·8	.	9	.	.	.	.	.	.	.	.	.	.	2	.	.	3	1	.
	,, 12,	15·6	2·4	13	.	.	.	.	.	.	.	.	2	1	1	.	1	1	.	.
	,, 19,	18·0	2·4	15	.	.	1	.	1	.	.	.	.	.	1	1	1	3	.	.
Limerick. Pop. (in 1901) 38,151.	Oct. 1,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	1
	,, 8,	9·6	1·4	7	.	.	.	.	.	1	.	.	.	.	3	.	1	.	.	.
	,, 15,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	3	.	.	3	.	2
	,, 22,	5·5	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	,, 29,	21·9	2·7	16	.	.	.	.	.	.	.	.	2	.	2	.	2	1	.	2
	Nov. 5,	23·2	.	17	.	.	.	.	.	.	.	.	.	2	1	.	2	3	.	3
	,, 12,	5·8	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	,, 19,	5·5	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford. Pop. (in 1901) 26,769.	Oct. 1,	13·6	1·9	7	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	.
	,, 8,	19·5	3·9	10	.	.	.	.	.	.	.	.	2	.	1	.	2	.	1	2
	,, 15,	21·4	3·9	11	.	.	.	.	.	.	.	.	2	.	2	.	.	1	.	2
	,, 22,	29·2	.	15	.	.	.	.	.	.	.	.	.	.	2	1	1	1	1	2
	,, 29,	13·6	1·9	7	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1
	Nov. 5,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	,, 12,	15·6	.	8	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	1
	,, 19,	25·3	1·9	13	.	.	.	.	.	.	.	.	1	.	1	3	1	.	.	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 19th November, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-20.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	DEATHS FROM. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexial (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	4	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		5			9	2	1	1	.	2	3	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	1	4	.
Do. 2 do.		10			16	4	2	3	3	2	2	.	.	.	.	.	1	.	1	1	2	2	.	1	2	1	1	4	.
Do. 3 do.		26			18	1	1	1	4	2	9	.	.	.	.	.	.	.	.	.	1	1	.	1	6	.	.	3	.
Do. 4 do.		21			14	3	.	3	1	3	4	.	.	.	.	.	.	.	.	.	.	2	1	1	1	.	.	6	.
Do. 5 do.		5			6	1	.	1	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.
Do. 6 do.		11			10	1	.	1	1	.	7	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	1	.
Do. 7 do.		.			4	.	.	1	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 8 do.	349,180	1			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Do. 9 do.		6			10	2	1	.	2	3	2	.	.	.	.	.	.	.	.	.	1	2	.	2	1	.	.	4	.
Do. 10 do.		15			18	5	.	3	1	2	2	.	.	.	.	.	.	.	.	.	1	1	1	.	3	.	.	2	.
Do. 11 do.		14			7	1	.	.	3	2	1	.	.	.	.	.	.	.	.	.	1	3	.	.	.	1	1	.	.
Do. 12 do.		21			9	2	1	.	2	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	2	.
Do. 13 do.		5			3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15* do.		6			12	2	.	1	2	4	3	.	.	.	.	.	.	.	.	.	1	2	4	1	1	.	.	3	.
Total,	—	156	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		132	27	6	15	24	23	37	.	.	.	.	.	1	.	1	3	11	17	8	8	16	2	5	31	.
City of Cork.																													
CORK URBAN No. 1 DISTRICT,	12,867	11	20·3	.	5	1	.	1	1	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	3	1
Do. 2 do.	10,701	6	4·9	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Do. 3 do.	9,978	4	15·7	.	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.
Do. 4 do.	8,666	7	18·1	.	3	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	2	.
Do. 5 do.	6,592	6	15·8	.	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
Do. 6 do.	10,702	9	14·6	.	3	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Do. 7 do.	16,616	9	12·6	.	4	1	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Total,	76,122	52	14·4	.	21	2	1	3	5	4	6	.	.	.	.	.	.	.	.	.	.	5	1	2	1	1	3	10	2

* New district formed as from 1st Jan., 1910, and the boundaries of Nos. 1, 4 & 6 districts altered; the population of each of these districts, as at present constituted, is not available.

† Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910—Week ending																								
	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12	Nov. 19
No. of weeks in annual Series, ..	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46
BIRTHS registered, ...	264	215	193	231	202	213	199	259	239	214	179	219	210	159	219	190	264	194	172	200	205	228	201	183	178	156
DEATHS registered, ...	176	166	148	183	157	137	145	186	117	135	115	102	124	131	121	168	116	122	105	94	122	120	115	108	122	132
Annual Death rate per 1,000 of estimated Population, ...	23·5	22·1	19·7	24·4	20·9	18·3	19·3	18·1	15·6	18·0	15·3	13·6	16·5	17·5	16·1	13·7	15·5	16·3	14·0	12·5	16·3	16·0	15·3	14·4	16·3	17·6
AGES — Under 1 year, ...	37	37	20	44	33	24	34	26	25	35	27	27	35	49	30	28	23	29	25	31	27	27	28	24	28	27
AGES — 1-5 years, ...	43	45	54	47	45	33	29	33	23	23	19	6	17	14	15	14	13	11	14	6	14	16	8	11	6	6
AGES — 5-20 years, ...	15	14	12	15	16	13	12	7	17	10	7	7	9	11	11	4	16	6	11	8	17	9	9	9	13	15
AGES — 20-40 years, ...	26	26	25	20	17	18	23	20	19	14	15	22	19	18	9	16	12	23	17	8	15	18	16	25	18	24
AGES — 40-60 years, ...	28	27	16	23	20	21	20	25	17	25	21	22	21	19	26	20	22	18	20	21	22	28	20	16	25	28
AGES — 60 years and upwards, ..	27	17	21	34	26	28	25	26	16	28	26	18	23	20	30	21	30	35	18	20	27	27	34	23	32	37
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	33	38	38	49	36	25	24	20	21	8	7	4	7	3	.	3	1	3	1	1	3	5	.	3	1	.
Scarlet Fever, ...	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	5	7	5	4	1	1	2	1	1	.	2	1	1	5	.	1	1	1	3	1	1	.	1	.	.	.
Diphtheria, ...	1	.	1	2	.	.	.	1	1	1	.	.	.	.	.	.	1	.	.	.	2	1	.	.	1	1
*Pyrexia** (origin uncertain , ..	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	.	.	1	.	1	1	.	.	1	2	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	1
Diarrhœal Diseases, ...	2	3	1	4	3	1	5	2	5	6	10	14	22	29	16	18	15	18	7	7	3	3	10	6	4	3
Pneumonia, ...	21	18	13	17	17	11	14	17	5	8	3	4	5	10	8	6	7	10	7	5	11	11	7	7	13	11
Tuberculous Disease, Phthisis, ..	14	21	19	24	22	11	11	9	16	15	13	12	16	10	11	12	14	11	17	9	17	10	12	14	12	17
Tuberculous Disease, Other Forms, ..	13	8	5	3	9	8	9	11	5	7	7	8	9	5	9	6	13	6	7	3	8	6	8	2	7	8
Cancer, Malignant Disease, ..	3	4	4	6	4	9	3	6	9	7	3	7	3	4	5	8	10	8	5	5	7	5	7	9	5	8
Diseases of Respiratory System,	14	18	17	14	16	7	7	15	6	16	10	5	8	8	9	5	5	8	11	9	16	9	19	11	23	16
Violent Deaths, ...	1	5	1	.	4	.	4	2	.	1	1	6	.	3	2	1	1	5	2	.	.	2	.	3	4	2
Number of Uncertified Deaths, ..	.	3	1	2	.	2	3	3	3	1	2	1	2	.	2	2	2	.	1	1	1	.	.	2	3	.

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	Nov. 19,	2,180	1,537	16·4	.	85	8	15	7	4*a*	23
EDINBURGH, ...	360,276	„ 19,	118	116	16·8	.	4	2	.	.	2*a*	5
GLASGOW, ...	884,505	„ 19,	402	273*c*	16·1	.	.	3	6	12	4*a*	10
CALCUTTA, ...	1,009,008	Oct. 15,	.	363	18·7	.	.	.	.	.	74‡	43*
BOMBAY, ...	977,822	„ 18,	406	571	30·4	1	3	.	.	.	90‡	63*
MADRAS, ...	509,346	Sept. 30,	372	458	46·7	4	1	?	?	?	92	101*
CAIRO, ...	682,953	„ 30,	724	422	32·2	1	1	.	13†	?	3*a*	83*b*
PARIS, ...	2,760,000	Oct. 22,	810	755	14·3	.	1	.	3†	5	3*a*	50*b*
BRUSSELS, ...	720,030	„ 29,	202	172	12·4	.	.	.	.	.	3*a*	14*b*
ANTWERP, ...	317,171	„ 29,	104	81	13·3	.	3	.	.	1	.	15*b*
AMSTERDAM, ...	573,246	„ 29,	236	147	13·4	.	2	.	1†	2	2*a*	5*b*
COPENHAGEN, ...	450,000	„ 29,	194	119	13·8	.	.	2	3†	1	1*a*	6
STOCKHOLM, ...	341,816	„ 22,	149	94	14·3	.	.	.	4†	.	2*a*	5
CHRISTIANIA, ...	240,178	Nov. 5,	104	52	11·5	.	.	.	3†	.	.	.
ST. PETERSBURG, ...	1,620,000	Oct. 15,	863	590	19·0	3	1	17	10	5	3*a*	68*
MOSCOW, ...	1,493,600	„ 8,	.	650	22·7	1	4	20	25†	6	7*a*	85*
BERLIN, ...	2,126,469	„ 22,	780	496	12·2	.	.	10	13†	.	3*a*	41
HAMBURG, ...	895,804	„ 29,	.	236	13·7	.	4	.	9†	3	.	23
BRESLAU, ...	512,328	„ 29,	.	146	14·9	.	1	.	1	2	.	14
MUNICH, ...	576,000	Nov. 5,	.	192	17·3	.	10	1	1†	2	.	20
VIENNA (with suburbs), BUDA-PESTH, ...	2,130,320	Oct. 29,	754	586	14·3	.	.	6	8†	1	1*a*	41*b*
	833,703	„ 29,	449	303	18·9	.	1	7	4†	.	2*a*	13*b*
PRAGUE and Faubourgs.	497,905	„ 15,	170	164	17·1	.	.	.	2†	.	1*a*	9*b*
TRIESTE, ...	223,521	„ 22,	140	65	15·2	.	.	.	.	.	.	3*b*
ROME, ...	590,113	Sept. 10,	259	155	13·7	.	2	.	1	3	4*a*	29
VENICE, ...	183,224	„ 17,	72	59	16·8	.	.	.	.	.	3*a*	15
NEW YORK, ...	4,803,264	Oct. 22,	2,558	1,269	13·8	.	2	3	18†	2	20*a*	114*b*
PHILADELPHIA, ...	1,598,400	„ 1,	.	395	12·8	.	.	2	9†	8	9*a*	44*b*
BOSTON, ...	670,585	„ 29,	.	203	15·8	.	.	1	4	2	.	16

* Including 12 deaths from cholera in Calcutta, 2 in Bombay, 22 in Madras, 21 in St. Petersburg, and one in Moscow.
† Including deaths from croup.
‡ Including 13 deaths from plague in Calcutta, and 14 in Bombay.
a Enteric Fever.
b Deaths from diarrhœal diseases and from enteritis of children under two years of age.
c Including one death from cerebro-spinal meningitis.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 19th November, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	3	3
" " 1, West,	.	7	.	.	.	.	.	1	.	.	.	1	9
" " 2,	.	2	.	.	2	.	.	.	1	.	.	3	8
" " 3,	.	1	.	.	4	.	.	2	.	.	.	1	8
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	1	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	3	.	.	1	.	.	2	4	.	.	4	14
" " 2,	.	.	.	.	.	.	.	.	2	.	.	5	7
" " 3,	.	8	.	.	4	.	.	3	1	.	.	1	17
" " 4,	.	5	.	.	4	.	.	.	.	.	.	4	13
New Kilmainham,	.	.	.	.	.	.	.	.	1	.	.	.	1
Total,	.	27	.	.	16	.	.	8	9	.	.	22	82

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 19th November, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 19th November.			
	Oct. 29.	Nov. 5.	Nov. 12.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	17	17	17	3	8	.	12
Scarlet Fever,	102	103	109	27	24	2	110*
Typhus,	3	3	2	.	2	.	.
Diphtheria,	79	76	76	15	24	3	64
Enteric Fever,	38	34	47	6	7	.	46
Pneumonia,	22	17	16	9	11	1	13

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ided 19th November, 1910:—

"The inclement conditions which prevailed during the first 12 days of November were continued through this, e third week of the month, in an accentuated degree. Large and deep atmospheric depressions passed slowly in n easterly direction across the British Isles, often throwing off V. shaped or circular 'secondaries.' On the other nd, a high pressure system settled down over the Greenland-Iceland region, the barometer rising at Isafjord, on e N.W. coast of Iceland, from 30·08 inches on Sunday morning to 30·58 inches on Friday morning. During all that terval keen frost prevailed at the Icelandic stations, the wind generally coming from polar quarters. Early on nday the S.W. winds of a vast depression, which reached from the south coast of Iceland to Denmark in the east d to Morocco in the south, sent the thermometer up to 54° or thereabouts in Dublin and at many British stations. gloomy wet day followed, but with the wind first falling calm and then springing up from N.E. a brisk fall of mperature took place. A new depression advanced over Ireland on Monday, the barometer falling to 28·75 inches Blacksod Point in the morning and to 28·852 inches in Dublin at 4 p.m. The two systems drifted slowly eastwards, e second revolving round the first through a half-circle. In their wake a cold p lar air-current descended on the itish Isles; and snow fell heavily in Ulster, the English Peak district, and on Thursday on the coasts of Kent. The orning of that day was extremely cold for the time of year, the thermometer falling to 21° at Bath and to 25° in . James's Park in the heart of London. A cloudless sky during the previous night promoted radiation and caused fine total eclipse of the moon to be seen to great advantage. At the close of the week another small and shallow pression was threatening our northwestern shores. In Dublin the mean height of the barometer was 29·613 inches, e range being from 28·852 inches at 4 p.m. of Monday (wind, N.N.E.) to 30·281 inches at 9 a.m. of Saturday (wind, .N.W.). The mean temperature was 39·0°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 37·2°. The reened thermometers rose to 53·7° on Sunday and fell to 29·1° on Thursday. N.W. winds prevailed. The rainfall as ·427 inch on 2 days, ·344 inch being recorded on Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·451 inches. The highest reading (30·097) was on Saturday at 9 a.m., air calm, and the lowest (28·691) on Monday at 9 a.m., air calm.

The mean temperature for the week was 38·2°, being 4·5° below the average for the corresponding period of the 10 years, 1900-1909. The temperature was highest on Sunday, on which day the thermometer registered 53·2°, and was lowest on Saturday, the mercury having fallen to 25·1°. The mean of the Dry Bulb for the week was 35·6° and of the Wet Bulb 34·6°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The rainfall during the week measured 0·352 inch.

At Greenwich the mean temperature for the week was 40·0°, the maximum 51·6°, and the minimum 23·4°; at Glasgow the maximum was 44·8°, the minimum 28·7°, and the mean 37·6°; and at Edinburgh the maximum was 43·5°, the minimum 29·5°, and the mean 36·2°. The rainfall at Greenwich measured 0·53 in.; at Glasgow 0·61 in.; and at Edinburgh 1·06 ins.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	THERMOMETER. Maximum.	Minimum.	Mean.	HYGROMETER. Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins		
Sunday, November 13,	28·943	53·2	40·0	46·6	43·2	42·9	·98	·4	0·0	·290	Calm.	Calm.
Monday, „ 14,	28·751	48·8	36·4	42·6	39·8	39·4	·96	·7	2·0	·052	Calm.	W.
Tuesday, „ 15,	29·365	43·3	30·4	36·9	35·9	34·5	·81	·5	2·0	·010	N.N.W.	W.
Wednesday, „ 16,	29·609	39·9	28·1	34·0	30·6	29·7	·88	·4	6·8	·000	W.	W.
Thursday, „ 17,	29·559	38·9	25·5	32·2	30·0	28·9	·70	·4	5·0	·000	W.	W.
Friday, „ 18,	29·891	45·3	29·1	37·2	34·5	33·6	·86	·4	5·0	·000	W.	W.S.W.
Saturday, „ 19,	30·036	49·7	25·1	37·4	35·2	33·3	·78	·6	0·8	·000	Calm.	W.S.W.
Mean, . . .	29·451	45·6	30·7	38·2	35·6	34·6	·85	·5	Total 21·6	Total ·352	Prevailing Wind, W.	

Sunday—Day overcast, and rain: night cloudy, drizzle a.m. *Monday*—Day cloudy, drizzle and passing showers night overcast, drizzle a.m. *Tuesday*—Day cloudy, drizzle p.m.; night clear. *Wednesday*—Day bright to cloudy night clear. *Thursday*—Day overcast to bright, cold; night clear to cloudy. *Friday*—Day cloudy; night clear *Saturday*—Day cloudy to overcast; night overcast.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, November 19th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot	4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Min.	Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, November 13,	47·2	44·5	48·5	55·0	41·9	48·5	—	·310
Monday, „ 14,	44·2	44·5	48·2	48·9	39·0	43·9	—	·059
Tuesday, „ 15,	42·2	44·2	48·1	44·4	33·0	38·7	—	—
Wednesday, „ 16,	33·5	42·5	48·0	40·2	31·0	35·6	4·2	—
Thursday, „ 17	31·5	40·8	48·0	39·6	28·7	34·2	3·3	—
Friday, „ 18,	39·9	39·8	47·6	41·0	31·2	36·1	4·1	—
Saturday, „ 19,	33·0	39·3	47·1	41·1	29·9	35·5	0·4	—
Weekly Mean, . .	38·8	42·2	47·9	44·3	33·5	38·9	Total 12·0	Total ·369

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

29794. Wt. P. 272—22/138, 375. 10. 1910. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, LTD., 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

)L. XLVII.] WEEK ENDING SATURDAY, 26TH NOVEMBER, 1910. [No. 47.

General Register Office, Charlemont House, Dublin, 28th November, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as apperning to the Dublin Registration Area and the twenty-one principal provincial Urban stricts of Ireland was 19·1 per 1,000 of their aggregate population, which, for the purposes these Returns, is estimated at 1,151,790.† The deaths registered in each of the past ır weeks and during the whole of that period, as appertaining to the several Districts, ɔhabetically arranged, corresponded to the following annual rates per 1,000. In some ɜtances, owing to deaths not having been registered within the week in which they ɔurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Average Rate for 4 weeks.
22 Town Districts.	15·1	16·2	17·9	19·1	17·1	Limerick,	23·2	6·8	5·5	5·5	10·3
						Lisburn,	13·6	18·2	22·7	59·1	28·4
Armagh,	13·7	13·7	13·7	6·9	12·0	Londonderry,	10·8	15·6	18·0	16·8	15·3
Ballymena,	4·8	23·9	9·6	14·4	13·2	Lurgan,	13·3	17·7	17·7	39·8	22·1
Belfast,	14·4	16·3	17·6	17·9	16·6	Newry,	8·4	12·6	12·6	29·4	15·8
Clonmel,	5·1	25·6	30·8	5·1	16·7	Newtownards,	28·6	17·2	28·6	17·2	22·9
Cork,	11·0	15·8	14·4	17·1	14·6	Portadown,	15·5	10·3	25·8	15·5	16·8
Drogheda,	8·2	20·4	16·3	8·2	13·3	Queenstown,	19·8	19·8	6·6	.	11·6
Dublin Reg. Area,	18·1	17·1	20·3	21·0	19·1	Sligo,	9·6	14·4	4·8	24·0	13·2
Dundalk,	12·0	12·0	8·0	31·9	16·0	Tralee,	10·6	31·7	21·1	5·3	17·2
Galway,	11·7	7·8	11·7	7·8	9·8	Waterford,	7·8	15·6	25·3	11·7	15·1
Kilkenny,	.	9·8	9·8	59·0	19·6	Wexford,	23·3	14·0	23·3	37·4	24·5

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts ıring last week* were equal to an annual rate of 1·3 per 1,000, the rates varying from 0·0 in teen of the districts to 22·1 in Lurgan, the 9 deaths from all causes for that district cluding 5 from measles. Among the 134 deaths from all causes for Belfast are 2 from easles, one from scarlet fever, one from whooping-cough, one from diarrhœa, and ıe from cerebro-spinal fever. Of the 14 deaths from all causes for Londonderry one is from hooping-cough. One death from diphtheria is included in the 4 deaths from all causes for imerick, and one death from whooping-cough is among the 6 deaths from all causes for 'aterford.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 182—) boys and 103 girls—and the deaths to 168—74 males and 94 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 6) of persons admitted into public ıstitutions from localities outside the Area, represent an annual rate of mortality of 21·0 per 000 of the population, the rate for the total deaths registered in the Area being 21·7 per 1,000. uring the forty-seven weeks, ending with Saturday last, the death-rate averaged 21·0, and as 3·0 below the mean rate for the corresponding portions of the ten years, 1900–9.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*), Table II. ‡ See columns 10-18 of Table II.

The deaths from all causes included one death from each of measles and scarlet fever, 6 dea from whooping-cough, 2 deaths from each of diphtheria and enteric fever, 4 deaths fr diarrhœal diseases (2 of the latter being deaths of children under 5 years; there were registered at this age 2 deaths from enteritis, and one death from *gastro-enteritis*), an deaths from influenza.

In each of the three weeks preceding, deaths from measles were one, 0, and one; deaths f scarlet fever were 3, 0, and 2; deaths from whooping-cough were one, 4, and 2; deaths fr diphtheria were one, 2, and 3; deaths from enteric fever were one, 0, and 0; deaths fr diarrhœal diseases were 5, 4, and 2; and deaths from influenza were 4, one, and 0.

There were 3 deaths from lobar pneumonia, 10 deaths from broncho-pneumonia, and 3 dea from *pneumonia* (not defined).

Tuberculous disease caused 20 deaths; the total includes 14 deaths from tuberculous phth (*phthisis*), one death from tuberculous meningitis, and 5 deaths from other forms of the dise During the 3 preceding weeks, deaths from tuberculous disease were 29, 27, and 28, respectiv

The deaths from malignant disease included 6 deaths from carcinoma, one death from coma, and 7 deaths from cancer, malignant disease (undefined).

Prematurity was the registered cause of death of 4 infants.

Of 9 deaths from diseases of the brain and nervous system 2 were of infants under year of age from *convulsions*.

Twenty-four deaths were attributed to diseases of the heart and blood vessels, and bronch caused the deaths of 28 persons.

Two deaths of children aged, respectively, 4 years and $2\frac{1}{4}$ years were occasioned accidental burning, and one death by suicide was recorded.

In 7 instances the cause of death was "uncertified," there having been no medical attend during the last illness; these cases include the deaths of 4 infants under one year of a and the death of one person aged 85 years.

Forty-nine of the persons whose deaths were registered during the week were unde years of age (26 being infants under one year, of whom 7 were under one month old) and were aged 60 years and upwards, including 27 persons aged 70 and upwards, of whon were octogenarians.

Eighty of the deaths registered during the week occurred in hospitals and ot public institutions; of this number 15 took place in the North Dublin Union Workho and 20 in the South Dublin Union Workhouse, and 3 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last we deaths in Public Institutions being assigned to the Districts from which the deceased w admitted, and the annual death-rate for each District calculated on the mortality so d tributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·0 per 1,000; the rate in the City was (North City Districts, 20·3; South 24·4) and in the Suburbs, 16·3.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·9 per 1,000 inhabitants, rate for the City being 1·8 (1·0 in the North City Districts, and 2·8 in the South), and for the Suburbs, 2·3 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (12) are equal to an annual rate of 20·9 per 1, Among them are one death from influenza, one from broncho-pneumonia, one from tuberculous phthisis, and 3 f bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (19) are equal to an annual rate of 24·8 per 1, and include one death from *diarrhœa*, one from influenza, 3 deaths from pneumonia (all forms), 4 from tubercu phthisis (*phthisis*), and one from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 22·0 per 1 One death from enteric fever, one from epidemic diarrhœa, one from lobar pneumonia, one from broncho-pneumo 3 deaths from tuberculous disease, one death from bronchitis, and one death caused by burns were recorded.

No. 3 *North City District* (Benburb-street).—The deaths (14) represent an annual rate of 21·8 per 1,000. There w 3 deaths from tuberculous disease and 2 deaths from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf Howth, No. 1, part of, 9·7 per 1,000 inhabitants; Coolock and Drumcondra, part of, 9·0; and Finglas and Glasn part of, 6·8. The only death recorded for Clontarf and Howth, No. 1, part of, was one by suicide.

No. 1 *South City District* (South Earl-street).—The deaths (21) represent an annual rate of 26·4 per 1,000. Two de were caused by whooping-cough, one by *pneumonia* (not defined), and 6 by bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 24·0 per 1,000, and inclu deaths from tuberculous phthisis (*phthisis*), 2 from bronchitis, and one death caused by burns.

No. 3 *South City District* (Peter-street).—The deaths (21) are equal to an annual rate of 25·3 per 1,000. Mea whooping-cough, diphtheria, and *diarrhœa* each caused one death; there were 4 deaths from broncho-pneumon from tuberculous disease, and 3 from diseases of the respiratory system.

No. 4 *South City District* (Grand Canal-street).—The deaths (16) are equivalent to an annual rate of 23·3 per 1 Among them are one death each from whooping-cough and enteric fever, 2 from broncho-pneumonia, 2 from tubercu phthisis (*phthisis*), and 5 from bronchitis.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·2 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rath 14·1; Pembroke, 12·6; Blackrock, 28·9; and Kingstown, 20·7. The deaths from the principal epidemic diseases tabul for these districts include one death each from whooping-cough and diphtheria for Rathmines and Rathgar, death from whooping-cough for Blackrock, and one death from epidemic diarrhœa for Kingstown. Among th deaths from all causes for Rathmines and Rathgar are one from broncho-pneumonia, one from *pneumonia* (not defi one from tuberculous disease, and one from bronchitis; and the 7 deaths from all causes for Pembroke include death each from lobar pneumonia and tuberculous disease, and 4 deaths from bronchitis.

*See Note (*c*) Table II. † See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when pos in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Yawcett Executive Sanitary Officer for Rathmines and Rathgar Urban District: Mr. Manly, Executive Sanitary Officer for Pembroke Urban District: Mr. Heron, Executive Sanitary Officer for Blackrock Urban District: by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District: and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 26th November, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Nov. 5,	.	—	—	16	1	.	13	.	1	5	8	.	—	—	.	—	11	—	55
	Nov. 12,	.	—	—	21	.	.	10	.	1	5	13	.	—	—	.	—	14	—	64
	Nov. 19,	.	—	—	27	.	.	16	.	.	8	9	.	—	—	.	—	22	—	82
	Nov. 26,	.	—	—	12	.	.	10	.	1	5	6	.	—	—	.	—	18	—	52
Rathmines and Rathgar Urban District.	Nov. 5,	.	—	—	.	.	.	5	.	.	3	1	.	—	—	—	—	—	—	9
	Nov. 12.	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	—	2
	Nov. 19,	.	—	—	1	.	.	6	.	.	.	.	.	—	—	—	—	—	—	7
	Nov. 26,	.	—	—	2	.	.	4	.	.	.	1	.	—	—	—	—	—	—	7
Pembroke Urban District.	Nov. 5,	.	4	.	3	.	.	.	.	.	.	.	.	—	3	.	—	.	—	10
	Nov. 12,	.	1	.	2	.	.	.	.	.	1	.	.	—	.	.	—	2	—	6
	Nov. 19,	.	.	.	2	.	.	.	.	.	1	.	.	—	4	.	—	.	—	7
	Nov. 26,	.	.	1	1	.	.	1	.	.	1	.	.	—	3	.	—	.	—	7
Blackrock Urban District.	Nov. 5,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	—	3
	Nov. 12,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	—	3
	Nov. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Nov. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Nov. 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Nov. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Nov. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Nov. 26,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	.	—	2
City of Belfast.	Nov. 5,	.	—	—	32	.	.	8	.	.	4	5	.	—	—	—	—	8	—	57
	Nov. 12,	.	—	—	27	1	.	7	.	.	2	13	.	—	—	—	—	10	—	60
	Nov. 19,	.	—	—	29	.	.	9	.	.	.	4	.	—	—	—	—	18	—	60
	Nov. 26,	.	—	—	32	1	.	7	.	.	.	2	.	—	—	—	—	10	—	52

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 26th November, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Three cases of measles were admitted to hospital during the week, 7 were discharged and 8 cases remained under treatment at its close.

Twenty-three cases of scarlet fever were admitted to hospital, 19 were discharged, and 114* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 103, 109, and 110, respectively

Thirteen cases of diphtheria were admitted to hospital, 12 were discharged, there was one death, and 64 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 76, 76, and 64, respectively.

Seven cases of enteric fever were admitted to hospital during the week, 5 were discharged, there was one death, and 47 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 34, 47, and 46.

In addition to the above named diseases, 5 cases of pneumonia were admitted to hospital, 2 were discharged, there was one death, and 15 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns, including London (in which the rate was 19·4) was equal to an average annual death-rate of 17·3 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·5 per 1,000, the rate for Glasgow being 16·8 and for Edinburgh 13·9.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 26th November. From this Report it appears that of a total of 79 cases notified, 26 were phthisis, 25 scarlet fever, 24 diphtheria, 3 erysipelas, and one enteric fever. Among the 468 cases of infectious diseases in hospital at the close of the week were 247 cases of scarlet fever, 85 of diphtheria, 52 of phthisis, 43 of measles, 20 of whooping cough, 9 of erysipelas, 4 of enteric fever, one of chicken-pox, one of puerperal fever, and one of cerebro-spinal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 26th November, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 26TH NOVEMBER, 1910.																									METEOROLOGY. (d)											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																						WEEK ENDING 26TH NOVEMBER, 1910.				WEEK ENDING 19TH NOVEMBER, 1910.				WEEK ENDING 12TH NOVEMBER, 1910.			
										DEATHS.																													
										Caused by																													
	POPULATION.		DEATHS			BIRTHS.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease: Phthisis.	Tubercular Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Air Temperature: Absolute Highest.	Air Temperature: Absolute Lowest.	Air Temperature: Mean.	Rainfall in Inches.	Air Temperature: Absolute Highest.	Air Temperature: Absolute Lowest.	Air Temperature: Mean.	Rainfall in Inches.	Air Temperature: Absolute Highest.	Air Temperature: Absolute Lowest.	Air Temperature: Mean.	Rainfall in Inches.
	Total. (a)	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10-18.																																		
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS. .	1,151,790	20·8	23·9	19·1	1·3	529	428	72	124	.	8	1	.	9	3	.	2	6	27	47	15	26	73	12	13	143	12	⌄	⌄	⌄	⌄	⌄	⌄	⌄	⌄	⌄	⌄	⌄	⌄
																												.	.	.	.	.	.	.	.	°	°	°	°
DUBLIN REGISTRATION AREA:— TOTAL, c.	402,928	29·8	28·6	21·0	1·9	282	162	26	45	.	1	.	.	6	2	.	2	4	16	14	6	11	28	3	1	74	7	*c*52·8	26·1	42·2	1·21	*c*53·2	25·1	38·2	0·35	*c*52·8	22·7	39·6	0·86
CITY of DUBLIN,	310,298	39·2	24·4	22·8	1·8	145	138	22	32	.	1	.	.	4	1	.	2	3	13	14	4	7	23	3	1	67	7	*f*52·1 *g*51·9	31·1 27·0	41·1 41·8	1·14 1·19	*f*53·7 *g*53·1	29·1 26·0	39·0 37·5	0·43 0·39	*f*53·4 *g*53·5	30·2 24·2	41·4 39·8	0·55 0·79
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	23·9	14·1	2·8	17	10	1	4	.	.	.	.	1	1	.	.	.	2	.	1	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	16·2	12·6	.	9	7	2	3	.	.	.	.	.	.	.	.	.	1	.	1	.	4	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,018	8·3	5·8	26·9	5·8	1	5	1	2	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	29·6	20·7	3·0	10	7	.	4	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	2	.	53	32	44·3	1·32	55	31	40·6	0·40	55	32	43·2	0·46
URBAN DISTRICTS.																																							
BELFAST (b)	391,167	26·6	24·1	17·9	0·7	181	134	24	34	.	2	1	.	1	.	.	.	1	8	17	4	9	25	5	6	37	.	48·2	22·0	36·6	1·01	51·0	31·0	40·7	0·81	49·0	27·2	39·0	0·90
CORK,	76,122	33·6	21·9	17·1	0·7	32	25	4	6	.	.	.	.	.	.	.	.	1	1	6	2	3	2	.	2	7	.	56	35	45·9	2·55	50	31	41·9	0·36	53	35	44·6	1·04
LONDONDERRY,	43,477	20·1	26·4	16·8	1·2	22	14	3	2	.	.	.	.	1	.	.	.	.	1	3	.	.	6	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	12·3	5·5	1·4	9	4	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	1	.	.	1	.	55·3	31·4	43·1	1·34	52	23	37·8	0·21	53·4	25	40·3	1·21
WATERFORD,	26,769	18·7	23·4	11·7	1·9	12	6	1	4	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	2·5	31·1	7·8	.	8	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	54	32	44	1·04	50	27	40·3	0·95	52	28	42	1·86
DUNDALK	18,076	9·4	12·0	31·9	.	4	8	1	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	14·5	8·2	.	6	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,405	17·8	8·4	29·4	.	2	7	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	3	.	49·0	20·8	40·5	0·68	51·2	28·0	37·5	0·15	51·4	28·7	39·2	0·74
LURGAN,	11,782	13·8	39·8	39·8	22·1	9	9	1	1	5	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	1	49·0	20·8	40·5	0·68	51·2	28·0	37·5	0·15	51·4	28·7	39·2	0·74
LISBURN,	11,461	10·1	45·5	59·1	.	10	18	2	5	.	.	.	.	.	.	.	.	.	.	1	.	1	2	1	1	3	.	49·0	20·8	40·5	0·68	51·2	28·0	37·5	0·15	51·4	28·7	39·2	0·74
WEXFORD,	11,168	23·2	4·7	37·4	.	1	8	1	2	.	.	.	.	.	.	.	.	.	1	3	.	.	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,886	8·9	57·5	14·4	.	12	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,870	8·7	24·0	24·0	.	5	5	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	52·1	28·8	41·5	0·98	51·0	24·0	39·0	0·91	52·1	28·7	39·2	1·72
KILKENNY,	10,609	11·5	24·6	59·0	.	5	12	4	7	.	.	.	.	.	.	.	.	.	.	1	.	.	5	.	.	6	.	56	28	43·9	1·06	55	23	39·7	0·51	58	25	40·7	1·01
CLONMEL,	10,167	7·8	.	5·1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,092	18·2	25·8	15·5	.	5	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	49·0	20·8	40·5	0·68	51·2	28·0	37·5	0·15	51·4	28·7	39·2	0·74
TRALEE,	9,867	16·6	52·8	5·8	.	10	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	40·1	17·2	.	7	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	50	31	42·5	1·68	48	32	39·8	0·35	50	31	40·2	1·27
QUEENSTOWN,	7,909	14·4	26·4	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	56	35	45·9	2·55	50	32	41·9	0·36	53	35	44·6	1·04
ARMAGH,	7,588	22·2	20·6	6·9	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	49·0	20·8	40·5	0·68	51·2	28·0	37·5	0·15	51·4	28·7	39·2	0·74

(*a*) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910.

(*b*) Formerly described as "Simple Continued Fever."

(*c*) Exclusive of 6 deaths of persons (including 2 at 60 years or upwards) admitted to hospital from localities outside the Area; of the 6 deaths one was from scarlet fever.

(*d*) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College.

(*e*) Observations at Ordnance Survey Office, Phœnix Park.

(*f*) Observations by Sir John Moore.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 26th November, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Typhus,	.	.	.	.	.	.	.	2	.	1	1	.	1	.	1	.	6	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Enteric Fever,	.	1	1	.	.	.	.	.	.	1	.	.	.	.	.	1	4	.
Diarrhœal Diseases,	1	3	2	.	.	.	.	1	.	4	2	.	2	1	.	.	16	.
Pneumonia,	1	4	2	2	.	.	.	.	2	1	2	.	.	.	.	.	14	.
Tuberculous Phthisis,	.	.	1	1	.	.	.	.	.	2	.	.	1	1	.	.	6	.
Disease. Other Forms,	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1	2	11	3
Cancer, Malignant Disease,	1	2	.	.	.	1	.	.	1	2	.	.	1	.	1	.	14	.
Other General Diseases,	2	2	2	1	.	.	.	1	.	1	3	.	1	.	1	.		
Total,	5	12	9	4	.	1	.	4	3	14	9	.	7	2	3	3	76	4
B. LOCAL DISEASES:																		
Diseases of Nervous System,	.	.	.	1	.	.	.	2	2	.	1	1	.	1	.	1	9	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Heart and Blood Vessels,	.	3	1	4	.	1	1	6	1	2	1	.	2	.	1	1	24	.
Respiratory System,	3	1	1	2	.	.	.	6	2	3	5	.	1	4	.	.	28	1
Digestive System,	2	2	1	1	.	.	.	1	1	1	.	.	.	.	1	1	11	.
Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	5	6	3	9	.	1	1	15	6	7	7	1	3	5	2	3	74	2
C. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	2	1	.	1	.	.	.	2	.	.	.	2	.	.	.	1	9	.
E. VIOLENT DEATHS,	.	.	1	.	1	.	.	.	1	.	.	.	.	.	.	.	3	.
Deaths from all Causes	12	19	13	14	1	2	1	21	10	21	16	3	10	7	5	7	162	6
Annual Rate of Mortality from all causes in every 1,000 of the population.	20·9	24·8	22·0	21·8	9·7	9·0	6·8	26·4	24·0	25·3	23·3	17·2	14·1	12·6	28·9	20·7	21·0	.
	20·3							24·4					16·3					
	22·3																	
Ages at Death. Under 1 year,	2	2	3	2	.	.	.	3	1	3	4	2	1	2	1	.	26	.
1 and under 5 years,	1	1	3	.	.	.	.	3	1	6	1	.	4	.	1	1	22	1
5 „ 20 „	1	1	3	1	.	.	.	1	1	1	.	.	.	1	.	.	10	1
20 „ 40 „	3	4	2	1	.	.	.	1	2	4	4	.	.	1	.	.	22	2
40 „ 60 „	2	8	1	4	1	.	1	8	2	3	3	.	1	.	1	2	37	.
60 years and upwards,	3	3	1	6	.	2	.	5	3	4	4	1	4	3	2	4	45	2
Number of Uncertified Deaths,	.	.	.	2	.	.	1	1	1	1	.	1	.	.	.	.	7	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	7	8	3	1	1	.	3	2	4	3	.	1	1	1	.	36	6
Workhouse Hospitals,	1	7	4	4	.	.	.	2	6	4	6	.	1	.	1	2	38	.

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in the corresponding week of the ten years 1900–1909,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Average in 47th Week of the 10 years, 1900–1909.	In the Week ending Saturday, 26th November, 1910.							
	Nov. 24, 1900.	Nov. 23, 1901.	Nov. 22, 1902.	Nov. 28, 1903.	Nov. 26, 1904.	Nov. 25, 1905.	Nov. 24, 1906.	Nov. 23, 1907.	Nov. 21, 1908.	Nov. 27, 1909.		Deaths of Persons of the Ages of							
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 37·4	° 44·9	° 42·4	° 44·4	° 33·6	° 40·0	° 47·7	° 40·2	° 45·6	° 38·4	° 41·5	° 42·2								
ALL CAUSES.	187	176	237	188	170	173	182	145	188	172	181·8	168	7	19	23	11	24	37	36	11
Small-pox,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cowpox,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles (Morbilli),	·	·	19	·	12	·	9	·	8	2	5·0	1	·	·	1	·	·	·	·	·
Scarlet Fever,	·	·	5	·	1	1	·	1	·	1	·9	1	·	·	1	·	·	·	·	·
Typhus,	·	·	·	·	·	·	·	·	1	·	·1	·	·	·	·	·	·	·	·	·
Plague,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza,	·	·	1	2	·	·	3	1	3	2	1·2	2	·	·	·	·	·	2	·	·
Whooping-cough,	5	1	·	3	4	3	2	·	4	·	2·2	6	·	2	4	·	·	·	·	·
Diphtheria,	1	4	4	1	·	·	1	·	1	1	1·3	2	·	·	2	·	·	·	·	·
Cerebro-spinal Fever,	·	·	·	·	·	·	·	1	·	·	·1	·	·	·	·	·	·	·	·	·
Pyrexia † (origin uncertain),	·	1	·	·	·	·	·	·	·	·	·1	·	·	·	·	·	·	·	·	·
Enteric Fever,	9	3	2	5	·	·	1	2	3	1	2·6	2	·	·	·	·	2	·	·	·
Asiatic Cholera,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Epidemic Diarrhœa (Infective Enteritis.),	5	2	2	·	·	2	2	1	1	3	4·5	2	·	·	1	·	·	·	1	·
Diarrhœa, Dysentery,			5	3	4	1	4	6	3	1		2	·	·	1	·	·	1	·	·
Tetanus,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Rabies, Hydrophobia,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Glanders,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Anthrax (Splenic Fever),	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Venereal Disease,	1	1	1	·	2	4	3	2	1	2	1·7	·	·	·	·	·	·	·	·	·
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*,	·	1	·	·	·	·	1	·	·	·	·2	·	·	·	·	·	·	·	·	·
Infective Endocarditis	·	·	·	·	·	·	·	·	·	1	·1	1	·	·	1	·	·	·	·	·
Pneumonia, Lobar,	11	11	7	1	1	2	3	·	1	1	13·8	3	·	1	·	·	·	1	1	·
Pneumonia, Broncho-			6	6	9	7	8	2	9	4		10	·	3	2	1	1	·	3	·
Pneumonia, Epidemic			·	·	·	·	·	·	·	1		·	·	·	·	·	·	·	·	·
Pneumonia, Not defined,			9	8	5	6	7	4	5	10		3	·	·	1	1	1	·	·	·
Erysipelas,	1	1	·	·	·	·	·	·	·	·	·2	·	·	·	·	·	·	·	·	·
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	1	·	1	·	·	·	3	1	·	·	·7	1	·	·	·	·	·	·	1	·
Other Infective Conditions,	·	·	1	·	·	1	·	2	·	·	·4	·	·	·	·	·	·	·	·	·
Tuberculous Phthisis,	31	23	3	5	4	7	7	8	8	5	22·8	6	·	·	1	·	4	1	·	·
"*Phthisis*,"			18	23	11	13	20	18	12	12		8	·	·	·	2	5	1	·	·
Tuberculous Meningitis,	·	1	2	2	5	1	1	3	4	3	2·2	1	·	·	·	1	·	·	·	·
Tuberculous Peritonitis,	3	4	2	1	1	·	·	·	·	2	1·6	·	·	·	·	·	·	·	·	·
Tabes Mesenterica,			·	·	·	·	·	1	2	·		·	·	·	·	·	·	·	·	·
Tuberculous Dis. (other),	6	8	6	5	7	6	6	3	4	1	5·4	5	·	·	2	3	·	·	·	·
Scrofula,			1	1	·	·	·	·	·	·		·	·	·	·	·	·	·	·	·
Alcoholism,	·	1	·	·	·	·	·	·	·	·	·1	1	·	·	·	·	1	·	·	·
Rheumatic Fever,	1	·	·	·	·	·	·	·	1	·	·2	·	·	·	·	·	·	·	·	·
Gout,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Carcinoma,	4	2	2	1	5	4	2	4	3	2	6·9	6	·	·	·	·	1	2	2	1
Sarcoma,			·	1	·	1	·	·	·	·		1	·	·	·	·	·	1	·	·
Cancer (undefined)			7	6	2	5	3	4	6	5		7	·	·	·	·	2	3	1	1
Diabetes Mellitus,	·	·	·	·	·	1	1	·	·	·	·2	·	·	·	·	·	·	·	·	·
Premature Birth,	2	7	4	2	3	2	2	4	3	1	3·0	4	2	2	·	·	·	·	·	·

* The figures for the year 1900 are for

† Formerly described as

TY-SEVENTH WEEK ending Saturday, 26th November, 1910, with the deaths from each cause in the the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 47th Week of the 10 years 1900-1909.	In the Week ending Saturday, 26th November, 1910.							
												Deaths of Persons of the Ages of							
	Nov. 24, 1900.	Nov. 23, 1901.	Nov. 22, 1902.	Nov. 28, 1903.	Nov. 26, 1904.	Nov. 25, 1905.	Nov. 24, 1906.	Nov. 23, 1907.	Nov. 21, 1908.	Nov. 27, 1909.		All Ages.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 37·4	° 44·9	° 42·4	° 44·4	° 33·6	° 40·0	° 47·7	° 40·2	° 45·6	° 38·4	° 41·5	Mean Temp. ° 42·2	Under 1 month.	1 month and under a year.	1 to 5.					
eningitis (not tuberc.) ...			5	2	2	1	3	2	1	1		1	.	.	.	1	.	.	.	.
anity, G. P. of Insane ...			4	3	2	2	1	2	.	1		1	.	.	.	.	1	.	.	.
ilepsy			1	3	.	1	.	1	.	.		.	.	.	.	.	.	.	.	.
nvulsions			19	11	6	6	3	2	3	2		2	.	2	.	.	.	.	.	.
comotor Ataxy ...			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
raplegia Dis. of Cord ...			1	1	2	.	1	1	2	1		3	.	.	.	1	2	.	.	.
rvous System (other Dis.)			2	1	3	3	4	.	.	4		2	.	.	.	.	.	1	1	
lv. Dis., Endocarditis ...	39	48	3	5	3	6	4	5	12	6	40·6	5	.	.	.	.	3	1	1	
rebr. Hæm. Thromb.			.	7	2	3	1	2	4	2		6	.	.	.	.	2	4	.	
oplexy, Hemiplegia ...			9	7	4	2	3	1	3	8		3	.	.	.	.	1	2	.	
eurysm ...			.	1	2	.	.	1	2	.		.	.	.	.	.	.	.	.	
nbolism, Thromb. (not cerebral)			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
art and Blood Vessels (other Dis.)			11	16	12	13	14	10	8	11		10	.	.	.	.	4	3	3	
oup (not Spasm. nor Memb.)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
onchitis	21	21	33	23	21	31	23	10	27	23	23·3	28	1	6	2	.	1	6	12	.
thma, Emphysema ...	4	3	.	.	1	.	3	.	.	3	3·2	1	.	.	.	.	.	.	.	1
eurisy			.	.	.	.	.	.	.	2		.	.	.	.	.	.	.	.	.
spiratory Dis. (other) ...			3	1	.	3	4	.	1	4		.	.	.	.	.	.	.	.	.
nsillitis, Quinsy ...	.	.	.	.	1	.	.	.	.	.	2·3	.	.	.	.	.	.	.	.	.
teritis (not Epid.) ...	2	.	1	.	.	3	.	4	2	.		2	.	1	1	.	.	.	.	.
stro-enteritis			2	2	.	1	1	3	1	.		1	.	1	.	.	.	.	.	.
ritonitis (not Puerp.) ...	.	.	2	.	.	.	.	.	.	1	·3	1	.	1	.	.	.	.	.	.
rrhosis of Liver ...	2	2	1	.	1	2	1	.	2	2	2·1	2	.	.	.	1	1	.	.	.
ver Dis. (other) ...			2	.	1	1	.	.	3	1		1	.	.	.	.	1	.	.	.
gestive Dis. (other) ...	4	4	9	5	3	7	5	6	5	6	5·4	4	.	.	.	2	2	.	.	.
phritis, Acute	7	3	1	.	5	2	1	1	.	2	5·8	1	.	.	.	.	1	.	.	.
ight's Dis., Albuminuria			4	5	2	3	4	4	5	3		1	.	.	.	1	.	.	.	.
inary Sys. (other Dis.) ...			.	.	.	1	.	1	3	1		.	.	.	.	.	.	.	.	.
nerative Organs Dis. ...	1	.	.	1	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
ildbirth (Accid. of) ...	.	.	.	1	.	.	.	.	2	.	·3	.	.	.	.	.	.	.	.	.
d Age	12	8	2	4	8	3	3	3	1	5	4·9	5	.	.	.	.	.	2	3	
her Diseases	11	13	18	12	4	9	11	14	14	16	12·2	10	4	.	2	1	.	2	1	.
ACCIDENT.																				
Railways	.	.	.	.	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Vehicles and Horses ...	.	.	1	.	1	1	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Conflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns, Scalds, Explosions	1	1	.	.	3	2	.	2	1	1	1·1	2	.	.	2	.	.	.	.	.
Drowning	1	.	.	1	2	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Suffocation in Bed ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Poison or Poisonous Vapours	.	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
her Deaths by Accident	1	1	1	.	1	.	2	3	1	.	1·0	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
omicide	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
icide	.	.	.	.	.	.	.	.	.	1	·1	1	.	.	.	.	.	1	.	.
ecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.
mple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910—Week ending June 4.	June 11.	June 18.	June 25.	July 2	July 9.	July 16.	July 23.	July 30.	Aug 6	Aug. 13.	Aug 20.	Aug. 27.	Sept. 3.	Sept. 10	Sept. 17.	Sept. 24.	Oct 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.
No. of weeks in Annual Series,	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
BIRTHS registered.	253	268	272	183	228	229	272	225	243	198	209	240	194	228	260	235	292	196	219	161	244	182	211	207	264	182
*Average Births in corresponding week of previous 10 years,** ..	232	222	199	225	237	200	198	204	215	221	202	219	218	207	232	203	200	252	192	184	209	206	209	202	195	181
DEATHS registered, ...	185	188	140	180	127	143	118	144	127	145	143	126	146	120	141	153	174	164	160	151	174	139	147	141	166	168
Annual Death-rate per 1,000, ..	17·5	17·2	18·1	16·8	16·4	18·5	15·8	18·6	16·4	18·8	18·5	16·8	18·9	15·5	18·2	19·8	22·5	21·2	20·7	19·5	22·5	18·0	19·0	18·2	21·5	21·7
*Average Deaths in corresponding week of previous 10 years,**	157	154	152	147	136	138	142	146	147	146	148	156	166	159	157	154	167	160	158	156	160	156	172	175	179	182
AGES, Under 5 years, ...	31	37	25	27	31	50	29	48	31	31	54	37	57	42	38	59	70	60	58	44	56	40	46	47	57	49
5—20 ,, ...	18	10	12	9	11	11	10	8	18	17	8	6	9	3	16	8	9	11	7	7	14	6	14	11	10	11
20—40 ,, ...	26	22	27	32	23	24	17	17	18	27	23	28	18	18	19	22	19	16	22	25	26	21	34	11	27	24
40—60 ,, ...	27	29	35	32	23	25	27	29	30	30	28	32	27	23	33	30	32	33	33	27	31	26	25	31	22	37
60—80 ,, ...	33	28	38	28	33	23	34	34	33	35	26	24	33	26	33	30	43	37	28	39	41	41	24	38	43	36
80 years and upwards, ..	5	7	3	2	6	10	1	8	2	5	4	4	7	8	2	4	2	7	7	9	6	5	5	3	7	11
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.	1	.	.	.	1	.	1	1
Measles, ...	.	1	1	.	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.	2	1
Scarlet Fever, ...	2	.	.	.	1	.	1	3	3	1	1	1	2	1	1	2	.	.	1	.	1	1	1	.	.	.
Typhus, ...	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	2	1	2	1	3	.	1	1	.	3	3	2	.	4	3	2	1	2	2	2	5	1	1	4	2	6
Diphtheria, ...	.	.	.	.	1	2	1	.	5	1	.	2	4	1	.	2	3	2	2	1	.	4	1	2	3	2
Pyrexia † (origin uncertain), ..	.	.	.	.	.	.	.	2	2	.	.	2	.	.	1	1	1	.	3	1	2	1	1	.	.	2
Enteric Fever, ...	.	.	2	.	.	.	1	2	.	.	.	2	.	1	1	1	1	.	3	1	2	1	1	.	.	2
Diarrhœal Diseases, ...	1	3	1	1	1	6	3	5	.	2	14	6	17	12	11	21	22	27	12	10	8	4	5	4	2	4
Influenza, ...	.	.	1	.	2	.	.	1	.	1	.	1	.	.	.	1	1	2	1	1	2	1	4	1	.	2
Pneumonia, ...	8	10	7	10	3	8	7	9	5	7	8	7	6	5	6	10	4	6	5	11	15	12	18	11	16	16
Tuberculous Phthisis, ..	17	15	22	24	23	11	19	11	17	24	14	17	12	17	23	15	19	18	17	14	23	17	18	16	20	14
Disease, Other Forms, ..	15	7	15	10	14	7	8	3	9	10	15	7	5	5	13	9	8	11	12	8	8	4	11	11	8	6
Cancer, Malignant Disease, ..	10	6	7	10	10	8	5	11	10	8	8	9	10	8	9	7	9	11	12	11	12	9	7	9	8	14
Diseases of Heart and Blood Vessels, ...	21	21	25	16	23	26	17	22	23	28	20	16	20	17	23	19	24	30	20	24	25	23	17	18	22	24
Diseases of Respiratory System,	18	17	11	15	7	11	18	14	12	10	8	10	11	6	10	10	20	12	16	17	17	12	18	26	26	29
Violent Deaths, ...	6	7	7	1	2	9	3	8	5	3	6	2	4	5	3	6	6	3	10	4	.	2	1	2	2	3
Number of Uncertified Deaths, ..	1	7	5	6	3	5	.	4	7	2	3	4	4	3	2	1	3	3	3	6	2	4	1	3	6	7
Mean Temperature of the Air (Phœnix Park), ...	50·6	57·8	56·4	58·1	54·7	55·5	57·1	55·9	57·8	56·5	59·2	58·8	58·6	57·2	54·8	52·0	50·4	54·2	52·5	48·2	49·1	50·4	48·1	39·6	38·2	42·2
Average Mean Temperature in corresponding week of previous 10 years, ...	53·9	53·3	53·7	55·3	56·6	57·6	58·9	60·6	58·8	58·8	58·2	57·7	56·5	56·1	54·4	53·1	53·8‡	53·7	52·2	50·6	48·4	46·2	47·1	45·2	42·7	41·5
Rainfall in inches, ...	·692	1·870	·010	1·291	1·730	·660	·000	·840	·355	·940	·205	1·175	·111	·194	·150	·015	·015	·391	·585	·183	·333	·365	·558	·860	·553	1·205
Mean Humidity of the Air, complete Saturation 1·0	·81	·92	·87	·92	·87	·88	·81	·81	·81	·84	·85	·81	·84	·88	·87	·91	·85	·89	·90	·84	·92	·87	·90	·89	·85	·91

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 26th November, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS WEEK ENDING SATURDAY, 26TH NOVEMBER, 1910.

Class	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 24 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 Years	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	CAUSES OF DEATH. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Convulsions.	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal)	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS.	375,350	23·3	168	49	11	24	37	36	11	.	1	1	.	6	2	.	2	4	16	16	14	6	14	2	29	3	68	7
	CLASSES. **Deaths in Families of the—**																												
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	12·0	4	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
II.	MIDDLE CLASS, ...	87,198	12·6	21	2	2	3	8	3	3	.	.	.	.	.	1	.	.	.	1	2	2	.	3	.	1	1	11	3
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,428	14·2	30	10	4	5	6	4	1	.	.	.	.	.	.	.	.	.	.	3	2	1	3	1	10	1	9	2
IV.	GENERAL SERVICE CLASS, ...	154,279	25·3	75	31	4	9	10	17	4	.	1	1	.	5	1	.	2	2	12	9	5	3	6	1	9	1	29	2
V.	INMATES OF WORKHOUSES, ...	6,024	—	38	5	1	7	12	10	3	.	.	.	.	1	.	.	.	2	3	1	5	2	1	.	9	.	17	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,789	20·1	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,860	6·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
II.	MIDDLE CLASS. 4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	9·5	4	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2	.
	6. Clerks and Commercial Assistants, ...	30,482	13·7	8	2	1	1	3	.	1	.	.	.	.	.	1	.	.	.	1	2	.	.	.	.	.	.	5	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	13·5	7	.	1	1	1	2	2	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	1	.	3	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS. 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	10·6	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
	9. Building and Furnishing Trades, ...	29,801	10·5	6	2	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.	1	.	1	.
	10. Clothing Trades, ...	33,260	11·2	5	2	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	2	.
	11. Food Supply Trades, ...	9,242	5·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	12. Other Trades and Callings ranking with Trades, ...	30,852	22·3	13	4	2	2	2	3	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	6	.	4	1
	13. Petty Shopkeepers, ...	7,894	19·8	3	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.
IV.	GENERAL SERVICE CLASS. 14. Army, Police, Postal Delivery, and Prison Services, &c	18,425	11·7	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.
	15. Domestic Servants, ...	36,603	8·5	6	.	.	3	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,990	43·5	12	7	.	1	1	3	.	.	.	.	.	3	1	.	.	.	4	2	2	.	.	1	1	.	2	1
	17. Hawkers, Porters, Labourers, &c., ..	89,361	31·3	54	24	4	5	7	11	3	.	1	1	.	2	.	.	2	2	8	7	2	3	4	.	8	1	21	1
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	6,024	—	38	5	1	7	12	10	3	.	.	.	.	1	.	.	.	2	3	1	5	2	1	.	9	.	17	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Number of Uncertified Deaths
		FROM ALL CAUSES	FROM DISEASES IN COLS. 5–13.		Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st., Nth.*) Pop. in 1910 (Est.) 29,908.	Oct. 8,	19·2	5·2	11			1						2							1
	„ 15,	17·4	1·7	10					1						1		1	1		1
	„ 22,	17·4	1·7	10					1					1	1			3		
	„ 29,	17·4		10											3			2	1	1
	Nov. 5,	31·4		18										2	1		1	4		
	„ 12,	24·4	1·7	14									1		2	1		3		2
	„ 19,	22·7		13										3	2			1		1
	„ 26,	20·9		12										1	1		1	3		
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1910 (Est.) 39,974.	Oct. 8,	28·7	5·2	2								1	3		4	1	3	3	2	
	„ 15,	19·6	2·6	15									2		1		2	1		
	„ 22,	18·3		14										2	1	1	2	1		
	„ 29,	23·2	3·9	17						1		1	1	1	3		1	3		
	Nov. 5,	14·3	2·6	11		1						1		1	1	1				
	„ 12,	18·0	2·6	10						2					2		1	1	1	
	„ 19,	14·3	1·3	11									1	1	1	1		3		
	„ 26,	24·8	1·3	19									1	3	4		2	1		
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1910 (Est.) 30,744.	Oct. 8,	22·0	5·1	13									3	1	2	1				
	„ 15,	11·9	3·4	7									2	1	1	1				1
	„ 22,	32·2	3·4	19									2	3	2	1		1		
	„ 29,	15·3		9											1		2		1	
	Nov. 5,	25·4	1·7	15									1		2	1	1	2		
	„ 12,	8·5		5										1	1			1		
	„ 19,	25·4		15										1		2	1	2		
	„ 26,	22·0	3·4	13								1	1	2	2	1		1	1	
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1910 (Est.) 33,559.	Oct. 8,	23·3	3·1	15					1						2	2	3		1	1
	„ 15,	21·8	3·1	14								1	1	2		1		2		
	„ 22,	26·4	3·1	17								1	1		3	1	1	2		
	„ 29,	29·5	1·6	19					1					1	3		1	2		1
	Nov. 5,	21·8	1·6	14									1	1	1	3		2		
	„ 12,	14·0		9										1	1		2	1		1
	„ 19,	14·0		9										1						1
	„ 26,	21·8		14											2	1		2		2
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1910 (Est.) 41,476.	Oct. 8,	26·9	2·5	23		1			1						2			2	3	
	„ 15,	34·7	1·3	26									1	2	2	3	1	7		
	„ 22,	20·1	2·5	16					1				1	2	4		1	2		
	„ 29,	15·1	1·3	12									1		2		1	2		
	Nov. 5,	17·6	5·0	14			2		1				1	1	1	1		5		1
	„ 12,	30·2	1·3	24					1					1	1	1		10		1
	„ 19,	22·6	2·5	18			1		1					2	2			7		
	„ 26,	26·4	2·5	21					2					1				6		1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1910 (Est.) 21,754.	Oct. 8,	12·0		5											1			1	1	
	„ 15,	24·0	2·4	10						1					1	1	1	1		
	„ 22,	28·8	2·4	12									1		1			1		1
	„ 29,	24·0		10										1		1		1		
	Nov. 5,	26·4		11										1	2	2		2	1	
	„ 12,	21·6		9											2	1		2		
	„ 19,	19·2		8										3	1		1	1		2
	„ 26,	24·0		10											2		1	2	1	1
South City, No. 3. (*Office, Peter-street.*) Pop. in 1910 (Est.) 43,227.	Oct 8,	19·3		16									2	1	3	3		2		
	„ 15,	30·2	2·4	25										3	2	2	1	3	1	2
	„ 22,	21·7	1·2	18					1					2	2	2	1			
	„ 29,	24·9	2·4	19					1				1	2	1	3	1	1		1
	Nov. 5,	19·3	2·4	16									2	2	2	1	1	1		
	„ 12,	24·1	1·2	20					1					4	4	3		1		
	„ 19,	30·2	1·2	25		1								4	2	2		3	1	
	„ 26,	25·3	4·8	21		1			1	1			1	4	1	2	2	3		1
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1910 (Est.) 35,881.	Oct. 8,	21·8	7·3	15					1	1			3		1		2			1
	„ 15,	7·3		5											1					
	„ 22,	27·6	5·8	19					1			1	2	2			2	3		
	„ 29,	18·1	1·5	9			1							1	1			1		
	Nov. 5,	17·4	1·5	12		1								1	3		3			
	„ 12,	17·4	2·9	12					1				1	2		1		3		
	„ 19,	30·5	5·8	21			1		1	1			1		5		2	3		
	„ 26,	23·3	2·9	16					1			1		2	2			5		

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From all Causes	From Diseases in Cols. 5–18.	Total Deaths.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (excluding Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2).	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	Oct. 8,	14·1	1·4	10	.	.	.	.	.	.	.	1	.	1	1	2	1	1	1	.
	,, 15,	16·9	1·4	12	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	2
	,, 22,	7·0	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	,, 29,	14·1	1·4	10	.	.	.	.	.	1	.	.	.	1	1	.	1	.	.	.
	Nov. 5,	9·9	.	7	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.
	,, 12,	14·1	2·8	10	.	.	.	.	1	.	.	.	1	1	.	1	1	2	.	1
	,, 19,	22·5	1·4	16	.	.	.	.	.	1	.	.	.	.	.	.	1	2	.	1
	,, 26,	14·1	2·8	10	.	.	.	.	1	1	.	.	.	2	.	1	1	1	.	.
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	Oct. 8,	7·2	.	4		.	.		.	.	.	.	.	.	1	.	.	1	.	.
	,, 15,	18·0	1·8	10		.	.		1	.	.	.	.	1	1	.	1	.	.	1
	,, 22,	16·2	.	9		.	.		.	.	.	.	.	1	2	1	1	.	.	.
	,, 29,	7·2	.	4		.	.		.	.	.	.	.	1	.	.	.	.	.	.
	Nov. 5,	16·2	1·8	9		.	.		.	1	.	.	.	1	2	1	.	.	.	.
	,, 12,	7·2	.	4		.	.		.	.	.	.	.	.	1	.	.	.	1	.
	,, 19,	14·4	.	8		.	.		.	.	.	.	.	.	3	.	2	1	1	.
	,, 26,	12·6	.	7		.	.		.	.	.	.	.	1	.	1		4	.	.
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	Oct. 8,	11·8	.	4		.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	,, 15,	3·0	.	1		.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	,, 22,	8·9	.	3		.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	,, 29,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	Nov. 5,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	,, 12,	14·8	.	5		.	.		.	.	.	.	.	.	.	.	.	1	.	2
	,, 19,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.
	,, 26,	20·7	3·0	7	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.
Belfast. Pop. in 1910 (Est.) 391,167.	Oct. 8,	12·5	1·2	94	.	1	.	.	1	.	.	.	7	5	9	3	5	9	.	1
	,, 15,	16·3	1·3	122	.	3	.	.	1	2	.	1	3	11	17	8	7	16	.	1
	,, 22,	16·0	2·0	120	.	5	1	.	.	1	.	.	8	11	10	6	5	9	2	.
	,, 29,	15·3	1·6	115	.	.	.	.	1	.	.	1	10	7	12	8	7	19	.	.
	Nov. 5,	14·4	1·3	108	.	3	1	.	.	.	.	.	6	7	14	2	9	11	3	2
	,, 12,	16·3	0·8	122	.	1	.		.	1	.	.	4	13	12	7	5	22	4	3
	,, 19,	17·6	0·7	132	.	.	.	.	.	1	.	1	3	11	17	8	8	16	2	.
	,, 26,	17·9	0·7	134	.	2	1	.	1	.	.	.	1	8	17	4	9	25	5	.
Cork. Pop. (in 1901) 76,122.	Oct. 8,	22·6	3·4	33	.	.	.	.	.	1	.	.	4	1	1	.	2	2	1	1
	,, 15,	14·4	1·4	21	.	.	.	.	1	.	.	1	.	.	5	.	1	1	.	.
	,, 22,	15·8	1·4	23	.	.	.	.	.	1	.	.	1	1	1	2	1	4	1	1
	,, 29,	17·1	0·7	25	.	.	.	.	.	.	.	1	.	.	5	.	.	3	.	.
	Nov. 5,	11·0	1·4	16	.	.	.	.	.	1	.	.	1	.	2	.	2	1	.	.
	,, 12,	15·8	0·7	23	.	.	.	.	.	.	.	.	1	1	3	1	3	4	1	.
	,, 19,	14·4	.	21	.	.	.	.	.	.	.	.	.	.	5	1	2	1	1	2
	,, 26,	17.1	0·7	25	.	.	.	.	.	.	.	.	1	1	6	2	3	2	.	.
Londonderry. Pop. in 1910 (Est.) 43,477.	Oct. 8,	9·6	.	8	.	.	.	.	.	.	.	.	.	.	1	1	1	2	.	.
	,, 15,	14·4	.	12	.	.	.	.	.	.	.	.	.	1	1	3	1	1	.	.
	,, 22,	8·4	2·4	7	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.
	,, 29,	21·6	.	18	.	.	.	.	.	.	.	.	.	.	.	.	1	5	.	1
	Nov. 5,	10·8	.	9	.	.	.	.	.	.	.	.	.	.	2	.	.	3	1	.
	,, 12,	15·6	2·4	13	.	.	.	.	.	.	.	.	2	1	1	.	1	1	.	.
	,, 19,	18·0	2·4	15	.	.	1	.	1	.	.	.	.	.	1	1	1	3	.	.
	,, 26,	16·8	1·2	14	.	.	.	.	1	.	.	.	.	1	3	.	.	6	.	.
Limerick. Pop. (in 1901) 38,151.	Oct. 8,	9·6	1·4	7	.	.	.	.	.	1	.	.	.	.	3	.	1	.	.	.
	,, 15,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	3	.	.	3	.	2
	,, 22,	5·5	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	,, 29,	21·9	2·7	16	.	.	.	.	.	.	.	.	2	.	2	.	2	1	.	2
	Nov. 5,	23·2	.	17	.	.	.	.	.	.	.	.	.	2	1	.	2	3	.	3
	,, 12,	6·8	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	,, 19,	5·5	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	,, 26,	5·5	1·4	4	.	.	.	.	.	1	.	.	.	.	1	.	1	1	.	.
Waterford. Pop. (in 1901) 26,769.	Oct. 8,	19·5	3·9	10	.	.	.	.	.	.	.	.	2	.	1	.	2	.	1	2
	,, 15,	21·4	3·9	11	.	.	.	.	.	.	.	.	2	.	2	.	.	1	.	2
	,, 22,	29·2	.	15	.	.	.	.	.	.	.	.	.	.	2	1	1	1	1	2
	,, 29,	18·6	1·9	7	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1
	Nov. 5,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	,, 12,	15·6	.	8	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	1
	,, 19,	25·3	1·9	13	.	.	.	.	.	.	.	.	1	.	1	3	1	.	.	.
	,, 26,	11·7	1·9	6	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 26th November, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS: Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-20.	Total No. of Deaths.	AGES AT DEATH: Under 1 year.	1 year and under 5 years	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		10			10	1	.	2	1	3	3	.	.	.	.	.	.	.	.	.	1	.	.	3	2	2	7	.
Do. 2 do, .		14			19	3	1	.	4	7	4	.	.	.	.	.	.	.	.	2	3	.	.	4	.	.	4	.
Do. 3 do.		29			16	.	1	2	5	3	5	.	.	.	.	1	.	.	.	.	3	.	3	3	.	.	2	.
Do. 4 do. .		27			14	4	.	.	2	4	4	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	6	.
Do. 5 do.		9			8	2	.	.	1	5	.	.	1	.	.	.	.	.	.	.	.	.	1	3	.	.	3	.
Do 6 do.		17			11	4	.	1	.	4	2	.	.	.	.	.	.	.	.	1	1	2	1	.	3	1	1	2	.
Do . 7 do. .		1			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do 8 do. .	349,180	.			2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Do. 9 do.		10			8	2	.	.	2	2	2	.	.	.	.	.	.	.	.	.	1	2	.	.	2	.	.	1	.
Do 10 do. .		14			7	.	1	.	1	4	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	1	1	1	.
Do. 11 do. .		14			13	4	1	.	2	4	2	.	.	.	.	.	.	.	.	.	1	3	1	1	1	1	1	2	.
Do. 12 do.		19			10	2	1	1	.	2	4	.	.	1	.	.	.	.	.	.	.	.	2	1	2	.	.	3	.
Do. 13 do .		4			5	1	.	1	.	1	2	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	1	.	.
Do. 14 do. .		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15* do. .		13			10	1	.	1	3	3	2	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	2	.
Total, ...	—	181	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		134	24	5	8	21	42	34	.	2	1	.	1	.	.	.	1	8	17	4	9	25	5	6	37	.
City of Cork.																													
CORK URBAN No 1 DISTRICT, .	12,867	5	8·1	.	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2	.
Do. 2 do. .	10,701	6	14·6	.	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	1	.
Do. 3 do. .	9,978	5	15·7	.	3	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
Do. 4 do. .	8,666	4	6·0	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 5 do. .	6,592	1	23·7	.	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 6 do. .	10,702	6	48·9	.	9	2	.	2	2	1	2	.	.	.	.	.	.	.	.	.	.	2	2	.	1	.	.	1	.
Do. 7 do. .	16,616	5	12·6	8·1	4	1	.	.	2	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	1	.
Total, ...	76,122	32	17·1	0·7	25	4	.	2	8	5	6	.	.	.	.	.	.	.	.	1	1	6	2	3	2	.	2	7	.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910—Week ending																								
	June 4.	June 11.	June 18.	June 25.	July 2.	July 9	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12	Nov. 19	Nov. 26.
No. of weeks in annual Series, ..	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
BIRTHS registered, ...	215	193	231	202	213	199	259	239	214	179	219	210	159	219	190	264	194	172	200	205	228	201	183	178	156	181
DEATHS registered, ...	166	148	188	157	137	145	136	117	135	115	102	124	131	121	103	116	122	105	94	122	120	115	108	122	132	134†
Annual Death rate per 1,000 of estimated Population, ...	22·1	19·7	24·4	20·9	18·3	19·3	18·1	15·6	18·0	15·3	13·6	16·5	17·5	16·1	13·7	15·5	16·3	14·0	12·5	16·3	16·0	15·3	14·4	16·3	17·6	17·9
AGES — Under 1 year, ...	37	20	44	38	24	34	26	25	35	27	27	35	49	30	28	23	29	25	31	27	27	28	24	28	27	24
AGES — 1-5 years, ...	45	54	47	45	38	29	32	23	23	19	6	17	14	15	14	13	11	14	6	14	16	8	11	6	6	5
AGES — 5-20 years, ...	14	12	15	16	13	12	7	17	10	7	7	9	11	11	4	16	6	11	8	17	9	9	9	13	15	8
AGES — 20-40 years, ...	26	25	20	17	18	25	20	19	14	15	22	19	18	9	16	12	23	17	8	15	18	16	25	18	24	21
AGES — 40-60 years, ...	27	16	28	20	21	20	25	17	25	21	22	21	19	26	20	22	18	20	21	22	23	20	16	25	23	42
AGES — 60 years and upwards, ..	17	21	34	26	28	25	26	16	28	26	18	28	20	30	21	30	35	18	20	27	27	31	23	32	37	34
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	38	38	49	36	25	24	20	21	8	7	4	7	8	3	1	3	1	1	3	5	.	3	1	.	2	
Scarlet Fever, ...	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	
Typhus, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Whooping-cough, ...	7	5	4	1	1	2	1	1	.	2	1	1	5	.	1	1	1	3	1	1	.	1	.	.	.	1
Diphtheria, ...	.	1	2	.	.	.	1	1	1	.	.	.	.	.	.	1	.	.	.	2	1	.	.	1	1	.
*Pyrexia** (origin uncertain , ..	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	.	1	.	1	1	.	.	1	2	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	1	.
Diarrhœal Diseases, ...	3	1	4	3	1	5	2	5	6	10	14	23	29	16	13	15	13	7	7	3	3	10	6	4	3	1
Pneumonia, ...	13	13	17	17	11	14	17	5	8	3	4	5	10	8	6	7	10	7	5	11	11	7	7	13	11	8
Tuberculous Disease, Phthisis, ..	21	19	24	22	11	11	9	16	15	13	13	16	10	11	12	14	11	17	9	17	10	12	14	12	17	17
Tuberculous Disease, Other Forms, ..	8	5	3	9	8	9	11	5	7	7	8	9	5	9	6	13	6	7	3	8	6	8	2	7	8	4
Cancer, Malignant Disease, ..	4	4	6	4	9	3	6	9	7	3	7	3	4	5	8	10	8	5	5	7	5	7	9	5	8	9
Diseases of Respiratory System,	18	17	14	16	7	7	15	6	16	10	5	8	8	9	5	5	8	11	9	16	9	19	11	23	16	25
Violent Deaths, ...	5	1	.	4	.	4	2	.	1	1	6	.	3	2	1	1	5	2	.	.	2	.	3	4	2	5
Number of Uncertified Deaths, ..	3	1	2	.	2	3	3	3	1	2	1	2	.	2	2	2	.	1	1	1	.	.	2	3	.	.

* Formerly described as "Simple Continued Fever."
† Including one death from cerebro-spinal fever.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	Nov. 26,	1,982	1,811*c*	19·4	.	91	4	12	15	2*a*	17
EDINBURGH, ...	360,276	„ 26,	130	96	13·9	.	.	1	3	.	.	2
GLASGOW, ...	884,505	„ 26,	380	285	16·8	.	1	6	5	8	2*a*	9
CALCUTTA, ...	1,009,008	Oct. 22,	.	395	20·3	.	.	.	1	.	103‡	52*
BOMBAY, ...	977,822	„ 25,	424	540	28·7	1	4	.	.	1	81‡	55
MADRAS, ...	509,346	„ 7,	409	499	50·9	1	.	?	?	?	101‡	96*
CAIRO, ...	682,953	„ 7,	615	377	28·8	.	4	.	9†	.	2*a*	68*b*
PARIS, ...	2,760,000	„ 29,	959	843	16·0	.	3	1	3†	3	4*a*	41*b*
BRUSSELS, ...	720,030	Nov. 5,	216	182	13·1	.	.	.	.	.	4*a*	15*b*
ANTWERP, ...	317,171	„ 5,	99	79	13·0	.	.	2	1†	.	.	11*b*
AMSTERDAM, ...	573,246	„ 5,	257	117	10·6	.	1	.	.	.	1*a*	3*b*
COPENHAGEN, ...	450,000	„ 5,	200	130	15·1	.	1	2	.	1	.	5
STOCKHOLM, ...	341,816	Oct. 29,	132	96	14·6	.	2	.	1†	1	.	
CHRISTIANIA, ...	240,178	Nov. 12,	100	50	10·8	.	3	.	3†	.	.	3
ST. PETERSBURG, ...	1,620,000	Oct. 22,	1,115	560	18·0	2	4	19	9	7	10*a*	68*
MOSCOW, ...	1,493,600	„ 15,	.	667	23·3	1	2	26	32†	2	11*a*	62
BERLIN, ...	2,127,635	„ 29,	714	519	12·7	.	1	7	8†	4	2*a*	24
HAMBURG, ...	895,804	Nov. 5,	.	256	14·9	.	1	1	14†	6	.	26
BRESLAU, ...	512,328	„ 5,	.	195	19·8	.	.	1	3	2	.	10
MUNICH, ...	576,000	„ 12,	.	188	17·0	.	9	.	.	3	.	14
VIENNA (with suburbs),	2,130,320	„ 5,	741	597	14·6	.	6	1	6†	1	1*a*	31*b*
BUDA-PESTH, ...	833,703	„ 5,	401	293	18·3	.	1	13	3†	1	3*a*	13*b*
PRAGUE and Faubourgs.	508,310	Oct. 22,	144	169	17·3	.	.	2	2†	1	.	11*b*
TRIESTE, ...	223,521	„ 29,	140	74	17·3	.	.	.	.	1	1*a*	2*b*
ROME, ...	590,113	Sept. 17,	252	169	14·9	.	1	.	.	1	2*a*	15
VENICE, ...	183,224	„ 24,	83	62	17·6	.	.	.	1†	1	.	10
NEW YORK, ...	4,803,264	Oct. 29,	2,301	1,246	13·5	.	1	2	18†	3	14*a*	98*b*
PHILADELPHIA, ...	1,598,400	„ 8,	.	397	12·9	.	1	.	7†	.	7*a*	46*b*
BOSTON, ...	673,745	Nov. 5,	.	193	14·9	.	1	1	1	.	8*a*	13

* Including 25 deaths from cholera in Calcutta, one in Bombay, 11 in Madras, and 18 in St. Petersburg.
† Including deaths from croup.
‡ Including 7 deaths from plague in Calcutta, 12 in Bombay and one in Madras.
a Enteric Fever.
b Deaths from diarrhœal diseases and from enteritis of children under two years of age
c Including one death from cerebro-spinal fever.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 26th November, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	1	.	.	.	.
" " 1, West,	.	3	.	.	.	.	.	.	.	.	.	.	4
" " 2,	.	.	.	.	1	.	.	.	.	.	.	1	2
" " 3,	.	1	.	.	2	.	1	1	.	.	.	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	2	.	.	1	.	.	.	1	.	.	.	4
South City No. 1,	.	1	.	.	2	.	.	3	3	.	.	11	20
" " 2,	.	1	.	.	.	.	.	.	.	.	.	6	7
" " 3,	.	.	.	.	2	.	.	.	.	.	.	.	2
" " 4,	.	2	.	.	2	.	.	.	1	.	.	.	5
New Kilmainham,	.	1	.	.	.	.	.	1	.	.	.	.	2
Total,	.	12	.	.	10	.	1	5	6	.	.	18	52

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 26th November, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 26th November.			
	Nov. 5.	Nov. 12.	Nov. 19.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	17	17	12	3	7	.	8
Scarlet Fever,	103	109	110	23	19	.	114*
Typhus,	3	2	.	.	.	.	.
Diphtheria,	76	76	64	13	12	1	64
Enteric Fever,	34	47	46	7	5	1	47
Pneumonia,	17	16	13	5	2	1	15

* Exclusive of 26 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 26th November, 1910:—

"The conditions which had so far characterised November held on the first day of this week when areas of high atmospheric pressure were found both over Iceland and over the Iberian Peninsula, whereas depressions were centred over the South of Sweden and far out on the Atlantic. The weather was generally cold, but fine except in the South of England, where rain fell in moderate amounts on Sunday morning. Next day the Atlantic depression arrived off the S.W. of Ireland, the wind freshened from S.E., and temperature rose in this country. On the other hand, a clear sky and light air movement led to sharp frost in England, the thermometer sinking to 25° at several stations early on Monday morning and to 22° at Oxford during the following night The thermometric gradient from East to West across the British Isles now became very steep. At 7 a.m. of Wednesday Nottingham and Oxford reported 25°, whereas the thermometer read 55° at Valentia in Kerry—a difference of 30° F. Dense fog enveloped London and the central counties of England, whereas rain fell in large quantities in Ireland. The rain extended later over Wales and the greater part of England, temperature remaining low in the eastern half of the latter country. The easterly advance of the Atlantic low pressure system was apparently held in check by an anticyclone which spread southwestwards from Northern Russia to the South of Scandinavia. During the closing days of the week the distribution of atmospheric presure over Western Europe became very complex, numerous areas of both relatively high and relatively low pressure being in close juxta-position. The weather, therefore, was very changeable—chiefly cold in England, with a fall of snow over the midlands on Saturday morning; milder in Ireland and Scotland. In Dublin the mean height of the barometer was 29·910 inches, the range being from 30·106 inches at 9 a.m. of Monday (wind, E.N.E.) to 29·644 inches at 9 a.m. of Wednesday (wind, S.E.). The mean temperature was 43·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 42·8°. The screened thermometers rose to 52·1° on Wednesday, having fallen to 31·1° on Monday. The wind was light and variable, chiefly southeasterly. Rain fell on 5 days, the measurement being 1·139 inches, of which ·582 inch was recorded on Tuesday. A solar halo was seen on Sunday and a lunar halo the same night. There was a fog on Wednesday afternoon."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·740 inches. The highest reading (29·936) was on Sunday at 9 a.m., air calm, and the lowest (29·481) on Wednesday at 9 a.m., wind E.S.E.

The mean temperature for the week was 42·2°, being 0·7° above the average for the corresponding period of the 10 years, 1900-1909. The temperature was highest on Wednesday, on which day the thermometer registered 52·8°, and was lowest on Monday, the mercury having fallen to 26·1°. The mean of the Dry Bulb for the week was 41·6° and of the Wet Bulb 40·5°. The mean humidity of the air was ·91, complete saturation being represented by 1·0. The rainfall during the week measured 1·206 inches.

At Greenwich the mean temperature for the week was 34·1°, the maximum 42·0°, and the minimum 22·3°; at Glasgow the maximum was 45·3°, the minimum 18·2°, and the mean 32·7°; and at Edinburgh the maximum was 43·3° the minimum 25·5°, and the mean 35·0°. The rainfall at Greenwich measured 0·62 in.; at Glasgow 0·65 in.; and at Edinburgh 0·18 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. Month and Day	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum	Thermometer. Minimum	Thermometer. Mean	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins		
Sunday, November 20,	29·906	42·0	27·4	34·7	31·7	31·0	·93	·5	5·4	·000	Calm.	Calm.
Monday, „ 21,	29·916	43·7	26·1	34·9	35·5	33·2	·73	·5	2·7	·000	Calm.	S.E.
Tuesday, „ 22,	29·820	44·7	39·6	42·2	43·6	41·8	·87	·5	0·0	·650	S.E.	S.E.
Wednesday, „ 23,	29·538	52·8	43·9	48·4	48·1	47·5	·96	·4	0·0	·260	E.S.E.	W.
Thursday, „ 24,	29·663	51·2	44·7	48·0	47·2	46·4	·95	·0	1·3	·270	Calm.	Calm.
Friday, „ 25,	29·650	49·5	43·9	46·7	46·1	45·6	·97	·4	0·0	·026	Calm.	Calm.
Saturday, „ 26,	29·687	48·1	33·2	40·7	38·8	38·2	·95	·4	3·5	·000	Calm.	Calm.
Mean,	29·740	47·4	37·0	42·2	41·6	40·5	·91	·4	Total 12·9	Total 1·206	—	

Sunday—Day cloudy: night overcast. *Monday*—Day cloudy to overcast; night overcast. *Tuesday*—Day overcast, light rain p.m.; night—drizzle and heavy rain a.m. *Wednesday*—Day overcast and drizzling; night overcast. *Thursday*—Day overcast to cloudy, drizzle and heavy rain p.m.; night overcast, drizzle and heavy rain a.m. *Friday*—Day overcast, light rain p.m.; night clear. *Saturday*—Day cloudy to overcast; night clear.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, November 26th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Min.	Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, November 20,	37·8	40·0	46·9	43·4	34·0	38·5	3·6	—
Monday, „ 21,	42·4	39·4	46·4	40·0	30·8	35·4	3·3	—
Tuesday, „ 22,	43·0	40·0	46·0	45·4	40·9	43·2	—	·610
Wednesday, „ 23,	47·2	41·6	45·9	53·3	44·2	48·8	—	·260
Thursday, „ 24	47·1	43·0	45·7	51·6	40·4	46·0	0·5	·300
Friday, „ 25,	47·8	44·5	45·8	50·7	46·0	48·4	—	·036
Saturday, „ 26,	41·0	44·3	45·9	49·0	37·6	43·3	2·8	—
Weekly Mean,	43·8	41·8	46·1	47·6	39·1	43·4	Total 10·2	Total 1·206

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

29794. Wt. P. 272—22/138, 375. 10 1910. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 3RD DECEMBER, 1910. [No. 48.

General Register Office, Charlemont House, Dublin, 5th December, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending				Average Rate for 4 weeks.	TOWNS, &c.	Week ending				Average Rate for 4 weeks.
	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.			Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	
22 Town Districts.	**16·2**	**17·9**	**19·1**	**18·1**	**17·8**	Limerick, . . .	6·8	5·5	5·5	23·2	10·3
						Lisburn, . . .	18·2	22·7	59·1	13·6	28·4
Armagh, . . .	13·7	13·7	6·9	41·2	18·9	Londonderry, . .	15·6	18·0	16·8	15·6	16·5
Ballymena, . . .	23·9	9·6	14·4	14·4	15·6	Lurgan, . . .	17·7	17·7	39·8	44·3	29·9
Belfast, . . .	16·3	17·6	17·9	14·5	16·6	Newry, . . .	12·6	12·6	29·4	21·0	18·9
Clonmel, . . .	25·6	30·8	5·1	15·4	19·2	Newtownards, . .	17·2	28·6	17·2	17·2	20·0
Cork, ...	15·8	14·4	17·1	13·7	15·3	Portadown, . .	10·3	25·8	15·5	25·8	19·3
Drogheda, . . .	20·4	16·3	8·2	16·3	15·3	Queenstown, . .	19·8	6·6	.	13·2	9·9
Dublin Reg. Area, .	17·1	20·3	21·0	21·9	20·1	Sligo, . . .	14·4	4·8	24·0	4·8	12·0
Dundalk, . .	12·0	8·0	31·9	16·0	17·0	Tralee, . . .	31·7	21·1	5·3	10·6	17·2
Galway, . .	7·8	11·7	7·8	19·4	11·7	Waterford, . . .	15·6	25·3	11·7	19·5	18·0
Kilkenny, . . .	9·8	9·8	59·0	9·8	22·1	Wexford, . . .	14·0	23·3	37·4	18·7	23·3

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·6 per 1,000, the rates varying from 0·0 in fifteen of the districts to 35·4 in Lurgan, the 10 deaths from all causes for that district including 8 from measles. Among the 109 deaths from all causes for Belfast are 2 from measles, one from diphtheria, and one from diarrhœa. Of the 3 deaths from all causes for Newtownards one is from diphtheria, and of the 6 deaths from all causes for Armagh, 4 are from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 199—104 boys and 95 girls—and the deaths to 176—77 males and 99 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 21·9 per 1,000 of the population, the rate for the total deaths registered in the Area being 22·8 per 1,000. During the forty-eight weeks, ending with Saturday last, the death-rate averaged 21·1, and was 2·9 below the mean rate for the corresponding portions of the ten years, 1900–9.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*), Table II. ‡ See columns 10-18 of Table II.

The total deaths registered from all causes included 3 deaths from scarlet fever, 5 from whooping-cough, 4* from diphtheria, 6 deaths from diarrhœal diseases (of this figure 2 were deaths of adults, one was of a child aged one year, and 3 were infants under one year; there were also registered the deaths of 2 infants from *gastro-enteritis* at the latter age period); and 4 deaths from influenza.

In each of the three preceding weeks, deaths from scarlet fever were 0, 2, and one; deaths from whooping-cough were 4, 2, and 6; deaths from diphtheria were 2, 3, and 2; deaths from diarrhœal diseases were 4, 2, and 4; and deaths from influenza were one, 0, and 2.

One death of an infant at 3 months of age suffering from varicella was registered.

Of 14 deaths from pneumonia (all forms) one was attributed to lobar pneumonia, 7 to broncho-pneumonia, and 6 to *pneumonia* (not defined).

Deaths from all forms of tuberculous disease, which had been 27, 28, and 20 respectively in each of the 3 weeks preceding, were 23 in the week under notice; the latter figure includes 16 deaths from tuberculous phthisis (*phthisis*), one death from tuberculous meningitis, one death from tuberculous peritonitis, and 5 deaths from other forms of the disease.

Carcinoma caused one death and cancer, malignant disease (undefined), 2 deaths.

Four deaths of infants prematurely born were registered.

Diseases of the brain and nervous system caused 9 deaths, including the deaths of 3 infants from *convulsions*.

There were 30 deaths from diseases of the heart and blood vessels, and 34 deaths from bronchitis.

Of 4 deaths from accident 2 were deaths of children aged, respectively, 9 years and 12 years from burning.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 infants under one year of age, and the deaths of 2 persons aged 60 years and upwards.

Fifty-five of the persons whose deaths were registered during the week were under 5 years of age (38 being infants under one year, of whom 14 were under one month old) and 59 were aged 60 years and upwards, including 33 persons aged 70 and upwards, of whom 12 were octogenarians, and one (a female) was stated to have been aged 97 years.

Seventy-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 17 took place in the North Dublin Union Workhouse and 21 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·9 per 1,000; the rate in the City was 23·2 (North City Districts, 22·6; South 23·8) and in the Suburbs, 17·5.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·2 per 1,000 inhabitants, the rate for the City being 2·5 (1·6 in the North City Districts, and 3·4 in the South), and for the Suburbs, 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (17) are equal to an annual rate of 29·6 per 1,000. There were 2 deaths from whooping-cough, one from influenza, 5 from tuberculous disease, 4 from bronchitis and one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (15) are equal to an annual rate of 19·6 per 1,000. Among them are one from scarlet fever, one from dysentery, one from broncho-pneumonia, 4 from tuberculous disease, and 4 from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 23·7 per 1,000, and include one death from tuberculous disease, 4 deaths from bronchitis, and one death caused by accidental burns.

No. 3 North City District (Benburb-street).—The deaths (14) represent an annual rate of 21·8 per 1,000. One death was caused by whooping-cough, one by broncho-pneumonia, one by *pneumonia* (not defined), and 2 were caused by bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants; Coolock and Drumcondra, part of, 17·9; and Finglas and Glasnevin, part of, 27·1. Of the 4 deaths from all causes for Coolock and Drumcondra, part of, there were 2 from *phthisis* and one from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (21) represent an annual rate of 26·4 per 1,000, and include one death each from whooping-cough, diphtheria, and *diarrhœa*, 2 deaths from tuberculous phthisis, and 6 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (11) are equal to an annual rate of 26·4 per 1,000. Two deaths were caused by diphtheria, one by broncho-pneumonia, 4 by bronchitis, and one by accidental burns.

No. 3 South City District (Peter-street).—The deaths (14) are equal to an annual rate of 16·9 per 1,000. Of the deaths one was from scarlet fever, one from broncho-pneumonia, 2 were from *pneumonia* (not defined), 3 from tuberculous disease and 2 were from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (19) are equivalent to an annual rate of 27·6 per 1,000. Among them are one from scarlet fever, 3 from diarrhœal diseases, one death each from broncho-pneumonia and *pneumonia* (not defined), 2 from tuberculous phthisis, 3 from bronchitis and one accidental death.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 23·0 per 1,000. There was one death each from lobar pneumonia and broncho-pneumonia.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 16·9; Pembroke, 25·2; Blackrock, 17·4; and Kingstown, 5·9. The deaths from the principal epidemic diseases tabulated for these districts include one from dysentery for Pembroke, and one from whooping-cough for Blackrock. The 12 deaths from all causes for Rathmines and Rathgar include one from influenza, one from *pneumonia* (not defined), one from *phthisis*, and 2 from diseases of the respiratory system; among the 14 deaths from all causes for Pembroke are 2 deaths from influenza, one death from broncho-pneumonia, one from tuberculous phthisis, and 2 deaths from diseases of the respiratory system; of the 3 deaths from all causes for Blackrock one was caused by bronchitis; and the 2 deaths recorded for Kingstown include one from *pneumonia* (not defined).

*See Note (*c*) Table II. † See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin: Mr. Fawcett Executive Sanitary Officer for Rathmines and Rathgar Urban District: Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District: by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District: and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 3rd December, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Nov. 12,	.	—	—	21	.	.	10	.	1	5	13	.	—	—	.	—	14	—	64
	Nov. 19,	.	—	—	27	.	.	16	.	.	8	9	.	—	—	.	—	22	—	82
	Nov. 26,	.	—	—	12	.	.	10	.	1	5	6	.	—	—	.	—	18	—	52
	Dec. 3,	.	—	—	23	.	.	11	.	1	5	11	.	—	—	.	—	16	—	67
Rathmines and Rathgar Urban District.	Nov. 12,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	—	2
	Nov. 19,	.	—	—	1	.	.	6	.	.	.	.	.	—	—	—	—	—	—	7
	Nov. 26,	.	—	—	2	.	.	4	.	.	.	1	.	—	—	—	—	—	—	7
	Dec. 3,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
Pembroke Urban District.	Nov. 12,	.	1	.	2	.	.	.	.	.	1	.	.	—	.	.	—	2	—	6
	Nov. 19,	.	.	.	2	.	.	.	.	.	1	.	.	—	4	.	—	.	—	7
	Nov. 26,	.	.	1	1	.	.	1	.	.	1	.	.	—	3	.	—	.	—	7
	Dec. 3,	.	3	.	1	.	.	.	.	.	.	.	.	—	1	.	—	.	—	5
Blackrock Urban District.	Nov. 12,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	—	3
	Nov. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Nov. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Dec. 3,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	.	—	—	—	2
Kingstown Urban District.	Nov. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Nov. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Nov. 26,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	.	—	2
	Dec. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Nov. 12,	.	—	—	27	1	.	7	.	.	2	13	.	—	—	—	—	10	—	60
	Nov. 19,	.	—	—	29	.	.	9	.	.	.	4	.	—	—	—	—	18	—	60
	Nov. 26,	.	—	—	32	1	.	7	.	.	.	2	.	—	—	—	—	10	—	52
	Dec. 3,	.	—	—	30	.	.	10	.	1	1	10	.	—	—	—	—	25	—	77

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 3rd December, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Five cases of measles were admitted to hospital during the week, 4 were discharged and 9 cases remained under treatment at its close.

Twenty-six cases of scarlet fever were admitted to hospital, 17 were discharged, there were 4 deaths, and 119* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 109, 110, and 114, respectively.

Fourteen cases of diphtheria were admitted to hospital, 13 were discharged, there were 4 deaths, and 61 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 76, 64, and 64, respectively.

One case of enteric fever was admitted to hospital during the week, 8 were discharged, and 40 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 47, 46, and 47.

In addition to the above named diseases, 4 cases of pneumonia were admitted to hospital, 2 were discharged, there were 2 deaths, and 15 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns, including London (in which the rate was 21·1) was equal to an average annual death-rate of 18·1 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·5 per 1,000, the rate for Glasgow being 17·3 and for Edinburgh 16·9.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 3rd December. From this Report it appears that of a total of 84 cases notified, 46 were scarlet fever, 21 phthisis, 13 diphtheria, and 4 erysipelas. Among the 472 cases of infectious diseases in hospital at the close of the week were 253 cases of scarlet fever, 80 of diphtheria, 53 of phthisis, 10 of measles, 20 of whooping cough, 8 of erysipelas 4 of enteric fever, 2 of chicken-pox, one of puerperal fever, and one of cerebro-spinal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 3rd December, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

| TOWNS AND DISTRICTS. | Census Statistics of Districts. | | REGISTRATION—WEEK ENDING SATURDAY, 3RD DECEMBER 1910. | | |

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 3rd December, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																
	CITY OF DUBLIN REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.										
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock & Drumcondra (pt. of).	Finglas and Glasnevin (part of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4	New Kilmainham	Rathmines and Rathgar.	Pembroke.	Blackrock.	Kingstown.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	1	.	.	.	.	.	.	.	1	1	.	.	.	.	.	3	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	2	.	.	1	.	.	.	1	.	.	.	.	.	.	1	.	5	.
Diphtheria,	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	3	1
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	1	.	.	.	.	.	1	.	.	3	.	.	1	.	.	6	.
Pneumonia,	.	1	.	2	.	.	.	.	1	3	2	2	1	1	.	1	14	.
Tuberculous Phthisis,	4	1	.	.	.	2	.	2	.	2	2	.	1	1	.	.	15	1
Disease. Other Forms,	1	3	1	.	.	.	.	.	.	1	.	.	.	.	.	.	6	1
Cancer, Malignant Disease,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2
Other General Diseases,	3	.	.	3	.	.	.	3	.	.	2	.	2	2	1	.	16	.
Total,	10	7	1	6	.	2	.	8	3	7	10	2	4	6	2	1	69	5
B. LOCAL DISEASES:																		
Diseases of Nervous System,	1	.	1	2	.	.	.	.	.	1	2	.	.	2	.	.	9	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	.	1	3	2	1	.	2	6	1	3	.	2	6	3	.	.	30	.
Respiratory System,	4	4	4	2	.	1	1	6	4	2	3	.	2	2	1	.	36	1
Digestive System,	1	.	.	.	.	.	1	.	1	.	2	.	.	.	.	1	6	1
Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	2	.	1	.	.	.	.	1	.	1	.	.	.	.	.	5	.
Generative System,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	6	8	8	7	1	1	4	12	7	7	8	2	8	7	1	1	88	2
C. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	.	4	1	.	1	.	1	.	.	.	.	.	1	.	.	8	.
E. VIOLENT DEATHS,	1	.	1	.	.	.	.	.	1	.	1	.	.	.	.	.	4	.
Deaths from all Causes	17	15	14	14	1	4	4	21	11	14	19	4	12	14	3	2	169	7
Annual Rate of Mortality from all causes in every 1,000 of the population.	29·6	19·6	23·7	21·8	9·7	17·9	27·1	26·4	26·4	16·9	27·6	25·0	16·9	25·2	17·4	5·9	21·9	.
	22·6							23·8					17·5					
	23·2																	
Ages at Death. Under 1 year,	3	4	3	7	.	.	.	5	1	3	6	.	.	5	1	.	38	.
1 and under 5 years,	1	4	.	1	.	.	.	2	3	2	2	.	1	.	.	.	16	1
5 „ 20 „	2	.	2	.	.	.	.	1	1	1	2	.	.	.	1	.	10	.
20 „ 40 „	3	1	.	.	.	2	.	3	.	3	3	1	1	.	.	1	18	1
40 „ 60 „	5	3	1	2	.	1	2	4	3	1	3	3	1	.	.	1	30	3
60 years and upwards,	3	3	8	4	1	1	2	6	3	4	3	.	9	9	1	.	57	2
Number of Uncertified Deaths,	.	.	.	1	.	.	.	.	.	.	1	.	1	.	2	.	5	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	2	2	3	.	2	.	2	3	3	6	.	4	1	.	.	30	6
Workhouse Hospitals,	6	3	6	2	.	.	.	8	2	4	3	.	1	2	.	.	37	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in the corresponding week of the ten years 1900–1909,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Averages in 48th Week of the 10 years, 1900–1909.	In the Week ending Saturday, 3rd December, 1910.								
												Deaths of Persons of the Ages of								
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
	Dec. 1, 1900.	Nov. 30, 1901.	Nov. 29, 1902.	Dec. 5, 1903.	Dec. 3, 1904.	Dec. 2, 1905.	Dec. 1, 1906.	Nov. 30, 1907.	Nov. 28, 1908.	Dec. 4, 1909.			Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 43·4	° 42·1	° 43·5	° 34·6	° 41·3	° 44·1	° 49·1	° 39·4	° 48·2	° 41·8	° 42·8	Mean Temp. ° 37·0								
ALL CAUSES.	167	141	230	207	204	157	179	175	178	180	181·8	176	14	24	17	10	19	33	46	13
Small-pox,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cowpox,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles (Morbilli),	·	·	14	·	12	·	3	·	6	·	3·5	·	·	·	·	·	·	·	·	·
Scarlet Fever,	·	1	8	2	·	·	1	·	1	·	1·3	3	·	·	2	1	·	·	·	·
Typhus,	·	·	·	1	·	·	·	·	·	·	·1	·	·	·	·	·	·	·	·	·
Plague,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza,	1	·	3	2	·	1	2	1	·	3	1·3	4	1	·	·	·	·	2	1	·
Whooping-cough,	6	1	·	5	3	1	3	1	2	·	2·2	5	·	2	2	1	·	·	·	·
Diphtheria,	1	·	4	2	1	·	2	·	2	1	1·3	4	·	·	3	1	·	·	·	·
Cerebro-spinal Fever,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pyrexia † (origin uncertain),	·	·	·	1	·	·	·	·	·	·	·1	·	·	·	·	·	·	·	·	·
Enteric Fever,	4	2	4	2	2	2	3	·	·	1	2·0	·	·	·	·	·	·	·	·	·
Asiatic Cholera,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Epidemic Diarrhœa (Infective Enteritis.), *Diarrhœa*, Dysentery,	1	4	2 / 5	·	1 / 2	2 / 3	1 / 3	· / 3	· / 1	2 / ·	3·0	2 / 4	·	1 / 2	1 / ·	·	·	1 / ·	·	1 / ·
Tetanus,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Rabies, Hydrophobia,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Glanders,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Anthrax (Splenic Fever),	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Venereal Disease,	2	·	2	1	1	1	3	4	4	2	2·0	1	·	1	·	·	·	·	·	·
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*,	·	·	·	·	·	·	·	·	·	·	·	1 / ·	·	·	·	·	1	·	·	·
Infective Endocarditis	·	·	·	2	1	·	1	·	1	1	·6	·	·	·	·	·	·	·	·	·
Pneumonia, Lobar, Broncho-, Epidemic, Not defined,	9	8	9 / · / 5	8 / 2	3 / 5 / 11	1 / 5 / 4	· / 7 / 4	7 / 7 / 8	2 / 13 / ·	1 / 11 / 8	13·8	1 / 7 / 6	1	2 / ·	1 / 1	·	1	1 / 2 / 1	· / · / 1	· / 1 / 1
Erysipelas,	·	1	1	·	·	·	·	·	1	·	·3	·	·	·	·	·	·	·	·	·
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	·	·	·	·	·	·	·	1	·	1	·2	·	·	·	·	·	·	·	·	·
Other Infective Conditions,	·	·	·	1	·	·	·	1	·	·	·2	·	·	·	·	·	·	·	·	·
Tuberculous Phthisis, "*Phthisis*,"	14	23	4 / 18	5 / 18	10 / 19	6 / 12	1 / 12	10 / 6	16 / 10	7 / 15	20·6	9 / 7	·	·	·	1 / 1	5 / 3	2 / 1	1 / 2	·
Tuberculous Meningitis,	2	1	3	2	2	4	2	1	2	2	2·1	1	1	·	·	·	·	·	·	·
Tuberculous Peritonitis, *Tabes Mesenterica*,	4	·	1 / ·	1	1	1	1	1	·	1	1·2	1 / ·	·	·	·	·	1	·	·	·
Tuberculous Dis. (other), *Scrofula*,	7	3	8 / ·	5	10	5	8	4	11	4	6·5	5 / ·	·	1	1	2	1	·	·	·
Alcoholism,	·	1	2	1	·	·	1	1	·	1	·7	·	·	·	·	·	·	·	·	·
Rheumatic Fever,	·	1	1	·	·	1	·	·	·	·	·3	1	·	·	·	·	1	·	·	·
Gout,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Carcinoma, Sarcoma, Cancer (undefined)	13	5	3 / 6	6 / 5	6 / 3	2 / 5	3 / 6	4 / 4	1 / 5	5 / 5	8·9	1 / 2	·	·	·	·	·	·	1 / 1	·
Diabetes Mellitus,	·	·	·	1	1	·	1	·	·	2	·5	·	·	·	·	·	·	·	·	·
Premature Birth,	·	3	1	3	2	1	4	2	3	1	2·0	4	4	·	·	·	·	·	·	·

* The figures for the year 1900 are for

† Formerly described as

FORTY-EIGHTH WEEK ending Saturday, 3rd December, 1910, with the deaths from each cause in the and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday									Averages in 48th Week of the 10 years 1900-1909.	In the Week ending Saturday, 3rd December, 1910.							
	Dec. 1, 1900.	Nov. 30, 1901.	Nov. 29, 1902.	Dec. 5, 1903.	Dec. 3, 1904.	Dec. 2, 1905.	Dec. 1, 1906.	Nov. 30, 1907.	Nov. 28, 1908.	Dec. 4, 1909.		Deaths of Persons of the Ages of							
												All Ages.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 43·4	° 42·1	° 43·5	° 34·6	° 41·3	° 44·1	° 49·1	° 39·4	° 48·2	° 41·8	° 42·8	Mean Temp. ° 37·0	Under 1 month.	1 month and under a year.	1 to 5.					
Meningitis (not tuberc.)			2	4	3	3	4	4	7	1		1	.	.	1	.	.	.	.	.
Insanity, G. P. of Insane			2	.	3	1	1	2	1	2		2	.	.	.	.	.	1	.	.
Epilepsy			1	.	2	.	.	.	.	1		.	.	.	.	.	.	.	.	.
Convulsions			10	13	5	5	5	4	1	3		3	1	2	.	.	.	.	.	.
Locomotor Ataxy			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord			.	2	2	2	4	.	2	3		3	.	.	.	1	.	.	1	1
Nervous System (other Dis.)			2	3	3	3	2	1	1	.		.	.	.	.	.	.	.	.	.
	38	25									37·6									
Valv. Dis., Endocarditis			2	6	4	7	4	5	3	15		5	.	.	.	.	2	1	1	1
Cerebr. Hæm. Thromb.			4	3	2	2	3	3	1	5		8	.	.	.	.	.	2	4	2
Apoplexy, Hemiplegia			5	9	2	3	3	3	1	3		3	.	.	.	.	1	.	2	.
Aneurysm			.	.	.	.	.	1	.	1		.	.	.	.	.	.	.	.	.
Embolism, Thromb. (not cerebral)			.	.	.	.	1	.	.	.		.	.	.	.	.	.	.	.	.
Heart and Blood Vessels (other Dis.)			11	15	12	13	12	14	11	7		14	.	.	.	.	.	4	7	3
Croup (not Spasm. nor Memb.)	2	1	1	.	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Bronchitis	32	11	36	36	37	32	25	28	34	24	29·5	34	2	7	2	.	1	9	11	2
Asthma, Emphysema			.	.	.	.	.	.	.	3		.	.	.	.	.	.	.	.	.
Pleurisy	2	2	.	.	.	.	.	.	.	.	2·3	1	.	.	.	.	.	1	.	.
Respiratory Dis. (other)			2	1	3	1	4	2	1	2		2	.	.	.	.	.	.	1	1
Tonsillitis, Quinsy	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.)	.	.	2	1	1	1	3	3	3	1	2·2	2	.	2	.	.	.	.	.	.
Gastro-enteritis																				
Peritonitis (not Puerp.)	2	.	1	1	.	.	1	1	.	1	·7	.	.	.	.	.	.	2	1	.
Cirrhosis of Liver	1	4	.	1	3	2	.	2	.	1	2·7	3	.	.	.	.	.	.	.	.
Liver Dis. (other)			5	.	1	2	2	.	2	.		.	.	.	.	.	.	.	.	.
Digestive Dis. (other)	3	2	6	7	3	4	6	9	4	7	5·1	2	.	.	.	.	.	1	1	.
Nephritis, Acute			3	.	2	2		2	.	2		1	.	.	1	.	.	.	.	.
Bright's Dis., Albuminuria	4	3	2	3	1	2	10	4	.	2	5·2	.	.	.	.	.	.	.	.	.
Urinary Sys. (other Dis.)			3	1	1	1	.	3	.	1		4	.	.	.	.	.	.	4	.
Generative Organs Dis.	.	1	.	1	1	.	1	.	1	.	·5	1	.	.	.	.	.	1	.	.
Childbirth (Accid. of)	.	.	.	1	1	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
Old Age	10	16	5	5	7	4	4	5	2	3	6·1	4	.	.	.	.	.	.	2	2
Other Diseases	7	19	19	14	10	5	8	16	7	8	11·3	10	4	3	1	.	.	1	1	.
ACCIDENT.																				
By Railways	.	1	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
By Vehicles and Horses	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
In Building Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
By Burns, Scalds, Explosions	.	.	.	.	.	1	2	.	.	1	·4	2	.	.	.	.	.	.	.	.
By Drowning	.	1	1	1	.	1	.	.	.	1	·5	.	.	.	.	.	.	.	.	.
By Suffocation in Bed	.	1	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident	1	.	.	2	.	1	1	2	4	2	1·3	2	.	.	.	.	.	.	2	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	1	.	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Suicide	.	.	1	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

*The Registration Area as then constituted.
† "Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910—Week ending																								
	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.
No. of weeks in Annual Series,	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
BIRTHS registered.	268	272	183	223	229	272	225	243	198	209	240	194	228	260	235	292	196	219	161	244	182	211	207	234	182	199
*Average Births in corresponding week of previous 10 years,** ..	222	199	225	237	200	198	204	215	221	202	219	218	207	232	203	200	252	192	184	209	206	209	202	195	181	207
DEATHS registered, ...	133	140	130	127	143	118	144	127	145	143	126	146	120	141	158	174	164	160	151	174	139	147	141	166	168	176
Annual Death-rate per 1,000, ..	17·2	18·1	16·8	16·4	18·5	15·3	18·6	16·4	18·8	18·5	16·3	18·9	15·5	18·2	19·8	22·5	21·2	20·7	19·5	22·5	18·0	19·0	18·2	21·5	21·7	22·8
*Average Deaths in corresponding week of previous 10 years,**	154	152	147	136	138	142	146	147	146	148	156	166	159	157	154	167	160	158	156	160	156	172	175	179	182	182
AGES, Under 5 years, ...	37	25	27	31	50	29	43	31	31	54	37	57	42	38	59	70	60	58	44	56	40	46	47	57	49	55
AGES, 5—20 ,, ...	10	14	9	11	11	10	8	18	17	8	6	9	3	16	8	9	11	7	7	14	6	14	11	10	11	10
AGES, 20—40 ,, ...	23	27	32	23	24	17	17	13	27	23	23	13	18	19	22	19	16	22	25	26	21	33	11	27	24	19
AGES, 40—60 ,, ...	29	35	32	23	25	27	29	30	30	23	32	27	23	33	30	32	33	38	27	31	26	25	31	22	37	33
AGES, 60—80 ,, ...	28	33	28	33	23	34	34	33	35	26	24	33	23	33	30	42	37	23	32	41	41	24	38	48	36	46
AGES, 80 years and upwards, ..	7	3	2	6	10	1	8	2	5	4	4	7	8	2	4	2	7	7	9	6	5	5	3	7	11	13
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	1	.	.	1	.	1	.	.	1	.	.	.	.	.	3	.	1	.	.	.	1	.	1	1	.
Scarlet Fever, ...	.	.	.	1	.	1	3	3	1	1	1	2	1	1	2	.	.	1	.	1	1	3	.	2	1	3
Typhus, ...	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Whooping-cough, ...	1	2	1	3	.	1	1	.	3	3	2	.	4	3	2	1	2	2	2	5	1	1	4	2	6	5
Diphtheria, ...	.	.	.	1	2	1	.	5	1	.	2	4	1	.	2	3	2	2	1	.	4	1	2	3	2	4
Pyrexia † (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	3	1	2	1	1	.	.	2	.
Enteric Fever, ...	.	2	.	.	.	1	2	2	.	.	2	.	1	1	1	1	.	3	1	2	1	1	.	.	2	6
Diarrhœal Diseases, ...	3	1	1	1	6	3	5	.	2	14	6	17	13	11	21	22	27	12	10	8	4	5	4	2	4	4
Influenza, ...	.	1	.	2	.	.	1	.	1	.	1	.	.	.	1	1	2	1	1	2	1	4	1	.	2	14
Pneumonia, ...	10	7	10	8	8	7	9	5	7	8	7	6	5	6	10	4	6	5	11	15	12	18	11	16	16	16
Tuberculous Disease, Phthisis, ..	15	22	24	23	11	19	11	17	24	14	17	12	17	23	15	19	18	17	14	23	17	18	16	20	14	16
Tuberculous Disease, Other Forms, ..	7	15	10	14	7	8	3	9	10	15	7	5	5	13	9	8	11	12	8	8	4	11	11	8	6	7
Cancer, Malignant Disease, ..	6	7	10	10	8	5	11	10	8	8	9	10	8	9	7	9	11	12	11	12	9	7	9	8	14	8
Diseases of Heart and Blood Vessels, ...	21	25	16	23	26	17	22	23	23	20	16	20	17	23	19	24	30	20	24	25	23	17	18	22	24	30
Diseases of Respiratory System,	17	11	15	7	11	18	14	12	10	8	10	11	6	10	10	20	12	16	17	17	12	18	26	26	29	37
Violent Deaths, ...	7	7	1	2	9	3	8	5	5	6	2	4	5	3	6	6	3	10	4	.	2	1	2	2	3	4
Number of Uncertified Deaths, ..	7	5	6	3	5	.	4	7	2	3	4	4	3	2	1	3	3	3	6	2	4	1	8	6	7	5
Mean Temperature of the Air (Phœnix Park), ...	57·8	56·4	58·1	54·7	55·5	57·1	51·9	57·8	56·5	59·2	53·8	56·6	57·2	54·8	52·0	50·4	54·2	52·5	48·2	49·1	51·4	48·1	39·6	38·2	42·2	37·0
Average Mean Temperature in corresponding week of previous 10 years, ...	53·3	53·7	55·3	56·6	57·6	58·9	60·6	58·8	58·8	58·2	57·7	56·5	56·1	54·4	53·1	53·8‡	53·7	52·2	50·6	48·4	46·2	47·1	45·2	42·7	41·5	42·8
Rainfall in inches, ...	1·870	·010	1·291	1·780	·660	·000	·840	·355	·940	·205	1·175	·411	·194	·150	·015	·015	·391	·585	·133	·333	·365	·558	·860	·352	1·206	1·830
Mean Humidity of the Air, complete Saturation 1·0	·92	·87	·92	·87	·88	·81	·81	·81	·84	·85	·81	·84	·88	·87	·91	·85	·89	·90	84	·92	·87	·90	·89	·85	·91	·93

* See note (*) at foot of Table IV.

† Formerly described as "Simple Continued Fever."

‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 3rd December, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS WEEK ENDING SATURDAY, 3RD DECEMBER, 1910. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 Years	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	CAUSES OF DEATH. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal)	Other Causes	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS.	375,850	24·4	176	55	10	19	33	46	18	.	.	3	.	5	4	.	.	6	18	14	16	7		3	37	4	74	5
	CLASSES. **Deaths in Families of the—**																											
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	17,486	15·0	5	.	.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4	.
II.	MIDDLE CLASS, ...	87,188	15·5	26	.	1	4	8	8	5	.	.	.	.	.	.	.	.	.	.	1	3	1	3	.	3	2	13	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ..	110,428	20·8	44	12	2	4	11	13	2	.	.	.	.	1	1	.	.	.	2	6	3	1	.	2	10	1	19	2
IV.	GENERAL SERVICE CLASS, ...	154,279	21·3	63	38	5	5	4	9	2	.	.	3	.	4	3	.	.	5	15	7	4	3	.	1	11	1	21	2
V.	INMATES OF WORKHOUSES, ...	6,024	—	38	5	2	6	9	13	3	.	.	.	.	.	.	.	.	1	1	.	6	2	.	.	12	.	17	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																											
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	33·4	5	.	.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																											
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	18·5	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	7·1	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.
	6. Clerks and Commercial Assistants, ..	30,432	13·7	8	.	1	3	3	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	1	1	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	25·1	18	.	.	1	3	5	4	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.	1	.	7	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																											
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.
	9. Building and Furnishing Trades, ...	29,801	22·7	18	4	.	1	2	5	1	.	.	.	.	.	.	.	.	.	.	3	1	1	.	1	3	.	4	1
	10. Clothing Trades, ...	25,260	15·7	7	2	1	.	3	1	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	1	2	.	2	.
	11. Food Supply Trades, ...	9,242	22·6	4	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	25·8	15	3	1	3	4	4	.	.	.	.	.	1	.	.	.	.	1	1	2	.	.	.	3	1	7	1
	13. Petty Shopkeepers, ...	7,894	13·2	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
IV.	GENERAL SERVICE CLASS.																											
	14. Army, Police, Postal Delivery, and Prison Services, &c	13,425	7·8	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
	15. Domestic Servants, ...	36,608	5·7	4	1	.	.	1	1	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,590	29·0	8	5	1	1	.	1	.	.	.	.	.	1	.	.	.	1	2	1	.	1	.	.	1	.	3	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	23·4	49	30	4	4	3	7	1	.	.	.	3	.	3	3	.	.	3	12	5	4	2	.	1	9	1	15	2
V.	INMATES OF WORKHOUSES.																											
	18. Workhouse Inmates, ...	6,024	—	38	5	2	6	9	13	3	.	.	.	.	.	.	.	.	1	1	.	6	2	.	.	12	.	17	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

DISTRICTS.	1910. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Diseases in Cols. 5–18.	Total Deaths.	Number of Deaths from: Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st., Nth.*) Pop. in 1910 (Est.) 29,908.	Oct. 15,	17·4	1·7	10	.	.	.	.	1	.	.	.	.	1	1	.	1	1	1	1
	„ 22,	17·4	1·7	10	.	.	.	.	1	.	.	.	.	.	3	.	.	3	.	1
	„ 29,	17·4	.	10	.	.	.	.	.	.	.	.	.	1	1	.	.	2	1	.
	Nov. 5,	31·4	.	18	.	.	.	.	.	.	.	.	.	.	3	.	.	3	.	1
	„ 12,	24·4	1·7	14	.	.	.	.	.	.	.	.	1	2	1	1	1	4	.	.
	„ 19,	22·7	.	13	.	.	.	.	.	.	.	.	.	.	2	1	.	3	.	2
	„ 26,	20·9	.	12	.	.	.	.	.	.	.	.	.	3	2	.	.	1	.	1
	Dec. 3,	29·6	3·5	17	.	.	.	.	2	.	.	.	.	1	1	.	1	3	.	.
														.	4	1	.	4	1	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1910 (Est.) 39,974.	Oct. 15,	19·6	2·6	15	.	.	.	.	.	.	.	.	2	.	1	.	2	1	.	.
	„ 22,	18·3	.	14	.	.	.	.	.	.	.	.	.	2	1	1	2	1	.	.
	„ 29,	22·2	3·9	17	.	.	.	.	.	1	.	1	1	1	3	.	1	3	.	.
	Nov. 5,	14·8	2·6	11	.	1	.	.	.	.	.	1	.	1	1	1	.	.	.	.
	„ 12,	13·0	2·6	10	.	.	.	.	.	2	.	.	.	.	2	.	1	1	1	.
	„ 19,	14·8	1·3	11	.	.	.	.	.	.	.	.	1	1	1	1	.	3	.	.
	„ 26,	24·8	1·3	19	.	.	.	.	.	.	.	.	1	3	4	.	2	1	.	.
	Dec. 3,	19·6	2·6	15	.	.	1	.	.	.	.	.	1	1	1	3	.	4	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1910 (Est.) 30,744.	Oct. 15,	11·9	3·4	7	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.
	„ 22,	32·2	3·4	19	.	.	.	.	.	.	.	.	2	3	2	1	.	1	.	1
	„ 29,	15·3	.	9	.	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.
	Nov. 5,	25·4	1·7	15	.	.	.	.	.	.	.	.	1	.	2	1	1	2	.	.
	„ 12,	8·5	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	„ 19,	25·4	.	15	.	.	.	.	.	.	.	.	.	1	.	2	1	2	.	.
	„ 26,	22·0	3·4	13	.	.	.	.	.	.	.	1	1	2	2	1	.	1	1	.
	Dec. 3,	23·7	.	14	.	.	.	.	.	.	.	.	.	.	.	1	.	4	1	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1910 (Est.) 33,559.	Oct. 15,	21·8	3·1	14	.	.	.	.	.	.	.	1	1	2	.	1	.	2	.	.
	„ 22,	26·4	3·1	17	.	.	.	.	.	.	.	1	1	.	3	1	1	2	.	.
	„ 29,	29·5	1·6	16	.	.	.	.	.	1	.	.	.	1	3	.	1	2	.	1
	Nov. 5,	21·8	1·6	14	.	.	.	.	.	.	.	.	1	1	1	3	.	2	.	.
	„ 12,	14·0	.	9	.	.	.	.	.	.	.	.	.	1	1	.	2	1	.	1
	„ 19,	14·0	.	9	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
	„ 26,	21·8	.	14	.	.	.	.	.	.	.	.	.	.	2	1	.	2	.	2
	Dec. 3,	21·8	1·6	14	.	.	.	.	1	.	.	.	.	2	.	.	.	2	.	1
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1910 (Est.) 41,476.	Oct. 15,	32·7	1·3	26	.	.	.	.	.	.	.	.	1	2	2	3	1	7	.	.
	„ 22,	20·1	2·5	16	.	.	.	.	1	.	.	.	1	2	4	.	1	2	.	.
	„ 29,	15·1	1·3	12	.	.	.	.	.	.	.	.	1	.	2	.	1	2	.	.
	Nov. 5,	17·6	5·0	14	.	.	2	.	1	.	.	.	1	1	.	1	.	5	.	1
	„ 12,	30·2	1·3	24	.	.	.	.	1	.	.	.	.	1	1	1	.	10	.	1
	„ 19,	22·6	2·5	18	.	.	1	.	1	.	.	.	.	2	2	.	.	7	.	.
	„ 26,	26·4	2·5	21	.	.	.	.	2	.	.	.	.	1	.	.	.	6	.	1
	Dec. 3,	26·4	3·8	21	.	.	.	.	1	1	.	.	1	.	2	.	.	6	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1910 (Est.) 21,754.	Oct. 15,	24·0	2·4	10	.	.	.	.	.	1	.	.	.	.	1	1	1	1	.	.
	„ 22,	28·8	2·4	12	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	1
	„ 29,	24·0	.	10	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.
	Nov. 5,	26·4	.	11	.	.	.	.	.	.	.	.	.	1	2	2	.	2	1	.
	„ 12,	21·6	.	9	.	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.
	„ 19,	19·2	.	8	.	.	.	.	.	.	.	.	.	3	1	.	1	1	.	2
	„ 26,	24·0	.	10	.	.	.	.	.	.	.	.	.	.	2	.	1	2	1	1
	Dec. 3,	26·4	4·8	11	.	.	.	.	.	2	.	.	.	1	.	.	.	4	1	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1910 (Est.) 43,227.	Oct 15,	30·2	2·4	25	.	.	.	.	.	.	.	.	2	3	2	2	1	3	1	2
	„ 22,	21·7	1·2	18	.	.	.	.	1	.	.	.	.	2	2	2	1	.	.	.
	„ 29,	22·9	2·4	19	.	.	.	.	1	.	.	.	1	2	1	3	1	1	.	1
	Nov. 5,	19·3	2·4	16	.	.	.	.	.	.	.	.	2	2	2	1	1	1	.	.
	„ 12,	24·1	1·2	20	.	.	.	.	1	.	.	.	.	4	4	3	.	1	.	.
	„ 19,	30·2	1·2	25	.	1	.	.	.	.	.	.	.	4	2	2	.	3	1	.
	„ 26,	25·3	4·8	21	.	1	.	.	1	1	.	.	1	4	1	2	2	3	.	1
	Dec. 3,	16·9	1·2	14	.	.	1	.	.	.	.	.	.	3	2	1	.	2	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1910 (Est.) 35,881.	Oct. 15,	7·3	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 22,	27·6	5·8	19	.	.	.	.	1	.	.	1	2	2	.	.	2	3	.	.
	„ 29,	18·1	1·5	9	.	.	1	.	.	.	.	.	.	1	1	.	.	1	.	.
	Nov. 5,	17·4	1·5	12	.	.	.	1	.	.	.	.	.	1	3	.	3	.	.	.
	„ 12,	17·4	2·9	12	.	.	.	.	1	.	.	.	1	2	.	1	.	3	.	.
	„ 19,	30·5	5·8	21	.	.	1	.	1	1	.	.	1	.	5	.	2	3	.	.
	„ 26,	23·3	2·9	16	.	.	.	.	1	.	.	1	.	2	2	.	.	5	.	.
	Dec. 3,	27·6	5·8	19	.	.	1	.	.	.	.	.	3	2	2	.	.	3	1	1

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From Diseases in Cols. 5–18.	TOTAL DEATHS.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	Oct. 15,	16·9	1·4	12	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	2
	„ 22,	7·0	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 29,	14·1	1·4	10	.	.	.	.	.	1	.	.	.	1	1	.	1	.	.	.
	Nov. 5,	9·9	.	7	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.
	„ 12,	14·1	2·8	10	.	.	.	.	1	.	.	.	1	1	.	1	1	2	.	1
	„ 19,	22·5	1·4	16	.	.	.	.	.	1	.	.	.	.	.	.	1	2	.	1
	„ 26,	14·1	2·8	10	.	.	.	.	1	1	.	.	.	2	.	1	1	1	.	
	Dec. 3,	16·9	.	12	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	1
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	Oct. 15,	18·0	1·8	10	.	.	.	.	1	.	.	.	.	1	1	.	1	.	.	1
	„ 22,	16·2	.	9	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.
	„ 29,	7·2	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	Nov. 5,	16·2	1·8	9	.	.	.	.	.	1	.	.	.	1	2	1	.	.	.	.
	„ 12,	7·2	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	
	„ 19,	14·4	.	8	.	.	.	.	.	.	.	.	.	.	3	.	2	1	1	
	„ 26,	12·6	.	7	.	.	.	.	.	.	.	.	.	1		1		4	.	.
	Dec. 3,	25·2	1·8	14	.	.	.	.	.	.	.	.	1	1	1	.	1	2	.	.
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	Oct. 15,	8·0	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	„ 22,	8·9	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 29,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	Nov. 5,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	„ 12,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	„ 19,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	
	„ 26,	20·7	3·0	7	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.
	Dec. 3,	5·9	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Belfast. Pop. in 1910 (Est.) 391,167.	Oct. 15,	16·3	1·8	122	.	3	.	.	1	2	.	1	3	11	17	8	7	16	.	1
	„ 22,	16·0	2·0	120	.	5	1	.	.	1	.	.	8	11	10	6	5	9	2	.
	„ 29,	15·3	1·6	115	.	.	.	.	1	.	.	1	10	7	12	8	7	19	.	.
	Nov. 5,	14·4	1·3	108	.	3	1	.	.	.	.	.	6	7	14	2	9	11	3	2
	„ 12,	16·3	0·8	122	.	1	.	.	.	1	.	.	4	13	12	7	5	23	4	3
	„ 19,	17·6	0·7	132	.	.	.	.	.	1	.	1	3	11	17	8	8	16	2	.
	„ 26,	17·9	0·7	134	.	2	1	.	1	.	.	.	1	8	17	4	9	25	5	
	Dec. 3,	14·5	0·5	109	.	2	.	.	.	1	.	.	1	7	13	7	6	25	3	3
Cork. Pop. (in 1901) 76,122.	Oct. 15,	14·4	1·4	21	.	.	.	.	1	.	.	1	.	.	5	.	1	1	.	.
	„ 22,	15·8	1·4	28	.	.	.	.	.	1	.	.	1	1	1	2	1	4	1	1
	„ 29,	17·1	0·7	25	.	.	.	.	.	.	.	1	.	.	5	.	.	3	.	.
	Nov. 5,	11·0	1·4	16	.	.	.	.	.	1	.	.	1	.	2	.	2	1	.	.
	„ 12,	15·8	0·7	23	.	.	.	.	.	.	.	.	1	1	3	1	1	4	1	.
	„ 19,	14·4	.	21	.	.	.	.	.	.	.	.	.	.	5	1	2	1	1	2
	„ 26,	17·1	0·7	25	.	.	.	.	.	.	.	.	1	1	6	2	3	2	.	.
	Dec. 3,	13·7	.	20	.	.	.	.	.	.	.	.	.	.	1	1	1	6	1	
Londonderry. Pop. in 1910 (Est.) 43,477.	Oct. 15,	14·4	.	12	.	.	.	.	.	.	.	.	.	1	1	3	1	1	.	.
	„ 22,	8·4	2·4	7	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.
	„ 29,	21·6	.	18	.	.	.	.	.	.	.	.	.	.	.	.	1	5	.	1
	Nov. 5,	10·8	.	9	.	.	.	.	.	.	.	.	.	.	2	.	.	3	1	.
	„ 12,	15·6	2·4	13	.	.	.	.	.	.	.	.	2	1	1	.	1	1	.	.
	„ 19,	18·0	2·4	15	.	1	.	1	.	.	.	.	.	.	1	1	1	3	.	.
	„ 26,	16·8	1·2	14	.	.	.	1	.	.	.	.	.	1	3	.	.	6	.	.
	Dec. 3,	15·6	1·2	13	.	.	.	.	.	.	.	.	1	2	3	.	.	1	.	1
Limerick. Pop. (in 1901) 38,151.	Oct. 15,	15·6	.	11	.	.	.	.	.	.	.	.	.	.	3	.	.	3	.	2
	„ 22,	5·5	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 29,	21·9	2·7	16	.	.	.	.	.	.	.	.	2	.	2	.	2	1	.	2
	Nov. 5,	28·2	.	17	.	.	.	.	.	.	.	.	.	2	1	.	2	3	.	3
	„ 12,	6·8	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	„ 19,	5·5	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 26,	5·5	1·4	4	.	.	.	.	.	1	.	.	.	.	1	.	1	1	.	.
	Dec. 3,	23·2	.	17	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	6
Waterford. Pop. (in 1901) 26,769.	Oct. 15,	21·4	3·9	11	.	.	.	.	.	.	.	.	2	.	2	.	.	1	.	2
	„ 22,	29·2	.	15	.	.	.	.	.	.	.	.	.	.	2	1	1	1	1	2
	„ 29,	18·6	1·9	7	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1
	Nov. 5,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 12,	15·6	.	8	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.
	„ 19,	25·3	1·9	13	.	.	.	.	.	.	.	.	1	.	1	3	1	.	.	.
	„ 26,	11·7	1·9	6	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.
	Dec. 3,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 3rd December, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-20.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia† (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		6			7	1	.	1	1	1	3	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1	2	.
Do. 2 do.		20			15	3	.	2	2	4	4	.	.	.	.	.	.	.	.	.	1	2	1	1	4	1	2	3	1
Do. 3 do.		27			12	1	.	1	1	4	5	.	.	.	.	.	.	.	.	1	1	1	.	.	4	1	1	3	.
Do. 4 do.		15			10	1	1	1	1	3	3	.	12	.	.	.	.	.	.	.	.	1	1	2	1	.	.	5	.
Do. 5 do.		10			7	.	1	1	.	4	1	.	.	.	.	.	1	.	.	.	.	.	1	.	1	.	.	1	.
Do 6 do.		7			9	2	.	.	.	1	6	.	.	.	.	.	.	.	.	.	.	.	.	1	2	1	1	2	1
Do 7 do.		2			1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do 8 do.	349,180	3			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 9 do.		12			10	2	.	.	1	4	3	.	.	.	.	.	.	.	.	.	1	1	.	.	4	.	1	2	.
Do 10 do.		12			11	4	3	.	2	1	1	.	.	.	.	.	.	.	.	.	.	2	1	1	1	.	.	.	1
Do. 11 do.		22			6	.	1	.	.	2	3	.	.	.	.	.	.	.	.	.	1	1	.	.	3	.	1	1	.
Do. 12 do.		17			11	1	1	3	2	2	2	.	.	.	.	.	.	.	.	.	1	.	3	1	3	.	.	4	.
Do. 13 do.		12			3	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15* do.		10			6	2	.	1	1	.	2	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	3	.
Total, . . .	—	175	The estimate of the Population of Belfast now adopted (see Table III.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		109	17	8	10	12	27	35	.	2	.	.	.	1	.	.	1	7	18	7	6	25	3	7	27	3
City of Cork.																													
CORK URBAN No. 1 DISTRICT,	12,867	8	16·2	.	4	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.
Do. 2 do.	10,701	7	4·9	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Do. 3 do.	9,978	1	15·7	.	3	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Do. 4 do.	8,666	2	18·1	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	1	.
Do. 5 do.	6,592	3	7·9	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Do. 6 do.	10,702	11	14·6	.	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.
Do. 7 do.	16,616	4	15·7	.	.	.	.	.	2	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	1	.
Total, . . .	76,122	36	13·7	.	20	.	1	.	5	7	7	.	.	.	.	.	.	.	.	.	.	1	1	1	6	1	3	8	.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910—Week ending																								
	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.
No. of weeks in annual Series, ..	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	43	43	44	45	46	47	48
BIRTHS registered, ...	193	231	202	213	199	259	239	214	179	219	210	159	219	190	264	194	172	200	205	228	201	183	178	156	181	175
DEATHS registered, ...	148	188	157	187	145	136	117	135	115	102	124	131	121	103	116	122	105	94	122	120	115	108	122	132	134	109
Annual Death rate per 1,000 of estimated Population, ...	19·7	24·4	20·9	18·3	19·3	18·1	15·6	18·0	15·3	13·6	16·5	17·5	16·1	13·7	15·5	16·3	14·0	12·5	16·3	16·0	15·3	14·4	16·3	17·6	17·9	14·5
AGES — Under 1 year, ...	20	44	33	24	34	26	25	35	27	27	35	49	30	28	23	29	25	31	27	27	28	24	28	27	24	17
AGES — 1-5 years, ...	54	47	45	33	29	32	23	23	19	6	17	14	15	14	13	11	14	6	14	16	8	11	6	6	5	8
AGES — 5-20 years, ...	12	15	16	13	12	7	17	10	7	7	9	11	11	4	16	6	11	8	17	9	9	9	13	15	8	10
AGES — 20-40 years, ...	25	20	17	18	25	20	19	14	15	22	19	18	9	16	12	23	17	8	15	18	16	25	18	24	21	12
AGES — 40-60 years, ...	16	23	20	21	20	25	17	25	21	22	21	19	26	20	22	18	20	21	22	23	20	16	25	23	42	27
AGES — 60 years and upwards, ..	21	34	26	28	25	26	16	28	26	18	23	20	30	21	30	25	18	20	27	27	34	23	32	37	34	35
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	38	49	36	25	24	20	21	8	7	4	7	3	.	3	1	3	1	1	3	5	.	3	1	.	2	2
Scarlet Fever, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.
Typhus, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	5	4	1	1	2	1	1	.	2	1	1	5	.	1	1	1	3	1	1	.	1	.	.	.	1	.
Diphtheria, ...	1	2	.	.	.	1	1	1	.	.	.	.	.	.	1	.	.	.	2	1	.	.	1	1	.	1
*Pyrexia** (origin uncertain , ..	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	1	.	1	1	.	.	1	2	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	1	.	.
Diarrhœal Diseases, ...	1	4	3	1	5	2	5	6	10	14	22	29	16	13	15	13	7	7	3	8	10	6	4	3	1	1
Pneumonia, ...	13	17	17	11	14	17	5	8	3	4	5	10	8	6	7	10	7	5	11	11	7	7	13	11	8	7
Tuberculous Disease, Phthisis, ..	19	24	22	11	11	9	16	15	13	12	16	10	11	12	14	11	17	9	17	10	12	14	12	17	17	13
Tuberculous Disease, Other Forms, ..	5	3	9	8	3	11	5	7	7	8	9	5	9	6	13	6	7	3	8	6	8	2	7	8	4	7
Cancer, Malignant Disease, ..	4	6	4	9	3	6	9	7	3	7	3	4	5	8	10	8	5	5	7	5	7	9	5	8	9	6
Diseases of Respiratory System,	17	14	16	7	7	15	6	16	10	5	8	8	9	5	5	8	11	9	16	9	19	11	23	16	25	25
Violent Deaths, ...	1	.	4	.	4	2	.	1	1	6	.	3	2	1	1	5	2	.	.	2	.	3	4	2	5	3
Number of Uncertified Deaths, ..	1	2	.	2	3	3	3	1	2	1	2	.	2	2	2	.	1	1	1	.	.	2	3	.	.	1

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	Dec. 3,	1,984	1,974	21·1	.	113	3	10	6	4*a*	16
EDINBURGH, ...	360,276	„ 3,	104	117	16·9	.	1	1	1	.	.	3
GLASGOW, ...	884,505	„ 3,	392	294	17·3	.	.	2	5	7	1	5
CALCUTTA, ...	1,009,008	Oct. 29,	.	428	22·0	.	1	.	.	1	119‡	50*
BOMBAY, ...	977,822	Nov. 1,	444	610	32·4	.	.	.	.	2	101‡	63*
MADRAS, ...	509,346	Oct. 14,	428	452	46·1	4	.	?	?	?	82	98*
CAIRO, ...	682,953	„ 14,	634	367	28·0	.	2	.	10†	.	.	84*b*
PARIS, ...	2,760,000	Nov. 5,	833	780	14·8	.	1	.	4†	4	4*a*	29*b*
BRUSSELS, ...	720,030	„ 12,	241	206	14·9	.	.	.	.	1	3*a*	12*b*
ANTWERP, ...	317,171	„ 12,	131	74	12·2	.	3	.	.	.	.	7*b*
AMSTERDAM, ...	574,412	„ 12,	256	127	11·5	.	1	.	1†	1	1*a*	4*b*
COPENHAGEN, ...	450,000	„ 12,	204	116	13·4	.	.	.	3†	2	2	5
STOCKHOLM, ...	341,816	„ 5,	141	84	12·8	.	.	2	1†	1	.	1
CHRISTIANIA, ...	240,178	„ 19,	117	58	12·6	.	.	.	1†	.	.	1
ST. PETERSBURG, ...	1,620,000	Oct. 29,	927	613	19·7	7	4	17	7	4	5*a*	65*
MOSCOW, ...	1,493,600	„ 22,	.	677	23·6	.	1	19	35†	2	7*a*	83
BERLIN, ...	2,129,739	Nov. 5,	824	567	13·9	.	2	8	10†	2	3*a*	28
HAMBURG, ...	895,804	„ 12,	.	239	13·9	.	.	1	5†	2	.	20
BRESLAU, ...	516,407	„ 12,	.	173	17·5	.	1	1	2	4	.	15
MUNICH, ...	576,000	„ 19,	.	196	17·7	.	11	.	2†	.	.	12
VIENNA (with suburbs),	2,130,320	„ 12,	750	554	13·5	.	4	11	2†	5	4*a*	25*b*
BUDA-PESTH, ...	833,703	„ 12,	465	270	16·8	.	1	5	2†	.	1*a*	16*b*
PRAGUE and Faubourgs.	508,310	Oct. 29,	172	169	17·3	.	.	2	3†	.	.	11*b*
TRIESTE, ...	223,521	Nov, 5,	139	81	18·9	.	2	.	.	.	2*a*	5*b*
ROME, ...	590,113	Sept. 24,	234	175	15·5	.	1	.	1	.	2*a*	27
VENICE, ...	183,224	Oct. 1,	75	54	15·4	.	.	.	1†	.	2*a*	4
NEW YORK, ...	4,803,264	Nov. 5,	2,498	1,226	13·3	.	6	6	23†	3	15*a*	70*b*
PHILADELPHIA, ...	1,598,400	Oct. 15,	.	443	14·4	.	.	3	5†	8	12*a*	44*b*
BOSTON, ...	673,745	Nov. 12,	.	181	14·0	.	.	1	2	1	3*a*	6

* Including 16 deaths from cholera in Calcutta, 2 in Bombay, 4 in Madras, and 21 in St. Petersburg.
† Including deaths from croup.
‡ Including 7 deaths from plague in Calcutta, and 15 in Bombay.
a Enteric Fever.
b Deaths from diarrhœal diseases and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 3rd December, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain) *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	.	.	.	2	.	.	.	.	.	.	.	2
" " 1, West,	.	4	.	.	3	.	.	1	2	.	.	1	11
" " 2,	.	4	.	.	.	.	.	.	1	.	.	3	8
" " 3,	.	3	.	.	.	.	.	.	.	.	.	.	3
Clontarf and Howth No. 1 (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	2	.	1	.	.	.	.	.	3
South City No. 1,	.	.	.	.	1	.	.	2	8	.	.	6	17
" " 2,	.	3	.	.	2	.	.	.	.	.	.	4	9
" " 3,	.	3	.	.	1	.	.	.	.	.	.	.	4
" " 4,	.	4	.	.	.	.	.	2	.	.	.	2	8
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	23	.	.	11	.	1	5	11	.	.	16	67

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 3rd December, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 3rd December.			
	Nov. 12.	Nov. 19.	Nov. 26.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	17	12	8	5	4	.	9
Scarlet Fever,	109	110	114	26	17	4	119[a]
Typhus,	2	.	.	.	.	.	.
Diphtheria,	76	64	64	14	13	4	61
Enteric Fever,	47	46	47	1	8	.	40
Pneumonia,	16	13	15	4	2	2	15

[a] Exclusive of 24 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 3rd December, 1910:—

"The outstanding feature in this week's weather was a persistent rainstorm during the last three days in connection with a slowly moving shallow atmospheric depression which appeared over the North of Spain and the southern part of the Bay of Biscay as early in the week as Tuesday morning. This disturbance had been preceded by a still deeper and more energetic depression which lay off the Land's End on Sunday morning. In the course of that day the system increased in depth and sped rapidly across England in a north-easterly direction, causing heavy falls of rain in many parts of England and Wales as it travelled. Its centre reached the Wash on Monday morning and the South of Norway early on Tuesday. Ireland received its feeble N. and N.W. winds, so that under a clear sky temperature fell and hoar frosts were experienced. The cold in this country culminated on Wednesday, when the screened thermometer fell to 23° at Birr Castle, King's Co., and to 28° in the City of Dublin. At that time the Biscayan depression was creeping slowly northwards up the west coast of France, strong and squally N.E. or E. winds springing up as it advanced and rain falling in large quantities—first in France, later on in England, Wales, and Ireland also. In Dublin the downpour began shortly after 9 a.m. of Thursday and continued almost without intermission till 6 p.m. of Saturday, so lasting more than 56 hours. On Friday the depression seemed to be passing at over the Atlantic, but on Saturday it was apparently merged in a still deeper system which caused a brisk fall the barometer as it approached Ireland from the ocean. In Dublin the mean height of the barometer was 29·891 ches, the range being from 29·509 inches, at 9 p.m. of Sunday (wind, N.E.) to 30·110 inches at 9 p.m. of Wednesday wind, N.W.). The corrected mean temperature was 38·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 8°. The screened thermometers rose to 45·2° on Sunday and fell to 28·0° on Wednesday. The prevalent winds ere W.N.W. and E., a gale from the latter point being felt on Friday. The rainfall was 1·613 inches on 4 days, ·773 ch being measured on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·719 inches. The highest reading (29·941) was on Wednesday at 9 p.m., wind N., and the lowest (29·334) on Sunday at 9 p.m., wind W.

The mean temperature for the week was 37·0°, being 5·8° below the average for the corresponding period of the 10 years, 1900-1909. The temperature was highest on Sunday, on which day the thermometer registered 43·6°, and was lowest on Wednesday, the mercury having fallen to 22·9°. The mean of the Dry Bulb for the week was 36·7° and of the Wet Bulb 35·9°. The mean humidity of the air was ·93, complete saturation being represented by 1·0. The rainfall during the week measured 1·820 inches.

At Greenwich the mean temperature for the week was 39·2°, the maximum 52·0°, and the minimum 28·8°; at Glasgow the maximum was 44·0°, the minimum 22·0°, and the mean 36·1°; and at Edinburgh the maximum was 46·2°, the minimum 32·1°, and the mean 37·8°. The rainfall at Greenwich measured 2·52 ins.; at Glasgow 0·08 in.; and at Edinburgh 0·18 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	THERMOMETER. Maximum.	Minimum.	Mean.	HYGROMETER. Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.)	(6.)	(7.)	(8.)	(9.)	(10.) Ins		
Sunday, November 27,	29·433	43·6	31·9	37·8	38·5	38·3	·98	·5	0·0	·255	Calm.	W.
Monday, „ 28,	29·520	42·7	32·9	37·8	34·5	33·9	·94	·4	6·0	·000	W.	W.S.W.
Tuesday, „ 29,	29·777	37·9	27·2	32·6	30·3	30·0	·96	·3	3·6	·000	W.	Calm.
Wednesday, „ 30,	29·926	36·2	22·9	29·6	29·4	29·0	·93	·5	0·0	·000	Calm.	N.
Thursday, December 1.	29·896	43·3	33·4	38·4	41·6	40·0	·89	·4	0·0	·880	N.E.	N.E.
Friday, „ 2,	29·884	43·1	39·9	41·5	41·9	40·5	·89	·3	0·0	·455	E.N.E.	E.N.E.
Saturday, „ 3,	29·595	42·2	40·1	41·2	40·8	39·7	·91	·0	0·0	·230	E.	E.S.E.
Mean, . . .	29·719	41·3	32·6	37·0	36·7	35·9	·93	·3	Total 9·6	Total 1·820	Prevailing Wind, W.	

Sunday—Day overcast, light rain p.m.; night overcast, drizzle a.m. *Monday*—Day cloudy; night clear. *Tuesday*—Day cloudy to overcast; night clear. *Wednesday*—Day overcast; night cloudy. *Thursday*—Day overcast light and heavy rain; night overcast, heavy rain a.m. *Friday*—Day overcast and rain; night overcast, rain a.m. *Saturday*—Day overcast and rain; night overcast.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, December 3rd, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Min.	Mean.	Sunshine (Campbell-Stokes Recorder) read at p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, November 27,	39·1	43·2	46·0	46·4	36·9	41·7	—	—
Monday, „ 28,	38·3	43·0	46·0	45·2	35·5	40·4	3·1	—
Tuesday, „ 29,	34·3	41·1	46·0	37·5	32·6	35·1	—	—
Wednesday, „ 30,	32·4	39·5	45·7	38·1	27·2	32·7	—	—
Thursday, December 1	43·2	39·4	45·6	44·6	35·3	40·0	—	·321
Friday, „ 2,	44·0	40·8	45·2	44·5	41·4	43·0	—	·420
Saturday, „ 3,	42·9	41·3	45·0	44·1	40·8	42·5	—	·210
Weekly Mean, . .	39·2	41·2	45·6	42·9	35·7	39·3	Total 3·1	Total 1·451

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

29889. Wt. P. 272—22/138, 375. 10. 1910. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, LTD., 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 10TH DECEMBER, 1910. [No. 49.

General Register Office, Charlemont House, Dublin, 12th December, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending				Average Rate for 4 weeks.	TOWNS, &c.	Week ending				Average Rate for 4 weeks.
	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.			Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	
22 Town Districts.	**17·9**	**19·1**	**18·1**	**19·6**	**18·7**	Limerick, . . .	5·5	5·5	23·2	13·7	12·0
						Lisburn, . . .	22·7	59·1	13·6	13·6	27·2
Armagh, . . .	13·7	6·9	41·2	.	15·5	Londonderry, . .	18·0	16·8	15·6	15·6	16·5
Ballymena, . . .	9·6	14·4	14·4	33·5	18·0	Lurgan, . . .	17·7	39·8	44·3	13·3	28·8
Belfast, . . .	17·6	17·9	14·5	20·1	17·5	Newry, . . .	12·6	29·4	21·0	12·6	18·9
Clonmel, . . .	30·8	5·1	15·4	25·6	19·2	Newtownards, . .	28·6	17·2	17·2	17·2	20·0
Cork, ...	14·4	17·1	13·7	13·7	14·7	Portadown, . .	25·8	15·5	25·8	31·0	24·5
Drogheda, . . .	16·3	8·2	16·3	8·2	12·3	Queenstown, . .	6·6	.	13·2	6·6	6·6
Dublin Reg. Area, .	20·3	21·0	21·9	23·2	21·6	Sligo, . . .	4·8	24·0	4·8	.	8·4
Dundalk, . .	8·0	31·9	16·0	12·0	17·0	Tralee, . . .	21·1	5·3	10·6	37·0	18·5
Galway, . .	11·7	7·8	19·4	7·8	11·7	Waterford, . . .	25·3	11·7	19·5	7·8	16·1
Kilkenny, . . .	9·8	59·0	9·8	34·3	28·2	Wexford, . . .	23·3	37·4	18·7	14·0	23·3

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·5 per 1,000, the rates varying from 0·0 in eighteen of the districts to 4·9 in Kilkenny, the 7 deaths from all causes for that district including one from diphtheria. Among the 151 deaths from all causes for Belfast are 3 from measles, one from scarlet fever, one from whooping-cough, 4 from diphtheria, and 4 from diarrhœal diseases, and of the 13 deaths from all causes for Londonderry, 3 are from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 174—82 boys and 92 girls—and the deaths to 188—97 males and 91 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 23·2 per 1,000 of the population, the rate for the total deaths registered in the Area being 24·3 per 1,000. During the forty-nine weeks, ending with Saturday last, the death-rate averaged 21·1, and was 2·9 below the mean rate for the corresponding portions of the ten years, 1900–9.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*), Table II. ‡ See columns 10–18 of Table II.

The total deaths from all causes included 2 deaths from measles, one* death from scarlet fever, 11 deaths from whooping-cough, one death from enteric fever, 2 deaths from diarrhœal diseases and 2 deaths from influenza.

In each of the three preceding weeks, deaths from measles were one, one, and 0; deaths from scarlet fever were 2, one, and 3; deaths from whooping-cough were 2, 6, and 5; deaths from enteric fever were 0, 2, and 0; deaths from diarrhœal diseases were 2, 4, and 6; and deaths from influenza were 0, 2, and 4.

As in the week preceding there was one death from varicella. The death of a male at 57 years of age was from tetanus.

Seven deaths were from broncho-pneumonia, and 8 deaths were attributed to *pneumonia* (not defined).

Deaths from all forms of tuberculous disease, which numbered 28, 20, and 23 in the three previous weeks, respectively, rose in the period under notice to 36; this latter figure includes 25 deaths from tuberculous phthisis (*phthisis*), one death from tuberculous meningitis, 2 deaths from tuberculous peritonitis, one death from *tabes mesenterica*, and 7 deaths from other forms of the disease.

There were 7 deaths from carcinoma, and 5 from cancer, malignant disease (undefined).

Prematurity was the cause of death of 6 infants.

Four deaths of infants were registered as caused by *convulsions*.

Thirty deaths were referred to diseases of the heart and blood vessels, and 27 deaths were caused by bronchitis.

Of 4 deaths by accidental causes, one was caused by a dray, one was by scalds, one was by burns (both the latter being of children between the ages of one year and 5 years), and one death was caused by administration of chloroform for anæsthesia.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness, and were all deaths of children under 5 years of age (including 4 infants under one year old).

Fifty-three of the persons whose deaths were registered during the week were under 5 years of age (32 being infants under one year, of whom 12 were under one month old) and 50 were aged 60 years and upwards, including 29 persons aged 70 and upwards, of whom 12 were octogenarians, and 2 (females) were stated to have been aged 90 and 93 years respectively.

Eighty of the deaths registered during the week occurred in hospitals and other public institutions; of this number 18 took place in the North Dublin Union Workhouse and 18 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 23·2 per 1,000; the rate in the City was 25·5 (North City Districts, 25·6; South 25·5) and in the Suburbs, 15·2.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·1 per 1,000 inhabitants, the rate for the City being 2·7 (1·3 in the North City Districts, and 4·1 in the South), and for the Suburbs, 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (10) are equal to an annual rate of 17·4 per 1,000. There were 2 deaths from whooping-cough, one from tuberculous phthisis, and 2 accidental deaths.

No. 1 North City District, West (Summer-hill).—The deaths (28) are equal to an annual rate of 36·5 per 1,000, and include one death each from *diarrhœa*, influenza, and varicella, and 2 deaths each from broncho-pneumonia, *pneumonia* (not defined), *phthisis*, and bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 27·1 per 1,000. Among them are one death from whooping cough, 5 deaths from tuberculous disease, and 3 deaths from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (12) represent an annual rate of 18·6 per 1,000. One death from broncho-pneumonia and 3 deaths from tuberculous disease were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 29·1 per 1,000 inhabitants; Coolock and Drumcondra, part of, 13·5; and Finglas and Glasnevin, part of, 40·7. Among the 3 deaths from all causes for Clontarf and Howth, No. 1, part of, are one from *phthisis* and one accidental death; the 3 deaths from all causes for Coolock and Drumcondra, part of, include one from *phthisis*; and of the 6 deaths from all causes for Finglas and Glasnevin, part of, one is from broncho-pneumonia.

No. 1 South City District (South Earl-street).—The deaths (15) represent an annual rate of 18·9 per 1,000, and include one death each from whooping-cough, dysentery, and influenza, one from broncho-pneumonia, 2 from tuberculous phthisis, (*phthisis*), and 2 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (8) are equal to an annual rate of 19·2 per 1,000. One death was ascribed to enteric fever, one to broncho-pneumonia, one to *pneumonia* (not defined), one to *phthisis*, and 2 were ascribed to bronchitis.

No. 3 South City District (Peter-street).—The deaths (26) are equal to an annual rate of 31·4 per 1,000. Among them are one death from measles, 5 from whooping-cough, 3 from *pneumonia* (not defined), 6 from tuberculous disease, and 6 from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (24) are equivalent to an annual rate of 34·9 per 1,000. There were 2 deaths from whooping-cough, one death from measles, one death each from broncho-pneumonia and *pneumonia* (not defined), 4 deaths from tuberculous disease, and 6 deaths from bronchitis.

New Kilmainham District.—One death was recorded last week, being equivalent to an annual rate of 5·7 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 11·3; Pembroke, 18·0; Blackrock, 17·4; and Kingstown, 17·8. There was no death from any of the principal epidemic diseases tabulated for these districts. Among the 8 deaths from all causes for Rathmines and Rathgar are 2 deaths from tuberculous phthisis (*phthisis*), and 3 deaths from bronchitis; of the 10 deaths from all causes for Pembroke 2 are from tuberculous phthisis and 3 from bronchitis; the 3 deaths from all causes for Blackrock include one from *pneumonia* (not defined) and 2 deaths from tuberculous disease; and of the 6 deaths from all causes for Kingstown one is from *phthisis*.

* See Note (c) Table II. † See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District: and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 10th December, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Nov. 19,	.	—	—	27	.	.	16	.	.	8	9	.	—	—	.	—	22	—	82
	Nov. 26,	.	—	—	12	.	.	10	.	1	5	6	.	—	—	.	—	18	—	52
	Dec. 3,	.	—	—	23	.	.	11	.	1	5	11	.	—	—	.	—	16	—	67
	Dec. 10,	.	—	—	16	.	.	10	.	1	1	1	.	—	—	.	—	8	—	37
Rathmines and Rathgar Urban District.	Nov. 19,	.	—	—	1	.	.	6	.	.	.	1	.	—	—	—	—	—	—	7
	Nov. 26,	.	—	—	2	.	.	4	.	.	.	1	.	—	—	—	—	—	—	7
	Dec. 3,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	Dec. 10,	.	—	—	2	.	.	2	.	.	1	1	.	—	—	—	—	—	—	6
Pembroke Urban District.	Nov. 19,	.	.	.	2	.	.	.	.	.	1	.	.	—	4	.	—	.	—	7
	Nov. 26,	.	.	1	1	.	.	1	.	.	1	.	.	—	3	.	—	.	—	7
	Dec. 3,	.	3	.	1	.	.	.	.	.	.	.	.	—	1	.	—	.	—	5
	Dec. 10,	.	2	.	2	.	.	.	.	.	1	1	.	—	5	.	—	.	—	11
Blackrock Urban District.	Nov. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Nov. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Dec. 3,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	.	—	—	—	2
	Dec. 10,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	.	—	—	—	2
Kingstown Urban District.	Nov. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Nov. 26,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	.	—	2
	Dec. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Dec. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Nov. 19,	.	—	—	29	.	.	9	.	.	.	4	.	—	—	—	—	18	—	60
	Nov. 26,	.	—	—	32	1	.	7	.	.	.	2	.	—	—	—	—	10	—	52
	Dec. 3,	.	—	—	30	.	.	10	.	1	1	10	.	—	—	(*a*)	—	25	—	77
	Dec. 10,	.	—	—	32	.	.	3	.	1	.	2	1	—	—	.	—	16	—	55

(*a*) Notifiable as from 1st December for a period of 12 months.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 10th December, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Seven cases of measles were admitted to hospital during the week, there were 2 deaths, and 14 cases remained under treatment at its close.

Twenty-two cases of scarlet fever were admitted to hospital, 26 were discharged, there were 2 deaths, and 113* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 110, 114, and 119, respectively.

Fifteen cases of diphtheria were admitted to hospital, 24 were discharged, there was one death, and 51 patients remained under treatment at the close of the week. The cases in hospital at the close of the 3 preceding weeks numbered 64, 64, and 61, respectively.

Five cases of enteric fever were admitted to hospital during the week, 13 were discharged, and 32 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 46, 47, and 40.

In addition to the above named diseases, 15 cases of pneumonia were admitted to hospital, 6 were discharged, there was one death, and 23 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 18·2) was equal to an average annual death-rate of 16·8 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·2 per 1,000, the rate for Glasgow being 16·0 and for Edinburgh 18·2.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 10th December. From this Report it appears that of a total of 93 cases notified, 48 were scarlet fever, 22 phthisis, 15 diphtheria, 4 erysipelas, 3 enteric fever, and one puerperal fever. Among the 467 cases of infectious diseases in hospital at the close of the week were 247 cases of scarlet fever, 77 of diphtheria, 54 of phthisis, 37 of measles, 19 of whooping-cough, 10 of erysipelas, 7 of enteric fever, 4 of chicken-pox, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 10th December, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 10TH DECEMBER, 1910.																							METEOROLOGY. (*d*)											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																				WEEK ENDING 10TH DECEMBER, 1910.				WEEK ENDING 3RD DECEMBER, 1910.				WEEK ENDING 26TH NOVEMBER, 1910.			
										DEATHS.																Air Temperature				Air Temperature				Air Temperature			
	POPULATION.		DEATHS.			BIRTHS.																															
	Total.(*a*)	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10–18.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia *b* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·2	24·1	19·6	1·5	583	482	83	132	.	5	1	.	15	5	.	1	6	34	44	19	24	82	5	6	135	18	.	.	.	.	.	.	.	.	.	.	.	.
DUBLIN REGISTRATION AREA:—TOTAL, *c.*	402,928	29·3	22·5	28·2	2·1	174	179	32	50	.	2	.	.	11	.	.	1	2	15	22	11	12	27	3	1	71	5	*c*51·0	31·2	43·4	1·70	*c*43·6	22·9	37·0	1·82	*c*52·8	26·1	42·2	1·21
CITY of DUBLIN,	310,298	39·2	24·7	25·5	2·7	147	152	30	37	.	2	.	.	11	.	.	1	2	14	16	10	10	21	3	1	64	5	*f*50·5 *g*49·9	36·8 33·0	44·9 41·0	1·98 1·77	*f*45·2 *g*44·6	28·0 24·0	38·9 37·6	1·61 1·92	*f*52·1 *g*51·9	31·1 27·0	43·1 41·8	1·14 1·19
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	7·0	11·8	.	5	8	1	6	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	21·6	18·0	.	12	10	1	3	.	.	.	.	.	.	.	.	.	.	2	.	1	3	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,018	8·3	17·4	17·4	.	3	3	.	1	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	20·7	17·8	.	7	6	.	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	3	.	51	37	45·5	2·9	46	35	40·7	1·61	53	33	44·3	1·32
URBAN DISTRICTS.																																						
BELFAST	391,167	26·6	24·7	20·1	1·7	185	151	34	36	.	3	1	.	1	4	.	.	4	13	14	5	5	36	2	5	38	4	49·0	33·5	42·3	1·68	47·0	25·8	38·6	0·09	43·2	22·0	33·6	1·01
CORK,	76,122	33·6	32·2	18·7	.	47	20	2	11	.	.	.	.	.	.	.	.	.	1	5	1	1	2	.	.	11	.	51	38	46·5	0·95	47	31	40·5	0·44	56	35	45·9	2·55
LONDONDERRY,	43,477	20·1	14·4	15·6	3·6	12	13	3	5	.	.	.	.	3	.	.	.	.	.	1	.	2	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	21·9	13·7	.	16	10	1	4	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.	.	4	4	51·4	31·9	42·7	1·16	45	21·8	35·9	0·04	55·3	31·4	43·1	1·34
WATERFORD,	26,769	18·7	31·2	7·8	.	16	4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	2·5	28·3	7·8	.	6	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	50	32	41	0·43	50	28	35	0·09	54	33	44	1·04
DUNDALK	18,076	9·4	19·9	12·0	.	5	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	16·3	8·2	.	4	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,405	17·8	25·2	13·6	.	6	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	49·8	34·0	42·4	1·37	44·2	25·8	36·8	0·13	49·0	20·8	40·5	0·68
LURGAN,	11,782	13·8	4·4	13·8	.	1	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	49·3	34·0	42·4	1·37	44·2	25·3	36·8	0·12	49·0	20·8	40·5	0·68
LISBURN,	11,461	10·1	22·7	13·6	.	5	3	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	49·8	34·0	42·4	1·37	44·2	25·3	36·8	0·12	49·0	20·8	40·5	0·68
WEXFORD,	11,168	28·2	32·7	14·0	.	7	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,886	8·9	38·3	33·5	.	8	7	1	3	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,870	8·7	28·8	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	51·4	30·0	41·8	0·37	43·8	19·0	35·2	0·20	52·4	28·8	41·5	0·93
KILKENNY,	10,609	11·5	9·8	34·8	4·9	2	7	.	5	.	.	.	.	.	1	.	.	.	.	.	.	.	3	.	.	3	.	51	31	43·6	1·49	45	25	37·4	0·24	56	28	43·9	1·06
CLONMEL,	10,167	7·8	.	25·6	.	.	5	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,092	18·2	31·0	31·0	.	6	6	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	49·8	34·0	42·4	1·37	44·2	25·3	36·8	0·12	49·0	20·8	40·5	0·68
TRALEE,	9,867	16·6	47·6	37·0	.	9	7	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	43·8	17·2	.	8	3	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	50	37	44·9	1·97	45	34	40·9	0·49	50	31	42·5	1·68
QUEENSTOWN,	7,909	14·4	33·0	6·6	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	51	38	46·5	0·95	47	31	40·5	0·44	53	35	45·9	2·55
ARMAGH,	7,588	22·2	34·4	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	49·8	34·0	42·4	1·37	44·2	25·3	36·8	0·12	49·0	20·8	40·5	0·68

(*a*) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910.

(*b*) Formerly described as "Simple Continued Fever."

(*c*) Exclusive of 9 deaths of persons admitted to hospital from localities outside the Area; of the 9 deaths one was from scarlet fever.

(*d*) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases;

BLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 10th December, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
I. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	2	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	2	.	1	.	.	.	.	1	.	5	2	.	.	.	.	.	11	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Enteric Fever,	.	.	.	1	.	.	.	1	.	.	.	.	.	.	1	.	2	.
Diarrhœal Diseases,	.	1	.	.	.	.	.	1	2	3	2	.	.	.	.	.	15	.
Pneumonia,	.	4	3	1	1	1	1	2	1	3	1	.	2	2	1	1	22	3
Tuberculous Disease. } Phthisis,	1	2	2	1	.	.	.	.	.	3	3	.	.	.	1	1	11	.
} Other Forms,	.	.	.	2	.	.	.	1	.	.	.	.	.	1	.	.	12	.
Cancer, Malignant Disease,	1	2	.	3	1	.	.	.	.	.	2	.	.	.	.	1	20	1
Other General Diseases,	2	7	2	.	.	.	.	4	1	1	1	.	1	1	.	.		
Total,	6	16	8	7	2	1	1	10	5	16	12	.	3	4	3	2	96	5
II. LOCAL DISEASES:																		
Nervous System,	1	.	.	1	.	.	1	1	.	1	3	.	.	.	.	1	8	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Heart and Blood Vessels,	.	5	4	4	.	1	4	2	1	3	3	.	1	1	.	1	30	.
Respiratory System,	.	2	3	.	.	.	.	2	2	6	6	.	3	3	.	.	27	.
Digestive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Urinary System,	.	3	.	.	.	1	.	.	.	.	.	.	.	.	.	1	5	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	1	10	7	5	.	2	5	5	3	10	12	.	4	5	.	3	72	3
III. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CAUSES ILL-DEFINED AND NOT SPECIFIED,	1	2	1	.	.	.	.	.	.	.	.	1	1	1	.	1	8	.
V. VIOLENT DEATHS,	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	3	1
Deaths from all Causes	10	28	16	12	3	3	6	15	8	26	24	1	8	10	3	6	179	9
Annual Rate of Mortality from all causes in every 1,000 of the population.	17·4	36·5	27·1	18·6	29·1	13·5	40·7	18·9	19·2	31·4	34·9	5·7	11·3	18·0	17·4	17·8	23·2	.
	25·6							25·5					15·2					
	25·5																	
Ages at Death. Under 1 year,	2	5	3	2	.	.	1	4	1	6	5	1	1	1	.	.	32	.
1 and under 5 years,	3	3	.	2	1	.	.	2	2	5	2	.	.	.	1	2	20	1
5 „ 20 „	.	2	2	.	.	.	.	.	1	1	4	.	.	1	.	1	14	1
20 „ 40 „	1	5	3	1	.	1	.	2	1	4	1	.	1	4	1	.	21	3
40 „ 60 „	2	5	5	5	1	1	.	5	3	5	4	.	1	4	1	3	42	4
60 years and upwards,	2	8	3	2	1	1	5	2	.	5	8	.	6	3	1	.	50	.
Number of Uncertified Deaths,	1	1	.	.	.	.	.	.	.	.	2	1	.	.	.	.	5	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	8	3	6	2	1	.	2	2	2	2	.	.	4	.	3	38	6
Workhouse Hospitals,	2	5	7	2	.	.	.	4	2	2	9	.	.	.	.	.	33	3

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in the corresponding week of the ten years 1900–1909,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Average in 49th Week of the 10 years, 1900–1909.	In the Week ending Saturday, 10th December, 1910.							
												Deaths of Persons of the Ages of							
	Dec 8, 1900.	Dec. 7, 1901.	Dec. 6, 1902.	Dec. 12, 1903.	Dec. 10, 1904.	Dec. 9, 1905.	Dec. 8, 1906.	Dec. 7, 1907.	Dec. 5, 1908.	Dec. 11, 1909.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 45·8	° 45·4	° 38·5	° 40·9	° 40·4	° 46·6	° 44·3	° 41·5	° 41·8	° 39·1	° 42·4	° 43·4								
ALL CAUSES.	189	153	196	186	192	168	169	207	185	177	182·2	188	12	20	21	15	24	46	36	14
Small-pox,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cowpox,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles (Morbilli),	·	·	9	1	10	·	2	·	5	1	2·8	2	·	·	1	1	·	·	·	·
Scarlet Fever,	1	1	2	·	1	1	·	1	·	1	·8	1	·	·	·	1	·	·	·	·
Typhus,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Plague,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza,	2	3	1	5	1	2	4	·	2	1	2·1	2	·	·	·	·	1	·	1	·
Whooping-cough,	4	·	·	7	·	2	5	3	2	2	2·5	11	·	5	6	·	·	·	·	·
Diphtheria,	·	2	2	·	1	1	·	2	·	·	·8	·	·	·	·	·	·	·	·	·
Cerebro-spinal Fever,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pyrexia † (origin uncertain),	·	·	1	·	·	1	·	1	·	·	·3	·	·	·	·	·	·	·	·	·
Enteric Fever,	3	1	2	1	2	2	·	2	3	1	1·7	1	·	·	·	·	1	·	·	·
Asiatic Cholera,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Epidemic Diarrhœa (Infective Enteritis.),	3	4	·	·	·	1	1	·	1	3	2·3	·	·	·	·	·	·	·	·	·
Diarrhœa, Dysentery,			1	2	1	1	1	1	2	1		2	·	·	·	·	1	·	1	
Tetanus,	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·
Rabies, Hydrophobia,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Glanders,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Anthrax (Splenic Fever),	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Venereal Disease,	·	·	·	1	1	2	2	2	·	·	·8	1	·	1	·	·	·	·	·	·
Puerperal Septicæmia,	·	·	·	·	·	·	·	1	1	·	·3	1	·	·	·	·	1	·	·	·
Puerperal Pyæmia,			·	·	·	·	·	·	·	·		·	·	·	·	·	·	·	·	·
Puerperal Fever,			1	·	·	·	·	·	·	·		·	·	·	·	·	·	·	·	·
Infective Endocarditis	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·
Pneumonia, Lobar,	15	5	8	1	1	1	1	1	1	6	15·5	7	·	3	3	·	·	·	1	·
Pneumonia, Broncho-Epidemic			8	8	6	5	7	11	11	12		·	·	·	·	·	·	·	·	·
Pneumonia, Not defined,			4	10	8	4	5	8	6	10		8	·	1	·	2	2	1	1	1
Erysipelas,	·	·	1	·	·	1	·	·	1	·	·3	·	·	·	·	·	·	·	·	·
Septicæmia (not Puerperal)	·	2	2	·	·	·	·	1	·	1	·7	·	·	·	·	·	·	·	·	·
Pyæmia (not Puerperal),			·	1	·	·	·	·	·	·		·	·	·	·	·	·	·	·	·
Other Infective Conditions,	·	·	·	1	·	·	·	·	·	·	·1	·	·	·	·	·	·	·	·	·
Tuberculous Phthisis,	18	32	1	2	9	6	10	10	8	8	22·8	10	·	·	·	2	3	3	2	·
"*Phthisis*,"			25	20	18	18	12	8	14	9		15	·	·	·	2	5	8	·	·
Tuberculous Meningitis,	7	1	3	4	2	1	3	4	3	3	3·1	1	·	·	·	1	·	·	·	·
Tuberculous Peritonitis,	5	2	1	·	2	·	1	·	·	1	1·3	2	·	1	·	1	·	·	·	·
Tabes Mesenterica,			·	·	·	·	·	·	1	·		1	·	·	1	·	·	·	·	·
Tuberculous Dis. (other),	7	4	3	5	8	2	9	2	5	4	5·0	7	·	1	2	2	1	1	·	·
Scrofula,			·	·	·	1	·	·	·	·		·	·	·	·	·	·	·	·	·
Alcoholism,	1	1	1	1	·	1	·	·	·	·	·5	·	·	·	·	·	·	·	·	·
Rheumatic Fever,	2	·	·	·	·	·	·	·	·	·	·2	1	·	·	·	·	1	·	·	·
Gout,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Carcinoma,	6	5	3	1	5	2	4	6	3	3	7·6	7	·	·	·	·	2	3	2	·
Sarcoma,			1	·	·	·	·	2	·	·		·	·	·	·	·	·	2	·	·
Cancer (undefined)			5	7	3	4	3	3	3	7		5	·	·	·	·	·	2	2	1
Diabetes Mellitus,	·	·	1	2	·	2	·	1	2	·	·8	·	·	·	·	·	·	·	·	·
Premature Birth,	4	2	2	1	9	2	8	7	6	4	4·5	6	6	·	·	·	·	·	·	·

* The figures for the year 1900 are for

† Formerly described as

FORTY-NINTH WEEK ending Saturday, 10th December, 1910, with the deaths from each cause in the and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 49th Week of the 10 years 1900-1909.	In the Week ending Saturday, 10th December, 1910.							
	Dec. 8, 1900.	Dec. 7, 1901.	Dec. 6, 1902.	Dec. 12, 1903.	Dec. 10, 1904.	Dec. 9, 1905.	Dec. 8, 1906.	Dec. 7, 1907.	Dec. 5, 1908.	Dec. 11, 1909.		Deaths of Persons of the Ages of							
												ALL AGES.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	45·8	45·4	38·5	40·9	40·4	46·6	44·3	41·5	41·8	39·1	42·4	Mean Temp. 43·4	Under 1 month.	1 month and under 1 year.	1 to 5.					
Meningitis (not tuberc.)			1	4	1	3	1	6	3	3		1	.	.	.	.	1	.	.	.
Insanity, G. P. of Insane			.	2	1	2	.	2	.	2		1	.	.	.	.	.	1	.	.
Epilepsy			.	1	.	1	.	.	.	.		.	.	.	.	.	.	.	.	.
Convulsions			11	7	4	8	3	5	3	1		4	2	2	.	.	.	.	.	.
Locomotor Ataxy			.	.	.	.	.	.	.	.		1	.	.	.	.	.	1	.	.
Paraplegia Dis. of Cord			2	3	1	2	6	1	2	1		2	.	.	.	1	1	1	.	.
Nervous System (other Dis.)			1	1	1	8	2	1	.	3		.	.	.	.	.	.	.	.	.
	47	29									41·6									
Valv. Dis., Endocarditis			3	3	6	7	7	8	7	6		6	.	.	.	2	.	3	1	.
Cerebr. Hæm. Thromb.			1	1	3	1	3	5	3	5		3	.	.	.	.	.	3	3	.
Apoplexy, Hemiplegia			7	6	9	4	5	4	5	4		6	.	.	.	.	3	.	3	.
Aneurysm			2	.	.	.	.	.	.	.		1	.	.	.	1	.	.	.	.
Embolism, Thromb. (not cerebral)			.	.	1	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Heart and Blood Vessels (other Dis.)			13	14	13	14	15	19	12	14		14	.	.	.	.	5	6	3	
Croup (not Spasm. nor Memb.)	.	.	1	.	1	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
Bronchitis	19	18	38	32	18	22	21	43	39	22	27·2	27	.	4	1	.	.	10	6	6
Asthma, Emphysema	2	2	1	.	.	.	.	.	.	.	1·5	.	.	.	.	.	.	.	.	.
Pleurisy			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Respiratory Dis. (other)			1	2	4	.	.	2	.	1		.	.	.	.	.	.	.	.	.
Tonsillitis, Quinsy	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.)	.	2	2	1	.	3	.	3	1	1	2·0	.	.	.	.	.	.	.	.	.
Gastro-enteritis			.	1	1	.	.	1	4	.		.	.	.	.	.	.	.	.	.
Peritonitis (not Puerp.)	.	.	1	.	.	2	.	.	.	2	·5	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver	2	4	2	.	2	1	3	.	.	.	2·5	1	.	.	.	.	.	1	.	.
Liver Dis. (other)			3	2	1	.	.	2	2	1										
Digestive Dis. (other)	8	5	4	3	8	9	3	3	6	5	5·4	.	.	.	.	.	.	.	.	.
Nephritis, Acute			3	2	2	1	2	2	2	1		1	.	.	.	1	.	.	.	.
Bright's Dis., Albuminuria	4	7	5	1	1	3	1	1	4	2	5·4	3	.	.	.	.	2	1	.	.
Urinary Sys. (other Dis.)			.	2	4	3	.	1	.	.		2	.	.	.	.	1	.	.	.
Generative Organs Dis.	2	.	.	1	2	.	1	.	.	1	·7	.	.	.	.	.	.	.	.	.
Childbirth (Accid. of)	.	1	.	.	2	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
Old Age	8	6	3	4	3	1	2	1	3	8	3·9	4	.	.	.	.	1	1	2	2
Other Diseases	14	11	9	5	13	8	15	11	6	11	10·3	14	4	2	4	.	.	2	.	.
ACCIDENT.																				
By Railways	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
By Vehicles and Horses	.	.	.	.	.	.	.	2	.	1	·3	1	.	.	.	.	1	.	.	.
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
In Conflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	1	2	1	3	1	1	.	2	1	3	1·5	2	.	.	2	.	.	.	.	.
By Drowning	1	.	.	1	.	.	1	.	1	.	·4	.	.	.	.	.	.	.	.	.
By Suffocation in Bed	1	.	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	.	1	.	.	.	.	.	.	.	·1	1	.	.	1	.	.	.	.	.
Other Deaths by Accident	1	1	.	2	1	1	.	2	1	.	·9	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Suicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

the Registration Area as then constituted.
"Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910—Week ending																								
	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.
No. of weeks in Annual Series,	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
BIRTHS registered.	272	183	223	229	272	225	243	198	209	240	194	228	260	235	292	196	219	161	244	182	211	207	204	182	199	174
*Average Births in corresponding week of previous 10 years,** ..	199	225	237	200	198	204	215	221	202	219	218	207	232	203	200	252	192	184	209	206	209	202	195	181	207	193
DEATHS registered, ...	140	130	127	143	118	144	127	145	143	126	146	120	141	153	174	164	160	151	174	139	147	141	166	168	176	183
Annual Death-rate per 1,000, ..	18·1	16·8	16·4	18·5	15·3	18·6	16·4	18·8	18·5	16·3	18·9	15·5	18·2	19·8	22·5	21·2	20·7	19·5	22·5	18·0	19·0	18·2	21·5	21·7	22·8	24·3
*Average Deaths in corresponding week of previous 10 years,**	152	147	136	138	142	146	147	146	148	156	166	159	157	154	167	160	158	156	160	156	172	175	179	182	182	182
AGES, Under 5 years, ...	25	27	31	50	29	48	31	31	54	37	57	42	38	59	70	60	58	44	56	40	46	47	57	49	55	53
5—20 ,, ...	13	9	11	11	10	8	18	17	8	6	8	3	16	8	9	11	7	7	14	6	14	11	10	11	10	15
20—40 ,, ...	27	32	23	24	17	17	18	27	28	23	13	18	19	23	19	16	22	25	26	21	33	11	17	24	19	24
40—60 ,, ...	35	43	28	25	27	29	30	30	28	32	27	23	33	30	32	33	38	27	31	26	25	31	22	37	33	46
60—80 ,, ...	8	28	33	23	34	34	33	35	26	24	33	26	32	30	43	37	23	39	41	41	24	38	43	36	46	36
80 years and upwards, ..	3	2	6	10	1	8	2	5	4	4	7	3	1	4	2	7	7	9	6	5	5	3	7	11	13	14
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.	1	.	.	.	1	.	1	1	.	2
Measles, ...	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	3	.	2	1	3	1
Scarlet Fever, ...	.	.	1	.	1	3	3	1	1	1	2	1	1	2	.	.	1	.	1	1	1	.	.	.	.	.
Typhus, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	2	1	3	.	1	1	.	3	3	2	.	4	3	2	1	2	2	2	5	1	1	4	2	6	5	11
Diphtheria, ...	.	.	1	2	1	.	5	1	.	2	4	1	.	2	3	2	2	1	.	4	1	2	3	2	4	.
Pyrexia † (origin uncertain), ..	.	.	.	.	.	2	2	.	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	2	.	.	.	1	2	2	.	.	2	.	1	1	1	1	.	3	1	2	1	1	.	.	2	.	1
Diarrhœal Diseases, ...	1	1	1	6	3	5	.	2	14	6	17	12	11	21	22	27	12	10	8	4	5	4	2	4	6	2
Influenza, ...	1	.	2	.	.	1	.	1	.	1	.	.	.	1	1	2	1	1	2	1	4	1	.	2	4	2
Pneumonia, ...	7	10	3	8	7	9	5	7	8	7	6	5	6	10	4	6	5	11	15	12	18	11	16	16	14	15
Tuberculous Phthisis, ..	22	24	23	11	19	11	17	24	14	17	12	17	23	15	19	18	17	14	23	17	18	16	20	14	16	25
Disease, Other Forms, ..	15	10	14	7	8	3	9	10	15	7	5	5	18	9	8	11	12	8	8	4	11	11	8	6	7	11
Cancer, Malignant Disease, ..	7	10	10	8	5	11	10	8	8	9	10	8	9	7	9	11	12	11	12	9	7	9	8	14	3	12
Diseases of Heart and Blood Vessels, ...	25	16	23	26	17	22	23	23	20	16	20	17	23	19	24	30	20	24	25	23	17	18	22	24	30	30
Diseases of Respiratory System,	11	15	7	11	18	14	13	10	8	10	11	6	10	10	20	13	16	17	17	13	18	26	26	29	37	27
Violent Deaths, ...	7	1	2	9	3	8	5	3	6	2	4	5	3	6	6	3	10	4	.	2	1	2	2	3	4	4
Number of Uncertified Deaths, ..	5	6	3	5	.	4	7	2	3	4	4	3	2	1	3	3	3	6	2	4	1	3	6	7	5	5
Mean Temperature of the Air (Phœnix Park), ...	56·4	58·1	54·7	55·5	57·1	53·9	57·3	56·5	59·2	58·3	56·6	57·2	54·8	51·0	50·4	54·2	52·5	48·2	49·1	50·4	48·1	39·6	38·2	42·2	37·0	43·4
Average Mean Temperature in corresponding week of previous 10 years, ...	53·7	55·3	56·6	57·6	58·9	60·6	58·8	58·8	58·2	57·7	56·5	56·1	54·4	53·1	53·8‡	53·7	52·2	50·6	48·4	46·2	47·1	45·2	42·7	41·5	42·8	42·4
Rainfall in inches, ...	·010	1·291	1·780	·660	·000	·840	·355	·940	·205	1·175	·111	·194	150	·015	·015	·391	·585	·183	·383	·365	·558	·860	·353	1·206	1·820	1·700
Mean Humidity of the Air, complete Saturation 1·0	·87	·92	·87	·88	·81	81	·81	·84	·85	81	·84	·88	·87	·91	·85	·89	·90	84	·92	·87	·90	·89	·85	91	93	·91

* See note (*) at foot of Table IV.

† Formerly described as "Simple Continued Fever."

‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and SEVERAL GROUPS the Population in each Class and Group in the Dublin Registration Area during the Week ending Saturday, 10th December, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS WEEK ENDING SATURDAY, 10TH DECEMBER, 1910. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal)	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS	375,850	26·1	188	53	15	24	46	36	14	.	2	1	.	11	.	.	1	2	17	15	25	11	13	4	27	4	73	5
	CLASSES. **Deaths in Families of the—**																												
I.	Professional and Independent Class, ..	17,486	23·9	8	.	.	2	1	3	2	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	5	.
II.	Middle Class, ...	87,188	21·5	36	5	1	5	7	12	6	.	.	.	.	1	.	.	.	2	3	1	7	1	2	.	5	1	16	.
III.	Artisan Class and Petty Shopkeepers, ..	110,428	14·2	30	8	2	7	7	3	3	.	.	1	.	.	.	.	.	.	1	4	4	2	3	.	7	.	9	.
IV.	General Service Class, ...	154,279	26·4	78	37	8	6	15	10	2	.	2	.	.	10	.	.	.	.	12	8	7	5	4	4	9	3	26	5
V.	Inmates of Workhouses, ...	6,024	—	26	3	4	4	16	8	1	.	.	.	.	.	.	.	1	.	1	1	7	3	1	.	6	.	17	.
I.	Professional and Independent Class.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	26·7	4	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	24·9	4	.	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
II.	Middle Class.																												
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	18·9	8	2	.	1	1	3	1	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	1	.	4	.
	6. Clerks and Commercial Assistants, ..	30,482	12·0	7	.	2	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	34·7	18	2	1	2	4	5	4	.	.	.	.	1	.	.	.	1	2	1	3	.	1	.	3	1	7	.
III.	Artisan Class and Petty Shopkeepers.																												
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	21·1	4	.	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.
	9. Building and Furnishing Trades, ...	29,801	21·0	12	5	1	.	2	3	1	.	.	1	.	.	.	.	.	.	1	2	1	1	1	.	3	.	8	.
	10. Clothing Trades, ...	23,269	9·0	4	.	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	1	.
	11. Food Supply Trades, ...	9,242	11·3	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	13·7	8	2	1	4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	1	.	3	.
	13. Petty Shopkeepers, ...	7,894	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	General Service Class.																												
	14. Army, Police, Postal Delivery and Prison Services, &c	18,425	11·7	8	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.
	15. Domestic Servants, ...	86,608	11·4	8	.	3	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	5	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	32·6	9	5	1	.	2	1	.	.	.	.	.	3	.	.	.	.	3	.	2	.	.	.	1	.	3	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	23·7	54	32	4	5	10	3	2	.	2	.	.	7	.	.	.	.	9	6	4	4	3	4	8	3	17	5
V.	Inmates of Workhouses.																												
	18. Workhouse Inmates, ...	6,024	—	26	3	4	4	16	8	1	.	.	.	.	.	.	.	1	.	1	1	7	3	1	.	6	.	17	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

DISTRICTS	1910. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Diseases in Cols. 5–13.	Total Deaths.	Number of Deaths from: Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of).																				
North City, No. 1 (E.)	Oct. 22,	17·4	1·7	10	.	.	.	.	1	.	.	.	.	1	1	.	.	3	.	.
	„ 29,	17·4	.	10	.	.	.	.	.	.	.	.	.	.	3	.	.	2	1	1
	Nov. 5,	31·4	.	18	.	.	.	.	.	.	.	.	.	2	1	.	1	4	.	2
(*Office, Clarence-st., Nth.*)	„ 12,	24·4	1·7	14	.	.	.	.	.	.	.	.	1	.	2	1	.	3	.	1
	„ 19,	22·7	.	13	.	.	.	.	.	.	.	.	.	3	2	.	.	1	.	.
	„ 26,	20·9	.	12	.	.	.	.	.	.	.	.	.	1	1	.	1	3	.	.
Pop. in 1910 (Est.) 29,908.	Dec. 3,	29·6	8·5	17	.	.	.	.	2	.	.	.	.	.	4	1	.	4	1	.
	„ 10,	17·4	8·5	10	.	.	.	.	2	.	.	.	.	.	1	.	1	.	2	1
North City, No. 1 (W.)	Oct. 22,	18·3	.	14	.	.	.	.	.	1	.	.	.	2	1	1	2	1	.	.
	„ 29,	22·2	8·9	17	.	.	.	.	.	1	.	1	1	1	3	.	1	3	.	.
	Nov. 5,	14·8	2·6	11	.	1	.	.	.	.	.	1	.	1	1	1	.	.	.	.
(*Office, Summer-hill.*)	„ 12,	18·0	2·6	10	.	.	.	.	.	2	.	.	.	.	2	.	1	3	1	.
	„ 19,	14·8	1·8	11	.	.	.	.	.	.	.	.	1	1	1	1	.	3	.	.
	„ 26,	24·8	1·8	19	.	.	.	.	.	.	.	.	1	3	1	.	2	1	.	.
Pop. in 1910 (Est.) 39,974.	Dec. 3,	19·6	2·6	15	.	.	1	.	.	.	.	.	1	1	4	3	.	4	.	.
	„ 10,	36·5	1·8	28	.	.	.	.	.	.	.	.	1	4	2	.	2	2	.	1
North City, No. 2.	Oct. 22,	32·2	3·4	19	.	.	.	.	.	.	.	.	2	3	2	1	.	1	.	1
	„ 29,	15·8	.	9	.	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.
	Nov. 5,	25·4	1·7	15	.	.	.	.	.	.	.	.	1	.	2	1	1	2	.	.
(*Office, Lisburn-street.*)	„ 12,	8·5	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	„ 19,	25·4	.	15	.	.	.	.	.	.	.	.	.	1	.	2	1	2	.	.
	„ 26,	22·0	3·4	13	.	.	.	.	.	.	.	1	1	2	2	1	.	1	1	.
Pop. in 1910 (Est.) 30,744.	Dec. 3,	28·7	.	14	.	.	.	.	.	.	.	.	.	.	.	1	.	4	1	.
	„ 10,	27·1	1·7	16	.	.	.	.	1	.	.	.	.	.	3	2	.	3	.	.
North City, No. 3.	Oct. 22,	26·4	3·1	17	.	.	.	.	.	.	.	1	1	.	3	1	1	2	.	.
	„ 29,	29·5	1·6	19	.	.	.	.	.	1	.	.	.	1	3	.	1	2	.	1
	Nov. 5,	21·8	1·6	14	.	.	.	.	.	.	.	.	1	1	1	3	.	2	.	.
(*Office, Benburb-street.*)	„ 12,	14·0	.	9	.	.	.	.	.	.	.	.	.	1	1	.	2	1	.	.
	„ 19,	14·0	.	9	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 26,	21·8	.	14	.	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.
Pop. in 1910 (Est.) 33,559.	Dec. 3,	21·8	1·6	14	.	.	.	.	1	.	.	.	.	2	.	.	.	2	.	.
	„ 10,	18·6	.	12	.	.	.	.	.	.	.	.	.	1	1	2	3	.	.	1
South City, No. 1.	Oct. 22,	20·1	2·5	16	.	.	.	.	1	.	.	.	1	2	4	.	1	2	.	.
	„ 29,	15·1	1·3	12	.	.	.	.	.	.	.	.	1	.	2	.	1	2	.	.
	Nov. 5,	17·6	5·0	14	.	.	2	.	1	.	.	.	1	1	.	1	.	5	.	.
(*Office, Sth. Earl-street.*)	„ 12,	30·2	1·3	24	.	.	.	.	1	.	.	.	.	1	1	1	.	10	.	.
	„ 19,	22·6	2·5	18	.	.	1	.	1	.	.	.	.	2	2	.	.	7	.	.
	„ 26,	26·4	2·5	21	.	.	.	.	2	.	.	.	.	1	.	.	.	6	.	1
Pop. in 1910 (Est.) 41,476.	Dec. 3,	26·4	3·8	21	.	.	.	.	1	1	.	.	1	.	2	.	.	6	.	.
	„ 10,	18·9	2·5	15	.	.	.	.	1	.	.	.	1	1	2	.	1	2	.	.
South City, No. 2.	Oct. 22,	28·8	2·4	12	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	1
	„ 29,	24·0	.	10	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.
	Nov. 5,	26·4	.	11	.	.	.	.	.	.	.	.	.	1	2	2	.	3	1	.
	„ 12,	21·6	.	9	.	.	.	.	.	.	.	.	.	.	2	1	.	3	.	.
(*Office, Castle-street.*)	„ 19,	19·2	.	8	.	.	.	.	.	.	.	.	.	3	1	.	1	1	.	.
	„ 26,	24·0	.	10	.	.	.	.	.	.	.	.	.	.	2	.	1	2	1	.
Pop. in 1910 (Est.) 21,754.	Dec. 3,	26·4	4·8	11	.	.	.	.	.	2	.	.	.	1	.	.	.	4	1	.
	„ 10,	19·2	2·4	8	.	.	.	.	.	.	.	1	.	2	1	.	.	2	.	.
South City, No. 3.	Oct. 22,	21·7	1·2	18	.	.	.	.	1	.	.	.	1	2	2	2	1	.	.	1
	„ 29,	22·9	2·4	19	.	.	.	.	1	.	.	.	1	3	1	3	1	1	.	.
	Nov. 5,	19·3	2·4	16	.	.	.	.	.	.	.	.	2	2	2	1	1	1	.	.
(*Office, Peter street.*)	„ 12,	24·1	1·2	20	.	.	.	.	1	.	.	.	.	4	4	3	.	1	.	.
	„ 19,	30·2	1·2	25	.	1	.	.	.	.	.	.	.	4	2	2	.	3	1	.
	„ 26,	25·3	4·8	21	.	1	.	.	1	1	.	.	1	4	1	2	2	3	.	1
Pop. in 1910 (Est.) 43,227.	Dec. 3,	16·9	1·2	14	.	.	.	1	.	.	.	.	.	3	2	1	.	2	.	.
	„ 10,	31·4	7·2	26	.	1	.	.	5	.	.	.	.	3	3	3	.	6	.	.
South City, No. 4.	Oct. 22,	27·6	5·8	19	.	.	.	.	1	.	.	1	2	2	.	.	2	3	.	.
	„ 29,	18·1	1·5	9	.	.	1	.	.	.	.	.	.	1	1	.	.	1	.	.
	Nov. 5,	17·4	1·5	12	.	.	.	1	.	.	.	.	.	1	3	.	3	.	.	.
(*Office, Grand Canal-st.*)	„ 12,	17·4	2·9	12	.	.	.	.	1	.	.	.	1	2	.	1	.	3	.	.
	„ 19,	30·5	5·8	21	.	.	1	.	1	1	.	.	1	.	5	.	2	3	.	.
	„ 26,	23·3	2·9	16	.	.	.	.	1	.	.	1	.	2	2	.	.	5	.	.
Pop. in 1910 (Est.) 35,881.	Dec. 3,	27·6	5·8	19	.	.	1	.	.	.	.	.	3	3	2	.	.	3	1	.
	„ 10,	34·9	4·4	24	.	1	.	.	2	.	.	.	.	2	1	3	2	6	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases: with the Mortality from *being assigned to the Districts from which the deceased were admitted*; also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From all Causes	From Diseases in Cols. 5–18.	TOTAL DEATHS.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia * (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (excluding Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1910 (Est.) 37,047.	Oct. 22,	7·0	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 29,	14·1	1·4	10	.	.	.	.	.	1	.	.	.	1	1	.	1	.	.	.
	Nov. 5,	9·9	.	7	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.
	„ 12,	14·1	2·8	10	.	.	.	.	1	.	.	.	1	1	.	1	1	2	.	1
	„ 19,	22·5	1·4	16	.	.	.	.	.	1	.	.	.	.	.	.	1	2	.	1
	„ 26,	14·1	2·8	10	.	.	.	.	1	1	.	.	.	2	.	1	1	1	.	.
	Dec. 3,	16·9	.	12	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	1
	„ 10,	11·3	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.
Pembroke Urban District. Pop. in 1910 (Est.) 28,948.	Oct. 22,	16·2	.	9	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.
	„ 29,	7·2	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	Nov. 5,	16·2	1·8	9	.	.	.	.	.	1	.	.	.	1	2	1	.	.	.	.
	„ 12,	7·2	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	„ 19,	14·4	.	8	.	.	.	.	.	.	.	.	.	.	3	.	2	1	1	.
	„ 26,	12·6	.	7	.	.	.	.	.	.	.	.	.	1	.	1	.	4	.	.
	Dec. 3,	25·2	1·8	14	.	.	.	.	.	.	.	.	1	1	1	.	.	2	.	.
	„ 10,	18·0	.	10	.	.	.	.	.	.	.	.	.	.	2	.	1	3	.	.
Kingstown Urban District. Pop. in 1910 (Est.) 17,622.	Oct. 22,	8·9	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 29,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	Nov. 5,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	„ 12,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	„ 19,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.
	„ 26,	20·7	8·0	7	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.
	Dec. 3,	5·9	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 10,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
Belfast. Pop. in 1910 (Est.) 391,167.	Oct 22,	16·6	2·0	120	.	5	1	.	.	1	.	.	8	11	10	6	5	9	2	.
	„ 29,	15·3	1·6	115	.	.	.	.	1	.	.	1	10	7	12	8	7	19	.	.
	Nov. 5,	14·4	1·3	108	.	3	1	.	.	.	.	.	6	7	14	2	9	11	3	2
	„ 12,	16·3	0·8	122	.	1	.	.	1	.	.	.	4	13	12	7	5	23	4	3
	„ 19,	17·6	0·7	132	.	.	.	.	.	1	.	1	3	11	17	8	8	16	3	.
	„ 26,	17·9	0·7	134	.	2	1	.	1	.	.	.	1	8	17	4	9	25	5	.
	Dec. 3,	14·5	0·5	109	.	2	.	.	.	1	.	.	1	7	13	7	6	25	3	3
	„ 10,	20·1	1·7	151	.	3	1	.	1	4	.	.	4	13	14	5	5	36	2	4
Cork. Pop. (in 1901) 76,122.	Oct. 22,	15·8	1·4	23	.	.	.	.	.	.	.	.	1	1	1	2	1	4	1	1
	„ 29,	17·1	0·7	25	.	.	.	.	.	.	.	1	.	.	5	.	.	3	.	.
	Nov. 5,	14·0	1·4	16	.	.	.	.	.	1	.	.	1	.	2	.	2	1	.	.
	„ 12,	15·8	0·7	23	.	.	.	.	.	.	.	.	1	1	3	1	3	4	1	.
	„ 19,	14·4	.	21	.	.	.	.	.	.	.	.	.	.	5	1	2	1	1	2
	„ 26,	17·1	0·7	25	.	.	.	.	.	.	.	.	1	1	6	2	3	2	.	.
	Dec. 3,	13·7	.	20	.	.	.	.	.	.	.	.	.	.	1	1	1	6	1	
	„ 10,	13·7	.	20	.	.	.	.	.	.	.	.	.	1	5	1	1	2	.	
Londonderry. Pop. in 1910 (Est.) 43,477.	Oct. 22,	8·4	2·4	7	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	
	„ 29,	21·6	.	18	.	.	.	.	.	.	.	.	.	.	.	1	2	5	.	1
	Nov. 5,	10·8	.	9	.	.	.	.	.	.	.	.	.	.	2	.	.	3	1	.
	„ 12,	15·6	2·4	18	.	.	.	.	.	.	.	.	2	1	1	.	1	1	.	.
	„ 19,	18·0	2·1	15	.	.	1	.	1	.	.	.	.	.	1	1	1	3	.	.
	„ 26,	16·8	1·2	14	.	.	.	.	1	.	.	.	.	1	3	.	.	6	.	.
	Dec. 3,	15·6	1·2	13	.	.	.	.	.	.	.	.	1	2	3	.	.	1	.	1
	„ 10,	15·6	3·6	13	.	.	.	.	3	.	.	.	.	.	1	.	2	1	.	1
Limerick. Pop. (in 1901) 38,151.	Oct. 22,	5·5	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 29,	21·9	2·7	16	.	.	.	.	.	.	.	.	2	.	2	.	2	1	.	2
	Nov. 5,	23·2	.	17	.	.	.	.	.	.	.	.	.	2	1	.	2	3	.	3
	„ 12,	6·8	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	„ 19,	5·5	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 26,	5·5	1·4	4	.	.	.	.	.	1	.	.	.	.	1	.	1	1	.	.
	Dec. 3,	28·2	.	17	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	6
	„ 10,	18·7	.	16	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.	4
Waterford. Pop. (in 1901) 26,769.	Oct. 22,	29·2	.	15	.	.	.	.	.	.	.	.	1	.	2	1	1	1	1	2
	„ 29,	18·6	1·9	7	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	Nov. 5,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 12,	15·6	.	8	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	1
	„ 19,	25·3	1·9	13	.	.	.	.	.	.	.	.	1	.	1	3	1	.	.	.
	„ 26,	11·7	1·9	6	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.
	Dec. 3,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.
	„ 10,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 10th December, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-20.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexial (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		8			10	2	2	.	2	1	3	.	.	.	.	.	.	.	.	.	2	.	.	3	.	2	4	.
Do. 2 do.		22			19	3	1	3	3	4	5	.	.	1	.	.	.	.	.	1	.	3	2	.	5	.	.	5	.
Do. 3 do.		22			16	6	.	1	2	4	3	.	.	.	.	.	.	.	.	.	3	1	1	.	3	.	.	3	2
Do. 4 do.		30			13	6	.	1	1	2	3	.	1	.	.	1	.	.	.	.	.	1	1	.	4	.	.	6	.
Do. 5 do.		9			6	1	1	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	2	1
Do. 6 do.		9			15	1	1	1	4	3	5	.	.	.	.	.	.	.	.	.	3	2	.	3	4	1	1	5	.
Do. 7 do.		4			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	349,180	6			4	3	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		12			7	1	2	.	1	1	2	.	1	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.
Do. 10 do.		3			9	1	1	.	2	2	3	.	.	.	.	.	.	.	.	.	.	1	2	1	2	.	.	2	.
Do. 11 do.		15			17	3	1	2	3	5	3	.	.	.	.	.	.	.	.	.	2	4	1	.	3	.	.	4	.
Do. 12 do.		22			18	4	1	1	2	7	3	.	.	.	.	.	.	.	.	.	.	2	.	.	5	.	1	4	.
Do. 13 do.		13			5	1	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 * do.		10			12	2	.	1	1	4	4	.	.	.	.	.	4	.	.	.	.	1	.	.	2	.	.	3	1
Total,	—	185	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		151	34	11	11	22	37	36	.	3	1	.	1	4	.	.	4	13	14	5	5	36	2	5	38	4
City of Cork.																													
CORK URBAN No. 1 DISTRICT,	12,867	8	20·3	.	5	1	.	.	1	.	3	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	3	.
Do. 2 do.	10,701	6	14·6	.	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 3 do.	9,978	5	5·2	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 4 do.	8,666	6	6·0	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 5 do.	6,592	7	7·9	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 6 do.	10,702	7	14·1	.	7	.	.	1	1	1	4	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.	.	5	.
Do. 7 do.	16,616	8	6·8	.	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	76,122	47	13·7	.	20	2	.	1	4	2	11	.	.	.	.	.	.	.	.	.	1	5	1	1	2	.	.	11	.

* New district formed as from 1st Jan., 1910, and the boundaries of Nos. 1, 4 & 6 districts altered; the population of each of these districts, as at present constituted, is not yet available.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910—Week ending																								
	June 18.	June 25.	July 2.	July 9	July 16.	July 23.	July 30.	Aug. 6.	Aug 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.
No. of weeks in annual Series, ..	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
BIRTHS registered, ...	231	202	213	199	259	239	214	179	219	210	159	219	190	264	194	172	200	205	228	201	183	178	156	161	175	185
DEATHS registered, ...	183	157	137	145	136	117	135	115	102	124	131	121	108	116	122	103	94	122	120	115	108	122	132	134	109	151
Annual Death rate per 1,000 of estimated Population, ...	24·4	20·9	18·3	19·3	18·1	15·6	18·0	15·3	13·6	16·5	17·5	16·1	13 7	15·5	16·3	14·0	12·5	16·3	16·0	15·3	14·4	16·3	17 6	17·9	14·5	20·1
AGES — Under 1 year, ...	44	33	24	34	26	25	35	27	27	35	49	30	28	23	29	25	31	27	27	28	24	28	27	24	17	34
AGES — 1-5 years, ...	47	45	33	29	32	23	28	19	6	17	14	15	14	15	11	14	6	14	16	8	11	6	6	5	8	11
AGES — 5 20 years, ...	15	16	13	12	7	17	10	7	7	9	11	11	4	16	6	11	3	17	9	9	9	13	15	8	10	11
AGES — 20-40 years, ...	20	17	18	25	20	19	14	15	22	19	18	9	16	12	23	17	8	15	18	16	25	18	24	21	12	22
AGES — 40-60 years, ...	23	20	21	20	25	17	25	21	22	21	19	26	20	32	18	20	21	23	23	20	16	25	23	42	27	37
AGES — 60 years and upwards, ..	34	26	28	25	26	16	28	26	18	28	20	30	21	30	35	18	20	27	27	34	23	32	37	34	35	36
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	49	36	25	24	20	21	8	7	4	7	3	.	3	1	3	1	1	3	5	.	3	1	.	2	2	3
Scarlet Fever, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	1
Typhus, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	4	1	1	2	1	1	.	2	1	1	5	.	1	1	1	3	1	1	.	1	.	.	.	1	.	1
Diphtheria, ...	2	.	.	.	1	1	1	.	.	.	.	.	.	1	.	.	.	2	1	.	.	1	1	.	1	4
*Pyrexia** (origin uncertain , ..	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	.	1	1	.	.	1	2	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	1	.	.	.
Diarrhœal Diseases, ...	4	3	1	5	2	5	6	10	14	23	29	16	13	15	13	7	7	3	8	10	6	4	3	1	1	4
Pneumonia, ...	17	17	11	14	17	5	8	3	4	5	10	3	6	7	10	7	5	11	11	7	7	13	11	8	7	13
Tuberculous Disease, Phthisis, ..	24	22	11	11	9	16	15	13	13	16	10	11	12	14	11	17	9	17	10	12	14	12	17	17	13	14
Tuberculous Disease, Other Forms, ..	3	9	3	3	11	5	7	7	3	9	5	9	6	13	6	7	3	3	6	3	2	7	3	4	7	5
Cancer, Malignant Disease, ..	6	4	9	3	6	9	7	3	7	3	4	5	3	10	3	5	5	7	5	7	9	5	3	9	6	5
Diseases of Respiratory System,	14	16	7	7	15	6	16	10	5	3	3	9	5	5	3	11	9	16	9	19	11	23	16	25	25	36
Violent Deaths, ...	.	4	.	4	2	.	1	1	6	.	3	2	1	1	5	2	.	.	2	.	3	4	2	5	3	2
Number of Uncertified Deaths, ..	2	.	2	3	3	3	1	2	1	2	..	2	2	2	.	1	1	1	.	.	2	3	.	.	3	4

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	Dec. 10,	2,228	1,703	18·2	.	66	.	10	15	.	12
EDINBURGH, ...	360,276	„ 10,	138	126	18·2	.	1	1	3	.	.	1
GLASGOW, ...	884,505	„ 10,	408	271*c*	16·0	.	1	1	7	3	1*a*	2
CALCUTTA, ...	1,009,008	Nov. 5,	.	450	23·1	3	2	.	4	.	106‡	62*
BOMBAY, ...	977,822	„ 8,	394	602	32·0	.	3	.	.	.	87‡	53*
MADRAS, ...	509,346	Oct. 21,	388	338	34·5	2	.	?	?	?	70	66*
CAIRO, ...	682,953	„ 21,	639	382	29·2	.	2	.	20†	.	3*a*	72*b*
PARIS, ...	2,760,000	Nov. 12,	938	823	15·6	.	1	.	6†	5	5*a*	31*b*
BRUSSELS, ...	720,030	„ 19,	220	185	13·4	.	.	.	1†	.	2*a*	11*b*
ANTWERP, ...	317,171	„ 19,	112	68	11·2	.	5	1	.	.	.	7*b*
AMSTERDAM, ...	574,429	„ 19,	240	134	12·2	.	1	.	2†	1	2*a*	1*b*
COPENHAGEN, ...	450,000	„ 19,	253	125	14·5	.	.	1	.	.	.	5
STOCKHOLM, ...	341,816	„ 12,	154	74	11·3	.	.	1	1†	3	.	.
CHRISTIANIA, ...	240,178	„ 26,	108	45	9·7	.	.	.	.	.	.	1
ST. PETERSBURG, ...	1,620,000	„ 5,	965	648	20·9	2	4	15	10	6	5*a*	51*
MOSCOW, ...	1,493,600	Oct. 29,	.	700	24·4	2	3	19	30†	5	5*a*	46
BERLIN, ...	2,131,032	Nov. 12,	807	591	14·5	.	2	7	16†	3	1*a*	31
HAMBURG, ...	895,804	„ 19,	.	267	15·5	.	2	3	19†	3	.	21
BRESLAU, ...	516,407	„ 19,	.	203	20·5	.	.	2	2	.	1	13
MUNICH, ...	576,000	„ 26,	.	191	17·2	.	9	1	4†	.	2	19
VIENNA (with suburbs),	2,130,320	„ 19,	755	687	16·8	.	5	5	7†	.	1*a*	31*b*
BUDA-PESTH, ...	833,703	„ 19,	467	302	18·8	.	.	2	1†	.	3*a*	9*b*
PRAGUE and Faubourgs.	508,310	„ 5,	164	172	17·6	.	.	3	2†	.	1*a*	5*b*
TRIESTE, ...	223,521	„ 12,	134	94	21·9	.	.	.	2†	.	.	6*b*
ROME, ...	590,113	Oct. 1,	297	167	14·8	.	1	1	1	2	2*a*	15*
VENICE, ...	183,224	„ 8,	.	.	.	.	.	.	.	.	.	.
NEW YORK, ...	1,803,264	Nov. 12,	2,510	1,334	14·5	.	5	3	30†	3	26*a*	62*b*
PHILADELPHIA, ...	1,598,400	Oct. 22,	.	412	13·4	.	.	.	7†	6	7*a*	35*b*
BOSTON, ...	673,745	Nov. 19,	.	211	16·3	.	.	.	.	.	4*a*	12

* Including 21 deaths from cholera in Calcutta, 12 in Bombay, 8 in Madras, 8 in St. Petersburg and 2 in Rome
† Including deaths from croup.
‡ Including 4 deaths from plague in Calcutta, and one in Bombay.
a Enteric Fever.
b Deaths from diarrhœal diseases and from enteritis of children under two years of age.
c Including 2 deaths from cerebro-spinal meningitis.

ABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 10th December, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	1	.	.	.	.
" " 1, West,	.	.	.	.	4	.	.	.	.	.	.	.	5
" " 2,	.	7	.	.	2	.	.	1	.	.	.	2	2
" " 3,	.	.	.	.	.	.	.	.	.	.	.	1	11
Clontarf and Howth No. 1 (part of),	.	2	.	.	.	.	1	.	.	.	.	.	3
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	1	.	.	1	.	.	.	.	.	.	2	4
South City No. 1,	.	1	.	.	1	.	.	.	.	.	.	2	4
" " 2,	.	.	.	.	1	.	.	.	.	.	.	.	1
" " 3,	.	4	.	.	.	.	.	.	.	.	.	1	5
" " 4,	.	1	.	.	1	.	.	.	.	.	.	.	2
Total,	.	16	.	.	10	.	1	1	1	.	.	8	37

BLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 10th December, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 10th December.			
	Nov. 19.	Nov. 26.	Dec. 3.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	12	8	9	7	.	2	14
Scarlet Fever,	110	114	119	22	26	2	113*
Typhus,	.	.	.	.	.	.	.
Diphtheria,	64	64	61	15	24	1	51
Enteric Fever,	46	47	40	5	13	.	32
Pneumonia,	13	15	15	15	6	1	23

* Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.Sc., F.R.MET.SOC., reports as follows on the weather during the k ended 10th December, 1910:—

"Throughout this week the weather was continuously in a mild, but extremely unsettled, squally and rainy state over Western Europe. A very marked and extensive reduction of atmospheric pressure took place over the th Atlantic Ocean at the beginning of the period, and from time to time deep barometric depressions spread in n their central area off the S.W. of Ireland over the British Isles, France, the Low Countries, and Denmark. ir southerly winds raised temperature, blew strongly, and brought copious downpours of rain to most districts. ing the first three days much gloom and fog prevailed in the Dublin district, and rain fell abundantly on Monday ning. Wednesday broke fair and cool, but clouds increased quickly as a new, large, and deep depression roached Ireland from S.W. At 7 a.m. of Thursday the barometer stood as low as 28·51 inches at Valentia, in ry. The S. and S.E. winds of the system blew with the force of a fresh or strong gale at the mouths of the lish and St. George's Channels and on the more exposed parts of the Irish coasts. The disturbance moved very ly northwards along the west coast of Ireland, and at the same time spread out eastwards so that gradients me less steep in Ireland and the force of the wind abated. Yet another depression of a subsidiary character ved off the S.W. of Ireland on Friday night so that early on Saturday morning the barometer fell to 28·57 inches in Dublin, the reading at 7 a.m. being only 28·51 inches at Valentia and 28·45 inches on board the SS. 'New k' 150 miles W. of the Land's End. In Dublin the mean height of the barometer was 28·988 inches, the range ressure being from 29·394 inches, at 9 a.m. of Sunday (wind, calm) to 28·570 inches about 3 a.m. of Saturday d, S.S.E.). The corrected mean temperature was 44·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being °. On Tuesday the screened thermometers fell to 36·8°, on Thursday they rose to 50·5°. Southerly winds ailed. Rain fell daily to the large amount of 1·984 inches, ·514 inch being recorded on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 28·827 inches. The highest reading (29·223) was on Sunday at 9 a.m., air calm, and the lowest (28·482) on Saturday at 9 a.m., wind S.E.

The mean temperature for the week was 43·4°, being 1·0° above the average for the corresponding period of the 10 years, 1900-1909. The temperature was highest on Thursday, on which day the thermometer registered 51·0°, and was lowest on Tuesday the mercury having fallen to 31·2°. The mean of the Dry Bulb for the week was 43·6° and of the Wet Bulb 42·5°. The mean humidity of the air was ·91, complete saturation being represented by 1·0. The rainfall during the week measured 1·700 inches.

At Greenwich the mean temperature for the week was 47·8°, the maximum 53·9°, and the minimum 40·1°; at Glasgow the maximum was 50·0°, the minimum 36·3°, and the mean 44·2°; and at Edinburgh the maximum was 48·6°, the minimum 35·7°, and the mean 43·1°. The rainfall at Greenwich measured 0·71 in.; at Glasgow 1·32 ins.; and at Edinburgh 0·30 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	THERMOMETER. Maximum.	Minimum.	Mean.	HYGROMETER. Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins		
Sunday, December 4,	29·121	41·2	33·9	37·6	39·6	38·7	·93	·3	0·0	·315	Calm.	E.S.E
Monday, „ 5,	28·804	47·3	39·9	43·6	44·4	43·2	·92	·3	0·0	·130	N.E.	Calm
Tuesday, „ 6,	29·066	44·6	31·2	37·9	35·8	35·6	·98	·5	0·0	·020	Calm.	Calm
Wednesday, „ 7,	29·074	50·6	32·9	41·8	41·9	40·5	·90	·4	1·6	·320	Calm.	E.S.E
Thursday, „ 8	28·653	51·0	45·4	48·2	49·0	47·4	·89	·6	0·0	·450	E.S.E.	E.S.E
Friday, „ 9,	28·529	49·8	44·9	47·4	46·5	44·7	·88	·6	0·0	·165	E.S.E.	S.S.W
Saturday, „ 10,	28·541	49·8	44·4	47·1	48·1	47·2	·87	·4	0·0	·300	S.E.	E.S.E
Mean, . . .	28·827	47·8	38·9	43·4	43·6	42·5	·91	·4	Total 1·6	Total 1·700	Prevailing Wind E.S.E.	

Sunday—Day overcast, drizzling; night overcast, drizzle a.m. *Monday*—Day overcast and rain; night cloudy. *Tuesday*—Day overcast, rain a.m.; night clear. *Wednesday*—Day cloudy to overcast, drizzle p.m.; night overcast, drizzle and heavy rain a.m. *Thursday*—Day overcast, drizzle and heavy rain; night clear, light rain a.m. *Friday*—Day overcast, light rain a.m.; night overcast, drizzle and heavy rain a.m. *Saturday*—Day overcast, light rain; night overcast, drizzle and heavy rain a.m.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, December 10th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him this Table.

1910. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Min.	Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall
	°	°	°	°	°	°	hrs.	ins.
Sunday, December 4,	40·4	41·5	45·0	43·2	38·0	40·6	—	·429
Monday, „ 5,	47·2	41·8	44·9	48·5	38·1	43·3	—	·050
Tuesday, „ 6,	40·0	41·8	44·9	48·0	36·3	42·2	—	·012
Wednesday, „ 7,	43·2	41·1	44·9	49·8	38·2	44·0	0·6	·185
Thursday, „ 8	44·5	42·3	45·0	51·1	41·4	46·3	—	·480
Friday, „ 9,	46·3	43·9	45·2	51·1	40·6	45·9	—	·310
Saturday, „ 10,	49·3	44·3	45·1	50·8	44·9	47·9	—	·303
Weekly Mean, . .	44·4	42·4	45·0	48·9	39·6	44·3	Total 0·6	Total 1·769

ERRATA.—In the Return for the week ended 3rd instant, the rainfall at Trinity College for the 27th ult. should read ·215 inch, and the total for the week, 1·666 inches.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 17TH DECEMBER, 1910. [No. 50.

General Register Office, Charlemont House, Dublin, 19th December, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending				Average Rate for 4 weeks.	TOWNS, &c.	Week ending				Average Rate for 4 weeks.
	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.			Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	
22 Town Districts.	**19·1**	**18·1**	**19·6**	**19·6**	**19·1**	Limerick, . . .	5·5	23·2	13·7	21·9	16·1
						Lisburn, . . .	59·1	13·6	13·6	13·6	25·0
Armagh, ...	6·9	41·2	.	13·7	15·5	Londonderry, . .	16·8	15·6	15·6	20·4	17·1
Ballymena, . . .	14·4	14·4	33·5	14·4	19·2	Lurgan, . . .	39·8	44·3	13·3	48·7	36·5
Belfast, . . .	17·9	14·5	20·1	17·7	17·6	Newry, . . .	29·4	21·0	12·6	25·2	22·0
Clonmel, ...	5·1	15·4	25·6	15·4	15·4	Newtownards, . .	17·2	17·2	17·2	11·4	15·8
Cork, ...	17·1	13·7	13·7	20·5	16·3	Portadown, . .	15·5	25·8	31·0	15·5	21·9
Drogheda, . . .	8·2	16·3	8·2	24·5	14·3	Queenstown, . .	.	13·2	6·6	26·4	11·6
Dublin Reg. Area, .	21·0	21·9	23·2	19·8	21·5	Sligo, . . .	24·0	4·8	.	9·6	9·6
Dundalk, . .	31·9	16·0	12·0	8·0	17·0	Tralee, . . .	5·3	10·6	37·0	10·6	15·9
Galway, . .	7·8	19·4	7·8	19·4	13·6	Waterford, . . .	11·7	19·5	7·8	35·1	18·5
Kilkenny, . . .	59·0	9·8	34·3	29·5	33·1	Wexford, . . .	37·4	18·7	14·0	23·3	23·3

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·0 per 1,000, the rates varying from 0·0 in seventeen of the districts to 26·6 in Lurgan, the 11 deaths from all causes for that district including 6 from measles. Among the 133 deaths from all causes for Belfast are 3 from measles, 2 from scarlet fever, and 3 from diarrhœal diseases. Of the 30 deaths from all causes for Cork, one is from whooping-cough, and one from diarrhœa, and included in the 5 deaths from all causes for Galway is one from enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 232—129 boys and 103 girls—and the deaths to 165—79 males and 86 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·8 per 1,000 of the population, the rate for the total deaths registered in the Area being 21·4 per 1,000. During the fifty weeks, ending with Saturday last, the death-rate averaged 21·1, and was 2·9 below the mean rate for the corresponding portions of the ten years, 1900–9.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*), Table II. ‡ See columns 10–18 of Table II.

The total deaths registered included one death from each of the following diseases:—measles, scarlet fever, and whooping-cough; 3* deaths were from diphtheria, 2* from enteric fever, and 2* deaths from diarrhœal diseases (one of these latter being the death of an infant under one year of age); there was also registered at this age period one death from *gastro-enteritis*. There was one death from influenza.

The deaths from measles, registered in each of the three weeks preceding, were one, 0, and 2; the deaths from scarlet fever were one, 3, and one; the deaths from whooping-cough were 6, 5, and 11; the deaths from diphtheria were 2, 4, and 0; the deaths from enteric fever were 2, 0, and one; the deaths from diarrhœal diseases were 4, 6, and 2; and the deaths from influenza in each of the above-mentioned weekly periods were 2, 4, and 2.

Of 27 deaths from pneumonia (all forms), there were 4 from lobar pneumonia, 9 from broncho-pneumonia, and 14 deaths from *pneumonia* (not defined).

Deaths from all forms of tuberculous disease, which in the preceding three weeks had numbered 20, 23, and 36, respectively, declined to 18 in the week under notice; this latter figure comprises 14 deaths from tuberculous phthisis (*phthisis*), and 4 deaths from other forms of the disease.

Carcinoma caused the deaths of 4 persons.

There were 5 deaths of prematurely born infants registered.

Two deaths of infants were attributed to *convulsions*.

Diseases of the heart and blood vessels caused the deaths of 23 persons, and 25 deaths were from bronchitis.

Of 7 deaths from accidental causes, one was by a vehicle, 2 were by burning (one aged 8½ years, and one aged 78 years), one was by drowning, and 3 were attributed to other forms of accident or negligence. There was one death by suicide.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness, these cases comprise the death of one child under 5 years of age, and the deaths of 2 persons aged 60 years and upwards.

Forty-three of the persons whose deaths were registered during the week were under 5 years of age (31 being infants under one year, of whom 12 were under one month old) and 50 were aged 60 years and upwards, including 32 persons aged 70 and upwards, of whom 8 were octogenarians.

Sixty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 9 took place in the North Dublin Union Workhouse, 14 in the South Dublin Union Workhouse, and 4 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·8 per 1,000; the rate in the City was 20·0 (North City Districts, 19·7; South 20·3) and in the Suburbs, 19·1.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 0·8 per 1,000 inhabitants, the rate for the City being 0·7 (1·0 in the North City Districts, and 0·3 in the South), and for the Suburbs, 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 22·7 per 1,000. There were 2 deaths from broncho-pneumonia, one from *pneumonia* (not defined), 2 from tuberculous phthisis, 2 from diseases of the respiratory system, and 2 accidental deaths.

No. 1 North City District, West (Summer-hill).—The deaths (15) are equal to an annual rate of 19·6 per 1,000. Among them are one death from scarlet fever, one from epidemic diarrhœa, one from broncho-pneumonia, one from *pneumonia* (not defined), 4 deaths from bronchitis, and one death ascribed to accident.

No. 2 North City District (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 18·7 per 1,000, and include one death from diphtheria, one from lobar pneumonia, 2 from *phthisis*, and one from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (11) represent an annual rate of 17·1 per 1,000. Influenza caused one death, *pneumonia* (not defined) 2 deaths, and bronchitis 4 deaths.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants; Coolock and Drumcondra, part of, 26·9; and Finglas and Glasnevin, part of, 20·3. Of the 6 deaths from all causes for Coolock and Drumcondra, part of, there was one death each from *pneumonia* (not defined) and *phthisis*; and the 3 deaths for Finglas and Glasnevin, part of, comprised one death from broncho-pneumonia and 2 deaths from *phthisis*.

No. 1 South City District (South Earl-street).—The deaths (12) represent an annual rate of 15·1 per 1,000. Two deaths from *phthisis* and 6 deaths from diseases of the respiratory system were recorded.

No. 2 South City District (Castle-street).—The deaths (13) are equal to an annual rate of 31·2 per 1,000. Among them are one death each from broncho-pneumonia and *pneumonia* (not defined), and 3 deaths from bronchitis.

No. 3 South City District (Peter-street).—The deaths (15) are equal to an annual rate of 18·1 per 1,000. There were 2 deaths each from broncho-pneumonia, and *pneumonia* (not defined), one death from *tabes mesenterica*, 4 from diseases of the respiratory system, and one death from accidental burns.

No. 4 South City District (Grand Canal-street).—The deaths (13) are equivalent to an annual rate of 18·9 per 1,000, and include one death from measles, one from lobar pneumonia, one from *pneumonia* (not defined), 5 from tuberculous disease, 3 from diseases of the respiratory system, and one death attributed to neglect.

New Kilmainham District.—The deaths (6) are equal to an annual rate of 34·5 per 1,000. One of the deaths was caused by *pneumonia* (not defined) and one by bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar 14·1; Pembroke, 19·8; Blackrock, 28·9; and Kingstown, 23·7. The deaths from the principal epidemic diseases tabulated for these districts comprise one death from whooping-cough for Blackrock and one death from enteric fever for Pembroke. The 10 deaths from all causes for Rathmines and Rathgar include one death from broncho-pneumonia, one from *pneumonia* (not defined), one from tuberculous phthisis, and one death by suicide; among the 11 deaths from all causes for Pembroke are 3 from pneumonia (all forms) and 2 from bronchitis; and of the 8 deaths from all causes for Kingstown one was from lobar pneumonia, 2 were from *pneumonia* (not defined), and one was caused by accidental burns.

* See Note (c) Table II. † See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly urnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin : Mr. Fawcett Executive Sanitary Officer for Rathmines and Rathgar Urban Districts: Mr. Manly, Executive Sanitary Officer for Pembroke Urban District ; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District ; by the Executive anitary Officer for Kingstown Urban District : and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz. :—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 17th December, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Nov. 26,	.	—	—	12	.	.	10	.	1	5	6	.	—	—	.	—	18	—	52
	Dec. 3,	.	—	—	23	.	.	11	.	1	5	11	.	—	—	.	—	16	—	67
	Dec. 10,	.	—	—	16	.	.	10	.	1	1	1	.	—	—	.	—	8	—	37
	Dec. 17,	.	—	—	9	.	.	28	.	4	5	10	.	—	—	.	—	7	—	63
Rathmines and Rathgar Urban District.	Nov. 26,	.	—	—	2	.	.	4	.	.	.	1	.	—	—	—	—	—	—	7
	Dec. 3,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	Dec. 10,	.	—	—	2	.	.	2	.	.	1	1	.	—	—	—	—	—	—	6
	Dec. 17,	.	—	—	1	.	.	3	.	.	1	.	.	—	—	—	—	—	—	5
Pembroke Urban District.	Nov. 26,	.	.	1	1	.	.	1	.	.	1	.	.	—	3	.	—	.	—	7
	Dec. 3,	.	3	.	1	.	.	.	.	.	.	.	.	—	1	.	—	.	—	5
	Dec. 10,	.	2	.	2	.	.	.	.	.	1	1	.	—	5	.	—	.	—	11
	Dec. 17,	.	3	.	1	.	.	1	.	.	.	.	.	—	1	.	—	.	—	6
Blackrock Urban District.	Nov. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Dec. 3,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	.	—	—	—	2
	Dec. 10,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	.	—	—	—	2
	Dec. 17,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	.	—	—	—	2
Kingstown Urban District.	Nov. 26,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	.	—	2
	Dec. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Dec. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Dec. 17,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	.	—	2
City of Belfast.	Nov. 26,	.	—	—	32	1	.	7	.	.	.	2	.	—	—	—	—	10	—	52
	Dec. 3,	.	—	—	30	.	.	10	.	1	1	10	.	—	—	(*a*)	—	25	—	77
	Dec. 10,	.	—	—	32	.	.	3	.	1	.	2	1	—	—	.	—	16	—	55
	Dec. 17,	.	—	—	26	.	.	5	.	1	1	3	1	—	—	.	—	11	—	48

(*a*) Notifiable as from 1st December for a period of 12 months.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 17th December, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Eight cases of measles were admitted to hospital during the week, 2 were discharged, and 20 cases remained under treatment at its close.

Seventeen cases of scarlet fever were admitted to hospital, 29 were discharged, and 101* cases remained under treatment at the close of the week. At the close of the preceding weeks the cases in hospital were 114, 119, and 113, respectively.

Thirty cases of diphtheria were admitted to hospital during the week, 7 were discharged, and there was one death. The cases in hospital which at the close of the 3 preceding weeks numbered 64, 61, and 51, respectively, rose to 73 at the close of last week.

Nine cases of enteric fever were admitted to hospital during the week, 5 were discharged, there was one death, and 35 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 47, 40, and 32.

In addition to the above-named diseases, 16 cases of pneumonia were admitted to hospita , were discharged, there were two deaths, and 30 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 15·5) was equal to an average annual death-rate of 15·2 per 1,000 persons living ; the average rate for 8 principal towns of Scotland was 16·5 per 1,000, the rate for Glasgow being 17·2 and for Edinburgh 15·8.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 17th December. From this Report it appears that of a total of 99 cases notified, 52 were scarlet fever, 23 diphtheria, 17 phthisis, 5 erysipelas, and one enteric fever. Among the 470 cases of infectious diseases in hospital at the close of the week were 246 cases of scarlet fever, 79 of diphtheria, 56 of phthisis, 41 of measles, 21 of whooping cough, 8 of erysipelas, 8 of enteric fever, 5 of chicken-pox, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 17th December, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 17TH DECEMBER, 1910.																						METEOROLOGY. (c)											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																			WEEK ENDING 17TH DECEMBER, 1910.				WEEK ENDING 10TH DECEMBER, 1910.				WEEK ENDING 3RD DECEMBER, 1910.			
																									Air Temperature				Air Temperature				Air Temperature			
	POPULATION.		DEATHS			DEATHS.																														
	Total.a	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10–18.	BIRTHS.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrheal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS, . .	1,151,790	20·2	25·0	19·6	1·0	552	432	70	143	.	10	3	.	2	1	.	2	5	47	37	17	18	83	14	26	129	12	.	.	.	.	.	.	.	.	.	.	.	.
DUBLIN REGISTRATION AREA:— TOTAL, c.	402,918	29·3	30·0	19·8	0·8	232	153	30	49	.	1	1	.	1	1	.	1	1	27	18	8	3	31	7	10	52	3	c52·8	35·9	45·2	1·17	c51·0	31·2	43·4	1·70	c43·6	22·9	37·0	1·82
CITY of DUBLIN,	310,298	39·2	35·1	20·0	0·7	209	119	27	36	.	1	1	.	.	1	.	.	1	19	12	3	1	28	5	8	43	2	f52·2 / f51·6	41·8 / 38·0	46·7 / 46·9	1·80 / 1·38	f50·5 / g49·9	38·8 / 33·0	41·9 / 41·0	1·98 / 1·77	f45·2 / g41·6	24·0 / 24·0	38·9 / 37·6	1·61 / 1·92
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	11·3	14·1	.	8	10	1	5	.	.	.	.	.	.	.	.	.	2	1	.	1	.	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	12·6	19·8	1·8	7	11	.	6	.	.	.	.	.	.	.	1	.	3	.	.	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,013	6·8	23·1	28·9	5·8	4	5	.	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,692	12·1	11·8	23·7	.	4	8	2	1	.	.	.	.	.	.	.	.	.	3	.	.	.	1	1	1	2	.	53	41	47·3	2·04	51	37	45·5	2·09	46	35	40·7	1·64
URBAN DISTRICTS.																																						
BELFAST	391,167	26·6	22·3	17·7	1·1	167	133	20	30	.	3	2	.	.	.	.	.	3	10	12	7	8	22	6	12	37	1	50·0	38·0	45·5	2·81	49·0	33·5	42·3	1·68	47·0	25·8	33·6	0·00
CORK, . . .	76,122	33·6	16·4	10·5	1·4	24	30	4	15	.	.	.	.	1	.	.	.	1	.	4	1	.	3	1	.	10	1	52	44	48·4	1·95	51	38	46·5	0·95	47	31	40·5	0·44
LONDONDERRY, .	43,477	10·1	39·6	20·4	.	33	17	2	5	.	.	.	.	.	.	.	.	.	2	.	3	2	3	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK, . .	38,151	18·1	18·7	21·9	.	10	16	4	3	.	.	.	.	.	.	.	.	.	.	2	1	2	4	.	3	7	.	52	40	45·9	1·57	51·4	31·9	42·7	1·16	45	21·8	35·9	0·04
WATERFORD, . .	26,769	18·7	21·4	35·1	.	11	18	3	8	.	.	.	.	.	.	.	.	.	3	2	1	.	2	.	.	11	1	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY, . . .	18,426	2·5	15·5	19·4	3·9	4	5	2	1	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	2	52	40	45	1·18	50	32	41	0·43	50	23	35	0·09
DUNDALK . .	18,076	9·4	16·0	8·0	.	4	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA, . .	12,760	8·6	20·4	24·5	.	5	6	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY, . . .	12,405	17·8	25·2	25·2	.	6	6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	48·0	38·0	44·2	1·62	49·8	34·0	42·4	1·37	44·2	25·3	36·8	0·12
LURGAN, . . .	11,782	13·8	4·4	48·7	26·6	1	11	2	2	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	48·0	38·0	44·2	1·62	49·8	34·0	42·4	1·37	44·2	25·3	36·8	0·12
LISBURN, . .	11,461	10·1	27·3	13·6	.	6	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	48·0	38·0	44·2	1·62	49·8	34·0	42·4	1·37	44·2	25·3	36·8	0·12
WEXFORD, . .	11,168	23·2	23·3	23·3	.	5	5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA, . .	10,886	8·9	.	14·4	.	.	3	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO, . . .	10,870	3·7	19·2	9·6	.	4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	50·4	36·0	43·2	1·04	51·4	30·0	41·8	0·37	43·8	19·0	35·2	0·20
KILKENNY, . .	10,609	11·5	39·3	29·5	.	8	6	.	2	.	.	.	.	.	.	.	.	.	2	1	.	.	4	.	.	1	.	52	38	44·6	1·77	51	31	43·6	1·49	45	25	37·4	0·24
CLONMEL, . .	10,167	7·8	.	15·4	.	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN, . .	10,092	13·2	36·2	15·5	.	7	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	48·9	38·0	44·2	1·62	49·8	34·0	42·4	1·37	44·2	25·3	36·8	0·12
THALES, . . .	9,867	16·6	84·6	10·6	.	16	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS, .	9,110	18·9	34·3	11·4	.	6	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	50	40	46·3	1·70	50	37	44·9	1·97	45	34	40·9	0·49
QUEENSTOWN, . .	7,909	14·4	13·2	26·4	.	2	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	52	44	48·4	1·95	51	38	46·5	0·95	47	31	40·5	0·44
ARMAGH, . .	7,588	22·2	6·9	18·7	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	48·9	38·0	44·2	1·62	49·8	34·0	42·4	1·37	44·2	25·3	36·8	0·12

(*a*) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (*b*) Formerly described as "Simple Continued Fever." (*c*) Exclusive of 12 deaths of persons (including one under one year old and one at 70 years) admitted to hospital from localities outside the Area; of the 12 deaths there were 2 from diphtheria and one from each of enteric fever and dysentery. (*d*) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 17th December, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA. — CITY OF DUBLIN — REGISTRATION DISTRICTS IN — Dublin North Superintendent Registrar's District. — North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock & Drumcondra (pt. of).	Finglas and Glasnevin (part of).	Dublin Sth. Superintendent Reg.'s Dist. — South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4	New Kilmainham	URBAN DISTRICTS OF — Rathmines and Rathgar.	Pembroke.	Blackrock.	Kingstown.	TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Scarlet Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
Diphtheria,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1
Diarrhœal Diseases,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Pneumonia,	3	2	1	2	.	1	1	.	2	4	2	1	2	3	.	5	27	.
Tuberculous Phthisis,	2	.	2	.	.	1	2	2	.	.	3	.	1	.	.	.	13	1
Tuberculous Other Forms,	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	3	1
Cancer, Malignant Disease,	.	.	.	.	.	1	.	.	.	.	.	.	1	.	1	.	3	1
Other General Diseases,	3	5	.	2	.	.	.	2	.	1	1	1	1	1	1	.	18	.
Total,	8	9	4	4	.	3	3	4	2	6	9	2	5	5	3	3	70	7
B. LOCAL DISEASES:																		
Nervous System,	.	.	.	.	.	.	.	1	2	.	.	1	.	1	1	2	8	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	1	1	1	3	.	2	.	.	2	3	.	1	3	3	1	1	22	1
Respiratory System,	2	4	1	4	.	.	.	6	3	4	3	1	.	2	.	1	31	1
Digestive System,	.	.	2	.	.	1	.	.	1	.	.	.	.	.	.	.	4	.
Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.	3	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Total,	3	5	5	7	.	3	.	8	9	8	3	3	3	6	2	4	69	4
C. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	.	2	.	1	.	.	.	2	.	.	1	1	.	.	.	7	.
E. VIOLENT DEATHS,	2	1	.	.	.	.	.	.	.	1	1	.	1	.	.	1	7	1
Deaths from all Causes	13	15	11	11	1	6	3	12	13	15	13	6	10	11	5	8	153	12
Annual Rate of Mortality from all causes in every 1,000 of the population.	22·7	19·6	18·7	17·1	9·7	26·9	20·3	15·1	31·2	18·1	18·9	34·5	14·1	19·8	28·9	23·7	19·8	.
	19·7							20·3					19·1					
	20·0																	
Ages at Death. Under 1 year,	3	8	5	1	.	.	1	1	2	4	1	1	1	.	.	2	30	1
1 and under 5 years,	1	2	.	.	.	.	.	1	2	.	2	.	1	1	2	.	12	.
5 „ 20 „	1	.	1	.	.	.	.	1	.	.	3	1	.	1	.	2	10	3
20 „ 40 „	4	1	2	2	.	.	.	2	1	3	4	1	.	1	1	1	23	3
40 „ 60 „	2	1	.	3	.	2	2	2	3	3	2	1	3	2	1	2	29	4
60 years and upwards,	2	3	3	5	1	4	.	5	5	5	1	2	5	6	1	1	49	1
Number of Uncertified Deaths,	.	.	.	1	.	.	.	.	.	1	.	.	1	.	.	.	3	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	4	2	1	.	.	.	1	2	5	5	1	2	2	1	.	27	10
Workhouse Hospitals,	2	.	2	3	.	.	.	5	4	3	.	2	.	.	2	2	25	2

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in the corresponding week of the ten years 1900–1909,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Average in 50th Week of the 10 years, 1900–1909.	In the Week ending Saturday, 17th December, 1910.							
												Deaths of Persons of the Ages of							
	Dec. 15, 1900.	Dec. 14, 1901.	Dec. 13, 1902.	Dec. 19, 1903.	Dec. 17, 1904.	Dec. 16, 1905.	Dec. 15, 1906.	Dec. 14, 1907.	Dec. 12, 1908.	Dec. 18, 1909.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
													Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 48·1	° 37·6	° 40·0	° 41·7	° 42·6	° 43·0	° 37·3	° 42·7	° 41·1	° 41·4	° 41·6	Mean Temp. ° 45·2							
ALL CAUSES,	184	138	219	193	197	148	171	180	179	158	176·7	165	12	19	12	13	26	33	42	8
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	1	.	10	.	6	.	.	1	7	1	2·6	1	.	.	1	.	.	.	.	.
Scarlet Fever,	1	.	1	2	.	.	.	.	.	1	·5	1	.	.	1	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	1	1	4	2	3	1	1	2	1	1·6	1	.	.	.	.	.	.	1	.
Whooping-cough,	7	1	.	4	.	2	4	1	3	2	2·4	1	.	.	1	.	.	.	.	.
Diphtheria,	.	.	1	2	.	1	5	3	1	2	1·5	3	.	1	.	2	.	.	.	.
Cerebro-spinal Fever,	.	.	.	.	1	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	.	5	1	2	1	.	.	1	.	1·1	2	.	.	1	.	1	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.),	2	.	.	.	.	.	2	.	.	.	2·0	1	.	1	.	.	.	.	.	.
Diarrhœa, Dysentery,			5	1	3	1	2	2	1	1		1	.	.	.	.	.	1	.	.
Tetanus,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	1	.	.	4	2	1	2	1	2	1·3	1	.	1	.	.	.	.	.	.
Puerperal Septicæmia,	.	.	.	.	1	.	1	.	.	.	·2	1	.	.	.	.	1	.	.	.
Puerperal Pyæmia,			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Puerperal Fever,			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Infective Endocarditis	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
Pneumonia, Lobar,	7	12	11	4	2	5	1	1	1	3	13·5	4	.	1	.	.	2	.	1	
Pneumonia, Broncho-Epidemic					5		8	11	5	10		9	.	3	3	.	1	1	1	.
Pneumonia, Not defined,			11	3	3	3	6	11	6	6		14	.	.	.	8	4	1	1	
Erysipelas,	2	.	.	.	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal)	2	1	1	.	.	1	.	.	.	.	·5	1	.	.	1	.	.	.	.	.
Pyæmia (not Puerperal),			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	1	.	1	1	1	·4	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis,	19	15	18	2	10	3	8	7	12	9	17·8	5	.	.	.	2	1	2	.	.
"*Phthisis*,"				14	20	6	7	11	11	6		9	.	.	.	2	3	4	.	.
Tuberculous Meningitis,	3	.	6	4	2	1	3	5	4	3	3·1	.	.	.	.	.	.	.	.	.
Tuberculous Peritonitis,	3	2	1	2	1	4	.	1	1	.	2·0	.	.	.	.	.	.	.	.	.
Tabes Mesenterica,			1	.	2	1	.	.	.	1		1	.	1	.	.	.	.	.	.
Tuberculous Dis. (other),	3	2	4	9	10	9	2	7	7	2	5·5	3	.	.	.	2	1	.	.	.
Scrofula,			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Alcoholism,	.	.	1	.	.	.	1	1	.	2	·5	1	.	.	.	.	1	.	.	.
Rheumatic Fever,	1	1	.	.	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
Gout,	3	.	.	.	.	.	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
Carcinoma,	8	6	3	6	3	5	1	.	1	3	8·1	4	.	.	.	.	2	2	.	
Sarcoma,			.	2								.	.	.	.	.	.	.	.	.
Cancer (undefined)			6	6	3	6	6	7	4	5		.	.	.	.	.	.	.	.	.
Diabetes Mellitus,	.	.	.	.	1	3	2	.	.	1	·7	.	.	.	.	.	.	.	.	.
Premature Birth,	2	3	1	3	6	6	6	2	5	2	3·6	5	5	.	.	.	.	.	.	.

* The figures for the year 1900 are for

† Formerly described as

FIFTIETH WEEK ending Saturday, 17th December, 1910, with the deaths from each cause in the and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 50th Week of the 10 years 1900-1909.	In the Week ending Saturday, 17th December, 1910.							
	Dec. 15, 1900.	Dec. 14, 1901.	Dec. 13, 1902.	Dec. 19, 1903.	Dec. 17, 1904.	Dec. 16, 1905.	Dec. 15, 1906.	Dec. 14, 1907.	Dec. 12, 1908.	Dec. 18, 1909.		Deaths of Persons of the Ages of							
												ALL AGES.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 48·1	° 37·6	° 40·0	° 41·7	° 42·6	° 43·0	° 37·3	° 42·7	° 41·1	° 41·4	° 41·6	° 45·2								
Meningitis (not tuberc.)			3	3	3	2	1	5	.	4		2	.	1	.	1	.	.	.	.
Insanity, G. P. of Insane			2	3	1	1	1	2	1	1		1	.	.	.	.	.	.	1	.
Epilepsy			3		2			1												
Convulsions			9	10	6	6	8	1	5	2		2	.	2	.	.	.	.	.	.
Locomotor Ataxy			.	.	.	.	.	2	.	.		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord			.	1	3	1	1	1	4	2		2	.	.	.	1	.	1	.	.
Nervous System (other Dis.)			6	3	1	2	.	.	.	1		2	.	.	.	1	1	.	.	.
Valv. Dis., Endocarditis	34	37	3	4	4	4	11	3	5	5	39·6	6	.	.	.	.	.	5	2	1
Cerebr. Hæm. Thromb.			3	3	5	3	3	2	4	8		4	.	.	.	1	1	2	.	.
Apoplexy, Hemiplegia			4	6	3	1	.	3	6	3		1	.	.	.	.	.	.	.	1
Aneurysm			.	1	1	.	.	.	.	.		1	.	.	.	.	1	.	.	.
Embolism, Thromb. (not cerebral)			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Heart and Blood Vessels (other Dis.)			9	20	18	13	19	10	15	9		11	.	.	.	.	3	7	1	
Croup (not Spasm. nor Memb.)	.	1	1	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Bronchitis	36	19	37	26	26	16	24	37	31	23	27·5	25	1	1	4	.	4	14	1	
Asthma, Emphysema	3	1	1	.	1	.	.	2	1	1	2·8	2	.	1	.	.	.	1	.	
Pleurisy			1	2	.	.	.	.	1	.		1	.	.	.	1	.	.	.	
Respiratory Dis. (other)			3	4	3	.	1	.	1	2		4	.	.	.	1	2	.	.	
Tonsillitis, Quinsy	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.)	.	.	.	2	.	1	1	1	1	1	1·5	.	.	.	.	.	.	.	.	.
Gastro-enteritis			1	1	.	.	1	2	1	2		1	.	1	.	.	.	.	.	.
Peritonitis (not Puerp.)	.	1	1	.	.	1	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver	5	3	3	1	.	1	1	1	1	1	2·3	.	.	.	.	.	.	.	.	.
Liver Dis. (other)			2	2	1	1	.	.	.	.		.	.	.	.	.	.	.	.	.
Digestive Dis. (other)	10	2	7	7	5	2	8	5	8	5	5·9	3	.	1	.	.	2	.	.	
Nephritis, Acute	3	6	4	2	2	3	.	.	1	3	5·5	2	.	.	.	1	.	1	.	
Bright's Dis., Albuminuria			1	5	.	3	4	2	5	2		1	.	.	.	1	.	.	.	
Urinary Sys. (other Dis.)			1	.	1	.	1	5	1	.		.	.	.	.	.	.	.	.	
Generative Organs Dis.	2	.	.	1	1	.	1	1	1	.	·7	1	.	.	.	.	1	.	.	
Childbirth (Accid. of)	.	.	1	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	
Old Age	9	4	9	8	7	8	2	3	1	1	5·2	4	.	.	.	.	.	3	1	
Other Diseases	13	17	15	7	11	11	12	11	8	13	11·8	11	4	3	.	.	2	1	1	
ACCIDENT.																				
By Railways	.	.	.	.	1	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
By Vehicles and Horses	1	.	.	.	.	.	.	.	.	.	·2	1	.	.	.	.	1	.	.	.
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
In Building Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	.	1	.	.	1	1	3	.	.	2	·8	2	.	.	.	1	.	1	.	.
By Drowning	2	1	.	.	.	.	.	.	.	.	·3	1	.	.	.	.	1	.	.	.
By Suffocation in Bed	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident	1	.	1	1	3	.	.	1	1	1	·9	3	2	1	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	.	.	.	.	.	.	.	1	.	·1	1	.	.	.	.	1	.	.	.
Suicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

the Registration Area as then constituted.
" Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910—Week ending																								
	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.
No. of weeks in Annual Series,	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
BIRTHS registered.	188	228	229	272	225	243	198	209	240	194	228	260	235	292	196	219	161	244	182	211	207	201	183	199	174	232
*Average Births in corresponding week of previous 10 years,** ..	225	237	200	198	204	215	221	202	219	218	207	232	203	200	252	192	184	209	206	209	202	195	181	207	193	195
DEATHS registered, ...	130	127	143	118	144	127	145	143	126	146	120	141	153	174	164	160	151	174	139	147	141	166	168	176	188	165
Annual Death-rate per 1,000, ..	16·8	16·4	18·5	15·3	18·6	16·4	18·8	18·5	16·3	18·9	15·5	18·2	19·3	22·5	21·2	20·7	19·5	22·5	18·0	19·0	18·2	21·5	21·7	22·8	24·3	21·4
*Average Deaths in corresponding week of previous 10 years,**	147	136	138	142	146	147	146	148	156	166	159	157	154	167	160	158	156	160	156	172	175	179	182	182	182	177
AGES, Under 5 years, ...	27	31	50	29	48	31	31	54	37	57	42	38	59	70	60	58	44	56	40	46	47	57	49	55	58	43
5—20 " ..	9	11	11	10	8	18	17	8	6	9	3	16	8	9	11	7	7	14	6	14	11	10	11	10	15	13
20—40 " ..	32	23	24	17	17	18	27	25	25	18	18	19	22	19	16	22	25	26	21	33	11	27	24	19	24	26
40—60 " ..	32	23	25	27	29	30	30	28	32	27	23	33	30	32	33	38	27	31	26	25	31	22	37	33	46	33
60—80 " ..	28	33	28	34	34	33	35	26	24	33	26	33	30	42	37	28	39	41	41	24	33	43	36	46	36	42
80 years and upwards, ..	2	6	10	1	8	2	5	4	4	7	8	2	4	2	7	7	9	6	5	5	3	7	11	18	14	8
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	1	.	1	.	.	1	.	.	.	.	.	3	.	1	.	.	.	1	.	1	1	.	2	1
Scarlet Fever, ...	.	1	.	1	3	3	1	1	1	2	1	1	2	.	.	1	.	1	1	3	.	2	1	3	1	1
Typhus, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Whooping-cough, ...	1	3	.	1	1	.	3	3	2	.	4	3	2	1	2	2	2	5	1	1	4	2	6	5	11	1
Diphtheria, ...	.	1	2	1	.	5	1	.	2	4	1	.	2	3	2	2	1	.	4	1	2	3	2	4	.	3
Pyrexia † (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	.	.	.	1	2	2	.	.	2	.	1	1	1	1	.	5	1	2	1	1	.	.	2	.	1	2
Diarrhœal Diseases, ...	1	1	6	3	5	.	2	14	6	17	12	11	21	22	27	12	10	8	4	5	4	2	4	6	3	2
Influenza, ...	.	2	.	.	1	.	1	.	1	.	.	.	1	1	2	1	1	2	1	4	1	.	2	4	2	1
Pneumonia, ...	10	3	8	7	9	5	7	8	7	6	5	6	10	4	6	5	11	15	12	18	11	16	16	14	15	27
Tuberculous Disease, Phthisis, ..	24	23	11	19	11	17	24	14	17	12	17	23	15	19	18	17	14	23	17	18	16	20	14	16	25	14
Disease, Other Forms, ..	10	14	7	8	3	9	10	15	7	5	5	13	9	8	11	12	8	8	4	11	11	8	6	7	11	4
Cancer, Malignant Disease, ..	10	10	8	5	11	10	8	8	9	10	8	9	7	9	11	12	11	12	9	7	9	8	14	3	12	4
Diseases of Heart and Blood Vessels, ...	16	23	26	17	22	23	23	20	16	20	17	23	19	24	30	20	24	25	23	17	18	23	24	30	30	23
Diseases of Respiratory System,	15	7	11	18	14	13	10	8	10	11	6	10	10	20	13	16	17	17	13	18	26	26	29	37	27	32
Violent Deaths, ...	1	2	9	3	3	5	3	6	2	4	5	3	6	6	3	10	4	.	2	1	2	2	3	4	4	3
Number of Uncertified Deaths, ..	6	3	5	.	4	7	2	3	4	4	3	2	1	3	3	3	5	2	4	1	3	6	7	5	5	3
Mean Temperature of the Air (Phœnix Park), ...	58·1	54·7	55·5	57·1	55·9	57·3	56·5	59·2	53·8	56·6	57·2	54·6	52·0	50·4	54·2	52·5	48·2	49·1	50·4	48·1	39·6	38·2	42·2	37·0	43·4	45·2
Average Mean Temperature in corresponding week of previous 10 years, ...	55·3	56·6	57·6	58·9	60·6	58·8	58·8	58·2	57·7	56·5	56·1	54·4	53·1	53·8‡	53·7	52·2	50·6	48·4	46·2	47·1	45·2	42·7	41·5	42·8	42·4	41·6
Rainfall in inches, ...	1·291	1·780	·660	·000	·840	·355	·940	·205	1·175	·411	·194	150	·015	·015	·891	·585	·133	·333	·865	·558	·860	·352	1·206	1·830	1·700	1·172
Mean Humidity of the Air, complete Saturation 1·0	·92	·87	·88	·81	·81	·81	·84	·85	·81	·81	·88	·87	·91	·85	·89	·90	84	·92	·87	·90	·89	·85	·91	·93	·91	·91

* See note (*) at foot of Table IV.

† Formerly described as "Simple Continued Fever."

‡ For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN CLASSES the OCCUPATION or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 17th December, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths Week ending Saturday, 17th December, 1910. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS, ...	375,350	22·9	165	43	13	26	33	42	8	.	1	1	.	1	3	.	2	2	10	27	14	4	4	2	32	8	64	3
	CLASSES. **Deaths in Families of the—**																												
I.	Professional and Independent Class, ..	17,436	15·0	5	.	.	1	2	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	3	.
II.	Middle Class, ...	87,198	15·0	25	2	3	4	5	7	4	.	.	.	.	.	.	.	.	.	.	4	3	1	2	.	3	1	11	.
III.	Artisan Class and Petty Shopkeepers, ..	110,428	15·6	53	9	3	11	3	7	.	.	.	.	.	.	1	.	.	.	1	9	2	1	.	.	6	.	14	1
IV.	General Service Class, ...	154,279	25·3	75	29	7	8	17	13	1	.	1	1	.	1	1	.	2	2	8	11	8	2	1	2	14	7	22	2
V.	Inmates of Workhouses, ...	6,024	—	27	3	.	2	6	14	2	.	.	.	.	.	1	.	.	.	1	3	.	.	.	.	9	.	14	.
I.	Professional and Independent Class.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	26·7	4	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
II.	Middle Class.																												
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	26·1	11	2	1	2	.	3	3	.	.	.	.	.	.	.	.	.	.	3	.	1	.	.	2	.	5	.
	6. Clerks and Commercial Assistants, ..	30,432	8·6	5	.	2	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	1	.	.	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,026	17·4	9	.	.	1	4	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	6	.
III.	Artisan Class and Petty Shopkeepers.																												
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	10·6	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	9. Building and Furnishing Trades, ...	29,801	10·5	6	2	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.	2	.
	10. Clothing Trades, ...	28,260	15·7	7	1	1	2	1	2	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	.	1	.	2	.
	11. Food Supply Trades, ...	9,242	5·6	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	1	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	80,352	24·1	14	3	1	5	1	4	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	3	.	7	1
	13. Petty Shopkeepers, ...	7,894	19·8	3	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.
IV.	General Service Class.																												
	14. Army, Police, Postal Delivery and Prison Services, &c	13,425	7·8	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
	15. Domestic Servants, ...	36,603	8·5	6	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	3	1
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	32·6	9	3	.	2	1	2	1	.	.	.	.	1	.	.	.	.	1	2	.	.	.	.	1	2	3	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	33·7	58	23	7	6	14	8	.	.	1	1	.	.	1	.	2	2	7	9	7	2	1	1	10	5	16	1
V.	Inmates of Workhouses.																												
	18. Workhouse Inmates, ...	6,024	—	27	3	.	2	6	14	2	.	.	.	.	.	1	.	.	.	1	3	.	.	.	.	9	.	14	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

	DISTRICTS	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From all Causes.	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From Diseases in Cols. 5–18.	Total Deaths.	NUMBER OF DEATHS FROM: Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of).	North City, No. 1 (E.)	Oct. 29,	17·4	.	10	.	.	.	.	.	.	.	.	.	.	3	.	.	2	1	.
		Nov. 5,	31·4	.	18	.	.	.	.	.	.	.	.	.	2	1	.	1	4	.	.
		„ 12,	24·4	1·7	14	.	.	.	.	.	.	.	.	1	.	2	1	.	3	.	.
	(Office, Clarence-st., Nth.)	„ 19,	22·7	.	18	.	.	.	.	.	.	.	.	.	3	2	.	.	1	.	.
		„ 26,	20·9	.	12	.	.	.	.	.	.	.	.	.	1	1	.	1	3	.	.
		Dec. 3,	29·6	3·5	17	.	.	.	.	2	.	.	.	.	.	4	1	.	4	1	.
	Pop. in 1910	„ 10,	17·4	3·5	10	.	.	.	.	2	.	.	.	.	.	1	.	1	3	.	.
	(Est.) 29,908.	„ 17,	22·7		18										3	2			2	2	
	North City, No. 1 (W.)	Oct. 29,	23·2	8·9	17	.	.	.	.	.	1	.	1	1	1	3	.	1	3	.	.
		Nov. 5,	14·3	2·6	11	.	1	.	.	.	.	.	1	.	1	1	1	.	.	.	.
		„ 12,	18·0	2·6	10	.	.	.	.	2	.	.	.	.	.	2	.	1	1	1	.
	(Office, Summer-hill.)	„ 19,	14·3	1·8	11	.	.	.	.	.	.	.	.	1	1	1	1	.	3	.	.
		„ 26,	24·8	1·8	19	.	.	.	.	.	.	.	.	1	3	4	.	2	1	.	.
		Dec. 3,	19·6	2·6	15	.	.	1	.	.	.	.	.	1	1	1	3	.	4	.	.
	Pop. in 1910	„ 10,	36·5	1·8	28	.	.	.	.	.	.	.	.	1	4	2	.	2	2	.	.
	(Est.) 39,974.	„ 17,	19·6	2·6	15	.	.	1	.	.	.	.	.	1	2	.	.	.	4	1	.
	North City, No. 2.	Oct. 29,	15·3	.	9	.	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.
		Nov. 5,	25·4	1·7	15	.	.	.	.	.	.	.	.	1	.	2	1	1	2	.	.
		„ 12,	8·5	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	(Office, Lisburn-street.)	„ 19,	25·4	.	15	.	.	.	.	.	.	.	.	.	1	.	2	1	2	.	.
		„ 26,	22·0	5·4	13	.	.	.	.	.	.	.	1	1	2	2	1	.	1	1	.
		Dec. 3,	28·7	.	14	.	.	.	.	.	.	.	.	.	.	.	1	.	4	1	.
	Pop. in 1910	„ 10,	27·1	1·7	16	.	.	.	.	1	.	.	.	.	.	3	2	.	3	.	.
	(Est.) 30,744.	„ 17,	18·7	1·7	11	.	.	.	.	.	1	.	.	.	1	2	.	.	1	.	.
	North City, No. 3.	Oct. 29,	29·5	1·6	19	.	.	.	.	.	1	.	.	.	1	3	.	1	2	.	1
		Nov. 5,	21·8	1·6	14	.	.	.	.	.	.	.	.	1	1	3	.	.	2	.	.
		„ 12,	14·0	.	9	.	.	.	.	.	.	.	.	.	1	1	.	2	1	.	1
	(Office, Benburb-street.)	„ 19,	14·0	.	9	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
		„ 26,	21·8	.	14	.	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.
		Dec. 3,	21·8	1·6	14	.	.	.	.	1	.	.	.	.	2	.	.	.	2	.	.
	Pop. in 1910	„ 10,	18·6	.	12	.	.	.	.	.	.	.	.	.	1	1	2	3	.	.	.
	(Est.) 33,559.	„ 17,	17·1	.	11	.	.	.	.	.	.	.	.	.	2	.	.	.	4	.	.
	South City, No. 1.	Oct. 29,	15·1	1·3	12	.	.	.	.	.	.	.	.	1	.	2	.	1	2	.	.
		Nov. 5,	17·6	5·0	14	.	.	2	.	1	.	.	.	1	1	.	1	.	5	.	1
		„ 12,	30·2	1·3	24	.	.	.	.	1	.	.	.	.	1	1	1	.	10	.	1
	(Office, Sth. Earl-street.)	„ 19	22·6	2·5	18	.	.	1	.	1	.	.	.	.	2	2	.	.	7	.	1
		„ 26,	26·4	2·5	21	.	.	.	.	2	.	.	.	.	1	.	.	.	6	.	1
		Dec. 3,	26·4	3·8	21	.	.	.	.	1	1	.	.	1	.	2	.	.	6	.	.
	Pop. in 1910	„ 10,	18·9	2·5	15	.	.	.	.	1	.	.	.	1	1	2	.	1	3	.	.
	(Est.) 41,476.	„ 17,	15·1	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	6	.	1
	South City, No. 2.	Oct. 29,	24·0	.	10	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.
		Nov. 5,	26·4	.	11	.	.	.	.	.	.	.	.	.	1	2	2	.	1	.	.
		„ 12,	21·6	.	9	.	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.
	(Office, Castle-street.)	„ 19,	19·2	.	8	.	.	.	.	.	.	.	.	.	3	1	.	1	1	.	2
		„ 26,	24·0	.	10	.	.	.	.	.	.	.	.	.	.	2	.	1	2	1	1
		Dec. 3,	26·4	4·8	11	.	.	.	.	.	2	.	.	.	1	.	.	.	4	1	.
	Pop. in 1910	„ 10,	19·2	2·4	8	.	.	.	.	.	.	.	.	1	.	2	1	.	2	.	.
	(Est.) 21,754.	„ 17,	31·2	.	18	.	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.
	South City, No. 3.	Oct. 29,	22·9	2·4	19	.	.	.	.	1	.	.	.	1	2	1	3	1	1	.	1
		Nov. 5,	19·3	2·4	16	.	.	.	.	.	.	.	.	2	2	2	1	1	1	.	.
		„ 12,	24·1	1·2	20	.	.	.	.	1	.	.	.	.	4	4	3	.	1	.	.
	(Office, Peter-street.)	„ 19,	30·2	1·2	25	.	1	.	.	.	.	.	.	.	4	2	2	.	3	1	.
		„ 26,	25·3	4·8	21	.	1	.	.	1	1	.	.	1	4	1	2	2	3	.	1
		Dec. 3,	16·9	1·2	14	.	.	1	.	.	.	.	.	.	3	2	1	.	2	.	.
	Pop. in 1910	„ 10,	31·4	7·2	26	.	1	.	.	5	.	.	.	.	3	3	3	.	6	.	.
	(Est.) 43,227.	„ 17,	18·1	.	15	.	.	.	.	.	.	.	.	.	4	.	1	.	4	1	1
	South City, No. 4.	Oct. 29,	18·1	1·5	9	.	.	1	.	.	.	.	.	.	1	1	.	.	1	.	.
		Nov. 5,	17·4	1·5	12	.	.	.	1	.	.	.	.	.	1	3	.	3	.	.	.
		„ 12,	17·4	2·9	12	.	.	.	.	1	.	.	.	.	2	.	1	.	3	.	.
	(Office, Grand Canal-st.)	„ 19,	30·5	5·8	21	.	.	1	.	1	1	.	.	1	.	5	.	2	3	.	.
		„ 26,	28·3	2·9	16	.	.	.	.	1	.	.	1	.	2	2	.	.	5	.	.
		Dec. 3,	27·6	5·8	19	.	.	1	.	.	.	.	.	3	2	2	.	.	3	1	.
	Pop. in 1910	„ 10,	34·9	4·4	24	.	1	.	.	2	.	.	.	.	2	1	3	2	6	.	.
	(Est.) 35,881.	„ 17,	18·9	1·5	18	.	1	.	.	.	.	.	.	.	2	3	2	.	3	1	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From all Causes	From Diseases in Cols. 5–18.	Total Deaths.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District.	Oct. 29,	14·1	1·4	10	.	.	.	.	.	1	.	.	.	1	1	.	1	.	.	.
	Nov. 5,	9·9	.	7	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.
	„ 12,	14·1	2·8	10	.	.	.	.	1	.	.	.	1	1	.	1	.	1	.	1
	„ 19,	22·5	1·4	16	.	.	.	.	.	1	.	.	.	.	.	.	1	2	.	.
	„ 26,	14·1	2·8	10	.	.	.	.	1	1	.	.	.	2	.	1	1	1	.	1
	Dec. 3,	16·9	.	12	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.
Pop. in 1910 (Est.) 37,047.	„ 10,	11·3	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	1
	„ 17,	14·1	.	10	.	.	.	.	.	.	.	.	.	2	1	.	1	.	1	1
Pembroke Urban District.	Oct. 29,	7·2	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	Nov. 5,	16·2	1·8	9	.	.	.	.	.	1	.	.	.	1	2	1	.	.	.	.
	„ 12,	7·2	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	„ 19,	14·4	.	8	.	.	.	.	.	.	.	.	.	.	3	.	2	1	1	.
	„ 26,	12·6	.	7	.	.	.	.	.	.	.	.	.	1	.	1	.	4	.	.
Pop. in 1910 (Est.) 28,948.	Dec. 3,	25·2	1·8	14	.	.	.	.	.	.	.	.	1	1	1	.	1	2	.	.
	„ 10,	18·0	.	10	.	.	.	.	.	.	.	.	.	.	2	.	1	3	.	.
	„ 17,	19·8	1·8	11	.	.	.	.	.	.	.	1	.	3	.	.	.	2	.	.
Kingstown Urban District.	Oct. 29,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	Nov. 5,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	„ 12,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	„ 19,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.
	„ 26,	20·7	3·0	7	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.
Pop. in 1910 (Est.) 17,622.	Dec. 3,	5·9	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 10,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	„ 17,	23·7	.	8	.	.	.	.	.	.	.	.	.	3	.	.	.	1	1	.
Belfast. Pop. in 1910 (Est.) 391,167.	Oct. 29,	15·3	1·6	115	.	.	.	.	1	.	.	1	10	7	12	8	7	19	.	.
	Nov. 5,	14·4	1·3	108	.	3	1	.	.	.	.	.	6	7	14	2	9	11	3	2
	„ 12,	16·3	0·8	122	.	1	.	.	.	1	.	.	4	13	12	7	5	23	4	3
	„ 19,	17·6	0·7	132	.	.	.	.	.	1	.	1	3	11	17	8	8	16	3	.
	„ 26,	17·9	0·7	134	.	2	1	.	1	.	.	.	1	8	17	4	9	25	5	.
	Dec. 3,	14·5	0·5	109	.	2	.	.	.	1	.	.	1	7	13	7	6	25	3	3
	„ 10,	20·1	1·7	151	.	3	1	.	1	4	.	.	4	13	14	5	5	36	2	4
	„ 17,	17·7	1·1	133	.	8	2	.	.	.	.	.	3	10	12	7	8	22	6	1
Cork. Pop. (in 1901) 76,122.	Oct. 29,	17·1	0·7	25	.	.	.	.	.	.	.	1	.	.	5	.	.	3	.	.
	Nov. 5,	11·0	1·4	16	.	.	.	.	.	1	.	.	1	.	2	.	2	1	.	.
	„ 12,	15·8	0·7	23	.	.	.	.	.	.	.	.	1	1	3	1	3	4	1	.
	„ 19,	14·4	.	21	.	.	.	.	.	.	.	.	.	.	5	1	2	1	1	2
	„ 26,	17·1	0·7	25	.	.	.	.	.	.	.	.	1	1	6	2	3	2	.	.
	Dec. 3,	13·7	.	20	.	.	.	.	.	.	.	.	.	.	1	1	1	6	1	.
	„ 10,	13·7	.	20	.	.	.	.	.	.	.	.	.	1	5	1	1	2	.	.
	„ 17,	20·5	1·4	30	.	.	.	.	1	.	.	.	1	.	4	1	.	3	1	1
Londonderry. Pop. in 1910 (Est.) 43,477.	Oct. 29,	21·6	.	18	.	.	.	.	.	.	.	.	.	.	.	1	2	5	.	1
	Nov. 5,	10·8	.	9	.	.	.	.	.	.	.	.	.	.	2	.	.	3	1	.
	„ 12,	15·6	2·4	13	.	.	.	.	.	.	.	.	2	1	1	.	1	1	.	.
	„ 19,	18·0	2·4	15	.	.	1	.	1	.	.	.	.	.	1	1	1	3	.	.
	„ 26,	16·8	1·2	14	.	.	.	.	1	.	.	.	.	1	3	.	.	6	.	.
	Dec. 3,	15·6	1·2	13	.	.	.	.	.	.	.	.	1	2	3	.	.	1	.	1
	„ 10,	15·6	3·6	13	.	.	.	.	3	.	.	.	.	.	1	.	2	1	.	1
	„ 17,	20·4	.	17	.	.	.	.	.	.	.	.	.	2	.	3	2	3	.	.
Limerick. Pop. (in 1901) 38,151.	Oct. 29,	21·9	2·7	16	.	.	.	.	.	.	.	.	2	.	2	.	2	1	.	2
	Nov. 5,	28·2	.	17	.	.	.	.	.	.	.	.	.	2	1	.	2	3	.	3
	„ 12,	6·8	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	„ 19,	5·5	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 26,	5·5	1·4	4	.	.	.	.	.	1	.	.	.	.	1	.	1	1	.	.
	Dec. 3,	28·2	.	17	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	6
	„ 10,	13·7	.	10	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.	4
	„ 17,	21·9	.	16	.	.	.	.	.	.	.	.	.	.	2	1	2	4	.	.
Waterford. Pop. (in 1901) 26,769.	Oct. 29,	18·6	1·9	7	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1
	Nov. 5,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 12,	15·6	.	8	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	1
	„ 19,	25·3	1·9	13	.	.	.	.	.	.	.	.	1	.	1	3	1	.	.	.
	„ 26,	11·7	1·9	6	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.
	Dec. 3,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.
	„ 10,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	„ 17,	35·1	.	18	.	.	.	.	.	.	.	.	.	3	2	1	.	2	.	1

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 17th December, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS.																										
			Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.						DEATHS FROM																	
			All Causes.	Diseases in Cols. 12-20.		Under 1 year.	1 year and under 5 years	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		4			6	2	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	.
Do. 2 do.		28			21	5	3	1	3	4	5	.	.	1	.	.	.	.	.	.	1	.	1	2	4	1	1	4	.
Do. 3 do.		16			16	2	3	1	6	1	3	.	.	.	.	.	.	.	.	2	.	2	1	.	3	.	.	6	1
Do. 4 do.		18			12	2	1	1	2	3	3	.	2	.	.	.	.	.	.	.	1	2	.	1	1	.	.	5	.
Do. 5 do.		6			9	1	1	2	2	2	1	.	.	.	.	.	.	.	.	.	.	1	2	.	1	1	1	4	.
Do 6 do.		9			13	.	.	.	2	7	4	.	.	.	.	.	.	.	.	.	.	.	1	2	2	2	2	2	.
Do 7 do.		1			1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Do 8 do.	349,180	.			5	.	.	.	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Do. 9 do.		11			6	1	2	.	1	2	.	.	1	.	.	.	.	.	.	.	.	1	.	.	1	2	2	3	.
Do 10 do.		7			7	1	.	.	.	3	3	.	.	.	.	.	.	.	.	.	.	1	1	2	1	.	1	2	.
Do. 11 do.		17			10	2	2	1	2	.	3	.	.	.	.	.	.	.	.	1	2	1	.	.	3	.	1	2	.
Do. 12 do.		23			6	.	2	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2	1	.
Do. 13 do.		13			2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15* do.		14			19	4	3	.	3	5	4	.	.	1	.	.	.	.	.	.	6	2	.	.	3	.	1	6	.
Total, . . .	—	167	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901 and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		133	20	17	6	25	35	30	.	3	2	.	.	.	.	.	3	10	12	7	8	22	6	12	37	1
City of Cork.																													
CORK URBAN No. 1 DISTRICT, .	12,867	3	18·4	.	7	.	1	.	.	6		.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	4	.
Do. 2 do. .	10,701	8	29·2	.	6	2	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 3 do. .	9,978	1	20·9	5·2	4	1	.	.	.	1	2	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	.	.	.
Do. 4 do. .	8,666	1	6·0	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 do. .	6,592	3	7·9	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 6 do. .	10,702	3	19·5	.	4	.	.	1	1	1	1	.	.	.	.	1	.	.	.	.	.	2	.	.	.	.	.	1	1
Do. 7 do. .	16,616	5	22·0	3·1	7	1	1	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4	.
Total, . . .	76,122	24	20·5	1·4	30	4	2	1	3	5	15	.	.	.	.	1	.	.	.	1	.	4	1	.	3	1	.	10	1

* New district formed as from 1st Jan., 1910, and the boundaries of Nos. 1, 4 & 8 districts altered; the population of each of these districts as at

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910—Week ending																									
	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.
No. of weeks in annual Series, ..	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
BIRTHS registered, ...	202	218	199	259	239	214	179	219	210	159	219	190	264	194	172	200	205	228	201	183	178	156	181	175	185	167
DEATHS registered, ...	157	137	145	136	117	135	115	102	124	131	121	103	116	122	105	94	122	120	115	108	122	132	134	109	151	133
Annual Death rate per 1,000 of estimated Population, ...	20·9	18·3	19·3	18·1	15·6	18·0	15·3	13·6	16·5	17·5	16·1	13·7	15·5	16·3	14·0	12·5	16·3	16·0	15·3	14·4	16·3	17·6	17·9	14·5	20·1	17·7
AGES — Under 1 year, ...	33	24	34	26	25	25	27	27	35	49	30	28	23	29	25	31	27	27	28	24	28	27	24	17	34	20
AGES — 1-5 years, ...	45	33	29	32	23	23	19	6	17	14	15	14	13	11	14	6	14	16	8	11	6	6	5	8	11	17
AGES — 5-20 years, ...	16	13	12	7	17	10	7	7	9	11	11	4	16	6	11	8	17	9	9	9	13	15	8	10	11	6
AGES — 20-40 years, ...	17	18	25	20	19	14	15	22	19	16	9	16	12	23	17	8	15	18	16	25	18	24	21	13	22	25
AGES — 40-60 years, ...	20	21	20	25	17	25	21	22	21	19	26	20	22	18	20	21	22	23	20	16	25	23	42	27	37	35
AGES — 60 years and upwards, ..	26	26	25	26	16	28	26	18	23	20	30	21	30	35	18	20	27	27	34	23	32	37	34	35	36	30
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	36	25	24	20	21	8	7	4	7	8	.	3	1	3	1	1	3	5	.	3	1	.	2	2	3	3
Scarlet Fever, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	1	2
Typhus, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	1	1	2	1	1	.	2	1	1	5	.	1	1	1	3	1	1	.	1	.	.	.	1	.	1	.
Diphtheria, ...	.	.	.	1	1	1	.	.	.	.	.	.	1	.	.	.	2	1	.	.	1	1	.	1	4	.
*Pyrexia** (origin uncertain , ..	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	1	1	.	.	1	2	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	1	.	.	.	.
Diarrhœal Diseases, ...	3	1	5	2	5	6	10	14	22	29	16	13	15	13	7	7	3	8	10	6	4	3	1	1	4	3
Pneumonia, ...	17	11	14	17	5	8	3	4	5	10	8	6	7	10	7	5	11	11	7	7	13	11	8	7	13	10
Tuberculous Disease, Phthisis, ..	22	11	11	9	16	15	13	12	16	10	11	12	14	11	17	9	17	10	12	14	12	17	17	13	14	12
Tuberculous Disease, Other Forms, ..	9	8	9	11	5	7	7	8	9	5	9	6	13	6	7	3	8	6	8	2	7	8	4	7	5	7
Cancer, Malignant Disease, ..	4	9	3	6	9	7	3	7	3	4	5	8	10	8	5	5	7	5	7	9	5	8	9	6	5	8
Diseases of Respiratory System,	16	7	7	15	6	16	10	5	8	8	9	5	5	8	11	9	16	9	19	11	23	16	25	25	36	22
Violent Deaths, ...	4	.	4	2	.	1	1	6	.	3	2	1	1	5	2	.	.	2	.	3	4	2	5	3	2	6
Number of Uncertified Deaths, ..	.	2	3	3	3	1	2	1	2	.	2	2	2	.	1	1	1	.	.	2	3	.	.	3	4	1

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births.	Deaths.	Annual Death-rate per 1,000 living.	Deaths from						
			Exclusive of Stillborn.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, ...	4,872,702	Dec. 17,	2,204	1,448	15·5	.	83	2	16	11	6*a*	24
EDINBURGH, ...	360,276	„ 17,	129	109	15·8	.	1	2	8	1	.	.
GLASGOW, ...	884,505	„ 17,	413	291*c*	17·2	.	.	2	4	7	.	3
CALCUTTA, ...	1,009,008	Nov. 12,	.	446	22·9	1	.	.	1	.	109‡	59*
BOMBAY, ...	977,822	„ 15,	467	541	28·8	.	6	.	.	1	84‡	49*
MADRAS, ...	509,346	Oct. 28,	381	396	40·4	2	1	?	?	?	74	80*
CAIRO, ...	682,953	„ 28,	710	419	32·0	.	.	.	18†	.	9*a*	73*b*
PARIS, ...	2,760,000	Nov. 19,	862	830	15·7	.	1	.	4†	3	5*a*	28*b*
BRUSSELS, ...	720,030	„ 26,	222	202	14·6	.	2	.	1†	1	2*a*	16*b*
ANTWERP, ...	317,171	„ 26,	124	68	11·2	.	1	.	2†	1	.	11*b*
AMSTERDAM, ...	574,429	„ 26,	224	137	12·4	.	4	.	.	1	3*a*	2*b*
COPENHAGEN, ...	450,000	„ 26,	204	117	13·6	.	.	1	.	1	.	4
STOCKHOLM, ...	341,816	„ 19,	139	86	13·1	.	.	.	.	.	.	3
CHRISTIANIA, ...	240,178	Dec. 3,	113	51	10·8	.	2	.	1†	.	.	2
ST. PETERSBURG, ...	1,620,000	Nov. 12,	985	603	19·4	7	4	17	11	5	10*a*	37*
MOSCOW, ...	1,493,600	„ 5,	.	661	23·1	.	6	20	26†	.	8*a*	53
BERLIN, ...	2,131,032	„ 19,	798	567	13·9	.	1	14	21†	3	3*a*	23
HAMBURG, ...	895,804	„ 26,	.	249	14·5	.	1	2	13†	4	1*a*	13
BRESLAU, ...	516,407	„ 26,	.	197	19·9	.	.	.	3	4	1*a*	16
MUNICH, ...	595,000	Dec. 3,	.	198	17·3	.	3	.	1†	2	.	19
VIENNA (with suburbs),	2,130,320	Nov. 26,	738	657	16·0	.	8	3	4†	.	1*a*	27*b*
BUDA-PESTH, ...	833,703	„ 26,	429	292	18·2	.	.	8	2†	.	3*a*	7*b*
PRAGUE and Faubourgs.	508,310	„ 12,	152	164	16·8	.	.	.	2†	1	.	2*b*
TRIESTE, ...	223,521	„ 19,	143	84	19·6	.	.	.	.	1	.	.
ROME, ...	590,113	Oct. 8,	.	.	.	.	.	.	.	.	.	.
VENICE, ...	183,224	„ 8,	80	55	15·7	.	.	.	.	.	2*a*	5
NEW YORK, ...	4,803,264	Nov. 19,	2,434	1,264	13·7	.	1	6	21†	2	15*a*	51*b*
PHILADELPHIA, ...	1,598,400	Oct. 29,	.	424	13·8	.	1	1	11†	7	7*a*	30*b*
BOSTON, ...	673,745	Nov. 26,	.	217	16·8	.	.	.	2	1	5*a*	8

* Including 19 deaths from cholera in Calcutta, one in Bombay, 4 in Madras, and 3 in St. Petersburg.
† Including deaths from croup.
‡ Including 11 deaths from plague in Calcutta, and 11 in Bombay.
a Enteric Fever.
b Deaths from diarrhœal diseases and from enteritis of children under two years of age.
c Including one death from cerebro-spinal meningitis.

ABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 17th December, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	2	.	.	2	.	.	1	1	.	.	.	6
" " 1, West,	.	1	.	.	.	.	1	.	.	.	.	.	2
" " 2,	.	.	.	.	2	.	.	.	1	.	.	1	4
" " 3,	.	3	.	.	15	.	.	.	1	.	.	.	19
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	2	.	.	2	.	.	.	.	.	.	.	4
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	1	1
South City No. 1,	.	.	.	.	1	.	3	1	5	.	.	2	12
" " 2,	.	.	.	.	.	.	.	.	.	.	.	1	1
" " 3,	.	1	.	.	3	.	.	3	.	.	.	1	8
" " 4,	.	.	.	.	2	.	.	.	1	.	.	1	4
New Kilmainham,	.	.	.	.	1	.	.	.	1	.	.	.	2
Total,	.	9	.	.	28	.	4	5	10	.	.	7	63

ABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 17th December, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 17th December.			
	Nov. 26.	Dec. 3.	Dec. 10.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	8	9	14	8	2	.	20
Scarlet Fever,	114	119	113	17	29	.	101[a]
Typhus,	.	.	.	.	.	.	.
Diphtheria,	64	61	51	30	7	1	73
Enteric Fever,	47	40	32	9	5	1	35
Pneumonia,	15	15	23	16	7	2	30

[a] Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the eek ended 17th December, 1910:—

"Throughout this week the atmosphere over the Atlantic and the British Isles was in a most disturbed state, nd the weather was accordingly extremely unsettled, rough and rainy. Owing to the persistent prevalence of outherly winds also the thermometer ranged high, although some sudden changes of temperature occurred from me to time as depression followed depression on a northerly or north-easterly path along the western shores of reland and Scotland. In the course of the seven days 5 large and deep atmospheric depressions passed over Ireland, he barometer falling considerably below 29 in each system—to 28·59 inches at Valentia in Kerry at 7 a.m. of uesday. This depression had evidently been much deeper while still far out at sea, for the SS. 'Mauretania' eported a barometric reading of only 28·04 inches at 7 a.m. of Monday in Lat. 51° N., Long. 21° W. on her outward oyage to New York. In Dublin rain fell about midday on both Sunday and Monday. On the evening of the latter ay a close conjunction of the Moon and the planet Saturn was well seen in a partially clear sky. Tuesday was shered in and drew to a close amid squalls and heavy rain. Wednesday was fair to overcast, with rain and squalls t 5 p.m. Thursday was a fine day, but towards evening a sheet of cirrus and cirro-stratus cloud overspread the ky, heralding the approach of a veritable tempest of rain, hail and wind, which raged in the early hours of Friday. t 6 p.m. of this day rain again fell heavily, but the barometer now rose rapidly and on Saturday the clouds ravelled from N. by W., with a colder and drier atmosphere. A lunar halo and corona were seen in the evening. n Dublin the mean atmospheric pressure was 29·095 inches, the barometer ranging between 28·674 inches at 8 p.m. f Tuesday (wind, S.W.) and 29·918 inches at 9 p.m. of Saturday (wind, W.N.W.). The corrected mean temperature as 46·7°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 46·1°. The screened thermometers rose to 52·2° n Friday and fell to 41·8° on Saturday. Southerly winds were dominant. The rainfall was 1·797 inches on 6 ays, ·706 inch being measured on Thursday and ·520 inch on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 28·938 inches. The highest reading (29·746) was on Saturday at 9 p.m., wind W., and the lowest (28·513) on Friday at 9 a.m., wind S.S.W.

The mean temperature for the week was 45·2°, being 3·6° above the average for the corresponding period of the 10 years, 1900-1909. The temperature was highest on Wednesday, on which day the thermometer registered 52·8°, and was lowest on Thursday and Friday, the mercury having fallen to 35·9°. The mean of the Dry Bulb for the week was 45·2° and of the Wet Bulb 43·9°. The mean humidity of the air was ·91, complete saturation being represented by 1·0. The rainfall during the week measured 1·172 inches.

At Greenwich the mean temperature for the week was 48·6°, the maximum 55·0°, and the minimum 42·1°; at Glasgow the maximum was 50·7°, the minimum 37·8°, and the mean 45·2°; and at Edinburgh the maximum was 49·9°, the minimum 36·9°, and the mean 43·6°. The rainfall at Greenwich measured 1·38 ins.; at Glasgow 0·80 in.; and at Edinburgh 0·55 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	THERMOMETER. Maximum.	Minimum.	Mean.	HYGROMETER. Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins		
Sunday, December 11,	28·857	48·6	43·4	46·0	45·2	44·6	·95	·6	0·0	·032	S.W.	Calm.
Monday, „ 12,	28·857	50·1	39·9	45·0	46·9	44·3	·82	·6	0·0	·275	S.E.	S.S.W.
Tuesday, „ 13,	28·561	50·8	42·1	46·5	46·9	45·1	·89	·4	1·0	·120	S.S.W.	W.S.W.
Wednesday, „ 14,	28·918	52·8	43·9	48·4	48·9	47·3	·89	·7	3·2	·050	S.W.	S.W.
Thursday, „ 15.	29·109	50·8	35·9	43·4	41·2	40·7	·97	·6	0·7	·490	W.S.W.	Calm.
Friday, „ 16,	28·705	52·0	35·9	44·0	46·5	45·6	·93	·6	0·0	·205	S.S.W.	W.
Saturday, „ 17,	29·557	45·6	39·9	42·8	40·5	39·6	·93	·6	0·0	·000	W.	W.
Mean, . . .	28·938	50·1	40·1	45·2	45·2	43·9	·91	·6	Total 4·9	Total 1·172	Prevailing Wind, W.—W.S.W.	

Sunday—Day overcast and drizzling; night clear. *Monday*—Day overcast, light rain a.m. and p.m.; night overcast, heavy rain a.m. *Tuesday*—Day overcast to cloudy, passing showers; night cloudy. *Wednesday*—Day cloudy to overcast and light rain; night cloudy. *Thursday*—Day overcast to cloudy; night overcast, heavy rain a.m. *Friday*—Day overcast, light rain a.m.; night overcast, drizzle a.m. *Saturday*—Day overcast; night clear.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, December 17th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1910. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Min.	Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, December 11,	47·8	44·9	45·2	49·3	45·6	47·5	—	·050
Monday, „ 12,	48·9	44·5	45·6	51·2	42·3	46·8	—	·456
Tuesday, „ 13,	47·3	44·1	45·8	52·0	43·8	47·9	1·4	·222
Wednesday, „ 14,	47·6	44·6	46·0	51·0	45·6	48·3	1·75	·112
Thursday, „ 15,	47·2	44·8	46·1	51·8	42·0	46·9	2·0	·640
Friday, „ 16,	51·2	44·1	46·2	53·4	41·9	47·7	0·8	·180
Saturday, „ 17,	46·3	44·9	46·2	47·0	42·0	44·5	0·15	—
Weekly Mean, . .	48·0	44·6	45·9	50·8	43·3	47·1	Total 6·1	Total 1·660

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

29889. Wt. P. 272—22/138, 375. 10. 1910. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 24TH DECEMBER, 1910. [No. 51.

General Register Office, Charlemont House, Dublin, 28th December, 1910.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Average Rate for 4 weeks.
22 Town Districts.	**18·1**	**19·6**	**19·6**	**19·1**	**19·1**	Limerick,	23·2	13·7	21·9	10·9	17·4
						Lisburn,	13·6	13·6	13·6	18·2	14·8
Armagh,	41·2	.	13·7	20·6	18·9	Londonderry,	15·6	15·6	20·4	18·0	17·4
Ballymena,	14·4	33·5	14·4	23·9	21·5	Lurgan,	44·3	13·3	48·7	35·4	35·4
Belfast,	14·5	20·1	17·7	17·6	17·5	Newry,	21·0	12·6	25·2	21·0	19·9
Clonmel,	15·4	25·6	15·4	15·4	18·0	Newtownards,	17·2	17·2	11·4	22·9	17·2
Cork,	13·7	13·7	20·5	17·1	16·3	Portadown,	25·8	31·0	15·5	31·0	25·8
Drogheda,	16·3	8·2	24·5	16·3	16·3	Queenstown,	13·2	6·6	26·4	19·8	16·5
Dublin Reg. Area,	21·9	23·2	19·8	21·6	21·6	Sligo,	4·8	.	9·6	4·8	4·8
Dundalk,	16·0	12·0	8·0	27·9	16·0	Tralee,	10·6	37·0	10·6	5·3	15·9
Galway,	19·4	7·8	19·4	19·4	16·5	Waterford,	19·5	7·8	35·1	13·6	19·0
Kilkenny,	9·8	34·3	29·5	24·6	24·5	Wexford,	18·7	14·0	23·3	23·3	19·8

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·1 per 1,000, the rates varying from 0·0 in fourteen of the districts to 26·6 in Lurgan, the 8 deaths from all causes for that district including 6 from measles. The 132 deaths from all causes for Belfast include one death each from measles, scarlet fever, whooping-cough, and diarrhœa. Of the 4 deaths from all causes for Lisburn one is from measles. One death from measles is also included among the 5 deaths from all causes for Ballymena; and of the 6 deaths from all causes for Portadown one is from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 158—86 boys and 72 girls—and the deaths to 178—84 males and 94 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 21·6 per 1,000 of the population, the rate for the total deaths registered in the Area being 23·0 per 1,000. During the fifty-one weeks, ending with Saturday last, the death-rate averaged 21·2, and was 2·8 below the mean rate for the corresponding portions of the ten years, 1900-9.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*), Table II. ‡ See columns 10-18 of Table II.

Among the deaths registered were 5 from whooping-cough, 2 from diphtheria, one from enteric fever, 2 from epidemic diarrhœa (of infants under one year of age), and 3 from influenza:

In the three preceding weeks, deaths from whooping-cough were 5, 11, and one; deaths from diphtheria were 4, 0 and 3; deaths from enteric fever were 0, one, and 2; deaths from diarrhœal diseases were 6, 2, and 2; and deaths from influenza were 4, 2, and one, respectively.

There were 3 deaths from lobar pneumonia, 9 from broncho-pneumonia, and 6 from *pneumonia* (not defined).

Twenty-six deaths were caused by all forms of tuberculous disease, 19 having been caused by tuberculous phthisis (*phthisis*), and 7 by other forms of tuberculous disease. In the three preceding weeks, deaths from all forms of the disease numbered 23, 36, and 18, respectively.

Carcinoma caused 5 deaths, and cancer, malignant disease, 8 deaths.

The deaths of 4 infants were ascribed to prematurity.

There were 12 deaths from diseases of the brain and nervous system, including 3 deaths (all of infants under one year of age) from *convulsions*.

To diseases of the heart and blood vessels 28 deaths were ascribed; and to bronchitis 23 deaths.

Four deaths were attributed to accidental causes, including 2 deaths by scalds (one being that of a child aged 3 years, and one aged 19 years), and one death by drowning.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 persons aged 60 years and upwards.

Forty-one of the persons whose deaths were registered during the week were under 5 years of age (27 being infants under one year, of whom 7 were under one month old) and 51 were aged 60 years and upwards, including 27 persons aged 70 and upwards, of whom 6 were octogenarians, and 3 (females) were stated to have been aged 90, 91, and 92 years, respectively.

Seventy-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 17 took place in the North Dublin Union Workhouse and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·6 per 1,000; the rate in the City was 23·9 (North City Districts, 20·7; South 27·2) and in the Suburbs, 14·1.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·3 per 1,000 inhabitants, the rate for the City being 1·5 (0·7 in the North City Districts, and 2·4 in the South), and for the Suburbs, 0·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (10) are equal to an annual rate of 17·4 per 1,000. There were 2 deaths from broncho-pneumonia and 3 from tuberculous phthisis (*phthisis*).

No. 1 *North City District, West* (Summer-hill).—The deaths (12) are equal to an annual rate of 15·7 per 1,000. Among them are one death from lobar pneumonia and 6 from tuberculous disease.

No. 2 *North City District* (Lisburn-street).—The deaths (18) are equivalent to an annual rate of 30·5 per 1,000. One death from epidemic diarrhœa, 3 deaths from pneumonia (all forms), 3 from *phthisis*, and 2 from bronchitis were recorded.

No. 3 *North City District* (Benburb-street).—The deaths (17) represent an annual rate of 26·4 per 1,000, and include one death from influenza, 3 from bronchitis, and one death from scalds.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 17·9 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 13·6. Among the 4 deaths from all causes for the first-named district is one from *pneumonia* (not defined); and of the 2 deaths recorded for Finglas and Glasnevin, part of, one is from enteric fever.

No. 1 *South City District* (South Earl-street).—The deaths (26) represent an annual rate of 32·7 per 1,000. There were two deaths from whooping-cough, one from diphtheria, one from broncho-pneumonia, 2 from *pneumonia* (not defined), one from tuberculous disease, one from bronchitis, and one death caused by drowning.

No. 2 *South City District* (Castle-street).—The deaths (15) are equal to an annual rate of 36·0 per 1,000. Broncho-pneumonia caused 2 deaths, tuberculous disease 4 deaths, and bronchitis 3 deaths.

No. 3 *South City District* (Peter-street).—The deaths (18) are equal to an annual rate of 21·7 per 1,000. Among them are 2 from whooping-cough, one from diphtheria, one from broncho-pneumonia, one from *pneumonia* (not defined), 3 from tuberculous disease, and 3 from diseases of the respiratory system.

No. 4 *South City District* (Grand Canal-street).—The deaths (17) are equivalent to an annual rate of 24·7 per 1,000, and include one death from epidemic diarrhœa, one from broncho-pneumonia, 2 from tuberculous phthisis (*phthisis*), and 7 from bronchitis.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·2 per 1,000. One of the deaths was caused by *phthisis*.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 15·5; Pembroke, 14·4; Blackrock, 17·4; and Kingstown, 8·9. The only death from any of the principal epidemic diseases tabulated for these districts was one from whooping-cough for Rathmines and Rathgar, the 11 deaths from all causes for that district including one from lobar-pneumonia, one from tuberculous phthisis, one from bronchitis, and one accidental death; of the 8 deaths from all causes for Pembroke 2 were from influenza, one from broncho-pneumonia, and 3 from bronchitis; the 3 deaths from all causes for Blackrock included one from bronchitis; and the 3 deaths for Kingstown included also one death from bronchitis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin: Mr. Fawcett Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District: and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 24th December, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Dec. 3,	.	—	—	23	.	.	11	.	1	5	11	.	—	—	.	—	16	—	67
	Dec. 10,	.	—	—	16	.	.	10	.	1	1	1	.	—	—	.	—	8	—	37
	Dec. 17,	.	—	—	9	.	.	28	.	4	5	10	.	—	—	.	—	7	—	63
	Dec. 24,	.	—	—	15	.	.	9	1	3	7	6	.	—	—	.	—	8	—	49
Rathmines and Rathgar Urban District.	Dec. 3,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	Dec. 10,	.	—	—	2	.	.	2	.	.	1	1	.	—	—	—	—	—	—	6
	Dec. 17,	.	—	—	1	.	.	3	.	.	1	.	.	—	—	—	—	—	—	5
	Dec. 24,	.	—	—	2	.	.	5	.	.	.	2	.	—	—	—	—	—	—	9
Pembroke Urban District.	Dec. 3,	.	3	.	1	.	.	.	.	.	1	1	.	—	1	.	—	.	—	5
	Dec. 10,	.	2	.	2	.	.	.	.	.	.	.	.	—	5	.	—	.	—	11
	Dec. 17,	.	3	.	1	.	.	1	.	.	.	.	.	—	1	.	—	.	—	6
	Dec. 24,	.	2	.	3	.	.	1	.	.	.	.	.	—	6	.	—	.	—	11
Blackrock Urban District.	Dec. 3,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	.	—	—	—	2
	Dec. 10,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	.	—	—	—	2
	Dec. 17,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	.	—	—	—	2
	Dec. 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Dec. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Dec. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Dec. 17,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	.	—	2
	Dec. 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Dec. 3,	.	—	—	30	.	.	10	.	1	1	10	.	—	—	(*a*)	—	25	—	77
	Dec. 10,	.	—	—	32	.	.	3	.	1	.	2	1	—	—	.	—	16	—	55
	Dec. 17,	.	—	—	26	.	.	5	.	1	1	3	1	—	—	.	—	11	—	48
	Dec. 24,	.	—	—	23	.	.	2	.	.	2	4	.	—	—	.	—	14	—	45

(*a*) Notifiable as from 1st December for a period of 12 months.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 24th December, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Three cases of measles were admitted to hospital during the week, 6 were discharged, and 17 cases remained under treatment at its close.

Thirty cases of scarlet fever were admitted to hospital, 12 were discharged, and 119* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 119, 113, and 101, respectively.

Twelve cases of diphtheria were admitted to hospital during the week, 21 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 61, 51, and 73, respectively, were 62 at the close of last week.

Three cases of enteric fever were admitted to hospital during the week, 6 were discharged, and 32 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 40, 32, and 35.

In addition to the above named diseases, 6 cases of pneumonia were admitted to hospital, 10 were discharged, there were two deaths, and 24 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 14·0) was equal to an average annual death-rate of 14·2 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 13·4 per 1,000, the rate for Glasgow being 13·2 and for Edinburgh 11·7.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., D.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 24th December. From this Report it appears that of a total of 116 cases notified, 62 were scarlet fever, 24 phthisis, 22 diphtheria, 7 erysipelas, and one enteric fever. Among the 472 cases of infectious diseases in hospital at the close of the week were 258 cases of scarlet fever, 83 of diphtheria, 57 of phthisis, 30 of measles, 22 of whooping cough, 10 of erysipelas, 5 of enteric fever, 4 of chicken-pox, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 24th December, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 24TH DECEMBER, 1910.																									METEOROLOGY. (d)									
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																						WEEK ENDING 24TH DECEMBER, 1910.				WEEK ENDING 17TH DECEMBER, 1910.				WEEK ENDING 10TH DECEMBER, 1910.			
	POPULATION.		DEATHS			BIRTHS.	DEATHS.																					Air Temperature				Air Temperature				Air Temperature			
	Total.a	Persons to an Acre.	BIRTHS.	From all Causes.	From Diseases in cols. 10–18.	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia, b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·2	21·6	19·1	1·1	477	428	68	181	.	9	1	.	6	3	.	1	5	31	44	13	25	65	7	9	111	20	o	o	o		o	o	o		o	o	o	
DUBLIN REGISTRATION AREA:—TOTAL, c.	402,928	29·3	20·4	21·6	1·3	158	167	26	50	.	.	.	.	5	2	.	1	2	17	18	6	13	25	3	2	63	3	e54·8	33·6	43·5	0·18	e52·8	35·9	45·2	1·17	e51·0	31·2	43·4	1·70
CITY of DUBLIN,	310,298	39·2	22·2	23·9	1·5	132	142	22	39	.	.	.	.	4	2	.	1	2	15	17	6	10	19	2	2	57	3	f55·4 g59·6	37·1 35·0	45·8 44·7	0·20 0·22	f52·2 g51·9	41·8 38·0	46·7 46·9	1·80 1·88	f50·5 g49·9	36·8 33·0	44·9 44·0	1·98 1·77
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	16·9	15·5	1·4	12	11	1	5	.	.	.	.	1	.	.	.	.	1	1	.	1	1	1	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	16·2	18·0	14·4	.	10	8	2	5	.	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,018	8·8	5·8	17·4	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	8·9	8·9	.	3	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	56	39	47·1	0·11	53	41	47·3	2·04	51	37	45·5	2·09
URBAN DISTRICTS.																																							
BELFAST	391,167	26·6	26·7	17·6	0·5	200	132	22	38	.	1	1	.	1	.	.	.	1	10	15	3	6	29	2	5	29	1	54·0	33·0	44·6	0·41	50·0	33·0	45·5	2·81	49·0	33·5	42·3	1·68
CORK,	76,122	33·6	12·3	17·1	.	18	25	4	7	.	.	.	.	.	.	.	.	.	.	5	1	2	2	.	.	9	3	58	34	47·0	0·45	52	44	48·4	1·95	51	38	46·5	0·95
LONDONDERRY,	48,477	20·1	15·6	18·0	.	18	15	3	6	.	.	.	.	.	.	.	.	.	.	1	1	2	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	8·2	10·9	.	6	8	3	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	3	54·4	34·7	45·6	0·49	52	40	45·9	1·57	51·4	31·9	42·7	1·16
WATERFORD,	26,769	18·7	15·6	18·6	1·9	8	7	.	4	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	2·5	27·2	19·4	.	7	5	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.	58	37	46	0·77	53	40	45	1·18	50	32	41	0·43
DUNDALK	18,076	9·4	18·9	17·9	.	6	7	.	3	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	20·4	16·3	.	5	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	13,405	17·8	21·0	21·0	.	5	5	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	52·8	37·8	44·0	0·18	48·9	38·0	44·2	1·62	49·8	34·0	43·4	1·37
LURGAN,	11,782	13·8	17·7	35·4	26·6	4	8	1	1	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	52·8	37·8	44·0	0·18	48·9	38·0	44·2	1·62	49·8	34·0	43·4	1·37
LISBURN,	11,461	10·1	18·2	18·2	4·5	4	4	1	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	52·8	37·8	44·0	0·18	48·9	38·0	44·2	1·62	49·8	34·0	43·4	1·37
WEXFORD,	11,168	23·2	12·7	23·8	.	7	5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,886	6·9	14·4	23·9	4·8	3	5	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,870	8·7	28·8	4·8	.	6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	53·2	35·5	45·2	0·57	50·4	36·0	43·2	1·04	51·4	30·0	41·8	0·37
KILKENNY,	10,609	11·5	19·1	24·6	.	10	5	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	55	33	44·7	0·33	52	38	44·6	1·77	51	31	43·6	1·49
CLONMEL,	10,167	7·8	.	15·4	.	.	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,092	18·2	10·3	31·0	5·2	2	6	2	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	1	.	.	52·8	37·8	44·0	0·18	48·9	38·0	44·2	1·62	49·8	34·0	42·4	1·37
TRALEE,	9,867	16·6	.	5·8	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	10·1	22·9	.	7	4	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	54	38	44·9	0·20	50	40	46·3	1·70	50	37	44·9	1·97
QUEENSTOWN,	7,909	14·4	19·8	19·8	6·6	3	3	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	58	34	47·0	0·45	52	44	48·4	1·95	51	38	46·5	0·95
ARMAGH,	7,588	22·2	24·4	20·6	.	5	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	52·8	37·8	44·0	0·18	48·9	38·0	44·2	1·62	49·8	34·0	42·4	1·37

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (b) Formerly described as "Simple Continued Fever." (c) Exclusive of 11 deaths of persons (including one under one year and one at 74 years) admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in general cases; thus the readings at Donaghadee have been adopted for Newtownards, those at

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 24th December, 1910, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN REGISTRATION DISTRICTS IN											URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.									
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
I. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	2	.	2	.	.	1	.	.	.	5	.
Diphtheria,	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	1	.
Diarrhœal Diseases,	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Pneumonia,	2	1	3	.	.	1	.	3	2	2	1	.	1	1	.	.	17	1
Tuberculous Disease. } Phthisis,	3	4	3	.	.	.	.	.	3	1	2	1	1	.	.	.	18	1
} Other Forms,	.	2	.	.	.	.	.	1	1	2	.	.	.	.	.	.	6	1
Cancer, Malignant Disease,	1	3	1	.	.	.	1	1	1	1	1	.	1	1	.	1	13	.
Other General Diseases,	2	1	1	3	.	.	.	3	1	1	1	.	1	2	.	.	16	1
Total,	8	11	9	3	.	1	2	11	8	10	6	1	5	4	.	1	80	4
II. LOCAL DISEASES:																		
Nervous System,	.	1	1	3	.	.	.	2	1	1	.	.	.	1	.	1	11	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	2	.	3	4	.	.	.	4	3	3	3	2	3	.	1	.	28	.
Respiratory System,	.	.	2	3	.	.	.	1	3	3	7	.	1	3	1	1	25	1
Digestive System,	.	.	1	1	.	2	.	2	.	1	.	.	1	.	.	.	8	2
Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Urinary System,	.	.	1	1	.	.	.	2	.	.	.	.	.	.	1	.	5	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	2	1	8	12	.	2	.	12	7	8	10	2	5	4	3	2	78	5
III. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	.	1	1	.	1	.	2	.	.	1	.	.	.	.	.	6	1
V. VIOLENT DEATHS,	.	.	.	1	.	.	.	1	.	.	.	.	1	.	.	.	3	1
Deaths from all Causes	10	12	18	17	.	4	2	26	15	18	17	3	11	8	3	3	167	11
Annual Rate of Mortality from all causes in every 1,000 of the population.	17·4	15·7	30·5	26·4	.	17·9	13·6	32·7	36·0	21·7	24·7	17·2	15·5	14·4	17·4	8·9	21·6	.
	20·7							27·2					14·1					
	23·9																	
Ages of Death. Under 1 year,	3	1	4	1	.	1	.	7	2	1	2	.	1	2	.	1	26	1
1 and under 5 years,	1	.	.	2	.	.	.	2	4	4	.	.	.	1	.	.	14	.
5 „ 20 „	.	1	.	.	.	.	1	.	.	.	.	.	1	.	.	.	3	3
20 „ 40 „	2	6	3	1	.	1	.	.	2	3	2	1	.	.	.	.	22	3
40 „ 60 „	4	2	4	6	.	1	1	9	6	5	5	.	4	.	3	1	52	3
60 years and upwards,	.	2	7	7	.	1	.	8	1	5	8	.	5	5	.	1	50	1
Number of Uncertified Deaths,	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	3	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	5	3	4	.	1	1	3	4	2	2	.	3	2	.	.	32	9
	.	.	10	4	.	1	.	5	3	3	4	.	1	.	.	.	31	2
Workhouse Hospitals,																		

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in the corresponding week of the ten years 1900–1909.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Averages in 51st Week of the 10 years, 1900–1909.	In the Week ending Saturday, 24th December, 1910. Deaths of Persons of the Ages of							
	Dec. 22, 1900.	Dec. 21, 1901.	Dec. 20, 1902.	Dec. 26, 1903.	Dec. 24, 1904.	Dec. 23, 1905.	Dec. 22, 1906.	Dec. 21, 1907.	Dec. 19, 1908.	Dec. 25, 1909.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
													Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	—	° 33·5	° 46·7	° 39·7	° 38·2	° 46·1	° 45·5	° 47·0	° 41·5	° 33·5	° 41·3‡	Mean Temp. ° 43·5								
ALL CAUSES.	175	196	235	153	184	171	217	195	143	155	182·4	178	7	20	14	6	25	55	42	9
Small-pox,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cowpox,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles (Morbilli),	·	·	9	1	10	·	2	·	5	·	2·7	·	·	·	·	·	·	·	·	·
Scarlet Fever,	1	2	1	1	·	1	·	1	·	1	·8	·	·	·	·	·	·	·	·	·
Typhus,	·	·	1	·	·	·	·	·	·	·	·1	·	·	·	·	·	·	·	·	·
Plague,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza,	1	1	1	1	·	·	5	·	·	6	1·5	3	·	·	·	·	·	·	1	2
Whooping-cough,	6	4	3	3	·	1	2	2	1	2	2·4	5	·	2	3	·	·	·	·	·
Diphtheria,	1	3	·	·	·	·	2	3	2	·	1·1	2	·	1	1	·	·	·	·	·
Cerebro-spinal Fever,	·	·	·	·	·	·	·	·	1	·	·1	·	·	·	·	·	·	·	·	·
Pyrexia † (origin uncertain),	1	1	·	·	·	·	·	·	·	·	·2	·	·	·	·	·	·	·	·	·
Enteric Fever,	3	4	3	2	1	4	2	·	·	3	2·2	1	·	·	·	1	·	·	·	·
Asiatic Cholera,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Epidemic Diarrhœa (Infective Enteritis.), *Diarrhœa*, Dysentery,	4	2	1 / 2	·	1 / ·	· / 1	· / 2	3 / 1	· / 4	· / ·	2·1	2 / ·	·	2 / ·	·	·	·	·	·	·
Tetanus,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Rabies, Hydrophobia,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Glanders,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Anthrax (Splenic Fever),	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Venereal Disease,	·	·	·	3	·	1	1	·	1	1	·7	1	·	1	·	·	·	·	·	·
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*,	·	2	· / · / ·	· / · / ·	· / · / ·	· / · / ·	· / · / 1	· / · / ·	· / · / ·	· / · / 1	·4	· / · / ·	·	· / · / ·	·	·	·	·	·	·
Infective Endocarditis	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pneumonia, Lobar, Broncho-Epidemic Not defined,	6	8	· / · / 7 / 6	· / · / 4 / 5	· / · / 9 / 7	2 / 5 / 4 / 4	3 / 11 / · / 9	4 / 15 / 5 / 5	9 / 3 / 6	3 / 11 / · / 6	14·2	3 / 9 / · / 6	·	1 / 3 / · / ·	· / 5 / · / ·	·	1 / · / 3 / 3	· / · / 2 / 2	1 / 1 / 1 / 1	· / · / · / ·
Erysipelas,	·	1	·	·	·	2	·	·	·	·	·3	1	·	·	·	·	·	·	1	·
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	1	·	· / ·	· / 1	· / ·	1 / ·	· / ·	2 / ·	· / ·	· / ·	·5	· / ·	·	· / ·	·	·	·	·	·	·
Other Infective Conditions,	·	·	1	1	·	·	·	1	·	1	·4	·	·	·	·	·	·	·	·	·
Tuberculous Phthisis, "*Phthisis*,"	26	21	3 / 25	8 / 23	6 / 8	10 / 17	18 / 9	13 / 9	19 / 11	6 / 8	24·3	8 / 11	·	·	·	1	3 / 8	4 / 3	·	·
Tuberculous Meningitis,	2	5	2	3	·	1	2	2	2	4	2·3	·	·	·	·	·	·	·	·	·
Tuberculous Peritonitis, *Tabes Mesenterica*,	3	2	1 / ·	· / ·	1 / ·	· / ·	2 / ·	2 / 1	1 / 2	· / ·	1·5	· / ·	·	· / ·	·	·	·	·	·	·
Tuberculous Dis. (other), *Scrofula*,	6	3	8 / ·	6 / ·	8 / ·	2 / 1	5 / ·	3 / ·	4 / ·	· / ·	4·6	7 / ·	·	3 / ·	·	·	1	2	1	·
Alcoholism,	·	1	·	·	1	1	·	1	·	1	·5	·	·	·	·	·	·	·	·	·
Rheumatic Fever,	·	1	·	·	·	·	·	·	1	1	·3	·	·	·	·	·	·	·	·	·
Gout,	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Carcinoma, Sarcoma, Cancer (undefined)	10	7	4 / · / 6	2 / · / 6	3 / · / 2	1 / 1 / 3	3 / · / 14	3 / · / 3	2 / 1 / 3	3 / · / 3	8·0	5 / 8 / ·	·	· / · / ·	·	·	·	3 / 4 / 4	2 / 4 / ·	·
Diabetes Mellitus,	·	·	·	·	·	1	·	·	·	·	·1	1	·	·	·	1	·	·	·	·
Premature Birth,	2	7	2	2	6	7	3	5	4	3	4·1	4	4	·	·	·	·	·	·	·

‡ For nine years only.

* The figures for the year 1900 are for

† Formerly described as

FIFTY-FIRST WEEK ending Saturday, 24th December, 1910, with the deaths from each cause in the and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 51st Week of the 10 years 1900-1909.	In the Week ending Saturday, 24th December, 1910. Deaths of Persons of the Ages of							
	Dec. 22, 1900.	Dec. 21, 1901.	Dec. 20, 1902.	Dec. 26, 1903.	Dec. 24, 1904.	Dec. 23, 1905.	Dec. 22, 1906.	Dec. 21, 1907.	Dec. 19, 1908.	Dec. 25, 1909.		All Ages.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	—	° 33·5	° 46·7	° 39·7	° 38·2	° 46·1	° 45·5	° 47·0	° 41·5	° 33·5	° 41·3‡	° 43·5								
Meningitis (not tuberc.)			5	1	2	4	1	3	.	1		3	.	.	.	1	1	1	.	.
Insanity, G. P. of Insane			2	1	3	2	1	.	1	3		1	.	.	.	.	.	1	.	.
Epilepsy			3	1	1	.	.	.	1	.		1	.	.	1	.	.	.	.	.
Convulsions			9	10	9	6	9	5	1	2		3	1	2	.	.	.	.	.	.
Locomotor Ataxy			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord			1	2	.	1	.	.	1	2		3	.	.	.	.	.	1	2	.
Nervous System (other Dis.)	40	42	5	1	3	4	8	1	2	2	42·6	1	.	.	.	.	.	1	.	.
Valv. Dis., Endocarditis			3	3	9	2	9	10	3	1		9	.	.	.	.	1	4	3	1
Cerebr. Hæm. Thromb.			2	1	4	3	1	1	3	5		4	.	.	.	.	.	2	2	.
Apoplexy, Hemiplegia			9	4	10	1	10	5	2	2		1	.	.	.	.	.	.	1	.
Aneurysm			1	1	.	1	.	.	.	.		.	.	.	.	.	.	.	.	.
Embolism, Thromb. (not cerebral)			.	1	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Heart and Blood Vessels (other Dis.)			14	9	19	19	15	18	10	13		14	.	.	.	.	2	6	5	1
Croup (not Spasm. nor Memb.)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	27	24	40	16	26	24	22	37	20	28	26·4	23	.	2	2	1	.	9	6	3
Asthma, Emphysema	2	.	1	.	2	.	.	1	.	1	2·5	.	.	.	.	.	.	.	.	.
Pleurisy			1	.	1	.	1	1	.	.		.	.	.	.	.	1	.	2	.
Respiratory Dis. (other)			3	.	2	1	2	4	1	1		3	.	.	.	.	.	.	.	.
Tonsillitis, Quinsy	.	.	.	.	.	.	.	.	.	2	·2	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.)	.	.	1	1	2	3	1	.	.	2	1·8	.	.	.	.	.	.	.	.	.
Gastro-enteritis			.	.	1	2	2	2	1	.		.	.	.	.	.	.	.	.	.
Peritonitis (not Puerp.)	2	1	.	.	1	.	3	.	1	.	·8	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver	6	.	1	.	.	.	2	.	1	.	1·8	2	.	.	.	.	.	2	.	.
Liver Dis. (other)			2	1	1	2	.	1	1	.		1	.	.	.	.	.	1	.	.
Digestive Dis. (other)	1	10	5	3	2	4	8	3	3	6	4·5	7	.	.	.	.	2	2	3	.
Nephritis, Acute			1	.	.	2	1	1	1	2		1	.	.	.	.	.	1	.	.
Bright's Dis., Albuminuria	2	9	4	8	3	5	2	5	1	2	6·0	4	.	.	.	.	.	4	.	.
Urinary Sys. (other Dis.)			2	1	2	2	2	1	.	1		.	.	.	.	.	.	.	.	.
Generative Organs Dis.	1	.	.	.	1	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Childbirth (Accid. of)	.	1	.	.	.	1	1	.	2	1	·6	1	.	.	.	.	.	1	.	.
Old Age	3	8	8	3	4	3	2	.	1	1	3·3	4	.	.	.	.	.	.	2	2
Other Diseases	12	12	20	11	7	7	13	11	6	11	11·0	11	2	3	1	1	1	.	3	.
ACCIDENT.																				
By Railways	.	1	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
By Vehicles and Horses	.	.	1	.	2	1	1	.	.	.	·5	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	3	4	2	1	1	2	4	.	1	1	1·9	2	.	.	1	1	.	.	.	.
By Drowning	.	3	.	1	.	.	.	2	.	.	·6	1	.	.	.	.	.	1	.	.
By Suffocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Other Deaths by Accident	1	3	3	.	2	1	.	4	1	1	1·6	1	.	.	.	.	.	1	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	2	.	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Suicide	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

the Registration Area as then constituted.
"Simple Continued Fever."

‡ For nine years only.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910—Week ending July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.
No. of weeks in Annual Series,	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
BIRTHS registered.	223	229	272	225	243	198	209	240	194	228	260	235	292	196	219	161	214	182	211	207	204	182	199	174	232	158
*Average Births in corresponding week of previous 10 years,** ..	237	200	198	204	215	221	202	219	218	207	232	203	200	252	192	184	209	206	209	202	195	181	207	193	195	177
DEATHS registered, ...	127	143	118	141	127	145	143	126	146	120	141	153	174	164	160	151	174	139	147	141	166	168	176	183	165	178
Annual Death-rate per 1,000, ..	16·4	18·5	15·3	18·6	16·4	18·8	18·5	16·3	18·9	15·5	18·2	19·8	22·5	21·2	20·7	19·5	22·5	18·0	19·0	18·2	21·5	21·7	22·8	24·3	21·4	23·0
*Average Deaths in corresponding week of previous 10 years,**	136	138	142	146	147	146	148	156	166	159	157	154	167	160	158	156	160	156	172	175	179	182	182	182	177	182
AGES, Under 5 years.	31	50	29	48	31	31	54	37	57	42	38	59	70	60	58	41	56	40	46	47	57	49	55	53	43	41
AGES, 5—20 ,, ...	11	11	10	8	18	17	8	6	9	3	16	8	9	11	7	7	14	6	14	11	10	11	10	15	13	6
AGES, 20—40 ,, ...	23	24	17	17	13	27	23	23	13	18	19	22	19	16	22	25	26	21	33	11	27	24	19	24	26	25
AGES, 40—60 ,, ...	23	25	27	29	30	30	28	32	27	23	33	30	32	33	38	27	31	26	25	31	22	37	33	46	33	55
AGES, 60—80 ,, ...	33	28	34	34	33	35	26	24	33	23	33	30	42	37	23	39	41	41	24	33	43	36	46	36	42	42
AGES, 80 years and upwards, ..	6	10	1	8	2	5	4	4	7	8	2	4	2	7	7	9	6	5	5	3	7	11	13	14	8	9
Deaths from—																										
Small-pox, ...	.	.	.	1	.	.	1	.	.	.	.	.	3	.	1	.	.	.	1	.	1	1	.	2	1	.
Measles, ...	1	1	.	3	3	1	1	1	2	1	1	2	.	.	1	.	1	1	3	.	2	1	3	1	1	.
Scarlet Fever, ...	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Typhus, ...	3	.	1	1	.	3	3	2	.	4	3	2	1	2	2	2	5	1	1	4	2	6	5	11	1	5
Whooping-cough, ...	1	2	1	.	5	1	.	2	4	1	.	2	3	2	2	1	.	4	1	2	3	2	4	.	3	2
Diphtheria, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain), ..	.	.	1	2	2	.	.	2	.	1	1	1	1	.	3	1	2	1	1	.	.	2	.	1	2	1
Enteric Fever, ...	.	.	1	2	.	.	.	.	.	1	.	1	1	.	1	1	1	1	1	.	.	.	.	1	2	2
Diarrhœal Diseases, ...	1	6	3	5	.	2	14	6	17	13	11	21	22	27	14	10	8	4	5	4	2	4	6	3	4	2
Influenza, ...	2	.	.	1	.	1	.	1	.	.	.	1	1	2	1	1	2	1	4	1	.	2	4	2	1	3
Pneumonia, ...	8	8	7	9	5	7	8	7	6	5	6	10	4	6	5	11	15	12	13	11	16	16	14	15	27	18
Tuberculous Phthisis, ..	23	11	19	11	17	24	14	17	12	17	23	15	19	18	17	14	23	17	13	16	20	14	16	25	14	19
Disease, Other Forms, ..	14	7	8	3	9	10	15	7	5	5	13	9	8	11	12	8	8	4	11	11	8	6	7	11	4	7
Cancer, Malignant Disease, ..	10	8	5	11	10	8	8	9	10	8	9	7	9	11	12	11	12	9	7	9	8	14	8	12	4	13
Diseases of Heart and Blood Vessels, ...	23	26	17	22	23	28	20	16	20	17	23	19	24	30	20	24	25	23	17	18	23	24	30	30	23	28
Diseases of Respiratory System,	7	11	18	14	14	10	8	10	11	6	10	10	20	13	16	17	17	13	18	26	26	29	37	27	32	26
Violent Deaths, ...	2	9	3	8	5	3	6	2	4	5	3	6	6	3	10	4	.	2	1	2	2	3	4	4	3	4
Number of Uncertified Deaths, ..	3	5	.	4	7	2	3	4	4	3	2	1	3	3	3	3	2	4	1	3	6	7	5	5	3	3
Mean Temperature of the Air (Phœnix Park), ...	54·7	55·5	57·1	53·9	57·8	56·5	59·2	53·8	56·6	57·2	54·8	52·0	50·4	54·2	52·5	43·2	49·1	50·4	43·1	39·6	33·2	42·2	37·0	43·4	45·2	43·5
Average Mean Temperature in corresponding week of previous 10 years, ...	56·6	57·6	58·9	60·6	58·8	58·8	58·2	57·7	56·5	56·1	54·4	53·1	53·8‡	53·7	52·2	50·6	48·4	46·2	47·1	45·2	42·7	41·5	42·8	42·4	41·6	41·3‡
Rainfall in inches, ...	1·780	·660	·000	·840	·355	·940	·205	1·175	·411	·194	150	·015	·015	·391	·585	·188	·333	·365	·558	·860	·352	1·203	1·820	1·700	1·172	·143
Mean Humidity of the Air, complete Saturation 1·0	·87	·88	·81	·81	·81	·84	·85	81	·84	·88	·87	·91	·85	·89	·90	84	·92	·87	·90	·89	·85	·91	93	·91	91	·94

* See note (*) at foot of Table IV.

† Formerly described as "Simple Continued Fever."

‡ For 9 years only.

Dublin Registration Area during the Week ending Saturday, 24th December, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS WEEK ENDING SATURDAY, 24TH DECEMBER, 1910.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases	Total Cols. 10-18.	Pneumonia.	Tubercular Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Convulsions.	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS, ...	375,850	24·7	178	41	6	25	55	42	9	.	.	.	.	5	2	.	1	2	10	18	19	7	13	3	26	4	78	3
	CLASSES.																												
	Deaths in Families of the—																												
I.	Professional and Independent Class, ..	17,486	17·9	6	.	.	.	.	4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	5	.
II.	Middle Class, ...	87,198	21·5	36	6	.	9	11	6	4	.	.	.	.	1	.	.	.	1	1	8	5	.	3	1	3	.	15	.
III.	Artisan Class and Petty Shopkeepers, ..	110,428	17·0	36	7	3	6	8	12	.	.	.	.	.	.	1	.	1	.	2	3	4	3	3	.	4	2	16	2
IV.	General Service Class, ...	154,279	22·6	67	24	3	8	12	9	1	.	.	.	.	4	1	.	.	1	6	6	5	2	5	2	12	2	27	1
V.	Inmates of Workhouses, ...	6,024	—	33	4	.	2	14	11	2	.	.	.	.	.	.	.	.	1	1	1	5	2	2	.	7	.	15	.
I.	Professional and Independent Class.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	20·7	4	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,860	12·5	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
II.	Middle Class.																												
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	18·5	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	28·4	12	3	.	3	5	.	1	.	.	.	.	.	.	.	.	.	.	4	1	.	1	1	1	.	4	.
	6. Clerks and Commercial Assistants, ..	30,482	20·6	12	2	.	5	3	2	.	.	.	.	.	1	.	.	.	.	1	2	1	.	1	.	1	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	19·3	10	1	.	1	2	3	3	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1	.	6	.
III.	Artisan Class and Petty Shopkeepers.																												
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	10·6	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1	.
	9. Building and Furnishing Trades, ...	29,801	15·7	9	1	1	2	3	2	.	.	.	.	.	.	.	.	.	.	.	1	1	1	2	.	1	.	3	.
	10. Clothing Trades, ...	23,260	15·7	7	2	1	1	.	3	.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	.	1	.	3	.
	11. Food Supply Trades, ...	9,242	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	25·8	15	3	1	2	4	5	.	.	.	.	.	.	1	.	.	.	1	1	2	2	.	.	2	1	6	1
	13. Petty Shopkeepers, ...	7,894	19·8	3	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1
IV.	General Service Class.																												
	14. Army, Police, Postal Delivery and Prison Services, &c	13,425	23·3	6	2	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	4	1
	15. Domestic Servants, ...	36,608	12·8	9	2	1	3	2	1	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	2	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,390	18·1	5	.	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ..	89,861	27·3	47	20	2	3	15	6	1	.	.	.	.	4	1	.	.	1	6	2	3	.	4	2	10	2	18	.
V.	Inmates of Workhouses.																												
	18. Workhouse Inmates, ...	6,024	—	33	4	.	2	14	11	2	.	.	.	.	.	.	.	.	.	1	1	1	5	2	2	.	7	.	15	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

	DISTRICTS	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes.	From Diseases in Cols. 5–13.	Total Deaths.	NUMBER OF DEATHS FROM Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of).	North City, No. 1 (E.)	Nov. 5,	31·4	·	18	·	·	·	·	·	·	·	·	·	2	1	·	1	4	·	·
		„ 12,	24·4	1·7	14	·	·	·	·	·	·	·	·	1	·	2	1	·	3	·	2
		„ 19,	22·7	·	13	·	·	·	·	·	·	·	·	·	3	2	·	·	1	·	1
	(*Office*,	„ 26,	20·9	·	12	·	·	·	·	·	·	·	·	·	1	1	·	1	3	·	·
	Clarence-st., Nth.)	Dec. 3,	29·6	3·5	17	·	·	·	·	2	·	·	·	·	·	4	1	·	4	1	·
		„ 10,	17·4	3·5	10	·	·	·	·	2	·	·	·	·	·	1	·	1	·	2	1
	Pop. in 1910	„ 17,	22·7	·	13	·	·	·	·	·	·	·	·	·	3	2	·	·	2	2	·
	(Est.) 29,908.	„ 24,	17·4	·	10	·	·	·	·	·	·	·	·	·	2	3	·	1	·	·	1
	North City, No. 1 (W.)	Nov. 5,	14·3	2·6	11	·	1	·	·	·	·	·	1	·	1	1	1	·	·	·	·
		„ 12,	18·0	2·6	10	·	·	·	·	·	2	·	·	·	·	2	·	1	1	1	·
		„ 19,	14·3	1·3	11	·	·	·	·	·	·	·	·	1	1	1	1	·	3	·	·
	(*Office*,	„ 26,	24·8	1·3	19	·	·	·	·	·	·	·	·	1	3	4	·	2	1	·	·
	Summer-hill.)	Dec. 3,	19·6	2·6	15	·	·	1	·	·	·	·	·	1	1	1	3	·	4	·	·
		„ 10,	36·5	1·3	28	·	·	·	·	·	·	·	·	1	4	2	·	2	2	·	1
	Pop. in 1910	„ 17,	19·6	2·6	15	·	·	1	·	·	·	·	·	1	2	·	·	·	4	1	·
	(Est.) 39,974.	„ 24,	15·7	·	12	·	·	·	·	·	·	·	·	·	1	4	2	3	·	·	·
	North City, No. 2.	Nov. 5,	25·4	1·7	15	·	·	·	·	·	·	·	·	1	·	2	1	1	2	·	·
		„ 12,	8·5	·	5	·	·	·	·	·	·	·	·	·	1	1	·	·	1	·	·
		„ 19,	25·4	·	15	·	·	·	·	·	·	·	·	1	·	2	1	·	2	·	·
	(*Office*,	„ 26,	22·0	5·4	13	·	·	·	·	·	·	·	1	1	2	2	1	·	1	1	·
	Lisburn-street.)	Dec. 3,	23·7	·	14	·	·	·	·	·	·	·	·	·	·	·	1	·	4	1	·
		„ 10,	27·1	1·7	16	·	·	·	·	1	·	·	·	·	·	3	2	·	3	·	·
		„ 17,	18·7	1·7	11	·	·	·	·	·	1	·	·	·	1	2	·	·	1	·	·
	Pop. in 1910	„ 24,	30·5	1·7	18	·	·	·	·	·	·	·	·	1	3	3	·	1	2	·	·
	(Est.) 30,744.																				
	North City, No. 3.	Nov. 5,	21·8	1·6	14	·	·	·	·	·	·	·	·	1	1	1	3	·	2	·	·
		„ 12,	14·0	·	9	·	·	·	·	·	·	·	·	·	1	1	·	2	1	·	1
		„ 19,	14·0	·	9	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
	(*Office*,	„ 26,	21·8	·	14	·	·	·	·	·	·	·	·	·	·	2	1	·	2	·	2
	Benburb-street.)	Dec. 3,	21·8	1·6	14	·	·	·	·	1	·	·	·	·	2	·	·	·	2	·	1
		„ 10,	18·6	·	12	·	·	·	·	·	·	·	·	·	1	1	2	3	·	·	·
		„ 17,	17·1	·	11	·	·	·	·	·	·	·	·	·	2	·	·	·	4	·	1
	Pop. in 1910	„ 24,	26·4	·	17	·	·	·	·	·	·	·	·	·	·	·	·	·	3	1	2
	(Est.) 33,559.																				
	South City, No. 1.	Nov. 5,	17·6	5·0	14	·	·	2	·	1	·	·	·	1	1	·	1	·	5	·	1
		„ 12,	30·2	1·3	24	·	·	·	·	1	·	·	·	·	1	1	1	·	10	·	1
		„ 19,	22·6	2·5	18	·	·	1	·	1	·	·	·	·	2	2	·	·	7	·	·
	(*Office*,	„ 26,	26·4	2·5	21	·	·	·	·	2	·	·	·	·	1	·	·	·	6	·	1
	Sth. Earl-street.)	Dec. 3,	26·4	3·8	21	·	·	·	·	1	1	·	·	1	·	2	·	·	6	·	·
		„ 10,	18·9	2·5	15	·	·	·	·	1	·	·	·	1	1	2	·	1	2	·	·
	Pop. in 1910	„ 17,	15·1	·	12	·	·	·	·	·	·	·	·	·	·	2	·	·	6	·	·
	(Est.) 41,476.	„ 24,	32·7	3·8	26	·	·	·	·	2	1	·	·	·	3	·	1	1	1	1	·
	South City, No. 2.	Nov. 5,	26·4	·	11	·	·	·	·	·	·	·	·	·	1	2	2	·	2	1	·
		„ 12,	21·6	·	9	·	·	·	·	·	·	·	·	·	·	2	1	·	2	·	·
		„ 19,	19·2	·	8	·	·	·	·	·	·	·	·	·	3	1	·	1	1	·	2
	(*Office*,	„ 26,	24·0	·	10	·	·	·	·	·	·	·	·	·	·	2	·	1	2	1	1
	Castle-street.)	Dec. 3,	26·4	4·8	11	·	·	·	·	·	2	·	·	·	1	·	·	·	4	1	·
		„ 10,	19·2	2·4	8	·	·	·	·	·	·	·	1	·	2	1	·	·	2	·	·
	Pop. in 1910	„ 17,	31·2	·	13	·	·	·	·	·	·	·	·	·	2	·	·	·	3	·	·
	(Est.) 21,754.	„ 24,	36·0	·	15	·	·	·	·	·	·	·	·	·	2	3	1	1	3	·	·
	South City, No. 3.	Nov. 5,	19·3	2·4	16	·	·	·	·	·	·	·	·	2	2	3	1	1	1	·	·
		„ 12,	24·1	1·2	20	·	·	·	·	1	·	·	·	·	4	4	3	·	1	·	·
		„ 19,	30·2	1·2	25	·	1	·	·	·	·	·	·	·	4	2	2	·	3	1	·
	(*Office*,	„ 26,	25·8	4·8	21	·	1	·	·	1	1	·	·	1	4	1	2	2	3	·	1
	Peter-street.)	Dec. 3,	16·9	1·2	14	·	·	1	·	·	·	·	·	·	3	2	1	·	2	·	·
		„ 10,	31·4	7·2	26	·	1	·	·	5	·	·	·	·	3	3	3	·	6	·	·
	Pop. in 1910	„ 17	18·1	·	15	·	·	·	·	·	·	·	·	·	4	·	1	·	4	1	1
	(Est.) 43,227.	„ 24	21·7	3·6	18	·	·	·	·	2	1	·	·	·	2	1	2	1	3	·	·
	South City, No. 4.	Nov. 5,	17·4	1·5	12	·	·	·	1	·	·	·	·	·	1	3	·	3	·	·	·
		„ 12,	17·4	2·9	12	·	·	·	·	1	·	·	·	1	2	·	1	·	3	·	·
		„ 19,	30·5	5·8	21	·	·	1	·	1	1	·	·	1	·	5	·	2	3	·	·
	(*Office*,	„ 26,	23·3	2·9	16	·	·	·	·	1	·	·	1	·	2	2	·	·	5	·	·
	Grand Canal-st.)	Dec. 3,	27·6	5·8	19	·	·	1	·	·	·	·	·	3	2	2	·	·	3	1	1
		„ 10,	34·9	4·4	24	·	1	·	·	2	·	·	·	·	2	1	3	2	6	·	2
	Pop. in 1910	„ 17,	18·9	1·5	15	·	1	·	·	·	·	·	·	·	2	3	2	·	3	1	·
	(Est.) 35,881.	„ 24,	24·7	1·5	17	·	·	·	·	·	·	·	·	1	1	2	·	1	7	·	·

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Diseases in Cols. 5–18.	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District.	Nov. 5,	9·9	.	7	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.
	„ 12,	14·1	2·8	10	.	.	.	.	1	.	.	.	1	1	.	1	1	2	.	1
	„ 19,	22·5	1·4	16	.	.	.	.	.	1	.	.	.	.	.	.	1	2	.	1
	„ 26,	14·1	2·8	10	.	.	.	.	1	1	.	.	.	2	.	1	1	1	.	.
	Dec. 3,	16·9	.	12	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	1
	„ 10,	11·3	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.
	„ 17,	14·1	.	10	.	.	.	.	.	.	.	.	.	2	1	.	1	.	1	1
Pop. in 1910 (Est.) 37,047.	„ 24,	15·5	1·4	11	.	.	.	.	1	.	.	.	.	1	1	.	1	1	1	.
Pembroke Urban District.	Nov. 5,	16·2	1·8	9	.	.	.	.	.	1	.	.	.	1	2	1	.	.	.	.
	„ 12,	7·2	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	„ 19,	14·4	.	8	.	.	.	.	.	.	.	.	.	.	3	.	2	1	1	.
	„ 26,	12·6	.	7	.	.	.	.	.	.	.	.	.	1	.	1	.	4	.	.
	Dec. 3,	25·2	1·8	14	.	.	.	.	.	.	.	.	1	1	1	.	.	2	.	.
Pop. in 1910 (Est.) 28,948.	„ 10,	18·0	.	10	.	.	.	.	.	.	.	.	.	.	2	.	1	3	.	.
	„ 17,	19·8	1·8	11	.	.	.	.	.	.	.	1	.	3	.	.	.	2	.	.
	„ 24,	14·4	.	8	.	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.
Kingstown Urban District.	Nov. 5,	11·6	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	„ 12,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	„ 19,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.
	„ 26,	20·7	8·0	7	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	Dec. 3,	5·9	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Pop. in 1910 (Est.) 17,622.	„ 10,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	„ 17,	23·7	.	8	.	.	.	.	.	.	.	.	.	3	.	.	.	1	1	.
	„ 24,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
Belfast. Pop. in 1910 (Est.) 391,167.	Nov. 5,	14·4	1·3	108	.	3	1	.	.	.	.	.	6	7	14	2	9	11	3	2
	„ 12,	16·3	0·8	122	.	1	.	.	.	1	.	.	4	13	12	7	5	23	4	3
	„ 19,	17·6	0·7	132	.	.	.	.	.	1	.	1	3	11	17	8	8	16	2	.
	„ 26,	17·9	0·7	134	.	2	1	.	1	.	.	.	1	8	17	4	9	25	5	.
	Dec. 3,	14·5	0·5	109	.	2	.	.	.	1	.	.	1	7	13	7	6	25	3	3
	„ 10,	20·1	1·7	151	.	3	1	.	1	4	.	.	4	13	14	5	5	36	2	4
	„ 17,	17·7	1·1	133	.	3	2	.	.	.	.	.	3	10	12	7	8	22	6	1
	„ 24,	17·6	0·5	132	.	1	1	.	1	.	.	.	1	10	15	3	6	19	2	1
Cork. Pop. (in 1901) 76,122.	Nov. 5,	11·0	1·4	16	.	.	.	.	.	1	.	.	1	.	2	.	2	1	.	.
	„ 12,	15·8	0·7	23	.	.	.	.	.	.	.	.	1	1	3	1	3	4	1	.
	„ 19,	14·4	.	21	.	.	.	.	.	.	.	.	.	.	5	1	2	1	1	2
	„ 26,	17·1	0·7	25	.	.	.	.	.	.	.	.	1	1	6	2	3	2	.	.
	Dec. 3,	13·7	.	20	.	.	.	.	.	.	.	.	.	.	1	1	1	6	1	.
	„ 10,	13·7	.	20	.	.	.	.	.	.	.	.	.	1	5	1	1	2	.	.
	„ 17,	20·5	1·4	30	.	.	.	.	1	.	.	.	1	.	4	1	.	3	1	1
	„ 24,	17·1	.	25	.	.	.	.	.	.	.	.	.	.	5	1	2	2	.	3
Londonderry. Pop. in 1910 (Est.) 43,277.	Nov. 5,	10·8	.	9	.	.	.	.	.	.	.	.	.	.	2	.	.	3	1	.
	„ 12,	15·6	2·4	18	.	.	.	.	.	.	.	.	2	1	1	.	1	1	.	.
	„ 19,	18·0	2·4	15	.	.	1	.	1	.	.	.	.	.	1	1	1	3	.	.
	„ 26,	16·8	1·2	14	.	.	.	.	1	.	.	.	.	1	3	.	.	6	.	.
	Dec. 3,	15·6	1·2	13	.	.	.	.	.	.	.	.	1	3	3	.	.	1	.	1
	„ 10,	15·6	3·6	13	.	.	.	.	3	.	.	.	.	.	1	.	2	1	.	1
	„ 17,	20·4	.	17	.	.	.	.	.	.	.	.	.	2	.	3	2	3	.	.
	„ 24,	18·0	.	15	.	.	.	.	.	.	.	.	.	.	1	1	2	2	.	1
Limerick. Pop. (in 1901) 38,151.	Nov. 5,	23·2	.	17	.	.	.	.	.	.	.	.	.	2	1	.	2	3	.	3
	„ 12,	6·8	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	„ 19,	5·5	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 26,	5·5	1·4	4	.	.	.	.	.	1	.	.	.	.	1	.	1	1	.	.
	Dec. 3,	28·2	.	17	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	6
	„ 10,	13·7	.	10	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.	4
	„ 17,	21·9	.	16	.	.	.	.	.	.	.	.	.	.	2	1	2	4	.	.
	„ 24,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	3
Waterford. Pop. (in 1901) 26,769.	Nov. 5,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 12,	15·6	.	8	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	1
	„ 19,	25·8	1·9	13	.	.	.	.	.	.	.	.	1	.	1	3	1	.	.	.
	„ 26,	11·7	1·9	6	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.
	Dec. 3,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.
	„ 10,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	„ 17,	35·1	.	18	.	.	.	.	.	.	.	.	.	3	2	1	.	2	.	1
	„ 24,	13·6	1·9	7	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 24th December, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS: Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-20.	Total No. of Deaths.	AGES AT DEATH: Under 1 year.	1 year and under 5 years	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexial (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,		10			6	1	1	1	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1	1	2	.
Do. 2 do, .		12			15	1	2	2	4	1	5	.	.	.	.	.	.	.	.	1	2	2	.	.	5	.	1	2	.
Do. 3 do. .		19			19	4	2	2	.	6	5	.	.	.	.	1	.	.	.	.	2	1	.	.	4	.	.	3	1
Do. 4 do. .		22			21	5	3	1	1	5	6	.	.	1	.	.	.	.	.	.	.	2	1	1	3	.	.	3	.
Do. 5 do. .		6			4	1	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	.
Do 6 do. .		13			7	.	.	.	2	3	2	.	.	.	.	.	.	.	.	.	.	3	.	.	3	.	.	1	.
Do 7 do. .		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 8 do. .	349,180	1			1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		10			15	1	1	.	3	4	6	.	.	.	.	.	.	.	.	.	.	3	.	2	5	.	.	4	.
Do 10 do. .		16			8	1	1	1	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.
Do. 11 do. .		33			14	3	1	1	4	3	2	.	.	.	.	.	.	.	.	.	1	2	1	1	2	1	1	1	.
Do. 12 do.		31			10	3	.	.	2	3	2	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	1	2	.
Do. 13 do. .		9			2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Do. 14 do. .		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15* do. .		18			10	2	.	1	1	2	4	.	.	.	.	.	.	.	.	.	2	.	1	1	2	.	1	.	.
Total, ...	—	200	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		132	22	12	9	20	31	38	.	1	1	.	1	.	.	.	1	10	15	3	6	29	2	5	29	1
City of Cork.																													
CORK URBAN No. 1 DISTRICT, .	12,867	1	18·4	.	7	2	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	5	.
Do. 2 do. .	10,701	3	14·6	.	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
Do. 3 do. .	9,978	1	5·2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Do. 4 do. .	8,666	2	12·0	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Do. 5 do. .	6,592	2	23·7	.	3	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
Do. 6 do. .	10,702	4	19·5	.	4	.	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Do. 7 do. .	16,616	5	15·7	.	5	1	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	3
Total, ...	76,122	18	17·1	.	25	4	1	3	4	6	7	.	.	.	.	.	.	.	.	.	.	5	1	2	2	.	.	9	3

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910—Week ending																								
	July 2.	July 9	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.
No. of weeks in annual Series, ..	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	43	47	48	49	50	51
BIRTHS registered, ...	218	199	259	289	214	179	219	210	159	219	190	264	194	172	200	205	228	201	183	178	156	181	175	185	167	200
DEATHS registered, ...	137	145	186	117	135	115	102	124	181	121	103	116	122	105	94	122	120	115	108	122	132	134	109	151	133	133
Annual Death rate per 1,000 of estimated Population, ...	18·3	19·3	18·1	15·6	18·0	15·3	13·6	16·5	17·5	16·1	13·7	15·5	16·3	14·0	12·5	16·3	16·0	15·3	14·4	16·3	17·6	17·9	14·5	20·1	17·7	17·6
AGES — Under 1 year, ...	24	34	26	25	35	27	27	35	49	30	28	23	29	25	31	27	27	28	24	28	27	24	17	34	20	22
AGES — 1-5 years, ...	33	29	32	23	23	19	6	17	14	15	14	13	11	14	6	14	16	8	11	6	6	5	8	11	17	12
AGES — 5-20 years, ...	13	12	7	17	10	7	7	9	11	11	4	16	6	11	8	17	9	9	9	13	15	8	10	11	6	9
AGES — 20-40 years, ...	18	25	20	19	14	15	22	19	18	9	16	12	23	17	8	15	18	16	25	18	24	21	12	22	25	20
AGES — 40-60 years, ...	21	20	25	17	25	21	22	21	19	26	20	22	18	20	21	22	28	20	16	25	23	42	27	37	35	31
AGES — 60 years and upwards, ..	28	25	26	16	28	26	18	28	20	30	21	30	35	18	20	27	27	34	23	32	37	34	35	36	30	38
Deaths from :—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	25	24	20	21	8	7	4	7	8	.	8	1	8	1	1	8	5	.	8	1	.	2	2	8	8	1
Scarlet Fever, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	1	2	1
Typhus, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	1	2	1	1	.	2	1	1	5	.	1	1	1	8	1	1	.	1	.	.	.	1	.	1	.	1
Diphtheria, ...	.	.	1	1	1	.	.	.	.	.	.	1	.	.	.	2	1	.	.	1	1	.	1	4	.	.
*Pyrexia** (origin uncertain , ..	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	1	.	.	1	2	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	1	.	.	.	.	.
Diarrhœal Diseases, ...	1	5	2	5	6	10	14	22	29	16	18	15	18	7	7	8	8	10	6	4	8	7	1	4	8	1
Pneumonia, ...	11	14	17	5	8	8	4	5	10	8	6	7	10	7	5	11	11	7	7	18	11	8	7	18	10	10
Tuberculous Disease, Phthisis, ..	11	11	9	16	15	18	14	16	10	11	12	14	11	17	9	17	10	12	14	12	17	17	18	14	12	15
Tuberculous Disease, Other Forms, ..	8	9	11	5	7	7	8	9	5	9	6	18	6	7	8	8	6	8	2	7	8	4	7	5	7	8
Cancer, Malignant Disease, ..	9	8	6	9	7	8	7	8	4	5	8	10	8	5	5	7	5	7	9	5	8	9	6	5	8	6
Diseases of Respiratory System,	7	7	15	6	16	10	5	8	8	9	5	5	8	11	9	16	9	19	11	23	16	25	25	36	22	29
Violent Deaths, ...	.	4	2	.	1	1	6	.	8	2	1	1	5	2	.	.	2	.	8	4	2	5	8	2	6	2
Number of Uncertified Deaths, ..	2	8	8	8	1	2	1	2	.	2	2	2	.	1	1	1	.	.	2	8	.	.	8	4	1	1

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa Diseases.
LONDON, ...	4,872,702	Dec. 24,	2,188	1,309	14·0	.	90	1	16	15	7*a*	23
EDINBURGH, ...	360,276	„ 24,	124	81	11·7	.	.	1	1	.	.	1
GLASGOW, ...	884,505	„ 24,	401	223	13·2	.	.	1	6	3	.	5
CALCUTTA, ...	1,009,008	Nov. 19,	.	487	25·0	.	.	.	2	.	102‡	71*
BOMBAY, ...	977,822	„ 22,	437	552	29·4	.	6	.	.	1	65‡	58*
MADRAS, ...	509,346	„ 4,	419	418	42·8	2	2	?	?	?	78	76*
CAIRO, ...	682,953	„ 4,	588	401	30·6	1	.	1	17†	.	4*a*	62*b*
PARIS, ...	2,760,000	„ 26,	900	876	16·6	.	3	2	4†	5	2*a*	20*b*
BRUSSELS, ...	720,030	Dec. 3,	232	221	16·0	.	.	.	2†	.	4*a*	20*b*
ANTWERP, ...	317,171	„ 3,	101	97	15·9	.	2	.	.	.	.	10*b*
AMSTERDAM, ...	574,429	„ 3,	249	168	15·3	.	4	.	.	1	2*a*	3*b*
COPENHAGEN, ...	450,000	„ 3,	210	130	15·1	.	.	2	2†	1	.	1*b*
STOCKHOLM, ...	341,816	Nov. 26,	153	93	14·1	.	.	1	1†	.	1*a*	2
CHRISTIANIA, ...	240,178	Dec. 10,	102	53	11·5	.	.	.	.	.	.	3
ST. PETERSBURG, ...	1,620,000	Nov. 19,	1,115	700	22·5	6	5	11	16	4	5*a*	40*
MOSCOW, ...	1,493,600	„ 12,	.	702	24·5	2	4	25	24†	2	9*a*	66
BERLIN, ...	2,131,032	„ 26,	759	609	14·9	.	4	11	18†	1	1*a*	33
HAMBURG, ...	895,804	Dec. 3,	.	268	15·6	.	.	1	12†	1	1*a*	15
BRESLAU, ...	516,407	„ 3,	.	195	19·7	.	.	.	4	2	.	10
MUNICH, ...	595,000	„ 10,	.	181	16·3	.	6	.	3†	2	.	12
VIENNA (with suburbs), BUDA-PESTH, ...	2,130,320	„ 3,	737	647	15·8	.	7	3	10†	2	3*a*	29*b*
	833,703	„ 3,	376	326	20·3	.	.	3	2†	2	2*a*	10*b*
PRAGUE and Faubourgs.	508,310	Nov. 19,	165	192	19·6	.	.	.	1†	.	.	6*b*
TRIESTE, ...	223,521	„ 26,	135	93	21·7	.	.	.	.	.	.	5*b*
ROME, ...	589,425	Oct. 8,	243	154	13·6	.	3	.	.	.	4*a*	15*
VENICE, ...	183,224	„ 15,	79	51	14·5	.	.	.	.	.	.	4
NEW YORK, ...	4,803,264	Nov. 26,	2,146	1,284	14·0	.	4	5	29†	7	5*a*	35*b*
PHILADELPHIA, ...	1,598,400	„ 5,	.	435	14·2	.	1	.	10†	3	4*a*	20*b*
BOSTON, ...	673,745	Dec. 3,	.	219	16·9	.	1	.	.	6	.	11

* Including 28 deaths from cholera in Calcutta, one in Bombay, 3 in Madras, 2 in St. Petersburg, and one in Rome.
† Including deaths from croup.
‡ Including 10 deaths from plague in Calcutta, and 6 in Bombay.
a Enteric Fever.
b Deaths from diarrhœal diseases and from enteritis of children under two years of age.

ABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 24th December, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 1, West,	.	1	.	.	2	.	3	1	1	.	.	1	9
" " 2,	.	1	.	.	.	.	.	.	.	.	.	3	4
" " 3,	.	5	.	.	.	.	.	.	1	.	.	.	6
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	1	.	.	.	.	1
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	2	.	.	.	2
Finglas and Glasnevin (part of),	.	2	.	.	.	.	.	.	.	.	.	.	2
South City No. 1,	.	2	.	.	1	.	.	2	1	.	.	.	6
" " 2,	.	1	.	.	.	.	.	.	.	.	.	3	4
" " 3,	.	.	.	.	2	1	.	3	.	.	.	1	7
" " 4,	.	3	.	.	3	.	.	.	.	.	.	.	6
New Kilmainham,	.	.	.	.	1	.	.	.	.	.	.	.	1
Total,	.	15	.	.	9	1	3	7	6	.	.	8	49

ABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 24th December, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 24th December.			
	Dec. 3.	Dec. 10.	Dec. 17.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	9	14	20	3	6	.	17
Scarlet Fever,	119	113	101	30	12	.	119*
Typhus,	.	.	.	.	.	.	.
Diphtheria,	61	51	73	12	21	2	62
Enteric Fever,	40	32	35	3	6	.	32
Pneumonia,	15	23	30	6	10	2	24

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.Sc., F.R.MET.SOC., reports as follows on the weather during the eek ended 24th December, 1910:—

"A broad band of high atmospheric pressure stretched from the Azores to the Spanish Peninsula throughout the eek, whereas barometric depressions passed eastwards from Iceland to Northern Europe. This distribution of ressure threw a strong current of warm moist equatorial air upon the Irish, British, and French coasts. Sunday awned fair and cold in the Dublin district, the thermometer being no higher than 39·3° in the City at 9 a.m. But n the evening temperature rose to 48·6°. On Monday a large V.-shaped depression passed eastward from Iceland o Norway, its trough reaching as far south as London. The morning was mild, cloudy and damp in Dublin, but he day proved fair and the afternoon was colder. At 4 p.m. the barometer rose to 30·237 inches, the highest reading or the week. On Tuesday another and still larger depression spread over the British Isles, its centre skirting the outh coast of Iceland. A V.-shaped 'secondary' stretched as far south as Biarritz on Wednesday morning. These isturbances caused considerable rainfalls in most parts of Western Europe, though in Ireland the weather was fair nd bright in the rear of the primary and secondary depressions. Thursday was fine and seasonably cold, but in he evening the wind backed and temperature rose under the influence of the deepest depression of the week which aused the barometer to fall below 28·9 inches over the greater part of Iceland on Friday morning. The S.W. winds f this system blew strongly over the United Kingdom on Friday and the air became extremely moist as well as warm for the time of year, the thermometer rising to 57° at Aberdeen and 56° at Liverpool. On Saturday the wind veered to N.W., with a falling temperature and clearing sky, the main depression having moved eastward to Sweden—at 7 a.m. the barometer read only 28·47 inches at Hernösand on the Gulf of Bothnia. In Dublin the mean eight of the barometer during the week was 30·019 inches, pressure ranging from 30·237 inches at 4 p.m. of Monday wind, W.) to 29·761 inches at 7 a.m. of Saturday (wind, W.S.W.). The corrected mean temperature was 45·8°, which was also the mean of the dry bulb readings at 9 a.m. and 9 p.m. The screened thermometers fell to 37 1° on Sunday nd rose to 55·4° on Friday. S.W. and W. winds prevailed. The rainfall was ·204 inch on 5 days, ·120 inch being measured on Tuesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·847 inches. The highest reading (30·051) was on Thursday at 9 p.m., wind W., and the lowest (29·648) on Saturday at 9 a.m., wind W.

The mean temperature for the week was 43·5°, being 2·2° above the average for the corresponding period of the 9 years, 1901-1909. The temperature was highest on Saturday, on which day the thermometer registered 54·8°, and was lowest on Monday, the mercury having fallen to 33·6°. The mean of the Dry Bulb for the week was 44·0° and of the Wet Bulb 43·2°. The mean humidity of the air was ·94, complete saturation being represented by 1·0. The rainfall during the week measured 0·183 inch.

At Greenwich the mean temperature for the week was 44·8°, the maximum 53·0°, and the minimum 33·1°; at Glasgow the maximum was 52·5°, the minimum 36·8°, and the mean 44·6°; and at Edinburgh the maximum was 52·7°, the minimum 35·4°, and the mean 43·2°. The rainfall at Greenwich measured 0·09 in.; at Glasgow 0·51 in.; and at Edinburgh 0·07 in.

The information in the preceding paragraph has been kindly furnished by the Registrar-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY	BAROMETER.	THERMOMETER.			HYGROMETER.			OZONE, 1·0.	SUNSHINE IN HOURS AND DECIMALS.	RAIN GAUGE.	DIRECTION OF THE WIND.	
	Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins		
Sunday, December 18,	29·956	47·8	34·9	41·4	42·2	41·8	·97	·6	0·5	·010	W.	S.W.
Monday, „ 19,	29·981	50·8	33·6	42·2	42·7	42·4	·98	·6	0·7	·008	W.S.W.	Calm
Tuesday, „ 20,	29·716	52·0	34·9	43·5	45·6	44·6	·93	·7	0·0	·065	S.S.W.	S.S.W.
Wednesday, „ 21,	29·758	44·5	36·8	40·7	40·1	38·5	·87	·6	1·4	·000	S.W.	W.S.W.
Thursday, „ 22,	30·037	44·4	35·9	40·2	39·7	39·0	·94	·6	1·8	·000	W.	W.S.W.
Friday, „ 23,	29·812	54·7	42·7	48·7	51·9	51·2	·95	·6	0·0	·100	S.W.	W.S.W.
Saturday, „ 24,	29·670	54·8	40·9	47·7	46·0	44·8	·91	·4	0·3	·000	W.	W.
Mean, . . .	29·847	49·9	37·1	43·5	44·0	43·2	·94	·6	Total 4·7	Total ·183	Prevailing Wind W. to W.S.W.	

Sunday—Day overcast to cloudy, drizzling; night cloudy, drizzle a.m. *Monday*—Day cloudy to overcast; night cloudy. *Tuesday*—Day overcast, light rain a.m.; night clear. *Wednesday*—Day cloudy to overcast; night clear. *Thursday*—Day cloudy to overcast; night cloudy. *Friday*—Day overcast, light rain a.m. and p.m.; night overcast. *Saturday*—Day overcast; night cloudy.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, December 24th, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him this Table.

1910. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperatures in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
	°	°	°	°	°	°	hrs.	ins.
Sunday, December 18,	45	44·2	46·2	49·0	37·1	43·0	1·1	·009
Monday, „ 19,	45	46·1	46·2	52·2	40·0	46·1	9	·008
Tuesday, „ 20,	45	47·2	46·2	52·4	40·0	46·2	·5	·122
Wednesday, „ 21,	45	46·0	46·1	47·0	40·7	43·8	2·2	—
Thursday, „ 22	43	44·5	46·1	45·4	38·8	42·2	1·9	—
Friday, „ 23,	45	44·5	46·1	56·0	38·8	42·4	—	·069
Saturday, „ 24,	47	45·2	46·1	55·3	42·2	48·7	—	·054
Weekly Mean, . .	45	45·4	46·1	51·0	39·7	44·6	Total 6·6	Total ·262

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

29889. Wt. P. 272—22/138, 375. 10. 1910. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN:

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, LTD., 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, TWEEDDALE-COURT, EDINBURGH. *Price* 1½*d.*

VOL. XLVII.] WEEK ENDING SATURDAY, 31ST DECEMBER, 1910. [No. 52.

General Register Office, Charlemont House, Dublin, 2nd January, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 16·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,151,790.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

TOWNS, &c.	Week ending Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Average Rate for 4 weeks.
22 Town Districts.	**19·6**	**19·6**	**19·1**	**16·8**	**18·8**	Limerick, . . .	13·7	21·9	10·9	28·7	18·8
						Lisburn, . . .	13·6	13·6	18·2	31·8	19·3
Armagh, . . .	.	13·7	20·6	.	8·6	Londonderry, . .	15·6	20·4	18·0	16·8	17·7
Ballymena, . . .	33·5	14·4	23·9	9·6	20·3	Lurgan, . . .	13·3	48·7	35·4	22·1	29·9
Belfast, . . .	20·1	17·7	17·6	12·1	16·9	Newry, . . .	12·6	25·2	21·0	29·4	22·0
Clonmel, . . .	25·6	15·4	15·4	20·5	19·2	Newtownards, . .	17·2	11·4	22·9	11·4	15·7
Cork, ...	13·7	20·5	17·1	25·3	19·1	Portadown, . .	31·0	15·5	31·0	15·5	23·2
Drogheda, . . .	8·2	24·5	12·3	12·3	14·3	Queenstown, . .	6·6	26·4	19·8	26·4	19·8
Dublin Reg. Area, .	23·2	19·8	21·6	18·9	20·9	Sligo, . . .	.	9·6	4·8	9·6	6·0
Dundalk, . . .	12·0	8·0	27·9	16·0	16·0	Tralee, . . .	37·0	10·6	5·3	10·6	15·9
Galway, . . .	7·8	19·4	19·4	15·5	15·5	Waterford, . . .	7·8	35·1	13·6	17·5	18·5
Kilkenny, . . .	34·3	29·5	24·6	.	22·1	Wexford, . . .	14·0	23·3	23·3	18·7	19·8

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·0 per 1,000, the rates varying from 0·0 in fourteen of the districts to 5·2 in Portadown, the 3 deaths from all causes for that district including one from diphtheria. The 91 deaths from all causes for Belfast include one from scarlet fever, and one from whooping-cough, Among the 37 deaths from all causes for Cork are 2 from whooping-cough. Of the 14 deaths from all causes for Londonderry 3 are from whooping-cough and one from diarrhœa. Of the 21 deaths from all causes for Limerick one is from whooping-cough. One death from measles is included in the 5 deaths from all causes for Lurgan; and one of the 7 deaths from all causes for Lisburn is also from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 170—84 boys and 86 girls—and the deaths to 155—68 males and 87 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·9 per 1,000 of the population, the rate for the total deaths registered in the Area being 20·1 per 1,000. During the fifty-two weeks, ending with Saturday last, the death-rate averaged 21·1, and was 2·9 below the mean rate for the corresponding portions of the ten years, 1900–9.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*), Table II. ‡ See columns 10–18 of Table II.

The 155 deaths registered include one from measles, 2 from scarlet fever, 7 from whoopin cough, and one from epidemic diarrhœa of a child aged one year (there was also one deat from enteritis of an infant under one year of age). One death was caused by influenza.

The deaths from measles in the three preceding weeks numbered 2, one, and 0; fro scarlet fever one, one, and 0; from whooping-cough, 11, one, and 5; from diarrhœ diseases 2, 2, and 2; and from influenza 2, one, and 3, respectively.

There were 2 deaths from lobar pneumonia, 5 from broncho-pneumonia, and 4 fro *pneumonia* (not defined).

Deaths from all forms of tuberculous disease numbered 24, including 19 deaths fro tuberculous phthisis (*phthisis*), one from tuberculous meningitis, one from tuberculo peritonitis, and 3 from other forms of tuberculous disease. The deaths from all forms of t disease in the three preceding weeks were 36, 18, and 26, respectively.

One death from sarcoma and 5 deaths from cancer, malignant disease (undefined), we registered.

Diseases of the brain and nervous system caused 11 deaths, 5 of these having bee caused by *convulsions*, 4 being those of infants under one year of age, and one aged one ye and 9 months.

There were 31 deaths from diseases of the heart and blood vessels, and 23 from bronchiti

Of 4 deaths caused by accident or negligence one was caused by a tramcar, and one w that of a child aged 3 years by burns.

One death by homicide and one by suicide were recorded.

In 6 instances the cause of death was "uncertified," there having been no medical attenda during the last illness; these cases include the deaths of 4 children under 5 years of a (including 2 infants under one year old) and the death of one person aged 69 years.

Forty-seven of the persons whose deaths were registered during the week were under years of age (25 being infants under one year, of whom 6 were under one month old) and were aged 60 years and upwards, including 31 persons aged 70 and upwards, of whom were octogenarians.

Sixty-two of the deaths registered during the week occurred in hospitals and oth public institutions; of this number 14 took place in the North Dublin Union Workhou 12 in the South Dublin Union Workhouse, and 3 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last wee deaths in Public Institutions being assigned to the Districts from which the deceased we admitted, and the annual death-rate for each District calculated on the mortality so di tributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·9 per 1,000; the rate in the City was 1 (North City Districts, 15·4; South 19·6) and in the Suburbs, 23·6.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, t rate for the City being 1·7 (0·3 in the North City Districts, and 3·1 in the South), and for the Suburbs, 0·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (7) are equal to an annual rate of 12·2 per 1,0 and include one death from broncho-pneumonia and 2 deaths from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (16) are equal to an annual rate of 20·9 per 1,0 One death each from lobar pneumonia and broncho-pneumonia, 6 deaths from tuberculous phthisis (*phthisis*), 3 deat from bronchitis, and one accidental death were recorded.

No. 2 *North City District* (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 18·7 per 1,0 Tuberculous meningitis caused one death, and diseases of the respiratory system 2 deaths.

No. 3 *North City District* (Benburb-street).—The deaths (7) represent an annual rate of 10·9 per 1,000. Among the are one death from scarlet fever, 2 deaths from tuberculous phthisis (*phthisis*), and 2 from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf a Howth, No. 1, part of, 9·7 per 1,000 inhabitants; Coolock and Drumcondra, part of, 17·9; and Finglas and Glasnev part of, 6·8. Of the 4 deaths from all causes for Coolock and Drumcondra, part of, one was from bronchitis; a the only death recorded for Finglas and Glasnevin, part of, was one from lobar pneumonia.

No. 1 *South City District* (South Earl-street).—The deaths (19) represent an annual rate of 23·9 per 1,000. There we 2 deaths from whooping-cough, 2 from broncho-pneumonia, 5 from tuberculous disease, 6 from bronchitis, and one dea from accidental burns.

No. 2 *South City District* (Castle-street).—The deaths (6) are equal to an annual rate of 14·4 per 1,000, and inclu one death from whooping-cough, one from bronchitis, one death caused by homicide, and one by suicide.

No. 3 *South City District* (Peter-street).—The deaths (16) are equal to an annual rate of 19·3 per 1,000. Thr deaths were caused by tuberculous phthisis (*phthisis*), one by broncho-pneumonia, 2 by bronchitis, and one death an infant by neglect.

No. 4 *South City District* (Grand Canal-street).—The deaths (13) are equivalent to an annual rate of 18·9 per 1,0 Among them are one death each from measles and scarlet fever, 3 deaths from whooping-cough, one death fr epidemic diarrhœa, one from *pneumonia* (not defined), 2 deaths from tuberculous disease, and one death fr bronchitis.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·2 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathg 23·9; Pembroke, 9·0; Blackrock, 69·4; and Kingstown, 23·7. The only death from any of the principal epider diseases tabulated for these districts was one from whooping-cough for Rathmines and Rathgar. Among the 17 deat from all causes for the last-named district are one from *pneumonia* (not defined) and 3 from bronchitis; the 5 deat from all causes for Pembroke include one from tuberculous phthisis and one accidental death; among the 12 deat from all causes for Blackrock are one from influenza and one from tuberculous peritonitis; and of the 8 deaths fr all causes for Kingstown there were 2 from *pneumonia* (not defined) and one from tuberculous phthisis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possi in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly rnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin : Mr. Fawcett xecutive Sanitary Officer for Rathmines and Rathgar Urban District : Mr. Manly, Executive Sanitary Officer for embroke Urban District ; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District ; by the Executive anitary Officer for Kingstown Urban District : and by Dr. Bailie, Medical Superintendent Officer of Health for ity of Belfast.

ABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz. :—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast during the week ended 31st December, 1910, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Dec. 10,	.	—	—	16	.	.	10	.	1	1	1	.	—	—	.	—	8	—	37
	Dec. 17,	.	—	—	9	.	.	19	1	4	5	10	.	—	—	.	—	7	—	54
	Dec. 24,	.	—	—	15	.	.	9	1	3	7	6	.	—	—	.	—	8	—	49
	Dec. 31,	.	—	—	26	.	.	10	.	1	4	2	.	—	—	.	—	14	—	57
Rathmines and Rathgar Urban District.	Dec. 10,	.	—	—	2	.	.	2	.	.	1	1	.	—	—	—	—	—	—	6
	Dec. 17,	.	—	—	1	.	.	3	.	.	1	.	.	—	—	—	—	—	—	5
	Dec. 24,	.	—	—	2	.	.	5	.	.	.	2	.	—	—	—	—	—	—	9
	Dec. 31,	.	—	—	.	.	.	4	.	.	3	.	.	—	—	—	—	—	—	7
Pembroke Urban District.	Dec. 10,	.	2	.	2	.	.	.	.	.	1	1	.	—	5	.	—	.	—	11
	Dec. 17,	.	3	.	1	.	.	1	.	.	.	.	.	—	1	.	—	.	—	6
	Dec. 24,	.	2	.	2	.	.	1	.	.	.	.	.	—	6	.	—	.	—	11
	Dec. 31,	.	7	.	.	.	.	.	.	.	1	1	.	—	1	.	—	.	—	10
Blackrock Urban District.	Dec. 10,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	.	—	—	—	2
	Dec. 17,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	.	—	—	—	2
	Dec. 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Dec. 31,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Dec. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Dec. 17,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	.	—	2
	Dec. 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Dec. 31,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Dec. 10,	.	—	—	32	.	.	3	.	1	.	2	1	—	—	.	—	16	—	55
	Dec. 17,	.	—	—	26	.	.	5	.	1	1	3	1	—	—	.	—	11	—	48
	Dec. 24,	.	—	—	23	.	.	2	.	.	2	4	.	—	—	.	—	14	—	45
	Dec. 31,	.	—	—	19	.	.	4	.	.	.	3	2	—	—	.	—	8	—	36

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 31st December, 1910, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Seven cases of measles were admitted to hospital during the week, one was discharged, there was one death, and 22 cases remained under treatment at its close.

Nineteen cases of scarlet fever were admitted to hospital, 14 were discharged, there were two deaths, and 122* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 113, 101, and 119, respectively.

Nineteen cases of diphtheria were admitted to hospital during the week, and 6 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 51, 64, and 53, respectively, were 66 at the close of last week.

Eight cases of enteric fever were admitted to hospital during the week, 4 were discharged, and 36 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 32, 35, and 32.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 7 were discharged, there were two deaths, and 21 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 14·5) was equal to an average annual death-rate of 14·1 per 1,000 persons living ; the average rate for 8 principal towns of Scotland was 14·7 per 1,000, the rate for Glasgow being 14·5, and for Edinburgh 14·8.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 31st December. From this Report it appears that of a total of 60 cases notified, 24 were scarlet fever, 16 diphtheria, 14 phthisis, 5 erysipelas, and one enteric fever. Among the 458 cases of infectious diseases in hospital at the close of the week were 247 cases of scarlet fever, 78 of diphtheria, 57 of phthisis, 30 of measles, 27 of whooping cough, 9 of erysipelas, 4 of enteric fever, 3 of chicken-pox, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 31st December, 1910, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 31ST DECEMBER, 1910.																								METEOROLOGY. (d)											
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																					WEEK ENDING 31ST DECEMBER, 1910.				WEEK ENDING 24TH DECEMBER, 1910.				WEEK ENDING 17TH DECEMBER, 1910.			
										DEATHS.																	Air Temperature				Air Temperature				Air Temperature			
	Population.			Deaths		Births.	Deaths.			Caused by																											
	Total.(a)	Persons to an Acre.	Births.	From all Causes.	From Diseases in cols. 10-18.		Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·2	26·4	16·8	1·0	584	371	74	114	.	3	3	.	14	1	.	.	2	21	39	10	15	63	12	16	104	27	°	°	°	.	°	°	°	.	°	°	°	.
DUBLIN REGISTRATION AREA:—TOTAL, c.	402,928	29·3	22·0	18·9	1·4	170	146	25	48	.	1	2	.	7	.	.	.	1	11	18	4	6	23	6	8	53	6	e47·7	25·9	40·9	0·13	e54·8	33·6	43·5	0·18	e52·8	35·9	45·2	1·17
CITY OF DUBLIN,	310,298	39·2	24·7	17·5	1·7	147	104	21	27	.	1	2	.	6	.	.	.	1	8	16	3	3	20	5	6	39	5	f47·3 g48·9	30·2 27·0	42·3 41·5	0·15 0·18	f55·4 g59·6	37·1 35·0	45·8 44·7	0·20 0·22	f52·2 g51·9	41·8 38·0	46·7 46·9	1·80 1·88
Urban Dists. RATHMINES AND RATHGAR.	37,047	21·6	11·3	23·9	1·4	8	17	3	8	.	.	.	.	1	.	.	.	.	1	.	.	.	3	.	1	7	1	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	28,948	18·2	12·6	9·0	.	7	5	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	9,013	8·3	28·9	69·4	.	5	12	.	5	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	8·9	23·7	.	3	8	1	6	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.	.	2	.	49	29	42·2	0·08	56	39	47·1	0·11	53	41	47·3	2·04
URBAN DISTRICTS.																																							
BELFAST	391,167	26·6	26·5	12·1	0·8	199	91	18	22	.	.	.	1	.	1	.	.	.	.	7	9	3	5	18	4	6	21	3	48·0	28·0	43·0	0·47	54·0	36·0	44·6	0·41	50·0	38·0	45·5	2·81
CORK,	76,122	33·6	36·3	25·8	1·4	53	37	10	8	.	.	.	.	2	.	.	.	.	.	4	1	.	5	.	.	14	4	50	34	44·4	0·26	53	34	47·0	0·45	52	44	48·4	1·95
LONDONDERRY,	43,477	20·1	27·6	16·8	4·8	23	14	8	1	.	.	.	.	3	.	.	.	1	.	1	.	1	1	.	.	.	.	50	26·3	42·9	0·16	54·4	34·7	45·6	0·49	52	40	45·9	1·37
LIMERICK,	38,161	18·1	43·7	28·7	1·4	32	21	4	9	.	.	.	.	1	.	.	.	.	1	4	.	.	4	.	.	5	5	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD,	26,769	18·7	21·4	17·5	.	11	9	2	4	.	.	.	.	.	.	.	.	.	.	.	1	1	4	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	2·5	31·1	15·5	.	8	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1	50	30	45	0·18	53	37	46	0·77	52	40	45	1·18
DUNDALK	18,076	9·4	43·9	16·0	.	11	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	12·3	12·3	.	3	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,405	17·8	16·8	29·4	.	4	7	.	5	.	.	.	.	.	.	.	.	.	1	.	.	2	2	.	.	3	.	47·1	28·2	41·0	0·35	52·8	37·8	44·0	0·18	48·9	38·0	44·2	1·62
LURGAN,	11,792	13·8	44·3	22·1	4·4	10	5	.	3	.	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	47·1	28·2	41·0	0·35	52·8	37·8	44·0	0·18	48·9	38·0	44·2	1·62
LISBURN,	11,461	10·1	50·0	31·8	4·5	11	7	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1	47·1	28·2	41·0	0·35	52·8	37·8	44·0	0·18	48·9	38·0	44·2	1·62
WEXFORD,	11,168	23·2	37·4	18·7	.	8	4	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,886	8·9	14·4	9·6	.	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,870	8·7	24·0	9·6	.	5	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	51·0	25·5	41·6	0·63	53·2	36·5	45·2	0·57	50·4	36·0	43·2	1·04
KILKENNY,	10,609	11·5	14·7	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	47	24	39·4	0·12	55	33	44·7	0·88	52	38	44·6	1·77
CLONMEL,	10,167	7·8	36·4	20·5	.	11	4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,092	13·2	36·2	15·5	5·2	7	3	.	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	47·1	28·2	41·0	0·35	52·8	37·3	44·0	0·18	48·9	38·0	44·2	1·62
TRALEE,	9,867	16·6	21·1	10·6	.	4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	17·2	11·4	.	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	47	31	41·9	0·24	54	38	44·9	0·20	50	40	46·3	1·70
QUEENSTOWN,	7,909	14·4	13·2	26·4	.	2	4	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	50	34	44·4	0·26	53	34	47·0	0·45	52	44	48·4	1·95
ARMAGH,	7,588	22·2	20·6	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	47·1	28·2	41·0	0·35	52·8	37·8	44·0	0·18	48·9	38·0	44·2	1·62

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1910. (b) Formerly described as "Simple Continued Fever." (c) Exclusive of 9 deaths of persons (including 2 at 60 years or upwards) admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table,

E III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin nd in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during ne Week ending Saturday, the 31st December, 1910, with the number of uncertified deaths; also the deaths rom all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which he deceased were admitted.*

AMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s Dist.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK & DRUMCONDRA (pt. of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4	NEW KILMAINHAM	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Measles,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Scarlet Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	2	1	.	3	.	1	.	.	.	7	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Diarrhœal Diseases,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	11	.
Pneumonia,	1	2	.	.	.	.	1	2	.	1	1	.	1	.	.	1	18	1
Tuberculous Phthisis,	.	6	.	2	.	.	.	4	.	3	1	.	.	1	.	1	4	1
Disease. Other Forms,	.	.	1	.	.	.	.	1	.	.	1	.	.	.	1	2	6	.
Cancer, Malignant Disease,	.	.	.	1	.	.	.	.	.	.	.	2	1	.	3	1	7	.
Other General Diseases,	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Total,	1	9	1	4	.	.	1	9	1	4	10	2	3	1	5	6	57	2
LOCAL DISEASES:																		
Nervous System,	1	1	1	.	.	1	.	.	.	2	.	.	2	1	.	.	9	2
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	1	2	4	.	1	.	.	1	.	6	1	.	7	2	3	2	30	1
Respiratory System,	2	3	2	2	.	1	.	6	1	2	1	.	3	.	.	.	23	2
Digestive System,	.	.	.	.	.	1	.	1	1	.	.	.	2	.	1	.	6	1
Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	3	.	.	1	.	1	.	.	.	.	.	.	3	.	8	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	4	6	10	2	1	4	.	9	2	10	2	.	14	3	7	2	76	7
OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CAUSES ILL-DEFINED AND NOT SPECIFIED,	2	.	.	1	.	.	.	.	1	1	1	1	.	.	.	.	7	.
VIOLENT DEATHS,	.	1	.	.	.	.	.	1	2	1	.	.	.	1	.	.	6	.
Deaths from all Causes	7	16	11	7	1	4	1	19	6	16	13	3	17	5	12	8	146	9
Annual Rate of Mortality from all causes in every 1,000 of the population.	12·2	20·9	18·7	10·9	9·7	17·9	6·8	23·9	14·4	19·3	18·9	17·2	23·9	9·0	69·4	23·7	18·9	.
	15·4							19·6					23·6					
	17·5																	
Death. Under 1 year,	2	4	2	.	.	.	.	4	1	4	3	1	3	.	.	1	25	.
1 and under 5 years,	1	.	1	1	.	1	.	6	1	2	6	.	1	2	.	.	22	.
5 „ 20 „	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.
20 „ 40 „	.	4	1	2	.	2	1	3	2	4	.	.	.	1	1	.	21	4
40 „ 60 „	1	3	4	1	1	1	.	3	.	1	1	.	5	.	5	1	27	3
60 years and upwards,	3	4	2	3	.	.	.	3	2	5	3	2	8	2	5	6	48	2
Number of Uncertified Deaths,	.	1	.	.	1	.	.	.	.	3	.	.	1	.	.	.	6	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	6	.	1	.	.	.	2	1	3	2	.	5	1	1	1	25	8
Workhouse Hospitals,	2	3	5	3	.	1	.	3	1	2	2	.	2	.	2	1	28	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Eight periods of Life from each Disease registered in t
corresponding week of the ten years 1900–190

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday.										Averages in 52nd Week of the 10 years, 1900-1909.	In the Week ending Saturday, 31st December, 1910.							
	Dec. 29, 1900.	Dec. 28, 1901.	Dec. 27, 1902.	Jan. 2, 1904.	Dec. 31, 1904.	Dec. 30, 1905.	Dec. 29, 1906.	Dec. 28, 1907.	Dec. 26, 1908.	Jan. 1, 1910.		Deaths of Persons of the Ages of							
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 42·8	° 35·2	° 46·5	° 36·3	° 44·1	° 45·7	° 31·8	° 39·4	° 44·8	° 45·9	° 41·3	° 40·9								
ALL CAUSES.	149	200	188	240	187	139	170	155	136	205	176·9	155	6	19	22	3	25	30	36	14
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	.	7	1	16	.	2	.	3	.	2·9	1	.	.	1	.	.	.	.	.
Scarlet Fever,	1	.	2	2	1	.	1	1	.	3	1·1	2	.	.	2	.	.	.	.	.
Typhus,	1	.	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	3	.	2	.	1	2	1	1	4	1·4	1	.	.	.	.	.	1	.	.
Whooping-cough,	5	.	1	12	2	1	3	2	2	1	2·9	7	.	3	4	.	.	.	.	.
Diphtheria,	.	2	3	.	.	2	1	1	1	1	1·1	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain),	.	.	.	1	.	1	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
Enteric Fever,	3	5	3	1	2	3	1	1	1	2	2·2	.	.	.	.	.	.	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis.),	2	3	1	.	1	.	.	.	.	2	2·3	1	.	.	1	.	.	.	.	.
Diarrhœa, Dysentery,			3	.	5	2	2	.	.	2		.	.	.	.	.	.	.	.	.
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	.	.	3	3	2	1	2	.	2	1·3	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Infective Endocarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	12	7	.	1	2	.	1	1	1	1	14·0	2	.	.	.	.	1	1	.	.
Pneumonia, Broncho-			7	10	5	8	6	7	10	15		5	.	2	3	.	.	.	.	.
Pneumonia, Epidemic			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Pneumonia, Not defined,			8	10	5	3	5	4	5	6		4	.	2	1	.	.	.	1	.
Erysipelas,	.	2	2	.	.	.	.	1	.	.	·5	.	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal)	.	1	.	1	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Pyæmia (not Puerperal),			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other Infective Conditions,	.	.	1	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis,	17	21	3	7	6	5	7	12	8	6	19·5	10	.	.	.	.	7	2	1	.
"*Phthisis*,"			20	18	15	14	13	9	5	9		9	.	.	.	1	6	2	.	.
Tuberculous Meningitis,	2	4	4	3	3	.	6	2	5	3	3·2	1	.	1	.	.	.	.	.	.
Tuberculous Peritonitis,	1	1	1	.	.	.	.	.	.	.	1·0	1	.	.	.	1	.	.	.	.
Tabes Mesenterica,			1	1	1	.	1	1	2	.		.	.	.	.	.	.	.	.	.
Tuberculous Dis. (other),	3	4	7	7	5	1	5	6	5	3	4·6	3	.	1	1	.	.	1	.	.
Scrofula,			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Alcoholism,	1	.	.	3	.	2	1	.	.	3	1·0	.	.	.	.	.	.	.	.	.
Rheumatic Fever,	.	2	.	.	1	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
Gout,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Carcinoma,	9	4	1	3	5	4	3	.	1	1	6·1	.	.	.	.	.	.	.	.	.
Sarcoma,			.	.	.	.	1	1	1	1		1	.	.	.	.	.	.	1	.
Cancer (undefined)			4	5	2	2	6	4	1	2		5	.	.	.	.	2	3	.	.
Diabetes Mellitus,	.	.	.	.	1	1	1	.	1	.	·4	1	.	.	.	.	.	.	1	.
Premature Birth,	1	1	.	2	2	1	4	1	1	9	2·2	1	1	.	.	.	.	.	.	.

* The figures for the year 1900 are fo
† Formerly described a

FTY-SECOND WEEK ending Saturday, 31st December, 1910, with the deaths from each cause in the d the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 52nd Week of the 10 years 1900-1909.	In the Week ending Saturday, 31st December, 1910.							
												Deaths of Persons of the Ages of							
	Dec. 29, 1900.	Dec. 28, 1901.	Dec. 27, 1902.	Jan. 2, 1904.	Dec. 31, 1904.	Dec. 30, 1905.	Dec. 29, 1906.	Dec. 28, 1907.	Dec. 26, 1908.	Jan. 1, 1910.		ALL AGES.	0 to 5.			5 to 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 42·8	° 35·2	° 46·5	° 36·3	° 44·1	° 45·7	° 31·8	° 39·4	° 44·8	° 45·9	° 41·3	° 40·9								
Meningitis (not tuberc.) ...			4	1	1	1	3	3	3	4		2	.	1	1	.	.	.	.
Insanity, G. P. of Insane ...			2	3	.	.	2	.	2	.		1	.	.	.	1	.	.	.
Epilepsy			2	.	.	.	1	1	.	.		.	.	.	.	.	.	.	.
Convulsions			6	6	6	4	6	6	5	7		5	2	2	1	.	.	.	.
Locomotor Ataxy ...			.	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord ...			1	2	1	2	4	2	3	2		1	.	.	.	.	1	.	.
Nervous System (other Dis.)			4	2	1	2	3	.	.	3		2	.	.	.	.	1	1	.
	36	53									42·3								
Valv. Dis., Endocarditis ...			5	11	6	5	3	9	6	10		9	.	.	.	1	.	4	1	3
Cerebr. Hæm. Thromb.			.	6	3	.	2	.	3	3		3	.	.	.	.	.	2	1	1
Apoplexy, Hemiplegia ...			3	6	7	10	4	3	2	4		2	.	.	.	.	.	.	.	2
Aneurysm			1	.	.	.	1	.	.	1		.	.	.	.	.	.	.	.	
Embolism, Thromb. (not cerebral)			.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
Heart and Blood Vessels (other Dis.)			15	24	7	15	10	10	8	19		17	.	.	.	2	4	7	4	
Croup (not Spasm. nor Memb.)	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	
Bronchitis	25	37	25	34	30	19	17	32	25	39	28·3	23	1	3	3	1	2	13	.	
Asthma, Emphysema ...)			1	1	.	.	2	.	.	2		.	.	.	.	.	.	.	.	
Pleurisy ... ...)	2	2	.	.	.	.	.	2	.	.	2·2	.	.	.	.	.	.	1	.	
Respiratory Dis. (other) ...)			·	2	5	1	1	1	.	.		2	.	1	.	.	.	.	.	
Tonsillitis, Quinsy ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Enteritis (not Epid.) ...)		2	.	2	1	.	3	.	1	2	1·6	1	.	1	.	.	.	.	.	
Gastro-enteritis ... ...)	.		.	.	.	.	3	.	.	2		.	.	.	.	.	.	.	.	
Peritonitis (not Puerp.) ...	.	1	2	1	.	.	1	.	.	.	·5	.	.	.	.	.	.	.	.	
Cirrhosis of Liver ...)	2	2	1	.	1	2	2	.	1	2	2·5	1	.	.	.	.	1	.	.	
Liver Dis. (other) ...)			1	3	.	2	.	3	2	1		1	.	.	.	.	.	.	.	
Digestive Dis. (other) ...	1	4	5	7	10	1	2	5	3	5	4·3	5	.	.	1	.	2	1	1	
Nephritis, Acute			.	1	1	1	4	1	1	2		1	.	.	1	.	.	.	.	
Bright's Dis., Albuminuria	1	5	3	4	4	4	2	3	3	2	4·8	7	.	.	.	2	5	.	.	
Urinary Sys. (other Dis.) ...			.	1	.	1	1	2	.	1		1	.	.	.	.	.	1	.	
Generative Organs Dis. ...	.	.	.	.	.	.	1	.	1	1	·3	.	.	.	.	.	.	.	.	
Childbirth (Accid. of) ...	1	.	1	2	.	1	1	.	1	.	·7	.	.	.	.	.	.	.	.	
Old Age	10	11	4	9	5	4	2	1	6	4	5·6	4	.	.	.	.	.	1	3	
Other Diseases	8	14	12	12	11	5	8	9	4	10	9·3	7	2	1	.	.	1	3	.	
ACCIDENT.																				
By Railways	1	.	1	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	
By Vehicles and Horses ...	.	1	1	.	.	1	1	.	.	.	·4	1	.	.	1	.	.	.	.	
In Ships, Boats, Docks (exclusive of Drowning)	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	
In Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
In Conflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
By Burns, Scalds, Explosions	2	2	2	4	1	2	.	2	1	1	1·7	1	.	.	1	.	.	.	.	
By Drowning	.	1	1	1	.	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	
By Suffocation in Bed ...	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.	.	.	.	
By Poison or Poisonous Vapours	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Deaths by Accident	2	3	4	1	1	1	3	2	.	.	1·7	2	.	1	.	1	.	.	.	
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	.	.	.	1	1	.	.	.	.	·2	1	.	.	.	1	.	.	.	
Suicide	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

ie Registration Area as then constituted.
Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910—Week ending																								
	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.
No. of weeks in Annual Series,	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52
BIRTHS registered.	229	272	225	243	198	209	240	194	228	260	235	292	196	219	161	241	182	211	207	204	182	199	174	232	158	170
*Average Births in corresponding week of previous 10 years,** ..	200	198	204	215	221	202	219	218	207	232	203	200	252	192	184	209	206	209	202	195	181	207	193	195	177	174
DEATHS registered, ...	148	118	141	127	145	143	126	146	120	141	158	174	164	160	151	174	139	147	141	166	168	176	188	165	178	155
Annual Death-rate per 1,000, ..	18·5	15·3	18·6	16·4	18·8	18·5	16·3	18·9	15·5	18·2	19·8	22·5	21·2	20·7	19·5	22·5	18·0	19·0	18·2	21·5	21·7	22·8	24·3	21·4	23·0	20·1
*Average Deaths in corresponding week of previous 10 years,**	138	142	146	147	146	148	156	166	159	157	154	167	160	158	156	160	156	172	175	179	182	182	182	177	182	177
AGES, Under 5 years, ...	50	29	48	31	31	54	37	57	42	38	59	70	60	58	44	56	40	46	47	57	49	55	53	43	41	47
AGES, 5—25 ,, ...	11	10	8	18	17	8	6	9	3	16	8	9	11	7	7	14	6	14	11	10	11	10	15	13	6	8
AGES, 20—40 ,, ...	24	17	17	13	27	23	23	13	18	19	22	19	16	22	25	26	21	33	11	27	24	19	24	26	25	25
AGES, 40—60 ,, ...	25	27	29	30	30	28	32	27	23	33	30	32	33	38	37	31	26	25	31	22	37	33	46	33	55	30
AGES, 60—80 ,, ...	23	34	34	33	35	26	24	33	26	33	30	42	37	28	39	41	41	24	38	43	36	46	36	42	42	36
AGES, 80 years and upwards, ..	10	1	8	2	5	4	4	7	8	2	4	2	7	7	9	6	5	5	3	7	11	13	14	8	9	14
Deaths from—																										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Measles, ...	1	.	1	.	.	1	.	.	.	.	.	3	.	1	.	.	.	1	.	1	1	.	2	1	.	1
Scarlet Fever, ...	.	1	3	3	1	1	1	2	1	1	2	.	.	1	.	1	1	3	.	2	1	3	1	1	.	2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Whooping-cough, ...	.	1	1	.	3	3	2	.	4	3	2	1	2	2	2	5	1	1	4	3	6	5	11	1	5	7
Diphtheria, ...	2	1	.	5	1	.	2	4	1	.	2	3	2	2	1	.	4	1	2	3	2	4	.	3	2	.
Pyrexia † (origin uncertain), ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	.	1	2	2	.	.	2	.	1	1	1	1	.	3	1	2	1	1	.	.	2	.	1	2	1	.
Diarrhœal Diseases, ...	6	3	5	.	2	14	6	17	12	11	21	22	27	12	10	8	4	5	4	2	4	6	2	2	2	1
Influenza, ...	.	.	1	.	1	.	1	.	.	.	1	1	2	1	1	2	1	4	1	.	2	4	2	1	3	1
Pneumonia, ...	8	7	9	5	7	8	7	6	5	6	10	4	6	5	11	15	12	13	11	16	16	14	15	27	18	11
Tuberculous Disease, Phthisis, ..	11	19	11	17	21	14	17	12	17	23	15	19	18	17	14	23	17	18	16	20	14	16	25	14	19	19
Tuberculous Disease, Other Forms, ..	7	8	3	9	10	15	7	5	5	13	9	8	11	12	8	8	4	11	11	8	6	7	11	4	7	5
Cancer, Malignant Disease, ..	8	5	11	10	8	8	9	10	8	9	7	9	11	12	11	12	9	7	9	8	14	3	12	4	13	6
Diseases of Heart and Blood Vessels, ...	26	17	22	23	23	20	16	20	17	23	19	24	30	20	24	25	23	17	18	22	24	30	30	23	28	31
Diseases of Respiratory System,	11	18	14	12	10	8	10	11	6	10	10	20	12	16	17	17	12	18	26	26	29	37	27	32	26	25
Violent Deaths, ...	9	3	8	5	3	6	2	4	5	3	6	6	3	10	4	.	2	1	2	2	3	4	4	8	4	6
Number of Uncertified Deaths, ..	5	.	4	7	2	3	4	4	3	2	1	3	3	3	6	2	4	1	8	6	7	5	5	3	3	6
Mean Temperature of the Air (Phœnix Park), ...	55·5	57·1	56·9	57·8	56·5	59·2	58·8	58·6	57·2	54·8	52·0	50·4	54·2	52·5	48·2	49·1	50·4	48·1	39·6	38·2	42·2	37·0	43·4	45·2	43·5	40·9
Average Mean Temperature in corresponding week of previous 10 years, ...	57·6	58·9	60·6	58·8	58·8	58·2	57·7	56·5	56·1	54·4	53·1	53·8‡	53·7	52·2	50·6	48·4	46·2	47·1	45·2	42·7	41·5	42·8	42·4	41·6	41·3‡	41·3
Rainfall in inches, ...	·660	·000	·840	·355	·940	·205	1·175	·411	·194	150	·015	·015	·391	·585	·133	·333	·365	·558	·860	·352	1·206	1·820	1·700	1·172	·188	·180
Mean Humidity of the Air, complete Saturation 1·0	·88	·81	·81	·81	·84	·85	·81	·84	·88	·87	·91	·85	·89	·90	84	·92	·87	·90	·89	·85	·91	·93	·91	·91	·94	·88

*See note (*) at foot of Table IV. †Formerly described as "Simple Continued Fever." ‡For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 31st December, 1910; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS WEEK ENDING SATURDAY, 31st DECEMBER, 1910.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tubercuous Disease. Phthisis.	Tubercuous Disease. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS, ...	375,850	21·5	155	47	3	25	30	36	14	.	1	2	.	7	.	.	.	1	11	11	19	5	6	5	25	6	67	6
	CLASSES.																												
	Deaths in Families of the—																												
I.	Professional and Independent Class, ..	17,486	17·9	6	.	.	1	3	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	4	1
II.	Middle Class, ...	87,188	13·8	23	5	.	4	3	4	7	.	.	.	.	2	.	.	.	.	2	1	1	1	1	.	1	15	.
III.	Artisan Class and Petty Shopkeepers, ..	110,428	12·7	27	8	.	3	6	8	2	.	.	2	.	2	.	.	.	.	4	2	3	.	1	.	6	1	10	1
IV.	General Service Class, ...	154,279	23·7	70	32	3	12	8	12	3	.	1	.	.	3	.	.	.	.	5	7	9	3	2	4	11	4	25	4
V.	Inmates of Workhouses, ...	6,024	—	29	2	.	5	10	10	2	.	.	.	.	.	.	.	.	.	.	.	6	1	2	.	7	.	13	.
I.	Professional and Independent Class.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	40·1	6	.	.	1	3	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	4	1
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	Middle Class.																												
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3		.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	23,016	21·3	9	2	.	.	2		3	.	.	.	.	1	.	.	.	.	1	1	1	.	1	.	.	.	5	.
	6. Clerks and Commercial Assistants, ..	80,482	6·9	4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	13·5	7	1	.	2	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	4	.
III.	Artisan Class and Petty Shopkeepers.																												
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.
	9. Building and Furnishing Trades, ...	29,801	14·0	8	2	.	1	1	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	4	.
	10. Clothing Trades, ...	28,260	9·0	4	2	.	1	.	1	.	.	.	1	.	2	.	.	.	.	1	1	1	.	.	.	.	.	.	.
	11. Food Supply Trades, ...	9,242	5·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	1	.	.	.
	12. Other Trades and Callings ranking with Trades, ...																							1					
	13. Petty Shopkeepers, ...	30,352	18·9	11	2	.	1	4	2	2	.	.	1	.	.	.	.	.	.	1	.	1	.	.	.	4	.	5	1
		7,894	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	General Service Class.																												
	14. Army, Police, Postal Delivery and Prison Services, &c	13,425	11·7	3	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
	15. Domestic Servants, ...	36,608	11·4	8	4	.	3	.	.	1	.	.	.	.	1	.	.	.	.	1	2	2	.	.	.	1	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ..	14,590	14·5	4	1	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	1
	17. Hawkers, Porters, Labourers, &c., ..	89,861	31·9	55	27	3	6	7	11	1	.	1	.	.	2	.	.	.	1	4	5	6	3	1	4	10	4	18	3
V.	Inmates of Workhouses.																												
	18. Workhouse Inmates, ...	6,024	—	29	2	.	5	10	10	2	.	.	.	.	.	.	.	.	.	.	.	6	1	2	.	7	.	13	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population the principal causes, and the number of Uncertified deaths, *the Deaths in Public Institutions* each of the Provincial

DISTRICTS	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Number of Uncertified Deaths
		FROM ALL CAUSES.	FROM DISEASES IN COLS. 5–18.		Small pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st., Nth.*) Pop. in 1910 (Est.) 29,908.	Nov. 12,	24·4	1·7	14	.	.	.	.	.	.	.	.	1	.	2	1	.	3	.	2
	„ 19,	22·7	.	13	.	.	.	.	.	.	.	.	.	3	2	.	.	1	.	1
	„ 26,	20·9	.	12	.	.	.	.	.	.	.	.	.	1	1	.	1	3	.	.
	Dec. 3,	29·6	3·5	17	.	.	.	.	2	.	.	.	.	.	4	1	.	4	1	.
	„ 10,	17·4	3·5	10	.	.	.	.	2	.	.	.	.	.	1	.	1	.	2	1
	„ 17,	22·7	.	13	.	.	.	.	.	.	.	.	.	3	2	.	.	2	.	.
	„ 24,	17·4	.	10	.	.	.	.	.	.	.	.	.	2	3	.	1	.	2	1
	„ 31,	12·2	.	7	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1910 (Est.) 39,974.	Nov. 12,	18·0	2·6	10	.	.	.	.	.	2	.	.	.	.	2	.	1	1	1	.
	„ 19,	14·3	1·3	11	.	.	.	.	.	.	.	.	1	1	1	1	.	3	.	.
	„ 26,	24·8	1·3	19	.	.	.	.	.	.	.	.	1	3	4	.	2	1	.	.
	Dec. 3,	19·6	2·6	15	.	.	1	.	.	.	.	.	1	1	1	3	.	4	.	.
	„ 10,	36·5	1·3	28	.	.	.	.	.	.	.	.	1	4	3	.	2	2	.	1
	„ 17,	19·6	2·6	15	.	.	1	.	.	.	.	.	1	2	.	.	.	4	1	.
	„ 24,	15·7	.	12	.	.	.	.	.	.	.	.	.	1	4	2	3	.	.	.
	„ 31,	26·9	.	16	.	.	.	.	.	.	.	.	.	2	6	.	.	3	1	1
North City, No. 2. (*Office, Ilsburn-street.*) Pop. in 1910 (Est.) 30,744.	Nov. 12,	8·5	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	„ 19,	25·4	.	15	.	.	.	.	.	.	.	.	.	1	.	2	1	2	.	.
	„ 26,	22·0	3·4	13	.	.	.	.	.	.	1	1	.	2	2	1	.	1	1	.
	Dec. 3,	23·7	.	14	.	.	.	.	.	.	.	.	.	.	.	1	.	4	1	.
	„ 10,	27·1	1·7	16	.	.	.	.	1	.	.	.	.	.	3	2	.	3	.	.
	„ 17,	18·7	1·7	11	.	.	.	.	.	1	.	.	.	1	2	.	.	1	.	.
	„ 24,	30·5	1·7	18	.	.	.	.	.	.	.	.	1	3	3	.	1	2	.	.
	„ 31,	18·7	.	11	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1910 (Est.) 33,559.	Nov. 12,	14·0	.	9	.	.	.	.	.	.	.	.	.	1	1	.	2	1	.	1
	„ 19,	14·0	.	9	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
	„ 26,	21·8	.	14	.	.	.	.	.	.	.	.	.	.	2	1	.	2	.	2
	Dec. 3,	21·8	1·6	14	.	.	.	.	1	.	.	.	.	2	.	.	.	2	.	1
	„ 10,	18·6	.	12	.	.	.	.	.	.	.	.	.	1	1	2	3	.	.	.
	„ 17,	17·1	.	11	.	.	.	.	.	.	.	.	.	2	.	.	.	4	.	1
	„ 24,	26·4	.	17	.	.	.	.	.	.	.	.	.	.	3	.	.	3	1	2
	„ 31,	10·9	1·6	7	.	.	1	.	.	.	.	.	.	.	2	.	1	2	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1910 (Est.) 41,476.	Nov. 12,	30·2	1·8	24	.	.	.	.	1	.	.	.	.	1	1	1	.	10	.	1
	„ 19,	22·6	2·5	18	.	.	1	.	1	.	.	.	.	2	2	.	.	7	.	1
	„ 26,	26·4	2·5	21	.	.	.	.	2	.	.	.	.	1	.	.	.	6	.	.
	Dec. 3,	28·4	3·8	21	.	.	.	.	1	1	.	.	1	.	2	.	.	6	.	.
	„ 10,	18·9	2·5	15	.	.	.	.	1	.	.	.	1	1	2	.	1	2	.	.
	„ 17,	15·1	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	6	.	.
	„ 24,	32·7	3·8	26	.	.	.	.	2	1	.	.	.	3	.	1	1	1	1	.
	„ 31,	28·9	2·5	19	.	.	.	.	2	.	.	.	.	2	4	1	.	6	1	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1910 (Est.) 21,754.	Nov. 12,	21·6	.	9	.	.	.	.	.	.	.	.	.	.	2	1	.	2	.	2
	„ 19,	19·2	.	8	.	.	.	.	.	.	.	.	.	3	1	.	1	1	.	1
	„ 26,	24·0	.	10	.	.	.	.	.	.	.	.	.	.	2	.	1	2	1	.
	Dec. 3,	26·4	4·8	11	.	.	.	.	.	2	.	.	.	1	.	.	.	4	1	.
	„ 10,	19·2	2·4	8	.	.	.	.	.	.	.	1	.	2	1	.	.	2	.	.
	„ 17,	31·2	.	13	.	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.
	„ 24,	36·0	.	15	.	.	.	.	.	.	.	.	.	2	3	1	1	3	.	.
	„ 31,	14·4	2·4	6	.	.	.	.	1	.	.	.	.	.	.	.	.	1	2	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1910 (Est.) 43,227.	Nov. 12,	24·1	1·2	20	.	.	.	.	1	.	.	.	.	4	4	3	.	1	.	.
	„ 19,	30·2	1·2	25	.	1	.	.	.	.	.	.	.	4	2	2	.	3	1	.
	„ 26,	25·3	4·8	21	.	1	.	.	1	1	.	.	1	4	1	2	2	3	.	1
	Dec. 3,	16·9	1·2	14	.	.	1	.	.	.	.	.	.	3	2	1	.	2	.	.
	„ 10,	31·4	7·2	26	.	1	.	.	5	.	.	.	.	3	3	3	.	6	.	.
	„ 17,	18·1	.	15	.	.	.	.	.	.	.	.	.	4	.	1	.	4	1	1
	„ 24,	21·7	3·6	18	.	.	.	.	2	1	.	.	.	2	1	2	1	3	.	.
	„ 31,	19·3	.	16	.	.	.	.	.	.	.	.	.	1	3	.	.	2	1	3
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1910 (Est.) 35,881.	Nov. 12,	17·1	2·9	12	.	.	.	.	1	.	.	.	1	2	.	1	.	3	.	.
	„ 19,	30·5	5·8	21	.	.	1	.	1	1	.	.	1	.	5	.	2	3	.	.
	„ 26,	23·3	2·9	16	.	.	.	.	1	.	.	1	.	2	2	.	.	5	.	1
	Dec. 3,	27·6	5·8	19	.	.	1	.	.	.	.	.	3	2	2	.	.	3	1	.
	„ 10,	34·9	4·4	24	.	1	.	.	2	.	.	.	.	2	1	3	2	6	.	2
	„ 17,	18·9	1·5	13	.	1	.	.	.	.	.	.	.	2	3	2	.	3	1	.
	„ 24,	24·7	1·5	17	.	.	.	.	.	.	.	.	1	1	2	.	1	7	.	.
	„ 31,	18·9	3·7	13	.	1	1	.	3	.	.	.	1	1	1	1	.	1	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of RATHMINES represented thereby, and by the Deaths from certain Epidemic Diseases; with the Mortality from *being assigned to the Districts from which the deceased were admitted;* also, similar Statistics for County Boroughs in Ireland.

DISTRICTS.	1910. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From all Causes	ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From Diseases in Cols. 5–13.	Total Deaths.	NUMBER OF DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District.	Nov. 12,	14·1	2·8	10	.	.	.	.	1	.	.	.	1	1	.	1	1	2	.	1
	„ 19,	22·5	1·4	16	.	.	.	.	.	1	.	.	.	.	.	.	1	2	.	1
	„ 26,	14·1	2·8	10	.	.	.	.	1	1	.	.	.	2	.	1	1	1	.	.
	Dec. 3,	16·9	.	12	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	1
	„ 10,	11·3	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.
	„ 17,	14·1	.	10	.	.	.	.	.	.	.	.	.	2	1	.	1	.	1	1
	„ 24,	15·5	1·4	11	.	.	.	.	1	.	.	.	.	1	1	.	1	1	1	.
Pop. in 1910 (Est.) 37,047.	„ 31,	28·9	1·4	17	.	.	.	.	1	.	.	.	.	1	.	.	.	3	.	1
Pembroke Urban District.	Nov. 12,	7·2	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	„ 19,	14·4	.	8	.	.	.	.	.	.	.	.	.	.	3	.	2	1	1	.
	„ 26,	12·6	.	7	.	.	.	.	.	.	.	.	.	1	.	1	.	4	.	.
	Dec. 3,	25·2	1·8	14	.	.	.	.	.	.	.	.	1	1	1	.	.	2	.	.
Pop. in 1910 (Est.) 28,948.	„ 10,	18·0	.	10	.	.	.	.	.	.	.	.	.	.	2	.	1	3	.	.
	„ 17,	19·8	1·8	11	.	.	.	.	.	.	.	1	.	3	.	.	.	2	.	.
	„ 24,	14·4	.	8	.	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.
	„ 31,	9·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Kingstown Urban District.	Nov. 12,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	„ 19,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.
	„ 26,	20·7	8·0	7	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.
	Dec. 3,	5·9	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Pop. in 1910 (Est.) 17,622.	„ 10,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	„ 17,	23·7	.	8	.	.	.	.	.	.	.	.	.	3	.	.	.	1	1	.
	„ 24,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	„ 31,	23·7	.	8	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.	.
Belfast. Pop. in 1910 (Est.) 391,167.	Nov. 12,	16·3	0·8	122	.	1	.	.	.	1	.	.	4	13	12	7	5	23	4	3
	„ 19,	17·6	0·7	132	.	.	.	.	.	1	.	1	3	11	17	8	8	16	2	.
	„ 26,	17·9	0·7	134	.	2	1	.	1	.	.	.	1	8	17	4	9	25	5	.
	Dec. 3,	14·5	0·5	109	.	2	.	.	.	1	.	.	1	7	13	7	6	25	3	3
	„ 10,	20·1	1·7	151	.	3	1	.	1	4	.	.	4	13	14	5	5	36	2	4
	„ 17,	17·7	1·1	133	.	3	2	.	.	.	.	.	3	10	12	7	8	22	6	1
	„ 24,	17·6	0·5	132	.	1	1	.	1	.	.	.	1	10	15	3	6	19	2	1
	„ 31,	12·1	0·3	91	.	.	1	.	1	.	.	.	.	7	9	3	5	18	4	3
Cork. Pop. (in 1901) 76,122.	Nov. 12,	15·8	0·7	23	.	.	.	.	.	.	.	.	1	1	3	1	3	4	1	.
	„ 19,	14·4	.	21	.	.	.	.	.	.	.	.	.	.	5	1	2	1	1	2
	„ 26,	17·1	0·7	25	.	.	.	.	.	.	.	.	1	1	6	2	3	2	.	.
	Dec. 3,	13·7	.	20	.	.	.	.	.	.	.	.	.	.	1	1	1	6	1	.
	„ 10,	13·7	.	20	.	.	.	.	.	.	.	.	.	1	5	1	1	2	.	.
	„ 17,	20·5	1·4	30	.	.	.	.	1	.	.	.	1	.	4	1	.	3	1	1
	„ 24,	17·1	.	25	.	.	.	.	.	.	.	.	.	.	5	1	2	2	.	3
	„ 31,	25·3	1·4	37	.	.	.	.	2	.	.	.	.	.	4	1	.	5	.	4
Londonderry. Pop. in 1910 (Est.) 43,477.	Nov. 12,	15·6	2·4	13	.	.	.	.	.	.	.	.	2	1	1	.	1	1	.	.
	„ 19,	18·0	2·4	15	.	.	1	.	1	.	.	.	.	.	1	1	1	3	.	.
	„ 26,	16·8	1·2	14	.	.	.	.	1	.	.	.	.	1	3	.	.	6	.	.
	Dec. 3,	15·6	1·2	13	.	.	.	.	.	.	.	.	1	2	3	.	.	1	.	1
	„ 10,	15·6	3·6	13	.	.	.	.	3	.	.	.	.	.	1	.	2	1	.	1
	„ 17,	20·4	.	17	.	.	.	.	.	.	.	.	.	2	.	3	2	3	.	.
	„ 24,	18·0	.	15	.	.	.	.	.	.	.	.	.	.	1	1	2	2	.	1
	„ 31,	16·8	4·8	14	.	.	.	.	3	.	.	.	1	.	1	.	1	1	.	.
Limerick. Pop. (in 1901) 38,151.	Nov. 12,	6·8	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	„ 19,	5·5	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	„ 26,	5·5	1·4	4	.	.	.	.	.	1	.	.	.	.	1	.	.	4	.	6
	Dec. 3,	23·2	.	17	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.	4
	„ 10,	13·7	.	10	.	.	.	.	.	.	.	.	.	.	2	1	2	4	.	.
	„ 17,	21·9	.	16	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	3
	„ 24,	10·9	.	8	.	.	.	.	1	.	.	.	.	1	4	.	.	4	.	5
	„ 31,	28·7	1·4	21	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	1
Waterford. Pop. (in 1901) 26,769.	Nov. 12,	15·6	.	8	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.
	„ 19,	25·3	1·9	13	.	.	.	.	.	.	.	.	1	.	1	3	1	.	.	1
	„ 26,	11·7	1·9	6	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.
	Dec. 3,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.
	„ 10,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	„ 17,	35·1	.	18	.	.	.	.	.	.	.	.	.	3	2	1	.	2	.	1
	„ 24,	13·6	1·9	7	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.
	„ 31,	17·5	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	4	.	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 31st December, 1910, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS.																														
			Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.						DEATHS FROM																					
			All Causes.	Diseases in Cols. 12-20.		Under 1 year.	1 year and under 5 years	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexial (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)				
City of Belfast.																																	
BELFAST URBAN No. 1 DISTRICT,		6			3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.				
Do. 2 do.		21			11	1	1	.	2	2	5	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.	1	.				
Do. 3 do.		24			14	4	.	1	2	5	2	.	.	.	.	.	.	.	.	.	3	1	1	2	1	2	2	4				
Do. 4 do.		24			6	.	1	.	2	1	2	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	3	.				
Do. 5 do.		5			9	2	.	1	2	1	3	.	.	1	.	.	.	.	.	.	.	.	.	.	4	.	.	4	.				
Do 6 do.		13			7	1	1	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	3	.				
Do 7 do.		1			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
Do 8 do.	349,180	5			2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.				
Do. 9 do.		10			7	3	.	.	1	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	1	1				
Do 10 do.		20			10	3	1	2	1	1	2	.	.	.	.	.	.	.	.	.	.	2	1	1	3	.	.	1	2				
Do. 11 do.		20			3	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.				
Do. 12 do.		28			8	.	1	1	1	4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	1	1	.				
Do. 13 do.		7			2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.				
Do. 14 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
Do. 15 do.		14			8	2	.	.	.	4	2	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	2				
Total, . . .	—	199	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		91	18	8	5	15	23	22	.	.	1	.	1	.	.	.	.	7	9	3	5	18	4	6	21	3				
City of Cork.																																	
CORK URBAN No. 1 DISTRICT,	12,867	7	24·3	4·1	6	2	.	1	.	1	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.				
Do. 2 do.	10,701	6	14·6	.	3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.				
Do. 3 do.	9,978	9	15·7	.	3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.				
Do. 4 do.	8,666	8	36·1	.	6	2	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	2	.				
Do. 5 do.	6,592	4	23·7	.	3	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1				
Do. 6 do.	10,702	11	29·2	.	6	3	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	3	1				
Do. 7 do.	16,616	8	31·4	3·1	10	2	2	1	.	4	1	.	.	.	.	1	.	.	.	.	.	2	.	.	.	.	.	3	2				
Total, . . .	76,122	53	25·3	1·4	37	10	2	4	5	8	8	.	.	.	.	2	.	.	.	.	.	4	1	.	5	.	.	14	4				

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910—Week ending																								
	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.
No. of weeks in annual Series, ..	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52
BIRTHS registered, ...	199	259	239	214	179	219	210	159	219	190	264	194	172	200	205	228	201	183	178	156	181	175	185	167	200	199
DEATHS registered, ...	145	136	117	135	115	102	124	131	121	103	116	122	105	94	122	120	115	108	122	132	134	109	151	133	132	91
Annual Death rate per 1,000 of estimated Population, ...	19·3	18·1	15·6	18·0	15·3	13·6	16·5	17·5	16·1	13·7	15·5	16·3	14·0	12·5	16·3	16·0	15·3	14·4	16·3	17·6	17·9	14·5	20·1	17·7	17·6	12·1
AGES — Under 1 year, ...	34	26	25	35	27	27	35	49	30	28	23	29	25	31	27	27	28	24	28	27	24	17	34	20	23	18
AGES — 1-5 years, ...	29	32	23	23	19	6	17	14	15	14	13	11	14	6	14	16	8	11	6	6	5	8	11	17	12	8
AGES — 5-20 years, ...	12	7	17	10	7	7	9	11	11	4	16	6	11	8	17	9	9	9	13	15	8	10	11	6	9	5
AGES — 20-40 years, ...	25	20	19	14	15	22	19	18	9	16	12	23	17	9	15	18	16	25	18	24	21	12	22	25	20	15
AGES — 40-60 years, ...	20	25	17	25	21	22	21	19	26	20	22	18	20	21	23	23	20	16	25	23	42	27	37	35	31	23
AGES — 60 years and upwards, ..	25	26	16	28	26	18	23	20	30	21	30	35	18	20	27	27	34	23	32	37	34	35	36	30	38	22
Deaths from :—																										
Small pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	24	29	21	8	7	4	7	3	.	3	1	3	1	1	3	5	.	3	1	.	2	2	3	3	1	.
Scarlet Fever, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	1	2	1	1
Typhus, ...	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	2	1	1	.	2	1	1	5	.	1	1	1	3	1	1	.	1	.	.	.	1	.	1	.	1	1
Diphtheria, ...	.	1	1	1	.	.	.	.	.	.	1	.	.	.	2	1	.	.	1	1	.	1	4	.	.	.
*Pyrexia** (origin uncertain , ..	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	.	.	1	2	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	1	.	.	.	.	.	.
Diarrhœal Diseases, ...	5	2	5	6	10	14	22	29	16	13	15	13	7	7	3	8	10	6	4	8	1	1	4	3	1	.
Pneumonia, ...	14	17	5	8	3	4	5	10	8	6	7	10	7	5	11	11	7	7	13	11	8	7	13	10	10	7
Tuberculous Disease, Phthisis, ..	11	9	16	15	13	12	16	10	11	12	14	11	17	9	17	10	12	14	12	17	17	13	14	12	15	9
Tuberculous Disease, Other Forms, ..	9	11	5	7	7	8	9	5	9	6	13	6	7	3	8	6	8	2	7	8	4	7	5	7	3	3
Cancer, Malignant Disease, ..	3	6	9	7	3	7	3	4	5	8	10	8	5	5	7	5	7	9	5	8	9	6	5	8	6	5
Diseases of Respiratory System,	7	15	6	16	10	5	8	8	9	5	5	8	11	9	16	9	19	11	23	16	25	23	36	22	29	18
Violent Deaths, ...	4	2	.	1	1	6	.	3	2	1	1	5	2	.	.	2	.	3	4	2	5	3	2	6	2	4
Number of Uncertified Deaths, ..	3	3	3	1	2	1	2	.	2	2	2	.	1	1	1	.	.	2	3	.	.	3	4	1	1	3

*Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa Diseases.
LONDON, ...	4,872,702	Dec. 31,	1,956	1,358	14·5	.	84	3	14	15	5*a*	19
EDINBURGH, ...	360,276	„ 31,	134	102	14·8	.	.	1	5	.	.	1
GLASGOW, ...	884,505	„ 31,	429	245*c*	14·5	.	.	2	5	1	1*a*	9
CALCUTTA, ...	1,009,008	Nov. 26,	.	544	28·0	.	.	.	.	.	105‡	108*
BOMBAY, ...	977,822	„ 29,	457	591	31·4	.	7	.	.	.	80‡	62*
MADRAS, ...	509,346	„ 12,	527	491	50·1	6	2	?	?	?	99‡	69
CAIRO, ...	682,953	„ 11,	636	357	27·3	.	2	.	18†	.	2*a*	66*b*
PARIS, ...	2,760,000	Dec. 3,	883	984	18·6	.	1	1	11†	1	5*a*	27*b*
BRUSSELS, ...	720,030	„ 10,	220	209	15·1	.	3	.	1†	.	5*a*	13*b*
ANTWERP, ...	317,171	„ 10,	132	93	15·3	.	3	.	.	.	.	9*b*
AMSTERDAM, ...	574,429	„ 10,	289	153	13·9	.	2	.	2	1	.	.
COPENHAGEN, ...	450,000	„ 10,	218	114	13·2	.	.	2	1†	2	.	2*b*
STOCKHOLM, ...	341,816	„ 3,	142	86	13·1	.	.	.	.	.	.	.
CHRISTIANIA, ...	240,178	„ 17,	106	44	9·5	.	1	.	1·	1	.	1
ST. PETERSBURG, ...	1,620,000	Nov. 26,	963	618	19·9	5	5	20	10	3	4*a*	33
MOSCOW, ...	1,493,600	„ 19,	.	619	21·6	2	5	27	30†	4	4*a*	50
BERLIN, ...	2,066,485	Dec. 3,	783	599	15·1	.	2	7	22†	2	.	24
HAMBURG, ...	895,804	„ 10,	.	289	16·8	.	.	3	13†	1	5*a*	17
BRESLAU, ...	517,934	„ 10,	.	201	20·2	.	2	1	4	2	.	11
MUNICH, ...	595,000	„ 17,	.	211	19·0	.	12	.	.	1	1*a*	20
VIENNA (with suburbs),	2,130,320	„ 10,	842	648	15·8	.	16	5	5†	.	1*a*	32*b*
BUDA-PESTH, ...	833,703	„ 10,	417	314	19·6	.	1	6	2†	1	3*a*	11*b*
PRAGUE and Faubourgs.	508,310	Nov. 26,	122	163	16·7	.	.	1	.	.	2*a*	7*b*
TRIESTE, ...	223,521	Dec. 3,	152	126	29·4	.	.	.	.	.	.	4*b*
ROME, ...	589,425	Oct. 15,	262	147	13·0	.	.	.	2	1	3*a*	21*
VENICE, ...	183,224	„ 22,	75	55	15·7	.	.	.	.	.	.	11
		„ 29,	71	54	15·4	.	.	.	2†	.	1*a*	4
NEW YORK, ...	4,803,264	Dec. 3,	2,749	1,385	15·0	.	4	10	24†	4	15*a*	27*b*
PHILADELPHIA, ...	1,598,400	Nov. 12,	.	469	15·3	.	.	2	8†	3	3*a*	25*b*
BOSTON, ...	673,745	Dec. 10,	.	226	17·5	.	1	2	1	.	4*a*	6

* Including 70 deaths from cholera in Calcutta, one in Bombay, and one in Rome.
† Including deaths from croup.
‡ Including 10 deaths from plague in Calcutta, 9 in Bombay, and one in Madras.
a Enteric Fever.
b Deaths from diarrhœal diseases and from enteritis of children under two years of age.
c Including one death from cerebro-spinal meningitis.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 31st December, 1910.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East,	.	1	.	.	.	.	.	.	.	.	.	2	3
" " 1, West,	.	1	.	.	.	.	.	1	.	.	.	2	4
" " 2,	.	.	.	.	.	.	.	.	1	.	.	2	3
" " 3,	.	17	.	.	3	.	1	1	.	.	.	1	23
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	1	.	.	1	3
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	3	.	.	1	.	.	2	.	.	.	1	7
" " 2,	.	.	.	.	1	.	.	.	.	.	.	2	3
" " 3,	.	1	.	.	1	.	.	.	.	.	.	.	2
" " 4,	.	1	.	.	4	.	.	.	.	.	.	2	7
New Kilmainham,	.	1	.	.	.	.	.	.	.	.	.	1	2
Total,	.	26	.	.	10	.	1	4	2	.	.	14	57

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 31st December, 1910, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 31st December.			
	Dec. 10.	Dec. 17.	Dec. 24.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	14	20	17	7	1	1	22
Scarlet Fever,	113	101	119	19	14	2	122*
Typhus,	.	.	.	.	.	.	.
Diphtheria,	51	64	53	19	6	.	66
Enteric Fever,	32	35	32	8	4	.	36
Pneumonia,	23	30	24	6	7	2	21

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.Sc., F.R.MET.SOC., reports as follows on the weather during the week ended 31st December, 1910:—

"The closing week of the year 1910 was generally fortunate in its weather, which was more seasonable and drier than it had been for some time back. All through the period a large area of high atmospheric pressure lay out in the Atlantic between the west of Europe and the Azores. During the first three days a large and deep depression, with its secondaries, passed slowly eastwards across the extreme North of Europe. Its N.W. winds blew freshly over the British Isles, for gradients were steep—on Christmas morning the barometer ranged from 28·64 inches at Haparanda in Sweden, just outside the Arctic Circle, and 30·34 inches at Coruña in Spain. The day was chiefly fine and open, but Monday was dull with frequent showers owing to the passage southeastwards across Great Britain of subsidiary depressions. On Tuesday sleet, snow, or hail fell in many places and a sharp frost—the first of the month in Dublin—followed at night. Nairn reported a minimum of 25°. Warm Atlantic air, however, soon began to stream again over the British Isles, but a local intense frost occurred on Thursday morning in Central Germany, the thermometer sinking to 9° at Frankfurt over a snow-covered country. About the same time a temperature of 49° was reported from Brittany. During the remainder of the week the atmosphere was much disturbed in the Icelandic region, and the mild oceanic air of the depressions in the far off North continued to pass across the British Isles and France. In Dublin the mean height of the barometer was 30·119 inches, pressure ranging from 29·660 inches at 9 p.m. of Monday (wind, W.N.W.) to 30·437 inches at 9 p.m. of Friday (wind, W.). The corrected mean temperature was 42·3°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 41·7°. The screened thermometers fell to 30·2° on Wednesday, and rose to 47·3° on Saturday. Westerly winds held throughout. There were 4 rain-days, yielding ·151 inch in the gauge—on Saturday ·084 inch was measured."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height o the barometer during the week was 29·942 inches. The highest reading (30·260) was o Friday at 9 p.m., air calm, and the lowest (29·502) on Monday at 9 p.m., wind W.N.W.

The mean temperature for the week was 40·9°, being 0·4° below the average for th corresponding period of the 10 years, 1900-1909. The temperature was highest o Friday and Saturday, on which days the thermometer registered 47·7°, and was lowes on Wednesday, the mercury having fallen to 25·9°. The mean of the Dry Bulb fo the week was 40·5° and of the Wet Bulb 39·3°. The mean humidity of the air was ·88 complete saturation being represented by 1·0. The rainfall during the week measure 0·130 inch.

At Greenwich the mean temperature for the week was 38·8°, the maximum 46·0°, an the minimum 27·1° ; at Glasgow the maximum was 47·4°, the minimum 25·2°, and th mean 39·7° and at Edinburgh the maximum was 45·5°, the minimum 28·9°, and th mean 38·1°. The rainfall at Greenwich measured 0·13 in. ; at Glasgow 0·34 in. ; and a Edinburgh 0·01 in.

The information in the preceding paragraph has been kindly furnished by the Registrar ***General of England and Wales and of Scotland.***

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1910. MONTH AND DAY.	BAROMETER.	THERMOMETER.			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation =1·0.				9 A.M.	9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins		
Sunday, December 25,	29·684	45·2	38·1	41·7	41·1	40·2	·93	·6	2·0	·010	W.S.W.	W.
Monday, „ 26.	29·577	45·7	37·9	41·8	40·8	39·8	·85	·6	0·0	·022	W.S.W.	W.N.W.
Tuesday, „ 27,	29·884	44·1	29·9	37·0	33·0	32·0	·84	·7	2·5	·000	N.W.	N.W.
Wednesday, „ 28,	29·967	46·6	25·9	36·3	41·1	39·8	·89	·6	0·1	·008	S.W.	W.
Thursday, „ 29.	30·078	46·0	40·1	43·1	42·7	41·1	·88	·6	1·1	·000	W.S.W.	W.S.W.
Friday, „ 30,	30·242	47·7	38·3	43·0	40·9	39·5	·89	·6	1·6	·000	Calm.	Calm
Saturday, „ 31,	30·163	47·7	38·9	43·3	44·0	42·7	·90	·0	1·2	·090	S.W.	S.W.
Mean, . . .	29·942	46·1	35·6	40·9	40·5	39·3	·88	·5	Total 8·5	Total ·130	Prevailing Wind W.S.W.	

Sunday—Day overcast to cloudy, passing showers : night cloudy, drizzle a.m. *Monday*—Day overcast, light r p.m. ; night clear. *Tuesday*—Day overcast to cloudy ; night clear. *Wednesday*—Day overcast, light rain a.m. a p.m. ; night cloudy. *Thursday*—Day cloudy to overcast : night clear. *Friday*—Day cloudy to overcast, mi night overcast to clear. *Saturday*—Day cloudy to overcast ; night overcast, drizzle a.m.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temper tures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trini College, Dublin, in the Week ending Saturday, December 31st, 1910.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him this Table.

1910. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperatures in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
	°	°	°	°	°	°	hrs.	ins.
Sunday, December 25,	41·7	44·6	46·1	50·1	39·7	44·9	?	·020
Monday, „ 26,	42·1	43·5	46·2	55·9	39·1	47·5	—	·050
Tuesday, „ 27,	44·9	42·3	46·1	48·1	34·0	41·1	—	·005
Wednesday, „ 28.	40·8	40·8	46·1	47·5	30·1	38·8	0·1	—
Thursday, „ 29	45·0	41·2	45·9	47·8	31·7	39·8	0·2	—
Friday, „ 30,	44·9	41·6	45·7	47·3	42·4	44·9	0·7	—
Saturday, „ 31,	44·8	42·0	45·4	48·5	41·0	44·8	0·6	·078
Weekly Mean, . .	43·5	42·3	45·9	49·3	36·9	43·1	Total ?	Total ·153

DUBLIN : Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

29889. Wt. P. 272—22/138, 375. 10. 1910. G. III.

FOR OFFICIAL USE.

QUARTERLY SUMMARY OF THE WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

DUBLIN:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY (LTD.), 116, GRAFTON STREET, DUBLIN; or
WYMAN AND SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

Price 1½*d.*

VOL. XLVII.] QUARTER ENDING SATURDAY, 31ST DECEMBER, 1910. [No. 52A.

DUBLIN REGISTRATION AREA.—Births.—In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, the total area thereof being 13,759 statute acres, and the population, estimated to the middle of 1910, 402,928, there were registered during the thirteen weeks ended on Saturday, 31st December, 1910, 2,543 births—1,290 boys and 1,253 girls—being equal to an annual ratio of 1 in 39·6, or 25·2 in every 1,000 of the population.

The number of births registered in the city was 2,173, equivalent to an annual rate of 28·0 in every 1,000 of the population; and in the urban districts named above, 370, equal to an annual rate of 16·0 in every 1,000 of the population.

There were registered in London during the same period 27,847 births—being equal to an annual birth-rate of 22·9 in every 1,000 of the estimated population; in Glasgow there were registered 5,218, being equal to 23·6 per 1,000; and in Edinburgh, 1,682 —a number affording an annual birth-rate of 18·7 in every 1,000 of the estimated population.

Deaths.—Omitting the deaths (118) of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the deaths for the Area, numbering 1,990, are equivalent to an annual rate of 19·8 per 1,000 of the estimated population, the total number of deaths registered in the Dublin Registration Area during the quarter being 2,108—1,002 males and 1,106 females—affording an annual ratio of 1 in 47·8, or 20·9 in every 1,000 of the estimated population. The annual mean mortality represented by the deaths registered during the fourth quarter of the ten years, 1900–1909, in the Dublin Registration Area as then constituted, was 23·4 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants* of the North City districts registered last quarter was 781, representing an annual mortality of 19·7 in every 1,000 of the population; and the number in the South City districts was 853, equivalent to a rate of 22·5 per 1,000. In the urban districts the number of deaths registered was 356, being equal to an annual death-rate of 15·4 in every 1,000.

The number of deaths registered in London during the same period was 18,575—a number equal to an annual rate of mortality of 15·2 in every 1,000 of the inhabitants; in Glasgow the number was 3,271, equal to 14·8 in every 1,000; and in Edinburgh, 1,295, affording an annual death-rate of 14·4 in every 1,000 of the estimated population.

Diseases.—The number of deaths from the principal epidemic diseases† registered in the Dublin Registration Area during last quarter was 177, being 47 below the number for the preceding quarter; and the annual rate per 1,000 of the population represented by the deaths from these diseases was 1·76, being 0·46 below the rate for the preceding three months.

The following tabular statement shows the mortality from each of the principal epidemic diseases in the period under notice, and the average number of deaths from these diseases which occurred in the corresponding period of the 10 years, 1900–1909:—

NAMES OF DISEASES.	No. of Deaths in December Quarter, 1910.	Average No. of Deaths in December Quarters, 1900-1909.
Small-pox,	–	–
Measles,	8	38
Scarlet Fever,	16	10
Typhus,	1	1
Whooping-cough,	52	25
Diphtheria,	24	14
Pyrexia (origin uncertain),	–	2
Enteric Fever,	14	27
Diarrhœal Diseases,	62	65

Small-pox.—There was no death from small-pox during the quarter, nor was any case of this disease reported by the Public Health authorities.

Measles.—This disease, which caused respectively 4, 2, and 6 deaths in the 3 preceding quarters, numbered 8 in the period under notice, which number is considerably less than the average for the fourth quarter of the ten years, 1900-9, namely, 38.

Scarlet Fever.—As compared with the average for the corresponding quarter of the preceding 10 years, the deaths from scarlet fever, numbering 16, show an increase of 6, the number of deaths in the first three quarters of 1910 being 7, 5, and 16 respectively. Of the 16 deaths for the past quarter, 4 appertained to the North City districts, 9 to the South City districts, and 3 were those of persons admitted to hospital from localities outside the Dublin Registration Area.

The number of cases of scarlet fever admitted to Dublin hospitals during last quarter was 289, the number discharged was 224, and the number of deaths was 16, leaving 122 cases under treatment at the close of the quarter, exclusive of 21 patients in Beneavin, the Convalescent Home of Cork Street Fever Hospital. At the close of the three preceding quarters the number of cases of the disease under treatment in hospitals was 62, 82, and 73, respectively.

* The death-rates referring to the several Dublin Districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in Public Institutions according to the localities from which the deceased persons were admitted

† See note (*), p. 864*b*.

Typhus.—One death from typhus was recorded, and was that of a person admitted to hospital from South City No. 4 district. In the first three quarters of the year 1910, deaths from this disease numbered one, 3, and 0, respectively. Four cases of the disease were under treatment during the quarter, 3 of these were discharged, and, as before stated, one died, no case of the disease remaining under treatment in hospital at the close of the quarter.

Whooping Cough.—The deaths from whooping cough, which in the 3 preceding quarters numbered 29, 23, and 22, respectively, rose to 52 in the period under notice. This latter number, which is equivalent to an annual rate of 0·52 per 1,000 of the estimated population, is 27 above the average for the corresponding period of the preceding 10 years, namely, 25.

Of the 52 deaths, 8 appertained to the North City districts (6 of these belonging to North City No. 1 East); 35 to the South City districts (13 having been recorded for South City No. 1, 11 for South City No. 3, and 10 for South City No. 4); 4 to Rathmines and Rathgar urban district, one to Pembroke, and 4 to Blackrock urban district.

Diphtheria.—There were 24 deaths from this disease, which number is 10 above the average (14) for the fourth quarter of the 10 years, 1900-9, and is also above the number registered in any of the three preceding quarters, the deaths in the latter quarters numbering 13, 4, and 23, respectively. Of the 24 deaths in the Area, representing an annual rate of 0·24 per 1,000 of the population, 7 were recorded for the North City districts (3 for North City No. 1 West, one for North City No. 2, 2 for North City No. 3, and one for Coolock and Drumcondra, part of); 9 were recorded for the South City districts (2 for South City No. 4); 3 were recorded for Rathmines and Rathgar urban district, one for Pembroke urban district, and there were 4 deaths in institutions of persons admitted from localities outside the Dublin Registration Area. From Table I. it will be seen that 222 patients were admitted to hospitals during the quarter, that 182 were discharged, that there were 19 deaths in hospitals, and that 66 cases of the disease remained under treatment at the end of the quarter. At the close of the three preceding quarters the cases remaining under treatment were 34, 56, and 45, respectively.

Enteric Fever.—Deaths from this disease, numbering 12, 11, and 11 in the three preceding quarters, rose to 14 in the period under notice, this number, however, being 13 under the average for the fourth quarter of the 10 years, 1900-9, namely, 27. Of the 14 deaths, 7 appertained to the North City districts, 3 to South City districts, one to Rathmines and Rathgar urban district, one to Pembroke urban district, and 2 were those of persons admitted to institutions from places outside the Dublin Registration Area. Table I. shows that the number of cases of enteric fever under treatment during the quarter was 126, that 85 of these were discharged, that 5 died in hospitals, and that 36 remained under treatment at the close of the quarterly period.

Diarrhœal Diseases.—Under this heading, the deaths, numbering 62, and representing an annual rate of 0·62 per 1,000 of the population, are 3 below the average (65) for the corresponding quarter of the preceding 10 years. Of the 62 deaths, 29 appertained to the North City districts, 25 to the South City districts, 2 to Rathmines and Rathgar urban district, one to Pembroke, one to Kingstown urban district, and there were 4 deaths of persons admitted to institutions from without the Area. Among the 62 deaths from diarrhœal diseases registered during the quarter were 52 of children under 5 years of age. Deaths from enteritis and *gastro-enteritis*, which are not included in the total deaths from diarrhœal diseases above referred to, numbered 24 and 19, respectively.

Influenza.—The number of deaths from influenza was 23, being 6 above the average for the fourth quarter of the 10 previous years. In the first three

quarters of 1910 the number of deaths from this disease was 52, 23, and 7, respectively.

Cerebro-spinal Fever.—No death from this malady was recorded.

Pneumonia.—There were 184 deaths from pneumonia (all forms), affording an annual rate of 1·82 per 1,000. Of the 184 deaths, 20 were caused by lobar pneumonia, 91 by broncho-pneumonia, and 73 by *pneumonia* (not defined). The average number of deaths from *pneumonia* (all forms) for the fourth quarter of the 10 years, 1900-9, was 156.

Tuberculous Disease.—The 334 deaths from all forms of the disease represent an annual rate of 3·32 per 1,000 of the population, and include 232 from tuberculous phthisis (*phthisis*), 21 from tuberculous meningitis, 8 from tuberculous peritonitis, 6 from *tabes mesenterica*, 66 from other forms of tuberculous disease, and one from *scrofula*. Of the 334 deaths, 129 appertained to the North City districts, affording an annual rate of 3·25 per 1,000 of the population; 135 to the South City districts, equivalent to an annual rate of 3·57 per 1,000—the 264 deaths appertaining to the North and South City districts, combined, being equal to an annual rate of 3·40 per 1,000; 16 to Rathmines and Rathgar urban district, the annual rate per 1,000 of the population being 1·73; 17 to Pembroke, which shows an annual rate of 2·35 per 1,000; 8 to Blackrock, affording an annual rate of 3·55 per 1,000; and 4 to Kingstown, the annual rate represented by these deaths being 0·91 per 1,000 of the population.

Malignant Disease.—Of the 120 deaths under this heading, 53 were caused by carcinoma, 2 by sarcoma, and 65 by cancer (undefined). The 120 deaths represent an annual rate of 1·19 per 1,000 of the population.

Premature Birth.—50 deaths of infants were ascribed to prematurity.

Diseases of the Brain and Nervous System.—There were 116 deaths attributed to these diseases, equivalent to an annual rate of 1·15 per 1,000, and included 40 deaths of children under 5 years of age from *convulsions*.

Diseases of the Heart and Blood Vessels.—The deaths under this heading amounted to 315, and are equivalent to an annual rate of 3·13 per 1,000 of the population.

Diseases of the Respiratory System.—These diseases caused the deaths of 308 persons, equal to an annual rate of 3·06 per 1,000 of the population, estimated to the middle of the year. Of the total deaths, 273 were from bronchitis.

Accidental Violence.—The 46 deaths attributed to accident or negligence include 7 deaths by vehicles and horses, 17 by burns or scalds (10 being deaths of children under 5 years of age), 5 by drowning, 2 of infants by suffocation in bed, one death by carbolic acid poisoning, and one death returned as having been caused by administration of chloroform for anæsthesia.

Homicide.—Under this heading there was one death.

Suicide.—Three deaths by suicide were recorded.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospital during the **Quarter** (13 weeks) **ended Saturday, 31st December, 1910.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Small-pox,	–	–	–	–	–
Measles,	7	62	44	3	22
Scarlet Fever,	73	289	224	16	122*
Typhus,	–	4	3	1	–
Diphtheria,	45	222	182	19	66
Enteric Fever,	49	77	85	5	36
Pneumonia,	20	89	76	12	21

* Exclusive of 21 patients in Beneavin, the convalescent home of Cork-street Fever Hospital.

In 59 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 59 cases, 29 (or 49·2 per cent.) were deaths of children under 5 years of age: these 29 deaths form 4·6 per cent. of the total number of deaths of children of that age-period. Of the deaths of 122 infants under one month old registered, there were 13 (or 10·7 per cent.) regarding which the cause was uncertified.

From Table II., on pages 862–3, it will be seen that, excluding 118 deaths of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 1,990, equal to an annual rate of 19·8 per 1,000 of the estimated population, and that 164 of these deaths, representing an annual rate of 1·6 per 1,000 persons, were caused by the principal epidemic diseases.* The death-rate for the city (from all causes) was 21·1 per 1,000, and for the urban districts 15·4 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 1·9, and in the urban districts 0·8, the rates for the several districts varying from 0·2 in Kingstown to 3·8 in South City, No. 4, the 195 deaths from all causes for that district including 3 from measles, 4 from scarlet fever, one from typhus, 10 from whooping-cough, 2 from diphtheria, 2 from enteric fever, and 12 from diarrhœal diseases.

Occupations.—Table III., on pages 864–4*a*, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 14·9 per 1,000 of the persons in that class according to the Census of 1901; in the "Middle Class" the death-rate was 16·2 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 15·4; and in the "General Service Class" it was 22·5.

Ages.—Of the 2,108 persons whose deaths were registered in the Dublin Registration Area during the quarter, 636 were under 5 years of age, including 415 infants under one year of age, the latter representing a rate of 163·2 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 66·7 in every 1,000 children at that age (according to the Census of 1901); 127 were between the ages of 5 and 20, representing an annual rate of 4·8 per 1,000 persons of that age-period; the total number under 20 years being equal to an annual mortality of 21·1 per 1,000 of the population at that age-period (according to the Census of 1901); 308, or 9·1 per 1,000 persons, were between 20 and 40; 434, or 25·3 per 1,000, between 40 and 60; 492, or 81·1 per 1,000, between 60 and 80; and 111, or 233·2 per 1,000, were aged 80 and upwards, including 13 persons aged 90 and upwards.

Public Institutions.—Of the 2,108 deaths recorded during the quarter, 891, or 42·3 per cent., occurred in public institutions, viz., 495 in the various hospitals, prisons, and lunatic asylums; 180 in the North Dublin Union Workhouse; 206 in the South Dublin Union Workhouse; and 10 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

Weather.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 44·1°. At Greenwich, for the quarter, it was 45·4°; at Glasgow, 43·1°; and at Edinburgh, 42·6°.

The rainfall at Dublin during the thirteen weeks measured 9·402 inches; at Greenwich, 8·94 inches; at Glasgow, 7·62 inches; and at Edinburgh, 5·54 inches.

* See note (*), page 864*b*.

TABLE II.—Showing for the **Quarter** (13 weeks) **ended 31st December, 1910,** the number AREA, the annual Rate per 1,000 of the Population of the respective Districts represented of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified *were admitted.*

REGISTRARS' DISTRICTS, &c.	POPULATION, ESTIMATED TO MIDDLE OF 1910.*	QUARTER (13 WEEKS) ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS		DEATHS. TOTAL DEATHS.	Infants under 1 year of Age.	1 and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	Persons aged 60 years and upwards.	CAUSED BY		
		FROM ALL CAUSES.	FROM DISEASES IN COLS. 11–19.								Small-pox.	Measles.	Scarlet Fever.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
North City.													
NORTH CITY, No 1, E.,	29,908	20·7	1·3	155	35	14	10	22	36	38	.	.	1
„ 1, W.,	39,974	20·5	2·0	205	44	16	9	43	48	45	.	1	2
„ 2,	30,744	21·6	1·7	166	41	13	14	23	35	40	.	.	.
„ 3,	33,559	20·5	1·2	172	33	19	8	26	32	54	.	.	1
CLONTARF AND HOWTH, NO. 1, part of,	5,381	12·6	0·7	17	2	1	.	2	6	6	.	.	.
COOLOCK AND DRUMCONDRA, part of,	11,622	13·8	0·3	40	2	2	2	10	8	16	.	.	.
FINGLAS AND GLASNEVIN, part of,	7,693	13·5	0·5	26	2	.	1	3	10	10	.	.	.
South City.													
SOUTH CITY, NO. 1,	41,476	23·8	2·4	247	52	41	9	24	47	74	.	1	3
„ 2,	21,754	23·5	1·1	128	27	21	9	17	28	26	.	.	.
„ 3,	43,227	23·0	2·1	249	65	37	10	40	41	56	.	3	1
„ 4,	35,881	21·7	3·8	195	46	22	14	27	34	52	.	3	4
NEW KILMAINHAM,	9,079	15·0	0·4	34	9	2	2	5	9	7	.	.	1
Urban Districts.													
RATHMINES AND RATHGAR,	37,047	14·9	1·1	138	21	11	5	7	29	65	.	.	.
PEMBROKE,	28,948	14·2	0·6	103	15	9	10	9	11	49	.	.	.
BLACKROCK,	9,013	25·3	1·8	57	5	4	6	5	15	22	.	.	.
KINGSTOWN,	17,622	13·2	0·2	58	7	3	5	5	10	28	.	.	.
Total City, North,	158,881	19·7	1·4	781	159	65	44	129	175	209	.	1	4
Total City, South,	151,417	22·5	2·4	853	199	123	44	113	159	215	.	7	9
Total City, North & South,	310,298	21·1	1·9	1,634	358	188	88	242	334	424	.	8	13
Total Urban Districts,	92,630	15·4	0·8	356	48	27	26	26	65	164	.	.	.
Total Registration Area,	402,928	19·8	1·6	1,990	406	215	114	268	399	588	.	8	13
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above),				118	9	6	13	40	35	15	.	.	3

* See note (*) on page 864c.

of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some Deaths; *the Deaths in Public Institutions being assigned to the Districts from which the deceased*

ENDED 31ST DECEMBER, 1910.

DEATHS. CAUSED BY													REGISTRARS' DISTRICTS, &c.
Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia* † (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Number of Uncertified Deaths.	
(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	
													North City.
.	6	.	.	.	3	13	21	2	1	28	7	8	NORTH CITY, No. 1, E.
.	.	3	.	3	11	18	30	9	16	26	5	2	„ 1, W.
.	1	1	.	1	10	13	19	11	6	19	3	1	„ 2.
.	1	2	.	2	4	11	15	10	11	22	2	10	„ 3.
.	.	.	.	.	1	1	2	.	2	1	2	1	CLONTARF AND HOWTH, No. 1, part of.
.	.	1	.	.	.	5	6	1	4	3	.	1	COOLOCK AND DRUMCONDRA, part of.
.	.	.	.	1	.	4	3	.	1	3	1	2	FINGLAS AND GLASNEVIN, part of.
													South City.
.	13	2	.	.	6	15	23	7	5	62	5	3	SOUTH CITY, No. 1.
.	1	3	.	1	1	12	14	6	4	24	6	4	„ 2
.	11	2	.	.	6	35	26	25	7	31	4	8	„ 3.
1	10	2	.	2	12	16	22	7	12	35	2	4	„ 4.
.	.	.	.	.	.	3	2	3	4	3	.	2	NEW KILMAINHAM.
													Urban Districts.
.	4	3	.	1	2	10	10	6	7	16	3	7	RATHMINES AND RATHGAR.
.	1	1	.	1	1	10	14	3	7	16	3	1	PEMBROKE.
.	4	.	.	.	.	3	6	2	5	4	.	3	BLACKROCK.
.	.	.	.	.	1	9	2	2	7	6	2	2	KINGSTOWN.
.	8	7	.	7	29	65	96	33	45	102	20	25	**North.** } **Total**
1	35	9	.	3	25	81	87	48	32	155	17	21	**South.** } **City.**
1	43	16	.	10	54	146	183	81	77	257	37	46	**North & South.** }
.	9	4	.	2	4	32	32	13	26	42	8	13	**Total Urban Districts.**
1	52	20	.	12	58	178	215	94	103	299	45	59	**Total Registration Area.**
.	.	4	.	2	4	6	17	8	17	9	5	.	

* See note (*) on page 864*b*. † Formerly described as "Simple Continued Fever."

TABLE III.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL **Quarter** (13 weeks) **ending Saturday, 31st December, 1910**; the Annual Death Rate the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, QUARTER							
			Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES.					
					Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
	ALL PERSONS,	375,350	22·5	2,108	636	127	308	434	492	111
	CLASSES.									
	Deaths in Families of the—									
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	14·9	65	3	.	10	17	26	9
II.	MIDDLE CLASS,	87,188	16·2	353	54	24	65	78	83	49
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	15·4	425	127	29	67	94	92	16
IV.	GENERAL SERVICE CLASS,	154,279	22·5	869	389	60	113	129	157	21
V.	INMATES OF WORKHOUSES,	6,024	—	396	63	14	53	116	134	16
I.	PROFESSIONAL AND INDEPENDENT CLASS.									
	1. Clerical, Medical, Legal, and other Professions: Naval and Military Officers, and Heads of Public Departments,	7,799	24·1	47	2	.	7	14	18	6
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	8·6	18	1	.	3	3	8	3
II.	MIDDLE CLASS.									
	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	15·6	30	3	.	3	9	10	5
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	22,016	16·7	92	15	3	12	27	22	13
	6. Clerks and Commercial Assistants,	30,432	12·5	95	23	9	29	16	15	3
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	27,028	20·1	136	13	12	21	26	36	28
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.									
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	15·8	39	15	1	7	13	1	2
	9. Building and Furnishing Trades,	29,801	14·5	108	41	7	16	22	20	2
	10. Clothing Trades,	23,260	11·9	69	21	4	8	14	20	2
	11. Food Supply Trades,	9,242	13·0	30	10	4	4	5	6	1
	12. Other Trades and Callings ranking with Trades,	30,352	20·4	155	34	12	26	36	40	7
	13. Petty Shopkeepers,	7,894	12·2	24	6	1	6	4	5	2
IV.	GENERAL SERVICE CLASS.									
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	14·9	50	13	2	8	9	16	2
	15. Domestic Servants,	36,603	7·6	70	15	6	19	14	12	4
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	26·1	94	39	5	14	19	15	2
	17. Hawkers, Porters, Labourers, &c.,	89,861	29·2	655	322	47	72	87	114	13
V.	INMATES OF WORKHOUSES.									
	18. Workhouse Inmates,	6,024	—	396	63	14	53	116	134	16

POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and

(13 WEEKS) ENDING SATURDAY, 31ST DECEMBER, 1910.

CAUSES OF DEATH.																		CLASS AND ORDER.
Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	TUBERCULOUS DISEASE. Phthisis.	TUBERCULOUS DISEASE. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.	Number of Uncertified Deaths.	
(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	
.	8	16	1	52	24	.	14	62	177	184	232	102	120	41	308	50	894	59	
																			I.
.	.	.	.	.	.	.	.	.	.	5	8	.	9	.	6	.	37	1	I.
.	.	3	.	5	4	.	3	4	19	31	43	16	30	8	23	10	173	6	II.
.	.	5	1	9	7	.	2	11	35	42	40	17	23	9	70	9	180	16	III.
.	8	8	.	36	12	.	8	37	109	92	86	45	36	24	122	31	324	36	IV.
.	.	.	.	2	1	.	1	10	14	14	55	24	22	.	87	.	180	.	V.
																			I.
.	.	.	.	.	.	.	.	.	.	4	4	.	5	.	3	.	31	1	1
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
.	.	.	.	.	.	.	.	.	.	1	4	.	4	.	3	.	6	.	3
																			II.
.	.	.	.	.	.	.	1	1	2	1	.	.	3	1	1	.	22	2	4
.	.	.	.	1	.	.	.	1	2	10	8	5	12	2	6	3	44	.	5
.	.	2	.	3	3	.	1	.	9	11	22	4	2	4	5	1	37	3	6
.	.	1	.	1	1	.	1	2	6	9	13	7	13	1	11	6	70	1	7
																			III.
.	.	.	.	1	.	.	.	1	2	3	3	.	1	1	4	4	21	2	8
.	.	2	.	2	2	.	.	5	11	15	14	6	6	3	14	3	36	2	9
.	.	.	.	3	3	.	1	2	9	8	6	3	4	1	15	.	23	1	10
.	.	1	1	1	.	.	.	.	3	2	.	3	4	2	2	.	14	1	11
.	.	2	.	2	2	.	1	1	8	13	16	4	7	2	33	2	70	9	12
.	.	.	.	.	.	.	.	2	2	1	1	1	1	.	2	.	16	1	13
																			IV.
.	.	.	.	.	.	.	1	.	1	8	1	4	2	.	4	.	30	4	14
.	.	.	.	1	1	.	.	1	3	4	15	4	5	2	6	.	31	2	15
.	.	.	.	10	2	.	1	2	15	14	13	2	3	3	11	3	30	4	16
.	8	8	.	25	9	.	6	34	90	66	57	35	26	19	101	28	233	26	17
																			V.
.	.	.	.	2	1	.	1	10	14	14	55	24	22	.	87	.	180	.	18

*Formerly described as "Simple Continued Fever."

Twenty-two Principal Town Districts of Ireland.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and twenty-one of the principal Urban Districts of Ireland (exclusive of deaths in Public Institutions of persons admitted from without the districts), was 17·5 per 1,000 persons, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest :— Sligo, 9·6 ; Armagh, 12·1 ; Drogheda, 12·9 ; Galway, 14·6 ; Limerick, 14·7 ; Newtownards 15·4 ; Londonderry, 15·5 ; Queenstown, 15·7 ; Belfast, 16·0 ; Ballymena, 16·2 ; Cork, 16·8 ; Newry, 17·4 ; Dundalk, 17·7 ; Tralee, 17·8 ; Waterford, 18·2 ; Lisburn, 19·5 ; Clonmel, 19·7 ; Dublin Registration Area, 19·8 ; Kilkenny, 20·7 ; Lurgan, 21·7 ; Portadown, 21·8 ; and Wexford, 22·2.

The average annual rate represented by the deaths from the principal epidemic diseases* in the 22 districts is 1·3 per 1,000 of the population, the rates varying from 0·0 in Newry and Tralee to 10·2 in Lurgan, the 64 deaths from all causes for that district including 28 from measles, one from scarlet fever and one from diarrhœa.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *twenty-one provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter :—

Small-pox.—No death from small-pox was recorded for any of the 21 urban districts.

Measles.—Of 64 deaths from measles, 24 appertained to Belfast, 28 to Lurgan, 5 to Portadown, 4 to Armagh, 2 to Lisburn, and one to Ballymena.

Scarlet Fever.—Among the 10 deaths from scarlet fever, 8 were recorded for Belfast, and one death each for Londonderry and Lurgan.

Typhus.—The 2 deaths from typhus recorded appertained to Dundalk.

Whooping-Cough.—There were 8 deaths from whooping-cough for Londonderry, 7 for Belfast, 4 for Cork, 2 for Wexford, and one death each for Limerick, Waterford, and Portadown.

Diphtheria.—From this disease in the 21 towns, 23 deaths were recorded; of these 10 appertained to Belfast, 3 to Cork, 2 each to Limerick, Dundalk, Ballymena and Portadown, and one death each to Kilkenny and Newtownards.

Enteric Fever.—There were 3 deaths from this disease assigned to Belfast, 2 each to Cork and Sligo, and one death each to Galway and Drogheda.

Diarrhœal Diseases.—Among the 90 deaths under this heading for the 21 urban districts were 51 recorded for Belfast, 9 for Cork, 8 for Waterford, and 6 for Londonderry.

Cerebro-spinal Fever.—During the quarter 2 deaths from cerebro-spinal fever were recorded for Belfast. In the three preceding quarters the mortality from cerebro-spinal fever for Belfast was one, 0, and 0, respectively.

Phthisis.—The annual death-rate from phthisis for the 22 towns in the aggregate was 1·9 per 1,000 of the population ; for the Dublin Registration Area it was 2·1 per 1,000, for Belfast County Borough 1·8 per 1,000, and for the Urban Districts collectively (exclusive of Belfast and Dublin Registration Area), it was 1·7 per 1,000, exclusive of deaths in public institutions of persons admitted from without the respective areas.

* Small-pox, measles, scarlet fever, typhus, whooping-cough, diphtheria, *pyrexia* (origin uncertain) enteric fever, and diarrhœal diseases.

TABLE IV.—BIRTHS and DEATHS Registered during the **Quarter** (13 weeks) **ending Saturday, 31st December, 1910,** in the Dublin Registration Area, and in each of the undermentioned Twenty-one Urban Districts (exclusive of Deaths in Public Institutions of persons admitted from other localities), with the number of Deaths from some of the principal causes; also the number of Uncertified Deaths.

TOWNS AND DISTRICTS.	Census Statistics of Districts.* Population. Total.	Persons to an Acre.	Annual Rate per 1,000 persons represented by: Births.	Deaths. From all Causes.	Deaths. From Diseases in co's. 11–18.	REGISTRATION—QUARTER (13 WEEKS) ENDING SATURDAY, 31ST DECEMBER, 1910. NUMBERS REGISTERED. Births. Total Number.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Deaths Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Typhoid† (origin uncertain)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
TOTAL OF 22 TOWN DISTRICTS,	1,151,790	20·2	25·1	17·5	1·3	7,226	5,049	992	1,483	.	72	23	3	76	43	.	21	148	347	536	221	268	754	103	173	1,525	190
DUBLIN REGISTRATION AREA:																									*		
TOTAL,	402,928	29·3	25·2	19·8	1·6	2,543	1,990	406	588	.	8	13	1	52	20	.	12	58	178	215	94	103	299	45	60	773	59
CITY OF DUBLIN,	310,298	39·2	28·0	21·1	1·9	2,173	1,634	358	424	.	8	13	1	43	16	.	10	54	146	183	81	77	257	37	51	683	46
Urban Districts. RATHMINES & RATHGAR,	37,047	21·6	13·9	14·9	1·1	129	138	21	65	.	.	.	.	4	3	.	1	2	10	10	6	7	16	3	4	38	7
PEMBROKE,	28,948	18·2	17·7	14·2	0·6	128	103	15	49	.	.	.	.	1	1	.	1	1	10	14	3	7	16	3	2	28	1
BLACKROCK,	9,013	8·3	15·5	25·3	1·8	35	57	5	22	.	.	.	.	4	.	.	.	.	3	6	2	5	4	.	1	12	3
KINGSTOWN,	17,622	12·1	17·7	13·2	0·2	78	58	7	28	.	.	.	.	.	.	.	.	1	9	2	2	7	6	2	2	12	2
URBAN DISTRICTS.																											
BELFAST,	391,167	26·6	25·1	16·0	1·1	2,458	‡ 1,563	327	395	.	24	8	.	7	10	.	3	51	120	171	71	85	258	33	71	381	19
CORK,	76,122	33·6	23·7	16·8	0·9	451	319	43	107	.	.	.	.	4	3	.	2	9	5	47	11	18	36	6	13	125	12
LONDONDERRY,	43,477	20·1	24·5	15·5	1·4	266	168	40	43	.	.	1	.	8	.	.	.	6	7	15	10	14	30	1	2	15	4
LIMERICK,	38,151	18·1	25·4	14·7	0·5	242	140	29	34	.	.	.	.	1	2	.	.	2	3	20	2	9	26	.	5	39	25
WATERFORD,	26,769	18·7	26·0	18·2	1·3	174	122	27	44	.	.	.	.	1	.	.	.	8	3	11	9	7	11	2	6	51	10
GALWAY,	13,426	2·5	23·8	14·6	0·3	80	49	13	14	.	.	.	.	.	.	.	1	.	3	3	.	1	4	1	.	11	8
DUNDALK,	13,076	9·4	19·9	17·7	1·5	65	58	6	21	.	.	.	2	.	2	.	.	1	1	4	5	4	4	2	2	14	9
DROGHEDA,	12,760	8·6	22·3	12·9	0·3	71	41	3	24	.	.	.	.	.	.	.	1	.	.	4	1	2	8	.	.	10	6
NEWRY,	12,405	17·8	20·6	17·4	.	64	54	1	27	.	.	.	.	.	.	.	.	.	3	6	1	3	17	1	1	12	1
LURGAN,	11,782	13·8	25·8	21·7	10·2	76	64	9	15	.	28	1	.	.	.	.	.	1	.	2	2	6	.	4	4	7	4
LISBURN,	11,461	10·1	27·9	19·5	1·0	80	56	7	26	.	2	.	.	.	.	.	.	1	2	2	1	3	8	2	3	9	2
WEXFORD,	11,168	23·2	31·2	22·2	1·1	87	62	13	28	.	.	.	.	2	.	.	.	1	1	6	2	1	13	1	1	10	3
BALLYMENA,	10,886	8·9	26·1	16·2	1·5	71	44	7	16	.	1	.	.	.	2	.	.	1	4	3	.	3	2	2	.	6	6
SLIGO,	10,870	3·7	23·6	9·6	1·1	64	26	4	10	.	.	.	.	.	.	.	2	1	.	.	2	1	2	.	1	6	3
KILKENNY,	10,609	11·5	31·3	20·7	0·4	83	55	7	23	.	.	.	.	.	1	.	.	.	3	6	.	.	20	.	.	16	.
CLONMEL,	10,167	7·8	20·1	19·7	0·8	51	50	12	18	.	.	.	.	.	.	.	.	2	3	4	1	.	8	.	.	19	5
PORTADOWN,	10,092	13·2	26·2	21·8	4·4	66	55	13	14	.	5	.	.	1	2	.	.	3	2	4	2	1	.	2	2	.	5
TRALEE,	9,867	16·6	33·6	17·8	.	83	44	6	7	.	.	.	.	.	.	.	.	.	4	6	.	4	2	.	1	11	.
NEWTOWNARDS,	9,110	18·9	30·7	15·4	1·3	70	35	13	13	.	.	.	.	1	.	.	.	2	3	3	1	2	3	1	1	5	5
QUEENSTOWN,	7,909	14·4	24·3	15·7	0·5	48	31	4	10	.	.	.	.	.	.	.	.	1	2	1	6	1	2	.	.	2	2
ARMAGH,	7,588	22·2	17·4	12·1	2·1	33	23	2	6	.	4	.	.	.	.	.	.	.	.	3	.	.	1	.	.	3	2

*The population given for the Dublin Registration Area and its component parts, and the cities of Belfast and Londonderry, is that estimated to the middle of the year 1910: that for each of the other districts is the Population according to the Census of 1901.

† Formerly described as "simple continued fever."

‡ Including 2 deaths from cerebro-spinal fever (see text on page 864*b*.)

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) **ended 31st December, 1910,** Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the Population according to the Census of 1901 represented by the Deaths from All Causes and from the principal Epidemic Diseases; the Number of Deaths at certain AGE-PERIODS; the Number of Deaths from some of the Principal CAUSES: the Number of UNCERTIFIED DEATHS, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from		DEATHS.																									
			All Causes.	Diseases in Cols. 12-20.	Total No. of Deaths.	Ages at Death.						Deaths from																		
						Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia* * (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease.		Cancer, Malignant Disease.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
																					Phthisis.	Other Forms.							
COLS.	(1.)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																														
BELFAST URBAN, No. 1 DISTRICT,	.	86			100	23	8	11	15	18	25	.	2	.	.	.	.	.	.	5	5	20	1	5	11	4	9	35	2
,, 2 ,,	.	287			198	32	25	21	29	37	49	.	4	3	.	.	2	.	1	9	14	20	7	6	39	4	10	43	2
,, 3 ,,	.	334			192	33	16	17	33	43	50	.	.	1	.	3	.	.	.	11	23	21	6	12	30	3	4	37	5
,, 4 ,,	.	301			157	37	13	11	15	32	49	.	6	1	.	2	.	.	.	2	7	12	5	13	22	2	3	64	2
,, 5 ,,	.	93			91	22	4	10	16	23	16	.	1	.	.	.	2	.	.	.	4	3	6	6	21	4	4	33	1
,, 6 ,,	.	164			125	17	2	5	19	38	49	.	.	.	.	.	.	.	.	2	7	15	3	16	42	6	9	26	1
,, 7 ,,	.	22			13	3	1	1	3	2	3	.	.	.	.	.	.	.	.	1	.	3	.	.	1	.	1	2	.
,, 8 ,,	349,180	32			27	9	5	1	4	3	5	.	4	.	.	.	.	.	.	1	2	2	.	1	3	.	.	6	.
,, 9 ,,	.	148			103	28	8	4	17	26	25	.	3	.	.	1	.	.	2	3	9	13	4	5	24	2	3	25	1
,, 10 ,,	.	182			113	28	13	11	20	23	23	.	1	.	.	.	1	.	.	1	6	19	5	6	20	2	3	17	3
,, 11 ,,	.	156			129	27	12	11	26	27	26	.	.	1	.	1	1	.	.	7	17	22	4	2	20	5	7	24	1
,, 12 ,,	.	182			138	36	14	11	17	38	22	.	1	1	.	.	.	.	.	.	8	2	15	4	26	1	11	30	.
,, 13 ,,	.	118			54	13	2	8	5	10	16	.	.	.	.	.	.	.	.	4	3	6	3	3	5	.	3	4	.
,, 14 ,,	.	2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, 15† ,,	.	156			128	29	5	7	20	30	37	.	2	1	.	.	4	.	.	5	15	13	12	6	14	.	4*	35	1
Total, .	—	2,458			1,568‡	327	128	129	239	345	395	.	24	8	.	7	10	.	3	51	120	171	71	85	258	33	71	381	19
City of Cork.																														
CORK URBAN, No. 1 DISTRICT,	12,867	65	19·3	0·6	62	10	2	4	9	8	29	.	.	.	.	1	.	.	.	1	2	8	.	3	3	.	2	30	1
,, 2 ,,	10,701	76	14·2	1·1	38	3	6	2	8	11	8	.	.	.	.	.	2	.	.	1	1	7	1	4	3	.	1	14	.
,, 3 ,,	9,978	58	12·8	1·2	32	4	4	3	4	5	12	.	.	.	.	1	.	.	.	2	.	3	3	3	6	1	3	6	.
,, 4 ,,	8,666	53	15·7	0·5	34	6	2	2	7	7	10	.	.	.	.	.	.	.	.	1	.	5	1	1	8	2	3	12	.
,, 5 ,,	6,592	86	15·2	.	25	3	.	2	6	5	9	.	.	.	.	.	.	.	.	.	.	4	1	2	1	.	1	11	1
,, 6 ,,	10,702	70	22·4	0·7	60	9	2	6	12	18	18	.	.	.	.	.	.	.	1	1	2	11	3	2	7	.	.	29	2
,, 7 ,,	16,616	93	16·4	1·7	68	8	10	4	11	14	21	.	.	.	.	2	1	.	1	3	.	9	2	3	8	3	3	23	8
Total, . .	76,122	451	16·8	0·9	319	43	26	23	57	68	107	.	.	.	.	4	3	.	2	9	5	47	11	18	36	6	13	125	12

* Formerly described as Simple Continued Fever.

† New district formed as from 1st Jan., 1910 and the boundaries of Nos. 1, 4 & 6 districts altered; the population of each of these districts, as at present constituted, is not available.

‡ See note (1) on page 864c.

GENERAL REGISTER OFFICE,
Charlemont House, Dublin,
25th January, 1911.

WILLIAM J. THOMPSON,
Registrar-General.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.
(30039). Wt. P. 272-22/138. 375. 9. 1910. G. III. 86h. 9.